

# Index

- Absorbance, 24, 57  
Acetone, 61–62, 191–192, 203  
Adhesive tapes, 130–132, 200  
Agricultural applications, 178–179  
Air, 183  
Alcohols, 76–77, 79–80, 175–178, 195, 202  
Aldehydes, 76–78  
Alfalfa, 158–160  
Aliphatic hydrocarbons, 71–74, 86  
Alkali halide discs, 26, 28, 97  
Alkanes, 71–73  
Alkenes, 72–73  
Alkynes, 72–73  
Amides, 80–81, 87, 141–151, 196  
Amines, 80–81, 87, 103–104, 193, 195  
Amino acids, 142–143  
Amphetamines, 43, 172–174  
Anhydrides, 77, 79  
Animal tissue, 43  
Apodization, 21–22  
Aromatic compounds, 74–76, 87, 196, 198  
Artificial neural networks, 67  
Aspirin, 60–61, 66–67, 168, 192  
Atmospheric absorptions, 16–17  
Attenuated total reflectance spectroscopy, 33–35, 123, 131, 150, 161–169, 179–180  
Attenuators, 30  
Azides, 82  
Backbonding, 105–107  
Baseline correction, 51  
Beam condenser, 38  
Beamsplitter, 18  
Beer–Lambert law, 57–59, 66, 190, 192  
Bending, 8–10  
Benzene, 74–76, 87  
Binders, 180, 202  
Blood, 141, 150, 161  
Bohr equation, 4  
Boron compounds, 83  
Caffeine, 5, 61, 66–67, 190–192  
Calcium carbonate, 96, 154–155, 179–180, 196  
Calcium oxalate, 155–156  
Calcium sulfate, 97–98, 196–197  
Calibration, 67–70, 100, 198–199  
Cancer, 152–153  
Carbohydrates, 155, 158–160, 174–176, 178–179

- Carbon dioxide, 7, 10, 16, 42, 183, 188, 203
- Carboxylic acids, 77, 79–80
- Cells, 25–26
- Cellulose, 179
- Chemometrics, 67
- Chloroform, 7–8, 50–51, 60–61, 92, 123
- Cholesterol, 154–155, 161–162
- Christiansen effect, 29
- Cigarette smoke, 183–184, 203
- Citronellal, 88–89
- Classical least-squares method, 67
- Clays, 108–109
- Clinical chemistry, 161–162
- Combination bands, 11, 178, 188, 194
- Computers, 23, 49
- Concentration, 57–59
- Coordination compounds, 98, 102–104
- Copolymers, 118–120, 198–199
- Correlation table, 114–115
- Cortisone acetate, 170–171
- Coupling, 8, 12
- Crystal field splitting, 126
- Crystallinity, 126–127
- Curve-fitting, 56–57, 143
- Cyclohexane, 63–65
- Deconvolution, 54–56, 143
- Degeneracy, 7
- Degradation, 132–135
- Deoxyribonucleic acid, 49, 151–152, 155
- Derivatives, 53–55, 143
- Detectors, 16, 19–20
- Deuterium oxide, 26–27, 141, 143, 146, 149–150
- Deuterium triglycine sulfate detector, 19
- Diamond anvil cell, 38, 190
- Diatomic molecules, 5
- Difference spectra, 52–53
- Diffuse reflectance spectroscopy, 36–37, 131, 170, 179, 189
- Dioctyl phthalate, 122
- Dispersive infrared spectrometer, 16–18
- Doppler effect, 6
- Disease diagnosis, 152–155, 201
- Drugs, 66–67, 168–174
- Dyes, 180–182
- Electromagnetic radiation, 2–5
- Emission spectroscopy, 43
- Environmental applications, 183–184
- Ephedrine, 174, 202
- Escherichia coli*, 155–158
- Esters, 77–78
- Ethanol, 175–176
- Ethers, 76–77, 79–80
- Evolved gas analysis, 42–43
- Far-infrared, 18, 20, 24, 48, 97
- Fats, 174–176
- Fellgett advantage, 23
- Fermi resonance, 12, 78–79
- Fibres, 121, 178–179
- Films, 27–28, 31, 35
- Fingerprint region, 11, 47
- Focal plane array detectors, 39–40
- Food science, 174–178
- Force constant, 7–8
- Fourier-transform infrared spectrometers, 18–25
- Fourier-transformation, 18, 20–21
- Frequency, 3
- Fundamental bands, 8, 78, 188
- Gallstones, 153–155
- Gas chromatography–infrared spectroscopy, 41–42, 147–174, 183–184, 190
- Gases, 31–32, 59, 183–184
- Gaussian bandshapes, 55–57
- Germanium, 34
- Glucose, 161
- Grains, 178–179
- Gram–Schmidt chromatograms, 42–43
- Grazing angle sampling, 35
- Group frequencies, 46–48
- Halogen-containing organic compounds, 82
- Heisenberg Uncertainty Principle, 6
- Heterocyclic compounds, 83
- Hexanol, 58
- Hierarchical clustering, 68, 158
- Hydration, 97–98

- Hydrogen bonding, 49–51, 87, 116,  
127–129, 194, 201
- Ideal gas law, 59
- Imaging, 38–41
- Interferogram, 18, 20–21
- Internal standards, 62–63
- Inverse least-squares method, 67
- Isocyanate, 123, 199
- Isomers, 63–64, 104–105, 174–175
- Jacquinot's advantage, 23
- Kaolinite, 108–109, 197
- Ketones, 76–77
- Kidney disease, 155–156
- Kubelka–Munk equation, 36–37
- Kramers–Kronig transformation, 35
- Lactate, 161–162
- Lactic acid, 24–25
- Lattice bands, 97
- Libraries, 49, 172
- Linear discriminant analysis, 67
- Linear infrared dichroism, 43
- Lipids, 138–141, 146–149, 152, 155, 161
- Liquid chromatography, 42
- Liquids, 25–28, 59–62
- Lorentzian bandshapes, 55–57
- Lysozyme, 144–145
- Mapping, 153–155
- Membranes, 138, 146
- Mercury cadmium telluride detectors, 20,  
38
- Metal complexes, 102–107, 197
- Methanol, 175–176
- Michelson interferometers, 18–19
- Microbial cells, 155–158
- Microscopy, 38–41, 121, 158–160, 180,  
190
- Mid-infrared, 18, 24, 46–47
- Milk, 175
- Minerals, 107–109, 178
- Molar absorptivity, 57–59
- Monochromators, 16–17
- Moving mirrors, 21–22
- Mulls, 28–30, 62, 97
- Multicomponent analysis, 63–67
- Multiple internal reflectance, 35
- Myelin basic protein, 146–149
- Near-infrared, 18, 20, 24, 47–48, 86–87,  
160–161, 172, 175–179
- Nitriles, 82
- Nitrites, 82
- Nitrogen-containing organic compounds,  
80–82
- Normal modes, 6–11, 98–102
- Nucleic acids, 151–152
- Nujol, 29–30
- Nylons, 116–117, 121–122, 128–129,  
131
- Oils, 68–70, 174–175, 178
- Optical fibres, 43
- Organometallic compounds, 107
- Orientation, 129–130
- Overtone bands, 11, 78, 178, 188
- Oximes, 82
- Oxygen-containing organic compounds,  
76–80
- Paint, 180–182
- Paper, 179
- Partial least-squares method, 67, 161
- Pathlength, 25–28, 32–33
- Penetration depth, 33–34
- Peptides, 149–151, 201
- Pesticides, 183–184
- Pharmaceutical applications, 168–174
- Phenacetin, 66–67, 192
- Phenols, 76–77, 79–80
- Phospholipids, 138–141, 200
- Phosphorus compounds, 84–85, 194
- Photoacoustic spectroscopy, 37–38, 131,  
179–180
- Pigments, 180–182, 203
- Planck constant, 4
- Plants, 158–160
- Pollutants, 183–184
- Poly(*cis*-isoprene), 116, 197–198
- Polyethylene, 62, 126–127, 132–133,  
200

- Poly(ethylene oxide), 120–121  
Poly(ethylene terephthalate), 18, 130, 133  
Poly(methyl methacrylate), 114–115, 134–135  
Polymer blends, 120–122  
Polymerization, 123–124  
Polymorphs, 169–171, 202  
Polypropylene, 124–126, 132  
Polytetrafluoroethylene, 25  
Polyurethanes, 123, 127–128, 199  
Poly(vinyl chloride), 122, 132  
Poly(vinyl isobutylether), 120, 122  
Poly(vinyl phenol), 120–122  
Potassium bromide, 18, 27, 29, 62, 96, 107, 109, 183, 189  
Potassium nitrite, 96  
Principal component regression method, 67–70, 161, 172  
Propanol, 61–62, 192  
Proteins, 50, 141–149, 155–156, 160, 174–175, 178, 200–201  
Pseudoephedrine, 174, 202  
Pulp, 179  
Pyridines, 82
- Quantum number, 4
- Reduced mass, 7–8  
Reflectance methods, 33–38  
Resolution, 22, 188  
Ribonuclease, 145–146, 155–157, 200–201  
Ribonucleic acid, 151–152, 155
- Salicylic acid, 169  
Schrödinger equation, 6  
Selection rule, 5  
Signal-averaging, 22–23  
Silicon compounds, 83–84, 118  
Skeletal vibrations, 10  
Smoothing, 51–52  
Sodium chloride, 26–27, 61, 67, 96
- Solids, 28–31, 62–63  
Solutions, 25–28  
Sources, 19–20  
Specular reflectance spectroscopy, 35–36, 131  
Speed advantage, 23  
Stretching, 8–10  
Sulfur compounds, 85–86  
Supercritical fluid chromatography, 42  
Surfaces, 130–132
- Tacticity, 124–126  
Temperature, 43, 51, 128–129, 139–140  
Testosterone, 169–170  
Thallium iodide, 34  
Thermal analysis–infrared spectroscopy, 42–43  
Thermogravimetric analysis–infrared spectroscopy, 42–43, 134–135  
Titanium oxide, 180  
Transmission methods, 25–33  
Transmittance, 24, 58  
Trifluoroethanol, 149–150  
Triglycerides, 161–162, 174
- Urea, 161–162  
Urine, 161
- Vanillin, 89, 194–195  
Vibration–rotation bands, 12, 203
- Water, 7, 16, 26–27, 49, 102, 174, 176, 178–179, 183, 188, 203  
Wavelength, 3  
Wavenumber, 4  
Wine, 175–176
- Xylene, 63–66
- Zeolites, 109  
Zinc selenide, 34, 131