

INDEX

- “A. v. Humboldt”, 46, 320
“Argos”, 282, 321
“Baltica”, 325, 461–462, 505, 527
“Bora”, 325
“Dana”, 322
“Delta”, 71–73, 86, 324, 650
“Gauss”, 15, 46–47, 96, 109, 235–238, 320
“Gedser Rev”, 272–274, 658–659
“Gunnar Thorson”, 322
“Gustaf af Klint”, 320
“Hydromet”, 166, 215, 324
“Jan Heweliusz”, 70, 134, 137–138
“Kra II”, 324
“Kra”, 325
“Martin Knudsen”, 322
“Professor Albrecht Penck”, 46–47, 282, 320
“Skagerrak”, 30, 47, 52, 67–69, 202, 208, 212, 226, 231, 322, 486, 491, 518, 555, 591, 645
²¹⁰Pb dating, 412
absolute salinity, 330, 628–630
absorption, 114, 245, 368, 589, 599
abundance, 312, 320, 442, 461–463, 491–492, 496, 502, 521, 525, 528–536, 544–545, 548–563, 566, 572, 617
Acartia spp., 559–560, 563–564
accumulated areal ice volume, 233–236
ACFM, 547, 568
Achnanthes, 449, 462
Acoustic Doppler Current Profiler (ADCP), 15, 53–54, 122, 127–139, 146, 165, 283, 287, 600, 605, 658
Actinocyclus, 457
Advanced Very High Resolution Radiometer (AVHRR), 242–246, 258–261, 445, 457, 463
advection, 7, 10, 18–21, 36, 79, 107, 271, 282, 293–295, 331, 386–387, 457, 585–592, 600–601, 605, 614
 of tracers, 587
 scheme, 587–588, 592
advection-diffusion equation, 589
aerosol, 114–116
African west coast, 112
Agenda, 21, 568
air pressure, 27, 54, 66–68, 73, 76, 79–80, 94–97, 103–107, 113–116, 257–259, 317, 644
air temperature, 51–54, 94, 98–107, 110–116, 152, 159, 214, 227–228, 231–233, 246–248, 252, 285
Alaska, 106
albedo, 593, 599
Alexandrium, 464
alien species, 362, 488–489
alkalinity, 312
ammonium, 10, 271, 298–301, 316, 321–324, 338, 342–344, 446, 589–590, 631–633, 655
amphidromic, 30
Anabaena, 457, 462
Ancyclus lake, 544
annual cycle, 8, 122, 261, 278, 288
anomalous winters, 238
anoxic bottom water, 446
anoxic condition, 9, 281, 296–298, 301, 359, 362, 369, 373, 376–378, 383, 388, 410, 413–415, 428, 446, 464, 607, 614
AO: See Arctic Oscillation

- Aphanizomenon*, 447, 450, 457, 462–463
 Arakawa B-grid, 587
 Arakawa C-grid, 587
 Archipelago Sea, 204, 210, 225, 500, 503
 Arctic, 76, 105–112, 115, 256–257, 485–487, 494, 502–503, 525–527, 532, 536
 arctic air masses, 106, 110, 115
 Arctic Oscillation, 105–108, 256–257
 arctic zone, 112
 Århus, 652
 arithmetic mean, 237–238
 Arkona, 6–12, 16–22, 32, 35–38, 47–54, 83, 94–104, 113–114, 122, 130, 134–136, 139, 155, 160, 164–165, 170–173, 176–181, 203, 209, 215, 245–246, 249–250, 254–257, 260–261, 267–269, 278, 283–284, 287–291, 330, 339–342, 345, 374, 398, 412–414, 417–433, 451–455, 458, 465–467, 519–522, 525–536, 570, 585, 605–606, 639, 643–644, 647, 654, 661
 Basin, 6–9, 16–17, 20, 32, 35–38, 47, 54, 136, 165, 172–173, 177, 260, 268–269, 283–284, 287–291, 330, 398, 412–414, 417–433, 451, 519, 525, 533, 585, 605–606
 Sea, 11–12, 16–22, 49–50, 122, 130, 215, 245–246, 249–250, 254–257, 260–261, 341–342, 345, 451–455, 458, 465–467, 519–522, 526–536, 570, 661
 assessment, 50–52, 243, 261, 273, 284, 345, 368, 373, 411, 415, 461–462, 465, 483, 545, 548–549, 552–553, 571, 609, 611, 661
 assimilation number, 453, 468
 Atlantic, 34, 66, 107, 110, 115, 257, 290, 312
 atmosphere emissivity, 599
 atmosphere-ocean flux, 597
 atmospheric boundary layer, 599
 atmospheric circulation patterns, 116, 267, 279
 atmospheric convection, 115
 atmospheric forcing, 20, 258, 584, 612
 atmospheric pressure, 12, 187, 214, 257
 Azores, 106–107, 257, 279
- Baltic, 21, 568
 Baltic Current, 11, 32
 Baltic cyclone, 70, 76–79
 Baltic cyclone blizzard, 70
 Baltic Entrance Project, 323
 Baltic Monitoring Programme (BMP), 50, 283, 323, 325, 370
- Baltic Operational Oceanographic System (BOOS), 145
 Baltic Proper, 10, 24, 35, 49, 52, 96–99, 107, 171–172, 175, 189–190, 215, 248, 251, 258, 261, 266, 270–271, 339–346, 357, 364, 373–375, 378, 382, 410, 415, 425, 442–445, 448–467, 489–490, 498–502, 505–506, 518, 530, 533, 550, 570, 600, 605, 642, 653, 655, 660
 Baltic Sea, 6–38, 46–56, 65–90, 94–101, 104–110, 113–117, 121–138, 143–146, 150–170, 173–190, 200–201, 206–207, 212–215, 219–235, 241–262, 265–302, 312, 315, 319, 323–325, 327–331, 338–347, 352–362, 367–389, 395–403, 410–415, 419–423, 428–433, 443–459, 463–464, 467, 483–506, 517–526, 530–531, 534, 543–545, 548–553, 556–558, 564–572, 583–618, 625, 629, 634–640, 643–645, 648, 651, 654–661
 ecosystem, 370–372, 606, 612, 617
 model, 587, 590–591, 597, 616
 ban, 565, 568
 Barents Sea, 11, 545
 baroclinic, 7–12, 18–20, 25, 31–35, 85–87, 266–269, 286–301, 585–590, 613, 616
 adjustment, 588
 inflow, 7, 85–87, 268–269, 286–289
 mode, 33–34, 588
 pressure gradient, 11–12, 18, 288, 587
 Rossby radius, 14, 18, 24, 31–34, 585, 588–591, 605, 614, 616
 velocity, 588
 wave, 31, 588, 614
 barotropic, 7–21, 24–25, 29–35, 129, 258, 268, 282, 286–290, 298, 329, 588, 604–605, 614, 657–659
 inflow, 9, 17–20, 268, 282, 289–290, 298, 605, 659
 bathymetric depth, 319
 bathymetric map, 48, 638, 640
 bathymetry, 590, 592, 600, 614, 638–642
 Bay of Bothnia, 185, 190, 201, 205, 211, 222, 224–225, 228–230, 647
 BED, 315
 bed-load transport, 609, 611
 Belt Project, 323, 444, 658

- Belt Sea, 7, 11–22, 29–32, 52, 250, 279, 282, 284, 287–288, 330, 357, 361, 426, 446, 453, 458, 461, 464–466, 490–491, 497, 519, 545, 551, 554, 556, 592, 601, 638–640, 658
- benthic community, 9, 532
- biochemical processes, 21, 584
- biodiversity, 523
- biogeochemical cycle, 338, 346, 353, 357, 360, 362, 388, 428, 617
- biogeochemical model, 589–590, 609, 611, 616–617
- biological process, 353, 388, 447, 589
- biomass, 383–385, 408, 442–464, 468, 492, 495–506, 527–535, 545–555, 560, 565–567, 607, 608, 617, 661
- bioturbation, 404, 418–424, 428
- Blanker Hans, 69
- Blastophysa rhizopus*, 493
- Blidingia minima*, 493
- bloom, 21, 25, 34, 256, 261, 338, 341–342, 346, 357, 382–385, 408, 410, 415, 419, 445–468
- Bochum, 627
- Bolbocoleon piliferum*, 493
- border line, 635
- Bornholm Basin, 6–9, 32, 35–38, 48–49, 171–172, 267–272, 280–291, 295, 298, 327–328, 343–348, 368, 398, 412–418, 433, 553–559, 562–563, 567
- Bornholm Deep, 10, 271–272, 288, 292–300
- Bornholm Sea, 215–217, 250, 257, 341–346, 374, 454–458, 465–467, 551, 556, 570, 607, 609, 661
- Bornholmsgat, 6–8, 425, 429–430, 605
- BOSEX, 50, 323
- Bothnian Bay, 168, 171–172, 247–251, 254, 258, 330, 399, 443, 446, 453, 456, 467–468, 502, 505, 545, 567, 570, 654
- Bothnian Sea, 171–172, 248–251, 254–257, 443, 446, 453, 455, 467–468, 500–503, 545, 567, 570, 641, 655
- bottom boundary layer, 27, 38, 608
- bottom, 6–14, 17–21, 24, 27–38, 51, 54, 122, 126–134, 137–139, 183, 187, 246–247, 266–272, 281–291, 295, 298, 301, 329–331, 347–348, 351–362, 373–377, 404–406, 409–410, 422, 426–432, 446, 455–456, 460, 464, 490–492, 496–502, 519–520, 523, 562–563, 587, 590, 605–614, 635, 637, 640, 657–658, 661
- current, 11, 128, 404, 431, 587, 590, 611
- friction, 14, 18–19, 28, 128
- topography, 8, 29–34, 266, 587, 605, 635–637
- water, 6–12, 17–21, 32, 36–38, 129, 266–267, 270–272, 286, 298, 377, 404, 410, 428, 431, 446, 455, 464, 519–520, 563, 605, 614
- water propagation, 286, 606
- boundary condition, 24–25, 28–35, 187, 586, 590–591, 597
- boundary layer, 24–27, 37–38, 368, 589–590, 595–599, 609–610
- boundary layer model, 589–590, 597
- Boussinesq approximation, 585
- box model, 584, 617
- brackish, 6–8, 11–12, 18–21, 25, 32, 38, 287–289, 330, 361, 447–448, 483, 486, 489, 518, 525, 544, 566, 587, 600–601, 605, 626, 629–630
- outflow, 605
- surface water, 6, 8, 11–12, 18–21, 25
- water, 7–8, 11, 18–21, 25, 32, 288, 330, 361, 447–448, 486, 489, 525, 544, 566, 587, 600–601, 605, 626, 629
- brash ice barrier, 201
- breaking internal waves, 36, 595
- brine, 593, 628
- brine release, 593
- Bryopsis plumosa*, 493
- BSH, 51, 54, 122, 126–127, 136, 190, 244, 312, 423, 442, 584, 639, 645, 651, 654, 657
- buffering, 71, 266–269, 282, 353
- bulk zooplankton, 590
- Bundeswehr Geophysical Service, 145
- buoy stations, 50, 52–53
- buoyancy, 12, 22, 37–38, 266, 269, 448, 553, 557, 601, 605
- buoyancy flux, 12, 22, 37, 601
- buoyant plume, 601, 604–605
- C/N ratio, 355–359, 362
- C/P ratio, 563
- cable length, 319, 321–326
- calculation of sea state, 154
- Canicular days, 98
- Canis Major, 98
- cannibalism, 562–563
- carbon dioxide, 94, 338–339, 446
- catchment, 107, 338–340, 346, 362, 408–410, 431, 498, 614, 616
- area, 107, 338–340, 346, 362, 431, 498, 616

- central Baltic deep water, 266–273, 280, 283, 291–293
 effect of MBIs, 268
 long-term variation, 10, 237, 280, 292–301, 345
 renewal, 9–10, 266–267, 270–272, 280–284, 287, 298, 348, 351, 605, 614
 stagnation, 10–11, 268–271, 280–285, 291–293, 296–298, 301, 327–330, 348–351, 358, 373, 377, 381, 426–428, 519, 530, 563, 609, 614
- century scale, 101, 114, 116
- Cerataulina*, 457, 461
- Ceratium*, 451, 457–461, 464
- Chaetoceros*, 449, 460
- Chaetomorpha linum*, 493
- Chaetomorpha melagonium*, 493
- channel, 6–9, 12–21, 32, 77, 125–126, 138, 184, 220, 243–244, 251, 267, 269, 283–287, 425, 445, 585, 605, 611
- chart datum, 651
- chemical composition, 629
- chi-square distribution, 150
- chlorinity, 8, 321–326, 630–631
- chlorophyll, 49, 243, 259, 443, 445, 449, 458–459, 463–464, 589, 608, 660–661
- Chorda filum*, 485, 493, 499
- Christianshavn, 651
- circulation factor, 113
- circulation model, 36–37, 186, 261, 584–590, 609–610, 614, 617, 638
- circumpolar wind, 105
- Cladophora sericea*, 493
- Cladophora glomerata*, 485, 493, 500–502
- Cladophora rupestris*, 485, 493
- classes of ice winter, 225, 235
- climate, 21, 24, 66, 94–116, 165, 168, 174, 216, 221, 225, 256–257, 396, 401, 468, 497, 504, 550, 556–564, 572, 612, 616, 645, 656
 index, 108, 645
 variability, 612
- climatic trends, 94
- close ice, 217, 219
- cloudiness, 78–81, 599
- coast line change, 648
- coastal, 16, 24–26, 31–33, 37, 50, 75, 79–83, 107, 122, 135, 143, 152, 157, 175, 184, 190, 200–201, 212–216, 219–225, 229–230, 234–235, 241–242, 258–261, 323, 325, 342, 345–346, 362, 373, 377, 395–397, 401, 419–422, 444–446, 449–457, 464, 498, 501, 506, 519, 521, 525, 543–545, 551, 555–556, 560, 562, 585, 601, 604–605, 609, 610, 614, 639, 647–648, 654, 661
- development, 401
- current, 25, 83, 605
- jet, 24–26, 31, 260, 262, 585, 604
- trapped waves, 16, 32–33, 613
- waters, 50, 212–216, 219–221, 224–225, 234–235, 345, 446, 452–457, 464, 519, 521, 525, 609, 661
- coastally trapped wave, 33, 614
- coastline change, 396–401, 612
- cod, 52, 144, 201, 282, 315–318, 486, 488, 492, 495, 544–572, 584–585, 590, 607–609, 616, 627–633, 637, 641–644, 662
- cod reproduction, 557, 607
- cold sum, 51, 89, 98–99, 103–104, 457
- compact drift ice, 220, 225
- compensation current, 7, 24, 26, 399
- competition, 492, 555, 560–561, 566
- composition of seawater, 8, 626
- condensation, 597
- conductivity, 283, 629, 631, 652–653
- Conference of the Baltic Oceanographers, 49, 325
- conservation of matter, 589
- consolidated drift ice, 221
- constituents, 182, 186, 190, 445, 629
- consumption, 54, 295, 298, 362, 382, 444, 462, 557, 563, 572, 589–590, 607–609
- contaminants, 291, 411, 419–423, 571
- continental climate, 112–115, 221, 225
- continental mode, 107–116
- continental shelf waves, 32–33
- continuity equation, 187, 586
- convection, 11, 19, 98, 115, 330, 340, 343, 408, 589, 595, 629
- conveyor belt, 20, 115
- co-oscillating tides, 181, 185–186
- Copenhagen, 49, 185, 412, 652, 658
- copepod, 456, 557–563, 617
- Coriolis force, 22, 25, 28–32, 66, 587
- correlation coefficient, 108, 112, 116, 231, 649
- Coscinodiscus*, 451, 457–458, 464
- coupled physical biogeochemical model, 609
- Cox scale, 630
- critical response, 329
- critical threshold for resuspension, 610
- crossing seas, 156
- crustal movement, 396–401
- CTD cast, 283, 319
- CTD rosette, 324

- cumulative probability, 224
 Curonian Lagoon, 443, 489
 current measurement, 20, 48, 52, 55, 122–123, 129–132, 137, 260, 286, 658
 current meter stations, 55
 current pattern, 600–601, 605
 current statistics (local), 125
 current velocities, 122, 332, 405, 426–430
 cyanobacteria, 25, 256, 342, 346, 382–385, 388, 408–410, 415, 419, 445–448, 452, 456–464, 467, 589–590, 607–608
 cyclones, 76–79, 107, 110–111
 cyclonic rotation, 66

 dab, 545, 551–556, 565
Dactylosolen, 451, 457, 461
 daily frequency, 110, 216
 Danish, 6, 11–12, 17, 122, 128, 164, 179, 185, 201, 207, 212, 242, 259, 267, 280, 287, 312, 323, 453, 457, 467–468, 486, 497, 503–506, 523–524, 533, 545, 551, 555, 592, 605, 614, 635, 644, 650–653, 657–658
 Belt Project, 322
 Biological Station, 323
 Fishery Research Institute, 322
 Normal Zero, 71, 653
 Straits, 6, 11–12, 17, 259, 267, 280, 287, 592, 614, 635, 644, 650, 653, 657–658
 Vertical Reference, 648, 653
 Darss Sill, 6–20, 49–55, 129–131, 179, 180, 246, 267–276, 279–290, 526–532, 657–658
 Darss-Zingst Bodden, 443
 Darss-Zingst Lagoon, 519–522
 data base, 116, 227, 345, 525
 data quality, 56
 datum, 640–641, 650–654
 DDT, 412, 416, 420–421, 571
 decadal scales, 94
 deep water, 115, 154, 266–275, 280–285, 291–296, 373, 377–378, 387, 430, 642
 Dekadenfahrten, 47, 320
 denitrification, 271, 298, 302, 341–342, 351, 354, 357, 446
 Denmark, 82, 206, 214, 315, 323, 412, 486, 505–506, 519, 523, 572, 648, 651–652
 dense water inflow, 614
 density anomaly, 312, 330, 626, 629
 density gradient, 125, 330
 Department of Marine Ecology, 323
 Department of Oceanography, 283, 325
 deposit location, 611
 deposition, 340, 378, 382, 411, 414–415, 419–426, 609–611
 depth averaged velocity, 588
 desalination, 330
Desmarestia aculeata, 493
Desmarestia viridis, 493
 detritus, 590, 607
 diapycnal mixing, 35–38, 387–388
 diapycnal transport, 331
 diatom, 346, 383, 442, 446, 450, 455–458, 461–464, 589
Dictyocha, 448, 451, 454–456, 461
Dictyosiphon chordarius, 493
Dictyosiphon foeniculaceus, 493, 500
Dictyosphaerium, 448–450
 differential pressure transducer, 652–653
 diffusion, 36, 380, 430, 586–589, 592, 595
 digital elevation model, 400–401
 dinoflagellate, 442, 455–458, 461–464
Dinophysis, 447–448
 dioxin, 571–572
 direct tides, 190
 dispersion, 13, 26, 33–34, 37–38, 163, 176
 dissipation, 22, 34–38, 164, 221, 588–589
 dissipation rate, 35–38, 589
 dissolved matter, 12, 357
 diurnal thermocline, 242, 245–246
 divergence, 24–26, 33
 divisions, 546, 559, 569, 634
 double exponential function, 600
 down-gradient mixing, 589
 downwelling, 18, 24–25, 31, 68, 81, 87, 599–601, 605
 drag coefficient, 14, 598
 drainage area, 612
 drainage basin, 6
 drift ice, 201, 212–216, 219–225
 Drogden Sill, 6, 9–13, 16–20, 122, 129–133, 273–276, 280, 283–287, 291, 605–606
 dumping site, 611
 duration of ice season, 208–210, 218

 Earth radius, 187, 635
 Earth rotation, 182–190
 eccentricity, 635–636
 echo sounding, 319, 639
 Eckernförde Bay, 520, 523
 ecosystem model, 587–588, 617
Ectocarpus siliculosus, 493, 496, 501
Ectocarpus fasciculatus, 493
 eddy, 9, 31–35, 76, 258, 269, 284, 449, 585, 590, 605

- edge of distribution, 565
 education in oceanography, 618
 eel, 503, 545
 effective cross section, 592
 eggs, 553, 557–564, 567
 egg survival, 558, 564, 607
 Eiswert, 231
 Ekman, 18, 19, 22–26, 31, 38, 46, 56, 258, 260,
 321, 398, 604
 bottom layer, 18
 spiral, 23
 transport, 18, 19, 23, 24, 31, 35, 260, 604
Elachista fucicola, 485, 493, 499
 ellipse, 635
 ellipsoid, 313, 635
 EMI 318, 326
 empirical wave spectra, 161
 enthalpy, 98, 312, 593
 entrainment, 7, 12, 20–21, 289, 330, 464
 entropy, 312
 environmental conditions, 52, 242, 270, 377,
 404, 453, 557, 560, 572
 EOS-80, 626, 631
 equation of continuity, 12–16
 equation of state, 8, 586, 588, 592–595,
 626–628, 632
 equatorial Pacific Ocean, 105
 ERA, 598
 ERGOM 589, 607
 erosion, 261, 330, 351, 398, 401, 609–611
 Esbjerg, 652
 Estonia, 201, 221, 315, 326, 489, 498, 505–506,
 549–552
 estuarine circulation, 6, 12, 125, 584
 estuarine gradient, 448, 453
 Eulerian, 609, 610
 euphotic zone, 339, 342, 349, 354, 356, 360, 410,
 447–448, 452, 455, 589
 eustasy, 395
Eutreptiella, 457
 eutrophication, 52, 323, 337–362, 382, 410, 415,
 446–447, 460, 463–464, 467, 483, 488,
 491–492, 498–505, 525–526, 550, 560,
 609, 617, 661
 evaporation, 6, 98, 101, 331, 588, 597
 exceptional oceanographic conditions, 178
 explicit solution method, 588
 exponential law, 330
 extreme ice parameter, 207

 far field, 601, 605
 far-field forcing, 600

 fast ice, 201, 216, 221–225, 593
 feedback, 94, 113, 497, 589, 597, 616
 Fehmarn Belt, 6, 526–527
 fetch, effective, 155
 filament, 134, 258, 261, 483, 490–491, 496–500,
 505, 605–606
 filling level, 107, 592
 FIMR, 325, 445, 645
 fine sand, 611
 finite difference approximation, 587
 Finland, 6, 28–29, 47–50, 97, 156, 165,
 168–169, 171–172, 178, 185, 190, 201,
 204–207, 210, 212, 219, 221, 229, 248,
 251, 281, 323, 443, 446–449, 453–468,
 485, 496, 500–504, 568–572, 641,
 647, 655
 first ice, 201, 208, 210, 232, 647
 fish community, 462, 549, 556, 572
 fish production model, 617
 fishing area, 551
 fishing effort, 550
 fjords, 316
 flagellates, 442, 455–458, 461–462, 589
 Flensburg Fjord, 520–523
 flounder, 545, 551–556, 572
 flow patterns, 52, 84, 584, 616
 fluffy layer/material, 410, 419, 609–611
 FMS, 595
Fonselius, *Stig*, 280, 322
 food, 51, 339, 346, 388, 423, 431, 457, 518,
 548–566, 572, 616–617
 forecast, 51–52, 70, 76, 143, 145, 150, 159,
 163–164, 179–180, 188, 206, 261,
 584, 595
 form number, 186, 190–191
 Fredericia, 202, 208, 652
 Frederikshavn, 652
 freezing, 98, 212–223, 234, 316, 443, 588,
 593–595, 627, 629–630
 point, 98, 212–215, 219–220, 222,
 316, 593–595, 627,
 629–630
 frequency, 9–11, 20, 22, 26–28, 33–35, 70,
 98, 101, 104, 107, 110–111, 114–115,
 146, 150–152, 161–166, 169, 173,
 212–221, 234–235, 237, 268–270,
 275, 278–279, 460, 464, 466,
 503, 505, 527, 586, 610–611,
 645, 662
 distribution, 9, 35, 150, 165–166,
 169, 173, 216, 233–234, 275,
 278–279

- freshwater, 6–8, 11, 17–21, 31, 222, 260,
 329–331, 357, 360–362, 442, 483,
 488–491, 502, 523–525, 543–544,
 586–593, 601, 604–605, 626,
 654–655, 661
 discharge, 8, 11, 16–18, 31, 98–101, 222,
 241–243, 258–262, 339, 372, 419, 431,
 445–446, 450, 464, 491, 588–592, 601,
 609, 629, 654–655
 flux, 586–588, 592
 input, 330, 360–361, 491
 supply, 260, 329
 Fresnel formula, 599
 friction, 13–19, 28–29, 32, 66, 73, 77, 81–82,
 128, 588, 591, 597, 610–612, 614, 653,
 657
 layer, 18–19, 609
 velocity, 597, 610
Fucus evanescens, 488–489, 493
Fucus serratus, 489, 492–495, 499
Fucus vesiculosus, 483, 485, 493, 496–506
 Fynshav, 652
- gale, 65–74, 105, 267, 286–288
 gamma function, 150
 gauge, 30, 182–187, 190, 398–399, 592–593,
 598, 648–654, 662
 gauge measurements, 398, 653
 Gaussian distribution, 15
 Gdańsk, 2, 3, 48, 155, 168, 169, 172, 178, 218,
 232, 266, 287, 289, 341, 372, 412, 414,
 417, 418, 420, 421, 433, 454, 456, 462,
 463, 489, 496, 506, 557, 558, 567, 661
 Gdańsk Convention, 567
 Gdynia, 98, 203, 209, 218, 231–232, 325, 659–660
 Gedser, 203, 208, 215, 272–274, 647, 651–653,
 656–659
 Gellenstrom, 134
 general weather situation, 214
 GEOBALT, 638–640
 geoid, 187, 634, 650
 GEOMAR, 315, 318, 326
 geostrophic, 588, 614
 adjustment, 12, 25
 balance, 31–35
 current, 24, 34–35
 winds, 96–97
 German Baltic Sea coast, 66, 69–73, 76, 82–83,
 234–235, 243, 260–261
 GETM, 584, 606
 GF3 codes, 315–318, 629–631
 GFDL-model, 584
 Gibbs function, 626, 628–630
 Gibraltar, 97, 106, 257
 glacial processes, 653
 global warming, 65–66, 88–89, 94, 464–466
 Gotland Basin, 6–11, 34–38, 48, 55, 171–172,
 266–271, 280–296, 298, 301–302,
 328–329, 340–352, 356–358, 369, 373,
 377, 380–383, 386–388, 398, 404–419,
 428, 433, 550, 555–557, 591, 596, 598,
 639–641, 643
 Gotland Sea, 47, 219–222, 249–251, 254–258,
 343–346, 374, 406–409, 448–449, 452,
 455–462, 466–468, 549, 570, 612–614,
 661
 GOTM, 584, 606
 GPS, 319, 648, 653
 gravitational forces, 29
 gravity wave, 13, 26–27, 32
 grazing, 447, 456, 492, 505, 566, 589–590, 616
 Great Belt, 6, 9, 17, 20, 122–125, 131, 134, 184,
 214, 267, 283–284, 287–288, 453, 467,
 519, 523, 530–532
 greenhouse effect, 70, 87–88, 362
 Greenland, 106–107, 115–116, 279
 Greenland Sea, 115–116
 Greifswald Lagoon, 519–522
 grid cell/spacing, 96, 98, 312–316, 319, 327,
 332, 585–587, 590, 593, 614, 634–635,
 638–642, 646, 656
 gridded topographic data, 590
 ground swell, 156–157
 group speed, 163, 601
 group velocity, 13, 33–34
 GSHHS, 637
 Gulf of Bothnia, 165, 222–223, 229, 258–259,
 323, 398, 448–449, 460, 464, 488,
 569–570, 585, 638
 Gulf of Bothnia Year, 323
 Gulf of Finland, 8, 28–29, 47–50, 156, 165,
 168–169, 171–172, 193, 201, 204,
 210–212, 219–221, 229, 248, 251,
 281, 384, 443, 446, 449, 453–457,
 461–464, 467, 500–501, 569–570, 641,
 647, 655
 Gulf of Gdańsk, 169, 232, 260, 496, 506
 Gulf of Riga, 165, 171–172, 203, 210–212,
 220–221, 449–450, 453, 463, 498–499,
 545–546, 560, 570, 655, 661
 gusts, 66–70, 90
Gymnodinium, 456, 464
 gyre circulation, 332
Gyrodinium, 464

- haline contraction coefficient, 632
- halocline, 7–10, 18–21, 25, 34–38, 266, 269–271, 283–286, 289, 294, 329–330, 340–343, 346–354, 368, 373–379, 382–387, 448, 455, 518, 532, 557, 560, 563, 607
- HAMSOM, 584
- Hanstholm, 652
- hatching, 557, 560
- HDR, 311
- heat budget, 597
- heat capacity, 107
- heat flux, 94, 98, 106–107, 110–111, 115–117, 245, 248, 593–598
- heat reservoir, 215, 217–223
- heat source, 98
- heat sum, 51, 89, 98–99, 103–104
- heavy metals, 56, 370, 373–377, 411, 415–425, 430–433, 506, 571
- Hecatonema terminale* 493
- HELCOM (Helsinki Commission), 6, 50–51, 243, 283, 294, 320–325, 338–339, 343–347, 368–373, 378–382, 410–411, 431, 442–446, 456, 459–462, 465–468, 483, 526, 549, 571, 634–635, 661
- herring, 52, 321, 543–547, 550, 553–563, 566–572
- Heterocapsa*, 448, 456, 460
- Hiddensee, 132–135, 259, 261
- highly resolved numerical model, 605
- hindcast simulation, 170, 614
- hindcasting, 600, 616
- Hirtshals, 202, 208, 652
- historical data, 126, 183, 316, 504, 651
- history,
 - oceanographic instrumentation, 46, 54
 - oceanographic observations, 46–47, 280
- horizontal,
 - mixing, 10, 271, 592
 - model grid, 587–588, 616
 - momentum equation, 586
 - scale, 32–33, 585, 590
- Hornbaek, 15, 647–648, 651
- humid climate, 21
- humidity, 54, 94, 101–104, 111, 597–598, 644
- humidity scale function, 597
- hurricane, 66, 143–145, 168–169, 178, 283
- hydrodynamic equation, 590, 614
- hydrodynamic numerical modeling, 186
- hydrogen sulfide, 9–11, 51, 55, 56, 271, 282, 286, 291, 294, 295, 298, 301, 312, 316, 321–326, 349, 358, 359, 372, 377, 525, 590, 614, 631, 632, 633
- hydrographic parameters, 52, 56–57, 290
- Hydrological Bureau, 323
- hydrostatic approximation, 585–587, 595
- hydrostatic equation, 12
- hypoxia, 518, 529, 532, 607
- hypographic curve, 642
- IAPSO, 626–627
- IAPWS, 626–630
- Iberian Peninsula, 97, 106
- IBSFC, 567–569
- ice, 4, 46, 53, 76, 88, 93, 96–98, 101, 106, 108, 113, 145, 168, 199–202, 204, 206–208, 210, 212–228, 231–238, 245, 248, 250, 258, 447, 455, 485, 499, 500, 502, 505, 544, 584, 588, 589, 593–595, 597, 616, 626–631, 645–647, 662, 669–671, 679
- breaker, 201, 206
- concentration, 214–217, 234–235, 645–646
- conditions, 200–201, 206, 212–214, 218–220, 226–230, 234–235
- cover, 101, 108, 113, 145, 168, 199, 201, 215–216, 447, 455, 500, 593, 645–647
- coverage, 168, 199–200, 215–228, 231, 233, 245, 485
- distribution, 593
- field, 201, 213–214, 217, 219–221, 223
- formation, 200, 212–224, 231, 593, 646
- melting, 218, 234
- model, 590, 593, 616
- navigation, 201
- observation stations, 234
- occurrence, 199–204, 207, 213, 215, 219, 229, 231, 233
- retreat, 221, 224
- rich winter, 233
- saints, 96
- season, 53, 201, 206–215, 218–229, 232–235, 645–647
- service, 46, 200, 206–207, 212, 225, 233, 645
- severity indicator, 228–231
- thickness, 201–204, 214–217, 234–235, 593–594, 645–646
- winter, 88, 201, 207, 214, 225–238
- winter classes, 231, 234–235
- winter index numerals, 235–238
- free, 220–221, 224–225, 455
- Iceland, 97, 106, 257, 279
- Icelandic Low, 107
- ICES, 47–50, 57, 282, 311–312, 315–325, 369, 411, 442, 444, 465, 468, 546–547, 552–553, 558, 565–569, 632–633

- ichthyoplankton, 557
 IMGW, 315–318, 325–326, 659
 incompressibility, 585
 independent tidal wave system, 185
 inertial frequency
 frequency, 33, 586
 period, 14, 18–19, 24, 28, 32
 wave, 24, 35, 585, 614
 inflow pattern, 52, 605
 inner waters, 201, 215, 231
 inorganic particulate matter, 610–611
 insolation, 79, 466, 600
 instability, 490
 Institut für Meereskunde Warnemünde, 320
 Institute of Marine Research, 46, 225, 272,
 280–281, 445, 645
 intercalibration, 56, 442–444, 658
 intercomparison, 56, 369
 interference, 156, 377
 internal Rossby radius, 32–33, 605
 internal wave, 35–38, 595
 International Baltic Year, 49, 320, 322
 international cooperation, 49, 56, 122, 567–568
 international waters, 551, 567
 intrusions, 9, 56, 284, 287
 invaders, 489
 inventories, 386–388, 404, 411, 419–422, 519
 IOC, 315–318, 323, 629–633
 IPTS-68, 630–633
 ITS-90, 316, 629–633
 IYFS/IBTS, 323

 jet stream, 65–66, 86
 Joint Skagerrak Expedition, 323

 Kap Arkona, 134, 136
 Kattegat, 5–6, 11–13, 16–22, 29–32, 47, 52, 85,
 100, 123–125, 129–130, 171–172, 184,
 186, 190, 193, 202, 206, 208, 212–214, 225,
 231, 266–267, 282, 289, 327, 330, 357,
 360–361, 373, 380, 426, 431, 446, 448, 453,
 455, 461–467, 486–491, 497–499, 505,
 518–519, 532–533, 550–553, 591–592,
 600, 606, 644–645, 650–655
 Kelvin wave, 16, 25–26, 31–34, 601, 604–605
 Kiel, 35, 83, 202, 208, 214–215, 442, 448, 453,
 456–464, 468, 485, 489, 492, 519–523,
 555, 648, 654, 662
 Bight, 448, 453, 456–464, 468, 485, 489, 492,
 519–522
 Fjord, 442, 460, 520–523
 kinetic energy, 22, 35–37, 588–589, 598

 Klaipeda, 184–185, 203, 209, 448, 450, 654
 Korsør, 652
 k-profile, 595
 Kriegers Flak, 132, 426, 605–606

 l'Hospital rule, 636
 Lagrangian approach, 609
Laminaria digitata, 493
 landings, 282, 545–556
 landmask, 640–641
 Landsort, 10, 107, 220, 271, 276, 280, 288, 291–
 300, 341, 412–414, 417–421, 467, 592–
 593, 598, 644, 648–650, 657
 Deep, 10, 271, 280, 292–300, 302, 341, 412,
 417–419, 467
 gauge, 592, 598
 Norra, 648–649
 Langeland, 601
 Langmuir circulation, 22–23, 36–37
 Lantmäteriet, 648
 larvae, 523, 532, 557, 559, 562–564, 567
 last ice, 208–210, 219, 229, 232, 544
 latent heat flux, 98, 111, 597–598
 Latvia, 168, 169, 177, 386, 444, 449, 526, 549
 lateral transport, 354, 386–388, 404, 408–410, 424
 Latvia, 169, 179, 386, 444, 449, 498, 549
Leptonematella fasciculata, 494
 level ice, 201, 207–212, 216, 593
 life history, 518, 562, 617
 lightship, 144, 322
Limanda limanda, 545, 565
 limiting nutrient, 445–446, 589
Lithoderma fatiscens, 494
 Lithuania, 169, 179, 185, 212, 386, 449, 486,
 550, 654, 661
 Little Belt, 6, 17, 82, 214
 little ice age, 227
 Littorina transgression, 400
 local time, 184, 319
 long wave radiation, 597–599
 long-term,
 changes, 3, 344, 446, 464, 498, 502, 505
 ammonium, 300
 hydrogen sulfide, 294
 nitrate, 298–299
 oxygen concentration, 295
 phosphate, 296–297
 salinity, 293
 temperature, 292, 296
 observation, 46–52, 358, 362, 433, 612
 series, 55, 94, 98, 101, 200, 226
 simulation, 584–585, 590, 593, 597, 612

- low order ice model, 593
 low order models, 584
 low-pass filter, 234–238, 329
 low pressure, 67, 96
- macrophytes, 488–493, 497–498, 523
 macrophytobenthos, 483–506
 macrozoobenthos, 518–524, 530–534
 Major Baltic Inflow, 9, 18, 87, 270–280, 291, 346, 553, 563, 653, 657
 classification, 273–275
 frequency, 275
 inflow period, 267
 intensity, 265–270, 273–280, 284–286
 precursory period, 275–279
 properties of the inflowing water, 268
 seasonal variation, 275
 statistical analysis, 272–279
 water volume, 278–279, 288
 MBI: See Major Baltic Inflow
 Manley Temperature series, 108
 mareograph, 182, 648
 Marine Pollution Laboratory, 323
 marine turbulence, 588
 maritime,
 influence, 65
 mode, 106–107, 110, 115–116
 weather character, 66
 MARNET, 15, 48, 52–54, 130, 154, 159, 164–165, 170, 175, 179–180, 246, 657
 MARNET station, 15, 48, 52–53, 130, 154, 164, 170, 175, 179, 246, 657
 mass balance, 56, 386, 409, 431
 mass class, 617
 mass exchange, 592
 maximum density, 98, 455, 595, 629–630
 maximum extent of ice cover, 226–228, 231, 233–234
 mean sea level, 11, 17–18, 184, 277–278, 319, 592, 651, 653
 measuring platform, 50–55
 Mecklenburg Bight, 6, 19, 129, 185, 214–215, 249–250, 254, 259, 374, 419, 423, 426, 443, 455–458, 461, 465–467, 496, 518–523, 526–527, 530–534, 570, 661
 melting, 88, 218, 224, 234, 260, 447, 588, 593
 Memel, 648, 654
 memory, 329–330, 433, 616, 644, 657–659
- meridional
 heat flux, 94
 heat transport, 113, 115–116
 pressure gradient, 106
Mesodinium, 442, 448, 451, 457, 461–462, 661
 mesoscale feature, 588
 meteorological forcing, 16, 251, 605
 Mexico City, 315, 629
Mikrosyphar porphyrae, 494
 mild ice winter, 229
 mineralization rate, 359, 590
 minimum legal size, 566
 MIRYB, 315–318, 325
 mixed layer, 22–25, 35, 38, 221, 245, 248, 341, 351, 408, 442, 455, 460, 589
 mixed layer depth, 589
 mixing, 6–11, 18–20, 31, 35–38, 70, 139, 157, 248, 256–258, 268–271, 286–287, 294, 298, 341–343, 347–348, 351–354, 359–362, 374–381, 387–388, 404, 424, 442, 447, 457–458, 462, 585–589, 592, 595–601, 604–606, 614
 mixing layer, 589, 598
 model, 16–17, 23, 32, 35–37, 70, 79, 135, 143–146, 159–167, 170, 175, 178–190, 242, 260–261, 268, 283–284, 320, 322, 326, 329–330, 332, 340, 342, 345, 369, 400–406, 413–414, 418, 428, 433, 445, 463, 520, 557, 565, 568, 572, 584–618, 634–635, 638, 650, 654, 660
 grid, 585–592, 610, 616
 resolution, 585, 588–591, 605, 611, 614, 616
 snapshot, 601–602, 610–611
 topography, 592
 validation, 600, 612
 moderate ice winter, 236
 MOM, 584, 590–598, 601, 605, 640
 momentum balance, 12–14
 momentum flux, 22, 597–598
 momentum transfer, 593
 Mommark, 652
 Monin-Obukhov similarity theory, 597
 monitoring, 46–51, 56, 200, 206–207, 242, 260–261, 283, 319–325, 345, 369–373, 410–411, 423, 428–430, 433, 442–444, 449, 452, 459–461, 465–468, 483, 491, 506, 518–521, 525–536, 571, 634, 639, 660–661
 monitoring cruises, 46, 50, 56, 322, 459, 660–661
Monostroma grevillei, 485, 493, 499

- monthly mean SST, 243–249, 254
 mooring, 53–55, 122–124, 127–129, 132–138,
 146, 285–287, 657
 morphogenesis, 396
 mortality rate, 617
 MSVPA, 562
Myrionema balticum, 494
- N:P ratio, 446, 456–457
 NADW, 115–116
 Nansen bottle, 46, 320
 NAO, 94, 106–110, 113–114, 233, 257–258,
 447, 462–466, 560
 narrow strait, 129, 587, 600
 National Land Survey, 648, 650
 National Survey and Cadastre, 651, 653
 natural background concentrations, 347, 415–417
 navigation conditions, 201, 231
 near field, 601
Neogobius melanostomus, 566
 NERI, 315–318, 323–324, 551
 NetCDF, 590, 640, 645
 new ice, 199, 223
 nitrate, 10, 25, 49, 51, 271, 281, 298–302, 316,
 321–326, 338–348, 351–352, 446,
 589–590, 631–633, 655
 nitrogen, 10, 25, 56, 271, 298, 316, 319–326,
 338–342, 345–346, 351–354, 357–362,
 382, 388, 405–411, 444–446, 452,
 456–460, 463–468, 589, 607–608,
 631–633, 655
 nitrogen cycle, 359, 589
 nitrogen fixation, 357, 382, 388, 409, 444–446,
 452, 459–460, 463–468, 589
 nitrogen to phosphorus ratio, 607
 NOAA-satellites, 244
Nodularia, 445–448, 451, 457, 462–463
 nonlinear dynamics, 584
 nonlinear reaction, 114
 Normandy, 144
 North Atlantic, 65–67, 88, 94, 105–107,
 110–116, 231, 257, 267–268, 279, 282,
 368, 447, 485, 548, 566
 Deep Water, 115
 Oscillation, 94, 106–107, 231, 257, 447
 North Sea, 6–9, 12, 17, 28–30, 47, 52, 67–68, 76,
 83–87, 106, 113, 121–122, 125–126,
 135, 159, 178–184, 212–213, 261, 265,
 267, 279, 283, 290, 330, 338, 357,
 361–362, 373, 431, 448, 462, 464,
 489–490, 531, 543, 545, 555, 565,
 571–572, 600, 626, 639, 657
- North-Atlantic cyclones, 65
 Northern Baltic, 66, 96, 156, 169–170, 173, 203,
 209, 219, 229–230, 250–251, 254, 258,
 261, 340, 400, 411, 455, 460–464, 467,
 553, 561, 640
 northern hemisphere, 33, 88, 101–102, 105, 110,
 252–255, 616
 Northwest Africa, 113
 Norway, 67, 178, 279, 312
 Norwegian mountains, 66
 Norwegian Sea, 312–314
 numerical accuracy, 587
 numerical mixing, 587, 614
 numerical sea state models, 161, 178
 nutrient, 6, 11, 21–22, 25, 49, 56, 260, 280–281,
 290–291, 296–298, 301–302, 312, 324,
 326, 337–362, 368, 382, 384, 388,
 404–410, 423, 444–449, 452–453,
 456–460, 464–465, 491–492, 497–500,
 504–505, 566, 589, 606–608, 613–614,
 617, 632, 643, 661
 concentration, 21, 301, 338–362, 449,
 464–465, 498, 505, 589, 661
 load, 339–340, 404, 497–498, 606–609,
 613–614, 617
 experiment, 606
 reduction, 607, 608
 scenario, 607
 uptake, 589
- observation network, 200
 Observatorium, Morskie, 325
 OCCAM, 584
 Oder, 52, 86, 134, 138–139, 241, 243, 258–262,
 342, 370–372, 396, 431, 545, 604–605,
 639
 Oder River discharge, 243, 258–260, 450
 offshore Ekman transport, 260, 604
 Öja, 648
 OM-75, 320–321
 OM-87, 320–321
 Omega-weather type, 86
 open boundary condition, 590–591
 organic particulate matter, 610–611
 organic pollutants, 260, 412, 415–423
 OSPAR, 323–324, 338
 Oulu, 97, 206
 outer sea area, 201, 212–223
 outflow, 6–7, 11, 18–21, 32, 38, 125–128, 132,
 184, 214, 258, 261, 267, 280–281,
 287–290, 327, 330, 361–362, 458, 587,
 600, 605–606, 653

- oxygen, 8–11, 48–51, 54–56, 130, 183, 269–271, 274–276, 280–298, 301, 312, 316–326, 339, 341, 343, 347–352, 358–359, 362, 372–373, 377, 379–382, 404, 426–430, 444, 517–519, 523–526, 530–534, 545, 548, 553, 557–558, 563–564, 589–590, 605–607, 609, 612, 614, 617, 631–633, 655
- conditions, 10, 49, 270, 275, 295, 298, 301, 351, 358, 518, 534, 557
- consumption, 295, 298, 382, 589, 607, 609
- dynamics, 606, 607
- saturation, 633
- solubility, 633
- palaeogeography, 400
- patchiness, 34, 50, 246, 449, 466
- path integral, 636
- pathways, 9, 268, 360, 409, 423, 605
- PCB, 411–412, 416–422, 571–572
- peak, 17, 27, 95–106, 109–110, 114, 135, 161–163, 175, 179, 223, 281, 408–409, 418, 455–456, 459–460, 463, 466, 534, 555, 557, 562, 606, 657–658
- period, 161–163, 175, 179, 181
- Pediastrum*, 448–450
- pelagic, 35, 404, 408, 457, 461, 464, 534, 545
- penetration depth, 22, 341, 600
- Peridiniella*, 448, 455–456, 462
- PEX'86, 34, 50, 323
- pH, 353, 382, 446
- phase speed, 13, 27–28, 31, 588, 592, 614
- phase transition, 96, 627
- phosphate, 10, 21–22, 25, 51, 271, 280–281, 296–298, 301, 321–322, 324, 326, 338–351, 382, 428, 430, 456, 460, 555, 589–590, 607, 631–633, 655
- phosphorus, 10, 56, 271, 280, 316, 319, 321–322, 324, 326, 338–342, 346, 405, 407, 409–410, 428–429, 446, 456–457, 463–464, 607–608, 617, 631–633, 655
- phycocyanin, 445
- physical changes, 548
- phytoplankton, 21, 34, 242, 261, 338, 341–343, 346, 353–354, 356–357, 382–383, 385, 415, 442–450, 452–464, 466–468, 483, 495, 498, 501, 504, 566, 589–590, 616, 660–661
- pikeperch, 545
- Pitzer equation, 628
- planetary frontal zone, 112–113
- plankton, 34, 338, 342, 353, 355, 357, 382, 441, 548, 555, 563, 589
- Planktothrix*, 448, 450
- Plate of Rugia, 520, 522, 530
- pneumatic gauge, 652–653
- Poland, 48, 73, 85, 113, 217, 219, 287, 315, 325, 444, 506, 550–552, 568, 659
- polar side, 66
- polar vortex, 105
- pollution, 50, 312, 323, 325, 339, 362, 370, 373, 378, 410–411, 418–419, 421, 425, 431, 433, 501, 503, 526
- POM, 338–339, 355, 357, 359, 584
- Pomeranian Bay, 431, 449, 519–520, 522–523, 533–534, 661
- Pomeranian Bight, 54, 139, 218, 243, 260–261, 342, 360, 450, 468, 605
- potential energy, 34, 588
- potential erosion area, 611
- power spectrum, 108
- Practical Salinity, 316, 331, 628–631
- precipitation, 6, 74, 94, 98, 100, 103–104, 107, 116, 268, 280, 291, 331, 361, 369, 378, 380–381, 428, 588, 644
- predation, 550, 562–564, 566
- predator-prey interaction, 548, 556
- predictive capability, 584, 612, 616
- pressure gradient, 11–15, 18, 25, 29, 33, 80, 106, 126, 187, 279, 288, 585–587, 588, 600, 653, 657
- prey, 548, 556–557, 559, 562–563, 566, 617
- primary production, 341, 346, 357, 382, 406, 443–446, 452–453, 456–457, 459–460, 466–468, 550, 589, 611, 617, 661
- primitive equations, 586
- principal components, 108
- probability of ice occurrence, 201, 229, 231
- Proboscia*, 451, 457, 461
- Prorocentrum*, 447–448, 456, 461, 464
- Pseudocalanus*, 557, 563–564, 617
- Pseudocalanus acuspes*, 557, 563–564
- Pseudo-nitzschia*, 461
- PSS-78, 316, 331, 630, 633
- pycnocline, 11, 19, 55, 330, 338, 348, 351, 382, 447, 455
- quality control, 320, 323, 325, 379, 412, 424, 639–640, 660
- Quark, The, 225
- quasi-cycles, 109–110
- quasi-synoptic picture, 601

- radiation balance, 94, 109, 114
radiation transport model, 599
RANGS, 313, 634–635, 637
Recording Current Meter (RCM), 47, 53, 122
recovery, 498, 501, 550, 556, 558, 564–568,
572–573
recruitment, 52, 282, 290, 523, 532, 545–547,
552–553, 556–560, 562, 564, 565, 568,
572, 607
redox conditions, 372–373, 378, 384, 386,
428, 431
redox potential, 10, 271, 298
redoxcline, 348–349, 351–352, 377, 379–381,
387, 614
reduzierte Eissumme, 234
Reference Composition, 628–630
Reference Salinity, 626, 628
reflection, 13–14, 156, 368, 616
regenerated nutrients, 456–457, 460
regression, 108, 116, 378, 396, 400–401, 465,
559, 561, 649
regulations, 50, 165, 200, 565, 567–568
relative sea level, 398–401
relaxation time, 329
renewal process, 9, 270, 281, 284
reproductive success, 489, 556–559, 563, 565,
568, 572
reproductive volume, 557–558, 567, 609
research vessels, 46–47, 49, 56, 600
residence time, 10, 271, 328–330, 332, 339, 360,
378, 386, 388, 607, 612
resistant coefficient, 15
response function, 329–330, 657–659
Restricted Data, 325
resuspension, 354, 404, 419, 424, 457, 462,
609–611
 potential, 611
reversing thermometer, 46, 320, 322, 631
reversing water bottle, 324
Reykjavik, 97, 106, 257
Reynolds stress, 22–23
RH00, 648
RH2000, 648, 650
RH70, 648
Rhizosolenia, 451, 461
Richardsson flux number, 38
ridge, 106, 201, 220, 223–224
Rio Declaration, 568
river
 discharge, 8, 98, 100–101, 242–243,
258–260, 419, 445, 450, 588, 590,
601, 654–655
 mouth, 31, 331, 342, 396, 450, 452, 592, 601,
604
 plume, 31, 260, 452–453, 456, 601, 604–605,
614, 661
 runoff, 6–7, 268, 291, 601, 612, 614
Rødbyhavn, 652
Roedvig, 15
Rossby radius, 14, 18, 24, 31–34, 585, 588,
590–591, 605, 614, 616
Rossby waves, 33, 105–106, 110
Royal Danish Administration of Navigation and
Hydrography, 122, 658
Rugia Lagoons, 520, 522
runoff, 6–7, 268, 279–280, 291, 361, 500, 601,
614, 616, 654
Saccharina latissima, 490, 494
safe biological limits, 565, 568
saline inflow, 605
saline water, 6–9, 11, 17, 34, 85, 87, 212,
266–269, 271, 276, 279–280, 282–288,
290, 357–358, 360–361, 368, 372, 380,
426, 433, 455, 518, 525, 530–532, 585,
592, 600, 606, 611, 614, 657
salinity, 6–11, 17, 19–22, 36–37, 47–48, 51,
54, 56, 98, 116, 128, 186, 212–214,
219, 266–275, 280–293, 295, 298,
312, 316, 318–319, 321–322, 324,
326–331, 347–348, 351, 357, 360–362,
368–369, 379, 382, 447–450, 455, 464,
483–485, 488–491, 500, 502, 505,
518–520, 522–523, 525–527, 530, 532,
548, 553, 557–558, 560–564, 585–586,
588, 592, 595, 597, 601–602, 606, 607,
609, 617, 626, 628–633, 643, 653, 655,
657–659, 661
 distribution, 330, 601–602
 gradient, 11, 17, 20, 287, 330–331, 447–448,
455, 483, 490–491, 502, 518–519,
525, 626
salmon, 545, 568–572
salt balance, 7
salt water inflow, 18, 280, 381
Sassnitz, 47, 49, 203, 209, 217, 554, 648, 654,
662
Satellite imagery, 445, 450, 452
saturation, 111, 628, 633
saturation humidity, 111
SBE 911+, 47, 320
Schlei Estuary, 519–520
Schwerin, 83, 644
SCOR, 626–627

- Scrippsiella*, 456
 sea bed, 640, 658
 sea floor, 10, 50, 134, 137, 146, 157–158, 223, 357, 419, 590
 sea ice, 106, 200–201, 206, 224, 227, 229–233, 235, 588–589, 593–595, 626–628, 645–647
 drift, 595
 model, 593
 sea level, 11–18, 21, 28–34, 46, 76, 95–96, 106–107, 113, 143, 152, 183–185, 188, 267–268, 275–283, 286–290, 319, 398–401, 544, 585, 588–593, 598, 606, 647–653, 657
 elevation, 13, 17–18, 29, 32
 equation, 588
 rise, 183
 air pressure, 94, 97, 106–107, 257
 Sea of Bothnia, 185, 204, 211, 224–225, 229
 sea surface height, 590
 sea surface temperature, 106, 111, 115–116, 242–261
 sea wind, 80
 SeaBird, 47, 320, 631, 658
 Seacat, 54, 631, 658
 seasonal,
 cruises, 47–49
 cycle, 55, 88, 94–95, 98–101, 246–249, 253, 261, 314, 341, 359–360, 600, 656
 pattern, 458, 661
 thermocline, 25, 354, 455, 563, 595, 598
 seawater equation of state, 8
 Secchi depth, 447, 452, 661
 sediment, 10, 27, 243, 260, 271, 296–298, 301, 338–339, 342, 346, 354–359, 362, 368–369, 372–377, 381–388, 396–433, 442, 446–448, 456–458, 464, 497, 503–505, 519–521, 527–529, 533–534, 571, 588–590, 609–611
 accumulation rate, 404–405, 410, 420–422
 cores, 342, 404–405, 410–423
 dynamics, 425, 431
 transport model, 588, 609, 611
 trap studies, 384
 sedimentary material, 609–610
 sedimentation, 260, 338–339, 346, 354–357, 362, 382, 385–388, 404–415, 418–419, 424–426, 430–431, 442, 448, 456–458, 505
 rate, 260, 382, 404–405, 413–415, 418, 424
 seiche, 26–29, 319
 semidiurnal, 30, 182–185, 190–193
 sensible heat flux, 597
 severe ice winter, 231
 shallow water, 26–32, 53–55, 134, 147, 154, 156, 164, 213, 224, 460, 483, 492, 505–506
 shallow water wave, 26–32
 shear force, 609
 shear stress, 12, 187, 610–611
 sheltered waters, 220
 shoreline, 82–83, 135, 396–400, 634–637, 640
 SI, 6–38, 46–56, 66–89, 94–98, 101–116, 122–139, 143–192, 200–206, 209–238, 242–261, 266–298, 301, 312–331, 338–362, 368–388, 396–433, 442–468, 483–506, 518–536, 544–572, 584–601, 605–617, 626–662, 674, 683,
 Siberian winter, 66
 side-scan sonar, 611
 significant or characteristic wave height, 144, 149
 silicate, 49, 271, 281, 316, 321, 322, 324, 326, 338, 346–348, 383, 413, 415, 446, 462, 631–633, 655, 674
 Simkin Volcano Index, 114–115
 sink, 17, 48–50, 67, 80, 115, 188, 325, 330, 338, 355, 369, 382–383, 386–388, 401, 404–405, 419, 423, 426, 431, 447, 456, 586, 589–590
 sinking velocity, 426, 590
 Sir Francis Beaufort, 143–144
 size class, 442, 616
 Skagerrak, 30, 47, 52, 67, 202, 208, 212, 225, 230, 323, 486, 491, 518, 555, 591, 645
 SKAGEX, 323
 Skanoer, 15–16
Skeletonema, 448–451, 455–456, 461–462
 skin friction, 610–611
 skin layer effect, 242, 245–246
 Slipshavn, 652
 Słupsk Channel, 6–9, 269, 284–287
 Słupsk Sill, 6, 9, 268–269, 282, 289, 328
 Smagorinsky scheme, 592
 SMHI, 164, 201, 315–323, 341–343, 445, 584, 648
 snow,
 cover, 75, 593
 storm, 65
 solar,
 activity, 93, 113
 irradiation/radiation, 96–99, 659–660
 solubility, 369, 377, 557, 633
 Sound, The, 6, 9, 15–20, 48, 55, 122–123, 131, 159, 185–186, 202, 213–214, 223, 283–286, 312, 319, 461, 467, 489, 492, 500, 519, 570, 585, 612, 638–640

- sound speed, 312
 source term, 36, 164, 586, 589
 South Atlantic, 109
 Southern Baltic, 36–37, 67, 78, 81–82, 85–86, 113, 145, 168–169, 174, 186, 230, 233, 250, 259, 324, 341, 396, 398–400, 403, 431, 455, 490, 492–493, 498, 518–526, 544
 Soviet military administration, 653
 spatial distribution, 404–407, 424–426, 430, 433, 527, 534
 spatial resolution, 246, 260–261, 445, 588, 600, 610
 spawning, 282, 545–547, 553, 558–562, 566–567
 species interaction, 556, 562–563
 specific humidity, 597
 SPM, 374–375, 379–380, 384–386, 609, 611
 sprat, 52, 545–547, 550, 553–572
 spring bloom, 21, 34, 341–342, 346, 383, 408, 447, 454–456, 459–462, 466–468
 SST, 106, 111, 115–116, 242–261
 stability, 8–11, 54, 122, 126–127, 132–133, 136–139, 145, 157, 245, 270–271, 294–295, 490, 503, 587, 616
 staggered grid, 587
 stagnation period, 10–11, 270–271, 280–285, 291–293, 296–298, 301, 328–330, 348–351, 358, 373, 377, 381, 427–428, 519, 530, 563, 609, 614
 standard seawater, 324, 628
 standing wave, 28, 156
 state variable, 105, 589–590, 597, 616–617
 Stefan-Boltzmann constant, 599
 Stettin Lagoon, 519–525
 stilling well, 652–653
 stochastic, 20–21, 27
 stock biomass (SSB), 545–546
 stoichiometric anomaly, 629
 Stokes theorem, 636
 stone fishery, 483, 506
 storm surge, 29, 71–76, 83–85, 651
 storm surge warning, 651
 stratification, 6–11, 18–22, 25, 33–38, 51, 158, 269–272, 294–295, 342, 354, 359, 447, 455–457, 588–589, 595, 601
 thermohaline, 7–8, 269
 stratosphere, 114–115
 sturgeon, 545
 submarine sills, 8
 subtropics, 112
 succession, 453–457, 464, 660–661
 summer gales, 105
 supercomputer, 585, 616–617
 surface, 6–12, 14, 17–30, 33–35, 37–38, 48, 52–55, 66, 69–70, 72–73, 75–78, 89, 94, 98–100, 102, 106, 110–111, 115–116, 122, 125–128, 132–134, 137–140, 146–147, 151–152, 156, 157, 162, 181–182, 187–189, 212, 222–223, 230, 241–242, 244–248, 269–275, 281, 285–287, 289, 313–314, 316, 326–332, 340–343, 351–358, 377–378, 386–392, 398, 400, 403–404, 408–411, 413–414, 418–419, 423–433, 442, 445–452, 455–458, 459, 462–463, 523, 559, 586–590, 593–599, 604, 606, 609, 611, 616, 634–637, 642–644, 648, 651, 656–660
 accumulation, 256, 445, 590
 cooling, 589
 heat flux, 593
 surface tracer flux, 586, 589–590
 surface wave, 12, 26, 588, 593, 609, 611
 suspended particulate matter, 382, 386, 423–425, 609, 611
 Sverdrup, 15, 99, 144
 Sweden, 178, 201, 206, 215–216, 220, 228, 259, 315, 321–323, 486, 489, 496, 504, 519, 523, 550, 568, 572, 584, 605, 648–650
 Coast Guard, 322
 Environmental Protection Agency, 322
 height system, 648
 Hydrographical-Biological Commission, 321
 swell, 28, 144, 147, 157–158, 166, 173
Synedra, 448–450
 synoptic survey, 600
 systems response, 607

 taxonomic problems, 484
 tectonic setting, 397
 Tejn, 652
 teleconnection, 105, 110, 116
Temora, 563, 617
Temora longicornis, 563
 temperature,
 profile, 595–596, 612
 scale, 630, 631, 633
 time series, 613–614
 of maximum density, 629
 test particle, 610
Tetrastrum, 446, 448, 450
Thalassiosira, 449, 455, 461–462
 thawing period, 216

- thermocline, 7, 25–26, 36, 38, 242, 245–246, 289, 351, 354, 359, 382, 387, 447, 455–457, 563, 589, 595, 598
 thermohaline overturning circulation, 116
 thermohaline stratification, 7–8, 269
 three-dimensional circulation model, 585, 589, 609–610, 617
 three-dimensional model, 585, 590, 595
 threshold, 98, 150, 289, 609–611, 659–661
 tidal currents, 31, 181, 183, 212
 tide, 26, 29–30, 35, 143, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 174, 178, 181–191, 287, 492, 648, 651–653
 tide gauge, 30, 648, 651–653
 tides, 26–27, 29–30, 35, 143–144, 146, 148, 152–170, 174–176, 180–190, 287
 time slice, 400, 433, 611, 614
 time step, 400, 586–588, 616
 titration, 8, 321–326, 631
 Tolboden, 652
 top-down control, 563
 topography, 8, 13, 29–34, 128, 133–139, 179, 201, 266, 313, 587, 590–592, 605, 609, 635–637, 640–641, 648
 trace metal, 260, 367–369
 budget, 371, 387
 fluxes, 377–385
 trends, 372, 377–379
 tracer, 37–38, 261, 383, 431–433, 444–445, 586–592, 595, 610
 cell, 587
 equation, 586–588
 trade wind, 112–113
 transgression, 396, 400–401
 transition area, 6, 9, 47, 212, 248, 268, 277–278, 429, 600–601
 transmissivity, 599
 transport,
 equation, 610
 of sedimentary material, 609
 of suspended matter, 609–611
 path, 408, 431, 611
 Trave estuary, 518, 520, 522
 Travemünde, 185, 187, 518, 654, 662
 Tromper Wiek, 134, 137
 trophic state, 340, 345, 453, 463, 614
 troposphere, 105, 114
 tropospheric air pressure, 105
 trough, 27, 68, 86, 106, 149, 157, 217
 turbulence, 22–25, 35–37, 95, 147, 157, 405, 444, 584, 588–589, 595
 closure, 498, 589
 turbulent,
 diffusion, 588, 592
 diffusivity, 36, 38
 kinetic energy, 22, 35–37, 588–589, 598
 mixing, 157, 377–381, 447, 585, 595
 momentum flux, 22, 597–598
 viscosity, 586, 588
 turning point, 109–110, 112
 Tvärminne area, 456, 463, 485, 503

Ulothrix flacca, 493
Ulothrix speciosa, 493
Ulva compressa, 493
Ulva flexuosa, 493, 502
Ulva intestinalis, 485, 493, 502
Ulva linza, 493
Ulva procera, 493
Ulva prolifera, 493
Ulvaria fusca, 493
 undercurrent, 26, 601, 605
 undersampling, 312, 462, 605
 uplift processes, 330
 upper air flow, 66–67, 86–87
 upper ocean layer, 600
 upwelling, 6, 12, 18–19, 24–26, 31, 36–38, 134, 242–243, 254, 258–261, 342, 346, 448–449, 453, 457, 464, 500, 604–605, 614
Urospora penicilliformis, 493
Urospora wormskioldii, 493
 Utermöhl, 442

 validation, 177, 600–601, 612
 vapor, 6, 85, 98, 101, 331, 588, 597–600, 627–628
 variance spectrum, 146, 151, 163
 Vb (weather type), 71, 74–75, 84–87
 ventilation, 6–9, 284, 287, 350, 605–607
 vertical,
 discretization, 587
 flux, 383, 406–410, 590, 595
 migration, 448, 617
 mixing, 6, 10, 36, 139, 258, 270, 294, 298, 343, 347–348, 351–354, 374–377, 588–589, 595–597
 profile, 314, 369, 452, 597, 600, 656
 velocity, 586–589, 595
 velocity shear, 23, 133, 588
 zooplankton migration, 589
 vertically integrated horizontal velocity, 586
 Viken, 15–16

- virtual temperature, 597
- visual predator, 617
- visual tide pole, 651–653
- volcanic eruption, 94, 114–115
- volcanoes index, 114
- volume flux, 15

- warm inflow, 289
- warming trend, 88, 101, 327
- Warnemünder Wind, 73, 83–84
- Warnow estuary, 520
- water,
 - balance, 6–7, 11–12, 94, 98–100, 107
 - budget, 107
 - exchange, 7, 10, 18–21, 28–32, 51–52, 122–123, 126, 214–215, 222, 242, 259–260, 271, 280–283, 290–291, 361, 410, 450, 492, 498, 501–502, 600, 605, 612, 653, 657–658
 - level, 28, 71, 83, 88, 129, 177, 181–191, 284, 500, 652–654
 - mass formation, 601
 - mass transformation, 600
- wave,
 - boundary layer, 24–27, 37–38, 368, 589–590, 595–599, 609–610
 - breaking, 22
 - generating factors, 143, 146
 - height, 15, 28, 143–181, 644
 - length, 148, 154, 160
 - number, 26–27, 33–34, 163–164
 - number vector, 164
 - spectra, 151, 161
 - spectrum, 22, 27–28, 35–36
- weather, 9, 12, 66–89, 94–103, 110–111, 126, 144–146, 158, 166, 169, 175, 179, 214, 219, 229, 242–243, 257–258, 268, 279, 286–287, 445, 500, 584, 616, 644, 653
- disasters, 66, 85, 89
- phenomena, 76
- type, 84
- westerlies, 98, 104–107, 110–114
- westerly wind, 82, 95–96, 101, 104, 113, 136, 155–156, 159–160, 214, 229, 257–260, 266–267, 278–280, 283, 604
- west-wind jet, 66, 88
- WG, 127 626–628
- WGMDM, 311
- WGS-84, 313, 634–635
- WIBIX, 108–116, 257–258, 644–645
- wind, 11–14, 17, 20–31, 35, 37, 54, 66–76, 79–88, 94–98, 101, 104–107, 111–114, 122, 126–127, 134–139, 143–149, 153–161, 164–170, 173–184, 187, 201, 212–214, 219–224, 228, 242–245, 248, 254–261, 266–269, 277–283, 286–290, 319, 374, 377, 447, 450–453, 457, 463–464, 584–586, 593, 597–598, 601–605, 610–611, 643–644
- duration, 27, 152–156, 160
- force, 23, 66, 71, 144, 152, 166, 178, 224
- speed, 22, 25–29, 81–83, 95, 104–105, 111, 135, 144, 147, 153–161, 163, 175–181, 257, 267–268, 279, 290, 447, 457, 598, 610–611, 644
- stau, 28–29
- stress, 23–24, 28–29, 34, 597–598
- stress curl, 24
- surges, 319
- winter,
 - convection, 98, 330, 629
 - water, 7, 25, 38, 258, 269, 289, 456, 463, 595–597, 629
- Wismar, Bay, 518–522
- Wittow, 135
- WWII, 325, 550, 553–555
- yearly mean SST, 250–252
- zenith angle, 244, 600
- zero crossing period, 149, 161, 170–171, 175
- zonal circulation, 11, 112, 268
- zooplankton, 261, 462, 483, 556, 563, 566, 589–590, 616–617
- zooplankton mortality, 617

