

Subject Index

Volume 28

B

Bean (*Phaseolus*), seed color genetics, 239–315

Biography, Norman E. Borlaug, 1–37

Borlaug, Norman, E., (biography), 1–37

Breeding:

maize, 59–100

meiotic mutants, 163–214

ornamental transgenesis, 125–162

wheat, 1–37, 39–78

C

Cytogenetics, meiotic mutants, 163–214

D

Disease and pest resistance, ornamental transgenesis, 145–147

F

Flower color, transgenesis, 128–142

Fruit breeding, incompatibility, 215–237

G

Genetics

bean seed color, 219–315

incompatibility, 215–237

maize adaptedness, 101–123

maize soil acidity tolerance, 59–100

meiotic mutants, 163–214

wheat green revolution, 1–37, 39–78

Grain Breeding:

maize, 59–100, 101–123

wheat, 1–37, 39–78

I

Incompatibility, molecular biology, 215–237

M

Maize, soil acidity tolerance, 59–100

Meiotic mutants, 163–214

O

Ornamental breeding, transformation, 125–162

S

Seed, bean color, 239–315

Selection, maize inbreds, 101–123

T

Transformation and transgenesis, ornamentals, 125–162

V

Vegetable breeding, seed color, 239–315

W

Wheat, green revolution, 1–37, 39–58

Cumulative Subject Index

(Volumes 1–28)

A

Adaptation:

- blueberry, rabbiteye, 5:351–352
- durum wheat, 5:29–31
- genetics, 3:21–167
- testing, 12:271–297

Aglaonema breeding, 23:267–269

Alexander, Denton, E. (biography), 22:1–7

Alfalfa:

- honeycomb breeding, 18:230–232
- inbreeding, 13:209–233
- in vitro culture, 2:229–234
- somaclonal variation, 4:123–152
- unreduced gametes, 3:277

Allard, Robert W. (biography), 12:1–17

Allium cepa, see Onion

Almond:

- breeding self-compatible, 8:313–338
- domestication, 25:290–291
- transformation, 16:103

Alocasia breeding, 23:269

Astroemaria, mutation breeding, 6:75

Amaranth:

- breeding, 19:227–285
- cytoplasm, 23:191
- genetic resources, 19:227–285

Animals, long term selection

24(2):169–210, 211–234

Aneuploidy:

- alfalfa, 10:175–176
- alfalfa tissue culture, 4:128–130
- petunia, 1:19–21
- wheat, 10:5–9

Anther culture:

- cereals, 15:141–186
- maize, 11:199–224

Anthocyanin

- maize aleurone, 8:91–137
- pigmentation, 25:89–114

Anthurium breeding, 23:269–271

Antifungal proteins, 14:39–88

Antimetabolite resistance, cell selection, 4:139–141, 159–160

Apomixis:

- breeding, 18:13–86
- genetics, 18:13–86
- reproductive barriers, 11:92–96
- rice, 17:114–116

Apple:

- Domestication, 25:286–289
- genetics, 9:333–366
- rootstocks, 1:294–394
- transformation, 16:101–102

Apricot:

- domestication, 25:291–292
- transformation, 16:102

Arachis, see Peanut

- in vitro culture, 2:218–224

Artichoke breeding, 12:253–269

Avena sativa, see Oat

Avocado domestication, 25:307

Azalea, mutation breeding, 6:75–76

B

Bacillus thuringiensis, 12:19–45

Bacteria, long-term selection, 24(2):225–265

Bacterial diseases:

- apple rootstocks, 1:362–365
- cell selection, 4:163–164
- cowpea, 15:238–239
- maize, 27:156–159

- potato, 19:113–122
 raspberry, 6:281–282
 soybean, 1:209–212
 sweet potato, 4:333–336
 transformation fruit crops, 16:110
- Banana:**
 breeding, 2:135–155
 domestication, 25:298–299
 transformation, 16:105–106
- Barley:**
 anther culture, 15:141–186
 breeding methods, 5:95–138
 diversity, 21:234–235
 doubled haploid breeding, 15:141–186
 gametoclonal variation, 5:368–370
 haploids in breeding, 3:219–252
 molecular markers, 21:181–220
 photoperiodic response, 3:74, 89–92, 99
 vernalization, 3:109
- Bean (*Phaseolus*):**
 breeding, 1:59–102; 10:199–269;
 23:21–72
 breeding mixtures, 4:245–272
 breeding (tropics), 10:199–269
 heat tolerance, 10:149
 in vitro culture, 2:234–237
 long-term selection, 24(2):69–74
 photoperiodic response, 3:71–73, 86–92;
 16:102–109
 protein, 1:59–102
 rhizobia interaction, 23:21–72
 seed color genetics, 28:239–315
- Beet (table) breeding, 22:357–388**
- Beta*, see Beet
- Biochemical markers, 9:37–61**
- Biography:**
 Alexander, Denton E., 22:1–7
 Allard, Robert W., 12:1–17
 Bliss, Frederick A., 27:1–14
 Borlaug, Norman E., 28:1–37
 Bringham, Royce S., 9:1–8
 Burton, Glenn W., 3:1–19
 Coyne, Dermot E., 23:1–19
 Downey, Richard K., 18:1–12
 Dudley, J.W., 24(1):1–10
 Draper, Arlen D., 13:1–10
 Duvick, Donald N., 14:1–11
 Gabelman, Warren H., 6:1–9
 Hallauer, Arnel R., 15:1–17
 Harlan, Jack R., 8:1–17
 Jones, Henry A., 1:1–10
 Laughnan, John R., 19:1–14
 Munger, Henry M., 4:1–8,
 Rédei, George, P., 26:1–33
 Peloquin, Stanley J., 25:1–19
 Ryder, Edward J., 16:1–14
 Sears, Ernest Robert, 10:1–2
 Simmonds, Norman W., 20:1–13
 Sprague, George F., 2:1–11
 Vogel, Orville A., 5:1–10
 Vuylsteke, Dirk R., 21:1–25
 Weinberger, John H., 11:1–10
 Yuan, Longping, 17:1–13
- Biotechnology:**
 Cucurbitaceae, 27:213–244
 Douglas-fir, 27:331–336
 politics, 25:21–55
 Rosaceae, 27:175–211
- Birdsfoot trefoil, tissue culture, 2:228–229**
- Blackberry, 8:249–312**
 mutation breeding, 6:79
- Black walnut, 1:236–266**
- Bliss, Frederick A. (biography), 27:1–14**
- Blueberry:**
 breeding, 13:1–10
 domestication, 25:304
 rabbiteye, 5:307–357
- Borlaug, Norman, E.(biography), 28:1–37**
- Bracharia*, apomixis, 18:36–39, 49–51
- Bramble:**
 domestication, 25:303
 transformation, 16:105
- Brassica*, see Cole crops
- Brassica:*
napus, see Canola, Rutabaga
rapa, see Canola
- Brassicaceae:**
 incompatibility, 15:23–27
 molecular mapping, 14:19–23
- Breeding:**
Aglaonema, 23:267–269
 alfalfa via tissue culture, 4:123–152
 almond, 8:313–338
Alocasia, 23:269
 amaranth, 19:227–285
 apomixis, 18:13–86
 apple, 9:333–366
 apple rootstocks, 1:294–394
 banana, 2:135–155
 barley, 3:219–252; 5:95–138; 26:125–169

- bean, 1:59–102; 4:245–272; 23:21–72
 beet (table), 22:357–388
 biochemical markers, 9:37–61
 blackberry, 8:249–312
 black walnut, 1:236–266
 blueberry, rabbiteye, 5:307–357
 bromeliad, 23:275–276
 cactus, 20:135–166
Calathea, 23:276
 carbon isotope discrimination,
 12:81–113
 carrot, 19:157–190
 cassava, 2:73–134
 cell selection, 4:153–173
 chestnut, 4:347–397
 chimeras, 15:43–84
 chrysanthemum, 14:321–361
 citrus, 8:339–374
 coffee, 2:157–193
 coleus, 3:343–360
 competitive ability, 14:89–138
 cowpea, 15:215–274
 cucumber, 6:323–359
 Cucurbitaceae 27:213–244
 cucurbits, 27:213–244
 cytoplasmic DNA, 12:175–210
 diallel analysis, 9:9–36
Dieffenbachia, 271–272
 doubled haploids, 15:141–186; 25:57–88
 Douglas-fir, 27:245–253
Dracaena, 23:277
 drought tolerance, maize, 25:173–253
 durum wheat, 5:11–40
Epepremmum, 23:272–2mn
 epistasis, 21:27–92
 exotic maize, 14:165–187
 fern, 23:276
 fescue, 3:313–342
Ficus, 23:276
 Flower color, 25:89–114
 foliage plant, 23:245–290
 forest tree, 8:139–188
 fruit crops, 25:255–320
 gene action 15:315–374
 genotype x environment interaction,
 16:135–178
 grapefruit, 13:345–363
 grasses, 11:251–274
 guayule, 6:93–165
 heat tolerance, 10:124–168
Hedera, 23:279–280
 herbicide-resistant crops, 11:155–198
 heritability, 22:9–111
 heterosis, 12:227–251
 homeotic floral mutants, 9:63–99
 honeycomb, 13:87–139; 18:177–249
 hybrid, 17:225–257
 hybrid wheat, 2:303–319; 3:169–191
 induced mutations, 2:13–72
 insect and mite resistance in cucurbits,
 10:199–269
 isozymes, 6:11–54
 legumes, 26:171–357
 lettuce, 16:1–14; 20:105–133
 maize, 1:103–138, 139–161; 4:81–122;
 9:181–216; 11:199–224; 14:139–163,
 165–187, 189–236; 25:173–253;
 27:119–173; 28:59–100
 meiotic mutants, 28:163–214
 mitochondrial genetics, 25:115–238
 molecular markers, 9:37–61,
 10:184–190; 12:195–226; 13:11–86;
 14:13–37, 17:113–114, 179, 212–215;
 18:20–42; 19:31–68, 21:181–220,
 23:73–174
 mosaics, 15:43–84
 mushroom, 8:189–215
 negatively associated traits, 13:141–177
 oat, 6:167–207
 oil palm, 4:175–201; 22:165–219
 onion, 20:67–103
 ornamental transgenesis, 28:125–216
 papaya, 26:35–78
 palms, 23:280–281
 pasture legumes, 5:237–305
 pea, snap, 212:93–138
 peanut, 22:297–356
 pearl millet, 1:162–182
 perennial rye, 13:265–292
 persimmon, 19:191–225
Philodendron, 23:273
 plantain, 2:150–151; 14:267–320;
 21:211–25
 potato, 3:274–277; 9:217–332; 16:15–86;
 19:59–155, 25:1–19
 proteins in maize, 9:181–216
 quality protein maize (QPM), 9:181–216
 raspberry, 6:245–321
 recurrent restricted phenotypic
 selection, 9:101–113

Breeding (*cont.*)

- recurrent selection in maize, 9:115–179; 14:139–163
 - rice, 17:15–156; 23:73–174
 - rol* genes, 26:79–103
 - Rosaceae, 27:175–211
 - rose, 17:159–189
 - rutabaga, 8:217–248
 - sesame, 16:179–228
 - snap pea, 21:93–138
 - somatic hybridization, 20:167–225
 - sorghum male sterility, 25:139–172
 - soybean, 1:183–235; 3:289–311; 4:203–243; 21:212–307
 - soybean hybrids, 21:212–307
 - soybean nodulation, 11:275–318
 - soybean recurrent selection, 15:275–313
 - spelt, 15:187–213
 - statistics, 17:296–300
 - strawberry, 2:195–214
 - sugarcane, 16:272–273; 27:15–158
 - supersweet sweet corn, 14:189–236
 - sweet cherry, 9:367–388
 - sweet corn, 1:139–161; 14:189–236
 - sweet potato, 4:313–345
 - Syngonium*, 23:274
 - tomato, 4:273–311
 - transgene technology, 25:105–108
 - triticale, 5:41–93; 8:43–90
 - Vigna*, 8:19–42
 - virus resistance, 12:47–79
 - wheat, 2:303–319; 3:169–191; 5:11–40; 11:225–234; 13:293–343, 28:1–37, 39–78
 - wheat for rust resistance, 13:293–343
 - white clover, 17:191–223
 - wild rice, 14:237–265
 - Bringhurst, Royce S. (biography), 9:1–8
 - Broadbean, in vitro culture, 2:244–245
 - Bromeliad breeding, 23:275–276
 - Burton, Glenn W. (biography), 3:1–19
- C**
- Cactus:
 - breeding, 20:135–166
 - domestication, 20:135–166
 - Cajanus*, in vitro culture, 2:224
 - Calathea* breeding, 23:276
 - Canola, R.K. Downey, designer, 18:1–12
 - Carbohydrates, 1:144–148

- Carbon isotope discrimination, 12:81–113
- Carica papaya*, *see* Papaya
- Carnation, mutation breeding, 6:73–74
- Carrot breeding, 19:157–190
- Cassava:
 - breeding, 2:73–134
 - long-term selection, 24(2):74–79
- Castanea*, *see* Chestnut
- Cell selection, 4:139–145, 153–173
- Cereal breeding, *see* Grain breeding
- Cereal diversity, 21:221–261
- Cherry, *see* Sweet cherry
 - domestication, 25:202–293
- Chestnut breeding, 4:347–397
- Chickpea, in vitro culture, 2:224–225
- Chimeras and mosaics, 15:43–84
- Chinese cabbage, heat tolerance, 10:152
- Chromosome, petunia, 1:13–21, 31–33
- Chrysanthemum:
 - breeding, 14:321–361
 - mutation breeding, 6:74
- Cicer*, *see* Chickpea
- Citrus:
 - domestication, 25:296–298
 - protoplast fusion, 8:339–374
- Clonal repositories, *see* National Clonal Germplasm Repository
- Clover:
 - in vitro culture, 2:240–244
 - molecular genetics, 17:191–223
- Coffea arabica*, *see* Coffee
- Coffee, 2:157–193
- Cold hardiness:
 - breeding nectarines and peaches, 10:271–308
 - wheat adaptation, 12:124–135
- Cole crops:
 - Chinese cabbage, heat tolerance, 10:152
 - gametoclonal variation, 5:371–372
 - rutabaga, 8:217–248
- Coleus, 3:343–360
- Competition, 13:158–165
- Competitive ability breeding, 14:89–138
- Controlling elements, *see* Transposable elements
- Corn, *see* Maize; Sweet corn
- Cotton, heat tolerance 10:151
- Cowpea:
 - breeding, 15:215–274
 - heat tolerance, 10:147–149

- in vitro culture, 2:245–246
 photoperiodic response, 3:99
 Coyne, Dermot E. (biography), 23:1–19
 Cranberry domestication, 25:304–305
 Crop domestication and selection,
 24(2):1–44
 Cryopreservation, 7:125–126, 148–151,
 167
 buds, 7:168–169
 genetic stability, 7:125–126
 meristems, 7:168–169
 pollen, 7:171–172
 seed, 7:148–151, 168
 Cucumber, breeding, 6:323–359
Cucumis sativa, see Cucumber
 Cucurbitaceae:
 insect and mite resistance, 10:309–360
 mapping, 213–244
 Cucurbits mapping, 213–244
 Cybrids, 3:205–210; 20:206–209
 Cytogenetics:
 alfalfa, 10:171–184
 blueberry, 5:325–326
 cassava, 2:94
 citrus, 8:366–370
 coleus, 3:347–348
 durum wheat, 5:12–14
 fescue, 3:316–319
 Glycine, 16:288–317
 guayule, 6:99–103
 maize mobile elements, 4:81–122
 maize-tripsacum hybrids, 20:15–66
 meiotic mutants, 28:163–214
 oat, 6:173–174
 polyploidy terminology, 26:105–124
 pearl millet, 1:167
 perennial rye, 13:265–292
 petunia, 1:13–21, 31–32
 potato, 25:1–19
 rose, 17:169–171
 rye, 13:265–292
 Saccharum complex, 16:273–275
 sesame, 16:185–189
 sugarcane, 27:74–78
 triticale, 5:41–93; 8:54
 wheat, 5:12–14; 10:5–15; 11:225–234
 Cytoplasm:
 breeding, 23:175–210; 25:115–138
 cybrids, 3:205–210; 20:206–209
 incompatibility, 25:115–138
 male sterility, 25:115–138, 139–172
 molecular biology of male sterility,
 10:23–51
 organelles, 2:283–302; 6:361–393
 pearl millet, 1:166
 petunia, 1:43–45
 sorghum male sterility, 25:139–172
 wheat, 2:308–319
- D**
- Dahlia, mutation breeding, 6:75
 Date palm domestication, 25:272–277
Daucus, see Carrot
 Diallel cross, 9:9–36
Dieffenbachia breeding, 23:271–272
Diospyros, see Persimmon
 Disease and pest resistance:
 antifungal proteins, 14:39–88
 apple rootstocks, 1:358–373
 banana, 2:143–147
 barley, 26:135–169
 blackberry, 8:291–295
 black walnut, 1:251
 blueberry, rabbiteye, 5:348–350
 cassava, 2:105–114
 cell selection, 4:143–145, 163–165
 citrus, 8:347–349
 coffee, 2:176–181
 coleus, 3:353
 cowpea, 15:237–247
 durum wheat, 5:23–28
 fescue, 3:334–336
 herbicide-resistance, 11:155–198
 host-parasite genetics, 5:393–433
 induced mutants, 2:25–30
 lettuce, 1:286–287
 maize, 27:119–173
 ornamental transgenesis, 28:145–147
 papaya, 26:161–357
 potato, 9:264–285, 19:69–155
 raspberry, 6:245–321
 rutabaga, 8:236–240
 soybean, 1:183–235
 spelt, 15:195–198
 strawberry, 2:195–214
 virus resistance, 12:47–79
 wheat rust, 13:293–343
 Diversity:
 land races, 21:221–261
 legumes, 26:171–357

- DNA methylation, 18:87–176
 Doubled haploid breeding, 15:141–186;
 25:57–88
 Douglas-fir breeding, 27:245–353
 Downey, Richard K. (biography), 18:1–12
Dracaena breeding, 23:277
 Draper, Arlen D. (biography), 13:1–10
 Drought resistance:
 durum wheat, 5:30–31
 maize, 25:173–253
 soybean breeding, 4:203–243
 wheat adaptation, 12:135–146
 Dudley, J.W. (biography), 24(1):1–10
 Durum wheat, 5:11–40
 Duvick, Donald N. (biography), 14:1–11
- E**
- Elaeis*, see Oil palm
 Embryo culture:
 in crop improvement, 5:181–236
 oil palm, 4:186–187
 pasture legume hybrids, 5:249–275
 Endosperm:
 balance number, 25:6–7
 maize, 1:139–161
 sweet corn, 1:139–161
Endothia parasitica, 4:355–357
Epepremmum breeding, 23:272–273
Escherichia coli, long-term selection,
 24(2):225–224
 Epistasis, 21:27–92.
 Evolution:
 coffee, 2:157–193
 fruit, 25:255–320
 grapefruit, 13:345–363
 maize, 20:15–66
 sesame, 16:189
 Exploration, 7:9–11, 26–28, 67–94
- F**
- Fabaceae, molecular mapping, 14:24–25
 Fern breeding, 23:276
 Fescue, 3:313–342
Festuca, see Fescue
 Fig domestication, 25:281–285
 Flavonoid chemistry, 25:91–94
 Floral biology:
 almond, 8:314–320
 blackberry, 8:267–269
 black walnut, 1:238–244
 cassava, 2:78–82
 chestnut, 4:352–353
 coffee, 2:163–164
 coleus, 3:348–349
 color, 25:89–114
 fescue, 3:315–316
 garlic, 23:211–244
 guayule, 6:103–105
 homeotic mutants, 9:63–99
 induced mutants, 2:46–50
 pearl millet, 1:165–166
 pistil in reproduction, 4:9–79
 pollen in reproduction, 4:9–79
 reproductive barriers, 11:11–154
 rutabaga, 8:222–226
 sesame, 16:184–185
 sweet potato, 4:323–325
 Flower:
 color genetics, 25:89–114
 color transgenesis, 28:1128–142
 Forage breeding:
 alfalfa inbreeding, 13:209–233
 diversity, 21:221–261
 fescue, 3:313–342
 perennials, 11:251–274
 white clover, 17:191–223
 Foliage plant breeding, 23:245–290
 Forest crop breeding:
 black walnut, 1:236–266
 chestnut, 4:347–397
 Douglas-fir, 27:245–353
 ideotype concept, 12:177–187
 molecular markers, 19:31–68
 quantitative genetics, 8:139–188
Fragaria, see Strawberry
 Fruit, nut, and beverage crop breeding:
 almond, 8:313–338
 apple, 9:333–366
 apple rootstocks, 1:294–394
 banana, 2:135–155
 blackberry, 8:249–312
 blueberry, 13:1–10
 blueberry, rabbiteye, 5:307–357
 breeding, 25:255–320
 cactus, 20:135–166
 cherry, 9:367–388
 citrus, 8:339–374
 coffee, 2:157–193
 domestication, 25:255–320
 ideotype concept, 12:175–177

- genetic transformation, 16:87–134
 grapefruit, 13:345–363
 incompatibility, 28:215–237
 mutation breeding, 6:78–79
 nectarine (cold hardy), 10:271–308
 origins, 25:255–320
 papaya, 26:35–78
 peach (cold hardy), 10:271–308
 persimmon, 19:191–225
 plantain, 2:135–155
 raspberry, 6:245–321
 strawberry, 2:195–214
 sweet cherry, 9:367–388
- Fungal diseases:
 apple rootstocks, 1:365–368
 banana and plantain, 2:143–145, 147
 barley, *Fusarium* head blight,
 26:125–169
 cassava, 2:110–114
 cell selection, 4:163–165
 chestnut, 4:355–397
 coffee, 2:176–179
 cowpea, 15:237–238
 durum wheat, 5:23–27
Fusarium head blight (barley),
 26:125–169
 host-parasite genetics, 5:393–433
 lettuce, 1:286–287
 maize foliar, 125–142
 potato, 19:69–155
 raspberry, 6:245–281
 soybean, 1:188–209
 spelt, 15:196–198
 strawberry, 2:195–214
 sweet potato, 4:333–336
 transformation, fruit crops, 16:111–112
 wheat rust, 13:293–343
- Fusarium* head blight (barley), 26:125–169
- G**
- Gabelman, Warren H. (biography), 6:1–9
- Gametes:
 almond, self compatibility, 7:322–330
 blackberry, 7:249–312
 competition, 11:42–46
 forest trees, 7:139–188
 maize aleurone, 7:91–137
 maize anthocyanin, 7:91–137
 mushroom, 7:189–216
 polyploid, 3:253–288
- rutabaga, 7:217–248
 transposable elements, 7:91–137
 unreduced, 3:253–288
- Gametoclonal variation, 5:359–391
 barley, 5:368–370
 brassica, 5:371–372
 potato, 5:376–377
 rice, 5:362–364
 rye, 5:370–371
 tobacco, 5:372–376
 wheat, 5:364–368
- Garlic breeding, 6:81, 23:211–244
- Genes:
 action, 15:315–374
 apple, 9:337–356
Bacillus thuringensis, 12:19–45
 incompatibility, 15:19–42
 incompatibility in sweet cherry,
 9:367–388
 induced mutants, 2:13–71
 lettuce, 1:267–293
 maize endosperm, 1:142–144
 maize protein, 1:110–120, 148–149
 petunia, 1:21–30
 quality protein in maize, 9:183–184
Rhizobium, 23:39–47
rol in breeding, 26:79–103
 rye perenniality, 13:261–288
 soybean, 1:183–235
 soybean nodulation, 11:275–318
 sweet corn, 1:142–144
 wheat rust resistance, 13:293–343
- Genetic engineering:
 bean, 1:89–91
 DNA methylation, 18:87–176
 fruit crops, 16:87–134
 host-parasite genetics, 5:415–428
 legumes, 26:171–357
 maize mobile elements, 4:81–122
 ornamentals, 125–162
 papaya, 26:35–78.
rol genes, 26:79–103
 salt resistance, 22:389–425
 sugarcane, 27:86–97
 transformation by particle
 bombardment, 13:231–260
 transgene technology, 25:105–108
 virus resistance, 12:47–79
- Genetic load and lethal equivalents,
 10:93–127

Genetics:

- adaptation, 3:21–167
- almond, self compatibility, 8:322–330
- amaranth, 19:243–248
- Amaranthus*, *see* Amaranth
- apomixis, 18:13–86
- apple, 9:333–366
- Bacillus thuringensis*, 12:19–45
- bean seed color, 28:219–315
- bean seed protein, 1:59–102
- beet, 22:357–376
- blackberry, 8:249–312
- black walnut, 1:247–251
- blueberry, 13:1–10
- blueberry, rabbiteye, 5:323–325
- carrot, 19:164–171
- chestnut blight, 4:357–389
- chimeras, 15:43–84
- chrysanthemums, 14:321
- clover, white, 17:191–223
- coffee, 2:165–170
- coleus, 3:3–53
- cowpea, 15:215–274
- Cucurbitaceae, 27:213–344
- cytoplasm, 23:175–210
- DNA methylation, 18:87–176
- domestication, 25:255–320
- durum wheat, 5:11–40
- forest trees, 8:139–188
- flower color, 25:89–114
- fruit crop transformation, 16:87–134
- gene action, 15:315–374
- history, 24(1):11–40
- host-parasite, 5:393–433
- incompatibility:
 - circumvention, 11:11–154
 - molecular biology, 11:19–42; 28:215–237
 - sweet cherry, 9:367–388
- induced mutants, 2:51–54
- insect and mite resistance in
 - Cucurbitaceae, 10:309–360
- isozymes, 6:11–54
- lettuce, 1:267–293
- maize aleurone, 8:91–137
- maize anther culture, 11:199–224
- maize adaptedness, 28:101–123
- maize anthocyanin, 8:91–137
- maize foliar diseases, 27:118–173
- maize endosperm, 1:142–144
- maize male sterility, 10:23–51
- maize mobile elements, 4:81–122
- maize mutation, 5:139–180
- maize seed protein, 1:110–120, 148–149
- maize soil acidity tolerance, 28:59–123
- male sterility, maize, 10:23–51
- mapping, 14:13–37
- markers to manage germplasm, 13:11–86
- maturity, 3:21–167
- meiotic mutants, 163–214
- metabolism and heterosis, 10:53–59
- mitochondrial, 25:115–138.
- molecular mapping, 14:13–37
- mosaics, 15:43–84
- mushroom, 8:189–216
- oat, 6:168–174
- organelle transfer, 6:361–393
- overdominance, 17:225–257
- pea, 21:110–120
- pearl millet, 1:166, 172–180
- perennial rye, 13:261–288
- petunia, 1:1–58
- photoperiod, 3:21–167
- plantain, 14:264–320
- polyploidy terminology, 26:105–124
- potato disease resistance, 19:69–165
- potato ploidy manipulation, 3:274–277; 16:15–86
- quality protein in maize, 9:183–184
- quantitative trait loci, 15:85–139
- quantitative trait loci in animals
 - selection, 24(2):169–210, 211–224
- reproductive barriers, 11:11–154
- rhizobia, 21–72
- rice, hybrid, 17:15–156, 23:73–174
- Rosaceae, 27:175–211
- rose, 17:171–172
- rutabaga, 8:217–248
- salt resistance, 22:389–425
- selection, 24(1):111–131, 143–151, 269–290
- snap pea, 21:110–120
- sesame, 16:189–195
- soybean, 1:183–235
- soybean nodulation, 11:275–318
- spelt, 15:187–213
- supersweet sweet corn, 14:189–236
- sweet corn, 1:139–161; 14:189–236
- sweet potato, 4:327–330
- temperature, 3:21–167

- tomato fruit quality, 4:273–311
 transposable elements, 8:91–137
 triticale, 5:41–93
 virus resistance, 12:47–79
 wheat gene manipulation, 11:225–234
 green revolution, 28:1–37, 39–78
 wheat male sterility, 2:307–308
 wheat molecular biology, 11:235–250
 wheat rust, 13:293–343
 white clover, 17:191–223
 yield, 3:21–167
- Genome:
Glycine, 16:289–317
 Poaceae, 16:276–281
- Genomics, grain legumes, 26:171–357
- Genotype x environment, interaction, 16:135–178
- Germplasm, *see also* National Clonal Germplasm Repositories; National Plant Germplasm System
 acquisition and collection, 7:160–161
 apple rootstocks, 1:296–299
 banana, 2:140–141
 blackberry, 8:265–267
 black walnut, 1:244–247
 cactus, 20:141–145
 cassava, 2:83–94, 117–119
 chestnut, 4:351–352
 coffee, 2:165–172
 distribution, 7:161–164
 enhancement, 7:98–202
 evaluation, 7:183–198
 exploration and introduction, 7:9–18, 64–94
 genetic markers, 13:11–86
 guayule, 6:112–125
 isozyme, 6:18–21
 grain legumes, 26:171–357
 legumes, 26:171–357
 maintenance and storage, 7:95–110, 111–128, 129–158, 159–182; 13:11–86
 maize, 14:165–187
 management, 13:11–86
 oat, 6:174–176
 peanut, 22:297–356
 pearl millet, 1:167–170
 plantain, 14:267–320
 potato, 9:219–223
 preservation, 2:265–282; 23:291–344
 rights, 25:21–55
 rutabaga, 8:226–227
 sesame, 16:201–204
 spelt, 15:204–205
 sweet potato, 4:320–323
 triticale, 8:55–61
 wheat, 2:307–313
- Gesneriaceae, mutation breeding, 6:73
- Gladiolus, mutation breeding, 6:77
- Glycine*, genomes, 16:289–317
Glycine max, *see* Soybean
- Grain breeding:
 amaranth, 19:227–285
 barley, 3:219–252, 5:95–138; 26:125–169
 diversity, 21:221–261
 doubled haploid breeding, 15:141–186
 ideotype concept, 12:173–175
 maize, 1:103–138, 139–161; 5:139–180; 9:115–179, 181–216; 11:199–224; 14:165–187; 22:3–4; 24(1):11–40, 41–59, 61–78; 24(2):53–64, 109–151; 25:173–253; 27:119–173; 28:59–100, 101–123
 maize history, 24(2):31–59, 41–59, 61–78
 oat, 6:167–207
 pearl millet, 1:162–182
 rice, 17:15–156; 24(2):64–67
 sorghum, 25:139–172
 spelt, 15:187–213
 transformation, 13:231–260
 triticale, 5:41–93; 8:43–90
 wheat, 2:303–319; 5:11–40; 11:225–234, 235–250; 13:293–343; 22:221–297; 24(2):67–69; 28:1–37, 39–78
 wild rice, 14:237–265
- Grape:
 domestication, 25:279–281
 transformation, 16:103–104
- Grapefruit:
 breeding, 13:345–363
 evolution, 13:345–363
- Grass breeding:
 breeding, 11:251–274
 mutation breeding, 6:82
 recurrent selection, 9:101–113
 transformation, 13:231–260
- Growth habit, induced mutants, 2:14–25
- Guayule, 6:93–165

H

- Hallauer, Arnel R. (biography), 15:1–17
- Haploidy, *see also* unreduced and polyploid gametes
- apple, 1:376
 - barley, 3:219–252
 - cereals, 15:141–186
 - doubled, 15:141–186; 25:57–88
 - maize, 11:199–224
 - petunia, 1:16–18, 44–45
 - potato, 3:274–277; 16:15–86
- Harlan, Jack R. (biography), 8:1–17
- Heat tolerance breeding, 10:129–168
- Herbicide resistance:
- breeding needs, 11:155–198
 - cell selection, 4:160–161
 - decision trees, 18:251–303
 - risk assessment, 18:251–303
 - transforming fruit crops, 16:114
- Heritability estimation, 22:9–111
- Heterosis:
- gene action, 15:315–374
 - overdominance, 17:225–257
 - plant breeding, 12:227–251
 - plant metabolism, 10:53–90
 - rice, 17:24–33
 - soybean, 21:263–320
- Honeycomb:
- breeding, 18:177–249
 - selection, 13:87–139, 18:177–249
- Hordeum*, *see* Barley
- Host-parasite genetics, 5:393–433
- Hyacinth, mutation breeding, 6:76–77
- Hybrid and hybridization, *see also* Heterosis
- barley, 5:127–129
 - blueberry, 5:329–341
 - chemical, 3:169–191
 - interspecific, 5:237–305
 - maize high oil selection, 24(1):153–175
 - maize long-term selection, 24(2):43–64, 109–151
 - maize history, 24(1):31–59, 41–59, 61–78
 - overdominance, 17:225–257
 - rice, 17:15–156
 - soybean, 21:263–320
 - wheat, 2:303–319

I

- Ideotype concept, 12:163–193
- In vitro culture:
- alfalfa, 2:229–234; 4:123–152
 - barley, 3:225–226
 - bean, 2:234–237
 - birdsfoot trefoil, 2:228–229
 - blackberry, 8:274–275
 - broadbean, 2:244–245
 - cassava, 2:121–122
 - cell selection, 4:153–173
 - chickpea, 2:224–225
 - citrus, 8:339–374
 - clover, 2:240–244
 - coffee, 2:185–187
 - cowpea, 2:245–246
 - embryo culture, 5:181–236, 249–275
 - germplasm preservation, 7:125, 162–167
 - introduction, quarantines, 3:411–414
 - legumes, 2:215–264
 - mungbean, 2:245–246
 - oil palm, 4:175–201
 - pea, 2:236–237
 - peanut, 2:218–224
 - petunia, 1:44–48
 - pigeon pea, 2:224
 - pollen, 4:59–61
 - potato, 9:286–288
 - sesame, 16:218
 - soybean, 2:225–228
 - Stylosanthes*, 2:238–240
 - wheat, 12:115–162
 - wingbean, 2:237–238
 - zein, 1:110–111
- Inbreeding depression, 11:84–92
- alfalfa, 13:209–233
 - cross pollinated crops, 13:209–233
- Incompatibility:
- almond, 8:313–338
 - molecular biology, 15:19–42, 28:215–237
 - pollen, 4:39–48
 - reproductive barrier, 11:47–70
 - sweet cherry, 9:367–388
- Incongruity, 11:71–83
- Industrial crop breeding:
- guayule, 6:93–165

- sugarcane, 27:5–118
- Insect and mite resistance:
- apple rootstock, 1:370–372
 - black walnut, 1:251
 - cassava, 2:107–110
 - clover, white, 17:209–210
 - coffee, 2:179–180
 - cowpea, 15:240–244
 - Cucurbitaceae, 10:309–360
 - durum wheat, 5:28
 - maize, 6:209–243
 - raspberry, 6:282–300
 - rutabaga, 8:240–241
 - sweet potato, 4:336–337
 - transformation fruit crops, 16:113
 - wheat, 22:221–297
 - white clover, 17:209–210
- Intergeneric hybridization, papaya, 26:35–78
- Interspecific hybridization:
- blackberry, 8:284–289
 - blueberry, 5:333–341
 - citrus, 8:266–270
 - pasture legume, 5:237–305
 - rose, 17:176–177
 - rutabaga, 8:228–229
 - Vigna*, 8:24–30
- Intersubspecific hybridization, rice, 17:88–98
- Introduction, 3:361–434; 7:9–11, 21–25
- Ipomoea*, see Sweet potato
- Isozymes, in plant breeding, 6:11–54
- J**
- Jones, Henry A. (biography), 1:1–10
- Juglans nigra*, see Black walnut
- K**
- Karyogram, petunia, 1:13
- Kiwifruit:
- domestication, 25:300–301
 - transformation, 16:104
- L**
- Lactuca sativa*, see Lettuce
- Landraces, diversity, 21:221–263
- Laughnan, Jack R. (bibliography), 19:1–14
- Legume breeding, see also Oilseed, Soybean:
- cowpea, 15:215–274
 - genomics, 26:171–357
 - pasture legumes, 5:237–305
 - Vigna*, 8:19–42
- Legume tissue culture, 2:215–264
- Lethal equivalents and genetic load, 10:93–127
- Lettuce:
- genes, 1:267–293
 - breeding, 16:1–14; 20:105–133
- Lingonberry domestication, 25:300–301
- Linkage:
- bean, 1:76–77
 - isozymes, 6:37–38
 - lettuce, 1:288–290
 - maps, molecular markers, 9:37–61
 - petunia, 1:31–34
- Lotus:
- hybrids, 5:284–285
 - in vitro culture, 2:228–229
- Lycopersicon*, see Tomato
- M**
- Maize:
- anther culture, 11:199–224; 15:141–186
 - anthocyanin, 8:91–137
 - apomixis, 18:56–64
 - breeding, 1:103–138, 139–161; 27:119–173
 - carbohydrates, 1:144–148
 - cytoplasm, 23:189
 - doubled haploid breeding, 15:141–186
 - drought tolerance, 25:173–253
 - exotic germplasm utilization, 14:165–187
 - foliar diseases, 27:119–173
 - high oil, 22:3–4; 24(1):153–175
 - history of hybrids, 23(1):11–40, 41–59, 61–78
 - honeycomb breeding, 18:226–227
 - hybrid breeding, 17:249–251
 - insect resistance, 6:209–243
 - long-term selection 24(2):53–64, 109–151
 - male sterility, 10:23–51
 - marker-assisted selection. 24(1):293–309

- Maize (*cont.*)
 mobile elements, 4:81–122
 mutations, 5:139–180
 origins, 20:15–66
 origins of hybrids, 24(1):31–50, 41–59, 61–78
 overdominance, 17:225–257
 physiological changes with selection, 24(1):143–151
 protein, 1:103–138
 quality protein, 9:181–216
 recurrent selection, 9:115–179; 14:139–163
 RFLF changes with selection, 24(1):111–131
 selection for oil and protein, 24(1):79–110, 153–175
 soil acidity tolerance, 28:59–100
 supersweet sweet corn, 14:189–236
 transformation, 13:235–264
 transposable elements, 8:91–137
 unreduced gametes, 3:277
- Male sterility:
 chemical induction, 3:169–191
 coleus, 3:352–353
 genetics, 25:115–138, 139–172
 lettuce, 1:284–285
 molecular biology, 10:23–51
 pearl millet, 1:166
 petunia, 1:43–44
 rice, 17:33–72
 sesame, 16:191–192
 sorghum, 139–172
 soybean, 21:277–291
 wheat, 2:303–319
- Malus* spp, *see* Apple
Malus × *domestica*, *see* Apple
 Malvaceae, molecular mapping, 14:25–27
- Mango:
 domestication, 25:277–279
 transformation, 16:107
- Manihot esculenta, *see* Cassava
- Mapping:
 Cucurbitaceae, 27:213–244
 Rosaceae, 27:175–211
- Medicago*, *see also* Alfalfa
 in vitro culture, 2:229–234
- Meiosis:
 mutants, 28:239–115
 petunia, 1:14–16
- Metabolism and heterosis, 10:53–90
- Microprojectile bombardment,
 transformation, 13:231–260
- Mitochondrial genetics, 6:377–380;
 25:115–138
- Mixed plantings, bean breeding,
 4:245–272
- Mobile elements, *see also* transposable
 elements:
 maize, 4:81–122; 5:146–147
- Molecular biology:
 apomixis, 18:65–73
 comparative mapping, 14:13–37
 cytoplasmic male sterility, 10:23–51
 DNA methylation, 18:87–176
 herbicide-resistant crops, 11:155–198
 incompatibility, 15:19–42
 legumes, 26:171–357
 molecular mapping, 14:13–37; 19:31–68
 molecular markers, 9:37–61,
 10:184–190; 12:195–226; 13:11–86;
 14:13–37; 17:113–114, 179, 212–215;
 18:20–42; 19:31–68, 21:181–220,
 23:73–174, 26:292–299
 papaya, 26:35–78
 quantitative trait loci, 15:85–139
 rol genes, 26:790103
 salt resistance, 22:389–425
 somaclonal variation, 16:229–268
 somatic hybridization, 20:167–225
 soybean nodulation, 11:275–318
 strawberry, 21:139–180
 transposable (mobile) elements,
 4:81–122; 8:91–137
 virus resistance, 12:47–79
 wheat improvement, 11:235–250
- Molecular markers, 9:37–61, 10:184–190;
 12:195–226; 13:11–86; 14:13–37;
 17:113–114, 179, 212–215;
 18:20–42; 19:31–68, 21:181–220,
 23:73–174
 alfalfa, 10:184–190
 apomixis, 18:40–42
 barley, 21:181–220
 clover, white, 17:212–215
 forest crops, 19:31–68
 fruit crops, 12:195–226
 maize selection, 24(1):293–309
 mapping, 14:13–37
 plant genetic resource management,
 13:11–86
 rice, 17:113–114, 23:73–124

- rose, 17:179
 somaclonal variation, 16:238–243
 wheat, 21:181–220
 white clover, 17:212–215
 Monosomy, petunia, 1:19
 Mosaics and chimeras, 15:43–84
 Mungbean, 8:32–35
 in vitro culture, 2:245–246
 photoperiodic response, 3:74, 89–92
 Munger, Henry M. (biography), 4:1–8
Musa, *see* Banana, Plantain
 Mushroom, breeding and genetics,
 8:189–215
 Mutants and mutation:
 alfalfa tissue culture, 4:130–139
 apple rootstocks, 1:374–375
 banana, 2:148–149
 barley, 5:124–126
 blackberry, 8:283–284
 cassava, 2:120–121
 cell selection, 4:154–157
 chimeras, 15:43–84
 coleus, 3:355
 cytoplasmic, 2:293–295
 gametoclonal variation, 5:359–391
 homeotic floral, 9:63–99
 induced, 2:13–72
 long term selection variation,
 24(1):227–247
 maize, 1:139–161, 4:81–122; 5:139–180
 mobile elements, *see* Transposable
 elements
 mosaics, 15:43–84
 petunia, 1:34–40
 sesame, 16:213–217
 somaclonal variation, 4:123–152;
 5:147–149
 sweet corn, 1:139–161
 sweet potato, 4:371
 transposable elements, 4:181–122;
 8:91–137
 tree fruits, 6:78–79
 vegetatively-propagated crops, 6:55–91
 zein synthesis, 1:111–118
 Mycoplasma diseases, raspberry,
 6:253–254
N
 National Clonal Germplasm Repository
 (NCGR), 7:40–43
 cryopreservation, 7:125–126
 genetic considerations, 7:126–127
 germplasm maintenance and storage,
 7:111–128
 identification and label verification,
 7:122–123
 in vitro culture and storage, 7:125
 operations guidelines, 7:113–125
 preservation techniques, 7:120–121
 virus indexing and plant health,
 7:123–125
 National Plant Germplasm System
 (NPGS), *see also* Germplasm
 history, 7:5–18
 information systems, 7:57–65
 operations, 7:19–56
 preservation of genetic resources,
 23:291–34
 National Seed Storage Laboratory (NSSL),
 7:13–14, 37–38, 152–153
 Nectarines, cold hardiness breeding,
 10:271–308
 Nematode resistance:
 apple rootstocks, 1:368
 banana and plantain, 2:145–146
 coffee, 2:180–181
 cowpea, 15:245–247
 soybean, 1:217–221
 sweet potato, 4:336
 transformation fruit crops, 16:112–113
Nicotiana, *see* Tobacco
 Nodulation, soybean, 11:275–318
O
 Oat, breeding, 6:167–207
 Oil palm:
 breeding, 4:175–201, 22:165–219
 in vitro culture, 4:175–201
 Oilseed breeding:
 canola, 18:1–20
 oil palm, 4:175–201; 22:165–219
 sesame, 16:179–228
 soybean, 1:183–235; 3:289–311;
 4:203–245; 11:275–318; 15:275–313
 Olive domestication, 25:277–279
 Onion, breeding history, 20:57–103
Opuntia, *see* Cactus
 Organelle transfer, 2:283–302; 3:205–210;
 6:361–393
 Ornamentals breeding:
 chrysanthemum, 14:321–361
 coleus, 3:343–360

- Ornamentals breeding (*cont.*)
 petunia, 1:1–58
 rose, 17:159–189
 transformation and transgenesis,
 28:125–162
Ornithopus, hybrids, 5:285–287
Orzya, *see* Rice
 Overdominance, 17:225–257
 Ovule culture, 5:181–236
- P**
- Palm (Arecaceae):
 foliage breeding, 23:280–281
 oil palm breeding, 4:175–201;
 22:165–219.
Panicum maximum, apomixis, 18:34–36,
 47–49
 Papaya:
 Breeding, 26:35–78
 domestication, 25:307–308
 transformation, 16:105–106
Parthenium argentatum, *see* Guayule
Paspalum, apomixis, 18:51–52
Paspalum notatum, *see* Pensacola
 bahiagrass
 Passionfruit transformation, 16:105
 Pasture legumes, interspecific
 hybridization, 5:237–305
 Pea:
 breeding, 21:93–138
 flowering, 3:81–86, 89–92
 in vitro culture, 2:236–237
 Peach:
 cold hardiness breeding, 10:271–308
 domestication, 25:294–296
 transformation, 16:102
 Peanut:
 breeding, 22:297–356
 in vitro culture, 2:218–224
 Pear:
 domestication, 25:289–290
 transformation, 16:102
 Pearl millet:
 apomixis, 18:55–56
 breeding, 1:162–182
 Pecan transformation, 16:103
 Peloquin, Stanley, J. (biography), 25:1–19
Pennisetum americanum, *see* Pearl millet
 Pensacola bahiagrass, 9:101–113
 apomixis, 18:51–52
 selection, 9:101–113
 Pepino transformation, 16:107
 Peppermint, mutation breeding, 6:81–82
 Perennial grasses, breeding, 11:251–274
 Perennial rye breeding, 13:261–288
 Persimmon:
 breeding, 19:191–225
 domestication, 25:299–300
Petunia spp., genetics, 1:1–58
 Phaseolin, 1:59–102
Phaseolus vulgaris, *see* Bean
Philodendrum breeding, 23:273
Phytophthora fragariae, 2:195–214
 Pigeon pea, in vitro culture, 2:224
 Pineapple domestication, 25:305–307
 Pistil, reproductive function, 4:9–79
Pisum, *see* Pea
 Plant breeders; rights, 25:21–55
 Plant breeding:
 politics, 25:21–55
 prediction, 15–40
 Plant introduction, 3:361–434; 7:9–11,
 21–25
 Plant exploration, 7:9–11, 26–28, 67–94
 Plantain:
 breeding, 2:135–155; 14:267–320;
 21:1–25
 domestication, 25:298
 Plastid genetics, 6:364–376, *see also*
 Organelle
 Plum:
 domestication, 25:293–294
 transformation, 16:103–140
 Poaceae:
 molecular mapping, 14:23–24
Saccharum complex, 16:269–288
 Pollen:
 reproductive function, 4:9–79
 storage, 13:179–207
 Polyploidy, *see also* Haploidy
 alfalfa, 10:171–184
 alfalfa tissue culture, 4:125–128
 apple rootstocks, 1:375–376
 banana, 2:147–148
 barley, 5:126–127
 blueberry, 13:1–10
 gametes, 3:253–288
 isozymes, 6:33–34
 petunia, 1:18–19
 potato, 16:15–86; 25:1–19

- reproductive barriers, 11:98–105
 sweet potato, 4:371
 terminology, 26:105–124
 triticale, 5:11–40
 Pomegranate domestication, 25:285–286
 Population genetics, *see* Quantitative Genetics
 Potato:
 breeding, 9:217–332, 19:69–165
 cytoplasm, 23:187–189
 disease resistance breeding, 19:69–165
 gametoclonal variation, 5:376–377
 heat tolerance, 10:152
 honeycomb breeding, 18:227–230
 mutation breeding, 6:79–80
 photoperiodic response, 3:75–76, 89–92
 ploidy manipulation, 16:15–86
 unreduced gametes, 3:274–277
 Protein:
 antifungal, 14:39–88
 bean, 1:59–102
 induced mutants, 2:38–46
 maize, 1:103–138, 148–149; 9:181–216
 Protoplast fusion, 3:193–218; 20:167–225
 citrus, 8:339–374
 mushroom, 8:206–208
Prunus:
 amygdalus, *see* Almond
 avium, *see* Sweet cherry
 Pseudograin breeding, amaranth,
 19:227–285
Psophocarpus, *in vitro* culture, 2:237–238
Q
 Quantitative genetics:
 epistasis, 21:27–92
 forest trees, 8:139–188
 gene interaction, 24(1):269–290
 genotype x environment interaction,
 16:135–178
 heritability, 22:9–111
 maize RFLP changes with selection,
 24(1):111–131
 mutation variation, 24(1):227–247
 overdominance, 17:225–257
 population size & selection,
 24(1):249–268
 selection limits, 24(1):177–225
 statistics, 17:296–300
 trait loci (QTL), 15:85–139; 19:31–68
 variance, 22:113–163
 Quantitative trait loci (QTL), 15:85–138;
 19:31–68
 animal selection, 24(2):169–210,
 211–224
 selection limits, 24(1):177–225
 Quarantines, 3:361–434; 7:12, 35
R
 Rabbiteye blueberry, 5:307–357
 Raspberry, breeding, 6:245–321
 Recurrent restricted phenotypic selection,
 9:101–113
 Recurrent selection, 9:101–113, 115–179;
 14:139–163
 soybean, 15:275–313
 Red stele disease, 2:195–214
 Rédei, George P. (bibliography), 26:1–33.
 Regional trial testing, 12:271–297
 Reproduction:
 barriers and circumvention, 11:11–154
 foliage plants, 23:255–259
 garlic, 23:211–244
 Rhizobia, 23:21–72
 Rhododendron, mutation breeding,
 6:75–76
 Rice, *see also* Wild rice:
 anther culture, 15:141–186
 apomixis, 18:65
 cytoplasm, 23:189
 doubled haploid breeding, 15:141–186
 gametoclonal variation, 5:362–364
 heat tolerance, 10:151–152
 honeycomb breeding, 18:224–226
 hybrid breeding, 17:1–15, 15–156;
 23:73–174
 long-term selection 24(2):64–67
 molecular markers, 73–174
 photoperiodic response, 3:74, 89–92
Rosa, *see* Rose
 Rosaceae, synteny, 27:175–211
 Rose breeding, 17:159–189
Rubus, *see* Blackberry, Raspberry
 Rust, wheat, 13:293–343
 Rutabaga, 8:217–248
 Ryder, Edward J. (biography), 16:1–14
 Rye:
 gametoclonal variation, 5:370–371
 perennial breeding, 13:261–288
 triticale, 5:41–93

S

- Saccharum* complex, 16:269–288
- Salt resistance:
 cell selection, 4:141–143
 durum wheat, 5:31
 yeast systems, 22:389–425
- Sears, Ernest R. (biography), 10:1–22
- Secale*, *see* Rye
- Seed:
 apple rootstocks, 1:373–374
 banks, 7:13–14, 37–40, 152–153
 bean, 1:59–102; 239–315
 garlic, 23:211–244
 lettuce, 1:285–286
 maintenance and storage, 7:95–110,
 129–158, 159–182
 maize, 1:103–138, 139–161, 4:81–86
 pearl millet, 1:162–182
 protein, 1:59–138, 148–149
 rice production, 17:98–111, 118–119,
 23:73–174
 soybean, 1:183–235, 3:289–311
 synthetic, 7:173–174
 variegation, 4:81–86
 wheat (hybrid), 2:313–317
- Selection, *see also* Breeding
 bacteria, 24(2):225–265
 bean, 24(2):69–74
 cell, 4:139–145, 153–173
 crops of the developing world,
 24(2):45–88
 divergent selection for maize ear length,
 24(2):153–168
 domestication, 24(2):1–44
Escherichia coli, 24(2):225–265
 gene interaction, 24(1):269–290
 genetic models, 24(1):177–225
 honeycomb design, 13:87–139;
 18:177–249
 limits, 24(1):177–225
 maize high oil, 24(1):153–175
 maize history, 24(1):11–40, 41–59,
 61–78
 maize inbreds, 28:101–123
 maize long term, 24(1):79–110, 111–131,
 133–151; 24(2):53–64, 109–151
 maize oil & protein, 24(1):79–110,
 153–175
 maize physiological changes,
 24(1):133–151
 maize RFLP changes, 24(1):111–131
 marker assisted, 9:37–61, 10:184–190;
 12:195–226; 13:11–86; 14:13–37;
 17:113–114, 179, 212–215;
 18:20–42; 19:31–68, 21:181–220,
 23:73–174, 24(1):293–309;
 26:292–299
 mutation variation, 24(1):227–268
 population size, 24(1):249–268
 prediction, 19:15–40
 productivity gains in US crops,
 24(2):89–106
 quantitative trait loci, 24(1):311–335
 recurrent restricted phenotypic,
 9:101–113
 recurrent selection in maize, 9:115–179;
 14:139–163
 rice, 24(2):64–67
 wheat, 24(2):67–69
- Sesame breeding, 16:179–228
- Sesamum indicum*, *see* Sesame
- Simmonds, N.W. (biography), 21:1–13
- Snap pea breeding, 21:93–138
- Solanaceae:
 incompatibility, 15:27–34
 molecular mapping, 14:27–28
- Solanum tuberosum*, *see* Potato
- Somaclonal variation, *see also*
 Gametoclonal variation
 alfalfa, 4:123–152
 isozymes, 6:30–31
 maize, 5:147–149
 molecular analysis, 16:229–268
 mutation breeding, 6:68–70
 rose, 17:178–179
 transformation interaction, 16:229–268
 utilization, 16:229–268
- Somatic embryogenesis, 5:205–212;
 7:173–174
 oil palm, 4:189–190
- Somatic genetics, *see also* Gametoclonal
 variation; Somaclonal variation:
 alfalfa, 4:123–152
 legumes, 2:246–248
 maize, 5:147–149
 organelle transfer, 2:283–302
 pearl millet, 1:166
 petunia, 1:43–46
 protoplast fusion, 3:193–218
 wheat, 2:303–319
- Somatic hybridization, *see also*
 Protoplast fusion, 20:167–225

- Sorghum:
 male sterility, 25:139–172
 photoperiodic response, 3:69–71, 97–99
 transformation, 13:235–264
- Southern pea, *see* Cowpea
- Soybean:
 cytogenetics, 16:289–317
 disease resistance, 1:183–235
 drought resistance, 4:203–243
 hybrid breeding, 21:263–307
 in vitro culture, 2:225–228
 nodulation, 11:275–318
 photoperiodic response, 3:73–74
 recurrent selection, 15:275–313
 semidwarf breeding, 3:289–311
- Spelt, agronomy, genetics, breeding, 15:187–213
- Sprague, George F. (biography), 2:1–11
- Sterility, *see also* Male sterility, 11:30–41
- Starch, maize, 1:114–118
- Statistics:
 advanced methods, 22:113–163
 history, 17:259–316
- Strawberry:
 biotechnology, 21:139–180
 domestication, 25:302–303
 red stele resistance breeding, 2:195–214
 transformation, 16:104
- Stress resistance:
 cell selection, 4:141–143, 161–163
 transformation fruit crops, 16:115
- Stylosanthes*, in vitro culture, 2:238–240
- Sugarcane:
 Breeding, 27:15–118
 mutation breeding, 6:82–84
Saccharum complex, 16:269–288
- Syteny, Rosaceae, 27:175–211
- Sweet cherry:
 Domestication, 25:202–293
 pollen-incompatibility and self-fertility, 9:367–388
 transformation, 16:102
- Sweet corn, *see also* Maize:
 endosperm, 1:139–161
 supersweet (*shrunk2*), 14:189–236
- Sweet potato breeding, 4:313–345; 6:80–81
- T**
- Tamarillo transformation, 16:107
- Taxonomy:
 amaranth, 19:233–237
 apple, 1:296–299
 banana, 2:136–138
 blackberry, 8:249–253
 cassava, 2:83–89
 chestnut, 4:351–352
 chrysanthemum, 14:321–361
 clover, white, 17:193–211
 coffee, 2:161–163
 coleus, 3:345–347
 fescue, 3:314
 garlic, 23:211–244
Glycine, 16:289–317
 guayule, 6:112–115
 oat, 6:171–173
 pearl millet, 1:163–164
 petunia, 1:13
 plantain, 2:136; 14:271–272
 rose, 17:162–169
 rutabaga, 8:221–222
Saccharum complex, 16:270–272
 sweet potato, 4:320–323
 triticale, 8:49–54
Vigna, 8:19–42
 white clover, 17:193–211
 wild rice, 14:240–241
- Testing:
 adaptation, 12:271–297
 honeycomb design, 13:87–139
- Tissue culture, *see* In vitro culture
- Tobacco, gametoclonal variation, 5:372–376
- Tomato:
 breeding for quality, 4:273–311
 heat tolerance, 10:150–151
- Toxin resistance, cell selection, 4:163–165
- Transformation and transgenesis
 alfalfa, 10:190–192
 barley, 26:155–157
 cereals, 13:231–260
 fruit crops, 16:87–134
 maize breeding, 142–156
 mushroom, 8:206
 ornamentals, 28:125–162
 papaya, 26:35–78
 rice, 17:179–180
 somaclonal variation, 16:229–268
 sugarcane, 86–97
 white clover, 17:193–211
- Transpiration efficiency, 12:81–113
- Trilobium*, long-term selection, 24(2):211–224

Transposable elements, 4:81–122;
5:146–147; 8:91–137
Tree crops, ideotype concept, 12:163–193
Tree fruits, *see* Fruit, nut, and beverage
crop breeding
Trifolium, *see* Clover, White Clover
Trifolium hybrids, 5:275–284
in vitro culture, 2:240–244
Tripsacum:
apomixis, 18:51
maize ancestry, 20:15–66
Trisomy, petunia, 1:19–20
Triticale, 5:41–93; 8:43–90
Triticosecale, *see* Triticale
Triticum:
Aestivum, *see* Wheat
Turgidum, *see* Durum wheat
Tulip, mutation breeding, 6:76

U

United States National Plant Germplasm
System, *see* National Plant
Germplasm System
Unreduced and polyploid gametes,
3:253–288; 16:15–86
Urd bean, 8:32–35

V

Vaccinium, *see* Blueberry
Variance estimation, 22:113–163
Vegetable breeding:
artichoke, 12:253–269
bean, 1:59–102; 4:245–272, 24(2):69–74;
28:239–315
bean (tropics), 10:199–269
beet (table), 22:257–388
carrot 19:157–190
cassava, 2:73–134; 24(2):74–79
cucumber, 6:323–359
cucurbit insect and mite resistance,
10:309–360
lettuce, 1:267–293; 16:1–14; 20:105–133
mushroom, 8:189–215
onion, 20:67–103
pea, 21:93–138
peanut, 22:297–356
potato, 9:217–232; 16:15–86; 19:69–165
rutabaga, 8:217–248
snap pea, 21:93–138
tomato, 4:273–311

sweet corn, 1:139–161; 14:189–236
sweet potato, 4:313–345
Vicia, in vitro culture, 2:244–245
Vigna, *see* Cowpea, Mungbean
in vitro culture, 2:245–246; 8:19–42
Virus diseases:
apple rootstocks, 1:358–359
clover, white, 17:201–209
coleus, 3:353
cowpea, 15:239–240
indexing, 3:386–408, 410–411,
423–425
in vitro elimination, 2:265–282
lettuce, 1:286
maize, 142–156
papaya, 26:35–78
potato, 19:122–134
raspberry, 6:247–254
resistance, 12:47–79
soybean, 1:212–217
sweet potato, 4:336
transformation fruit crops, 16:108–110
white clover, 17:201–209
Vogel, Orville A. (biography), 5:1–10
Vuylsteke, Dirk R. (biography), 21:1–25

W

Walnut (black), 1:236–266
Walnut transformation, 16:103
Weinberger, John A. (biography), 11:1–10
Wheat:
anther culture, 15:141–186
apomixis, 18:64–65
chemical hybridization, 3:169–191
cold hardiness adaptation, 12:124–135
cytogenetics, 10:5–15
cytoplasm, 23:189–190
diversity, 21:236–237
doubled haploid breeding, 15:141–186
drought tolerance, 12:135–146
durum, 5:11–40
gametoclonal variation, 5:364–368
gene manipulation, 11:225–234
green revolution, 2*; 1–37, 39–58
heat tolerance, 10:152
hybrid, 2:303–319; 3:185–186
insect resistance, 22:221–297
in vitro adaptation, 12:115–162
long-term selection, 24(2):67–69
molecular biology, 11:235–250

molecular markers, 21:191–220
photoperiodic response, 3:74
rust interaction, 13:293–343
triticale, 5:41–93
vernalization, 3:109
White clover, molecular genetics,
17:191–223
Wild rice, breeding, 14:237–265
Winged bean, in vitro culture, 2:237–238

Y

Yeast, salt resistance, 22:389–425
Yuan, Longping (biography), 17:1–13.

Z

Zea mays, see Maize, Sweet corn
Zein, 1:103–138
Zizania palustris, see Wild rice

Cumulative Contributor Index

(Volumes 1–28)

- Abbott, A.G., 27:175
Abdalla, O.S., 8:43
Acquaah, G., 9:63
Aldwinckle, H.S., 1:294
Alexander, D.E., 24(1):53
Anderson, N.O., 10:93;
11:11
Aronson, A.I., 12:19
Arús, P., 27:175
Ascher, P.D., 10:93
Ashri, A., 16:179
- Baggett, J.R. 21:93
Balaji, J., 26:171
Baltensperger, D.D., 19:227
Barker, T., 25:173
Basnizki, J., 12:253
Bassett, M.J., 28:239
Beck, D.L., 17:191
Beebe, S., 23:21–72
Beineke, W.F., 1:236
Bell, A.E., 24(2):211
Below, F.E., 24(1):133
Berzonsky, W.A., 22:221
Bingham, E.T., 4:123;
13:209
Binns, M.R., 12:271
Bird, R. McK., 5:139
Bjarnason, M., 9:181
Blair, M.W., 26
Bliss, F.A., 1:59; 6:1
Boase, M.R., 14:321
Borlaug, N.E., 5:1
Boyer, C.D., 1:139
Bravo, J.E., 3:193
- Brenner, D.M., 19:227
Bressan, R.A., 13:235;
14:39; 22:389
Bretting, P.K., 13:11
Broertjes, C., 6:55
Brown, A.H.D., 221
Brown, J.W.S., 1:59
Brown, S.K., 9:333, 367
Buhariwalla, H.K., 26:171
Bünger, L., 24(2):169
Burnham, C.R., 4:347
Burton, G.W., 1:162; 9:101
Burton, J.W., 21:263
Byrne, D., 2:73
- Camadro, E.L., 26:105
Campbell, K.G., 15:187
Campos, H., 25:173
Cantrell, R.G., 5:11
Carputo, D., 25:1; 26:105;
28:163
Carvalho, A., 2:157
Casas, A.M., 13:235
Cervantes-Martinez, C.T.,
22:9
Chen, J., 23:245
Cherry, M., 27:245.
Chew, P.S., 22:165
Choo, T.M., 3:219; 26:125
Christenson, G.M., 7:67
Christie, B.R., 9:9
Clark, R.L., 7:95
Clarke, A.E., 15:19
Clegg, M.T., 12:1
Comstock, J.G., 27:15
- Consiglio, F., 28:163
Condon, A.G., 12:81
Conicella, C., 28:163
Cooper, M., 24(2):109;
25:173
Cooper, R.L., 3:289
Cornu, A., 1:11
Costa, W.M., 2:157
Cregan, P., 12:195
Crouch, J.H., 14:267;
26:171
Crow, J.F., 17:225
Cummins, J.N., 1:294
- Dana, S., 8:19
Dean, R.A., 27:213
De Jong, H., 9:217
D'Hont, A., 27:15
Dekkers, J.C.M., 24(1):311
Deroles, S.C., 14:321
Dhillon, B.S., 14:139
Dickmann, D.I., 12:163
Ding, H., 22:221
Dirlewanger, E., 27:175
Dodds, P.N., 15:19
Dolan, D., 25:175
Donini, P., 21:181
Dowswell, C., 28:1
Draper, A.D., 2:195
Drew, R., 26:35
Dudley, J.W. 24(1):79
Dumas, C., 4:9
Duncan, D.R., 4:153
Duvick, D.N., 24(2):109
Dwivedi, S.L., 26:171

- Echt, C.S., 10:169
 Edmeades, G., 25:173
 Ehlers, J.D., 15:215
 England, F., 20:1
 Eubanks, M.W., 20:15
 Evans, D.A., 3:193; 5:359
 Everett, L.A., 14:237
 Ewart, L.C., 9:63

 Farquhar, G.D., 12:81
 Fasoula, D.A., 14:89;
 15:315; 18:177
 Fasoula, V.A., 13:87;
 14:89; 15:315; 18:177
 Fasoulas, A.C., 13:87
 Fazuoli, L.C., 2:157
 Fear, C.D., 11:1
 Ferris, R.S.B., 14:267
 Flore, J.A., 12:163
 Forsberg, R.A., 6:167
 Forster, B.P., 25:57
 Forster, R.L.S., 17:191
 Fowler, C., 25:21
 Friesen, D.K., 28:59
 Frusciante, L., 25:1; 28:163
 Frei, U., 23:175
 French, D.W., 4:347

 Gai, J., 21:263
 Galiba, G., 12:115
 Galletta, G.J., 2:195
 Gepts, P., 24(2):1
 Glaszmann, J.G., 27:15
 Gmitter, F.G., Jr., 8:339;
 13:345
 Gold, M.A., 12:163
 Goldman, I.L., 19:15; 20:67;
 22:357; 24(1):61;
 24(2):89
 Goldway, M., 28:215
 Gonsalves, D., 26:35
 Goodnight, C.J., 24(1):269
 Gordon, S.G., 27:119
 Gradziel, T.M., 15:43
 Gressel, J., 11:155; 18:251
 Gresshof, P.M., 11:275
 Griesbach, R.J., 25:89
 Grombacher, A.W., 14:237
 Grosser, J.W., 8:339
 Grumet, R., 12:47

 Gudín, S., 17:159
 Guimarães, C.T., 16:269
 Gustafson, J.P., 5:41;
 11:225
 Guthrie, W.D., 6:209

 Habben, J., 25:173
 Haley, S.D., 22:221
 Hall, A.E., 10:129; 12:81;
 15:215
 Hall, H.K., 8:249
 Hallauer, A.R., 9:115;
 14:1,165; 24(2):153
 Hamblin, J., 4:245
 Hancock, J.F., 13:1
 Hancock, J.R., 9:1
 Hanna, W.W., 13:179
 Harlan, J.R., 3:1
 Harris, M.O., 22:221
 Hasegawa, P.M., 13:235;
 14:39; 22:389
 Havey, M.J., 20:67
 Henny, R.J., 23:245
 Hill, W.G., 24(2):169
 Hillel, J., 12:195
 Hodgkin, T., 21:221
 Hokanson, S.C., 21:139
 Holbrook, C.C., 22:297
 Holland, J.B., 21:27; 22:9
 Hor, T.Y., 22:165
 Howe, G.T., 27:245
 Hunt, L.A., 16:135
 Hutchinson, J.R., 5:181
 Hymowitz, T., 8:1; 16:289

 Iván Ortiz-Monasterio, J.,
 28:39

 Janick, J., 1:xi; 23:1; 25:255
 Jansky, S., 19:77
 Jayaram, Ch., 8:91
 Jayawickrama, K., 27:245
 Jenderek, M.M., 23:211
 Jifon, J., 27:15
 Joobeur, T., 27:213
 Johnson, A.A.T., 16:229;
 20:167
 Johnson, G.R., 27:245
 Johnson, R., 24(1):293
 Jones, A., 4:313

 Jones, J.S., 13:209
 Ju, G.C., 10:53

 Kang, H., 8:139
 Kann, R.P., 4:175
 Karmakar, P.G., 8:19
 Kartha, K.K., 2:215, 265
 Kasha, K.J., 3:219
 Keep, E., 6:245
 Kleinhofs, A., 2:13
 Keightley, P.D., 24(1):227
 Knox, R.B., 4:9
 Koebner, R.M.D., 21:181
 Kollipara, K.P., 16:289
 Koncz, C., 26:1
 Kononowicz, A.K., 13:235
 Konzak, C.F., 2:13
 Krikorian, A.D., 4:175
 Krishnamani, M.R.S.,
 4:203
 Kronstad, W.E., 5:1
 Kuehnle, A.R., 28:125
 Kulakow, P.A., 19:227

 Lamb, R.J., 22:221
 Lambert, R.J., 22:1;
 24(1):79, 153
 Lamborn, C., 21:93
 Lamkey, K.R., 15:1;
 24(1):xi; 24(2):xi
 Lavi, U., 12:195
 Layne, R.E.C., 10:271
 Lebowitz, R.J., 3:343
 Lee, M., 24(2):153
 Lehmann, J.W., 19:227
 Lenski, R.E., 24(2):225
 Levings, III, C.S., 10:23
 Lewers, K.R., 15:275
 Li, J., 17:1,15
 Liedl, B.E., 11:11
 Lin, C.S., 12:271
 Lovell, G.R., 7:5
 Lower, R.L., 25:21
 Lukaszewski, A.J., 5:41
 Lyrene, P.M., 5:307

 McCoy, T.J., 4:123; 10:169
 McCreight, J.D., 1:267;
 16:1
 McDaniel, R.G., 2:283

- McKeand, S.E., 19:41
 McKenzie, R.I.H., 22:221
 McRae, D.H., 3:169
 Mackenzie, S.A., 25:115
 Maas, J. L., 21:139
 Maheswaran, G., 5:181
 Maizonnier, D., 1:11
 Marcotrigiano, M., 15:43
 Martin, F.W., 4:313
 Matsumoto, T.K. 22:389
 Medina-Filho, H.P., 2:157
 Mejaya, I.J., 24(1):53
 Mikkilineni, V., 24(1):111
 Miles, D., 24(2):211
 Miles, J.W., 24(2):45
 Miller, R., 14:321
 Ming, R., 27:15
 Mirkov, T.E., 27:15
 Mondragon Jacobo, C.,
 20:135
 Monti, L.M., 28:163
 Moose, S.P., 24(1):133
 Moore, P.H., 27:15
 Morrison, R.A., 5:359
 Mobray, D., 28:1
 Mowder, J.D., 7:57
 Mroginski, L.A., 2:215
 Mudalige-Jayawickrama,
 28:125
 Muir, W.M., 24(2):211
 Mumm, R.H., 24(1):1
 Murphy, A.M., 9:217
 Mutschler, M.A., 4:1
 Myers, J.R., 21:93
 Myers, O., Jr., 4:203
 Myers, R.L., 19:227.
- Namkoong, G., 8:1
 Narro León, L.A., 28:59
 Navazio, J., 22:357
 Neuffer, M.G., 5:139
 Newbigin, E., 15:19
 Nyquist, W.E., 22:9
- Ohm, H.W., 22:221
 O'Malley, D.M., 19:41
 Ortiz, R., 14:267; 16:15;
 21:1; 25:1, 139; 26:171;
 28:1, 39
 Osborn, T.C., 27:1
- Palmer, R.G., 15:275,
 21:263
 Pandy, S., 14:139;
 24(2):45; 28:59
 Pardo, J. M., 22:389
 Parlman, B.J., 3:361
 Paterson, A.H., 14:13;
 26:15
 Patterson, F.L., 22:221
 Peairs, F.B., 22:221
 Pedersen, J.F., 11:251
 Perdue, R.E., Jr., 7:67
 Peiretti, E.G., 23:175
 Peloquin, S.J., 26 :105
 Peterson, P.A., 4:81; 8:91
 Polidorus, A.N., 18:87
 Porter, D.A., 22:221
 Porter, R.A., 14:237
 Powell, W., 21:181
 Prasartsee, V., 26:35
 Pratt, R.C., 27:119
 Proudfoot, K.G., 8:217
- Rackow, G., 18:1
 Rai, M., 27:15
 Raina, S.K., 15:141
 Rajaram, S. 28:1
 Ramage, R.T., 5:95
 Ramesh, S., 25:139
 Ramming, D.W., 11:1
 Ratchiffe, R.H., 22:221
 Ray, D.T., 6:93
 Reddy, B.V.S., 25:139
 Redei, G.P., 10:1; 24(1):11
 Reimann-Phillipp, R.,
 13:265
 Reinbergs, E., 3:219
 Reynolds, M.P., 28:39
 Rhodes, D., 10:53
 Richards, R.A., 12:81
 Roath, W.W., 7:183
 Robinson, R.W., 1:267;
 10:309
 Rocheford.T.R., 24(1):111
 Ron Parra, J., 14:165
 Roos, E.E., 7:129
 Ross, A.J., 24(2):153
 Rotteveel, T., 18:251
 Rowe, P., 2:135
 Russell, W.A., 2:1
- Rutter, P.A., 4:347
 Ryder, E.J., 1:267; 20:105
- Samaras, Y., 10:53
 Sansavini, S., 16:87
 Sapir, G., 28:215
 Saunders, J.W., 9:63
 Savidan, Y., 18:13
 Sawhney, R.N., 13:293
 Schaap, T., 12:195
 Schaber, M.A. 24(2):89
 Schnell, R.J., 27:15
 Schussler, J., 25:173
 Schneerman, M.C.
 24(1):133
 Schroeck, G., 20:67
 Scott, D.H., 2:195
 Seabrook, J.E.A., 9:217
 Sears, E.R., 11:225
 Seebauer, J.R., 24(1):133
 Serraj, R., 26:171
 Shands, Hazel L., 6:167
 Shands, Henry L., 7:1, 5
 Shannon, J.C., 1:139
 Shanower, T.G., 22:221
 Shattuck, V.I., 8:217; 9:9
 Shaun, R., 14:267
 Sidhu, G.S., 5:393
 Silva, da, J., 27:15
 Simmonds, N.W., 17:259
 Simon, P.W., 19:157;
 23:211
 Singh, B.B., 15:215
 Singh, R.J., 16:289
 Singh, S.P., 10:199
 Singh, Z., 16:87
 Slabbert, M.M., 19:227
 Sleper, D.A., 3:313
 Sleugh, B.B., 19
 Smith, J.S.C., 24(2):109
 Smith, S.E., 6:361
 Snoeck, C., 23:21
 Socias i Company, R.,
 8:313
 Sobral, B.W.S., 16:269
 Stalker, H.T., 22:297
 Soh, A.C., 22:165
 Sondahl, M.R., 2:157
 Spoor, W., 20:1
 Steadman, J.R., 23:1

- Steffensen, D. M., 19:1
 Stern, R.A., 28:215
 Stevens, M.A., 4:273
 Stoner, A.K., 7:57
 Stuber, C.W., 9:37; 12:227
 Sugiura, A., 19:191
 Suzuki, J.Y., 26 :35
 Sun, H. 21:263
- Tai, G.C.C., 9:217
 Talbert, L.E., 11:235
 Tan, C.C., 22:165
 Tarn, T.R., 9:217
 Tehrani, G., 9:367
 Teshome, A., 21:221
 Tew, T.L., 27:15
 Thomas, W.T.B., 25:57
 Thompson, A.E., 6:93
 Tiefenthaler, A.E. 24(2):89
 Towill, L.E., 7:159, 13:179
 Tracy, W.F., 14:189;
 24(2):89
 Trethowan, R.M., 28:39
 Tripathi, S., 26:35
 Troyer, A.F., 24(1):41;
 28:101
 Tsaftaris, A.S., 18:87
 Tsai, C.Y., 1:103
- Ullrich, S.E., 2:13
 Upadhyaya, H.D., 26:171
 Uribelarrea, M., 24(1):133
- Vanderleyden, J., 23:21
 Van Harten, A.M., 6:55
 Varughese, G., 8:43
 Vasal, S.K., 9:181; 14:139
 Vegas, A., 26:35
 Veilleux, R., 3:253; 16:229;
 20:167
 Villareal, R.L., 8:43
 Vogel, K.P., 11:251
 Volk, G.M., 23:291
 Vuylsteke, D., 14:267
- Wallace, D.H., 3:21; 13:141
 Walsh, B. 24(1):177
 Wan, Y., 11:199
 Wang, Y.-H., 27:213
 Waters, C., 23:291
 Weber, K., 24(1):249
 Weeden, N.F., 6:11
 Wehner, T.C., 6:323
 Welander, M., 26:79
 Wenzel, G. 23:175
 Westwood, M.N., 7:111
 Wheeler, N.C., 27:245
 Whitaker, T.W., 1:1
 White, D.W.R., 17:191
 White, G.A., 3:361; 7:5
 Widholm, J.M., 4:153;
 11:199
 Widmer, R.E., 10:93
 Widrechner, M.P., 13:11
 Wilcox, J.R., 1:183
- Williams, E.G., 4:9; 5:181,
 237
 Williams, M.E., 10:23
 Wilson, J.A., 2:303
 Wong, G., 22:165
 Woodfield, D.R., 17:191
 Wright, D., 25:173
 Wright, G.C., 12:81
 Wu, K.-K., 27:15
 Wu, L., 8:189
 Wu, R., 19:41
- Xin, Y., 17:1,15
 Xu, S., 22:113
 Xu, Y., 15:85; 23:73
- Yamada, M., 19:191
 Yamamoto, T., 27:175
 Yan, W., 13:141
 Yang, W.-J., 10:53
 Yonemori, K., 19:191
 Yopp, J.H., 4:203
 Yun, D.-J., 14:39
- Zeng, Z.-B., 19:41
 Zhu, L.-H., 26:79
 Zimmerman, M.J.O., 4:245
 Zinselmeier, C., 25:173
 Zohary, D., 12:253