

# CONTENTS

*INTRODUCTION*

*xxix*

## **PART I: ABOUT THE INGREDIENTS**

|   |           |
|---|-----------|
| <b>CHAPTER 1: THE HISTORY OF UNIX, GNU, AND LINUX</b> | <b>3</b>  |
| <b>Unix</b>   | <b>3</b>  |
| “Everything Is a File” and Pipelines                  | 5         |
| BSD   | 6         |
| <b>GNU</b>  | <b>7</b>  |
| <b>Linux</b>  | <b>11</b> |
| <b>Summary</b>  | <b>12</b> |
| <b>CHAPTER 2: GETTING STARTED</b>                     | <b>15</b> |
| <b>Choosing an OS</b>                                 | <b>15</b> |
| GNU/Linux   | 15        |
| The BSDs  | 17        |
| Proprietary Unix                                      | 17        |
| Microsoft Windows                                     | 17        |
| <b>Choosing an Editor</b>                             | <b>18</b> |
| Graphical Text Editors                                | 18        |
| Terminal Emulation                                    | 21        |
| Nongraphical Text Editors                             | 22        |
| <b>Setting Up the Environment</b>                     | <b>24</b> |
| The Shell Profile                                     | 24        |
| Aliases   | 26        |
| vim Settings  | 30        |
| <b>Summary</b>  | <b>31</b> |
| <b>CHAPTER 3: VARIABLES</b>                           | <b>33</b> |
| <b>Using Variables</b>                                | <b>33</b> |
| Typing  | 34        |
| Assigning Values to Variables                         | 35        |
| Positional Parameters                                 | 39        |
| Return Codes  | 42        |
| Unsetting Variables                                   | 45        |

---

|  |           |
|--|-----------|
| <b>Preset and Standard Variables</b>           | <b>47</b> |
| BASH_ENV                                       | 47        |
| BASHOPTS                                       | 47        |
| SHELLOPTS                                      | 48        |
| BASH_COMMAND                                   | 50        |
| BASH_SOURCE, FUNCNAME, LINENO, and BASH_LINENO | 51        |
| SHELL  | 55        |
| HOSTNAME and HOSTTYPE                          | 55        |
| Working Directory                              | 55        |
| PIPESTATUS                                     | 55        |
| TIMEFORMAT                                     | 56        |
| PPID   | 57        |
| RANDOM   | 58        |
| REPLY  | 58        |
| SECONDS  | 58        |
| BASH_XTRACEFD                                  | 59        |
| GLOBIGNORE                                     | 60        |
| HOME   | 62        |
| IFS  | 62        |
| PATH   | 63        |
| TMOUT  | 64        |
| TMPDIR   | 65        |
| User Identification Variables                  | 65        |
| <b>Summary</b>                                 | <b>66</b> |
| <b>CHAPTER 4: WILDCARD EXPANSION</b>           | <b>67</b> |
| <hr/>  |           |
| <b>Filename Expansion (Globbing)</b>           | <b>67</b> |
| Bash Globbing Features                         | 70        |
| Shell Options                                  | 71        |
| <b>Regular Expressions and Quoting</b>         | <b>75</b> |
| Overview of Regular Expressions                | 76        |
| Quoting  | 77        |
| <b>Summary</b>                                 | <b>81</b> |
| <b>CHAPTER 5: CONDITIONAL EXECUTION</b>        | <b>83</b> |
| <hr/>  |           |
| <b>If/Then</b>                                 | <b>83</b> |
| <b>Else</b>                                    | <b>85</b> |
| <b>elif</b>                                    | <b>85</b> |
| <b>Test (I)</b>                                | <b>87</b> |
| Flags for Test                                 | 88        |
| File Comparison Tests                          | 95        |

---

|   |            |
|---|------------|
| String Comparison Tests                       | 96         |
| Regular Expression Tests                      | 98         |
| Numerical Tests                               | 101        |
| Combining Tests                               | 103        |
| <b>Case</b>                                   | <b>105</b> |
| <b>Summary</b>                                | <b>109</b> |
| <b>CHAPTER 6: FLOW CONTROL USING LOOPS</b>    | <b>111</b> |
| <hr/>   |            |
| <b>For Loops</b>                              | <b>111</b> |
| When to Use for Loops                         | 112        |
| Imaginative Ways of Feeding “for” with Data   | 112        |
| C-Style for Loops                             | 118        |
| <b>while Loops</b>                            | <b>119</b> |
| When to Use while Loops                       | 119        |
| Ways to Use while Loops                       | 119        |
| <b>Nested Loops</b>                           | <b>125</b> |
| <b>Breaking and Continuing Loop Execution</b> | <b>126</b> |
| <b>while with Case</b>                        | <b>130</b> |
| <b>until Loops</b>                            | <b>131</b> |
| <b>select Loops</b>                           | <b>133</b> |
| <b>Summary</b>                                | <b>137</b> |
| <b>CHAPTER 7: VARIABLES CONTINUED</b>         | <b>139</b> |
| <hr/>   |            |
| <b>Using Variables</b>                        | <b>139</b> |
| Variable Types                                | 141        |
| Length of Variables                           | 142        |
| Special String Operators                      | 144        |
| Stripping Variable Strings by Length          | 144        |
| Stripping from the End of the String          | 146        |
| Stripping Strings with Patterns               | 147        |
| <b>Searching Strings</b>                      | <b>151</b> |
| Using Search and Replace                      | 151        |
| Replacing Patterns                            | 153        |
| Deleting Patterns                             | 153        |
| Changing Case                                 | 153        |
| <b>Providing Default Values</b>               | <b>153</b> |
| <b>Indirection</b>                            | <b>157</b> |
| <b>Sourcing Variables</b>                     | <b>158</b> |
| <b>Summary</b>                                | <b>159</b> |

---

|  |            |
|--|------------|
| <b>CHAPTER 8: FUNCTIONS AND LIBRARIES</b>    | <b>161</b> |
| <b>Functions</b>                             | <b>161</b> |
| Defining Functions                           | 162        |
| Function Output                              | 162        |
| Writing to a File                            | 164        |
| Redirecting the Output of an Entire Function | 167        |
| Functions with Trap                          | 171        |
| Recursive Functions                          | 173        |
| <b>Variable Scope</b>                        | <b>177</b> |
| <b>Libraries</b>                             | <b>181</b> |
| Creating and Accessing Libraries             | 183        |
| Library Structures                           | 183        |
| Network Configuration Library                | 187        |
| Use of Libraries                             | 191        |
| <b>getopts</b>                               | <b>191</b> |
| Handling Errors                              | 194        |
| getopts within Functions                     | 195        |
| <b>Summary</b>                               | <b>197</b> |
| <b>CHAPTER 9: ARRAYS</b>                     | <b>199</b> |
| <b>Assigning Arrays</b>                      | <b>199</b> |
| One at a Time                                | 200        |
| All at Once                                  | 200        |
| By Index                                     | 201        |
| All at Once from a Source                    | 201        |
| Read from Input                              | 203        |
| <b>Accessing Arrays</b>                      | <b>205</b> |
| Accessing by Index                           | 205        |
| Length of Arrays                             | 206        |
| Accessing by Variable Index                  | 206        |
| Selecting Items from an Array                | 209        |
| Displaying the Entire Array                  | 209        |
| <b>Associative Arrays</b>                    | <b>210</b> |
| <b>Manipulating Arrays</b>                   | <b>211</b> |
| Copying an Array                             | 211        |
| Appending to an Array                        | 213        |
| Deleting from an Array                       | 214        |
| <b>Advanced Techniques</b>                   | <b>216</b> |
| <b>Summary</b>                               | <b>217</b> |

---

|  |            |
|--|------------|
| <b>CHAPTER 10: PROCESSES</b>                 | <b>219</b> |
| <b>The ps Command</b>                        | <b>219</b> |
| ps Line Length                               | 220        |
| Parsing the Process Table Accurately         | 220        |
| <b>killall</b>                               | <b>223</b> |
| <b>The /proc pseudo-filesystem</b>           | <b>225</b> |
| <b>prtstat</b>                               | <b>226</b> |
| <b>I/O Redirection</b>                       | <b>227</b> |
| Appending Output to an Existing File         | 229        |
| Permissions on Redirections                  | 229        |
| <b>exec</b>                                  | <b>229</b> |
| Using exec to Replace the Existing Program   | 230        |
| Using exec to Change Redirection             | 231        |
| <b>Pipelines</b>                             | <b>237</b> |
| <b>Background Processing</b>                 | <b>237</b> |
| wait   | 238        |
| Catching Hangups with nohup                  | 239        |
| <b>Other Features of /proc and /sys</b>      | <b>242</b> |
| Version                                      | 242        |
| SysRq  | 242        |
| /proc/meminfo                                | 245        |
| /proc/cpuinfo                                | 245        |
| /sys   | 246        |
| /sys/devices/system/node                     | 251        |
| sysctl                                       | 253        |
| <b>Summary</b>                               | <b>254</b> |
| <b>CHAPTER 11: CHOOSING AND USING SHELLS</b> | <b>255</b> |
| <b>The Bourne Shell</b>                      | <b>256</b> |
| <b>The KornShell</b>                         | <b>256</b> |
| <b>The C Shell</b>                           | <b>256</b> |
| <b>The Tenex C Shell</b>                     | <b>257</b> |
| <b>The Z Shell</b>                           | <b>257</b> |
| <b>The Bourne Again Shell</b>                | <b>257</b> |
| <b>The Debian Almquist Shell</b>             | <b>258</b> |
| <b>Dotfiles</b>                              | <b>258</b> |
| Interactive Login Shells                     | 259        |
| Interactive Non-Login Shells                 | 260        |
| Non-Interactive Shells                       | 261        |
| Logout Scripts                               | 262        |

|  |            |
|--|------------|
| <b>Command Prompts</b>                         | <b>262</b> |
| The PS1 Prompt                                 | 262        |
| The PS2, PS3, and PS4 Prompts                  | 264        |
| <b>Aliases</b>                                 | <b>265</b> |
| Timesavers                                     | 265        |
| Modifying Behaviors                            | 265        |
| <b>History</b>                                 | <b>266</b> |
| Recalling Commands                             | 267        |
| Searching History                              | 267        |
| Timestamps                                     | 268        |
| <b>Tab Completion</b>                          | <b>269</b> |
| ksh  | 269        |
| tosh   | 270        |
| zsh  | 270        |
| bash   | 271        |
| <b>Foreground, Background, and Job Control</b> | <b>272</b> |
| Backgrounding Processes                        | 272        |
| Job Control                                    | 273        |
| nohup and disown                               | 275        |
| <b>Summary</b>                                 | <b>276</b> |

## PART II: RECIPES FOR USING AND EXTENDING SYSTEM TOOLS

|   |            |
|---|------------|
| <b>CHAPTER 12: FILE MANIPULATION</b>                  | <b>279</b> |
| <b>stat</b>   | <b>279</b> |
| <b>cat</b>  | <b>281</b> |
| Numbering Lines                                       | 282        |
| Dealing with Blank Lines                              | 282        |
| Non-Printing Characters                               | 283        |
| <b>cat Backwards is tac</b>                           | <b>284</b> |
| <b>Redirection</b>                                    | <b>285</b> |
| Redirecting Output: The Single Greater-Than Arrow (>) | 285        |
| Appending: The Double Greater-Than Arrow (>>)         | 286        |
| Input Redirection: The Single Less-Than Arrow (<)     | 288        |
| Here Documents: The Double Less-Than Arrow (<< EOF)   | 290        |
| <b>dd</b>   | <b>292</b> |
| <b>df</b>   | <b>294</b> |
| <b>mktemp</b>   | <b>295</b> |
| <b>join</b>   | <b>297</b> |
| <b>install</b>  | <b>298</b> |

---

|   |            |
|---|------------|
| <b>grep</b>   | <b>300</b> |
| grep Flags  | 300        |
| grep Regular Expressions                            | 301        |
| <b>split</b>  | <b>303</b> |
| <b>tee</b>  | <b>304</b> |
| <b>touch</b>  | <b>306</b> |
| <b>find</b>   | <b>307</b> |
| <b>find-exec</b>                                    | <b>310</b> |
| <b>Summary</b>                                      | <b>313</b> |
| <b>CHAPTER 13: TEXT MANIPULATION</b>                | <b>315</b> |
| <hr/>   |            |
| <b>cut</b>  | <b>315</b> |
| <b>echo</b>   | <b>316</b> |
| dial1   | 316        |
| dial2   | 319        |
| <b>fmt</b>  | <b>320</b> |
| <b>head and tail</b>                                | <b>323</b> |
| Prizes  | 323        |
| World Cup   | 324        |
| <b>od</b>   | <b>328</b> |
| <b>paste</b>  | <b>331</b> |
| <b>pr</b>   | <b>334</b> |
| <b>printf</b>                                       | <b>335</b> |
| <b>shuf</b>   | <b>337</b> |
| Dice Thrower  | 337        |
| Card Dealer   | 338        |
| Travel Planner                                      | 340        |
| <b>sort</b>   | <b>341</b> |
| Sorting on Keys                                     | 342        |
| Sorting Log Files by Date and Time                  | 344        |
| Sorting Human-Readable Numbers                      | 345        |
| <b>tr</b>   | <b>346</b> |
| <b>uniq</b>   | <b>350</b> |
| <b>wc</b>   | <b>351</b> |
| <b>Summary</b>                                      | <b>352</b> |
| <b>CHAPTER 14: TOOLS FOR SYSTEMS ADMINISTRATION</b> | <b>353</b> |
| <hr/>   |            |
| <b>basename</b>                                     | <b>353</b> |
| <b>date</b>   | <b>355</b> |
| Typical Uses of date                                | 355        |
| More Interesting Uses of date                       | 359        |

|                                     |            |
|-------------------------------------|------------|
| <b>dirname</b>                      | <b>360</b> |
| <b>factor</b>                       | <b>362</b> |
| <b>identity, groups, and getent</b> | <b>364</b> |
| <b>logger</b>                       | <b>367</b> |
| <b>md5sum</b>                       | <b>368</b> |
| <b>mkfifo</b>                       | <b>370</b> |
| Master and Minions                  | 371        |
| Reversing the Order                 | 373        |
| <b>Networking</b>                   | <b>375</b> |
| telnet                              | 376        |
| netcat                              | 376        |
| ping                                | 378        |
| Scripting ssh and scp               | 381        |
| OpenSSL                             | 383        |
| <b>nohup</b>                        | <b>390</b> |
| <b>seq</b>                          | <b>391</b> |
| Integer Sequences                   | 391        |
| Floating Point Sequences            | 393        |
| <b>sleep</b>                        | <b>394</b> |
| <b>timeout</b>                      | <b>394</b> |
| Shutdown Script                     | 396        |
| Network Timeout                     | 399        |
| <b>uname</b>                        | <b>400</b> |
| <b>uuencode</b>                     | <b>401</b> |
| <b>xargs</b>                        | <b>402</b> |
| <b>yes</b>                          | <b>405</b> |
| <b>Summary</b>                      | <b>406</b> |

## **PART III: RECIPES FOR SYSTEMS ADMINISTRATION**

|   |            |
|---|------------|
| <b>CHAPTER 15: SHELL FEATURES</b>           | <b>409</b> |
| <b>Recipe 15-1: Installing Init Scripts</b> | <b>409</b> |
| Technologies Used                           | 410        |
| Concepts                                    | 410        |
| Potential Pitfalls                          | 410        |
| Structure                                   | 410        |
| Recipe                                      | 412        |
| Invocation                                  | 414        |
| Summary                                     | 414        |
| <b>Recipe 15-2: RPM Report</b>              | <b>414</b> |
| Technologies Used                           | 415        |
| Concepts                                    | 415        |

---

|   |            |
|---|------------|
| Potential Pitfalls                        | 415        |
| Structure                                 | 415        |
| Recipe                                    | 417        |
| Invocation                                | 419        |
| Summary                                   | 420        |
| <b>Recipe 15-3: Postinstall Scripts</b>   | <b>421</b> |
| Technologies Used                         | 421        |
| Concepts                                  | 421        |
| Potential Pitfalls                        | 422        |
| Structure                                 | 422        |
| Recipe                                    | 423        |
| Invocation                                | 425        |
| Summary                                   | 426        |
| <b>CHAPTER 16: SYSTEMS ADMINISTRATION</b> | <b>427</b> |
| <b>Recipe 16-1: init Scripts</b>          | <b>427</b> |
| Technologies Used                         | 428        |
| Concepts                                  | 428        |
| Potential Pitfalls                        | 429        |
| Structure                                 | 430        |
| Recipe                                    | 431        |
| Invocation                                | 432        |
| Summary                                   | 433        |
| <b>Recipe 16-2: CGI Scripts</b>           | <b>433</b> |
| Technologies Used                         | 433        |
| Concepts                                  | 434        |
| Potential Pitfalls                        | 434        |
| Structure                                 | 435        |
| Recipe                                    | 438        |
| Invocation                                | 441        |
| Summary                                   | 445        |
| <b>Recipe 16-3: Configuration Files</b>   | <b>445</b> |
| Technologies Used                         | 445        |
| Concepts                                  | 445        |
| Potential Pitfalls                        | 446        |
| Structure                                 | 446        |
| Recipe                                    | 446        |
| Invocation                                | 447        |
| Summary                                   | 448        |
| <b>Recipe 16-4: Locks</b>                 | <b>448</b> |
| Technologies Used                         | 448        |
| Concepts                                  | 448        |

---

|   |            |
|---|------------|
| Potential Pitfalls                            | 449        |
| Structure                                     | 450        |
| Recipe  | 453        |
| Invocation                                    | 455        |
| Summary                                       | 458        |
| <b>CHAPTER 17: PRESENTATION</b>               | <b>459</b> |
| <hr/>   |            |
| <b>Recipe 17-1: Space Game</b>                | <b>459</b> |
| Technologies Used                             | 459        |
| Concepts                                      | 460        |
| Potential Pitfalls                            | 462        |
| Structure                                     | 462        |
| Recipe  | 464        |
| Invocation                                    | 469        |
| Summary                                       | 470        |
| <b>CHAPTER 18: DATA STORAGE AND RETRIEVAL</b> | <b>471</b> |
| <hr/>   |            |
| <b>Recipe 18-1: Parsing HTML</b>              | <b>471</b> |
| Technologies Used                             | 471        |
| Concepts                                      | 472        |
| Potential Pitfalls                            | 472        |
| Structure                                     | 472        |
| Recipe  | 473        |
| Invocation                                    | 474        |
| Summary                                       | 476        |
| <b>Recipe 18-2: CSV Formatting</b>            | <b>476</b> |
| Technologies Used                             | 476        |
| Concepts                                      | 476        |
| Potential Pitfalls                            | 477        |
| Structure                                     | 477        |
| Recipe  | 478        |
| Invocation                                    | 480        |
| Summary                                       | 481        |
| <b>CHAPTER 19: NUMBERS</b>                    | <b>483</b> |
| <hr/>   |            |
| <b>Recipe 19-1: The Fibonacci Sequence</b>    | <b>483</b> |
| Technologies Used                             | 483        |
| Concepts                                      | 484        |

---

|  |            |
|--|------------|
| Potential Pitfalls                       | 484        |
| Structure for Method 1                   | 485        |
| Recipe for Method 1                      | 486        |
| Invocation of Method 1                   | 486        |
| Structure for Method 2                   | 487        |
| Recipes for Method 2                     | 488        |
| Invocations of Method 2                  | 489        |
| Structure for Method 3                   | 490        |
| Recipe for Method 3                      | 490        |
| Invocation of Method 3                   | 491        |
| Summary                                  | 492        |
| <b>Recipe 19-2: PXE Booting</b>          | <b>492</b> |
| Technologies Used                        | 492        |
| Concepts                                 | 493        |
| Potential Pitfalls                       | 493        |
| Structure                                | 493        |
| Recipe                                   | 494        |
| Invocation                               | 497        |
| Summary                                  | 499        |
| <b>CHAPTER 20: PROCESSES</b>             | <b>501</b> |
| <b>Recipe 20-1: Process Control</b>      | <b>501</b> |
| Technologies Used                        | 501        |
| Concepts                                 | 502        |
| Potential Pitfalls                       | 503        |
| Structure                                | 503        |
| Recipe                                   | 506        |
| Invocation                               | 511        |
| Summary                                  | 516        |
| <b>CHAPTER 21: INTERNATIONALIZATION</b>  | <b>517</b> |
| <b>Recipe 21-1: Internationalization</b> | <b>517</b> |
| Technologies Used                        | 518        |
| Concepts                                 | 518        |
| Potential Pitfalls                       | 519        |
| Structure                                | 520        |
| Recipe                                   | 521        |
| Invocation                               | 525        |
| Summary                                  | 526        |

**PART IV: REFERENCE**

|  |            |
|--|------------|
| <b>APPENDIX: FURTHER READING</b>         | <b>529</b> |
| <b>Shell Tutorials and Documentation</b> | <b>529</b> |
| Arrays                                   | 530        |
| Tools                                    | 530        |
| Unix Flavors                             | 531        |
| <b>Shell Services</b>                    | <b>531</b> |
| <b>GLOSSARY</b>                          | <b>533</b> |
| <br>                                     |            |
| <b><i>INDEX</i></b>                      | <b>539</b> |