

Index

• A •

- A pillars, 168
- AC (alternating current), 147, 187
- accessibility, of amplifier, 139
- accessories
 - alternators, 227–228, 230–231
 - batteries, 227–228, 230, 237
 - cables, 214
 - capacitors, 227–230, 236–237
 - discussed, 227
 - funds allocation for, 12
 - installation tips, 236–239
 - iPod, 64
 - for power cable, 220–221
 - self-installation of, 239–240
 - sound deadening, 232–236
 - tools for installing, 239–240
- accommodation rate, 279
- active arming, 259
- active crossover
 - defined, 125, 285
 - installing, 210
 - money saved with, 125
 - passive crossover versus, 152–154
 - placement of, 206
- Acura, 18
- adapters, iPod, 67–68
- Advanced Audio Distribution Profile (A2DP), 9, 75, 81–82, 104
- aesthetics, of amplifier, 131–133, 139
- aftermarket equipment
 - defined, 285
 - head units for iPod, 66–67
 - iPod adapters, 59, 67–68
 - in leased cars, 47–48
 - pros and cons of, 16
 - satellite radio, 77
 - servicing issues with, 47
 - stock systems versus, 20
 - value of, 17
 - warranties voided by, 46–47
- air, in subwoofer enclosures, 193
- air-suspension (sealed enclosure), 180–181
- alarm system, 255–257
- Alpine, 19, 39, 61–62
- alternate channel selectivity
 - defined, 285
 - for head units, 105
- alternating current (AC), 147, 187
- alternator(s)
 - in car's charging system, 227–228
 - defined, 285
 - high-output, 230–231
- alternator whine, 252
- ambiance
 - defined, 285
 - tonal accuracy of, 28
- amplifier(s)
 - adding, 16
 - aesthetics of, 131–133
 - bridging, 116
 - built-in, 177
 - choosing, 121
 - classes of, 119–120
 - current performance, 8
 - damping factor, 118
 - defined, 285
 - discussed, 111–112
 - distortion, 112
 - dynamic range, 112
 - features of, 124–128
 - frequency response, 119
 - funds allocation for, 12
 - grounding, 144
 - high-current amplifier, 116–117
 - increase in, 114–115
 - input sensitivity, 11
 - measurement of, 115
 - multichannel, 122–123

- amplifier(s) *continued*
 - noise/loudness, 114
 - placement of, 138–139
 - power-supply voltage, 117
 - prefab subwoofer boxes with, 177
 - protection circuitry, 130–131
 - sensitivity of speakers and, 113–114
 - signal-to-noise ratio, 118
 - specifications for, 115–120
 - stereo amplifiers, 122
 - for subwoofers, 177
 - total harmonic distortion, 117–118
 - usage of, 113
 - used, 43
 - watts per channel, 115
 - amplifier installation
 - accessibility, 139
 - aesthetics, 139
 - car complexity and, 136
 - charging systems, 137–138
 - considerations for, 136–137
 - discussed, 135
 - fuses, 142–143
 - grounding, 144
 - inputs, 140–141
 - location for, 138–141
 - outputs, 140–141
 - racks, 139
 - system complexity, 136
 - ventilation, 138–139
 - wiring, 139–142
 - amplifier power rating
 - defined, 285
 - for head units, 105
 - amplitude
 - defined, 285
 - for flat frequency response, 200
 - antenna(s), 283
 - anti-carjacking feature, 258
 - Apple iPod. *See* iPod
 - Armatrading, Joan, 31
 - arming, 259
 - attenuation
 - defined, 285
 - function of, 101
 - setting crossover for, 244
 - A2DP. *See* Advanced Audio Distribution Profile
 - auction sites, 44
 - audio jewelry, 214
 - audio signal, 285
 - audio spectrum, 285
 - Audiovox, 18, 93–94
 - authorized dealers, 279
 - Auto Carpet Direct, 196
 - auto-parts stores, 39
 - auxiliary battery, 230, 237
 - auxiliary input
 - for CD head units, 99
 - discussed, 68–70
 - for DVD head units, 89, 99
 - for outside A/V source, 101
- B •**
- backup battery siren, 259
 - baffle, 178. *See also* infinite baffle
 - balance control, 102–103. *See also* tonal balance
 - balanced input, 128
 - balanced line, 223, 285
 - band of frequencies, 201
 - bandpass crossover
 - defined, 285
 - function of, 154, 208
 - bandpass enclosures, 182–183
 - bandwidth, 201, 286
 - Bang & Olufsen, 18
 - banks (presets), 101
 - barrier strip, 128, 129
 - Basic Car Audio Electronics, 53, 194, 272
 - basket (frame), 146
 - bass, felt impact of, 173
 - bass boost circuits, 126
 - bass control, 102–103
 - bass detail, 157
 - bass-in-the-back syndrome, 250
 - bass-reflex (vented enclosure), 181–182
 - battery(-ies)
 - auxiliary, 230, 237
 - backup, 259
 - in car's charging system, 227–228

- battery isolator, 230
 - battery terminal, 221
 - Best Buy, 39–40
 - big box stores
 - discussed, 39–40
 - installation by, 48
 - bit rate (MP3s), 61
 - Blakey, Art, 31
 - Bloom, Luka, 31
 - Bluesiana Triangle* (Windham Hill Jazz), 31
 - Bluetooth
 - A2DP technology, 9, 75, 81–82
 - defined, 286
 - discussed, 104
 - head units, 80–81
 - linking with, 79–80
 - for stock systems, 21
 - BMW, 18, 70, 79
 - boosting, 201
 - Bose, 18
 - Boston Acoustics, 19
 - branded systems, 19
 - bridge, 286
 - bridged power
 - described, 116
 - for subwoofers, 174
 - budget, 11–12
 - built-in amplifier, 177
- C ●
- cable(s). *See also* RCA cable
 - as accessories, 214
 - power, 215–220
 - signal, 222–224
 - speaker, 224
 - types of, 214
 - capacitors
 - in car's charging system, 227–230
 - for coaxial speakers, 153
 - defined, 286
 - installation of, 236–237
 - capture ratio
 - defined, 286
 - for head units, 105
 - capture-wire outputs, 128
 - car(s). *See also* car audio system
 - charging systems, 137–138, 227–230
 - complexity of systems, 136
 - discussed, 10
 - leased, 47–48
 - sound environment of, 199
 - value of, 10
 - Car Audio and Electronics* (magazine), 53
 - Car Audio Help, 53, 194, 272
 - car audio signal processor, 203
 - car audio system
 - budget for, 11–12
 - choosing, 11–12, 271–273
 - component availability, 272
 - in current environment, 8
 - discussed, 7–9
 - factory-installed, 14–16
 - needs for, 11
 - self-installed, 51–52
 - Car Connect HD Radio tuner, 79
 - car dealer kits, for iPod integration, 70
 - car shows, 36
 - CarAudioForum.com, 53, 272
 - CarStereo.com, 53, 194, 272
 - CD
 - burning to, 9
 - test and sound-quality, 30–31
 - CD changers, 64–65
 - CD head unit, 58–59
 - CD quality MP3s, 61
 - CD-changer control, 103
 - CD-text, 103–104
 - CEA. *See* Consumer Electronics Association
 - CEA-2006-A, 98, 286
 - CEA-2031, 155, 184, 286
 - center conductor, 223
 - center frequency, 201
 - channel separation
 - defined, 286
 - for head units, 105
 - charging systems
 - alternator in, 227–228
 - battery in, 227–228
 - capacitors in, 227–230
 - discussed, 137–138

- cheater amplifier, 117
 - Chesky Records, 31
 - Chrysler, 19
 - Circuit City, 39
 - Clarion, 19, 61–62
 - clarity
 - defined, 286
 - discussed, 24–25
 - for good sound, 242
 - class A amplifier, 119
 - class A/B amplifier, 119
 - class D amplifier, 119
 - class T amplifier, 120
 - cleaning, as maintenance, 281–282
 - clip remover, 240
 - clipping, 25, 184
 - clock, 104
 - closed systems, 16
 - coaxial speakers
 - defined, 286
 - discussed, 150, 153
 - code hopping, 259
 - collision coverage, 261
 - coloration, 151
 - common sense, 260–261
 - compatibility, 43
 - component availability, 272
 - component speakers
 - defined, 286
 - discussed, 150–152
 - comprehensive coverage, 262
 - cone (diaphragm), 146
 - connection shroud, 131
 - Consumer Electronics Association (CEA)
 - activities of, 118
 - CEA-2006-A, 98, 286
 - CEA-2031, 155, 184, 286
 - defined, 286
 - discussed, 47
 - MECP administration by, 49
 - continuous power, 98
 - continuously variable crossover, 125
 - cooling systems, 130, 282
 - cosmetic considerations, 131–133
 - cost
 - budget for system, 11
 - shipping, 41
 - at specialty shops, 38
 - of subwoofer boxes, 177
 - of used equipment, 42
 - cranking (starter kill), 257
 - crank-it-up competitions, 24, 30, 36
 - credit card remote, 100
 - crimping, 108, 239
 - crossover(s). *See also specific types, e.g.:*
 - passive crossover
 - amplifiers, 125–126
 - defined, 286
 - discussed, 152–154, 206
 - in head unit, 102
 - installation of, 210
 - installing, 210
 - setting, 244–246
 - speaker self-installation, 172
 - subwoofer, 102
 - types of, 154, 208
 - crossover orders, 208
 - crossover point
 - on amplifiers, 125
 - defined, 207, 286
 - described, 102
 - crossover slope
 - defined, 287
 - described, 125, 207
 - crosstalk, 105
 - Crutchfield, 41, 53
 - current, 287
 - cut-outs, speaker, 164
 - cutting, 201
- **D** ●
- damping factor
 - defined, 287
 - described, 118
 - damping material, 168, 287
 - dealers, authorized, 279
 - decibels (dB), 26, 287
 - deductible, 261
 - detachable faceplate, 102, 259
 - diaphragm (cone), 146
 - digital multimeter, 240

- digital music
 - discussed, 63
 - file sizes versus sound quality in, 60–61
 - on hard disc drives, 72–73
 - iPod, 59–62, 64–71
 - MP3s, 60–61
 - on MultiMediaCards, 72
 - on Secure Digital cards, 72
 - thumb drives, 71
 - USB for, 71
 - DIN
 - defined, 287
 - double, 84–86, 287
 - single, 52, 291
 - diode isolator, 230
 - Directed Electronics, 79, 94
 - disc-less drives, 61–62
 - displays, multicolor/multifunction, 103
 - distant tuning, 101
 - distortion. *See also* total harmonic distortion
 - avoiding, 24–25
 - causes of, 25
 - decreasing, 112
 - defined, 287
 - described, 250–251
 - isolating, 251
 - with lower impedance, 116
 - distribution block, 220
 - DIY installation. *See* self-installation
 - Dodge, 19
 - do-it-yourself installation. *See* self-installation
 - door clip remover, 240
 - double-DIN, 287
 - double-DIN head units, 84–86
 - downstream additions, 15
 - Dr. John, 31
 - driver, 150, 287
 - driver distraction, 267–258
 - drop-in speakers
 - openings for, 164–165
 - self-installation of, 52
 - for upgrading, 15
 - dry cell battery, 230, 237
 - dual voice coil (DVC) subwoofer, 189–192
 - dual-reflex (sixth-order) design, 182–183
 - dual-stage sensor, 258
 - dual-zone capability
 - defined, 287
 - for DVD players, 58, 88–89, 100
 - dust cap, 146
 - DVC (dual voice coil) subwoofer, 189–192
 - DVD head unit
 - features of, 89
 - reasons for using, 58–59
 - DVD navigation systems, 85
 - DVD player
 - double-DIN head units, 84–86
 - DVD-Audio, 88–89
 - fold-out screens, 86–87
 - headrest, 90–91
 - in-dash, 84–89
 - other controls dependent on, 46
 - players only, 88
 - in stock video systems, 21
 - DVD radio, 8
 - DVD Shuttle System, 93
 - DVD-Audio, 58, 88–89
 - DVD-Video, 88–89
 - dynamic headroom
 - defined, 287
 - described, 112
 - dynamic loudspeaker, 145
 - dynamic range
 - defined, 287
 - described, 25
 - for good sound, 242
 - for head units, 105
 - improving, 112
- **E** ●
- eBay, 44
 - Eclipse, 85
 - efficiency, 155. *See also* sensitivity
 - Electromagnetic Interference (EMI)
 - parts radiating, 144
 - signal cable susceptibility to, 223, 225
 - electronic crossover, 210, 287. *See also* active crossover

- ELS Surround, 18
 - EMI. *See* Electromagnetic Interference (EMI)
 - end caps (amplifiers), 133
 - entry sensor, 257–258
 - equalizer(s) and equalization
 - amplifiers, 126
 - bass, 126
 - car audio signal processors, 203
 - defined, 287
 - discussed, 200–201
 - graphic equalizers, 201
 - in head unit, 103
 - in-dash equalizers, 203, 209
 - installing, 209–210
 - and OEM integration processors, 204–205
 - parametric equalizers, 202
 - quasi-parametric equalizers, 202
 - remote-mount, 209
 - for tonal balance, 27
 - trunk-mount equalizers, 203
 - types of, 201–203
 - used equipment, 43
 - Ericsson, 79
 - ESN security, 260
- F •**
- factory-installed car audio system. *See*
 - stock audio system
 - fader control, 102–103
 - fans, cooling, 130
 - Farads, 229
 - file sizes, 60–61
 - filter, 102, 287. *See also* crossover(s)
 - financing, 39
 - fitting, 108–109
 - fixed bands, 201
 - flash-memory devices, 72
 - flat frequency response
 - defined, 288
 - as ideal, 200
 - practical impossibility of, 26–27
 - FM modulators
 - defined, 288
 - discussed, 64–66
 - Focal, 40
 - fold-out screens, 86–87
 - Ford, 21, 70, 84
 - four-aught gauge, 215
 - fourth-order (single-reflex) design, 182
 - frame (basket), 146
 - free-air (infinite baffle), 179–180
 - frequency, 288
 - frequency leaking, 105
 - frequency response
 - for amplifiers, 119
 - defined, 288
 - discussed, 25–26
 - flat, 26–27, 200, 288
 - for good sound, 242
 - for head units, 105
 - for speakers, 154
 - for subwoofers, 183
 - frequency response curve, 26
 - friends, help from, 273
 - front wave, 157
 - full range signal, 154, 206, 288
 - full range speakers, 147
 - full speed access, 66–67
 - fuse(s)
 - defined, 288
 - external, 142
 - in-line, 143, 217–218
 - onboard, 217
 - ratings, 143
 - fused power distribution block, 220
 - fusible link, 142, 217
 - future proof, 274
- G •**
- gain(s)
 - boosting or cutting, 201
 - defined, 243, 288
 - setting, 243–246
 - gain control
 - defined, 288
 - discussed, 127

- gauge
 - adequate versus very best, 213
 - defined, 288
 - for power cords, 215–216
 - Genesis, 40
 - German Institute for Standardization, 387
 - glass-break sensor, 258
 - GM, 84
 - gold-plated RCA input connectors, 127
 - graphic equalizer
 - defined, 288
 - described, 201
 - gray market, 279
 - ground distribution block, 220
 - ground loop, 140
 - ground wire, 144, 288
 - grounding
 - for all components, 218
 - described, 144
 - find good ground, 218–220
 - problems with, 251–252
 - guarantees, 280
- **H** •
- hard disc drives (HDD)
 - discussed, 72–73
 - for double-DIN DVD heads, 85
 - Harman International, 18
 - HD Radio
 - defined, 288
 - discussed, 77–79, 104
 - performance of, 8
 - head unit(s)
 - aftermarket, 66–67
 - aux inputs for, 68
 - Bluetooth capability, 80–81
 - CD, 58–59
 - defined, 289
 - detachable faceplate, 259
 - discussed, 57
 - double-DIN, 84–86
 - dual zone feature, 58
 - DVD, 58–59, 89
 - ESN security for, 260
 - factory-installed, 15
 - features comparison, 97–104
 - funds allocation for, 12
 - gains, 243–244
 - installation, 106–109
 - and iPod, 59–62, 66–67
 - kits for installation of, 108–109
 - layered approach for, 260
 - level matching with, 243–244
 - removal of, 106–108
 - security system for, 259–260
 - single-DIN, 52
 - specifications for, 105
 - stock, 16
 - swapping, 52
 - used, 43
 - volume swing of, 244
 - wiring, 107–108
 - without disc mechanism, 62
 - headrest monitors/DVD players, 90–91
 - heat sink, 138
 - help
 - for choosing system, 273
 - with self-installations, 52–53
 - Hertz (Hz), 25, 102, 289
 - high frequencies, 157
 - high power (head units), 98
 - high-current amplifier, 116–117, 186
 - high-definition radio. *See* HD Radio
 - high-level input
 - for amplifiers, 127
 - defined, 289
 - high-level output, 16
 - high-level signal, 289
 - high-pass crossover
 - for amplifiers, 125
 - defined, 289
 - for equalizers, 208
 - for speakers, 154
 - high-voltage output, 99
 - Hyundai, 79
 - Hz. *See* Hertz (Hz)

• 1 •

- IASCA (International Auto Sound Challenge Association), 30, 216
- IASCA Official Sound Quality Reference CD, 30, 247
- IC (integrated circuit) technology, 111
- iCarPlay Wireless Plus, 65–66
- ice cream theory, 8
- ID3 tag info, 61
- imaging
 - defined, 291
 - discussed, 28–29
 - for good sound, 242
- impedance
 - defined, 289
 - discussed, 185–187
 - importance of, 115
 - protection of, 131
- impulse sounds, 267
- in-dash DVD players, 84–89
- in-dash equalizer, 203, 209
- infinite baffle (free-air)
 - defined, 289
 - discussed, 179–180
- Infinity, 18
- in-line fuses
 - defined, 289
 - discussed, 143, 217–218
- input(s)
 - amplifier, 127–129, 140–141
 - auxiliary, 68–70, 89, 99, 101
 - balanced, 128
 - defined, 289
 - for DVD head unit, 89
 - in head unit, 101
 - high-level, 127
 - internal, 128
 - for iPod, 68–70
- input sensitivity
 - amp specs for, 119
 - defined, 289
- installation. *See also* amplifier installation; self-installation; speaker installation
 - of accessories, 236–239
 - of batteries, 237
 - by big box stores, 40
 - of capacitors, 236–237
 - of crossovers, 210
 - discussed, 45
 - of drop-in speakers, 52
 - of DVD players, 86
 - of electronic crossovers, 210
 - of equalizers, 209–210
 - faulty, 136
 - fitting, 108–109
 - funds allocation for, 12
 - of head unit, 106–109
 - help for, 52–53
 - help from magazines for, 53
 - of in-dash equalizers, 209
 - Internet help for, 53
 - kits for, 108–109
 - in leased cars, 47–48
 - MECP certification for, 49–50
 - in modern car systems, 45–48
 - of passive crossovers, 210
 - professional, 48–51
 - questions to ask professionals, 50–51
 - of remote-mount equalizers, 209
 - removal of head unit, 107–108
 - single-DIN head unit swap, 52
 - of sound deadening material, 237–239
 - tips for, 236–239
 - warranty issues, 46–47
 - wiring, of head unit, 107–108
- installation book, 278
- installation rate, 279
- installers. *See* salespersons and installers
- instincts, trusting, 273
- insurance
 - of audio system, 255, 261–263
 - of salespersons/installers, 280
- integrated circuit (IC) technology, 111
- interior acoustics, 29
- interior noise, 232–239
- International Auto Sound Challenge Association (IASCA), 30, 216
- Internet
 - help for installation, 53
 - research using, 272
 - shopping via, 40–41, 44
 - used equipment on, 44

iPod
 accessing, 64
 aftermarket adapters for, 67–68
 and aftermarket head units, 66–67
 auxiliary inputs for, 16, 68–70
 digital music, 59–62, 64–71
 and disc-less drives, 61–62
 discussed, 59–60, 64
 file sizes, 60–61
 FM modulators, 64–66
 and head units, 59–62, 99
 integration kits for, 70
 integration of, into head units, 99
 and MP3s, 60
 option for, 9
 sound quality, 60–61
 and Sync, 70–71
 USB ports for, 71
 video, 89
 in Windows systems, 61
 iTunes, 59

• J •

jackets, cable, 216
 Jaguar, 18, 19, 79
 JBL, 18
 JL Audio, 41

• K •

Kicker, 19
 kick-panel mounting, 167
 kits
 for head unit installation, 108–109
 for iPod integration, 70

• L •

layered security, 260
 leads, 147
 leaking, frequency, 105
 leased cars, 47–48
 leased vehicles, 10
 LED status indicator, 128, 256
 legal issues, 265

level matching, 243–244
 Lexus, 18
 liability coverage, 262
 Lincoln, 18
 linearity
 defined, 289
 dynamic range related to, 25
 line-level converter, 289
 line-level outputs, 16, 99
 line-output converter, 127
 links (amplifiers), 133
 listeners, type of, 9–10
 local tuning, 101
 lock-out circuit, 86
 lossy compression, 60
 loudness
 component failure from, 282
 component performance for, 274
 hearing damage from, 265–267
 power needs for, 114
 loudness control, 102
 low-level signals
 defined, 289
 un-amplified, 16
 low-pass crossover
 defined, 289
 for equalizers, 208
 for head units, 102
 for speakers, 154
 low-voltage protection, 131

• M •

magazines, installation help from, 53
 Magnuson-Moss Warranty Act
 defined, 289
 discussed, 46–47
 maintenance
 antenna, 283
 cleaning, 281–282
 cooling systems, 282
 discussed, 281
 and loudness, 282
 of power, 283
 preventative, 283
 of subwoofer, 282
 tightening components, 282

- manufacturers' warranties, 52
 - Mark Levinson, 18
 - marquee name, 17
 - mass-market retailers, 39–40
 - maximum (peak) power, 113
 - MDF (medium-density fiberboard), 176, 194
 - MECP. *See* Mobile Electronics Certification Program (MECP)
 - media options, 9
 - medium-density fiberboard, 176, 194
 - memory buffer (skip protection), 100
 - Microsoft, 21, 70
 - midbass, 157
 - midranges (woofers)
 - defined, 289
 - described, 148
 - distortion with, 116
 - placement of, 166
 - mild systems, 12–13
 - Mini, 79
 - miniplug jacks
 - for head units, 99
 - illustrated, 69
 - prevalence of, 68
 - Mitsubishi Outlander, 19
 - MMC (MultiMediaCards) cards, 72
 - Mobile Electronics Certification Program (MECP)
 - for Best Buy installers, 40
 - defined, 290
 - discussed, 49–50
 - mobile music
 - components and options for, 8
 - personal preferences for, 9–10
 - mobile video
 - discussed, 83–84
 - DVD head units, 89
 - headrest monitors/DVD players, 90
 - in-dash DVD players, 84–89
 - overhead video consoles, 90–92
 - performance of, 8
 - portable, 92–94
 - preferred medium for, 59
 - raw monitors, 92
 - stock systems, 21
 - and videogaming, 94–95
 - modern car systems, 45–48
 - Molex connector, 106–107
 - mono (signal), 290
 - mono amplifier
 - bridging to, 116
 - defined, 290
 - power increase with, 186
 - for subwoofers, 121, 123–124
 - mono block, 186–187. *See also* mono amplifier
 - mono channel, 186
 - Monster Cable, 65–66
 - motion (radar) sensor, 258
 - motor structure, 146
 - mounting subwoofers, 185, 196
 - movies. *See* mobile video
 - moving coil loudspeaker, 145
 - MP3s. *See also* iPod
 - CD quality, 61
 - file size and sound quality, 60–61
 - hard-disc, 72
 - head unit capability, 100
 - as listening option, 9
 - performance of, 8
 - PMPs based on, 59
 - in portable satellite radios, 77
 - testing FM modulator for, 65
 - multicasting
 - defined, 290
 - with HD Radio, 78
 - multichannel amplifier
 - defined, 290
 - described, 122–123
 - multicolor/multifunction display, 103
 - MultiMediaCards (MMC) cards, 72
 - multimeter, digital, 240
 - music. *See* digital music
 - music formats, 9
 - mute feature, 101
- *N* ●
- needs, 11
 - Newman, David “Fathead,” 31
 - newsgroups, 44

NIHL (Noise Induced Hearing Loss),
265–266

noise

from close signal cables, 225
interior, 232–239
port, 182
from RCA cables, 144
vehicle, 114

noise floor, 243

Noise Induced Hearing Loss (NIHL),
265–266

noise level, 265–267

noise rejection, 223

• O •

Ocean Beach (Red House Painters), 31

octave, 201

OEM. *See* Original Equipment
Manufacturer (OEM)

onboard fuse, 217

one-third octave, 201

online buying, 40–41, 44

orders, 182, 207

Original Equipment Manufacturer (OEM)
defined, 290

integration processors, 199, 204–205

iPod solutions, 59

major divisions for, 19

out of phase speaker wiring
defined, 290

discussed, 178–179, 250

output(s)

of alarms, 257

allowing for, 140–141

defined, 290

discussed, 128–129

high-voltage, 99

internal, 128

preamp, 99, 127

video, 89

overhead video consoles, 90–92

oxygen-free copper, 216

• P •

package shelf, 162

panel tool, 239

parallel, subwoofers in, 188–189

parametric equalizer

defined, 290

described, 202

passive arming, 259

passive crossover

active crossovers versus, 152–154

defined, 290

described, 125

installing, 210

networks, 207

placement of, 207

pass-through (preamp) outputs, 99, 127

path lengths

defined, 290

speaker mounting and, 167

pawn shops, 43

payments, Internet, 44

peak power, 98

perimeter sensor, 258

phantom tuner, 18

piggybacks, 78

pigtails, 46, 170

pin switches, 257

pink noise, 26

Pioneer, 19

planning, 274

PMPs (portable media players), 9, 57

point source speaker, 152

polarity, 290

port noise, 182

portable media players (PMPs), 9, 57

portable satellite radios, 77

portable video, 92–94

ports, 181

power. *See also* amplifier(s)

acoustical, 114

for amplifier, 112–116

as drain on electrical system, 114–115

for head units, 98

maintaining, 283

power (*continued*)
 per channel, 115
 speaker's capacity for, 155
 subwoofer's handling of, 184
 power cable (power cord)
 accessories for, 220–221
 copper content of, 216
 defined, 214, 290
 discussed, 215
 gauge of, 215–216
 grounding, 218–220
 jacket material of, 216
 safety with, 217–218
 selection factors, 216
 strand count of, 216
 power connector, 220
 power distribution block, 220
 power handling
 defined, 290
 by speakers, 155
 by subwoofers, 184
 power terminal, 220
 power-supply voltage, 117, 290
 preamp cable. *See* RCA cable
 preamp (pass-through) outputs, 99, 127
 prefab subwoofer boxes, 174–178
 premium (insurance), 261
 premium stock systems, 17–18
 premium systems, 16
 presets (banks), 101
 pressure sensor, 258
 preventative maintenance, 283
 professional installation, 48–51
 proprietary signal processing, 16, 18
 protection circuitry, 130–131

• Q •

Q factor, 201
 quasi-parametric equalizer, 202

• R •

racks, 139
 radar (motion) sensor, 258
 radio, 79
 DVD, 8
 HD, 8, 77–79, 104
 removing, 46
 satellite, 8, 9, 76–77, 100
 random play feature, 103
 raw monitors, 92
 raw subwoofer, 173, 178–179
 RCA cable. *See also* signal cable
 aux inputs, 68–69
 defined, 290
 gold-plated, 127
 unwanted noise from, 144
 real-time analyzer (RTA)
 defined, 291
 described, 26
 for trunk-mount equalizers, 203
 using, 246–249
 rear fill, 166
 rec.audio.car, 53, 272
 Red House Painters, 31
 reference(s), 30–32, 242
 Reference Recordings, 31
 relays, 257
 remote control, 100
 remote subwoofer control, 127
 remote-mount equalizers, 209
 repair of components, 42
 repeat play feature, 103
 resistance, 291
 resonance, 168, 291
 resonant frequency, 168, 291
 retail experience. *See* shopping
 returns, 42
 riders, insurance, 262
 ring terminal, 219
 RMS (root mean square), 98, 112
 Rockford Fosgate, 19, 39
 rolling code transmission, 259
 root mean square (RMS), 98, 112
 RTA. *See* real-time analyzer

• S •

safety issues

- driver distraction, 267–268
- fuses, 217–218
- noise level, 265–267

sail panel, 160

salespersons and installers, 277–280

satellite radio

- discussed, 76–77
- for head units, 100
- as listening option, 9
- performance of, 8

scan tuning, 101

Scheiner, Elliot, 18

SD card slots, 9

SD (Secure Digital) cards, 72, 104

sealed enclosure

- defined, 291
- discussed, 180–181

Sears, 39

Secure Digital (SD) cards, 72, 104

security system

- with alarms, 255–257
- and common sense, 260–261
- discussed, 255–257
- for head unit, 259–260
- outputs of, 257
- parts of, 257–259
- sensors for, 257–258
- sirens for, 257–259

seek tuning, 101

self-installation

- discussed, 51–53
- for door speakers, 169–172
- help with, 280
- for older cars, 48
- tools for, 239–240
- of videogame consoles, 95

SEMA, 47

sensitivity

- amp specs for, 119
- defined, 291
- discussed, 113–114
- of speakers, 155
- of subwoofers, 185

sensors, for security system, 257–258

separates, 150–152

series, subwoofers in, 188

service policy, 279

servicing car, with aftermarket parts, 47

shipping cost, 41

shock sensor, 258

shopping

- at big box stores, 39–40
- discussed, 35
- on Internet, 40–41
- returns, 41–42
- at specialty shops, 35–39
- for used equipment, 42–44
- warranties, 41–42

short-circuit protection, 130

show systems, 12

shuffle play feature, 103

signal cable, 222–224, 291. *See also*
RCA cable

signal processors, 203

signal processing, proprietary, 16, 18

signal-to-noise ratio

- amplifier specs for, 118
- defined, 291
- head unit specs for, 105

simplicity, 274

single voice coil (SVC), 187–189

single-DIN head unit swap

- defined, 291
- described, 52

single-reflex (fourth-order) design, 182

sirens

- for backup battery, 259
- for security, 257–259

Sirius satellite radio, 76–77

sixth-order (dual-reflex) design, 182–183

skip protection (memory buffer), 100

slim jim tool, 258

slope, crossover, 125, 207, 287

solenoid isolator, 230

sound deadening material, 232–239

sound pressure level (SPL)

- competitions, 114, 231
- defined, 291

noise induced hearing loss, 265–267

- sound quality (SQ)
 - aspects of, 24, 27
 - of bass, 173–174
 - clarity, 24–25
 - discussed, 23–24
 - dynamic range, 25
 - elements of, 242
 - and file sizes, 60–61
 - frequency response, 25–26
 - imaging, 28–29
 - in MP3s, 60–61
 - staging, 28–29
 - timber, 27
 - tonal accuracy, 28
 - tonal balance, 26–27
 - tuning for, 242
- SoundDomain, 41, 53, 272
- sound-offs, 24, 30, 36, 291
- soundstage, 166
- speaker(s). *See also specific types,*
 - e.g.:* tweeters
 - adding, 16
 - auditioning, 156
 - bass detail, 157
 - crossovers, 152–154
 - current performance, 8
 - defined, 291
 - disconnecting, 170
 - discussed, 145
 - distortion and damage to, 116
 - frequency response, 154
 - function of, 147
 - funds allocation for, 12
 - high frequencies, 157
 - for leased cars, 48
 - location of, 159–163
 - out of phase wiring, 250
 - parts of, 146
 - placement of, 29, 166–168
 - and power, 155
 - range of, 147–150
 - sensitivity of, 113–114, 155
 - separation of, 157
 - shopping for, 156–157
 - sizes of, 159, 164
 - specifications, 154–155
 - testing, 156–157
 - types of, 148
 - upgrading, 15
 - used, 43
- speaker cable, 214, 224–225
- speaker installation, 52
 - connections, 171
 - crossovers, 172
 - discussed, 159, 168–169
 - self-installation of door speakers, 169–172
 - in stock openings, 164–166
 - tips for, 168–169
 - wiring new speaker, 170
- speaker terminal, 291
- speaker wire, 291
- Specialty Equipment Market Association, 47
- specialty shop(s)
 - discussed, 35–39
 - installation by, 48
 - used equipment from, 44
- specifications
 - for amplifiers, 115–120
 - for head units, 105
 - massaging, 155
 - for speakers, 154–155
 - for subwoofers, 183–187
- spider, 146
- SPL. *See* sound pressure level (SPL)
- SQ. *See* sound quality (SQ)
- staging
 - defined, 291
 - described, 28–29
 - for good sound, 242
- stand-alone subwoofer, 173, 178–179
- stand-alone video monitors, 92
- starter kill (cranking), 257
- station presets, 101
- stereo, 291
- stereo amplifier, 122, 292
- stock audio system
 - aftermarket audio systems versus, 17, 19
 - from Bose, 18
 - disconnecting, 170
 - discussed, 17, 21

improvements in, 21
 keeping, 15, 20
 options for, 15–16
 radio, 46
 removal of head unit, 106–107
 and security, 260
 upgrading, 14–16
 stock components, 292
 stock video systems, 20–21
 strand count (cable), 216
 sub box. *See* subwoofer enclosure(s)
 subwoofer(s)
 amplifiers for, 123–124, 177
 boxes for, 174
 brand of, 176
 build of, 176–177
 with built-in amplifier, 177
 choosing, 173–174
 defined, 292
 described, 148
 discussed, 173
 distortion covered by, 116
 driving, 176
 dual voice coil subwoofers, 189–192
 frequency response, 183
 impedance, 185–187
 for leased cars, 48
 maintenance of, 282
 mounting specifications, 185
 in parallel, 188–189
 physical specifications, 185
 power handling, 184
 prefab subwoofer boxes, 174–178
 raw subwoofer, 178–179
 remote control of, 127
 securing, 282
 sensitivity, 185
 in series, 188
 space-specific, 177–178
 specifications, 183–187
 used, 43
 wiring, 187–193
 subwoofer amplifier, 123–124, 186
 subwoofer crossover. *See*
 low-pass crossover

subwoofer enclosure(s)
 air in, 193
 bandpass, 182–183
 building, 193–197
 discussed, 179
 infinite baffle, 179–180
 materials for, 194–195
 mounting subwoofer in, 196
 process for building, 195–196
 sealed, 180–181
 securing subwoofer in, 197
 specifications, 185
 tools for, 194–195
 vented, 181–182
 surround, 146
 swing, volume, 244
 switch pop, 252
 SymbiLink, 223
 Sync system, 21, 70–71

• T •

Telarc, 31
 tensile strength, 194
 Termpro, 53
 test and sound-quality CDs, 30–31
 test light, 240
 THD. *See* total harmonic distortion (THD)
 theft, 256, 262–264
 thermal protection, 130
 thumb drives, 71
 THX, 18
 tightening components, 282
 tilt sensor, 258
 timbre, 27–28
 time alignment, 203
 tonal accuracy
 defined, 292
 discussed, 28
 for good sound, 242
 tonal balance, 26–27
 total harmonic distortion (THD)
 amplifier specs for, 117–118
 defined, 292
 head unit specs for, 105
 Toyota, 84

training, of installers, 278
 transients, 292
 treble control, 102–103
 troubleshooting, 251–252
 trunk-mount equalizer, 203
 tuned enclosure, 181
 tuners, used, 43
 tuning
 alternator whine, 252
 bass, 249–250
 discussed, 241
 distortion, 250–251
 gains, 243–246
 grounding problems, 251–252
 with head units, 101
 issues with, 249–251
 out of phase speaker wiring, 250
 points of reference for, 242
 with real-time analyzer, 246–249
 sound quality, 242
 switch pop, 252
 troubleshooting, 251–252
Turf (Luka Bloom), 31
 tweeters
 defined, 292
 described, 148
 distortion with, 116
 placement of, 166
 used, 43

• U •

universal boxes, 174
 Universal Serial Bus (USB), 71, 100
 unloaded boxes, 174
 upgrading, 14–16
 USB (Universal Serial Bus), 71, 100
 USB drives, 8, 9
 used equipment, 42–44

• V •

valet mode, 258
 variable bit rate (VBR) files, 61
 vehicle noise, 114

vented enclosure (bass-reflex)
 defined, 292
 discussed, 181–182
 ventilation, 138–139
 video. *See* mobile video
 video consoles, 90–92
 video output
 defined, 292
 discussed, 89
 videogames, 94–95
 video-in-bag products, 93
 Visteon, 79
 VizualLogic, 90, 91
 voice coil, 146–147
 voice coil gap, 157
 voltage
 low-voltage protection, 131
 power-supply, 117, 290

• W •

Wal-Mart, 39
 warranty(-ies)
 discussed, 41–42
 issues with, 46–47
 manufacturers', 52
 voided by self-installation, 51
 Watch the Road campaign, 268
 watt, 115, 292
 watt per channel, 115
What's Inside (Joan Armatrading), 31
 wild systems, 12–14
 Windham Hill Jazz, 31
 window clip remover, 240
 Windows Media Audio (WMA), 61, 100
 Windows systems, iPod in, 61
 wire stripper and crimping tool, 239
 wireless technology, 75–82
 wiring. *See also* cable(s)
 for amplifiers, 139–142
 choosing types of, 213–214
 discussed, 187, 213
 of dual voice coil subwoofers, 189–192
 of head unit, 107–108
 out of phase, 250

in parallel, 188–189
and practicality, 213–214
with premium cables, 213–214
purpose of, 192–193
quality of wire, 213–214
route for, 141–142
with self-installation, 170–172
in series, 188
speakers, 170–172
for subwoofers, 187–193
WMA (Windows Media Audio), 61, 100
woofers. *See* midranges (woofers)

• X •

XM Satellite Radio, 76–77

• Y •

Yellow Pages, 36

• Z •

Zapco, 223
zones, entertainment, 100

