

Index

SYMBOLS AND NUMERICS

{ } (curly braces), in ActionScript code, 608
() (parentheses), in ActionScript code, 607
; (semicolon), in ActionScript code, 608
3D animation, 398–402
3D Brush option, Spray Brush tool, 178
3D center point, 330, 335
3D file formats, support for, 23
3D lighting effects, 318–319
3D Rotation tool, 332–336
3D transformations, 329–337
3D Translation tool, 336–337
8-bit color, 234
8-bit lossless compression, 538–539
9-slice scaling for Movie Clip backgrounds, 218–222
16-bit color, 234
24-bit color, 234
24-bit lossless compression, 537–538
32-bit lossless compression, 537–538

A

absolute paths, 633–634
accessibility features, 665–669
Acrobat Connect (Adobe), 35
.act files, 245, 246–247
actions
 adding, 605–606
 combining with event handlers, 615–620
 deleting, 606
 deprecated, 608
 editing, 606
 events triggering, 601–602, 618–619
 gotoAndPlay() action, 609–610, 614
 gotoAndStop() action, 609–610, 614
 incompatible, 608
 navigateToURL() action, 612–614, 620–625
 nextFrame() action, 610–611, 614
 nextScene() action, 611, 614

play() action, 611–612, 614
prevFrame() action, 610–611, 614
prevScene() action, 611, 614
stop() action, 611–612, 614

Actions panel, 603–606

ActionScript

 cue points, 585–586
 deprecated actions in, 608
 described, 603
 dot syntax for, 632
 history of, 18–19
 incompatible actions in, 608
 parameters, 607
 syntax for, 606–608
 time limit for scripts, 688
 uses of, 15–16
 version of
 compatible with Flash CS5, 4
 setting for publishing, 685

ActionScript (.as) files

 class files
 creating, 66
 exporting to SWC file, 687
 location and shortcut for, 54
 compiling into Flash movie, 11
 creating, 66
 described, 11
 interface files, creating, 66
 location for, 643
 target version of, setting, 7, 65

ActionScript 3.0 Bible (Braunstein), 359, 628, 769

active layer, 96

ActiveX control, Flash Player as, 718–719

Adaptive Differential Pulse-Code Modulation (ADPCM)

 format, 478, 480, 500

Add blend mode, 451

Add Colors option, Swatches panel, 243

addCallback() method, ExternalInterface API,
 733, 734

Adjust Color filter, 441–444

Adobe Device Central, 7, 64, 66, 685, 745

Index

- Adobe Integrated Runtime applications. *See* AIR (Adobe Integrated Runtime) applications
- Adobe products. *See specific product names*
- ADPCM (Adaptive Differential Pulse-Code Modulation) format, 478, 480, 500
- After Effects files, 594–595
- agile model, 34
- .ai files, 517, 546–549
- AIFF/AIF (Audio Interchange File) format, 476
- AIGA *Professional Practices in Graphic Design* (Crawford), 40
- AIR (Adobe Integrated Runtime) applications
 - APIs for, 762–763
 - creating, 754–762
 - distributing, 767
 - history of, 20
 - publishing, 763–766
 - security issues regarding, 753–754
 - support for, 16
 - targeting projects for, 65
- align attribute
 - <embed> tag, 716
 - <object> tag, 709
- Align panel, 164–166
- alignment
 - centering items, 166
 - grids for, 79–82, 90, 162, 167
 - guide layer for, 100, 107, 455–458
 - guides for, 90, 160, 163
 - horizontal and vertical, 165
 - rulers for, 89
 - size matching in, 165
 - snapping, 90, 160–164
 - spacing items, 166
 - to stage, 165
- allowFullScreen attribute, <embed> tag, 717
- allowFullScreen parameter, <object> tag, 710
- allowScriptAccess attribute, <embed> tag, 717, 730
- allowScriptAccess parameter, <object> tag, 710, 730
- Alpha blend mode, 451, 452–455
- alpha channels, in videos, 594–597
- Alpha property, 445
- alpha settings
 - for bitmap graphics, 530
 - for colors, 240, 445
 - for fills and strokes, 251–252
 - for gradients, 256–259
 - for symbol instances, 207
- Amazon associates program, 29
- Angle setting, filters, 432
- animation
 - of Alpha blend, 453–455
 - of filters, 438–439
 - frame-by-frame. *See* frame-by-frame animation
 - of Graphic symbols in Movie Clip, 212–213
 - IK animations. *See* IK animations
 - of mask layer, 467–468
 - methods of, 359–360
 - multiple sequences of, integrating, 403–410
 - organizing symbols in, 407–410
 - reusing, 392, 403, 410–413
 - runtime bitmap caching, 425, 552–554
 - sequencing of, 14–15
 - synchronizing sound to, 487–489
 - 3D animation, 398–402
 - tweened. *See* tweened animation
 - vector animation, 13
- Antialias mode, Document window, 89
- Antialias Text mode, Document window, 89
- anti-aliasing, 89, 266, 276, 283–285. *See also* dithering
- App ID for iPhone apps, 775
- Apple QuickTime, 26–27
- applications
 - AIR applications. *See* AIR (Adobe Integrated Runtime) applications
 - on CD, 789
 - data-driven (Rich Internet) applications, 30
 - iPhone apps. *See* iPhone apps
 - multiuser applications, 21
- architecture (preproduction) phase
 - approval of concept and budget, 40–41
 - competition, analyzing, 42
 - goals
 - of phase, 34
 - of project, 36, 41–42
 - meetings regarding, 35
 - mockups of site, 45
 - solutions
 - designing, 36–39, 42–43
 - presenting, 37, 40–41
 - technical questions during, 35–36
 - testing on users, 45–46
 - user considerations, 35–36, 41–46
- armatures in IK animations, 414–419
- .as files. *See* ActionScript (.as) files
- .asf files, 810
- assets
 - assembling, 46
 - conflicts between, 196

- copying between libraries, 190
- external runtime assets, loading, 22
- importing into libraries, 196, 200–202
- in libraries. *See* Document Libraries; Library panel
- listing in functional specification, 39
- naming, 39
- saving in library, 189
- searching library for, 188
- types of, 196–202

Audio Event option, Publish Settings, 499–502, 686

audio files. *See* sounds

Audio Interchange File (AIFF/AIF) format, 476

Audio Stream option, Publish Settings, 499–502, 686

Audio Video Interleaved (.avi) files, 810

authortime files, 14

authortime sharing, 190, 226–230

Authorware, Macromedia, 25

AutoCAD DXF files, 517

AVC/H.264 codec, 560

.avi files, 810

B

backButton property, FLVPlayback component, 581

background color

- blend modes affected by, 452
- erasing with, not recommended, 127
- printing, 112
- setting
 - for document, 84, 644
 - in <embed> tag, 716
 - in <object> tag, 713
- of text, 276, 278
- transparent, 694, 698, 702

background of Movie Clips, scaling, 218–222

background sound, 485–486

Bandwidth Profiler, 676–681

base attribute, <embed> tag, 717

base parameter, <object> tag, 714

Basic motion properties, Motion Editor, 393–394

Bezier curves, 132–136

bgcolor attribute, <embed> tag, 716

bgcolor parameter, <object> tag, 713

Bit depth option, Publish Settings, 702

bit depth/resolution

- of audio, 795–798, 806
- of images, 520, 702

bitmap caching, runtime, 425, 552–554

bitmap fills

- center point of, adjusting, 314–315
- described, 259–260
- rotating, 315
- scaling, 316
- skewing, 318
- transforming, 313–318

bitmap graphics

- alpha settings for, 530
- as assets, 200
- bit depth/resolution of, 520, 702
- breaking apart, 342–343
- color effects for, 530
- compared to vector graphics, 513–516
- compression of, 534–535, 537–539
- cross-browser consistency of, 535
- editing, 536
- filters for, 530
- guidelines for use of, 519–521
- importing, 200, 522–530
- layered, 524–525
- problems with, 534–535
- properties of, setting, 531–534, 535–536
- quality of, preserving, 521–522
- size issues regarding, 425–426
- support for, 12–13
- swapping, 535–536
- tracing to convert to vector graphics, 344–346, 540–541

blank keyframes, 99, 103–104

blend modes

- animating, 453–455
- applying, 451–452
- compound blend modes, 452–453
- described, 448–449
- list of, 450–451
- of text, 278

block text, 270

blue triangle in text field, 281–282

Blur settings, filters, 432

BlurFader component, 663–665

.bmp files, 517. *See also* bitmap graphics

Bone tool, 414–415, 422–423

books and publications

- ActionScript 3.0 Bible* (Braunstein), 359, 628, 769
- AIGA Professional Practices in Graphic Design* (Crawford), 40
- “Designing for Usability” tutorial (Brown), 41–46
- Designing Interactive Digital Media* (Iuppa), 40
- Graphic Artists Guild Handbook of Pricing & Ethical Guidelines* (Graphic Artists Guild), 40

Index

- books and publications (*continued*)
 - “Interface Design” tutorial (Jordan), 48
 - Pantone Guide to Communicating with Color* (Eiseman), 239
 - braces ({}), in ActionScript code, 608
 - Braunstein, Roger (author)
 - ActionScript 3.0 Bible*, 359, 628, 769
 - brightness
 - of color, 443, 444–445
 - of symbol instance, 206
 - Brightness property, 444–445
 - Brightness setting, Adjust Color filter, 443
 - Brown, Scott (contributor)
 - contact information, 791
 - “Designing for Usability” tutorial, 41–46
 - browsers
 - ExternalInterface API support for, 729
 - Flash Player support for, 744
 - image format consistency across browsers, 535
 - Brush tool, 125–130. *See also* Spray Brush tool
 - bufferingBar property, FLVPlayback component, 581
 - bug reporting software, 48
 - Bugzilla software, 48
 - Building Brush option, Spray Brush tool, 178
 - button events, 618–619
 - Button symbols. *See also* symbols
 - described, 199
 - Graphic symbols in, 210–212
 - invisible, 620–625
 - Movie Clip symbols in, 214–215
 - as navigation elements, 652–659
 - saving in document Library, 189
 - sounds assigned to, 482–484
- ## C
- call () action, ExternalInterface API, 731, 732
 - Camera class, 602
 - camera settings, Flash Player, 748–749
 - captionButton property, FLVPlayback component, 581
 - cascading style sheets (CSS), 25
 - case of text, 277
 - CD
 - applications on, 789
 - custom Grid tool on, 79
 - files on, 788, 789
 - plug-ins on, 789
 - support for, 790
 - system requirements for, 787–788
 - troubleshooting, 789–790
 - channels
 - alpha channels, in videos, 594–597
 - for sounds, 798
 - character scenarios, 42
 - circles, 115. *See also* Oval Primitive tool; Oval tool
 - class files, ActionScript
 - creating, 66
 - exporting to SWC file, 687
 - location and shortcut for, 54
 - class motion guide, 107
 - Classic motion tweens
 - compared to object-based motion tweens, 379
 - described, 100
 - moving to symbol timelines, 404–407
 - resources for, 370
 - reusing animation patterns in, 392
 - visual indications of, 369
 - Classic Text engine, 264–265
 - classid attribute, <object> tag, 709
 - Clear Colors option, Swatches panel, 243
 - Clear command, Edit menu, 171
 - Click Accuracy setting, Pencil tool, 125
 - client-side scripting. *See* JavaScript
 - Clipboard class, Adobe AIR, 763
 - .clr files, 243, 245
 - Code Snippets panel, 593, 615–617
 - codebase attribute, <object> tag, 709
 - codec options for video, 560–562
 - Collapse All Folders option, Library panel, 194
 - Collapse Folder option, Library panel, 194
 - Color Effect settings
 - for bitmap graphics, 530
 - compared to Adjust Color filter settings, 441
 - described, 278, 444–448
 - in Motion Editor, 394
 - for symbol instances, 206–207
 - Color panel, 248–260
 - Color Schemer Web site, 239
 - Color Sets (.clr files), 243, 245
 - Color setting, filters, 433
 - Color Table (.act) files, 245, 246–247
 - colors
 - absolute color control, 447–448
 - Adjust Color filter, 441–444
 - background color
 - blend modes affected by, 452
 - erasing with, not recommended, 127
 - printing, 112
 - setting, for document, 84, 644

- setting, in <embed> tag, 716
 - setting, in <object> tag, 713
 - of text, 276, 278
 - transparent, 694, 698, 702
 - brightness of, 443, 444–445
 - calibrating monitor for, 234
 - choosing, 137–139, 240–242
 - Color Effect settings. *See* Color Effect settings
 - contrast in, 236–238, 443–444
 - creating and adding to swatches, 248–251
 - custom swatches, importing, 244–248
 - deleting swatches, 242
 - dithering, 698
 - duplicating swatches, 242
 - of filters, 433, 441–444
 - from GIF files, 245–246
 - gradients. *See* gradients
 - guidelines for use of, 236–239
 - hexadecimal values for, 235
 - hue of, 444
 - from Kuler panel, 244–245
 - relative color control, 446
 - removing
 - from objects, 240
 - from swatches, 243
 - RGB color, 233–234
 - saturation of, 444
 - selecting similarly-colored areas, 156, 343–344
 - sorting swatches by color, 243
 - of text, 276, 278
 - tint of, 445
 - tools used with, 261
 - transferring from fills and strokes to other shapes, 306–308
 - transparency of. *See* alpha settings
 - Web-safe colors, 234–235, 243
- Combine Objects commands, 347
 - Common Libraries, 187–189, 190
 - competition, analyzing, 42
 - component (.swc) files. *See also* Movie Clip symbols
 - creating and editing, 193
 - described, 200
 - exporting, 687
 - precompiling, 22
 - using in Flash CS5, 11–12
 - Component Definition option, Library panel, 193
 - compound shapes, 348–350
 - Compress movie option, Publish Settings, 8, 686
 - compression
 - of bitmap graphics, 534–535, 537–539
 - of movies, 8, 686–687
 - of sound files, 500
 - of video files, 562–569
 - Connect Lines setting, Pencil tool, 125
 - Contact-sensitive select option, Selection tool, 150
 - contextual menus, 71
 - Contrast setting, Adjust Color filter, 443–444
 - Control menu, in Test Movie or Scene window, 680–681
 - Controller bar, Timeline window, 68, 93
 - Copy command, Edit menu, 171
 - costs of project, 40–41
 - Crawford, Tad (editor)
 - AIGA Professional Practices in Graphic Design*, 40
 - Crop command, drawing objects, 347
 - CSS (cascading style sheets), 25
 - cue points, in videos, 569, 585–594
 - curly braces ({}), in ActionScript code, 608
 - curves. *See* lines and curves
 - custom workspace layout, 73–74
 - Cut command, Edit menu, 171
- ## D
- Darken blend mode, 450
 - Data event, 602
 - databases, interaction with, 15, 21, 268, 763
 - Datacolor Web site, 234
 - data-driven applications, 30
 - Debug menu, in Test Movie or Scene window, 681
 - debugging movies, 681, 687
 - Deco tool, 172–173, 176–182
 - Decorated Brush option, Spray Brush tool, 178
 - Delete option, Library panel, 193
 - Delete Swatch option, Swatches panel, 242
 - Deselect All command, Edit menu, 171
 - design panels
 - Align panel, 164–166
 - Info panel, 164–165, 166–168
 - Transform panel, 164–165, 168–170, 326
 - “Designing for Usability” tutorial (Brown), 41–46
 - Designing Interactive Digital Media* (Iuppa), 40
 - Detect Flash Version option, Publish Settings, 691–692, 719–725
 - Developer program for iPhone apps, 772–773
 - development certificate for iPhone apps, 773–775
 - Device Central, 7, 64, 66, 685, 745
 - device fonts, 285–286

Index

- device ID for iPhone apps, 773
- Device sound format, 479, 480
- `devicefont` attribute, `<embed>` tag, 716
- `devicefont` parameter, `<object>` tag, 713
- DHTML (Dynamic HTML), 24–25
- .dib files, 517. *See also* bitmap graphics
- Difference blend mode, 451
- digital audio, 793–800. *See also* sounds
- digital video, 801–810. *See also* video files
- “Digital Video Production” example
 - accessibility features for, 665–669
 - background color for, 644
 - fade effects in, 663–665
 - frame rate for, 644
 - frame size for, 644
 - keyframes for, mapping, 644–646
 - local folder structure for, 643
 - navigation elements for, 652–659
 - planning, 641–643
 - slide show for, 650–651
 - text and artwork for, 646–649
 - text scrolling in, 659–663
- Digital Video stream (.dv) files, 810
- digits, formatting, 277
- Dimensions option, Publish Settings, 692, 697, 700, 702
- Director (Adobe), 25
- discovery phase, 34
- Distance setting, filters, 432
- Distribute to Layers command, 468–470
- Dither option, Publish Settings, 698, 702
- Dither solids option, Publish Settings, 698
- dithering. *See also* anti-aliasing
 - described, 234
 - enabling and disabling, 89
 - of images, 698, 702
 - of solid areas of color, 698
- docked panels, 72–73
- `DockIcon` class, Adobe AIR, 763
- document files
 - on CD, opening, 788
 - described, 7–8, 9
 - e-mailing, 112
 - metadata for, 83
 - printing, 22, 111–112
 - properties of, setting, 84, 644
 - saving as Flash CS3 and CS4 document files, 7
 - templates for, 91
 - types of, 7
- Document Libraries. *See also* Library panel; symbols
 - conflicts between assets in, 196
 - described, 186–187
 - importing assets into, 196, 200–202
 - items not stored in, 196–198
 - multiple, working with, 189–190
 - saving assets in, 189
 - searching for assets in, 188
 - sharing, 190
 - unused items in, finding, 194
- Document Properties dialog box, 83, 84
- Document window
 - closing, 83
 - contents of, 84–86
 - controls in, 84
 - creating new documents, 82–83
 - display options, 88–91
 - Edit bar, 85, 86
 - moving, 83
 - multiple, managing, 82, 83
 - Pasteboard, 85, 89
 - scaling, 83
 - Scene panel with, 86–88
 - Stage area. *See* Stage area, Document window
- dot syntax, ActionScript, 632
- Down button state, 210
- downloads
 - progressive, 22
 - simulating, 680
- drag-selections, 148
- drawing items
 - aligning. *See* alignment
 - coordinates for, setting, 166–168
 - copying, 171
 - cutting, 171
 - dimensions for, setting, 166–168
 - distorting, 328–329
 - distributing to new layers, 468–470
 - drawing objects. *See* drawing objects
 - duplicating, 149, 170, 171
 - editing, 172
 - enveloping, 328–329
 - erasing, 130–131
 - fills for. *See* fills
 - flipping, 326
 - Graphic symbols. *See* Graphic symbols
 - join settings for, 119–120
 - line styles, 139–142
 - lines and curves. *See* lines and curves

- moving, 149, 150–151, 326, 336–337
 - pasting, 171
 - rotating, 170, 326, 327, 328, 332–336
 - scaling, 169, 327
 - searching and replacing, 171, 350–352
 - selecting. *See* selections
 - shape recognition of, controlling, 125
 - shapes. *See* shapes
 - skewing, 170, 327, 328
 - stacking, 337–338
 - vector-based, 13
 - drawing objects
 - Combine Objects commands for, 347
 - compared to shape primitives, 348
 - converting raw shapes to, 370
 - cropping, 347
 - described, 197, 346–347
 - intersections of, 347
 - Lock Fill option for, 348
 - modifying, 348
 - punching out, 347
 - selecting, 147, 348
 - shape tweening for. *See* shape tweens
 - union of, 347
 - drawing tablet, 126–127, 129–130
 - Drop Shadow filter, 433, 434–435
 - Dropper tool, 242, 250–251, 261
 - Duplicate command, Edit menu, 171
 - Duplicate option, Library panel, 193
 - Duplicate Swatches option, Swatches panel, 242
 - .dv files, 810
 - .dxf files, 517
 - Dynamic HTML (DHTML), 24–25
- ## E
- ease settings, 374, 382, 396–398
 - Edit All command, Edit menu, 172
 - Edit bar, Document window, 68, 85, 86
 - Edit Envelope dialog box, 494–496
 - Edit in Place command, Edit menu, 172
 - Edit menu, 170–172
 - Edit mode, for symbols, 202, 205
 - Edit option, Library panel, 193
 - Edit Selected command, Edit menu, 172
 - Edit Symbols command, Edit menu, 172
 - Edit with option, Library panel, 193
 - editable text, 264, 268
 - 8-bit color, 234
 - 8-bit lossless compression, 538–539
 - Eiseman, Leatrice (author)
 - Pantone Guide to Communicating with Color*, 239
 - e-mailing documents, 112
 - <embed> tag, 715–717
 - embedded cue points, 585
 - embedding fonts, 275, 278–279, 283
 - .emf files, 517
 - Enable JPEG deblocking option, Publish Settings, 686
 - Enhanced Metafile (.emf) files, 517
 - enveloping
 - drawing items, 328–329
 - sounds, 494–496
 - .eps files, 517, 546–549
 - Erase blend mode, 451, 452–453
 - Eraser tool, 130–131
 - Essentials workspace, 67–68
 - event handlers, 601–602, 615–620
 - Event sync option, 487–488, 489–491
 - events, 601–602, 618–619. *See also* actions
 - example project. *See* “Digital Video Production” example
 - Expand All Folders option, Library panel, 194
 - Expand Folder option, Library panel, 194
 - Export device sounds option, Publish Settings, 686
 - Export Movie command, 681
 - Export SWC option, Publish Settings, 687
 - exporting files
 - class files, 687
 - projectors, 703
 - sound files, 477–480
 - Extend overflow style, 317
 - eXtensible Markup Language (XML)
 - cue points stored as, 563, 585, 586, 590
 - described, 25
 - editing, 58
 - motion presets stored as, 391–392, 437–438
 - publish profiles stored as, 704
 - eXtensible Metadata Platform (XMP), 24, 686–687
 - eXtensible Stylesheet Language (XSL), 25
 - External Libraries, 187–189, 190
 - ExternalInterface API, 729–737
 - Eyedropper tool, 261, 306–308
- ## F
- .f4v file extension. *See* video files
 - .f4v files, 573–578
 - fade effects for Movie Clips, 663–665
 - fading sounds, 495–496

Index

- Fast mode, Document window, 89
- .fh files, 517
- File class, Adobe AIR, 763
- files. *See also specific file extensions*
 - ActionScript. *See* ActionScript files
 - After Effects, 594–595
 - components. *See* component files
 - documents. *See* document files
 - exporting
 - class files, 687
 - projectors, 703
 - sound files, 477–480
 - importing
 - After Effects files, 594–595
 - bitmap graphics, 200, 522–530
 - file types supported, 21, 517–518
 - Illustrator files, 543, 545–549
 - images, 516–518
 - into libraries, 196, 200–202
 - Photoshop files, 518, 525–528
 - preventing Internet users from, 8, 687
 - sound files, 200–202, 476–477, 480–482, 504
 - vector graphics, 200, 542–549
 - video files, 569–573, 574–578, 808–810
 - movies. *See* movies
 - types of
 - exporting from Flash, 477–480
 - importing into Flash, 516–518, 810
 - integrated into Flash, 21
 - for publishing, 682–684
 - used in Flash, 7–10
 - videos. *See* video files
- fills. *See also* colors
 - alpha settings for, 251–252
 - bitmap fills
 - center point of, adjusting, 314–315
 - described, 259–260
 - rotating, 315
 - scaling, 316
 - skewing, 318
 - transforming, 313–318
 - converting lines to, 320–321
 - expanding, 321–322
 - inset (shrinking), 321–322
 - skewing, 318
 - softening edges of, 322–324
 - transferring properties to other shapes, 306–313
- Filter options, Publish Settings, 702
- Filter types setting, filters, 433
- filters
 - Adjust Color filter, 441–444
 - Angle setting, 432
 - animating with motion tweens, 438–439
 - applying, 430–434
 - for bitmap graphics, 530
 - Blur settings, 432
 - Color setting, 433
 - combining, 435–438
 - custom presets for, saving, 435–438
 - described, 429
 - Distance setting, 432
 - Drop Shadow filter, 433, 434–435
 - Filter types setting, 433
 - Hide object setting, 433
 - interpolation of, controlling, 439–440
 - Knockout setting, 433
 - Quality setting, 432
 - Strength setting, 432
 - for text, 278, 302–303
- Filters properties, Motion Editor, 394
- Find and Replace command, Edit menu, 171
- Find and Replace panel, 350–352
- Find Next command, Edit menu, 171
- Fire Animation option, Spray Brush tool, 178
- Fireworks PNG files, 528–530
- .fla file extension. *See* document files
- Flame Brush option, Spray Brush tool, 178
- Flash alignment option, Publish Settings, 695
- Flash Color Sets (.clr files), 243, 245
- Flash CS5 (Adobe)
 - alternatives to, 24–27
 - capabilities of, 20–23
 - files created by, 7–10
 - history of, 18–20
 - interaction with databases, 15, 21, 268, 763
 - interaction with HTML, 27–28, 707–708
 - interaction with JavaScript. *See* JavaScript
 - interaction with Web services, 28–29
 - new features in, 4–6
 - uses of, 3, 5–6, 12–16, 29–30
 - when not to use, 23–24
- Flash Exchange, 64, 66
- Flash Lite Player, targeting projects for, 66
- Flash Media Interactive Server (Adobe), 21, 29
- Flash Player (Adobe)
 - as ActiveX control, 718–719
 - browsers supported, 744
 - camera settings, 748–749

- detecting existence of
 - in Flash CS5, 719–725
 - with JavaScript, 725–728
- downloading and installing, 744–746
- earlier versions of, developing for, 4
- history of, 18–20
- local storage settings, 748
- microphone settings, 748
- platforms supported, 22, 744, 745
- as plug-in, 13, 718–719, 743–746
- privacy settings, 746–747
- stand-alone Flash player, 739, 741–742
- target version of, setting, 7–8, 65
- version of
 - compatible with Flash CS5, 4
 - detecting, 691–692, 719–725
 - identifying, 11
 - setting for publishing, 685
- video codecs supported by, 13
- Flash Remoting, 29
- Flash Support Center, 66
- FlashPaper, Macromedia, 27
- `flashvars` attribute, `<embed>` tag, 717
- `flashvars` parameter, `<object>` tag, 714
- flow settings for text, 278
- flowchart, organizational, 37, 643
- Flower Brush option, Spray Brush tool, 178
- .flp files, 12
- .flv files, 573–578
- FLVPlayback component
 - custom UI components for, 581–585
 - deploying video files for, 573–579
 - parameters for, setting, 579–581
- focus of panels or windows, 73
- folder structure of project, 50–51, 54–56, 643
- folders for layers
 - adding, 97
 - deleting, 108
 - described, 95, 100
 - expanding and collapsing, 108
 - inserting, 108
 - moving layers in and out of, 107
- folders in Library panel, 192, 193, 194, 195–196
- Font symbols. *See also* symbols
 - creating, 192, 290–293
 - described, 202, 289–290
 - in runtime shared libraries, 294–299
 - updating, 293–294
- fonts. *See also* text
 - device fonts, 285–286
 - embedding, 275, 278–279, 283
 - previews of, controlling size of, 268
 - setting, 273, 275, 280
 - substituted, 283, 287–289
 - troubleshooting, 287
- Formats tab, Publish Settings, 682–684
- form-based layouts, 92
- forwardButton property, FLVPlayback component, 581
- fps (frames per second). *See* frame rate
- frame actions, 101
- Frame By Frame Graph mode, Bandwidth Profiler, 679
- frame rate
 - current, 98–99
 - default, 84
 - guidelines for, 364
 - setting, 47, 84, 644
- frame size
 - default, 84
 - setting, 47, 84, 644
- frame span
 - described, 99
 - duration of, changing, 102–103
 - selecting, 101–102, 105
- Frame View options menu, 108–111
- frame-by-frame animation
 - creating, 363
 - described, 99, 359, 360–362
 - editing multiple frames in, 366–368
 - keyframes, adding to, 362–363
 - lengthening, 364–366
 - onion skinning used for, 366, 367
 - pacing of, controlling, 364–366
- frames
 - centering, 97
 - clearing, 104
 - comments for, 101
 - copying, 103
 - current, number of, 98
 - cutting, 104
 - editing, 99–101
 - elapsed time to current frame, 99
 - inserting, 103
 - keyframes. *See* keyframes
 - label for, 100
 - maximum number of, 94
 - modifying, 172
 - moving, 102

Index

frames (*continued*)

- multiple, editing, 98
 - onion skinning, 97–98
 - pasting, 103
 - previewing, 109–111
 - removing, 104
 - resizing, 109
 - selecting, 101–102, 105
 - tinting, 109
 - view options for, 97, 108–111
- frames per second (fps). *See* frame rate
- Free Transform tool, 326–329
- FreeHand files, 517
- `fscommand()` action, 729, 730
- Full mode, Document window, 89
- `fullScreenButton` property, FLVPlayback component, 581
- functional specification, 38–40
- .fxg files, 517

G

- Generate size report option, Publish Settings, 687
- GIF color palette, importing, 245–246
- .gif files
- importing, 517
 - publish settings for, 696–699
- global 3D space, 330
- `gotoAndPlay()` action, 609–610, 614
- `gotoAndStop()` action, 609–610, 614
- Gradient Transform tool, 313–319
- gradients
- alpha settings for, 256–259
 - center point of, adjusting, 314–315
 - colors of, controlling, 254–255
 - linear, 252–253
 - overflow styles for, 316–317
 - radial, 252–253
 - removing, 698
 - rotating, 315
 - scaling, 316
 - transforming, 313–319
- Graphic Artists Guild Handbook of Pricing & Ethical Guidelines* (Graphic Artists Guild), 40
- Graphic symbol timeline, 199, 403, 404–407
- Graphic symbols. *See also* symbols
- animating in Movie Clip, 212–213
 - in Button symbols, 210–212
 - compared to Movie Clip symbols, 201

- converting shapes to, 209–210
 - described, 199
 - playback of, controlling, 199
- graphic text, 300–302
- graphics
- bitmap. *See* bitmap graphics
 - dithering, 698, 702
 - format of, consistency across browsers, 535
 - import formats for, 516–518
 - vector. *See* drawing items; vector graphics
- Grid Fill option, Spray Brush tool, 177, 180, 181
- Grid tool, custom, 79–82
- grids
- custom Grid tool, 79–82
 - Registration grid, 167
 - snapping to, 90, 162
 - visibility of, setting, 90
- grouped shapes
- breaking apart, 339–343
 - converting to symbols, 198
 - creating, 338–339
 - described, 197–198
 - as masks, 463
- guide layer, 100, 107, 455–458
- guides
- snapping to, 90, 160, 163
 - visibility of, setting, 90

H

- Hairline line style, 142
- Hand tool, 86
- Hard light blend mode, 451
- Hardware Acceleration option, Publish Settings, 688
- Hatched line style, 142
- height attribute
- `<embed>` tag, 716
 - `<object>` tag, 709
- help. *See also* books and publications; troubleshooting; Web site resources
- Flash Exchange, 64, 66
 - Flash Support Center, 66
 - Help menu, 66–67
 - Library panel, 194
- hexadecimal values for color, 235
- hidden layers, 96–97, 107, 686
- Hide object setting, filters, 433
- History panel, 352–355

- Hit button state, 210
 - HTML
 - attributes, changing in Flash movies, 730–733
 - `<embed>` tag, 715–717
 - interaction with Flash, 27–28, 707–708
 - `<object>` tag, 708–714
 - project requirements for, 47
 - publish settings for, 689–695
 - HTML alignment option, Publish Settings, 694
 - HTMLLoader class, Adobe AIR, 759–761, 762, 763
 - Hue setting, Adjust Color filter, 444
 - human resource requirements, 40
- I**
- id attribute
 - `<embed>` tag, 716
 - `<object>` tag, 709
 - IK animations
 - animating armatures, 418–419
 - creating armatures for, 414–417
 - described, 413–414
 - pose layer for, 369, 415–419
 - with shapes, 422–425
 - Spring feature for, 419–422
 - Illustrator
 - converting text to outlines, 550
 - creating custom color table in, 246–247
 - Illustrator (.ai or .eps) files, importing, 517, 543, 545–549
 - images
 - bitmap. *See* bitmap graphics
 - dithering, 698, 702
 - format of, consistency across browsers, 535
 - import formats for, 516–518
 - vector. *See* drawing items; vector graphics
 - import keyword, 11
 - importing files
 - After Effects files, 594–595
 - bitmap graphics, 200, 522–530
 - file types supported, 21, 517–518
 - Illustrator files, 543, 545–549
 - images, 516–518
 - into libraries, 196, 200–202
 - Photoshop files, 518, 525–528
 - preventing Internet users from, 8, 687
 - sound files, 200–202, 476–477, 480–482, 504
 - vector graphics, 200, 542–549
 - video files, 569–573, 574–578, 808–810
 - #include directive, 11
 - Include hidden layers option, Publish Settings, 686
 - Include XMP metadata option, Publish Settings, 686–687
 - indexed color, 234
 - indexing movie content, 24
 - Info panel, 164–165, 166–168
 - information architecture, 35
 - Ink Bottle tool, 261, 308–309
 - Ink mode, Pencil tool, 124
 - instances of symbols
 - alpha settings for, 207
 - color effects for, 206–207
 - described, 185
 - as masks, 463–464
 - properties of, setting, 205–208
 - swapping, 208
 - type of, changing, 207
 - interactive presentations, 30
 - “Interface Design” tutorial (Jordan), 48
 - interface files, ActionScript, 66
 - Interlace option, Publish Settings, 697
 - intermediate colors, 234
 - international languages
 - Font Embedding options for, 279
 - locale setting for text, 277
 - right-to-left text option, 266–267
 - Intersect command, drawing objects, 347
 - Inverse Kinematics, animation using. *See* IK animations
 - Invert blend mode, 451
 - IPA file for iPhone apps, 775–776
 - iPhone apps
 - App ID for, 775
 - creating, 777–781
 - described, 16
 - Developer program for, 772–773
 - development certificate for, 773–775
 - device ID for, 773
 - IPA file for, 775–776
 - loading image for, 776
 - performance of, 781–782
 - provisioning profile for, 774–775
 - rejection of, by Apple, 769
 - targeting projects for, 65
 - testing, 782
 - Iuppa, Nicholas (author)
 - Designing Interactive Digital Media*, 40

Index

J

JavaScript

- detecting Flash Player with, 725–729
- `<embed>` tag attributes for, 716, 717
- generating within HTML pages, 722
- `<object>` tag attributes for, 709, 710, 714
- support for, 28
- using Flash movies with, 729–737

JavaScript Flash (.jsfl) files, 66

join settings for shapes, 119–120

Jordan, Eric (contributor)

- “Interface Design” tutorial, 48

JPEG quality option, Publish Settings, 685

.jpg files

- importing, 518, 534–535
- publish settings for, 686, 699–700

.jsfl files, 66

K

kerning for text, 276

Key press event, 602

Keyboard class, 602

keyboard shortcuts, 74–76

keyframe-based tweened animation. *See* tweened animation

keyframes

- adding, 362–363, 644–646
- blank keyframes, 99, 103–104
- described, 99
- editing, 105
- erasing, 131
- as event handler, 602
- events for, 619–620
- inserting, 103–104
- property keyframes, 99, 395–396
- viewing, 386

keys, shortcut, for Timeline, 93

Knockout setting, filters, 433

Kuler panel, importing colors from, 244–245

Kuler Web site, from Adobe Labs, 239

L

label for keyframes, 100

label text, 270

languages supported

- Font Embedding options for, 279
- locale setting for text, 267, 277
- right-to-left text option, 266–267

Lasso tool, 154–156

Layer blend mode, 450

layer folders

- adding, 97
- deleting, 108
- described, 95, 100
- expanding and collapsing, 108
- inserting, 108
- moving layers in and out of, 107

Layer Properties dialog box, 108

Layer section, Timeline window, 92, 93, 95

layered bitmap graphics, 524–525

layers

- active, setting, 96
- adding, 97
- deleting, 97, 107
- display features for, 100
- distributing items to, 468–470
- guide layer, 100, 107, 455–458
- hidden, 96–97, 107, 686
- inserting, 107
- locking and unlocking, 97, 107
- mask layer
 - animating, 467–468
 - converting another layer to, 108, 455
 - described, 100, 458–459, 468
 - displaying, 108
 - filled shape used for, 460–462
 - grouped shapes used for, 463
 - symbol instance used for, 463–464
 - text used for, 464–468
- motion guide layer, 107
- motion tween layer, 108
- organizing, 106–107
- outlines of, toggling, 97
- pose layers, 369, 415–419
- rearranging, 107
- scrolling through, 96
- showing, 107
- structure of, 107
- view options for, 97

Layers contextual menu, 107–108

layout flowchart, 37

leading for text, 275

libraries

- Common Libraries, 187–189, 190
- Document Libraries
 - conflicts between assets in, 196
 - described, 186–187

- importing assets into, 196, 200–202
 - items not stored in, 196–198
 - multiple, working with, 189–190
 - saving assets in, 189
 - searching for assets in, 188
 - sharing, 190
 - unused items in, finding, 194
 - External Libraries, 187–189, 190
 - Library panel
 - described, 186–187, 191–194
 - editing symbols in, 203
 - folders in, 192, 193, 194, 195–196
 - sound settings in, 503–505
 - ligatures in text, 277
 - Lighten blend mode, 450
 - lighting effects, 318–319
 - Lightning Brush option, Spray Brush tool, 178
 - Line tool, 122–123
 - linear gradients, 252–253
 - linear presentations, 29
 - lines and curves
 - Bezier curves, 132–136
 - Brush tool, 125–130
 - connecting, 125
 - converting to fills, 320–321
 - displaying as thin lines, 89
 - line styles for, 139–142
 - moving with Subselect tool, 157
 - optimizing, 145–146, 158, 552
 - Pen tool, 113, 132–136
 - Pencil tool, 123–125
 - recognition of, when drawing, 125
 - reshaping
 - with Selection tool, 147, 150–151
 - with Subselect tool, 157–158
 - selecting. *See* selections
 - smoothing, 125, 152–154
 - straightening, 152–154
 - strokes in
 - alpha settings for, 251–252
 - scaling, 142–145
 - transferring properties to other shapes, 306–313
 - links, text boxes containing, 266, 276–277
 - live action video footage, 595–597
 - Load Default Colors option, Swatches panel, 243
 - local 3D space, 330
 - Local playback security option, Publish Settings, 688
 - local storage settings, Flash Player, 748
 - locale setting for text, 267, 277
 - Lock Fill option
 - for drawing objects, 348
 - for Paint Bucket tool, 312–313
 - loop attribute, <embed> tag, 716
 - loop parameter, <object> tag, 711
 - lossy compression, 539
 - Lott, Joey (contributor)
 - contact information, 791
 - custom Grid tool by, 79–82
- ## M
- MacPaint (.pntg) files, 518
 - Macromedia Authorware, 25
 - Macromedia FlashPaper, 27
 - Magic Wand option, Lasso tool, 156, 343–344
 - Main timeline. *See also* Timeline window
 - adding sound to, 485–486
 - finding from Edit mode, 86, 203–204
 - Graphic symbols in, 199, 201, 403
 - Movie Clips in, 629–631
 - navigation elements for, 652–659
 - organizing sounds in, 486–487
 - organizing symbol instances in, 407–410
 - planning project using, 641–651
 - Main toolbar, 68
 - maintenance of project, 48
 - Mantis software, 48
 - mask layer
 - animating, 467–468
 - converting another layer to, 108, 455
 - described, 100, 458–459, 468
 - displaying, 108
 - filled shape used for, 460–462
 - grouped shapes used for, 463
 - symbol instance used for, 463–464
 - text used for, 464–468
 - Max colors option, Publish Settings, 698–699, 702
 - Media Encoder CS5, 562–569
 - meetings, recording, 35
 - menu parameter, <object> tag, 711
 - menus, contextual, 71
 - metadata for documents, 83
 - Microphone activity event, 602
 - Microphone class, 602
 - microphone settings, Flash Player, 748
 - Microsoft products. *See specific product names*
 - mistakes, undoing, 170–171
 - Modify Transform menu, 326

Index

- monitor, calibrating, 234
- Motion Editor
 - animating 3D properties, 398–402
 - Basic motion properties, 393–394
 - Color Effect properties, 394
 - described, 392–393
 - ease settings, 396–398
 - filter interpolation, controlling, 439–440
 - Filters properties, 394
 - property keyframes, editing, 395–396
 - property views in, controlling, 395
 - Transformation properties, 394
 - tween curves, editing, 394–396
- motion guide layer, 107
- motion path
 - aligning target object to, 389–390
 - editing, 387–389
 - orienting to, 384, 389
- Motion Presets panel, 360, 390–392
- motion tween layer, 108
- motion tweens. *See* Classic motion tweens; object-based motion tweens
- Mouse class, 602
- Mouse events, 602, 618–619
- MouseEvent.CLICK event, 619, 623
- MouseEvent.MOUSE_DOWN event, 618
- MouseEvent.MOUSE_UP event, 619
- MouseEvent.ROLL_OUT event, 619
- MouseEvent.ROLL_OVER event, 619
- .mov files, 477, 810
- Move to option, Library panel, 193
- Movie Clip symbols. *See also* component files; symbols
 - animating Graphic symbols in, 212–213
 - in Button symbols, 214–215
 - compared to Graphic symbols, 201
 - described, 199
 - modifying, 215–218
 - multiple, in Main timeline, 629–631
 - 9-slice scaling for backgrounds, 218–222
 - targeting
 - example of, 635–639
 - paths for, 631–635
 - uses of, 627–629
- Movie Clip timeline
 - animating Graphic symbols in, 212–213
 - compared to Graphic symbol timeline, 403
 - organizing with other timelines, 629–631
- Movie Explorer, 222–226
- movie parameter, <object> tag, 710
- MovieClip instance, 602, 628
- movies
 - animation in. *See* animation
 - Bandwidth Profiler for, 676–681
 - bitmap graphics in. *See* bitmap graphics
 - compressing, 8, 686–687
 - creating, example of. *See* “Digital Video Production” example
 - debugging, 681, 687
 - described, 8
 - drawings in. *See* drawing items
 - editing, 222–226
 - elapsed time to current frame, 99
 - external runtime assets, loading, 22
 - finding items in, 223–224
 - format of, 10
 - frame rate
 - current, 98–99
 - default, 84
 - guidelines for, 364
 - setting, 47, 84, 644
 - frame size
 - default, 84
 - setting, 47, 84, 644
 - Main timeline for. *See* Main timeline
 - playing outside of a browser. *See* projectors
 - previewing, display options for, 89
 - printing content from, 22
 - publishing
 - file formats for, 682–684
 - Flash file settings for, 684–688
 - GIF file settings for, 696–699
 - HTML file settings for, 689–695
 - JPEG file settings for, 699–700
 - PNG file settings for, 701–703
 - profiles for, 704–705
 - projectors, 703
 - Publish command for, 703
 - Publish Preview command for, 703
 - size report for, 681, 687
 - sounds in. *See* sounds
 - testing, 673–681
 - text in. *See* text
 - video files in. *See* video files
- MP3 (MPEG-1 Audio Layer 3) sound files
 - bit rate quality, 501
 - compression, 500
 - described, 478–479
 - exporting, 480

- importing, 476, 676
- playback of, supporting, 502
- MPEG video files, 560, 810
- multicolumn text, 278
- multimedia authoring, 14
- Multiply blend mode, 450
- multiuser applications, 21
- muteButton property, FLVPlayback component, 581

N

- name attribute, <embed> tag, 716
- named anchor keyframe, 87–88
- NativeApplication class, Adobe AIR, 763
- NativeMenu class, Adobe AIR, 763
- NativeWindow class, Adobe AIR, 763
- navigateToURL () action, 612–614, 620–625
- navigation elements, 652–659
- navigation flowchart, 37
- Nellymoser (Speech) format, 479, 480, 501–502
- nested symbols, 208–218
- NetStream instance, 602
- New Folder option, Library panel, 192
- New Font option, Library panel, 192
- New Symbol option, Library panel, 192
- New Video option, Library panel, 192
- nextFrame () action, 610–611, 614
- nextScene () action, 611, 614
- 9-slice scaling for Movie Clip backgrounds, 218–222
- Normal blend mode, 450

O

- Object Drawing mode, 114
- <object> tag, 708–714
- object-based motion tweens
 - compared to Classic motion tweens, 379
 - creating, 380–382
 - described, 100, 360, 378
 - ease settings for, 382, 396–398
 - for filters, 438–439
 - keyframes, viewing, 386
 - motion path for
 - aligning target object to, 389–390
 - editing, 387–389
 - orienting to, 384, 389
 - motion presets for, 390–392
 - moving to symbol timelines, 404–407
 - pacing of, controlling, 386

- properties of, viewing, 395
- property keyframes, editing, 395–396
- rotations in, 382–383
- spans in, 384–386
- symbols created automatically by, 382
- syncing Graphic symbols in, 384
- target object of, replacing, 386
- 3D symbols as target of, 398–402
- tween curves, editing, 392–398
- tween layers in, 384–386
- visual indications of, 369

- Omit trace actions option, Publish Settings, 687
- OmniGraffle (Omni Group), 37
- On2 VP6 codec, 560–561
- onion skinning, 97–98, 366, 367
- Optimize colors option, Publish Settings, 697
- Options area, Tools panel, 78
- Options menu, Movie Explorer, 224–225
- organizational flowchart, 37, 643
- outlines. *See also* tracing graphics
 - converting text to, 550–551
 - displaying shapes as, 89
 - of layers, toggling, 97
- Outlines mode, Document window, 89
- Oval Primitive tool, 114, 115, 116–117
- Oval tool, 115–116
- Over button state, 210
- Overlay blend mode, 450–451
- Override sound settings option, Publish Settings, 686

P

- Paint Bucket tool
 - described, 261, 309–310
 - Gap Size option for, 311
 - Lock Fill option for, 312–313
- painting
 - Brush tool, 125–130
 - Spray Brush tool, 172–176
- Palette option, Publish Settings, 699, 702
- Palette Type option, Publish Settings, 698–699, 702
- panels. *See also specific panels*
 - collapsing, 71
 - controls in, 71
 - custom workspace layout of, 73–74
 - docking, 72–73
 - floating, 72
 - focus of, 73
 - hiding, 76

Index

- panels (*continued*)
 - preventing docking of, 67
 - stacking, 72–73
 - suggested set of, for graphics, 69
 - tabbed, 72
- Pantone Guide to Communicating with Color* (Eiseman), 239
- Papervision 3-D framework, 23
- paragraphs, formatting, 277–278, 280
- parameters, in ActionScript, 607
- parentheses (), in ActionScript code, 607
- Particle System option, Spray Brush tool, 178
- Password option, Publish Settings, 688
- Paste in Center command, Edit menu, 171
- Paste in Place command, Edit menu, 171
- Pasteboard, Document window, 85, 89
- paths for Movie Clip targets, 631–635
- patterns, creating
 - with Deco tool, 172–173, 176–182
 - with Spray Brush tool, 172–176
- pauseButton property, FLVPlayback component, 581
- .pct/.pict files, 518
- PDF files
 - in guide layer, 457
 - importing, 517
 - integrating with Flash, 21, 27
 - Print Preview generating, 112
 - workflows, not supported, 543
- Pen tool, 113, 132–136
- Pencil tool, 123–125
- Permit debugging option, Publish Settings, 687
- Perry, Bill (contributor)
 - custom template previews, tutorial for, 91
- Personal Web Sharing, 51
- Photoshop (.psd) files
 - creating custom color table from, 246–247
 - importing, 518, 525–528
- planning phase. *See* preproduction phase
- play() action, 611–612, 614
- play attribute, <embed> tag, 715
- Play option, Library panel, 193
- play parameter, <object> tag, 710
- Playback event, 602
- Playback option, Publish Settings, 692–693, 697
- playButton property, FLVPlayback component, 581
- Player option, Publish Settings, 684–688
- playhead, Timeline window, 95
- playPauseButton property, FLVPlayback component, 581
- plug-in, Flash Player as, 13, 718–719, 743–746
- pluginspace attribute, <embed> tag, 717
- .png files
 - importing, 518, 528–530
 - publish settings for, 701–703
- .png files, 518
- Polygon mode, Lasso tool, 155
- PolyStar tool, 120–122
- pose layers, 369, 415–419
- PowerPoint (Microsoft), 26
- preproduction phase
 - approval of concept and budget, 40–41
 - competition, analyzing, 42
 - goals
 - of phase, 34
 - of project, 36, 41–42
 - meetings regarding, 35
 - mockups of site, 45
 - solutions
 - designing, 36–39, 42–43
 - presenting, 37, 40–41
 - technical questions during, 35–36
 - testing on users, 45–46
 - user considerations, 35–36, 41–46
- presentations, 29–30
- prevFrame() action, 610–611, 614
- prevScene() action, 611, 614
- primitive shapes. *See* raw shapes; shape primitives
- printer resolution, 141, 309, 321
- printing documents, 22, 111–112
- PrintJob API, 22
- privacy settings, Flash Player, 746–747
- process flowchart, 38
- production phase
 - assets, assembling, 46
 - Flash architecture, 46–47
 - HTML page production, 47
 - maintenance, 48
 - quality assurance (QA) testing, 48
 - test environments, 47
 - updates, 48
- profiles for publishing, 704–705
- programming features, 15–16. *See also* ActionScript; JavaScript
- progressive downloads, 22
- Progressive option, Publish Settings, 700
- project (.flp) files, 12
- Project Panel
 - check boxes by .fla files, 54
 - class files, location and shortcut for, 54
 - creating projects, 51–54

- gold star in, 52
 - opening and editing projects, 57–58
 - preferences for, setting, 54–56
 - properties, setting, 54–56
 - publishing projects, 58
 - projectors
 - creating, 740–742
 - described, 22, 739–740
 - distributing, 742–743
 - exporting, 703
 - limitations of, 743
 - projects. *See also* AIR applications; iPhone apps; movies
 - agile model, 34
 - costs of, 40–41
 - creating, 51–54
 - editing files in, 57–58
 - example of. *See* “Digital Video Production” example
 - functional specification, 38–40
 - goals of, defining, 36, 41–42
 - human resources required for, 40
 - naming, 52
 - opening, 66
 - opening files in, 57–58
 - organizational flowchart, 37, 643
 - preproduction phase
 - approval of concept and budget, 40–41
 - competition, analyzing, 42
 - goals of phase, 34
 - goals of project, 36, 41–42
 - meetings regarding, 35
 - mockups of site, 45
 - solutions, designing, 36–39, 42–43
 - solutions, presenting, 37, 40–41
 - technical questions during, 35–36
 - testing on users, 45–46
 - user considerations, 35–36, 41–46
 - process flowchart, 38
 - production phase
 - assets, assembling, 46
 - Flash architecture, 46–47
 - HTML page production, 47
 - maintenance, 48
 - quality assurance (QA) testing, 48
 - test environments, 47
 - updates, 48
 - publishing. *See* publishing
 - structure of, 46–47, 50–51, 54–56
 - time required for, 40
 - version control system for, 49
 - waterfall model, 33
 - Properties option, Library panel, 193
 - Properties panel, 69–70
 - property keyframes, 99, 395–396
 - Protect from import option, Publish Settings, 8, 687
 - provisioning profile for iPhone apps, 774–775
 - .psd files, 246–247, 518, 525–528
 - publications. *See* books and publications
 - Publish command, 703, 740–741
 - Publish Preview command, 703
 - Publish Settings
 - Compress Movie option, 8, 686
 - Flash tab, 684–688
 - Formats tab, 682–684
 - GIF tab, 696–699
 - HTML tab, 689–695
 - JPEG tab, 699–700
 - PNG tab, 701–703
 - Protect from import option, 8, 687
 - for sounds, 498–502, 505
 - target version of ActionScript, 7, 65
 - target version of Flash Player, 7, 65
 - publishing
 - AIR applications, 763–766
 - commands for, 703
 - file types supported, 682–684
 - preview for, 703
 - profiles for, 704–705
 - projectors, 703
 - settings for. *See* Publish Settings
 - sounds, 498–502, 505, 686
 - targets for, 7, 65
 - Punch command, drawing objects, 347
- ## Q
- QA (quality assurance) testing, 48
 - .qta files, 477
 - .qtif files, 518
 - quality attribute, <embed> tag, 716
 - Quality option, Publish Settings, 693–694, 700
 - quality parameter, <object> tag, 712
 - Quality setting, filters, 432
 - QuickTime (Apple), 26–27
 - QuickTime audio (.qta or .mov) files, 477
 - QuickTime image (.qtif) files, 518
 - QuickTime movie (.mov) files, 810

Index

R

radial gradients, 252–253
raster graphics. *See* bitmap graphics
Raw (Raw PCM) format, 479, 480, 501
raw shapes
 converting to drawing objects, 197, 370
 described, 196
 scaling, 320–321
 shape tweening for. *See* shape tweens
read-only text, 264
RealPlayer, 26–27
Real-Time Messaging Protocol (RTMP), 21
real-time video streaming, 558–559
Recognize Lines setting, Pencil tool, 125
Recognize Shapes setting, Pencil tool, 125
Rectangle Primitive tool, 114, 115, 118–119
Rectangle tool, 118–119
red box in text field, 281
Redo command, Edit menu, 171
Reflect overflow style, 317
Registration grid, 167
relative paths, 634–635
Remove gradients option, Publish Settings, 698
Rename option, Library panel, 193
Repeat command, Edit menu, 171
Repeat overflow style, 317
Replace Colors option, Swatches panel, 243
resolution
 bit resolution, for sound, 795–798, 806
 color resolution, 234
 of images, 520, 702
 printer resolution, 141, 309, 321
 screen resolution, 85, 788
 video resolution, 802–805
resources. *See* books and publications; help; Web site
 resources
RGB color, 233–234
Rich Internet Applications, 30
right-click (contextual) menus, 71
right-to-left text, 266–267
RTMP (Real-Time Messaging Protocol), 21
rulers, in Document window, 89
runtime bitmap caching, 425, 552–554
runtime files, 14
runtime sharing
 described, 190, 227
 font symbols with, 294–299

S

`salign` attribute, `<embed>` tag, 716
`salign` parameter, `<object>` tag, 712
sampling sounds, 793–795
Saturation setting, Adjust Color filter, 444
Save as Default option, Swatches panel, 243
Save Colors option, Swatches panel, 243
Scalable Vector Graphics (SVG), 26
`scale` attribute, `<embed>` tag, 716
Scale option, Publish Settings, 694–695
`scale` parameter, `<object>` tag, 712
Scene panel, 86–88
Scene Stage. *See* Stage area, Document window
scenes
 actions for, 611, 614
 editing, 88
 multiple, not recommended, 676
 navigating, 88, 89
 testing. *See* Test Scene command
 uses of, 86–87
Screen blend mode, 450
screen readers, 666–669
screen resolution, 85, 788
Script Assist mode, Actions panel, 603, 605–606
Script option, Publish Settings, 685
Script time limit option, Publish Settings, 688
scripts. *See* ActionScript; JavaScript
scrubbing
 sound, 486, 488
 timeline, 95, 201, 377
 video, 588
search engines, indexing movie content for, 24
`seekBar` property, FLVPlayback component, 581
Select All command, Edit menu, 171
Select Unused Items option, Library panel, 194
selectable text, 264
Selection tool, 147–154
selections
 deselecting items, 148
 drag-selections, 148
 duplicating items with, 149
 of freeform areas, 154–155
 hiding edge selection patterns, 90, 147
 highlight indicating, 147, 148
 Lasso tool, 154–156
 mesh pattern indicating, 147, 148
 moving items with, 150–151

- moving multiple items with, 149
- of multiple items, 148
- of polygon-shaped areas, 155
- reshaping items with, 147, 150–151
- Select All command, Edit menu, 171
- Selection tool, 147–154
- of similarly-colored areas, 156
- simplifying shapes with, 152–154
- smoothing or straightening lines with, 152–154
- Subselect tool, 147, 156–158
- semicolon (;), in ActionScript code, 608
- `setInterval()` function, 735
- .sgi files, 518
- shape hints, 90, 374–378
- shape primitives
 - compared to drawing objects, 348
 - converting to symbols, 198
 - described, 197
 - editing, 148
 - Oval Primitive tool, 114, 115, 116–117
 - Rectangle Primitive tool, 114, 115, 118–119
- shape tweens
 - creating, 370–374
 - described, 100, 370
 - ease settings for, 374
 - moving to symbol timelines, 404–407
 - pacing of, controlling, 374
 - shape hints for, 374–378
 - visual indications of, 369
- shapes. *See also* drawing items
 - animating with IK, 422–425
 - compound shapes, 348–350
 - converting to Graphic symbol, 209–210
 - displaying as outlines, 89
 - fills for. *See* fills
 - grouped shapes
 - breaking apart, 339–343
 - converting to symbols, 198
 - creating, 338–339
 - described, 197–198
 - as masks, 463
 - Line tool, 122–123
 - as masks, 460–462
 - moving with Subselect tool, 157
 - optimizing, 145–146, 158
 - Oval Primitive tool, 114, 115, 116–117
 - Oval tool, 115–116
 - PolyStar tool, 120–122
 - raw shapes
 - converting to drawing objects, 197, 370
 - described, 196
 - scaling, 320–321
 - recognition of, when drawing, 125
 - Rectangle Primitive tool, 114, 115, 118–119
 - Rectangle tool, 118–119
 - reshaping
 - with Selection tool, 147, 150–151
 - with Subselect tool, 157–158
 - selecting. *See* selections
 - simplifying, 152–154
- Shared Libraries
 - described, 226–227
 - linking symbols between, 227–229
 - properties of, setting, 194
 - runtime, font symbols in, 294–299
 - updating symbols in, 230
- Shared Library Properties option, Library panel, 194
- Shift select option, Selection tool, 149
- shortcut for class files, 54
- shortcut keys, for Timeline, 93
- shortcuts, keyboard, for menu commands, 74–76
- Show pen preview option, Pen tool, 132
- Show precise cursors option, Pen tool, 132
- Show solid points option, Pen tool, 132
- Show warning messages option, Publish Settings, 695
- Silicon Graphics files, 518
- Silverlight (Microsoft), 26
- `SimpleButton` instance, 602
- Simulate Download option, Bandwidth Profiler, 680
- site map, 37
- 16-bit color, 234
- size report, 681, 687
- slide show, 650–651
- SMIL (Synchronized Multimedia Integration Language), 26–27
- Smoke Animation option, Spray Brush tool, 178
- Smooth Curves setting, Pencil tool, 125
- Smooth mode, Pencil tool, 124
- Smooth option, Publish Settings, 697
- snapping. *See also* alignment
 - behavior options for, 90
 - to grid, 90, 162
 - to guides, 90, 160, 163
 - to objects, 160–162
 - to pixels, 163–164
 - visual indications of, 160
- Solid line style, 142

Index

- Sort by Color option, Swatches panel, 243
- Sound Designer II format, 477
- sounds. *See also* symbols
 - adding to timeline, 485–486
 - assigning to a button, 482–484
 - bit depth/resolution, 795–798, 806
 - channels, 798
 - compression of, 500
 - digital audio, 793–800
 - editing, 494–497
 - export formats for, 477–480
 - extracting from a Flash document, 509–511
 - fading, 495–496
 - importing, 200–202, 476–477, 480–482, 504
 - Library settings for, 503–505
 - optimizing, 497, 507–509, 799–800
 - organizing in timeline, 486–487
 - production of, 799–800
 - publish settings for, 498–502, 505, 686
 - repeating (looping), 496–497
 - sampling, 793–795
 - scrubbing, 486, 488
 - stopping, 489–493
 - storage of, in movies, 482
 - support for, 14
 - synchronizing to animations, 487–489
- span of frames
 - described, 99
 - duration of, changing, 102–103
 - selecting, 101–102, 105
- spans in motion tweens, 384–386
- Speech (Nellymoser) format, 479, 480, 501–502
- spell checking, 271–272, 280
- .spl files, 517
- Spray Brush tool. *See also* Brush tool
 - with custom symbols, 174–176
 - described, 172–173
 - with dots, 173–174
- Spring feature, IK animations, 419–422
- Sprite instance, 602, 628
- SQLConnection class, Adobe AIR, 763
- squares, 118. *See also* Rectangle Primitive tool; Rectangle tool
- src attribute, <embed> tag, 715
- stacked drawing items, 337–338
- stacked panels, 72–73
- Stage area, Document window
 - described, 85
 - display options, 88–91
 - navigating scenes in, 89
 - scaling, 85–86, 89
 - visual indications of, 205
 - zooming, 86, 89
- Stage class, 602
- stand-alone Flash player, 739, 741–742, 743
- stand-alone movies. *See* projectors
- Start Page, 64–66
- Start sync option, 488
- Stearns, Geoff (developer)
 - SWFObject script by, 707
- stop() action, 611–612, 614
- Stop option, Library panel, 193
- Stop sync option, 488
- stopButton property, FLVPlayback component, 581
- StorageVolume class, Adobe AIR, 763
- Storyboard layouts, printing, 111
- Straighten mode, Pencil tool, 124
- Stream sync option, 488–489, 492
- Streaming Graph mode, Bandwidth Profiler, 678
- Strength setting, filters, 432
- strikethrough text, 276
- strokes. *See also* colors
 - alpha settings for, 251–252
 - scaling, 142–145
 - transferring properties to other shapes, 306–313
- subscripted text, 276
- Subselect tool, 147, 156–158
- Subtract blend mode, 451
- Sun AU format, 476
- superscripted text, 276
- SVG (Scalable Vector Graphics), 26
- Swatches panel
 - adding colors, 243
 - clearing colors, 243
 - creating new colors for, 248–251
 - custom palettes, importing, 244–248
 - deleting swatches, 242
 - described, 240–242
 - duplicating swatches, 242
 - editing colors in, 250
 - loading default colors, 243
 - loading Web-safe palette, 243
 - replacing colors, 243
 - saving colors, 243
 - sorting swatches by color, 243
- .swc files. *See* component (.swc) files
- .swf files. *See also* movies
 - on CD, opening, 788
 - format for, 10
 - importing, 517
 - publish settings for, 684–688

SWFObject script, 707, 725–728
`swLiveConnect` attribute, `<embed>` tag, 716
symbol instances

- alpha settings for, 207
- color effects for, 206–207
- described, 185
- as masks, 463–464
- properties of, setting, 205–208
- swapping, 208
- type of, changing, 207

symbol timeline, 199, 403, 404–407
symbols. *See also* Document Libraries

- animated
 - moving tweens to, 404–407
 - organizing, 404–407
 - reusing, 403, 410–413
- converting grouped shapes to, 198
- created automatically by motion tweens, 382
- creating, 192
- creating patterns using
 - with Deco tool, 172–173, 176–182
 - with Spray Brush tool, 174–176
- deleting, 193
- described, 185
- duplicating, 193
- editing, 172, 193, 202–205
- moving, 193
- nesting, 208–218
- playing, 193
- properties of, setting, 193, 194
- renaming, 193
- saving in document Library, 189
- searching for, in document Library, 188
- types of, 198–202
- updating, 193

Symmetry Brush option, Spray Brush tool, 178, 180–182
Synchronized Multimedia Integration Language (SMIL), 26–27
SystemTrayIcon class, Adobe AIR, 763

T

tab order, displaying, 91
tabbed panels, 72
tellTarget action, 627, 633
Template option, Publish Settings, 690–691
templates, 91
Test Movie command

- compared to Controller bar in Timeline, 93
- Control menu for, 680–681
- Debug menu for, 681
- using, 674–675
- View menu for, 677–680

Test Project button, 58
Test Scene command

- Control menu for, 680–681
- Debug menu for, 681
- using, 674–675
- View menu for, 677–680

testing

- bug reporting software, 48
- environments for, 47
- iPhone apps, 782
- movies, 673–681
- quality assurance (QA) testing, 48
- on users, 45–46

text. *See also* Font symbols; fonts

- anti-aliasing, 89, 266, 276, 283–285
- blend mode of, 278
- breaking apart, 300, 339–341
- case of, 277
- color of, 276, 278
- converting to outlines, 550–551
- converting to vector shapes, 301–302
- digits, formatting, 277
- editable, 264, 268
- in example project, 646–649
- expanding, 322
- filters for, 278, 302–303
- flow settings for, 278
- graphic text, 300, 301–302
- inset (shrinking), 322
- kerning for, 276
- leading for, 275
- ligatures in, 277
- locale setting for, 267, 277
- as masks, 464–468
- multicolumn, 278
- multiple lines in, 278
- paragraph formatting for, 277–278, 280
- properties of, setting, 273–278
- read aloud, 666–669
- read-only, 264
- rotating, 276
- scaling, 301
- scrolling, 659–663
- searching and replacing, 350–352
- selectable, 264
- spell checking, 271–272, 280
- strikethrough, 276

Index

- text (*continued*)
 - superscripting or subscripting, 276
 - tracking for, 275
 - transforming, 300
 - types of, 264, 273
 - typography used with, 264
 - underlining, 276
- text boxes or fields
 - attributes of, transferring, 301
 - block text in, 270
 - blue triangle in, 281–282
 - creating, 265, 270
 - editing text in, 270–273
 - expanding, 266, 269
 - fixed-width, 266, 269
 - label text in, 270
 - links in, 266, 276–277
 - multiple, flowing text through, 281–282
 - orientation of, 266–268
 - position of, 273–274
 - red box in, 281
 - resizing, 266, 270, 273–274
 - searching for text in, 272–273
 - visibility of, 270
- text engine, Classic, 264–265
- Text Layout Framework (TLF). *See also* text
 - ActionScript version requirements for, 264
 - described, 263
 - Flash Player version requirements for, 264
 - languages supported. *See* languages supported
 - multicolumn text, 278
 - right-to-left text, 266–267
- Text menu, 280
- Text tool, 265, 269–273
- TextArea component, 659–663
- .tga files, 518
- 32-bit lossless compression, 537–538
- 3D animation, 398–402
- 3D Brush option, Spray Brush tool, 178
- 3D center point, 330, 335
- 3D file formats, support for, 23
- 3D lighting effects, 318–319
- 3D Rotation tool, 332–336
- 3D transformations, 329–337
- 3D Translation tool, 336–337
- .tif/.tiff files, 518
- time events, 619–620
- Timeline command, Edit menu, 172
- Timeline window. *See also* Main timeline
 - Controller bar, 68, 93
 - controls in, 95–99
 - docking, 92, 93
 - editing frames and layers in, 99–108
 - expanding and collapsing, 92
 - header for, 95
 - Layer section, 92, 93, 95
 - modifying frames in, 172
 - moving, 93
 - multiple timelines in, 95
 - opening, 92
 - placement of, 85
 - playhead (current frame indicator), 95
 - scrubbing timeline, 95, 201, 377
 - shortcut keys for, 93
 - Timeline/Frames section, 92, 93–94
 - view options for, 108–111
- tint of symbol instance, 206
- Tint property, 445
- TLF (Text Layout Framework). *See also* text
 - ActionScript version requirements for, 264
 - described, 263
 - Flash Player version requirements for, 264
 - languages supported. *See* languages supported
 - multicolumn text, 278
 - right-to-left text, 266–267
- Tools panel
 - color swatches in, 241
 - compared to Main toolbar, 68
 - custom tools, adding, 79–82
 - customizing, 78–79
 - docking, 67
 - hiding, 76
 - Options area, 78
 - resizing, 67, 76
 - tools in, 77
- tooltips, disabling, 76
- `trace()` actions, omitting from movie, 687
- tracing graphics, 344–346, 540–541. *See also* outlines
- tracking for text, 275
- Transform panel, 164–165, 168–170, 326
- Transformation properties, Motion Editor, 394
- transformations
 - axis point for, 327
 - of bitmap fills, 313–318
 - of drawing items, 168–170
 - of gradients, 313–319
 - limiting, 328

- perspective for, 331
 - resetting to original appearance, 325, 326, 335
 - of text, 300
 - in 3D space, 329–337
 - tools for, 325–327, 329
 - transformation point for, 327
 - vanishing point for, 331–332, 333
 - transparency of a color. *See* alpha settings
 - Transparent option, Publish Settings, 698
 - Tree Brush option, Spray Brush tool, 178
 - troubleshooting. *See also* help
 - CD, 789–790
 - combining filters with motion tweens, 438–439
 - font display, 287
 - transparency with bitmap images, 523
 - tween curves, editing, 392–398
 - tween layers, 384–386
 - tweened animation, 100, 359–360, 369–370. *See also* Classic
 - motion tweens; object-based motion tweens;
 - shape tweens
 - 24-bit color, 234
 - 24-bit lossless compression, 537–538
 - type attribute, <embed> tag, 717
 - typography, 264
- ## U
- underscore (`_`) preceding fonts, 285
 - Undo command, Edit menu, 170, 195. *See also* History panel
 - Union command, drawing objects, 347
 - Up button state, 210
 - Update option, Library panel, 193
 - Updater class, Adobe AIR, 763
 - URLLoader instance, 602
 - use case scenarios, 42
 - users
 - expectations of, 17–20
 - identifying, 35–36, 42
 - interface considerations for, 35, 41–46, 659
 - testing with, 45–46
- ## V
- VBR (Variable Bit Rate) MP3 format, 506
 - vector animation, 13. *See also* animation
 - vector graphics
 - compared to bitmap graphics, 513–516
 - converting bitmap graphics to, 344–346, 540–541
 - described, 200
 - importing, 200, 542–549
 - optimizing, 549–554
 - vector-based drawing, 13. *See also* drawing items
 - version control system, 49
 - Versiown utility, 750
 - video assets, 202. *See also* symbols
 - video files
 - alpha channels in, 594–597
 - codec options for, 560–562
 - compressing, 562–569
 - cue points in, 569, 585–594
 - described, 11
 - digital video, 801–810
 - editing, 808
 - embedding into Flash document, 559
 - image quality of, 804–805
 - importing, 569–573, 574–578, 808–810
 - live action footage, 595–597
 - loading at runtime, 558
 - real-time streaming of, 558–559
 - scrubbing, 588
 - sound quality of, 805–806
 - source format of, 802–804
 - subject matter, guidelines for, 806–807
 - Video Import wizard, 569–573
 - video objects, 192
 - video player. *See* Flash Player
 - video resolution, 802–805
 - View menu
 - in Document window, 88–91
 - in Test Movie or Scene window, 677–680
 - Vine Fill option, Spray Brush tool, 177, 179–180
 - Visio (Microsoft), 37
 - volumeBar property, FLVPlayback component, 581
 - VP6 codec, 560–561
- ## W
- waterfall model, 33
 - WAV (Windows Wave) format, 476
 - waveform, 101
 - Web 216 option, Swatches panel, 243
 - Web browsers
 - ExternalInterface API support for, 729
 - Flash Player support for, 744
 - image format consistency across browsers, 535
 - Web services, 28–29
 - Web Services Description Language (WSDL), 28–29

Index

Web site resources

- Amazon associates program, 29
- animation examples and tutorials, 425
- `base` attribute, 714
- Bezier curves, 136
- Bugzilla software, 48
- Camera tab, 749
- color models, 441
- Color Schemer Web site, 239
- color wheel, 444
- Datacolor, 234
- drawing tablets, 127, 130
- Flash CS5 features, 64
- Flash Exchange, 64
- Flash Player auto-update preferences, 746
- Flash Player versions, 721, 722
- `fscommand()` action, 730
- “Interface Design” (Jordan), 48
- Kuler from Adobe Labs, 239
- links to, on CD, 789
- Local Storage tab, 747
- Macromedia FlashPaper, 27
- Mantis software, 48
- microphone settings, 748
- motion presets, custom, 392
- movie size limitations, 94
- Mozilla Firefox browser, 723
- OmniGraffle (Omni Group), 37
- Papervision 3-D framework, 23
- Privacy tab, 746
- stand-alone player utilities, 749–750
- SWF tools, 550
- template previews, custom, 91
- video codec examples, 560
- video resolution, 804
- Video Streaming Service providers, 559
- Visio (Microsoft), 37

Webcam activity event, 602

Web-safe colors, 234–235, 243

white space, in ActionScript code, 607

`width` attribute

- `<embed>` tag, 716
- `<object>` tag, 709

- Window Mode option, Publish Settings, 694
- Window Mode (WMODE) parameter, 23
- Window resize event, 602
- Windows Media (.asf or .wmv) files, 810
- Windows Metafile files, 518
- Windows Wave (WAV) format, 476
- Winkler, Tom (contributor), 791
- .wmf files, 518
- WMODE (Window Mode) parameter, 23
- `wmode` attribute, `<embed>` tag, 716
- `wmode` parameter, `<object>` tag, 713
- .wmv files, 810
- WSDL (Web Services Description Language), 28–29

X

- x-axis, 330, 335
- XFL (XML-based FLA) files, 554
- XML (eXtensible Markup Lanugage)
 - cue points stored as, 563, 585, 586, 590
 - described, 25
 - editing, 58
 - motion presets stored as, 391–392, 437–438
 - publish profiles stored as, 704
- XMP (eXtensible Metadata Platform), 24, 686–687
- XSL (eXtensible Stylesheet Language), 25

Y

- y-axis, 330, 335

Z

- z-axis, 330, 335
- zooming
 - avoiding while shooting video, 807
 - brush size affected by, 127–128
 - character spacing affected by, 276
 - Edit Envelope dialog box, 496
 - gap size affected by, 311
 - line appearance affected by, 141, 309, 321
 - Stage area, 86, 89
 - Test Movie or Scene window, 677