

Index

COPYRIGHTED MATERIAL

A Guide to the Index

The index is arranged hierarchically, in alphabetical order, with symbols preceding the letter A. Most second-level entries and many third-level entries also occur as first-level entries. This is to ensure that users find the information they require however they choose to search for it.

3-D Column charts, 141

A

-a authorization method parameter, rs.config, 465

access control, data source
data source, 177

Access database, importing reports from, 69

Access SQL, 100

accessibility of reports, 478

accessing the Report Manager, 163

Internet Explorer, through, 164
Reporting Services, through, 163

Active Directory authentication, 190

ActiveSubscriptions function, Scheduling and Report History table, 47

Add New Item dialog, Solution Explorer, 103

Add Web Reference dialog

programmatic access to report objects, 322

adding fields, drag-and-drop method, 125

adding/removing options, Reporting Services installation

client components, 16
server components, 16

AddNodeToTree procedure, 217

Administrative table, ReportServer database, 47

administrative tools, installation options, 17, 465
backup and restore, 466

ADO.NET object model, 416

Advanced Textbox Properties dialog, 132

AdventureWorks2000 sample database, 17, 57

Employees table, 134
Product table, 150

aggregate functions, data grouping, 82, 111

ANSI SQL standard, 97

Area charts, 142

assigning a new security policy, PSRS_Manager Application, 255

authentication settings, Reporting Services, 17

authentication, access to data source, 177

authoring interface, Visual Studio .NET, 11

authoring reports, 30

auto hide design element, 70

automated data gathering, 483

automated management of reports, 277

automated server management, 279

B

- backup of Report Server database, 466**
- Bar charts, 77**
- batch running of user-supplied script, 281**
- BCC property, email subscription delivery, 364**
- BeginTransaction function, data processing extensions, 421**
- bi-directional encrypted streaming, 23**
- bookmarks, 132**
- Books Online, online documentation, 17, 87, 501**
- browser compatibility, a design consideration, 70**
- Browser role permissions, 179, 184**
- browser-based report delivery applications, 12**
- Bubble charts, 143**
- building a query with SQL statements, 107**
 - SQL statements, with, 107, 114
 - Project Wizard, with, 59– 60
- built-in security versus SSL, 22**
- Business Intelligence (BI) solutions, 8, 473**
- Business Intelligence Projects, Report Wizard, 56**

C

- cached instances, 35, 47, 349**
- cached reports**
 - cached instance, 349
 - configuring, 353
 - default expiry time, 195
 - expiration time, setting of, 195, 349
 - performance enhancement or Report Server, 195
 - report history, creating, 199
 - snapshot reports compared, 199
 - snapshots, 349
 - types, comparison table of, 349
- caching**
 - cached instances, 35
 - security considerations, 348
 - session cache, 35
 - snapshot, 36
- Cancel method, IDbCommand interface, 430**
- cascading parameters, 106**
 - example using Solution Explorer, 106
- Catalog function, Resources table, 46**

- CatalogItem objects, 216**
- CC property, email subscription delivery, 364**
- central report storage, Report Server, 32**
- certificate authority, 23**
- certificate server, Report Server configured as, 190**
- Chart control, control RDL, 400**
- chart creation, an example**
 - 3-D effects, 148
 - AdventureWorks2000 database, 144
 - Chart Properties dialog, 146
 - gridlines, using, 147
 - preview chart image property, use of, 146
 - scale settings, 147
 - size settings, 147
 - SQL expressions, 144
- Chart Report item, Toolbox tool, 77**
- charts, report type, 19, 139–143**
- ChunkData function, Snapshots and Snapshot History table, 46**
- client components, capabilities, 16**
- client-side processing of parameters, 112**
- Close method, creating data processing extensions, 423**
- clustering, database, 491**
- CodeSmith tool, 402**
- Collaborative Data Objects (CDO), email delivery, 18**
- color definition, Report Wizard, 63**
- Column charts, 77, 141**
- column placement and indentation, 125, 126**
- ColumnHeader Collection Editor, PSRS_Manager Application, 208**
- Command object, data processing extensions, 417**
- command-line options, installation options, 17**
- command-line utilities**
 - rs, 278
 - rsactivate, 278
 - rsconfig, 278
 - rskeymgmt, 278
- CommandText property, Command object, 431**
- CommandTimeout property, Command object, 432**
- CommandType property, Command object, 432**
- Comment property, email subscription delivery, 364**
- CompilerFailed error message, rs utility, 282**
- complex queries using query builder, 103**
- complex reports, 96**

- conditional compilation, 285, 290**
- conditional expressions, 150**
 - example, 150
- ConectionFailed error message, rs utility, 282**
- Configuration function, Administrative table, 47**
- configuration settings, Reporting Services, 17, 458**
 - ReportingServicesService.exe.config file, 464
 - RSReportDesigner.config file, 464
 - RSReportServer.config file, 464
 - RSWebApplication.config file, 464
- configuring cached reports, 353**
- configuring data sources, 175**
- configuring the report parameters, 109**
- Connection object, data processing extensions, 417**
- ConnectionString property, data processing extensions, 423**
- ConnectionTimeout property, data processing extensions, 423**
- ConnectToServer method, RSRS_Manager Application, 213**
- consumer, 456**
 - system requirements, 456
- content manager, 161**
- Content Manager, predefined roles, 183**
- content organization, 493**
- control formats, Format parameter, 316**
- control RDL, 396–400**
 - Chart control, generated by, 400
 - Image control, generated by, 399
 - Line control, generated by, 397
 - List control, generated by, 399
 - Matrix control, generated by, 398
 - Rectangle control, generated by, 397
 - Subreport control, generated by, 400
 - Table control, generated by, 397
 - TextBox control, generated by, 396
- CreateCommand function, data processing extensions, 421**
- CreateDataDrivenSubscriptions method, ReportingService object, 366**
- CreatedBy property, CatalogItem objects, 216**
- CreateElement method, XmlDocument class, 300**
- CreateProperty method, managing item properties, 225**
- CreatePropertyArray method, managing item properties, 225**
- CreateReport method, deploying reports, 297**
- CreateSubscription method, ReportingService object, 366**
 - EvenType argument, 369
 - ExtensionSettings argument, 369
 - MatchData argument, 369
 - Parameters argument, 369
- creating data processing extensions**
 - BeginTransaction function, 421
 - Close method, 423
 - code snippets
 - BeginTransaction function, 421
 - Cancel method, IDbCommand interface, 430
 - Close method, 423
 - CommandText property, Command object, 431
 - CommandTimeout property, Command object, 432
 - CommandType property, Command object, 432
 - ConnectionString property, 423
 - ConnectionTimeout property, 423
 - constructor, for creating objects, 420
 - constructors declaration, 428
 - create a project, 418
 - CreateCommand function, 421
 - CreateParameter function, IDataParameter interface, 433
 - CSVCommand class, creating, 428
 - CSVConnection class, adding, 419
 - CSVParameterCollection class, 426
 - ExecuteReader method, 429
 - FieldCount property, Read method, 438
 - GetFieldType function, 435
 - GetName function, 436
 - GetOrdinal function, 436
 - GetValue function, 436
 - IDataParameter interface, implementing, 424
 - IDataParameterCollection interface, implementing, 427
 - IDbCommand interface, implementing, 429
 - IDbConnetion, implementing, 420
 - IDbDatareader interface, implementing, 434
 - IDisposable interface, implementing, 421

creating data processing extensions (continued)

- Open method, 422
- parameter declarations, 424
- ParameterName property, 425
- Parameters property, IDataParameterCollection interface, 433
- Read method, CSVDataReader class, 437
- Value property, 426
- variables, declaring, 419
- CommandText property, Command object, 431
- CommandTimeout property, Command object, 432
- CommandType property, Command object, 432
- ConnectionString property, 423
- CSVConnection object, 420
- CSVDataProcessing extension, installing, 438
- CSVDataReader object, creating, 434
- CSVParameter class, creating, 424
- GetFieldType function, 435
- GetName function, 436
- GetOrdinal function, 436
- GetValue function, 436
- IDataParameter interface, implementing, 424
- IDataParameterCollection interface, implementing, 427
- IDbConnection interface, implementing, 420
- IDbDataReader interface, implementing, 434
- IDisposable interface, implementing, 421
- Open method, 422
- ParameterName property, 425
- project, creating, 418
- Read method, CSVDataReader class, 437
- variable declarations, 419

creating folders, 171

creating RDL document, 401

- .NET, with, 401

creating schedules, on-demand reports, 196

creating Subreports, 137

CreationDate property, CatalogItem objects, 216

credentials, 193, 463

- configuring, 351
- errors, related to, 504
- see *also* security
- storing, 351

Credentials parameter, Render method, 331

Crystal Reports, 6

CSVCommand class, data processing extensions, 428

CSVDataProcessing extension, installing, 438

CSVDataReader object, creating, 434

CSVParameterCollection class, data processing extensions, 426

Cube browser, SQL Server Analysis services, 100

cube structures, SQL Server Analysis services, 100

custom assembly, custom code, 151

- disabled by default, 153
- RSReportDesigner.config, 154
- RSReportServer.config, 154

custom code, 151

custom extensions, rendering, 41

custom fields, 149

custom rendering extensions, lack of, Reporting Services, 412

custom report parameters, 116

custom reporting extensions,

- configuration files, 21
- data processing, 21
- delivery, 21
- scripting, 22

custom reports design, RDL, 27

CustomReportItem placeholder, RDL, 413

D

data farms, 491

data formats, Format parameter

- CSV, 316
- EXCEL, 316
- XML, 316

data gardens, 491

data gathering, automated, 483

data grouping

- List controls, 80
- matrix reports, 19, 81

Data Link Properties dialog, Report Wizard, 57

data management schematic, 485

data processing extensions

- ADO.NET object model, 416
- Command object, 417

- common functions, 37
- Connection object, 417
- ConnectionString property, 423
- ConnectionTimeout property, 423
- CreateCommand function, 421
- creating, 418
- data providers, .NET-managed, 37
- DataAdapter object, 417
- DataReader object, 417
- objects, normally created, 417
- rendering extensions, 39–41, 348
- Scheduling and Delivery Processor, 41
- data RDL, 392**
- data sorting definition, Report Wizard, 62**
- data source, 95, 174**
 - access control, 177
 - central source, 98
 - configuring shared data source, 175
 - Connection object, ADO, equivalent to, 393
 - connection string, defined as, 100
 - creating, 98
 - embedded within report definition, 175
 - errors, related to, 505
 - moving database to different machine, 175
 - private data source, 175
 - Project Add Template, creating with, 99
 - providers, 96
 - query languages, 100
 - Report Wizard, creating with, 98
 - security, 177
 - shared data source, 175
 - URL access to, 309
- data source object reference, 95**
- data source sharing between reports, 58, 95**
- Data Transformation Service (DTS), 46**
- data warehouse**
 - freezing data, 11
 - integrity of data, 11
 - query expressions, 11
- DataAdapter object, data processing extensions, 417**
- database owner role, 458**
- data-driven subscriptions, 13, 42, 202, 363**
- <DataField> tag, data RDL, 395**
- DataReader object, data processing extensions, 417**
- <DataSets> section, data RDL, 393**
- DataSet versus data set, 97**
- <DataSource> section, data RDL, 392**
- <DataSourceName> tag, data RDL, 393-d**
 - dbname parameter, rs.config, 464
- DataSources function, Resources table, 46**
- debugging installation, 18**
- debugging the user-supplied script, 301**
- decision-support databases, 20**
- Default security, Report Manager, 179**
- default settings, report history, 169**
- defining the report structure, Report Wizard, 62**
- DeleteSubscription method, ReportingService object, 366**
- deleting existing security policy, PSRS_Manager application, 259**
- delivering reports, 31**
- Delivery extensions, 45**
 - custom extensions, 45
 - email report delivery, 45
 - file share report delivery, 45
- delivery extensions, Reporting Services, 412**
- delivery management extensions, Reporting Services, 412**
- deploying reports, 27**
 - errors, related to, 505
- deployment, 443**
 - enterprise level, 451
 - medium scale, 450
 - small scale, 449
 - system requirements, 452
- Deployment folder, 63**
- design categories for reports**
 - charts, 19
 - data sources, 19
 - drill-through reports, 19
 - form reports, 18
 - groupings and drilldowns, 19
 - matrix, 19
 - multiple column reports, 19
 - queries, 19
 - tabular reports, 18

design considerations for reports

- browser compatibility, 70
- extensibility, 69
- mobility, 156
- multiple columns, 89
- report items and data regions, 71

designing a reporting solution, 476

- availability, 478
- manageability, 478
- scalability, 479
- security, 477

Developer edition, SQL Server Reporting Services, 14

DeviceInfo parameter, Render method, 331

Distributed Transaction Coordination (DTC) services, 14

document maps, 130

- limitations of Excel and HTML formats, 130
- selecting levels, 131

document RDL, 390

Donut charts, 78

drill-down design element, 70

drill-down reports, 79, 81, 128

- hiding rows and columns, 128
- interactive design, 128
- managed at the grouping level, 129
- page view of an interactive report, 130

drill-through reports, 19, 79, 132

- example page view, 133
- inter-report linkage, 132
- parameters, passing to target reports, 132

dsp prefix, parameters passing, 314

dsu prefix, parameters passing, 314

DuplicateCommandLineOption error message, rs utility, 282

DuplicateVariable error message, rs utility, 282

E

Edit Expression window, expression builder, 127

EditModeEnum constant, 225

email delivery, configuring, 361

- properties, 364

email, subscription delivery, 361

embedded functions, custom code, 151

Employee table, example table

- creating with Report Wizard, 59

Encoding(out) parameter, Render method, 331

encryption at client-side, security, 22

encryption at Report Server, security, 22

encryption key, 278

encryption key backup, Report Server database, 466

Enterprise edition, SQL Server Reporting Services, 14

error messages, rs utility

- CompilerFailed, 282
- ConnectionFailed, 282
- data access errors, 505
- DuplicateCommandLineOption, 282
- DuplicateVariable, 282
- IndividualAuthorizationMethod, 282
- InvalidCommandLineOption, 282
- InvalidTimeoutValue, 282
- InvalidVariableName, 282
- InvalidVariableSpecification, 282
- MissingOptionValue, 282
- MissingRequiredOption, 282
- MissingSomeAuthorizationValues, 282
- report errors, 506
- ScriptException, 282
- service errors, 504
- subscription errors, 506

Evaluation edition, SQL Server Reporting Services, 14

ExecuteReader method, IDbCommand interface, 429–430

executing reports

- linked reports, 191
- main steps, 192
- on-demand execution, 191
- report parameters, 193

execution information, 48

execution log files, server monitoring, 470

Execution Time, global variable, 149

execution timeout settings, site settings, 169

ExecutionLog function, Administrative table, 47

Executive Information Services (EIS), 9

expanding and collapsing report sections, 128

expiration, cached reports, 349

explicit definitions, interfaces, VB.NET, 415

expression builder tool, 128

expressions used for data filtering, 116, 350

extending Reporting Services, 411

code snippets

 IDisposable interface, 415

 IExtension interface, 414

interfaces, common, 413

missing facilities, 412

opportunities for customization, 413

extensibility of reports

browser compatibility, 70

font type and size, HTML-rendered reports, 70

mobile device support, 71

offline viewing, 70

PDF rendering, 70

extension interfaces, common, 413, 464

F

federating data, 491

File Extensions property, file share subscriptions, 364

File Name property, file share subscriptions, 364

file share push deployment, report delivery, 33

file share subscriptions, 361

 pocket PCs, delivery to, 363

 properties, 364

FillPolicyListView method, PSRS_Manager Application, 248

filtering techniques, data retrieval, 101

 at the database level, 102

 at the report server level, 116

 expressions, 350

 parameterized filters, 350

 performance enhancement, 102

folder structure, Report Server

 adding items to folders, 172

 creating folders, 171

 inheritance of properties, 171

 moving items between folders, 172

 parent role, 171

 permissions, 171

 security considerations, 172

 setting properties, 174

folders, URL access to, 309

fonts definition, Report Wizard, 63

FoodMart2000 OLAP database, 100

form reports, 18

Format parameter, programmatic rendering

 control formats, 316

 data formats, 316

 print formats, 316

 Render method, parameter of, 331

 setting device information, 317

 web formats, 315

formatting of reports, 85

 column placement and indentation, 125, 126

 conditional formatting, 88

 explicit formatting, 86

 headers and footers, 126

 merging columns, 125

 multiple columns, 89

 page breaks, 91–93

 pagination, 90

 paper sizes, 93

GetName function, data processing extensions, 436

GetOrdinal function, data processing extensions, 436

GetReportDefinition method, Reporting Services Web Service, 296

GetReportParameters method

 Credential attribute, 328

 ForRendering attribute, 328

 HistoryID attribute, 328

 ParameterValues attribute, 328

 Report attribute, 328

GetResourceContents value, Command parameter, 315

GetSubscriptionProperties method, ReportingService object, 366

GetValue function, data processing extensions, 436

global variables, 149

Globally Unique Identifier (GUID), 392

grid controls, tabular reports, for, 80

Grouping and Sorting Properties dialog, 123

grouping definition, Report Wizard, 62

grouping of data by data region, 80

grouping of reports, 19

H

headers and footers, 126

hiding rows and columns, 128

History function, Snapshots and SnapshotHistory table, 46

HistoryID parameter, Render method, 331

HTML rendering format, report delivery, 13

HyperText Transfer Protocol (HTTP), 49

I

IDataParameter interface, data processing extensions, 418

IDataParameter interface, implementing, 424

IDataParameterCollection interface, data processing extensions, 418

IDataParameterCollection interface, implementing, 427

standard formatting, 85

forms compared to report body, 71

freezing of data, 11

G

generic editor, Reporting Services, 97

GetDataSourceContents value, Command parameter, 315

GetFieldType function, data processing extensions, 435

IDataReader interface, data processing extensions, 418

IDbCommand interface, data processing extensions, 417

IDbCommand interface, implementing, 429

IDbConnection interface, data processing extensions, 417

IDbDatareader interface, implementing, 434

IDbTransaction interface, data processing extensions, 417

IDisposable interface, Reporting Services, 415

IExtension interface, 414

IExtension interface, data processing extensions, 418

#If...Then...#Else directive, 299

Image control, control RDL, 399

Image Wizard, Toolbox tool, 74

implicit definitions, interfaces, support in C#, 415

importing items, PSRS_Manager Application, 241

importing reports, 68

MS Access, from, 69

RDL, 68

Include Link property, email subscription delivery, 364

Include Report property, email subscription delivery, 364

indexing of data, 484

information worker, 9

installation, Reporting Services, 15, 457

adding/removing options, 16

configuration files, 463

database credential, 461

Distributed Transaction Coordinator, 458

errors, 503

log files, 18

Report Server installation, 462

set-up options, 15

SQL Server instance, 461

SSL, internet exposure, 460

unattended installation, 18

Visual Studio .NET, use of, 458

Integrated Windows Security, 99, 177

intelligent data storage, 5

Intellisense tool, .NET compilers, 285

interactive data gathering, 483

interactive reports, 128

intermediate report format, report delivery, 35, 348

Internet Information Server (IIS), 48, 64

InvalidAuthorizationMethod error message, rs utility, 282

InvalidCommandLineOption error message, rs utility, 282

InvalidTimeoutValue error message, rs utility, 282

InvalidVariableName error message, rs utility, 282

InvalidVariableSpecification error message, rs utility, 282

isolated development, 498

item-level tasks, 181

L

Language support, data sources, 100

Language, global variable, 149

Line charts, 143

Line control, control RDL, 397

Line Report item, Toolbox tool, 73

linked reports, 191, 353

links, 132

List control, data grouping, 80, 399

ListChildren method, 216

ListChildren value, Command parameter, 315

ListRoles method, web service method, 264

ListSchedules method, ReportingService object, 366

ListSubscriptions method, ReportingService object, 366

ListSubscriptions.res, Subscription Manager application, 375

ListSubscriptionsUsingDataSource method, ReportingService object, 366

ListSystemRoles method, web service method, 264

ListSystemTasks method, web service method, 269

ListTasks method, web service method, 269

LoadXml method, XmlDocument class, 299

LocalizeName property, IExtension interface, 414
log files, 502

LogComment method, XmlDocument class, 301

LogError method, XmlDocument class, 300

M

-m computername parameter, rs.config, 464

Main method, user-supplied script, rs utility, 283

Managing encrypted connections, 278

managing reports, 30, 444

reporting solutions, design aspects of, 478

site management, 444

managing subscriptions

ReportingService object, 366

webmethods methods, 366

Matrix control, control RDL, 398

matrix reports, data grouping, 19, 81

matrix, report type, 19

Menu Editor, PSRS_Manger Application, 209

Merge Cells option, Grouping and Sorting

Properties

dialog

merging columns, 125

metadata, 174

method signature, 414

MHTML, browser-based delivery, 12

MimeType(out) parameter, Render method, 331

missing facilities in extensibility, Reporting Services, 412

MissingOptionValue error message, rs utility, 282

MissingRequiredOption error message, rs utility, 282

MissingSomeAuthorizationValues error message, rs utility, 282

mobile devices, report capabilities, 156

ModifiedBy property, CatalogItem objects, 216

ModifiedData property, CatalogItem objects, 216

modular architecture, Reporting Services, 411

monitoring of servers

log files, 470

MS Access, use for report delivery, 13

MS Excel for report delivery, 12

MSReportServer_ConfigurationSetting class, 279

MSReportServerReportManager_ConfigurationSetting class, 280

multi-column reports, 19

Multidimensional expressions (MDX), 100, 487

Multipart Internet Mail Extension (MIME), 400

multiple columns report layout, 89

multiple database servers, 490

multiple datasets, 96

multiple servers, working with, 31

multi-server Reporting Services, 462

multi-table relationships, 134

My Reports folder

locking, 170

managing users' own content, 170

My Reports role compared, 184

revoking access to, 190

My Reports, predefined roles, 184

N

Name property, CatalogItem objects, 216

namespaces

XML, 383

naming rules, XML, 380

need for reporting services, 8

business-to-business, 10

customers, 10

executive leadership, 9

information workers, 9

managers, 9

nesting of tags, XML documents, 381

.NET data providers versus data processing extensions, 416

.NET Framework classes, for RDL documents

creating RDL document, 401

.NET Framework, support for reporting services, 21

IDisposable interface, 415

.NET tool kit, 6

network considerations, security

intranet and extranet, 190

item-level security, 190

My Reports, revoking access to, 190

system-level security, 190

network traffic, reduction in, 101

New data source radio button, Report Wizard, 57

New Subscription button, implementing, 367

Notifications function, Scheduling and Report History table, 47

NotSupportedException exception, 430

NT AUTHORITY\NETWORK SERVICE ACCOUNT, 460

O

object creation, standardizing by interfaces

extension interfaces, common, 414

ODBC processing extension, 38

offline viewing of reports, 70

OLAP reports, 20, 487

OLEDB Provider, data provider, 37

on-demand reports, 194

caching, 195

filtered reports, 195

schedules, 196

snapshot reports, 198

vary-by-parameter behavior, 195

Open method, data processing extensions, 422

Open standards, 48

opportunities for customization, Reporting Services, 413

optimizing reporting time, filtering techniques, 102

Oracle Provider, data provider, 37

organization of reports, 444

overriding report execution timeout settings, 169

P

-p password parameter, rs.config, 465

P/L SQL, 100

page breaks, formatting of reports, 91–93

Page Number, global variable, 149

pagination of reports, 90

paper size consideration, 93

parameterized filters, 350

parameterized stored procedures, 102

ParameterName property, data processing extensions, 425

Parameters dialog, Advanced Textbox Properties dialog, 133

Parameters parameter, Render method, 331

Parameters property, IDataParameterCollection interface, 433

parameters, passing to target reports, drill-through, 132

parameters, URL access to objects

dsp prefix, 314

dsu prefix, 314

prefixes, 313

rc prefix, 313

rs prefix, 313

ParametersUsed(out) parameter, Render method, 331

Parent Security option, 189

parsing of XML documents, 382

Password property, file share subscriptions, 364

- Path property, CatalogItem objects, 216**
- Path property, file share subscriptions, 364**
- pathinfo parameter, URL access to reports, 308**
- performance enhancement with cached reports, 195**
- performance enhancement with query filters, 101**
- Pie charts, 78, 143**
- pivot tables, 81**
- pocket PCs, subscription delivery to, 363**
- Policies function, Security table, 46**
- PolicyUserRole function, Security table, 46**
- populating parameters, 105**
- portability of queries between databases, 97**
- predefined roles**
 - Browser role, 184
 - Content Manager, 183
 - My Reports, 184
 - Publisher, 184
 - System Administrator, 182
 - System User, 183
- predefined roles, access security, 181**
- Principle of least privilege, security, 184**
- print formats, Format parameter**
 - IMAGE, 316
 - PDF, 316
- printing reports, Reporting Services, 93**
- Priority property, email subscription delivery, 364**
- private variables, creating, PSRS_Manager Application, 213**
- processing parameters, server-side versus client-side, 112**
- programmability, report delivery applications, 13**
- programmatically access to report objects**
 - code snippets
 - adding report list to drop-down format, 326
 - custom credentials, security, 323
 - file extension retrieval, MIME type, 340
 - Format class, 332
 - GetParameters click event, 329
 - GetReportParameters method, 328, 329
 - ParameterValue objects, 332
 - populating Format Load event, 323
 - Render method, calling, 333
 - rendering reports, 340
 - report path retrieval, 339
 - ReportingService object, 339
 - ReportItem class, 332
 - response object, writing to, 342
 - retrieving report information, 325
 - retrieving the list of reports, 323
 - setting up the Reporting Services Web Service, 322
 - writing file to the file system, 334
 - Imports statement, VB.NET, 322
 - rendering a report to file system, 330
 - rendering to the Web
 - response object, rendering to, 339
 - Web Service, setting up, 339
 - web.config files, modifying, 338
 - writing file to the file system, 337
 - retrieving report information, 325
 - retrieving all objects, 325
 - retrieving report parameters, 328
 - using statement, C#, 322
- programmatically rendering of reports, 307, 320**
 - ASP.NET page, using, 320
 - common scenarios, 320
 - Windows form, using, 320
 - Windows forms, with
 - building an application interface, 321
 - setting up reference to web service, 321
- Programming Interface tool, 34**
 - full access, 34
 - open architecture, 34
- Project Add Template, creating data source with, 99**
- Project Wizard, creating new projects with**
 - adding security, 58
 - building a query, 59
 - Business Intelligence projects, 56
 - defining the report structure, 62
 - deployment of report, 63
 - Deployment folder, 64
 - Report Manager, 64
 - Report Server catalog database, 64
 - Employee table, example table, 59
 - establishing a data source, 57
 - example report, page view, 68
 - page settings, 65
 - scale units, regional settings, 65
 - see also Project Wizard
 - sharing data source between reports, 58
 - Transact SQL expression, 61
 - validating settings, 58

PSRS_Manager Application, 205

- adding namespaces, 212
- adding/updating folders, 223
- batch and transactions concept, 231
- building the visual interface, 207
 - Button control, 207
 - Label control, 207
 - ListView control, 207
 - MainMenu control, 207
 - TextBox control, 207
 - TreeView control, 207
- code snippets, 212
 - adding folders, 226
 - adding namespaces, 212
 - AddNodeToTree procedure, 217
 - assigning a new policy, 255
 - calling a folder, 233
 - ConnectToServer, establishing connection, 213
 - deleting existing security policy, 259
 - deleting items from folders, 238
 - deleting items from Reporting Services, 238
 - displaying the child items, 221, 222
 - double click event, event handler, 235
 - editing existing items in folders, 234
 - event handler, adding, 212
 - existing security policy, editing, 257
 - folder status check, event handler, 228
 - importing items, 241
 - list new roles, 263
 - policy forms, 244
 - private variables, creating, 213
 - property procedures, adding, 226
 - role assignments, security, 249
 - roles, adding new, 262
 - RSUtilities class, 214
 - security credentials, adding, 219
 - system and individual roles, click event handlers, 265
 - TreeView control, 215
 - UserForm_Load method, 252
- ColumnHeader Collection Editor, 208
- ConnectToServer method, 212
- default namespace, setting, 206
- deleting existing security policy, 259
- deleting items from Reporting Services, 238
- deploying on remote server, 208
- displaying the child items, 221

- existing security policy, editing, 257
- FolderForm.Activated event, 232
- ListRoles method, web services method, 264
- ListSystemRoles method, web services method, 264
- ListSystemTasks method, web service method, 269
- ListTasks method, web service method, 269
- Menu Editor, 209
- menultemFileNewFolder event, 233
- new security policy, adding, 256
- OpenFolder method, 236
- policies, adding, deleting, and editing, 250
- proxy class, 211
- Report definition Files, importing, 240
- roles, adding, deleting, and editing, 266
- RSUtilities class, 214
- security, 244
 - creating a new policy, 255
 - ListView control, showing policies in, 247
 - policies, adding, deleting, and editing, 250
 - policies, roles, and tasks definitions, 244
 - private and public variables, 246
 - role assignments, 249
 - roles, adding, deleting, and editing, 261
 - system/user policies, 253
- security credentials, adding, 219
- SetItemPolicies method, 259
- SetPolicies method, 256
- Solution Explorer, 210
- startup object, setting, 206
- UpdateFolder method, 230
- Web Service, adding a reference to, 210

Publisher, predefined roles, 184

Q

queries

- creating, 97
- hierarchical representation of data, difficulties with, 134
- portability between databases, 97

Query Builder, Project Wizard, 60

Query Designer tool, VS.NET, 31

query editor, Reporting Services, 97

query expression, 95

query expressions, data warehouses, 11

query languages, 487
 query parameters, filtering data with, 102

R

rc prefix, parameters passing, 313
Read method, CSVDataReader class, 437
real-world scenario, need for reporting services, 2
Rectangle control, control RDL, 397
Rectangle Report item, Toolbox tool, 74
recursive data, 134
 Employee Organization chart example, page view, 136
 queries, difficulty in using, 134
 query builder, used for, 134
#Region...#End Region directive, 298
regular expressions, 85
relational data, reporting with, 10, 97
relational databases, 480
Relational Online Analytical processing (ROLAP), 487
Render Format property, email subscription delivery, 364
Render Format property, file share subscriptions, 364
Render method, programmatic rendering, 330
 syntax for calling, 333
Render value, Command parameter, 315
rendering extensions, data processing extensions, 39, 348
 CSV, 40
 custom extensions, 41
 Excel, 39
 HTML, 39
 MHTML, 40
 PDF, 39
 TIFF, 40
 XML, 40
rendering reports
 programmatic rendering, 307
Reply-To property, email subscription delivery, 364
report body, 66
 columns definition, 89
 placing items on, 71

report connection strings, backup and restoration, 17

Report Definition Language (RDL), 16, 26

.NET Framework classes, 401
 CodeSmith, document creation, 402
 control RDL, 396
 creating RDL document, 401
 custom reports design, 27
 CustomReportItem placeholder, 413
 data RDL, 392
 deploying reports, 27
 document RDL, 390
 example of RDL file content, 69
 importing reports, 69
 interoperability of reporting tools, 388
 non-proprietary nature, 402
 open standards as base, 379
 report design without VS.NET, 27
 Report Designer objects, 68
 third-party design tool, 27
 XML, 379
 XML document, 50
 XML vocabulary, 388

report delivery, 12

basic architecture, 348
 caching, 347
 programmability, 13
 Report Server, feature of, 33
 scheduling feature of Report Server, 33
 subscription, by, 13

report delivery application types, 12

MS Office applications, 12
 programmability, 13
 web browser, 12

Report Designer classes, lack of customization, support for, 413

Report Designer, 32, 445

designer environmet, 1
 Fields option, 65
 page settings, 65– 66
 page view of the tool, 65
 RDL file, 50
 Server Explorer feature, 65
 Solution Explorer feature, 65
 system requirements, 457

Report Designer (continued)

Tool Box feature, 65

Visual Studio .NET, incorporated into, 50

VS.NET IDE, component of, 65

report execution logs, 18

Report Folder, global variable, 149

report formats

CSV, 13

HTML rendering format, 13

multiple formats, support for, 35

XML, 13

report functionality

aggregation of data, 82

formatting, 85

grouping, 80

subtotals, 82

report history, creating, 199

report information, passing of, URL access to objects, 318

name-value combination, passing values by, 319

report parameters, 318

no need for prefixes, 318

snapshot history, rendering of, 319

report logging, 169

report management, automating

rs utility, 280

user-supplied scripts, 280

Report Manager, 23, 161, 444

accessing the interface

Internet Explorer, through, 164

Reporting Services, through, 163

basic architecture, 162

configuring shared data source, 175

creating a schedule for report execution, 196

custom version, 162

data source security, 177

graphical user interface, 162

interface features, 163

breadcrumb trail tool, 166

Detail view, 167

global toolbar, 167

Help link, 168

navigating, 165

search function, folders and reports, 168

tabs and options toolbar, 166

item-level tasks, 181

managing subscriptions, 365

network considerations, security, 190

on-demand reports, 194

predefined roles, 181

report history, creating, 199

security, 178

Everyone group, 178

item-level, 179

role-based, 179

system-level, 179

system-level tasks, 181

users and permissions, 178

viewing reports, 191

Report Manager web applications settings, 21

Report Name, global variable, 149

Report parameter, Render method, 331

report parameters, 103

automatically generated, 103

cascading parameters, 106

datasets, relationship with, 105

example, creating parameters, 105

query parameters, 103, 105

selecting from data source, 105

setting values dynamically, 103

Report Parameters dialog, Solution Explorer, 103

report parameters, filtering techniques, 101

Report Processor features

caching, 35

report definition, 35

request handling, 35

Report Project Wizard template, Report Wizard, 56

report scripting, 277

Report Server, 446

central report storage, 32

certificate server, configured as, 190

delivery scheduling feature, 33

folder structure, 171

installation, 452

performance enhancement, caching on-demand reports, 195

report delivery feature, 33

Report Processor, 34

Report Server items, 180

security, 32, 467

- security administration, 468
- settings, 21
- system requirements, 452
- Report Server database, 161, 348, 446**
 - backup, 466
 - custom extensions, 46
 - encryption key backup, 466
 - ReportServer database, 46
 - ReportServerTempDB database, 46–47
 - viewing execution information, 48
- Report Server settings, 21**
- Report Server URL, global variable, 149**
- report snapshots, creating, 41**
- report subscriptions, 200**
 - automatic scheduling and rendering of reports, 200
 - standard subscriptions, 202
- report types, 8**
- Report Viewer, 307**
- Report Wizard**
 - AdventureWorks2000 sample database, 57
 - creating a new project, 56
 - defining the report structure, 62
 - establishing a data source, 57, 98
 - Data Link Properties dialog, 57
 - New Data source radio button, 57
- Report Wizard Project template, client component installation, 16**
- Report Wizard, Visual Studio .NET, 20, 24**
- reporting lifecycle, 30**
- reporting services (general)**
 - basic architecture, 8
 - challenges, existing solutions, 6
 - data import, regular, 10
 - hurdles in development, 6
 - mobile devices, accessibility over, 7
 - need, 4, 8
 - report lifecycle, 11
 - security, 22
 - web, impact of, 7
- Reporting Services (the MS tool)**
 - .NET-based, 7
 - .NET Framework requirement, 454
 - architecture, 443
 - capabilities, 2, 7
 - clients, 445
 - command-line utilities, 277
 - components, schematic diagram for, 448
 - custom rendering extensions, lack of customization support for, 412
 - customization, 411
 - data processing extensions, 411
 - delivery extensions, 412
 - delivery management extensions, 412
 - designing reports, 18
 - editions, 14
 - email delivery, 18
 - encryption, built-in support, 22
 - extensibility, 411
 - missing facilities, 412
 - extension interfaces, common, 413
 - features, 29
 - formatting mechanics, 85
 - generic editor, 97
 - IDisposable interface, 415
 - installation, 15, 457
 - interfaces, 444
 - license requirement, 454
 - modular architecture, 411
 - monitoring of servers, 469
 - online documentation, 17
 - opportunities for customization, 413
 - printing considerations, 93
 - query editor, 97
 - rendering extensions, available, 412
 - rendering reports, 307
 - Report Designer classes, lack of customization support, 413
 - Report Manager tool, 50
 - Report Server command-line utility, 51
 - Report Viewer, 307
 - scaling up, 462
 - security extensions, lack of, 412
 - SetConfiguration method, 414
 - system requirements, 13
 - troubleshooting, 501
- Reporting Services Web Service, 48, 280, 446**
 - available features, 49
 - errors, related to, 504
 - IIS, 48
 - open programming interface, 48
 - programmatic rendering of reports, used for, 307, 321

reporting solutions

- availability of data, 478
- content organization, 493
- data consolidation, 483
- decision-support strategies, 485
- design considerations, 476
- development environment, 498
- examples, 494
- indexing strategies, 484
- information gathering, 483
- requirements, defining, 474
 - existing and future states of business, 475
 - goals and direction, 475
 - lost opportunities, 474
 - performance gaps, 474
- security considerations, 477
- system environments, 491
- transactional data, 480
- UDDI, use of, 479
- reporting solutions security, schematic of, 477**
- ReportingService object, 366**
- ReportingServices constructor, 292**
- ReportingServicesService.exe.config, configuration files, 22**
- ReportParameters item, Report Wizard, 103**
- ReportSchedule function, Scheduling and Report History table, 47**
- ReportServer database, 447**
 - Administrative table, 47
 - Resources table, 46
 - Scheduling and Report History table, 47
 - Security table, 46
 - Snapshots and Snapshots History table, 46
- ReportServer_<timestamp>.log, 470**
- ReportServerServices_<timestamp>.log, 470**
- ReportServerTempDB database, 46, 47, 348, 447**
- ReportServerWebApp_<timestamp>.log, 470**
- report-specific schedules, on-demand reports, 196**
- ResetSessionTimeout value, Command parameter, 315**
- Resources table, ReportServer database, 46**
- resources, URL access to, 311**
- role definition**
 - creating, 185
 - role assignments, creating, 187
 - role assignments, understanding, 186
 - word of caution, 186
- role definitions, security of Report Server, 33**
- role-based security model, 22, 179**
- row selector handles, 129**
- rs command, command-line installation options, 17**
- rs prefix, parameters passing, 313**
 - Command parameter, 314
 - Format parameter, 314
 - Snapshot parameter, 314
- rs proxy, 280**
- rs utility, 464**
 - arguments not case sensitive, 281
 - error messages, 282
 - operating mechanism, 280
 - report management, automating, 280
 - syntax, 281
 - user authentication, 281
- rs, command-line utility, 278**
- RS.EXE, command-line utility, 51**
- rsAccessDenied error message, 505**
- rsActivate command, command-line installation options, 17**
- rsactivate, command-line utility, 278**
- rsCannotActivateSubscription error message, 506**
- rsCannotSubscribeToEvent error message, 506**
- rsConfig command, command-line installation options, 17**
- rsconfig, command-line utility, 278**
- rsDataSourceDisabled error message, 505**
- rsDataSourceNotFound error message, 505**
- rsDeliveryExtensionNotFound error message, 506, 507**
- rsInternalError error message, 505**
- rsInvalidDataSourceCredentialSetting error message, 505**
- rsInvalidDataSourceReference error message, 505**
- rsInvalidReportLink error message, 506**
- rsInvalidReportServerDatabase error message, 505**
- rsInvalidSearchOperator error message, 506**
- rsJobWasCanceled error message, 507**
- rsKeyMgmt command, command-line installation options, 17**
- rskeymgmt, command-line utility, 278**
 - error detection, 503
- rsParameterTypeMismatch error message, 506**
- rsReadOnlyReportParameter error message, 506**

RSReportDesigner.config, configuration files, 22
rsReportHistoryNotFound error message, 506
rsReportMayNotBeScheduled error message, 506
rsReportNotReady error message, 506
rsReportParameterValueNotSet error message, 506
RSReportServer.config file, 18, 23
RSReportServer.config, configuration files, 21
rsReportServerDatabaseLogonFailed error message, 504
rsReportServerDisabled error message, 504
rsReportServerNotActivated error message, 504
rsReportTimeoutExpired error message, 506
rsReportTypeMismatch error message, 506
rsScheduleAlreadyExists error message, 507
rsScheduleNotFound error message, 507
rsScheduleNotResponding error message, 507
rsSecureConnectionRequired error message, 505
rsServerBusy error message, 505
rsServerConfigurationError error message, 505
rsSubscriptionNotFound error message, 507
rsTaskNotFound error message, 507
rsUnknownReportParameter error message, 506
RSUtilities class, PSRS_Manager Application, 214
RSWebApplication.config, configuration files, 21
 running a report, 192
RunningJobs function, Scheduling and Report History table, 47

S

-s servername parameter, **rs.config**, 464
 scale units, regional settings for reports, 65
Scatter chart, 140
Schedule function, Scheduling and Report History table, 47
Schedule Task Wizard, 302
schedule-triggered subscriptions, 359
Scheduling and Delivery processor
 data-driven subscriptions, 42
 delivery, 42
 schedule-based events, 42
 scheduling, 41

 snapshot update events, 43
 standard subscriptions, 42
Scheduling and Delivery Processor, 41
Scheduling and Report History table,
 ReportServer database, 47
scheduling reports
 schedule-triggered subscriptions, 359
 snapshot-triggered subscriptions, 358
scheduling the user-supplied script, 302
schemas, XML, 384
script development, 285
 accessing server items through VS.NET, 291
 debugging, 301
 deploying reports, 297
 CreateReport method, 297
 error logging, 298
 warning messages, 297
 logging events, 298
 #Region...#End Region directive, 298
 GetLogFile function, 298
 Main method, accessing server items, 291
 building message content, 294
 creating the proxy instance, 291
 passing variables, 293
 retrieving items, 293
 managing subscriptions, 375
 retrieving reports, 295
 items, retrieving, 295
 report definitions retrieval, 296
 running the script, 301
 #if...Then...#Else directive, 299
 opening files, 298
 writing XML notes, 299
 scheduling the script, 302
 VB.NET, used for, 285
 VS.NET development environment, 285
 adding Imports statements, 287
 adding references, Solution Explorer, 288
 conditional compilation, using, 290
 creating console project, 285
ScriptException error message, **rs** utility, 282
search function, folders and reports, 168
securable object, security of Report Server, 33

security

- .NET authentication, Internet security, 190
- batch and transactions concept, 231
- content management role definitions, 180
- credentials, 193
- credentials, changing programmatically, 279, 323
- data source used for security, 95
- data source, of, 99
- default security in Report Manager, 179
- hardcoding credentials versus runtime authentication, 281
- IIS authentication, Internet security, 190
- item administration, Report Server, 468
- item-level, 190
- managing encrypted connections, 278
- network considerations, 190
- new projects, adding to, 58
- Parent Security option, 189
- predefined roles, 181
- principle of least privilege, 184
- programmatic rendering for custom security, 320
- PSRS_Manager Application, 219
- Report Manager, access to, 165
- Report Server, 32, 46, 467
- reporting solutions, of, 477
- role creations, caution, 185
- site administration, Report Server, 467
- symmetric encryption, 278
- system-level, 190
- security extensions, lack of, Reporting Services, 412**
- security policies, adding, deleting, and editing, PSRS_Manager Application, 250**
- security roles, adding, deleting, and editing, PSRS_Manager Application, 261**
- Security table, ReportServer database, 46**
- Server Explorer tool, VS.NET, 31**
 - creating stored procedures, 112
- server management, Reporting Services, 17**
- server parameter, URL access to reports, 308**
- server-side processing of parameters, 112**
- session cache, 35**
- SetConfiguration method, Reporting Services, 414**
- SetDataDrivenSubscriptionProperties method, ReportingService object, 366**
- SetPolicies method, security policies, 256**
- SetProperty method, 225**
- SetSubscriptionProperties method, ReportingService object, 366**
- setting up the Reporting Services Web Service, 322**
- shared data sources, 98**
 - configuring, 175
- shared data source, in example, 106**
- shared schedules, on-demand reports, 196**
- shared versus report-specific schedules, 197**
- shared versus separate data source, 58**
- ShowHideToggle parameter, Render method, 331**
- Simple Mail Transfer Protocol (SMTP), email delivery, 18**
- Simple Object Access Protocol (SOAP), 49**
- Site settings, Report Manager interface, 168**
 - default settings, report history, 169
 - execution timeout settings, 169
 - My Reports folder, 170
 - report logs, 169
- Size property, CatalogItem objects, 216**
- snapshot reports, 198**
- SnapshotData function, Snapshots and Snapshot History table, 46**
- snapshots, 36, 47**
 - history, 349
 - not interactive, 349
 - rendered reports, static copy of, 349
- Snapshots and Snapshots History table, ReportServer database, 46**
- snapshot-triggered subscriptions, 358**
- Solution Explorer**
 - Add Reference dialog, 288
 - Add Web Reference dialog, 288
 - new projects creation, 103
 - Imports statements, adding, 287
 - References, adding, 288
 - programmatic access to report objects, 321
 - PSRS_Manager Application, used for, 210
 - script development, 286
 - see also Project Wizard
- SQL Agent, system requirements for SQL Server Reporting Services, 14**

SQL Server 2000, system requirements for SQL Server Reporting Services, 14

SQL Server Agent, 41

SQL Server Analysis Services, 11, 487

SQL Server data types, 85

SQL Server Provider, data provider, 37

SQL Server security, data source creation, 99

SQL Server tables, caution against modifying, 48

stacked Column charts, 142

Standard edition, SQL Server Reporting Services, 14

Standard Generalized Markup Language (SGML), 380

standard samples, Reporting Services, 17

standard subscriptions, 202

Stock chart, 140

stored procedures for processing parameters, 112

storing credentials, 351

- encrypted form, 351
- shared data sources, 351

StreamIds(out) parameter, Render method, 331

StringBuilder class, 294

Structured Query language (SQL), 97

style definition, Report Wizard, 62

Subject property, email subscription delivery, 364

Subreport control, control RDL, 400

Subreport Report item, Toolbox tool, 76

Subreports, 137

- linking to main reports, 137

subscription delivery, 12, 22, 41

- file share subscriptions, 361
- managing subscriptions, 365
- schedule-triggered, 359
- snapshot-triggered, 358

Subscription Manager application, managing subscriptions, 375

Subscriptions function, Scheduling and Report History table, 47

subscriptions, report delivery, 13, 357

- errors, related to, 506
- snapshot-triggered, 358

symmetric encryption, 278

System Administrator role permissions, 179

System Administrator, predefined roles, 182

System namespace, user-supplied script, 283

system requirements, Reporting Services

- .NET Framework requirement, 452
- consumer of report, requirements for, 456
- Report Designer, 457
- Report Server, 452

system requirements, SQL Server Reporting Services, 13

System User, predefined roles, 183

System.Collections namespace, CSVParameterCollection class, 426

System.IO namespace, user-supplied script, 284

System.Web.Services namespace, user-supplied script, 284

System.XML namespace, user-supplied script, 284

system-level tasks, 181

T

Table control, control RDL, 397

table data region, 121

tabular reports, 18, 80

- grouping by data regions, 80

temporary copies of reports, 194

TextBox control, control RDL, 396

Textbox Report item, Toolbox tool, 72

To property, email subscription delivery, 364

Toolbox design tool

- Chart Report item, 77
- Image Report item, 74
- Line Report item, 73
- page view, 71
- Subreport Report item, 76
- Textbox Report item, 72

Total Pages, global variable, 149

tracing settings, 22

Transact SQL expression, Query Builder, 61, 100

Transact SQL identifiers, queries, 102

transactional databases, 10, 480

TreeView control, PSRS_Manger Application, 215

- AddNodeToTree procedure, 217
- GetServerFolders procedure, clearing nodes, 216
- ListChildren method, 216

TreeView control, PSRS_Manger Application

- CatalogItem object, 216

troubleshooting

resources available, 501

twinkling data, 11

U

-u [domain\] username parameter, rs.config, 465

UDDI, 479

unattended installation, Reporting Services, 18

URL access to reports, 307

access to Reporting Services items, 308

parameters, passing, 313

syntax, 308

pathinfo parameter, 308

server parameter, 308

virtualroot parameter, 308

Use Credentials property, file share subscriptions, 364

User ID, global variable, 149

User Name property, file share subscriptions, 364

user session information storage, Report-ServerTempDB database, 47

Users function, Security table, 46

user-supplied script, automated report management, 280

available namespaces, .NET Framework class library, 283

batch, running as, 281

hardcoding credentials versus runtime authentication, 281

script development, 283, 285

V

validating data, 483

viewing reports, 191

virtualroot parameter, URL access to reports, 308

Visual Basic, use for report delivery, 12

visual design controls, control RDL

control RDL, 396

Visual Source Safe (VSS) development environment, 499

Visual Source Safe tool, VS.NET, 32

Visual Studio .NET, 20, 49

design/build environment for reports, as, 20, 31

Query Designer tool, 31

Report Designer tool, 32

Server Explorer tool, 31

Visual Source Safe tool, 32

installation of Reporting Services, use in, 458

Report Wizard, 20, 56

user-supplied script development, rs utility, 283

XML documents, creating with, 384

VRML, Line Report item, 73

W

Warnings(out) parameter, Render method, 331

web formats, Format parameter

HTML 3.2, 315

HTML 4.0, 315

MHTML, 316

web-based management, Report Manager, 23

programmatic interface, 26

URL access to reports, 26

webmethods methods, 366

code snippets

Add Subscription event, full listing, 373

click event, New Subscription button, 370

creating subscription, 372

ExtensionSettings object, 371

New Subscription button, implementing, 367

Schedule combobox, 370

web services proxy class, 367

managing subscriptions, programmatic methods for, 366

well formed XML documents, 382

Windows forms, used for programmatic rendering

see Reporting Services Web Service, 321

Windows Integrated Security, 353

Windows Management Instrumentation (WMI), 278

server management interface, 279

Windows Server 2003 Application Server, 454

Windows Server 2003, Datacenter edition, 491

Windows users and groups, security of Report Server, 33

Write Mode property, file share subscriptions, 364

X

XML, 380

RDL, role in, 379

XML attributes, 381**XML documents**

attributes, 381

constitution, 382

elements, 380

flexibility of schemas, 384

naming rules, 380

nesting of tags, 381

syntactical features, 380

Visual Studio .NET, creating with, 384

well formed documents, 382

XML element, 380**XML namespaces, 383****XML schemas, 384****XML View, Visual Studio .NET, 390****XML vocabulary, 387****XmlDocument class, 298****xs prefix, XML tags, 386**

