

Index

- access 4, 6, 11, 18, 20, 44, 49, 56, 74, 78, 80, 115, 145, 147, 158, 162, 233, 269
- access architecture 19, 21, 58, 63, 143, 208, 291, 293
- access network 4, 56, 74, 147, 288
- access node 40, 41, 58, 59, 66, 91, 121, 149, 206, 208
- access technologies 1, 2, 4, 6, 8, 10, 12, 14–16, 18, 50, 51, 53, 57, 62, 63, 91, 92, 148, 157, 158, 181, 190, 237–239, 249, 277, 280, 296
- Active Optical Networks (AON) 72, 158, 95
- ADSL 4, 5, 50, 53, 63, 65, 67, 79–88, 90, 93, 105, 153, 194, 199, 201, 203, 205, 237–239, 241, 245, 248, 250, 272, 275, 279–282, 286, 287
- Aggregation Node (AGN) 150, 160
- APD 213
- APON 128, 172, 192, 193, 200, 241, 243, 291
- architectures 19, 41, 53, 58, 63, 83, 96, 106, 126, 133, 142, 161, 193, 201, 205, 206, 208, 210, 217, 218, 221, 241, 271, 291, 293, 294, 299
- Asymmetrical Passive Optical Networks 165
- ATM 3, 20, 22–24, 39, 59, 73, 78, 81, 83, 84, 88–90, 96, 123, 124, 126, 127, 169–172, 174, 175, 177–179, 192, 210, 213, 214, 236, 244, 271
- Authentication Administration and Accounting (AAA), 141
- AWG 97–100, 106, 107, 292–295
- Bend-insensitive Indoor Optical Fiber Cables 10
- Bend-resistant Fiber Cord 11
- BLES 178
- BLOG (Blog) 126, 277, 286, 288, 293
- B-ONT 35
- B-PON 10, 16, 20–25, 27, 28, 30, 34, 38, 39, 41, 87–90, 168, 169, 171–175, 177–183, 185, 187, 188, 193–197, 211–213, 215, 271
- broadband 4, 12, 21, 44, 45, 78, 89, 177, 180, 181, 269, 285
- Broadband Access 12, 44–46, 50, 52, 59–61, 63, 64, 67, 70, 71, 73, 75, 77, 79, 81, 83–87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 143, 146, 161, 181, 200, 237–239, 250, 271–273, 275, 276, 279–282, 284–286, 288, 289, 291, 296, 297, 299, 300
- broadband penetration 45, 49, 51, 67, 236, 285
- Burst Transmission Technology 8
- cable 2–4, 10, 11, 29, 32, 47, 49–51, 57–60, 65–67, 70, 71, 79–82, 85, 94–96, 116, 117, 126, 127, 141, 143, 146, 148, 151, 154, 159, 160, 180–182, 184–186, 194, 197, 201, 205, 212, 217, 218, 220, 223–225, 227, 228, 230–234, 238, 242, 245–249, 251, 272–286, 288, 290, 298
- Cable Modem 49, 67, 79–81, 85, 94–96, 116, 154, 201, 205, 224, 227, 228, 230, 238, 272, 274–276, 281–284, 288, 298
- Cable MSO (multi-system operators) 269
- Cable TV 47, 49, 65, 85, 127, 180, 181, 194, 217, 218, 220, 223, 227, 231–234, 238, 272–275, 277–281, 283, 284, 286, 298
- CableLabs 229, 274, 284, 298, 299
- Capital expenses (CAPEX) 148
- CATV 3, 4, 27, 29, 79, 94, 105, 181, 238–242, 244–251, 273, 288, 298
- Central Office (CO) 21, 80, 96, 147, 161, 237

- CMTS 96, 223–225
 CO (Central Office) 275
 Coarse WDM architecture 291
 Code-Division-Multiple Access (CDMA) 13
 communication operator 55, 56, 63–66, 95
 CPE (customer premises equipment) 57, 171
 CT/RT System 3
 Curled Cable 10, 11
 Customer Premises Equipment (CPE) 172
 CWDM 10, 13, 161, 163, 291, 295, 296
- DFB 97, 172, 258
 Digital Subscriber Line (DSL) 141, 147, 169
 Dispersion 118, 188, 193, 255–264, 268
 DLNA 291, 299
 DOCSIS 271, 281
 DSL 23, 39, 49–51, 57, 59, 63, 65, 67, 79, 81, 83, 84, 94, 115, 116, 128, 141, 143, 147, 154, 157, 169, 170, 174, 181, 182, 191, 198, 200, 210, 212, 220, 230, 232, 233, 237, 245, 275, 276, 282–284, 287, 288, 291
 DWDM 106, 285, 291, 295, 299
 Dynamic Bandwidth Allocation (DBA) 244
- EDFA 97, 175, 193, 225, 274, 285
 e-governance 60, 61
 e-Japan 276
 Encryption Technology 7
 EPON 7, 53, 57, 58, 63, 241–248, 291
 Error vector magnitude 261
 Ethernet 23, 33, 56, 58, 84, 85, 131, 179
- fiber dispersion, multi-mode fiber 2
 fiber dispersion, single-mode fiber 2, 117, 135, 169, 174
 Fiber in the Home 290
 Fiber in the Loop 41, 70
 fiber LAN 124
 fiber optics 46, 48, 65
 Fiber to the Building 283
 Fiber to the Curb or Cabinet 69, 80, 176
 Fiber to the Home 16, 18, 70, 91, 105, 138, 188, 272
 Fiber to the Node or Neighborhood 18, 38, 269
 Fiber to the Premises 35, 188
 Fiber to the x 170
 FITH 290, 291, 297
 FITL 70, 71, 88
 Fixed Wireless Access (FWA) 49, 157
- Fixed-Mobile Convergence (FMC) 143, 144
 Footprint 28, 30, 115, 128, 162, 164, 165
 FP 97–100
 FSAN 16, 18, 21, 24, 25, 124, 125, 129, 169–172, 193, 195, 196, 271, 276, 280, 291, 298
 FTTB 46, 63, 238, 271, 280, 283, 285–287, 299
 FTTC 46, 70, 73, 81, 90, 91, 97, 106, 177, 238, 271, 273, 282, 283, 299
 FTTH 1, 3–5, 7, 10, 12, 18–21, 25, 27, 28, 30, 32–41, 44–47, 49–53, 57–67, 70, 90, 91, 96, 104, 105, 118–120, 140, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165–172, 188, 190, 191, 193, 197, 199, 200, 217–234, 236, 237, 239–252, 270–273, 275–284, 286–291, 297, 299
 FTTN 19, 21, 39–41, 46, 271, 272, 277, 282–284
 FTTP 16, 34, 35, 46, 181, 184, 234, 243, 247, 272, 273, 276, 298
 FTTR 285, 288
 FTTx 19, 20, 49, 51, 57, 70, 140, 147, 161, 163, 165, 166, 237, 238, 280, 298
 FWA System 11
- GEM 23, 24, 214
 GE-PON System 7, 10, 15
 Gigabit Ethernet (GbE) 20, 38
 Global Internet 270
 G-PON 20, 21, 23–25, 42, 193, 196, 197, 213, 214, 271
- Harmonics 161, 162, 257, 258, 260, 262, 264
 HD DVD 296
 HDTV 39, 41, 60, 91, 101, 104, 143, 196, 218, 233, 239, 251, 275, 277, 281, 283, 284, 286, 288, 290, 296, 297
 HE 54, 56, 145, 184, 230, 240, 273–275, 289
 Headend 20, 26, 29, 32, 103, 217–219, 222–227, 232, 234, 256, 258, 259, 273, 279
 HFC (hybrid fiber-coax) 119, 216
 High-Definition Television (HDTV) 143
 High-Speed Technologies 139
 Hole-Assisted Fiber 14–16
- IEEE 802.11a 254
 IEEE 802.11b 86, 254
 IEEE 802.11g 254
 IEEE 802.16 265, 300

- impact on optical frequency multiplying system 260
- impact on RF IM/DD system 260, 261
- in-building networks 266
- Indoor Wiring 10
- injection locking, laser diode 96, 255
- Integrated Services Digital Networks (ISDN) 3
- Internet 2, 5, 13, 15, 19, 38, 44, 46, 47, 50, 52, 59–61, 66, 67, 78, 79, 81–84, 86, 87, 90–94, 101, 103, 106, 116, 119, 127, 128, 130, 142, 143, 165, 169, 180, 197, 198, 200–203, 205, 228, 232, 233, 236–242, 244, 245, 248–251, 270–273, 275–284, 286–289, 291, 296, 297, 299
- Internet service provider (ISP) 47
- IPTV 21, 40–42, 59, 60, 65, 213, 214, 217, 230, 231, 233, 242, 244, 249, 276, 277, 279–287, 296–300
- ISP 47, 64, 66, 238, 239, 281, 289

- laser diode linewidth 257, 255, 262
- last mile first mile 18, 56, 62, 131, 119, 139, 147–149, 156, 160, 223, 237
- local loop 64 87
- loss uniformity 26

- Mach Zehnder modulator 255
- metro networks 206
- modulation formats 260
- Multimedia services 84, 91, 271
- Multi-mode Fiber 2, 118
- muni net 45–48, 53, 55–59, 66, 67
- municipal network 44, 58, 66, 113, 122, 137
- MUSE 53, 68, 140, 147, 157, 161–163, 166, 269

- NCTA 274, 298
- Network installation 55

- ODN 20, 26, 88, 170, 171, 193, 194, 212, 247
- OLT 8, 20, 22, 24–26, 30, 38, 81, 88, 89, 97, 101–103, 119, 134, 135, 161, 170, 171, 173–175, 178, 185, 188, 194, 196, 197, 207, 212, 219, 223, 225–228, 245, 247, 276, 292, 294
- OMCI 22–24, 41, 171, 173, 212, 214
- ONT 22, 24–26, 30–32, 34–38, 40–42, 88, 89, 97, 100–104, 170, 171, 173, 174, 176–182, 185, 194, 196, 212, 214, 223, 226, 227, 276
- open networks 44–46, 54, 55, 57, 66
- Operational expenses (OPEX) 148

- operator neutral 45, 46, 65, 66
- optical access 1–4, 6–10, 12, 14–16, 21, 22, 41, 96, 106, 159, 161, 163, 166, 173, 181, 182, 184, 191, 193, 195, 206, 208, 210, 212, 214, 238, 270, 272, 278, 291, 293, 297, 298
- Optical Access Installation 10, 12, 14
- Optical Access systems 6, 12
- Optical Add/Drop Multiplexer (OADM) 293
- Optical Drop Cables 10
- optical network architectures 190
- Outside Plant 27, 31, 32, 95, 109, 117, 119–121, 133–135, 147–152, 154, 155, 157, 158, 163, 176, 184, 295

- P2P Ethernet 45, 51, 53, 57–59, 63, 67, 161, 271, 272
- Parallel Optical Transceiver Arrays 164
- Passive Double Star (PDS) 3
- Passive Optical Network (PON) 17, 19, 21, 160, 211
- Personal Area Networks (PAN) 140
- personal network 143, 146, 254
- PIN 213
- Platforms 19, 145, 174, 200, 220, 273, 275, 279, 287
- PLC 16, 27, 28, 49, 98, 239
- Point-to-Point (P2P) 44, 140
- polymer optical fiber 288, 290, 291
- PON 7–10, 14–16, 18–35, 38, 39, 41, 42, 45, 57, 58, 62, 65, 68, 73, 87–91, 94, 96, 97, 99–106, 118, 119, 121, 124, 126, 133–135, 153, 155, 157, 158, 160–166, 168–188, 191–197, 206, 207, 211–215, 219, 226, 243, 244, 247, 271, 272, 280, 282, 283, 291–296, 298–300
- POTS 22, 34, 35, 38, 72, 73, 78, 79, 90, 94, 101, 102, 104, 176, 200, 221, 223, 227, 242, 244, 245, 247, 272
- Power consumption 73, 164, 168, 186, 187, 207, 244
- Priority Control 9, 247

- Quality of Service (QoS) 26, 40, 53, 142, 221, 229

- radio access point 254, 256, 258, 265, 267, 268
- radio capacity, dynamic allocation of -, 264
- radio over fibre, 252–254, 262, 263, 265
- Raman 188, 223, 232
- RBOC 268, 274
- reflection 29, 31–33, 99
- Remote Node (RN) 21, 96
- residential area network 45, 47, 55, 58, 65, 66

- Residential Gateway 40, 52, 142, 145, 147, 148, 267
- SC/APC 32, 33, 38
- SCTE 180, 224, 226, 274, 298
- SDV 19, 21, 39, 78, 282
- Single-mode Fiber 2, 297, 298
- Small Formfactor Plugable transceivers (SFP)
164
- splitters 26–30, 32, 33, 38, 57, 58, 118, 159, 163,
164, 170, 171, 175, 185, 186, 192, 196, 207,
209
- Subcarrier Multiplexing (SCM) 95, 161
- Sub-Carrier Multiplexing PDS (SCM-PDS) 3
- Subscriber Optical Transmission Systems 2
- Synchronous Transfer Mode PDS (STM-PDS) 3
- Techno-economic Analysis 148, 149
- technoeconomics 149
- Terabit Access Routers 164
- testbed 53, 67
- Time-Division-Multiplexing (TDM) 87, 167
- Topologies 73, 125, 133, 142, 145, 149–151,
159–161
- transceiver 13, 16, 96, 104, 153, 223, 227, 239,
266
- triple-play 19, 39, 42, 44, 52, 59, 60, 63, 65, 67,
95, 104, 105, 173, 174, 176, 240, 242, 245,
247, 248, 250, 251, 283, 284
- VDSL 19, 21, 35, 38–40, 79, 81, 83–87, 91, 93,
95, 96, 147, 157, 191, 199, 200, 203, 211,
237, 272, 275, 280, 282, 284–287
- vertical integration 44, 45, 54–57, 63, 66
- Video on Demand (VoD) 90, 143, 279
- video overlay 29, 32, 39, 124, 172, 176, 187, 271,
280, 282, 283, 291
- VLAN 23, 41, 101–103, 131, 180, 212, 247
- VOD 41, 90, 91, 103, 104, 143, 180, 198, 218,
230, 249, 277, 279–281, 283, 284,
296–298
- VoIP 40, 41, 90, 94, 101, 102, 104, 123, 130, 178,
179, 181, 212, 221, 225, 230, 242, 244, 250,
277–280, 283, 289, 296
- Wavelength-Division-Multiplexing
(WDM) 172
- WIPAS 11, 12
- Wireless Access 11, 14, 15, 49, 79, 142, 147, 157,
166, 238, 265, 296
- wireless communication 14, 87, 254–256, 268,
269
- wireless communication standard 255
- wireless multi-standard operation 85, 115, 149,
252, 265
- xDSL 34, 46, 62, 79, 82, 85, 199, 272, 273, 275,
277, 280–283, 285