

# Index

## Numerics

- 802.11 IEEE standard, 6, 90
- 802.11a IEEE standard, 6, 111–113, 174, 257–258, 351
- “802.11b Homebrew Antenna Shootout”, 195
- 802.11b IEEE standard
  - ad hoc network support, enabling, 43
  - antenna, 195
  - audio, 228
  - authentication, 111–113
  - frequency, 6
  - home automation, 257–258
  - hotspot, 351–352, 354
  - throughput, 145
  - Windows XP support, 109
- 802.11b WLAN Waveguide Antennas Web site, 195
- 801.11f IEEE standard, 165
- 802.11g IEEE standard
  - ad hoc network support, enabling, 43
  - audio, 234
  - authentication, 111–113
  - Centrino notebook support, 388
  - frequency, 6, 388
  - home automation, 257–258
  - hotspot, 351, 353
  - router, 224
  - SUPER-802.11g, 352
  - throughput, 145
  - ULTRA-802.11g, 352
  - video, 227, 238
- 802.11i IEEE standard, 103, 104–106, 358
- 9th Tee Enterprises Web site, 238
- 1394 IEEE standard, 225
- 3Com
  - OfficeConnect Wireless 11g Cable/DSL Gateway router, 328
  - Wireless Bluetooth PC Card, 208–209
- 3G network, 286, 289–291, 306
- 3gupload.com Web site, 287

## A

- access point. *See* AP
- ACTiSYS IR 100M IrDA printer adapter, 204
- Active Directory Users and Computers snap-in, 323

- Active Streaming Format (ASF), 233
- ad hoc mode
  - adapter, 35–38
  - AP, 33, 174
  - described, 7
  - 802.11b support, enabling, 43
  - 802.11g support, enabling, 43
  - encryption, 40–41
  - ICS, 43–49
  - infrastructure mode compared, 7
  - IP addressing, 174
  - neighborhood network, 173–174
  - peer-to-peer network, as, 34
  - SSID, 40–41
- adapter
  - Ethernet, 14, 52, 79, 238
  - wireless
    - ad hoc network, 35–38
    - antenna, 17, 19
    - Compact Flash, 35
    - driver installation, 35–37
    - game adapter, 14, 29–30
    - home network, 14–15, 22
    - ICS, 49–50
    - infrastructure network, 68
    - MAC address, 123
    - PCI, 17, 19–22
    - small business network, 15, 22
    - speed, 22
    - SSID, 68
    - USB, 17–19, 20, 49, 211, 392
    - WEP, 92–94, 98
    - WPA, 109–111
- Ad-Aware software, 168
- Add a Network Place Wizard (Windows), 235
- Additional Drivers dialog box (Windows), 78–79
- Additional Printers dialog box (Windows), 78
- Advanced Mobile Phone System (AMPS), 280
- AES (Advanced Encryption Standard), 105
- AIA Instant HotSpot service provider, 355
- Air IrDA protocol, 202
- Airmagnet RF analyzer, 351
- AirNet adapter, 238

- Airopeek RF analyzer, 351
- Airpath Wireless WiBOSS Management Platform, 355
- AirPrime PC 3220 Card, 306
- Airscanner software, 302
- AirSnort software, 383
- Airtraf software, 351
- AIW (All-in-Wonder) board, 225, 243
- Alepo software, 360
- Amphony 2000 wireless headphones, 222
- AMPS (Advanced Mobile Phone System), 280
- AMX home automation system, 255
- antenna. *See also* signal; *specific brand*
  - adapter, 17, 19
  - AP, 23, 190
  - building custom, 195–197
  - cabling, 179
  - cAntenna, 195, 196
  - directional, 161, 168, 179, 183, 188–191
  - diversity mode, 192–193
  - 802.11b, 195
  - F/B ratio, 184
  - free space path loss equation, 186
  - frequency, tuning to, 185
  - gain, 161, 183–184
  - grounding, 179
  - isotropic radiator, 184
  - neighborhood network, 179
  - NIC, 149–150
  - omnidirectional, 161, 183, 186–187, 191
  - panel, 192
  - polarization, 185
  - positioning, 163, 168, 179, 389
  - profile, 179
  - radiation pattern, 184
  - reception, maximizing, 194
  - reflector, parabolic, 161, 168, 189–190
  - sector, 192
  - security, 168
  - semidirectional, 161
  - signal range, effect on, 138, 149
  - waveguide, 161, 195–196
  - Yagi, 168, 179, 188, 190
- Antennas product line, 29
- Antivirus for Handhelds software, 303
- Anti-Virus software, 303
- AP (access point). *See also specific brand*
  - ad hoc mode, 33, 174
  - adding, 146–148
  - antenna, 23, 190
  - backward compatibility, 227
  - beacon, 90
  - bridging mode, 7, 156, 160, 162–163
  - broadcasting, 11, 90
  - described, 27
  - DHCP, 8, 58, 123, 146, 367
  - dual-band, 145
  - encryption, 65, 94–98, 99–100
  - Ethernet port, 23, 65
  - fake, 129–132
  - home network, 14, 25
  - hotspot, 349–350
  - hybrid mode, 8
  - infrastructure mode, 7–8, 65–67
  - IP addressing, 162, 366
  - load balancing, 147–148
  - log, 119
  - loop, 158–159
  - MAC scanning, 90
  - naming, 126–127
  - neighborhood network, 179
  - number of APs, finding appropriate, 143–146
  - outdoor, 163, 179
  - overlap, 144
  - pinging, 64, 146, 372
  - placement, physical, 10, 118, 137–138, 163
  - planning, 143–146
  - power source, 23, 30, 165
  - remote access, disallowing, 122
  - repeater, combined with, 154
  - resetting, 23, 372
  - routing functionality, 26, 57–64, 65–66
  - security, 168, 379
  - small business network, 15
  - SSID, 11, 65–67, 96, 160
  - switch functionality, 26
  - tri-band, 145
  - troubleshooting, 366–367, 371, 372–373
  - turning on/off, 66, 168
  - unplugging, 118
  - USB port, 65

- WEP, 92–98
  - WPA, 106–109
  - Apple
    - iPod digital music player, 217, 233, 310
    - QuickTime software, 231, 234, 243
  - Applian software, 302
  - ApplianceWeb Web site, 327
  - Approxim AP, 147
  - ASF (Active Streaming Format), 233
  - Ashoka router, 148
  - ATI All-in-Wonder (AIW) board, 225, 243
  - audio
    - analog, digital compared to, 232
    - car audio player, 219, 310
    - client, 230
    - compression, 232–233
    - 802.11b IEEE standard, 228
    - 802.11g IEEE standard, 234
    - FM signal, transmitting from audio device, 217, 310
    - headphone, wireless, 217, 222
    - home audio system, automated, 253
    - jukebox, 217, 219, 231
    - licensing, 233
    - network, playing across, 233–234, 253
    - server, 228–230, 231–232
    - sharing music folder, 234–235
    - speaker, wireless, 217, 230
    - streaming, 231–232, 234–235
    - Web-based, 231
  - Audiovox PC 5220 card, 291, 306
  - Automata-inc.com Web site, 249
  - Avast! software, 303
- B**
- Belkin
    - High-Speed Mode Wireless G Router, 25
    - TuneCast Mobile FM transmitter, 217
    - Wireless Network Access Point, 31
    - Wireless Print Server, 25
  - Black Alchemy Fake AP utility, 129
  - BlackIce firewall, 342
  - Bluefish wireless kiosk, 300
  - Bluetooth
    - Asynchronous Connectionless Oriented data transfer mode, 210
    - bandwidth, 204, 208
    - bluejacking, 395
    - conference telephone, 209
    - connecting device, 206–207, 393
    - cost, 205
    - coverage bubble, 209
    - directionality, 206
    - discovery, device, 207
    - duplex operation, 209–210
    - frequency, 208–209
    - infrared compared, 199, 204–205
    - laptop connection, 207–208
    - Manager utility, 206
    - modem, 207
    - NIC, 208
    - number of devices, maximum, 206
    - packet, 208–209
    - PDA, 205, 301
    - piconet, 206
    - printer connection, 207, 209
    - range, 199, 201, 206
    - SCO data transfer mode, 210
    - Service Center utility, 207–208
    - starting automatically, 207
    - troubleshooting, 393–394
    - upstream device, 210
    - USB, 206
    - wall, penetration through, 200
  - Boingo hotspot service provider, 324, 331–332, 337–339, 354–355
  - brand, importance of selecting hardware from same, 13, 227
  - bridging
    - AP bridging mode, 7, 156, 160, 162–163
    - cabling, 160, 163
    - described, 155
    - Ethernet-wireless bridge, 30
    - Internet gateway as, 156
    - LAN, wirelessly bridging, 160–161
    - MAC, 155, 162
    - NIC connection, 156
    - point-to-multipoint, 156, 164
    - point-to-point, 156, 163
    - redundant multipoint, 156, 164
    - root bridge, 163
  - Browse for Printer screen (Windows), 79–80
  - BSS (Infrastructure Basic Service Set), 33

## Buffalo Technology

Airstation WBR-G54 antenna, 190

Airstation WLI-USB-G54 adapter, 211

"Building a Wireless Home Media Network Server", 241

*Burn Rate: How I Survived the Gold Rush Years on the Internet* (Wolff), 293**C**

## cabling

antenna, 179

bridge, 160, 163

CAT5, 163, 165

coaxial, 163, 179

electrical wiring, networking over, 160, 166

Ethernet, 163, 165–166

troubleshooting, 373

## camera, digital

home camera system, automated, 254, 256, 262

Internet camera, 262

transferring image from, 236–237

video, 28, 222

## cAntenna (can antenna), 195–196

## car

audio player, 219, 310

GPS, 308, 311–312

Internet access, 305–308

satellite radio, 308–309

telematics, 308

traffic transponder, 312–314

video, 219

## CARD (WAP page component), 288

## CardBus hardware, 16

## CAT5 cabling, 163, 165

## CDex software, 233

## CDMA (Code Division Multiple Access), 280, 290

## cell phone

access technology, 280

analog versus digital, 280–281

channel, 279

connection process, 281–282

cross talk, 395

duplex operation, 279

feature overview, 283

frequency, 280–281, 290

gaming, 285–287

Internet access, 287–290, 306

MAC address, 281

mode, 281–282

network, 279–282, 289–291

PDA/cell phone combination, 287, 314

picture messaging, 284

radio telephone compared, 279–280

reliability, 283

ring tone, 284–285

roaming, 282

signal strength, 282

size, 283

smart, 287

static, 395

text messaging, 284

video messaging, 284, 290

WAP support, 287–289

## Center for Neighborhood Technology (CNT), 177

## Centrino notebook computer, 388

## CES (Consumer Electronics Show), 219, 308

## Change, Stephanie ("Home Networking from the Ground Up"), 225

## Cingular cell phone gaming, 285, 287

## CIR (Computerized Infrared Remote), 272

## Cisco MACMAP 1200 AP, 192

## ClearChannel Radio, 171

## climate control, automated, 250–251, 254

## CNET Web site, 287

## (CNT) Center for Neighborhood Technology, 177

## coaxial cabling, 163, 179

## Code Division Multiple Access (CDMA), 280, 290

## Comcast cable service, 219, 221

## Comdex show, 219

## Compact Flash wireless adapter, 35

## Compaq iPAQ product line, 272, 394

## computer case, opening, 20

## Computer Electronics Association, 250

## Computer Management console (Windows), 81

## Computerized Infrared Remote (CIR), 272

## Conduits Peacemaker software, 301

## Configurator software, 145–146

## Connect to Wireless Network dialog box (Windows), 318

## Connected Home initiative, 249, 263–264

## Connected Home Magazine Web site, 250

## Consumer Electronics Show (CES), 219, 308

## Control Assistant Plus software, 250, 254–255

## control device, central, 225, 252–256

CP Technologies USB 1.1 IrDA adapter, 211  
 Creative SoundBlaster Wireless Music audio server, 231  
 Crestron Electronics home automation system, 255  
 Cisco AP, 147

## D

DARPA (Defense Advanced Research Projects Agency), 261  
 dB (decibel), 148, 161–162, 184  
 DECK (WAP page), 288  
 DeepBlue Wireless hotspot service provider, 355  
 Demarctech Reliawave Internet Plug and Play Server Gateway, 175–176  
 Denial of Service (DOS) attack, 130  
 DHCP (Dynamic Host Configuration Protocol)  
   AP, 8, 58, 123, 146, 367  
   disabling, 167  
   hotspot, 335, 339  
   IP address assignment, automatic, 44, 123  
   neighborhood network, 174, 180  
   PDA, 295, 297  
   router, 59  
   troubleshooting, 367, 371–372  
   VPN, 323  
 DHR (Digital Home Rendering), 223–224  
 DHS (Digital Home Server), 223  
 DHWG (Digital Home Working Group), 223  
 Digi  
   AnywhereUSB hub, 211  
   Edgeport USB to serial converter, 211  
   Watchport USB sensor, 211  
 digital convergence, 218–222  
 Digital Home Rendering (DHR), 223–224  
 Digital Home Server (DHS), 223  
 Digital Home Working Group (DHWG), 223  
 Digital Living Network Alliance (DLNA), 223  
 digital media receiver, 225, 229  
 Digital Signal Processor (DSP), 280, 315  
 Digital Subscriber Line (DSL), 45, 62–63  
 Digital Video Recorder (DVR), 237. *See also* PVR (Personal Video Recorder)  
 DigitalTexas Web site, 171  
 diNovo Media Desktop, 205–206  
 Direct Sequence Spread Spectrum (DSSS), 6  
 Directory.net Web site, 250  
 disabling wireless connection, 380–381  
 “Diskless Media Hubs”, 232

distribution panel, home automation system, 258–259

## D-Link

Air Wireless print server, 30  
 AirPlusXtremeG PCI wireless adapter, 41–43  
 Configurator software, 145–146  
 DHP100 PoE adapter, 166  
 DI-614+ antenna, 190  
 DI-624 AirPlusXtremeG Router  
   configuration utility, 65–67, 98, 122  
   connecting, 58–59  
   encryption, 95, 100, 106  
   entertainment network, using in, 224  
   Ethernet port, 58–59  
   firmware, 121  
   home network, for, 25  
   IP address, 58  
   MAC address setup, 61  
   password, 60  
   PPPoE setup, 62–63  
   remote management, 122  
   SSID, 67, 93, 116–117  
   Status screen, 119  
   username setup, 60  
   virtual server feature, 127–128  
 DP-G321 AirPlus G Wireless Multi-Port Print Server, 30  
 DSM-320 MediaLounge player, 28, 231, 237, 243  
 DWL-G800AP repeater, 154–155  
 DWL-G820 High-Speed Gaming Adapter, 30  
 DWL-G120 AirPlus G Wireless USB Adapter, 22  
 DWL-G650 CardBus WLAN adapter, 93, 227  
 DWL-G630 AirPlus G Wireless CardBus Adapter, 22  
 DWL-900AP+ AirPlus Enhanced 2.4 GHz AP, 150  
 DWL-900AP repeater, 154  
 DWL-R60AT wireless antenna, 29  
 DWL-7000AP AirXpert Tri-Mode Dualband AP, 192  
 DWL-2100AP AirPlusXtremeG Access Point, 25  
 High-Speed 2.4 GHz Wireless USB Adapter, 17–18  
 Internet camera, 262  
 PersonalAir Bluetooth product line, 30  
 Tri-Mode Dualband 4-Port Wireless Router, 26  
 video camera, 28  
 DLNA (Digital Living Network Alliance), 223  
 DNS (Domain Name System), 45, 128, 326, 333–334  
 DOS (Denial of Service) attack, 130  
 DSL (Digital Subscriber Line), 45, 62–63

DSP (Digital Signal Processor), 280, 315  
 DSSS (Direct Sequence Spread Spectrum), 6  
 DVD, 237, 240, 242–243  
 dvd Author software, 243  
 DVD MovieFactory Studio Suite Deluxe software, 243  
 DVR (Digital Video Recorder), 237. *See also* PVR  
 (Personal Video Recorder)  
 DVRchive software, 238  
 Dynamic Host Configuration Protocol. *See* DHCP  
 DynaPortal software, 171

**E**

EAP (Extensible Authentication Protocol), 105, 112–113  
 EAP-TLS (EAP Transport Layer Security), 113, 323  
 Earthlink Webmail service, 340  
 Easy Media Creator software, 243  
 802.11 IEEE standard, 6, 90  
 802.11a IEEE standard, 6, 111–113, 174, 257–258, 351  
 “802.11b Homebrew Antenna Shootout”, 195  
 802.11b IEEE standard  
   ad hoc network support, enabling, 43  
   antenna, 195  
   audio, 228  
   authentication, 111–113  
   frequency, 6  
   home automation, 257–258  
   hotspot, 351–352, 354  
   throughput, 145  
   Windows XP support, 109  
 802.11b WLAN Waveguide Antennas Web site, 195  
 801.11f IEEE standard, 165  
 802.11g IEEE standard  
   ad hoc network support, enabling, 43  
   audio, 234  
   authentication, 111–113  
   Centrino notebook support, 388  
   frequency, 6, 388  
   home automation, 257–258  
   hotspot, 351, 353  
   router, 224  
   SUPER-802.11g, 352  
   throughput, 145  
   ULTRA-802.11g, 352  
   video, 227, 238  
 802.11i IEEE standard, 103, 104–106, 358  
 EIRP (Equivalent Isotropically Radiated Power), 149, 184

electrical wiring, networking over, 160, 166, 256  
 Electronic House Web site, 250, 263  
 Electronic Serial Number (ESN), 281  
 e-mail, 119, 168, 340–341, 359, 378  
 endpoint software, 142–143  
 engageIP Billing and DSS module software, 361  
 entertainment network. *See also* audio; video;  
   *specific device*  
   backward compatibility, 227  
   broadband connection, 224  
   cable service, 226  
   control device, central, 225  
   digital media receiver, 225, 229  
   home theater, 219, 221, 225–226  
   hub, 224–225  
   repeater, 227  
   router, 224  
   standards, 221–222, 227  
   TV set-top box, 226  
 Epoc32 mobile computer, 294  
 Epson Livingstation HDTV projection TV, 219  
 Equivalent Isotropically Radiated Power (EIRP), 149, 184  
 ESN (Electronic Serial Number), 281  
 ESSID (Extended Service Set Identifier), 297  
 Ethernet  
   adapter, 14, 52, 79, 238  
   AP Ethernet port, 23, 65  
   bridge, Ethernet-wireless, 30  
   cabling, 163, 165–166  
   hub, 224–225  
   PoE, 30, 163, 165–166  
   PPPoE, 62–63  
   router Ethernet port, 27, 58–59  
 eTrust firewall, 342  
 EV-DO (Evolution-Data Optimized) network, 290  
 eWallet utility, 302  
 extended network, 176  
 Extended Service Set Identifier (ESSID), 297  
 Extensible Authentication Protocol (EAP), 105, 112–113  
 ExtremeTech.com Web site, 239, 241, 244  
 EZ Goal Hotspots Web site, 331  
 EZ-Pass system, 312, 314

**F**

Fake AP utility, 129  
 Fast Lane system, 312–314

- FatPort hotspot service provider, 354–355
  - F/B (Front to Back) ratio, 184
  - FDMA (Frequency Division Multiple Access), 280
  - FHSS (Frequency Hopping Spread Spectrum), 6
  - file sharing
    - designating file as shared, 74–77, 80–81
    - displaying shared file, 74–75
    - folder, shared, 75–76, 77, 80, 174, 234
    - ICS environment, in, 48
    - infrastructure network, 56, 84
    - number of users, restricting simultaneous, 77, 84
    - permission, 84
    - security, 48, 56–57
    - simple, 76, 80
    - standard, 76–77, 80–81, 84–85
    - troubleshooting, 374–375
  - File Transfer Protocol (FTP), 128, 130
  - FileCrypto software, 303
  - firewall. *See also specific brand*
    - gaming mode, 64
    - hotspot, 336, 341–342, 358–359, 378
    - neighborhood network, 174–175, 177, 180
    - router, 58–59
    - VPN server appliance, 327–329
    - Windows XP, 378
  - FireWire Component video, 225
  - firmware, keeping up-to-date, 120–121
  - FirstSpot software, 356
  - FM signal, transmitting from audio device, 217, 310
  - Folder Options dialog box (Windows), 80
  - Folder Properties dialog box (Windows), 76
  - foobar2000 software, 233
  - Free Networks Web site, 331
  - free space path loss equation, 186
  - FreeAmp software, 233
  - FreeAntennas Web site, 195–196
  - free-spot, 345. *See also* hotspot
  - frequency
    - antenna, tuning to, 185
    - band, 281
    - Bluetooth, 208–209
    - cell phone, 280–281, 290
    - 802.11a IEEE standard, 6
    - 802.11b IEEE standard, 6
    - 802.11g IEEE standard, 6, 388
    - GSM, 281
    - ISM device, 208
    - RF analyzer, 351
    - RFID tagging, 260–261
    - satellite radio, 308–309
    - 3G network, 290
    - traffic transponder, 313
  - Frequency Division Multiple Access (FDMA), 280
  - Frequency Hopping Spread Spectrum (FHSS), 6
  - Front to Back (F/B) ratio, 184
  - F-Secure software, 303
  - FTP (File Transfer Protocol), 128, 130
- ## G
- gaming
    - adapter, 14, 29–30
    - cell phone gaming, 285–287
    - console, 14–15, 30, 243–244
    - mode, 64
    - N-Gage platform, 286
    - SMS, 286
  - Gateway
    - Connected DVD Player, 237
    - Destination PCTV, 237–238
    - plasma monitor, 219
  - General Packet Radio Service (GPRS), 307
  - General-Purpose Server (GPS), 317–318
  - Global Change Web site, 260
  - Global Positioning System (GPS), 141, 308, 311–312
  - Global System for Mobile (GSM) standard, 281
  - Go Corporation, 293
  - Goldwave software, 233
  - Google Web site
    - home automation vendor list, 250
    - Wi-Fi Locator, 357
  - GoRemote (organization), 355
  - GoVideo D2730 DVD/streaming media player, 237
  - GPRS (General Packet Radio Service), 307
  - GPS (General-Purpose Server), 317–318
  - GPS (Global Positioning System), 141, 308, 311–312
  - group management, 81–83
  - GSM (Global System for Mobile) standard, 281
- ## H
- HAI home automation distribution panel, 258–259
  - Handspring Treo PDA, 287, 314

- Harman/Kardon Take Control remote control device, 266–267
  - Hauppauge
    - MediaMVP audio server, 231
    - WinTV Radio, 240
  - Hawking HAI6S antenna, 186–188
  - HDTV (High Definition Television), 219, 221–222, 225–226
  - headphone, wireless, 217, 222
  - heartbeat, 166
  - HelpAssistant (Windows), 81
  - Hertz NeverLost system, 311–312
  - HID (Human Interface Device) USB standard, 210
  - High Definition Television (HDTV), 219, 221–222, 225–226
  - Home Networking from the Ground Up" (Change), 225
  - Home of the Future Consortium, 249
  - home security system, 262–263
  - Home Theater Master MX remote control device, 221, 268–269, 270
  - HomeAutomation.org Web site, 250, 255
  - HomeControls.com Web site, 250
  - HomePlug system, 148, 166
  - HomeSeer Technologies, 256
  - Honeyd-WIN32 software, 129
  - Honeynet Project, 129
  - honeypot, 129–132, 166
  - Honeywell Wireless Home Security and X10 Automation Kit, 262
  - hotspot
    - account, 339–340
    - client setup
      - account, 339–340
      - connecting, 333–339
      - DHCP, 335, 339
      - e-mail, 340–341, 378
      - firewall, 336, 341–342, 358–359, 378
      - IP addressing, 333–334
      - SSID, 338, 340
      - WEP, 338, 358
    - described, 346
    - directory listing, 331, 357
    - 802.11a IEEE standard, 351
    - 802.11b IEEE standard, 351–352, 354
    - 802.11g IEEE standard, 351, 353
    - 802.11i IEEE standard, 358
    - finding, 331–333, 357
    - hosting
      - AP, 349–350
      - auditing usage, 360–361
      - billing, 360–361
      - ISP acceptable use considerations, 352–353
      - management, ongoing, 356–357
      - NAC, 352
      - protocol, selecting appropriate, 351–352
      - router, 349
      - site survey, 349
      - SSID, 351
      - turnkey solution, 353–354
    - municipal, 332
    - neighborhood network, 173, 175–176
    - security, 336, 338, 341–342, 357–360, 377–378
    - server, 353
  - HotSpot List Web site, 331
  - HotSpot Locations Web site, 331
  - HotSpots-Free Directory Web site, 357
  - HotSpotVPN software, 359
  - "How To Build A Tin Can Waveguide Antenna", 196
  - HP
    - ew500 Wireless Digital Media Receiver, 229
    - ew5000 Wireless Digital Media Receiver, 237
    - UEI Nevo software, 221–222, 272
  - HTTP (HyperText Transfer Protocol) server, 128, 130
  - HTTPS (HyperText Transfer Protocol Secure) server, virtual, 128
  - hub
    - entertainment network, 224–225
    - Ethernet, 224–225
    - ICS, 47
    - switch compared, 26
    - troubleshooting, 373
    - USB, 199, 211–212
  - Human Interface Device (HID) USB standard, 210
  - hybrid mode, 8–9
  - HyperText Transfer Protocol (HTTP) server, 128, 130
  - HyperText Transfer Protocol Secure (HTTPS) server, virtual, 128
- I**
- IAPP (Inter Access Point Protocol), 165
  - IBSS (Independent Basic Service Set), 33
  - ICAB (Internet Café in a Box) hotspot service provider, 354–355

- iCEBOX kitchen PC, 219
- ICS (Internet Connection Sharing)
  - ad hoc network, 43–49
  - adapter, 49–50
  - dial-up connection, 46
  - file sharing in ICS environment, 48
  - host, 45–49
  - hub, 47
  - infrastructure network, 68
  - IP addressing, 44–45
  - print sharing in ICS environment, 48
  - reliability, 44, 49
  - router, 27, 45
  - security, 45, 48
  - switch, 45
  - testing, 98
- ICS (Internet Connection Sharing) feature (Windows), 27, 44–45
- IDN (Integrated Digital Network), 281
- IDS (Intrusion Detection System), 130
- IEEE (Institute of Electrical and Electronics Engineers).
  - See specific IEEE standard*
- IIS (Internet Information Server), 323, 381
- Illium Software eWallet utility, 302
- image
  - camera, transfer from, 236–237
  - cell phone picture messaging, 284
  - graphics board/tuner combination, 240
  - Nokia Image Viewer, 237
  - slide show, 237
- i-Mode cell phone, 286
- Independent Basic Service Set (IBSS), 33
- Indigo Control Assistant Plus software, 250, 254–255
- Industrial, Scientific, and Medical (ISM) device frequency, 208
- InfoBlox LDAPone server, 326
- infrared
  - bandwidth, 204
  - Bluetooth compared, 199, 204
  - cost, 205
  - directionality, 200, 202, 205
  - discovery of infrared network, 205
  - extender, 273–274
  - laptop connection, 202–203
  - mobile telephone base station, 205
  - PC connection setup, 204
  - PDA, 200, 202, 299
  - port, 202
  - POS, 204
  - printer connection, 202, 204
  - range, 199, 201, 203, 272–273
  - remote control device, 266, 271–272
  - security, 205
  - speed, 202
  - troubleshooting, 393
  - wall, penetration through, 200
- Infrared Data Association (IrDA), 202
- Infrastructure Basic Service Set (BSS), 33
- infrastructure mode
  - ad hoc mode compared, 7
  - adapter, 68
  - AP, 7, 8, 65–67
  - described, 7
  - encryption, 65
  - file sharing, 56, 84
  - ICS, 68
  - LAN component, 51–52, 68–69
  - naming network, 56
  - neighborhood network, 175
  - print sharing, 56
  - router, 57–64
  - security, 56
- injector, 165
- InoculateIT software, 303
- Institute of Electrical and Electronics Engineers (IEEE).
  - See specific IEEE standard*
- Integrated Digital Network (IDN), 281
- Intel
  - BTX motherboard, 228
  - Hotspot Finder, 331
  - PCA, 314–315
  - Web site, 212, 348
  - “Wi-Fi HotSpot Deployment Guide”, 348
- Intelligent Transportation Systems (ITS), 313
- Inter Access Point Protocol (IAPP), 165
- interference, 143, 209, 374, 388–389, 390
- International Telecommunications Union (ITU), 290
- Internet Café in a Box (ICAB) hotspot service provider, 354–355
- Internet Connection Sharing. *See* ICS
- Internet Connection Sharing (ICS) feature (Windows), 27, 44–45

Internet Explorer software, 381  
 Internet Information Server (IIS), 323, 381  
 Internet Protocol address. *See* IP address  
 Internet Security and Acceleration (ISA) server, 342  
 Intrigue Technologies Harmony H780 remote control device, 270  
 Intrusion Detection System (IDS), 130  
 intrusion, securing network after, 382  
 IP Address Subnetting Tutorial Web site, 167  
 IP Configuration dialog box (Windows), 390  
 IP (Internet Protocol) address  
   ad hoc network, 174  
   AP addressing, 162, 366  
   conflict, 174  
   DHCP IP address assignment, automatic, 44, 123  
   home network, 167, 259–260  
   hotspot addressing, 333–334  
   ICS addressing, 44–45  
   PDA addressing, 295–296, 297–298  
   private, 44, 167  
   public, 44, 58  
   range, restricting access to, 125–126  
   router, 58–59, 61–62  
   small business network, 167  
   static, 123–124, 174, 379  
   subnet, 167  
   USB device addressing, 210  
 IP Wireless (firm), 305–306  
 IPass (organization), 355  
 IPCONFIG utility, 366, 390–391  
 IPSec (IP Security), 128  
 IrDA (Infrared Data Association), 202  
 ISA (Internet Security and Acceleration) server, 342  
 ISM (Industrial, Scientific, and Medical) device  
   frequency, 208  
 IS-95 network, 306  
 isolating network, 166–168, 365, 385–386  
 iStumbler software, 141  
 ITS (Intelligent Transportation Systems), 313  
 ITU (International Telecommunications Union), 290  
 iTunes software, 231  
 Ixia QCheck software, 141–142

## J

JiWire Web site, 331, 345, 357  
 Jukebox software, 231

## K

Kameleon product line, 270–271  
 Karpersky Security for PDA software, 303  
 Kensington Wi-Fi Finder, 140  
 Kenwood KVT-M700 receiver, 309  
 KF Sensor software, 130–132  
 KisMac software, 141  
 Kismet software, 141, 351  
 kitchen automation, 219, 263  
 Kyocera PDA/cell phone, 287–288, 291

## L

Layer Two Tunneling Protocol with Internet Protocol Security (L2TP/IPSec), 323–324  
 Learn to Subnet.com Web site, 167  
 Lessnetworks software, 353  
 LG Electronics networked/Internet refrigerator, 219  
 lighting, automating, 262–263  
 Linksys  
   AP, 25  
   EtherFast Cable/DSL Router with 4-Port Switch, 26  
   Instant PowerLine EtherFast 10/100 Bridge, 166  
   Instant Wireless Wireless-G Notebook Adapter, 16, 17–18  
   PLUSB10 Powerline adapter, 166  
   WAP54G Wireless-G Access Point, 25  
   WGA54G Wireless-G Game Adapter, 30  
   Wireless-B Broadband Router, 26  
   Wireless-B Internet Video Camera, 28  
   Wireless-B Media Adapter, 28  
   Wireless-G Presentation Player, 29  
   Wireless-G VPN Broadband Router, 328  
   WPC54G Wireless-G Notebook Adapter, 22  
   WPS54GU2 Wireless-G Print Server for USB 2.0, 31  
   WRT55AG antenna, 190  
   WRT54G Wireless-G Broadband Router, 25  
   WRT56G Wireless-G router, 224  
   WUSB54G Wireless-G USB Network Adapter, 22, 211  
   WUSB12 wireless NIC, 211  
 Liquid Audio software, 233  
 LiteOn LVD-2010 DVD/streaming media player, 237  
 Local Area Connection Status dialog box (Windows), 375  
 logging, 119  
 LogiSense engageIP Billing and DSS module software, 361  
 Logitech diNovo Media Desktop, 205–206

looping, 158–159  
 “Low Cost 802.11a Directional Antenna Using Obsolete  
 Primestar Dish”, 197  
 L2TP/IPSec (Layer Two Tunneling Protocol with Internet  
 Protocol Security), 323–324

## M

MAC (Media Access Control)  
 adapter MAC address, 123  
 AP scanning, 90  
 authentication role, 90–91  
 bridging, 155, 162  
 cell phone MAC address, 281  
 device association role, 91  
 801.11 IEEE standard MAC layer, 90–91  
 filtering, 125, 148, 167, 379, 385  
 IP static address assignment role, 123  
 log, MAC address, 119  
 NIC MAC address, 390–391  
 router, 61, 63  
 WEP, 90

MacStumbler software, 141

Mail2Web Web site, 340–341

Marantz  
 DH9300 audio server, 230  
 RC remote control devices, 266–267

Massachusetts Institute of Technology (MIT) Home of the  
 Future Consortium, 249

Maxrad antenna, 188, 190, 192–193

McAfee firewall, 342

Media Access Control. *See* MAC

Media Player software, 231, 233, 243

media receiver, digital, 225

MediaPlayer audio server, 28, 231

mesh topology, 34, 177–178

Metropolitan LAN (MLAN), 183

MIC (Message Integrity Checking), 105

Microsoft. *See also specific Windows feature*  
 CE for Automotive operating system, 307  
 Connected Home initiative, 249, 263–264  
 IIS, 323, 381  
 Internet Explorer software, 381  
 ISA server, 342  
 Media Center PVR, 219, 240  
 Media Player software, 231, 233, 243  
 MN-700 Base Station, 116, 119–120, 126–127

NetMeeting software, 128

“Obtaining and Installing a VeriSign WLAN Server  
 Certificate for PEAP-MS-CHAP v2 Wireless  
 Authentication”, 320

Office software suite, 381

“Step-by-Step Guide for Setting Up VPN-based  
 Remote Access in a Test Lab”, 324

Windows Server 2003, 81, 109, 318–320, 323

Windows Update utility, 381–382

“Wireless Provisioning Services Overview”, 325

WPA Windows XP Support Patch, 109

Xbox game console, 30, 244

Mini-Stumbler software, 351

Mirra Personal Server, 327

MIT (Massachusetts Institute of Technology) Home of the  
 Future Consortium, 249

MLAN (Metropolitan LAN), 183

Mobile Entertainment Guide Web site, 287

mobileCloak electrostatic PDA case, 303

Monster Power iCarPlay FM transmitter, 310

Motorola  
 cell phone, 287  
 DCP501 Home Theater System, 219  
 DCT5100 High Definition Cable Receiver, 226  
 SBG1000 SURFboard Wireless Cable Modem Gateway,  
 224, 226

MovieFactory Studio Suite Deluxe software, 243

MP3 files, 217, 219, 228, 232–234, 310

MusicMatch Jukebox software, 231

Myringtones.net Web site, 284

## N

NAC (Network Access Controller), 352

NAT (Network Address Translation), 172

neighborhood network  
 ad hoc, 173–174  
 antenna, 179  
 AP, 179  
 bandwidth, restricting, 175, 180  
 DHCP, 174, 180  
 domain-based, 176  
 extended network model, 176  
 firewall, 174–175, 177, 180  
 hotspot, 173, 175–176  
 infrastructure mode, 175

*continued*

- neighborhood network *continued*
    - mesh topology, using for, 177–178
    - open WLAN, 173
    - portal, 173, 175–176
    - security, 180
    - signal sharing, 171–172
    - time of access, restricting, 180
    - traffic type, restricting, 180
    - uses, suggested, 172–173
  - NetGear
    - MP101 audio server, 231–232
    - Prosafe Dual Band Wireless VPN Firewall, 328
    - WG121 Wireless USB 2.0 Adapter, 22
    - WGT624 router, 224
    - XE102 Powerline adapter, 166
  - NetMeeting software, 128
  - NetStumbler software, 140–141, 351
  - Network Access Controller (NAC), 352
  - Network Address Translation (NAT), 172
  - Network Connections dialog box (Windows), 139
  - Network Identification Wizard (Windows), 55
  - Network Instruments Observer RF analyzer, 351
  - Network Interface Card. *See* NIC
  - Network Setup Wizard (Windows)
    - Advanced tab, 46–47
    - Do you want to use the shared connection screen, 55
    - File and printer sharing screen, 48
    - Name your network screen, 56,–57
    - Select a connection method screen, 47
    - Select your private connection screen, 48
    - The wizard found disconnected network hardware screen, 56
  - Nevo software, 221–222, 272
  - New Connection Wizard (Windows), 202
  - Newton PDA, 293
  - N-Gage game platform, 286
  - NIC (Network Interface Card)
    - antenna, 149–150
    - Bluetooth, 208
    - bridge connection, 156
    - disabling unused connection, 379, 380–381
    - dual-band, 145
    - MAC address, 390–391
    - preamble setting, 342–343
    - signal, locking onto strongest, 147
    - troubleshooting, 367, 370–371, 374, 387, 390
    - USB wireless NIC, 211
    - Wireless Zero Configuration protocol support, 368, 370–371
  - Nikon D2H camera, 236–237
  - Nintendo GameCube game console, 244
  - 9th Tee Enterprises Web site, 238
  - Nokia
    - cell phone, 286–287
    - Image Viewer, 205
    - Media Master, 205
    - N-Gage game platform, 286
  - Norton Personal Firewall, 342, 378
  - nVidia-based graphics board, 240
- ## O
- “Obtaining and Installing a VeriSign WLAN Server Certificate for PEAP-MS-CHAP v2 Wireless Authentication” (Microsoft), 320
  - OFDM (Orthogonal Frequency Division Modulation), 179
  - Office software suite, 381
  - Omnifi DMP2 car audio/video player, 219
  - Onkyo TXNR900 7.1 Digital Audio Receiver, 229
  - Outmesguine, Mike (*Wi-Fi Toys*), 195
- ## P
- Palm PDA, 205, 271–272, 293–296, 299–302, 392
  - Panda firewall, 342
  - password
    - administrator, 115
    - change, forcing, 82
    - choosing strong, 379–380
    - configuration utility, 122
    - default, changing, 382
    - expiration, 82
    - importance of, 11–12
    - logon screen input box, displaying, 83
    - PDA, 302
    - router, 60
  - PatronSoft FirstSpot software, 356
  - PC Card, 16–17, 49, 298, 306
  - PC Magazine Web site
    - audio file format list, 232
    - audio software review, 231
    - “Diskless Media Hubs”, 232
    - 802.11g router review, 224

- “Home Networking from the Ground Up” (Change), 225
- “PDA Protection”, 303
- RFID article, 261
- TiVo article, 238
- PCA (Personal Client Architecture), 314–315
- PC-cillin for Wireless software, 303, 342
- PCI (Peripheral Component Interconnect) hardware, 17, 19–22, 20–21
- PCTV (Personal Computer Television), 218–219, 228, 229, 240
- PDA Defense utility, 302
- PDA (Personal Digital Assistant)
  - beaming data to another PDA, 202, 299–300
  - Bluetooth, 205, 301
  - cell phone/PDA combination, 287, 314
  - DHCP, 295, 297
  - ESSID, 297
  - flash storage card, 303
  - history, 293–294
  - infrared, 200, 202, 299
  - IP addressing, 295–296, 297–298
  - operating system, 294
  - password, 302
  - remote control device, as, 271–272
  - security, 302–303
  - shielding, 303
  - SSID, 295–296, 303
  - Web browsing, 294
  - WEP, 295–296, 303
  - WPA, 303
- “PDA Protection”, 303
- PDASecure utility, 302
- Peacemaker software, 301
- PEAP (Protected EAP), 113
- Peripheral Component Interconnect (PCI) hardware, 17, 19–22, 20–21
- permission, 84–85
- Personal Client Architecture (PCA), 314–315
- Personal Computer Television (PCTV), 218–219, 228–229, 240
- Personal Digital Assistant. *See* PDA
- Personal Video Recorder (PVR), 202, 217–218, 226, 237–242
- PGP (Pretty Good Privacy), 378
- Philips Pronto remote control device, 221, 252, 266–267
- piconet, 206
- pinging, 64, 146, 372
- PKI (public key infrastructure), 324
- Pocket Lock utility, 302
- PocketPC PDA, 271–272, 296–299, 302
- PoE (Power over Ethernet), 30, 163, 165–166
- Point of Sale (POS) infrared connection, 204
- Point-to-Point Protocol over Ethernet (PPPoE), 62–63
- Point-to-Point Tunneling Protocol (PPTP), 323
- POP3 (Post Office Protocol version 3), 128, 130, 132, 340
- portal, 173, 175–176
- POS (Point of Sale) infrared connection, 204
- Power over Ethernet (PoE), 30, 163, 165–166
- PowerLinc system, 250
- Powerline Ethernet bridge, 166
- PPPoE (Point-to-Point Protocol over Ethernet), 62–63
- PPTP (Point-to-Point Tunneling Protocol), 323
- preamble setting, 342–343
- Premise software, 250, 253–254
- presared key (PSK) authentication, 105, 107–108, 109–110, 320–321, 383
- Pretty Good Privacy (PGP), 378
- Pricom SX-5000U2 USB hub, 212
- Printer Tasks menu (Windows), 78
- printing
  - Bluetooth printer connection, 207, 209
  - designating printer as shared, 78–79
  - driver, printer, 78
  - ICS environment, print sharing in, 48
  - infrared printer connection, 202, 204
  - infrastructure network, print sharing in, 56
  - naming shared printer, 78
  - network printer, 79
  - security, print sharing, 48, 56–57
  - small business network print server, 15, 30–31
  - USB printer connection, 212
- PRISMIQ MediaPlayer audio server, 28, 231
- product line, importance of selecting hardware from same, 13, 227
- Protected EAP (PEAP), 113
- Proxim AP, 147
- PSK (presared key) authentication, 105, 107–108, 109–110, 320–321, 383
- PTVupgrade.com Web site, 238
- public key infrastructure (PKI), 324
- PVR (Personal Video Recorder), 202, 217–218, 226, 237–242

**Q**

QCheck software, 141–142  
 Qualcomm 3G CDMA, 291  
 QuickNetworks OmniPro II Automation Controller, 258  
 QuickTime software, 231, 234, 243

**R**

Radio Frequency Identification (RFID) tagging, 260–261  
 radio frequency (RF) analyzer, 351  
 RadioShack, 250  
 RADIUS (Remote Authentication Dial-In User Service), 105,  
   106–107, 323, 326  
 Rain Bird Web site, 249  
 RBS Hotspot software, 360  
 RCA Lyra Wireless Transmitter, 274  
 RC4 encryption, 91, 104  
 reality programming, 140  
 RealOne software, 231, 234, 243  
 Recoton JV2400 2.4 GHz Video Signal Sender, 274  
 refrigerator, networked/Internet, 219  
 Reliawave Internet Plug and Play Server Gateway, 175–176  
 Remote Authentication Dial-In User Service (RADIUS), 105,  
   106–107, 323, 326  
 remote control device, 221, 252, 265–274  
 remote management, disallowing, 121–122  
 RemoteCentral.com Web site, 270  
 repeater, 150, 154–155, 179, 227, 372  
 ReplayTV PVR, 226, 238–239  
 RF (radio frequency) analyzer, 351  
 RFID (Radio Frequency Identification) tagging, 260–261  
 Ringophone.com Web site, 284  
 Ringtones.net Web site, 284  
 Ringtoneparty.com Web site, 284  
 Rio Karma audio player, 233  
 Robust Security Network (RSN), 105–106  
 router. *See also specific brand*  
   AP routing functionality, 26, 57–64  
   connecting to network, 58–59  
   DHCP, 59  
   802.11g, 224  
   entertainment network, 224  
   Ethernet port, 27, 58–59  
   firewall, 58–59  
   home network, 14, 25  
   hotspot, 349

ICS, 27, 45  
 infrastructure network, 57–64  
 IP addressing, 58–59, 61–62  
 MAC, 61, 63  
 password, 60  
 pinging, 64  
 placement on network, 58  
 resetting, 60, 372  
 security, 58  
 SSID, 67, 93  
 switch compared, 26  
 username setup, 60  
 Roxio Easy Media Creator software, 243  
 RSN (Robust Security Network), 105–106

**S**

Safely Remove Hardware dialog box (Windows), 380–381  
 Salvator, Dave (“Unwire Your Game Console”), 244  
 Samsung cell phone, 287, 291  
 Sanyo cell phone, 287, 291  
 SCO (Synchronous Connection Oriented) data transfer  
   mode, 210  
 Secure Shell (SSH), 378  
 Secure Sockets Layer (SSL), 359, 378  
 security. *See specific security technology and threat*  
 Security Profiling Web site, 129  
 Select Groups dialog box (Windows), 82–83  
 Select Users or Groups dialog box (Windows), 84  
 Sennheiser R85s wireless headphone, 222  
 server appliance, 325–329  
 Service Center utility (Bluetooth), 207–208  
 Service Set Identification. *See* SSID  
 Shell HomeGenie Home Management System, 256, 263  
 Short Message Service (SMS), 284, 286  
 SID (System Identification) code, 281–282  
 Siemens router, 148  
 Sierra Wireless AirCard, 306  
 signal. *See also antenna*  
   attenuation, 148–149  
   azimuth, 184–185  
   beamwidth, 168, 185  
   dead spot, 186  
   elevation cut, 184  
   FM signal, transmitting from audio device, 217, 310  
   line-of-sight, 19, 199–200

- loss, 143, 148–150, 161, 186
- multipathing, 185–186
- overlap, 144
- radiation pattern, 184
- range
  - antenna, effect on, 138, 149
  - AP placement, effect on, 137–138
  - architecture effect on, 10, 137, 149–150, 389
  - atmosphere, effect on, 138
  - Bluetooth, 199, 201, 206
  - 802.11b IEEE standard, 6
  - extender, 29–30, 154, 273–274
  - infrared, 199, 201, 203, 272, 273
  - limiting, 385
  - satellite radio, 308
  - USB, wireless, 201
- reflection, 143
- sharing, 171–172
- strength
  - cell phone, 282
  - improving, 148–150, 154–155
  - limit, legal, 184
  - measuring, 139–141, 184
  - NIC locking onto strongest, 147
  - throughput, 138, 140, 145, 165
- Silex SX-3700WB USB hub, 212
- Simple Mail Transfer Protocol (SMTP), 128, 130, 340–341, 378
- Simple Network Management Protocol (SNMP), 167, 379
- SIRIUS Satellite Radio, 308–309
- Sizes Web site, 162
- Slim Devices Squeezebox audio server, 231, 233
- Small Office or Business Office (SOBO) network, 317
- Small Office or Home Office (SOHO) network, 317
- Smarthome.com Web site, 250
- SmartHomeUSA.com Web site, 250
- SmartID Wi-Fi detector, 140
- SMC Networks
  - EZ Connect SMC265W Wireless Access Point, 24
  - SMCWMMR-AG EZ-Streaming Universal Wireless Multimedia Receiver, 217, 233, 235–236
- SMS (Short Message Service), 284, 286
- SMTP AUTH (SMTP Authorization) protocol, 341, 378
- SMTP (Simple Mail Transfer Protocol), 128, 130, 340–341, 378
- SnapStream BeyondTV! PVR, 202, 241–243
- sniffer software, 333
- SNMP (Simple Network Management Protocol), 167, 379
- SOBO (Small Office or Business Office) network, 317
- software, security vulnerability created by, 168, 381–382
- SOHO (Small Office or Home Office) network, 317
- SonicBlue ReplayTV PVR, 226, 238–239
- SonicWall SOHO TZW Wireless Firewall and VPN, 327–328
- Sony
  - Clíé PDA, 296, 314
  - PlayStation 2 game console, 244
  - Wireless Speaker system, 217
- SoundBlaster Wireless Music audio server, 231
- spam protection, 168
- Spam Sweeper software, 168
- Spanning Tree Protocol (STP), 156, 163
- speaker, wireless, 217, 230
- Specify a Printer screen (Windows), 79
- sprinkler system, automated, 249
- Sprint cell phone, 291
- Spybot software, 168
- spyware protection, 382
- SSH (Secure Shell), 378
- SSID (Service Set Identification)
  - ad hoc network, 40–41
  - adapter, wireless, 68
  - AP, 11, 65–67, 96, 160
  - broadcast, 65–67, 90, 116–117, 381
  - changing, 117–118, 382
  - domain, 167
  - hotspot, 338, 340, 351
  - PDA, 295–296, 303
  - router, 67, 93
  - troubleshooting, 368
- SSL (Secure Sockets Layer), 359, 378
- standing wave ratio (SWR), 185
- “Step-by-Step Guide for Setting Up VPN-based Remote Access in a Test Lab” (Microsoft), 324
- STP (Spanning Tree Protocol), 156, 163
- subnet, 167
- SuperPro home automation distribution panel, 258
- Surf and Sip hotspot service provider, 354–355
- SVCD (SuperVideo CD), 243
- Swiss Wireless Web site, 148
- switch, 14, 26–27, 45. *See also* router
- SWR (standing wave ratio), 185
- Sygate firewall, 342

## Symantec

- Antivirus for Handhelds software, 303

- FIREWALL/VPN 200 appliance, 328

- Symbian operating system, 286, 294

- Symbol wireless CF card, 297

- Synchronous Connection Oriented (SCO) data transfer mode, 210

- System Identification (SID) code, 281–282

- System Properties dialog box (Windows), 54

- System Restore utility (Windows), 36

**T**

- TDMA (Time Division Multiple Access), 280–281

- TealLock utility, 302

- telematics, 308

- television

- HDTV, 219, 221–222, 225–226

- PCTV, 218–219, 228–229, 240

- remote control device, 266

- set-top box, 226

- TitanTV Web program guide, 240–241

- Telnet server, virtual, 128

- Temporal Key Integrity Protocol (TKIP), 104–105, 111, 320

- Terk Leapfrog product line, 273–274

- tethering, 4

- 1394 IEEE standard, 225

- 3Com

- OfficeConnect Wireless 11g Cable/DSL Gateway router, 328

- Wireless Bluetooth PC Card, 208–209

- 3G network, 286, 289–291, 306

- 3gupload.com Web site, 287

- Time Division Multiple Access (TDMA), 280–281

- TitanTV Web program guide, 240–241

- TiVo PVR, 202, 218, 226, 238–239

- TKIP (Temporal Key Integrity Protocol), 104–105, 111, 320

- T-Mobile hotspot service provider, 332, 346, 354

- TMPEnc dvd Author software, 243

- Toast Titanium software, 243

- Toshiba

- Magnia server appliance, 326

- Portege 3505 Tablet PC, 206–208

- traffic transponder, 312–314

- Trend Micro PC-cillin for Wireless software, 303, 342

- TurboNet network card, 238

- turnpoint.net Web site, 195–196

**U**

- UEI Nevo software, 221–222, 272

- U-Lead DVD MovieFactory Studio Suite Deluxe software, 243

- “Unwire Your Game Console” (Salvator), 244

- USB (Universal Serial Bus)

- adapter, 17–19, 20, 49, 211, 392

- AP port, 65

- Bluetooth, 206

- cluster, 212

- connection, wireless, 211

- flash drive, 321–322

- HID standard, 210

- hub, 199, 211–212

- IP addressing, device, 210

- NIC, 211

- number of devices, maximum, 210, 212

- printer connection, 212

- range, 201

- recognition, device, 211

- serial converter, 211

- throughput, 210

- version, 210

- wall, penetration through, 200

- “Use a Surplus Primestar Dish as an IEEE 802.11 Wireless Networking Antenna”, 197

- User Accounts applet, 81–83

- user management, 81–84

- User Properties dialog box (Windows), 82

**V**

- vendor, importance of selecting hardware from same, 13, 227

- Veo Wireless Observer camera, 262

- Verizon

- NationalAccess system, 306

- PC 5220 card, 291

- VZAccess Manager software, 307

- video

- camera, 28, 222

- car video player, 219

- cell phone video messaging, 284, 290

- CODEC, 242

- compression, 242

- DVD, 237, 240, 242–243

802.11g IEEE standard, 227, 238  
 FireWire Component video, 225  
 graphics board/tuner combination, 240  
 on-demand, 219, 221  
 PVR, 202, 217–218, 226, 237–242  
 streaming, 217  
 SVCD, 243  
 Virtual Wallet utility, 302  
 virus protection, 168, 302–303, 382  
 VLAN (Virtual LAN), 324–325  
 VPN (Virtual Private Network), 169, 303, 306, 322–324,  
 327–329  
 VZAccess Manager software, 307

## W

WAP (Wireless Application Protocol), 287–289  
 war driving, 11  
 warchalking, 345  
 Watchguard Firebox SOHO 6 VPN appliance, 328  
 Wayport hotspot service provider, 332, 354  
 WDS (Wireless Distribution System), 156–159  
 Web-Link software, 259  
 WEP (Wired Equivalent Privacy)  
   adapter, 92–94, 98  
   AP, 92–98  
   authentication, encrypting, 90–91, 98  
   described, 90  
   enabling, 94–98  
   exchanging key on the fly, 92, 104  
   hotspot, 338, 358  
   importance of, 12  
   initialization vector, 92, 104  
   LAN, operation on, 91  
   length, key, 91, 99  
   MAC layer, 90–91  
   PDA, 295–296, 303  
   repeater support, 154  
   speed considerations, 92  
   weakness, 91–92, 104, 382–383  
   Windows XP support, 109  
   WPA, running simultaneously, 109  
 WEPCrack software, 383  
 Whamb software, 233  
 WiBOSS Management Platform, 355  
 Wieray wireless kiosk, 300–301  
 Wi-Fi Alliance (organization), 351–352, 357  
 Wi-Fi Certified mark, 351–352  
 Wi-Fi detector, 140  
 Wi-Fi Free Spot Web site, 331  
 “Wi-Fi HotSpot Deployment Guide” (Intel), 348  
 Wi-Fi HotSpotList.com Web site, 357  
 Wi-Fi Planet Web site, 149  
 Wi-Fi Protected Access. *See* WPA  
*Wi-Fi Toys* (Outmesguine), 195  
 Wi-Fi Zone membership, 351–352  
 WiFiConsulting VPN service, 324  
 WiFi411.com Web site, 331, 357  
 Wi-Fi-Freespot Web site, 357  
 Wi-Find Web site, 331  
 WiFinder Hotspot Locator Web site, 331, 357  
 WinAmp software, 231, 233  
*Windows. See specific Windows feature*  
 Windows Media Format (WMF), 243  
 Windows Product Activation (WPA), 104  
 Windows Server 2003, 81, 109, 318–320, 323  
 Windows Smart Network Key (WSNK), 320  
 Windows Update utility, 381–382  
 WINIP.CFG utility, 390–391  
 Wired Equivalent Privacy. *See* WEP  
 Wireless Application Protocol (WAP), 287–289  
 Wireless Distribution System (WDS), 156–159  
 Wireless Local Area Network (WLAN), 4  
 Wireless Markup Language (WML), 288  
 Wireless Network Connection dialog box (Windows),  
   39, 68  
 Wireless Network Connection Properties dialog box  
   (Windows)  
   Association tab, 99  
   Configure tab, 98  
   General tab, 374  
   Wireless Networks tab, 40, 111, 343, 368–369  
 Wireless Network Connection Status dialog box  
   (Windows), 139  
 Wireless Network Setup Wizard (WNSW), 320–322  
 Wireless Node Database Project, 331  
 “Wireless Provisioning Services Overview” (Microsoft),  
   325  
 Wireless Provisioning Services (WPS), 324–325  
 Wireless Telephony Application Interface (WTAI), 288  
 Wireless USB (WUSB), 212  
 Wireless Zero Configuration protocol, 368, 370–371  
 WLAN (Wireless Local Area Network), 4

WMF (Windows Media Format), 243  
WML (Wireless Markup Language), 288  
WNSW (Wireless Network Setup Wizard), 320–322  
Wolff, Michael (*Burn Rate: How I Survived the Gold Rush Years on the Internet*), 293  
W1GHZ Online Microwave Antenna Book Web site, 185  
workgroup, 52–57, 68  
workstation, disabling unused, 125  
WorldSpace Satellite Radio, 308–309  
WPA (Wi-Fi Protected Access)  
    adapter, 109–111  
    AES, use of, 105  
    AP, 106–109  
    authentication, encrypting, 105–106, 107–108, 111–113  
    certificate, 112  
    EAP, use of, 105, 112–113  
    802.11i IEEE standard implementation, 104–106  
    importance of using, 12, 383  
    PDA, 303  
    TKIP, use of, 104–105, 111, 320  
    WEP, running simultaneously, 109  
    Windows XP support, 109  
WPA (Windows Product Activation), 104  
WPS (Wireless Provisioning Services), 324–325  
WSNK (Windows Smart Network Key), 320  
WTAI (Wireless Telephony Application Interface), 288  
WUSB (Wireless USB), 212

## X

Xanboo product line, 256  
XM Satellite Radio, 308–309  
XMMS software, 233  
XScale technology, 315  
X10 protocol, 256, 257–258, 262–263  
X10PC Pro Programmable Interface for Lighting and Appliance Control, 263

## Y

Yagi antenna, 168, 179, 188, 190  
Yamaha  
    MCX-A10 audio client, 230  
    MCX-SP19 speakers, 230  
    MusicCAST Digital Audio Music Server, 230, 233

## Z

Zen-sys Z-Wave protocol, 256–257  
Zinf software, 233  
ZoneAlarm firewall, 58, 342, 378  
Zoomer PDA, 293  
Zytrax Web site, 148