

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Symbols

- % Disk Time counter, 468
- % Network Utilization counter, 468
- % Processor Time counter, 467
- * operator in SELECT command, 101

A

- Access database
 - fully qualified names for, 88
 - linking to, 92–94
 - Query Analyzer for working with, 100
 - security for, 99
- Action menu (Enterprise Manager), 77
 - New SQL Server Group, 74
 - New SQL Server Registration, 74
- Active Directory, 510
- Active Script jobs, 359
- Active Server pages, 391–392
- ActiveX Data Objects, 391–392, 510
- ad hoc queries, 312, 510
- Add Counters dialog box, 468
- Add Destination Database dialog box, 253
- Administrative Tools menu, ➤ Data Sources (ODBC), 59
- ADO.NET, 392
- Advanced Server version of Windows 2000, 8
- alert engine, 358
- alerts, 367–373, 510
 - creating, 367–370
 - to monitor Performance Condition counters, 369–370
 - for need to backup transaction log, 368–369
 - editing, 370
 - exam essentials, 392
 - in Windows System Monitor, 467
- alias, 510
 - to Oracle database, 95

- ALTER DATABASE statement, 132, 137, 139, 141
 - to create filegroups, 153
 - to expand database, 141–144
 - to rename database, 148–149
 - to shrink database, 144–148
- anonymous subscribers, 439
- ANSI NULL Default option for database, 138
- ANSI settings, 56–57
- AppleTalk, 27
- application roles, 205–208, 510
 - event to audit changes, 218
- archive, 510
- archiving monitoring records, 489
- Arithabort option for ALTER DATABASE statement, 140
- articles in replication, 405, 406, 510
- ASP.NET, 392
- attaching databases, 149–150
- audit. *See* Security Audit class
- audit policy, event to audit changes, 219
- authentication mode, 510
 - Enterprise Manager to set, 179
 - Mixed mode, 178
 - Windows Authentication mode, 176–177
- Authentication Mode screen, when installing SQL Server, 37, 37
- Auto Close option for database, 139
- Auto Create Statistics option for database, 139
- Auto Shrink option for database, 139
- Auto Update Statistics option for database, 139
- automatic recovery in SQL Server, 256, 510
 - entries in error log, 259–260
- automation, real world scenario, 381
- autonomy of replicated data, 407
- Available Bytes counter, 467
- Average Disk Queue counter, 468, 490, 491

B

- B-Tree format, 511
 - for indexes, 129

BackOffice, 511
 BACKUP DATABASE command, 269, 270
 Backup Database statement permission, 195
 backup device, 266–269, 511
 creating, 266–267
 with Enterprise Manager, 268–269
 with T-SQL, 267
 information about, 280–282
 backup domain controller (BDC), 511
 Backup folder, 46
 BACKUP LOG command, 274
 Backup Log statement permission, 195
 backups, 265–282. *See also* restoring databases
 differential, 275–276
 restoring, 289
 directly to or from files, 269
 errors, 256–257
 event to audit, 218
 exam essentials, 293–294
 of filegroups, 277–278
 restoring, 289
 full database, 270–272
 with Enterprise Manager, 271–272
 with T-SQL, 270–271
 modes, 264
 parallel striped, 273
 plan development, 243–245
 frequency, 243–244
 media, 244
 for non-logged operations, 244–245
 responsibility, 244
 verification, 244
 prerequisites, 242–256
 reasons for backup, 242
 of replication, 448–449
 scheduling, 278–280
 transaction log, 273–275
 baseline for monitoring, setting, 488–489
 batch files, Notepad for, 309
 battery backup, 259
 BCP (Bulk Copy), 110, 304–309, 336, 511
 disadvantages, 304
 .bcp file extension, 305
 BDC (backup domain controller), 511
 BEGIN TRANSACTION command, 258
 binary large object (BLOB), 511
 binary sort order, 25
 Binn folder, 46
 Books Online, 110, 502

browser, web, 536
 Buffer Cache Hit Ratio counter, 473, 491
 Bulk Copy. *See* BCP (Bulk Copy)
 BULK INSERT command, 309–313, 336, 511
 with heterogeneous queries, 312–313
 syntax, 310
 Bulk-Logged recovery mode for database,
 138, 264, 511
 bulk update lock, 494
 bulkadmin role, 190

C

C2 security auditing, 222–223
 cache for transactions, 258
 caching, 511
 LazyWriter and, 491
 candidate key, 511
 Cartesian products (cross joins), 105, 105
 case sensitivity in dictionary sort order, 25
 Categories property sheet, 435
 General tab, 435
 central publisher/central distributor
 replication model, 418–419, 419
 central publisher/multiple distributors
 replication model, 420
 central publisher/remote distributor
 replication model, 419, 420
 CGI scripts, 389
 character mode, for BCP (Bulk Copy), 308
 character sets, 25, 512
 Chart datatype, 127
 CheckAlloc command (DBCC), 109, 257
 CheckCatalog command (DBCC), 109, 257
 CheckDB command (DBCC), 109, 257
 REPAIR_REBUILD option, 259
 CheckFilegroup command (DBCC), 109
 checkpoints, 257–260, 512
 Choose Licensing Mode screen, when
 installing SQL Server, 38, 39
 cleanup jobs for subscribers, 451
 Client Network utility, 58, 512
 client/server, 2, 3, 512
 client/server application, 512
 clients, 512
 for SQL Server 2000, 10
 installing, 58–60
 storing queries on, 160

- clustered indexes, 158, 493, 512
 - estimating storage requirements, 129
- clustering in Windows, 249–250
- CmdExec jobs, 359
- code page, 512
- COLLATE option in CREATE DATABASE statement, 131
- collation, 25–26, 512
- Collation Settings screen, when installing SQL Server, 37, 37
- Column Mappings and Transformations dialog box
 - Column Mappings tab, 322, 322
 - Transformations tab, 324, 324
- columns in tables, 5, 157, 512
- COM (Component Object Model), 313
- command prompt, for OSQL utility, 79
- Commerce Server, 382
- commit process, 512
- COMMIT TRANSACTION command, 258
- Committed Bytes counter, 468
- Compatibility Level option for database, 139
- Component Object Model (COM), 313, 512–513
- composite index, 513
- computer, monitoring resources, 467
- computer name, 513
- Computer Name screen, when installing SQL Server, 33, 33
- Concat_Null_Yields_Null option, for ALTER DATABASE statement, 140
- concurrency, 513
- configuration utilities, in SQL Server 2000, 106–107
- Configure Publishing and Distribution Wizard
 - Customize the Configuration screen, 426–427, 427
 - Enable Publication Databases screen, 428, 428
 - Enable Publishers screen, 427, 428
 - Enable Subscribers screen, 428–429, 429
 - Provide Distribution Database Information screen, 427, 427
 - Select Distributor screen, 425, 425–426
 - Specify Snapshot Folder screen, 426, 426
 - Welcome screen, 425, 425
- Configure SQL XML Support in IIS program, 337, 338, 383
- Connect to SQL Server dialog box, 81
- connection objects for DTS package, 316
- connections, SQL Server settings for, 53
- constraint object, 5, 513
 - creating, 157–158
- Control Panel, 513
- convergence, 410, 513
- Copy Database Wizard, 260–263, 261
- counter logs, 467
- counters, 467, 513
 - for SQL Server 2000, 473
- Create and Manager Publications dialog box, 431
 - pushing publication to subscribers, 439
- CREATE DATABASE statement, 130–133
- Create Database statement permission, 195
- Create Default statement permission, 195
- Create Function statement permission, 195
- CREATE INDEX statement, 159
- CREATE PROCEDURE statement, 160
- Create Procedure statement permission, 195
- Create Publication Wizard, 430–431
 - Choose Publication Database screen, 432, 432
 - Customize the Properties of the Publication screen, 436, 436
 - Filter Data screen, 437, 437
 - Filter Table Columns screen, 437, 437
 - Filter Table Rows screen, 437, 438
 - Select Publication Name and Description screen, 436, 436
 - Select Transactional Publication screen, 432, 433
 - Set Snapshot Agent Schedule screen, 439, 439
 - Specify Articles screen, 435, 435
 - Specify Subscriber Types screen, 434, 434
 - Transform Published Data screen, 433, 434
 - Updatable Subscriptions screen, 433, 433
 - Welcome screen, 431, 432
- Create Rule statement permission, 195
- Create Table SQL statement dialog box, 322, 322
- CREATE TABLE statement, 157
 - to add constraints, 158
- Create Table statement permission, 195
- CREATE TRIGGER statement, 162
- CREATE VIEW statement, 163
- Create View statement permission, 195

cross joins (Cartesian products), 105, 105, 513
 .csv file extension, 305
 Current Connection Properties sheet, 474, 475
 Cursor_Close_on_Commit option for
 ALTER DATABASE statement, 140
 Cursor_Defaultlocal option for ALTER
 DATABASE statement, 140
 custom database roles, 202–205
 custom setup routing, for installing SQL
 Server 2000, 31

D

Data Access Objects (DAO), 513
 data cache, 513
 data control language (DCL) in T-SQL, 7, 513
 Data Definition Language (DDL), 7, 513
 data file connection object for DTS
 package, 316
 data files, 120–121, 513
 Data folder, 47
 data lineage, 513
 data management. *See also* Data
 Transformation Services (DTS)
 BCP (Bulk Copy), 304–309
 BULK INSERT command, 309–313
 with heterogeneous queries, 312–313
 exam essentials, 343
 data manipulation language (DML)
 in T-SQL, 7
 data mart, 514
 data pages, 125
 data pump objects, 316, 514
 data source connection object, 316
 Data Source Name (DSN), 514
 data storage
 estimating requirements, 126–129
 structures, 124–126
 extents, 126
 pages, 125, 125–126
 Data Transformation Services (DTS),
 313–337, 514
 data flow, 317
 DTS Designer, 314, 331, 332, 337
 DTS packages, 314–316
 DTS storage and security, 317–318
 DTSRUN utility, 332–336
 Import and Export wizards, 318–325, 337
 Transfer Manager, 314, 325–329
 wizards for, 76
 data warehousing, 514
 vs. online transaction processing, 6
 Database consistency checker (DBCC), 109,
 144, 256–257, 514
 event to audit commands, 219
 Database Maintenance Plan Wizard,
 251, 282–286
 to create jobs, 360
 Database Integrity Check screen, 283, 283
 Log Shipping option, 250
 Log Shipping Thresholds, 255
 Maintenance Plan History screen, 285, 285
 Select Database screen, 252, 282
 Specify Backup Disk Directory screen,
 284, 284
 Specify the Database Backup Plan screen,
 284, 284
 Specify the Log Shipping Monitor Server
 Information, 255
 Specify the Transaction Log Share
 screen, 253
 Specify Transaction Log Backup Disk
 Directory, 252
 Update Data Optimization Information
 screen, 283, 283
 database management system (DBMS), 514
 database object, 514
 Database Object Owner (DBOO), 514
 Database Owner (DBO), 514
 database Properties dialog box
 Data Files tab, 142
 General tab, 142
 Options tab, 57, 264
 Database Properties sheet, 134
 Data Files tab, 134
 Options tab, 137–139, 138
 database roles, 199–208
 application roles, 205–208
 custom database roles, 202–205
 event to audit changes, 218
 fixed database roles, 200–202
 database tables
 creating, 156–157
 estimating number of rows, 128–129
 estimating storage requirements, 126–129
 row size calculation, 127–128
 rows per page calculation, 128

- joining, 103–105
 - on linked server, fully qualified name for, 88
- database user accounts, 192–194, 514.
 - See also* permissions
 - event to audit changes, 218
- databases, 3–6, 514. *See also* Msdb database
 - altering, 140–149
 - expansion, 141–144
 - renaming, 148–149
 - shrinking, 144–148
 - attaching and detaching, 149–150
 - backups of, 265–282
 - Copy Database Wizard for, 260–263, 261
 - copying with Transfer Manager, 326–329
 - creating
 - with Enterprise Manager, 133–135
 - with T-SQL, 130–133
 - data warehousing vs. online transaction processing, 6
 - different options for, 56
 - dropping, 151
 - exam essentials, 164–165
 - files, 120–121
 - placement, 121–124
 - information gathering about, 135–136
 - options, 137–140
 - relational vs. flat-file, 4
 - restoring, 286–293
 - in SQL Server, 4
 - upgrading, 49
 - wizards for, 76
- Datacenter version of Windows 2000, 8
- DataSet object in ASP.NET, 392
- datatype object, 5
- datatypes, 127, 515
- Datetime datatype, 127
- DB-Library, 79, 515
- Db_accessadmin role, 200
- Db_backupoperator role, 200
- DBCC. *See* Database consistency checker (DBCC)
- dbcreator role, 190
- Db_datareader role, 200
- DB_datawriter role, 200
- Db_ddladmin role, 200, 213
- Db_denydatareader role, 200
- Db_denydatawriter role, 200
- DBMS (database management system), 514
- DBO (database owner) user account, 194, 514
 - and ownership chain, 213
- DBOO (Database Object Owner), 514
- Db_owner role, 200, 213
- DBREINDEX command (DBCC), 496
- DB_securityadmin role, 200
- DDL (Data Definition Language), 7, 513
- deadlock, 494, 494, 515
- decision support system (DSS), 6, 515
- default, 515
- default database, user login to, 189
- default instance of SQL Server, 28–29, 515
- default object, 5
- defragmentation, 495–496
- DELETE object permission, 198
- DELETE trigger, 161
- deleting
 - jobs, 367
 - queries, 84
 - web publishing job, 389
- delimiter, 515
- DENY state for permission, 208
- Desktop, 515
- detaching databases, 149–150
- Developer version of SQL Server 2000, 9
- diagram, 515
- Dictionary sort order, 25
- differential database backups, 265, 275–276, 515
 - restoring, 289
- disaster recovery plan
 - backup plan in, 243–245
 - Windows and hardware for protection, 245–256
- disconnected data, 392
- disk drives. *See also* RAID (Redundant Array of Inexpensive Disks)
 - allocating for transaction log, 121
 - monitoring, 468
 - performance, 122–123
- disk duplexing, 246, 246
- disk mirroring, 121–122, 245, 245, 529
- disk space requirements, for SQL Server 2000, 25
- diskadmin role, 190
- distributed queries, 84–90, 214–215, 215, 515
 - linked server and, 85, 86
 - what it is, 85–88

- Distributed Relational Database Architecture (DRDA) protocol, 422
 - Distributed Transaction Coordinator (DTC), 45, 515
 - distributed transactions, 408
 - replication vs, 405
 - Distribution agent for replication, 412
 - distribution database, 448
 - distribution server, installing, 424–430
 - distributor in replication, 405, 515
 - backups, 448–449
 - Replication Monitor to manage, 449–452
 - DLL (dynamic link library), 516
 - domain, 516
 - domain controller, 516
 - DROP DATABASE command, 151, 287
 - dropping databases, 151
 - DSN (Data Source Name), 514
 - DSSs (Decision Support Systems), 6, 515
 - DTC (Distributed Transaction Coordinator), 45
 - DTS. *See* Data Transformation Services (DTS)
 - DTS Designer, 331, 332, 337, 516
 - DTS packages, 314–316, 516
 - DTSRUN utility for, 332–336
 - DTS storage and security, 317–318
 - DTSRUN utility, 111, 332–336, 516
 - DTSRUNUI utility, 111, 334–335, 516
 - DTSWIZ utility, 111
 - dump device. *See* backup device
 - dynamic backup, 516
 - dynamic link library (DLL), 516
-
- E**
- e-commerce, 382
 - e-mail
 - enabling MAPI support for, 374–378
 - testing, 379–381
 - Edit Operator dialog box, 379
 - Edit Recurring Job Schedule dialog box, 363
 - Edit SQL Server Message dialog box, 371
 - EIDE (enhanced integrated device electronics),
 - and disk duplexing or mirroring, 246
 - electronic mail (e-mail), 516
 - encryption, 516
 - English Query component, 62
 - enhanced integrated device electronics (EIDE),
 - and disk duplexing or mirroring, 246
 - Enterprise Manager, 72–76, 516
 - Action menu, 77
 - to add constraints, 158
 - to assign object permissions, 198
 - to assign user to fixed server role, 190–191
 - to assign users to fixed database roles, 200–201
 - for backup device information, 281–282
 - to backup transaction log, 274–275
 - to change database options, 137–139
 - to connect to Oracle server, 96
 - to create and test standard login, 180–181
 - to create application roles, 206–207
 - to create backup device, 268–269
 - to create custom database roles, 202–204
 - to create database, 133–135
 - to create database user accounts, 192–193
 - to create filegroups, 152–153
 - to create index, 159
 - to create jobs, 360, 361–363
 - to create linked server, 90–91
 - to create server groups, 73–75
 - to create SQL Server logins mapped to Windows accounts, 183–188
 - to create stored procedures, 160
 - to create table, 157
 - to create trigger, 161
 - to create views, 162–163
 - Data Transformation Services (DTS)
 - folder, Local Packages, 331, 331
 - for database information gathering, 135
 - to detach and attach database, 150
 - for differential backup, 276
 - to drop database, 151
 - to edit error messages, 371–372
 - exam essentials, 111, 111–112
 - for filegroup backups, 277–278
 - for full database backup, 271–272
 - job history record, 365
 - to map login IDs for linked servers, 98–99
 - publications and subscriptions, 445
 - refreshing tables in, 446
 - Replication Monitor icon, 430
 - to restore database, 287, 288–289
 - to restore transaction log, 290–291

- to set authentication mode, 179
- to set permissions state, 209–211
- to shrink databases, 147–148
- SQL Server folders, 77, 77
- wizards, 76, 76–77
- Enterprise Manager New Login dialog box,
 - Database Access tab, 189
- enterprise network, 516
- Enterprise version of SQL Server 2000, 10
- equijoins (inner joins), 103, 103–104
- .err file extension, 305
- error log, automatic recovery entries in, 259–260
- error messages
 - alerts for, 367, 368–369
 - editing and creating, 370–372
 - flowcharts for response, 358
- event class security audit, 218–223
- event classes, 477, 517
- events, 517
 - forwarding, 372–373
 - monitoring, 477
- Exchange (Microsoft), 523
- exclusive lock, 494, 517
- EXECUTE object permission, 198
- execution plan for stored procedures, 492
- expanding database, ALTER DATABASE statement for, 141–144
- Explorer, 517
- Export Wizard, 318
- exporting, choosing method, 336–337
- Extensible Markup Language (XML),
 - 9, 382, 517
 - configuring support in SQL Server 2000, 383
 - exam essentials, 392
 - IIS preparation for, 337–342
- extents, 126, 517
- extranet, 517

F

- fail-safe operators, 380–381
- Fast BCP, 517
- fault tolerance
 - and backups, 242
 - RAID and, 121–122, 245–249
 - standby servers for, 250–256
- fields in tables, 157, 517
- file allocation table (FAT), 517
- File DSN, 58
- filegroups, 130, 144, 151–156, 517
 - backups, 265, 277–278, 517
 - creating
 - with Enterprise Manager, 152–153
 - with T-SQL, 153–154
 - optimization with, 496, 497
 - removing, 154–156
 - restoring, 289
- FILEGROWTH parameter, in CREATE DATABASE statement, 132
- files. *See also* data storage
 - backup and restored directly to or from, 269
 - for databases, 120–121
 - placement, 121–124
- fill factor, 128, 518
- filter, 518
 - for trace data, 480–482
- fixed database roles, 200–202, 518
 - event to audit changes, 218
- fixed server roles, 189–191, 518
 - assigning user to, 190–191
 - event to audit changes, 218
 - in security plan, 224
- flat-file databases, 518
 - BCP (Bulk Copy) and, 304–305
 - vs. relational, 4
- Float datatype, 127
- .fmt file extension, 305
- fn_helpcollations() function, 27
- folders, for SQL Server 2000, 46–47, 77, 77
- FOR ATTACH option in CREATE DATABASE statement, 131
- FOR LOAD option in CREATE DATABASE statement, 131
- foreign key, 518
- forwarding events, 372–373
- fragmentation, 518
- full database backup, 265, 518
 - performing, 270–272
 - with Enterprise Manager, 271–272
 - with T-SQL, 270–271
- full log, error from, 357
- Full recovery mode for database, 138, 264, 518
- fully qualified names, for tables on linked server, 88

G

Generate SQL Script dialog box, 452, 453
 Global Allocation Map, 125
 GRANT state for permission, 208
 groups, 518
 of servers, Enterprise Manager to create, 73–75
 guest user accounts, 194, 518
 in security plan, 224
 GUID, 414

H

hardware, SQL Server 2000 requirements, 25
 heterogeneous queries, 312–313, 518
 heterogeneous replication, 421, 422
 history of jobs, viewing, 365–366
 HKEY_LOCAL_MACHINE, 58
 \Software, 46
 \Microsoft\JET\4.0\Engines\SystemDB, 99
 HKEY_USERS, 46, 58
 horizontal partitioning, 102, 406, 406, 518
 merge replication for, 414
 and performance, 454
 selecting, 437
 hospitals, real world scenario, 13–14
 .htx file extension, 390–391
 hyperlinks, 519
 Hypertext Markup Language (HTML), 519
 Hypertext Transfer Protocol (HTTP), 519

I

I/Os per disk, calculating, 123
 IBM Corporation, 7
 IDC (Internet Database Connector), 390–391
 .idc file extension, 390–391
 IDE (integrated device electronics), 519
 and disk duplexing or mirroring, 246
 IDENTITY column values in replication, 417
 IIS. *See* Internet Information Server (IIS)
 image pages, 125
 Import and Export wizards, 318–325, 319–325
 Choose a Data Source screen, 318, 319

 Choose a destination screen, 319
 Save DTS Package screen, 325, 325
 Save, Schedule and Replicate Package screen, 324, 324
 Select Columns screen, 320, 321
 Select Source Tables and Views screen, 322, 322
 Specify Query Criteria screen, 321, 321
 Specify Sort Order screen, 321, 321
 Specify Table Copy or Query screen, 320, 320
 Type SQL Statement screen, 320, 320, 322, 322
 importing. *See also* BCP (Bulk Copy); Data Transformation Services (DTS)
 BULK INSERT command for, 309–313
 choosing method, 336–337
 Index Allocation Map, 125
 index object, 5
 creating, 158–159
 index pages, 125
 Index Tuning Wizard, 484–488, 519
 Index Recommendations screen, 487
 Select Server and Database screen, 485
 Select Tables to Tune screen, 487
 Specify Workload screen, 486
 Welcome screen, 485
 INDEXDEFRAG command (DBCC), 496
 Indexed Sequential Access Method (ISAM), 519
 indexes, 519
 estimating storage requirements, 129
 optimization, 493
 WHERE clause and, 103
 Industry Standard Architecture (ISA), 519
 inner joins (equijoins), 103, 103–104, 519
 input/output (I/O), 519
 INSERT object permission, 197
 INSERT trigger, 161
 Install folder, 47
 Installation Definition screen, when installing SQL Server, 34, 34
 Installation Selection screen, when installing SQL Server, 33, 33
 installing
 distribution server, 424–430
 linked servers, 88–90
 replication, 423–447
 adding publication, 430–440

- creating subscription, 440–445
 - installing distribution server, 424–430
 - SQL Server configuration, 424
 - testing, 446–447
- SQL Server clients, 58–60
- installing SQL Server 2000, 24–30
 - collation, 25–26
 - default and named instances, 28–29
 - exam essentials, 64
 - hardware requirements, 25
 - installation path, 30, 46–47
 - license mode, 25
 - network libraries, 27
 - Registry settings, 46
 - second instance, 39–42
 - selecting components, 30
 - services, 45–46
 - software requirements, 25
 - sort order, 26
 - steps, 30–39
 - Authentication Mode screen, 37, 37
 - Choose Licensing Mode screen, 38, 39
 - Collation Settings screen, 37, 37
 - Computer Name screen, 33, 33
 - Installation Definition screen, 34, 34
 - Installation Selection screen, 33, 33
 - Instance Name screen, 35, 35
 - Network Libraries screen, 38, 38
 - Select Components screen, 36, 36
 - Services Accounts screen, 36, 36
 - Setup Type screen, 35, 35
 - Start Copying Files screen, 38, 38
 - User Information screen, 34, 34
 - testing and troubleshooting, 43–45
 - unattended installations, 43
 - Unicode support, 26–27
 - upgrade vs. side-by-side installation, 30
 - user accounts, 28
- Instance Name screen, when installing SQL Server, 34, 35, 35
- instances of SQL Server
 - default, 28–29
 - installing second, 39–42
 - Installation Selection screen, 40, 40
 - Network Libraries screen, 41, 42
 - named, 28–29
 - real world scenario, 29, 42
 - SQL Server versions and, 48
- Instcat.sql sqquery, 92

- Int datatype, 127
- integrated device electronics (IDE), 246
- intent lock, 494
- Interactive SQL (ISQL), 79
- interactive web pages
 - creating, 389–392
 - with ActiveX data objects and Active Server pages, 391–392
 - with ASP.NET and ADO.NET, 392
 - with Internet Database Connector, 390–391
 - with Remote Data Services (RDS), 391
 - vs. static, 382–383
- Internet, 382–389, 520
 - replication over, 422–423
- Internet Database Connector (IDC), for web page creation, 390–391
- Internet Explorer, 520
- Internet Information Server (IIS), 382, 520
 - preparing for XML, 337–342
- Internet Protocol (IP), 520
- Internet Service application programming interface (ISAPI), 389, 390
- Internet Service Provider (ISP), 520
- Internetwork Packet Exchange (IPX), 520
- Internetwork Packet Exchange/Sequence Packet Exchange (IPX/SPX), 27
- interprocess communication channel, 520
- intranet, 520
- inventory management, central publisher/multiple publisher model for, 420
- IP address, 520
- IPX/SPX (Internetwork Packet Exchange/Sequence Packet Exchange), 27
- ISA (Industry Standard Architecture), 519
- ISAM (Indexed Sequential Access Method), 519
- ISAPI (Internet Service application programming interface), 389, 390
- ISQLW utility, 92

J

- JavaScript, 392
- Jet (Joint Engine Technology), 521
- job Properties dialog box, General tab, 361
- jobs, 521
 - alerts to perform, 367

- creating, 360–363
- deleting, 367
- editing, 364
- exam essentials, 392
- multiserver, 359
- running manually, 364–365
- for scheduling backups, 278
- types, 359
- viewing history, 365–366
- for web publishing, 384–388

Jobs folder, 47

joining tables, in SELECT command, 103–105

joins, 521

Joint Engine Technology (Jet), 521

K

- Kerberos protocol, 177
- kernel, 521
- Key Distribution Center (KDC), 177

L

- latency of replicated data, 407, 521
- Latest History of Snapshot Agent dialog box, 450, 450
- LazyWriter, 491, 521
- .ldf file extension, 120
- leaf, 521
- left outer joins, 105
- LFN (long filename), 522
- license mode for SQL Server 2000, 25
- Linked Server Properties dialog box, 91, 96
 - General tab, 215
 - Security tab, 98, 216
 - Server Options tab, 216
- linked servers, 86, 522
 - creating links, 90–97
 - to Access database server, 92–94
 - to Oracle database server, 94–97
 - to remote SQL Server 6.5 database server, 91–92
 - to remote SQL Server 2000 database server, 90–91
 - distributed queries and, 85, 86
 - and heterogeneous queries, 312
 - installing and configuring, 88–90

- security for, 97–100
 - mapping login IDs with Enterprise Manager, 98–99
 - mapping login IDs with Query Analyzer, 100
- livelock, 522
- LOAD DATABASE command, 269, 286
- LOAD TRANSACTION command, 286
- local group, 522
- local queries, 78–84
 - OSQL to run, 79–80
 - Query Analyzer to run, 80–84
- lock escalation, 522
- locks, 522
 - optimization, 493–495
- Log folder, 47
- log shipping, 250–256
- logging, 522
 - with Windows System Monitor, 471–473
- logical I/O, 519
- logins to SQL Server, 179–189, 522
 - event to audit, 218, 219
 - items common to all, 189
 - standard, 180–182
 - Windows logins, 183–188
 - with Enterprise Manager, 183–187
 - with T-SQL, 187–188
- Logon as a Service right, 28
- logout, event to audit, 219
- Logreader agent for replication, 412, 416
- long filename (LFN), 522

M

- Makepipe utility, 522
- management, wizards for, 76, 76–77
- MAPI (Messaging Application Program Interface), 523
 - enabling support for e-mail, 374–378
- Master database, 522
 - backup frequency, 243
 - replication and, 418
 - restoring
 - with valid backup, 291–292
 - without backup, 292–293
 - Sysmessages table, 371
- Max Async I/O, 490, 522
- max server memory, 492, 522

MAXSIZE parameter in CREATE DATABASE statement, 132

Mdac_Typ.exe, 62

.mdf file extension, 120

measurement baseline, 523
setting, 488–489

Members of db_owner, dbcreator, or sysadmin option for database, 137

memory, 491
allocation for replication, 454
manually configuring use, 491–492
monitoring, 467
SQL Server settings for, 51

Merge agent for replication, 412

merge replication, 410, 413–415
conflict resolution, 414–415

Messaging Application Program Interface (MAPI), 523
enabling support for e-mail, 374–378

Meta Data Services, DTS package storage in, 317

metadata, 523

Microsoft Database Engine (MSDE), 9

Microsoft Distributed Transaction Coordinator (MS-DTC), 405

Microsoft Exchange, 523

Microsoft Management Console (MMC), 523

Microsoft Outlook Setup Wizard, 376, 376

Microsoft Query, 523

Microsoft Search, 45

min server memory, 492

mixed extents, 126

Mixed mode, 178, 523

mixed security, 523

MMC (Microsoft Management Console), 523

Model database, 523
backup frequency, 243
replication and, 418

Money datatype, 127

monitoring SQL Server. *See also* Windows System Monitor
data archiving and trend tracking, 489
exam essentials, 497
with Query Analyzer, 474–476
setting measurement baseline, 488–489
with SQL Profiler, 476–488, 533
vs. troubleshooting, 466

MS-DTC (Microsoft Distributed Transaction Coordinator), 405

Msdb database, 354–355, 523
backups, 354
frequency, 243
DTS package storage in, 317
rebuilding, 355
replication and, 418
Sysjobhistory table, 365

MSDE (Microsoft Database Engine), 9

MSSQLServer service, 46
starting automatically, 357

multihoming SQL server, 27

multiple document interface (MDI), in Query Analyzer, 80

multiple publishers/multiple subscribers
replication model, 420–421, 421

multiprocessing, 523–524

Multiprotocol support, 27, 524

multiserver jobs, 359

multitasking, 524

multithreaded, 524

N

n-tier security, 214–217

named instance of SQL Server, 28–29, 524
real world scenario, 29, 42

Named Pipes, 27, 73, 432, 524

names, of SQL Server computers, 73

National character sets, 26

native API, 524

native mode for BCP (Bulk Copy), 308

.ndf file extension, 120

nested query, 524

nesting roles, 202, 525

.NET Enterprise Servers, SQL Server and, 6

network libraries, 27

Network Libraries screen, when installing SQL Server, 38, 38

network monitoring, 468

network operating system, 525

New Alert Properties dialog box
General tab, 368, 368
Response tab, 368, 369

New Job Step dialog box, 362

New Object—User dialog box, 28

New Virtual Directory Properties sheet
Advanced tab, 341, 341

- Data Source tab, 339, 339
- General tab, 338
- Security tab, 338, 339
- Settings tab, 340, 340, 383
- Virtual Names tab, 340, 341
- non-logged operations, backup plan for, 244–245
- non-Microsoft SQL servers, as subscribers, 434
- nonclustered indexes, 159, 493, 525
- nontrusted connection, 178, 178, 525
- NO_RECOVERY option for RESTORE DATABASE command, 287–288
- normalizing the database, 4, 525
- Northwind database, 244
- Notepad, for batch files, 309
- NT File System (NTFS), 525
- NULL data, 56, 525
- Numeric_roundabort option for ALTER DATABASE statement, 140

O

- Object Linking and Embedding Database (OLE-DB), 525
- object permissions, 197–199, 525
- objects in databases, 4, 4, 525
 - creating, 156–163
 - constraints, 157–158
 - indexes, 158–159
 - stored procedures, 160–161
 - tables, 156–157
 - triggers, 161–162
 - views, 162–163
 - monitoring, 467
 - Transfer Manager to copy, 325–329
 - upgrading and, 49
- ODBC (Open Database Connectivity), 390, 526
- ODBC connections
 - configuration, 59–60
 - and named instances, 39
 - setting up, 62
- ODBC Data Source Administrator, 58, 58
- ODBC SQL (OSQL), 525
 - to run local queries, 79–80
- Offline option for ALTER DATABASE statement, 140
- OLAP. *See* Online Analytical Processing (OLAP)
- OLE-DB (Object Linking and Embedding Database), 62, 390, 525
- OLE-DB provider, 85
- OLTP (Online Transaction Processing). *See* Online Transaction Processing (OLTP)
- on demand synchronization, 443
- one-time-only job, 360
- Online Analytical Processing (OLAP), 6, 526
 - for snapshot replication, 409
 - support, 62–63
- Online Transaction Processing (OLTP), 526
 - vs. data warehousing, 6
- OPENDATASOURCE command, 312
- OPENROWSET command, 312
- operator Property sheet, Notifications tab, 380
- operators, 374–381, 526
 - creating, 379–381
 - enabling MAPI support for e-mail, 374–378
 - exam essentials, 392
 - fail-safe, 380–381
- optimization, 489–497, 526
 - defragmentation, 495–496
 - exam essentials, 497
 - with filegroups, 496, 497
 - indexes, 493
 - LazyWriter, 491
 - locks, 493–495
 - Max Async I/O, 490
 - memory, 491
 - manually configuring use, 491–492
 - queries, 489
 - Query Governor, 490
 - RAID (Redundant Array of Inexpensive Disks), 491
 - real world scenario, 497
 - stored procedures, 489, 492
 - Tempdb database, 490
- Oracle database server
 - communicating with, 95
 - downloading developer version, 95
 - fully qualified names for, 88
 - linking to, 94–97
- Orange Book, 222–223
- order processing, central publisher/multiple publisher model for, 420
- ordering results in SELECT command, 106

OSQL (ODBC SQL), 525
 to run local queries, 79–80
 outer joins, 104–105, 105, 526
 overhead in row size calculation, 128
 ownership chains, 212–214, 213, 526

P

packages in DTS, 314–316
 DTSRUN utility for, 332–336
 Page Free Space, 126
 Page Reads/Sec counter, 473
 page split, 527
 Page Writes/Sec counter, 473
 pages, 125, 125–126, 526
 calculating number needed, 129
 calculating rows on, 128
 fragmentation, 495
 Pages/Sec counter, 467
 paging services, 374
 parallel striped backup, 270, 527
 performing, 273
 parity, striping with, 122, 247, 248
 parity checksums, 122
 passwords
 for DTS package, 317–318
 multiple, 178
 for service user account, 28
 for SQL Server Agent user account, 356
 changing, 357
 path, for installing SQL Server 2000, 46–47
 PCI (Peripheral Connection Interface), 527
 per processor licensing, 25
 per-seat license, 25, 527
 per-server license, 527
 performance. *See also* optimization
 of disk drives, 122–123
 enhancing replication, 454–455
 Performance Condition counters, alert to
 monitor, 369–370
 Performance Monitor, 466–474, 469, 527
 Peripheral Connection Interface (PCI), 527
 PERLScript, 392
 permissions, 194–199, 527
 application roles and, 205
 for BCP (Bulk Copy), 305
 events to audit, 219
 GRANT, REVOKE and DENY, 208–212

object permissions, 197–199
 ownership chains and, 212–214
 removing, 195
 in security plan, 224
 statement permissions, 194–197
 Personal version of SQL Server 2000, 9
 physical I/O, 519, 527
 planning databases, 120–121
 point-in-time recovery, 274
 precedence constraints, 527
 in DTS package, 315–316
 preemptive multitasking, 527
 primary filegroup, 151–152
 primary key, 527
 for replicated tables, 418
 procedure cache, 527
 process, 528
 processadmin role, 190
 processors
 monitoring, 467
 SQL Server settings for, 52
 Professional version of Windows 2000, 8
 Profiler utility. *See* SQL Profiler
 programming language, for COM objects, 313
 proprietary interface, 524
 protocols
 configuration, 55–56
 SQL Server support for, 27
 public role, 200, 528
 publication in replication, 405, 406, 528
 adding, 430–440, 430–440
 considerations, 417–418
 Publication Properties sheet, General tab, 440
 publisher in replication, 405, 528
 backups, 448–449
 Replication Monitor to manage, 449–452
 publisher/subscriber metaphor in replication,
 405–406
 articles, 406
 central publisher/central distributor,
 418–419, 419
 central publisher/multiple distributors, 420
 central publisher/remote distributor,
 419, 420
 multiple publishers/multiple subscribers,
 420–421, 421
 publications, 406
 Pubs database, 244
 pull pages, 389, 528

Pull Subscription Property sheet, General tab, 445
 Pull Subscription to *server* window, 440, 440, 444, 444
 Pull Subscription Wizard
 Choose Destination Database screen, 442, 442
 Choose Publication screen, 441, 441
 Initialize Subscription screen, 442, 442
 Look for Publication, 441, 441
 Set Distribution Agent Schedule screen, 443, 443
 Snapshot Delivery screen, 442, 443
 Start Required Services screen, 443, 444
 pull subscriptions, 411–412
 creating, 440–445
 push subscriptions, 411–412, 439, 528

Q

queries, 528
 deleting, 84
 distributed, 84–90, 214–215, 215
 linked server and, 85, 86
 what it is, 85–88
 English Query component, 62
 heterogeneous, 312–313
 local, 78–84
 OSQL to run, 79–80
 Query Analyzer to run, 80–84
 opening previously saved, 84
 optimization, 489
 saving, 84
 SELECT command, 101–106
 joining tables, 103–105
 ordering results, 106
 WHERE clause, 102–103
 to test SQL installation, 44–45
 Query Analyzer, 82, 528. *See also* T-SQL (Transact-SQL)
 to connect to Oracle server, 96–97
 to create linked server, 91
 exam essentials, 111, 112
 Execution Plan tab, 83, 83, 476, 476
 local queries on, 80–84
 login screen, 81
 to map login IDs for linked servers, 100
 Messages tab, 475

 for monitoring, 474–476
 real world scenario, 497
 starting, 44
 Query Governor, 490, 528
 query optimizer, 528
 Queue Reader agent for replication, 412
 queued updating, 410–411

R

RAID (Redundant Array of Inexpensive Disks), 121–122, 245–249, 529
 disk performance, 123
 exam essentials, 293
 for optimization, 491
 Raiserror command, 371
 RDBMS (relational database management system), 530
 RDO (Remote Data Objects), 530
 RDS DataFactory, 391
 read-ahead, 529
 Read-Only option for database, 138
 Readpipe utility, 529
 Real datatype, 127
 real world scenario, file placement, 124
 Rebuildm.exe program, 292, 529
 records in tables, 157, 529
 Recovery model for database, 138
 RECOVERY option for RESTORE DATABASE command, 287
 recurring job, 360
 Recursive Triggers option for database, 138
 Redundant Array of Inexpensive Disks (RAID), 121–122
 disk performance, 123
 REFERENCES object permission, 198
 referential integrity, 529
 maintaining in replication, 420
 Register SQL Server Wizard, 75
 Registered SQL Server Properties dialog box, 75
 registration of server, 73
 Registry, 529
 for access to secured Access database, 99
 encrypted server registration in, 73
 settings when installing SQL Server 2000, 46

- relational database management system (RDBMS), 530
- relational databases, 529
 - vs. flat-file, 4
- relationship, 530
- Remote Agent Activation, 413
- remote computer, installing SQL Server 2000 on, 31
- Remote Data Objects (RDO), 530
- Remote Data Services (RDS), for web page creation, 391
- Remote Procedure Calls (RPCs), 85, 530
- remote server
 - creating link to, 89
 - linking to SQL Server database on, 90–91
 - security setup for, 97
- removable media database, 530
- removing filegroups, 154–156
- renaming database, ALTER DATABASE statement for, 148–149
- REPLACE option for RESTORE DATABASE command, 288
- Replay SQL Server dialog box, 482, 482
- Repldata folder, 47
- replication, 530
 - exam essentials, 456
 - factors and distribution types, 407–411
 - distributed transactions, 408
 - merge replication, 410
 - queued updating, 410–411
 - snapshot replication, 409
 - snapshot replication with immediate updating subscribers, 409–410
 - transactional replication, 408
 - transactional replication with immediate updating subscribers, 409
 - heterogeneous, 421, 422
 - installing and using, 423–447
 - adding publication, 430–440
 - creating subscription, 440–445
 - installing distribution server, 424–430
 - SQL Server configuration, 424
 - testing, 446–447
 - internals, 411–416
 - merge replication, 413, 413–415
 - snapshot replication, 415–416
 - transactional replication, 415, 416
 - over Internet, 422–423
 - management, 447–455
 - administrative considerations, 447–448
 - backups, 448–449
 - performance enhancement, 454–455
 - with Replication Monitor, 449–452
 - with scripts, 452
 - with stored procedures, 453–454
 - overview, 404–405
 - publication considerations, 417–418
 - publisher/subscriber metaphor, 405–406, 418–421
 - articles, 406
 - central publisher/central distributor, 418–419, 419
 - central publisher/multiple distributors, 420
 - central publisher/remote distributor, 419, 420
 - multiple publishers/multiple subscribers, 420–421, 421
 - publications, 406
 - real world scenario, 423
 - wizards for, 77
- Replication jobs, 359
- Replication Monitor, 449–452
 - icon in Enterprise Manager, 430
 - Snapshot Agents, 449
- reservation systems, multiple publishers/multiple subscribers model for, 420
- RESTART option for RESTORE DATABASE command, 288
- RESTORE DATABASE command, 287–288
- Restore Database dialog box
 - General tab, 288, 288
 - Options tab, 289, 289
- RESTORE HEADERONLY command, 280–281
- RESTORE LOG command, 290
- restoring databases, 286–293.
 - See also* backups
 - event to audit, 218
 - exam essentials, 293
 - filegroups, 289
 - Master database, 291–292
 - without backup, 292–293
 - transaction log, 290–291
- RESTRICTED_USER option for RESTORE DATABASE command, 287

result set, 530
 REVOKE state for permission, 208
 right outer joins, 105
 roll back, 530
 roll-up reporting, central publisher/multiple
 publisher model for, 420
 ROLLBACK TRANSACTION
 command, 258
 row object, 5
 ROWGUID property, 414
 rows in database tables, 157, 530
 estimating number, 128–129
 size calculation, 127–128
 rows per page calculation, 128
 RPCs (Remote Procedure Calls), 85, 530
 rule object, 5, 530

S

SA (System Administrator), 530
 SAM (Security Accounts Manager), 531
 saving queries, 84
 scheduling, 531
 backups, 278–280
 pull subscriptions, 443
 web page creation, 385
 schema lock, 494
 scripts, 531
 for replication management, 452
 SCSI (Small Computer System
 Interface), 532
 for disk duplexing or mirroring, 246
 security, 531. *See also* logins to SQL Server
 database roles, 199–208
 application roles, 205–208
 custom database roles, 202–205
 fixed database roles, 200–202
 database user accounts, 192–194
 event class security audit, 218–223
 exam essentials, 227–228
 fixed server roles, 189–191
 assigning user to, 190–191
 for linked servers, 97–100, 217, 217
 mapping login IDs with Enterprise
 Manager, 98–99
 mapping login IDs with Query
 Analyzer, 100

modes
 Mixed mode, 178
 setting, 178–179
 Windows Authentication mode,
 176–177
n-tier, 214–217
 ownership chains, 212–214, 213
 permissions, 194–199
 GRANT, REVOKE and DENY,
 208–212
 object permissions, 197–199
 statement permissions, 194–197
 plan creation, real world scenario, 224–226
 SQL Server settings for, 52
 system accounts, 223–224
 Transfer Manager to copy, 325–329
 Security Accounts Manager (SAM), 531
 Security Audit class, events, 218–219
 security identifier (SID), 531
 securityadmin role, 190
 Select Backup Destination dialog box, 270
 SELECT command, 101–106, 531
 exam essentials, 111
 joining tables, 103–105
 ordering results, 106
 WHERE clause, 102–103
 Select Components screen, when installing
 SQL Server, 36, 36
 SELECT object permission, 197
 SEQUEL, 7
 Server/Instance format, 39
 server name, for linked server, 90
 Server Network utility, 55, 55–56
 server process ID (spid), 531
 Server version of Windows 2000, 8
 serveradmin role, 190
 servers, 2, 531. *See also* linked servers;
 SQL Server 2000
 fixed roles, 189–191, 518
 assigning user to, 190–191
 event to audit changes, 218
 in security plan, 224
 non-Microsoft SQL, as subscribers, 434
 Oracle database server
 communicating with, 95
 downloading developer version, 95
 fully qualified names for, 88
 linking to, 94–97

- remote
 - creating link to, 89
 - linking to SQL Server database on, 90–91
 - security setup for, 97
- standby, 250–256
- unhandled event forwarding, 372
 - designating, 373
- service, 531
- service accounts, 223, 531
- service pack, 531
- Services Accounts screen, when installing SQL Server, 36, 36
- set working size, 492, 531
- Setup Type screen, when installing SQL Server, 35, 35
- setupadmin role, 190
- severity level, 532
- shared lock, 493, 532
- SHOWCONTIG command (DBCC), 495
- SHRINKDATABASE command, 144–145, 146
- SHRINKFILE statement, 145–146
- shrinking database
 - ALTER DATABASE statement for, 144–146
 - Enterprise Manager for, 147–148
- SID (security identifier), 531
- side-by-side installation, vs. upgrade, 30, 48
- Simple Object Access Protocol (SOAP), 392
- simple recovery mode for database, 138, 264, 274, 532
- Single User option for database, 137–138
- Small Computer System Interface (SCSI), 532
 - for disk duplexing or mirroring, 246
- Small-datetime datatype, 127
- SmallInt datatype, 127
- Smallmoney datatype, 127
- Snapshot agent for replication, 412
- Snapshot Agent History dialog box, 450, 450
- snapshot replication, 409, 415, 415–416
 - checking for synchronization, 446, 447
 - folder location, 454
 - with immediate updating subscribers, 409–410
 - queued updating, 410–411
- SOAP (Simple Object Access Protocol), 392
- software, SQL Server 2000 requirements, 25
- sort order, 26, 532
- sp_addlinkedserver stored procedure, 89, 92, 214
- sp_addlinkedsrvlogin stored procedure, 89–90, 100, 217
- sp_addlogin stored procedure, 182
- sp_addrole stored procedure, 204–205
- sp_addrolemember stored procedure, 202
- sp_addsrvrolemember stored procedure, 191
- sp_addumpdevice stored procedure, 266–267
- sp_attachdb stored procedure, 131
- sp_attach_db stored procedure, 150, 261, 292, 532
- sp_configure stored procedure, 50
- sp_detach_db stored procedure, 150, 261, 532
- Specify Filter dialog box, 438
- sp_grantdbaccess stored procedure, 193–194
- sp_grantlogin stored procedure, 187–188, 189
- sp_helpdb stored procedure, 135, 136, 139
- sp_helpdevice stored procedure, 280–281
- sp_helpdistributiondb stored procedure, 454
- sp_helpdistributor stored procedure, 454
- sp_helpfile stored procedure, 136, 137
- sp_helppublication stored procedure, 454
- sp_helpsort stored procedure, 27
- sp_helpsubscriberinfo stored procedure, 454
- sp_helpsubscription stored procedure, 454
- spid (server process ID), 531
- sp_lock stored procedure, 495
- sp_recompile stored procedure, 492
- sp_rename stored procedure, 49
- sp_renamedb stored procedure, 148
- sp_setapprole stored procedure, 205, 206
- SQL (Structured Query Language), 533.
 - See also* SELECT command
 - history, 7
- SQL authentication, 178
- SQL Client Network utility, 107, 108, 110
- SQL Compilations/Sec counter, 473
- SQL Data Management objects (SQL-DMO), 412
- SQL Enterprise Manager, 43, 44
- .sql file extension, 84
- SQL Profiler, 111, 218, 476–488, 533
 - filtering trace data, 480–482
 - to monitor login failures, 219–222

- real world scenario, 497
- replaying trace file, 482–484, 483
- using Index Tuning Wizard, 484–488
- SQL Server 6.5, installing as linked server, 92
- SQL Server 2000. *See also* installing SQL Server 2000; monitoring SQL Server administrator tasks, 12–13
- background, 6–8
 - history, 7–8
- basics, 8–11
 - clients supported, 10
 - features, 10–11
 - versions, 9–10
- configuration, 50–56
 - internal settings, 50–54
 - protocols, 55–56
 - for replication, 424
- configuration utilities, 106–107
- counters for monitoring, 473
- developer tasks, 11–12
- platforms, 2
- starting automatically, 357
- troubleshooting, 108–111
 - with DBCC commands, 109
 - with Windows Event Viewer, 108–109
- upgrading versions 6.5 and 7 to, 47–49
- XML configuration in, 383
- SQL Server administrator, 532
- SQL Server Agent (SQLServeragent), 46, 355–358, 532
 - alerts, jobs and events, 357–358
 - configuration, 355–357
 - passwords, 356
 - changing, 357
 - starting automatically, 357
- SQL Server Agent Properties sheet
 - Advanced tab, 373, 373
 - Alert System tab, 380–381, 381
 - Job System tab, 366
- SQL Server Agent, Windows domain account for, 424
- SQL Server Books Online, 110, 532
- SQL Server developer, 532
- SQL Server Distributed Management Objects (SQL-DMO), 532
- SQL Server Engine, 532
- SQL Server Properties dialog box
 - General tab, 378
 - Security tab, 377
- SQL Server Properties (Configure) dialog box
 - Connections tab, 53, 53
 - Database Settings tab, 54, 54, 260
 - General tab, 51
 - Memory tab, 51, 51
 - Processor tab, 52, 52
 - Security tab, 52, 52, 179, 179
 - Server Settings tab, 53, 54
- SQL Server Select Components dialog box, 107
- SQL Server (MSSQLServer) service, 46
- SQL Server services user account, 375
 - creating mailbox for, 376
- SQL Server table, for queued updating, 411
- SQL Server Web Assistant, 360
- SQL Server Web Wizard, 533
- SQL Service Manager, 110
- SQL Setup program, 106–107
- SQL Trace, 533
- SQLAgent file, 110
- Sqlcli.bat file, 43
- Sqlcli.iss file, 43
- Sqlcst.bat file, 43
- Sqlcst.iss, 43
- SQLDiag utility, 110
- Sqlins.bat file, 43
- Sqlins.iss file, 43
- Sqlisapi.dll, 533
- SQL_Latin1_General_CP1_CI_AS, 25
- SQLMaint utility, 110, 533
- SQL*Net, 95
- SQLPerf command (DBCC), 109
- Sqlrem.bat file, 43
- SQLServer.exe file, 110
- SQLXML, 9
- Standard version of SQL Server 2000, 10
- STANDBY option for RESTORE
 - DATABASE command, 288
- standby servers
 - for fault tolerance, 250–256
 - log shipping to configure, 251–255
- Start Copying Files screen, when installing SQL Server, 38, 38
- statement permissions, 194–197, 533

static web pages, vs. interactive, 382–383
 step objects, for DTS package, 315–316
 stored procedure object, 5
 creating, 160–161
 stored procedures, 533
 optimization, 489, 492
 on remote servers, 85
 for replication management, 453–454
 stripe set, 121, 533
 striped backup, 270
 striping, 121, 246–247, 247
 striping with parity, 122, 247, 248, 529, 533
 Structured Query Language (SQL). *See* SQL (Structured Query Language)
 structured storage file, DTS package storage as, 317
 subscriber in replication, 405, 533
 anonymous, 439
 backups, 448–449
 cleanup jobs for, 451–452
 immediate updating
 snapshot replication with, 409–410
 transactional replication with, 409
 Replication Monitor to manage, 449–452
 Subscriber property sheet, Schedules tab, 429, 429–430
 subscription
 creating, 440–445
 pull or push, 411–412
 suspect database, 534
 Sybase Corporation, 7
 sysadmin role, 189
 system accounts, 223–224
 System Administrator (SA), 530
 System DSN, 58
 System Monitor. *See* Windows System Monitor
 system table, 533–534

T

T-SQL (Transact-SQL), 7. *See also* ALTER DATABASE statement; sp_... stored procedure
 to assign object permissions, 199
 to assign user to fixed server role, 191
 to assign users to fixed database roles, 201–202
 to create and test standard login, 182
 to create application roles, 208
 to create custom database roles, 204–205
 to create database user accounts, 193–194
 to create filegroups, 153–154
 to create stored procedure, 160–161
 to create trigger, 162
 to create views, 163
 for differential backup, 276
 for filegroup backups, 277
 for full database backup, 270–271
 to set permissions state, 211–212
 Windows logins to SQL Server with, 187–188
 table object, 5, 534. *See also* database tables
 creating, 156–157
 table scan, 158
 Task Manager, 534
 task objects, for DTS package, 314–315
 Taskbar, 534
 TCP (Transmission Control Protocol), 535
 TCP/IP (Transmission Control Protocol/Internet Protocol), 27, 535
 TCSEC (“Department of Defense Trusted Computer System Evaluation Criteria”), 222–223
 TechNet, 534
 telemedicine, 13–14
 Tempdb database, 534
 backup frequency, 243
 optimization, 490
 replication and, 418
 template queries, 337
 Test Alert property sheet, 470, 470
 Test Log property sheet, 471
 General tab, 471
 Log Files tab, 472
 testing. *See also* troubleshooting
 e-mail, 379–381
 replication, 446–447
 text/image pages, 125
 thread, 534
 ticket granting ticket from KDC, 177
 time
 constraints on queries, 490
 restoring transaction log based on, 291
 timestamp datatype, in replication, 417
 TinyInt datatype, 127

Tools menu (Enterprise Manager), 77

- Properties, 57
- SQL Query Analyzer, 81
- SQL Server ➤ Query Analyzer, 44
- SQL Server Configuration Properties, 50

Torn Page Detection option for database, 139, 258–259

Total Server Memory counter, 473

trace, 218, 477, 534

trace data

- filter for, 480–482
- replaying, 482–484

trace logs, 467

Trace Properties dialog box

- Event tab, 221
- General tab, 220

Transact-SQL (T-SQL), 7, 534

- to link to Access database, 94
- and SQL utilities, 78–84

transaction log, 120–121, 535

- alert for need to backup, 368–369, 381
- backups, 265, 273–275, 286–287, 535
- cleaning out, 274
- restoring, 290–291

transactional consistency of replicated data, 407

transactional replication, 408, 415, 416

- with immediate updating subscribers, 409
- queued updating, 410–411
- in Windows 9x/Me, 432

transactions, 257, 257–260, 534

- automatic recovery, 258–260

Transfer Manager, 325–329, 535

Transmission Control Protocol (TCP), 535

Transmission Control Protocol/Internet Protocol (TCP/IP), 27, 535

trend tracking, 534

trigger object, 5, 535

- creating, 161–162

troubleshooting

- vs. monitoring, 466
- SQL Server 2000, 108–111
- with DBCC commands, 109
- with Windows Event Viewer, 108–109
- when installing SQL Server 2000, 43–45

trusted connection, 176, 177, 535

TSQL jobs, 359

two-phase commit (2PC), 405, 408, 535

.txt file extension, 305

U

unattended installations, 43

UNC (Universal Naming Convention), 536

unhandled event forwarding server, 372

- designating, 373

Unicode character set, 535

- SQL Server support for, 26–27

uniform extents, 126

Uniform Resource Locator (URL), 535

uninterruptible power supply, 259

UNIQUEIDENTIFIER column for merge replication tables, 414, 418

Universal Naming Convention (UNC), 536

update lock, 494, 536

UPDATE object permission, 197

UPDATE statement, 308

Upgrade folder, 47

upgrading

- databases, 49
- issues, 49–50
- vs. side-by-side installation, 30, 48
- SQL Server versions 6.5 and 7 to 2000, 47–49
- preparation, 47
- prerequisites, 48–49

URL (Uniform Resource Locator), 535

URL queries, 337

U.S. Department of Defense, “Department of Defense Trusted Computer System Evaluation Criteria”, 222–223

Use Quoted Identifiers option for database, 139

user accounts, 28, 536

- assignment to fixed server role, 190–191
- database, 192–194
- in security plan, 224
- for SQL Server Agent, 355–356
- for SQL services, 31

User Connections counter, 473

User databases, backup frequency, 244

user-defined datatypes, in replication, 418

user-defined filegroups, 151–152

User DSN, 58
 User Information screen, when installing SQL
 Server, 34, 34
 username, 536

V

VBScript, 392
 VBSQL, 536
 vertical partitioning, 102, 406, 406, 536
 and performance, 454
 selecting, 437
 victim in deadlock, 494
 view object, 5, 536
 creating, 162–163
 Visual Basic, DTS package storage in, 317
 VSWITCH utility, 110

W

warehousing data, 514
 vs. online transaction processing, 6
 Web Assistant, 382, 383–389
 running, 384
 Web Assistant Wizard
 Publish the Web Page screen, 386
 Schedule the Update Interval screen, 386
 Schedule the Web Assistant Job
 screen, 385
 Select a Table and Columns screen, 385
 Specify Titles screen, 387
 Start a New Web Assistant Job screen, 384
 web browser, 536
 web pages, 536
 databases for content, 6
 exam essentials, 392
 interactive, 389–392
 static vs. interactive, 382–383
 web publishing job
 creating, 384–388
 deleting, 389
 web resources
 Oracle products, 95

 on SQL Server, 110
 TCSEC document, 223
 WHERE clause, in SELECT command,
 102–103
 Win16, 536
 Win32, 536
 Windows 9x/Me, 536
 transactional replication in, 432
 vs. Windows 2000, 11
 Windows 2000/2003, 536
 Computer Management, 245
 history, 8
 installing MAPI support for, 374–375
 Windows 2000 Advanced Server, Windows
 clustering, 249–250
 Windows Authentication mode, 537
 Windows CE version of SQL Server 2000, 9
 Windows Component Services, 382
 Windows domain account, for SQL Server
 Agents, 424
 Windows Event Viewer, troubleshooting
 with, 108–109
 Windows for Workgroups 3.11, 537
 Windows logins to SQL Server, 183–188
 with Enterprise Manager, 183–187
 with T-SQL, 187–188
 Windows Messaging queue, 411
 Windows NT, 8, 537
 Windows System Monitor, 466–474, 469, 537
 logging with, 471–473
 real world scenario, 497
 Windows XP, 537
 wizards, in Enterprise Manager, 76, 76–77
 workgroup, 537
 World Wide Web, 537

X

XML (Extensible Markup Language),
 9, 382, 517
 configuring support in SQL
 Server 2000, 383
 exam essentials, 392
 IIS preparation for, 337–342