

Index

- Adjoined variable, 52, 94
Administrative register, 1–5
Aggregated data, 44, 45
Aggregated variable, 51, 53–54
Aggregation error, 147–153, 164–167, 179, 187, 228
Anonymised, 43, 46, 71, 211, 216
Auxiliary variable, 31, 50, 116, 222
- Base register, 22–29
- Calendar year register, 23, 47, 50, 83, 121–122, 148, 220–223, 229
Calibration, 31, 61, 116, 123–125, 128, 138–139, 142–144, 219–220
Census, 1, 4, 63
Classification, 34, 49, 61, 89, 94–95, 98, 100
Classification database, 195
Classification error, 98–99, 178, 187–188
Coding, 100, 173, 187
Coherence, 3, 92, 185–187, 219
Cohort, 8
Combination object, 151–171
Communication variable, 55, 57
Conceptual model, 19–22, 29, 44
Consistency, 2, 31–33, 92, 127–128, 136, 160, 185–187, 219
Consistency editing, 101–102, 110, 118, 184, 199, 218
Coverage error, 74, 78, 139, 177, 192
Cross-sectional quality, 190
Current stock register, 47
- Data matrix, 41–46
Database, 44–45, 199–205
Database table, 41, 44–46, 49, 199–200, 203–207
Definitions database, 197–198
Demographic event, 47–48, 55
Derived variable, 5–6, 50–57, 62, 91–99, 113
Derived object, 5–6, 68, 84–85, 102, 118, 166, 186
Disclosure risk, 212, 216
Documentation, see metadata
- Estimation, 68, 88, 115–117, 119, 121–122, 127, 138, 147
Events register, 47
Events calendar, 195–196, 198
- Flow variable, 50, 122
Foreign key, 55–57, 205–206
Frame population, 47, 60, 73, 80, 82–83, 192, 218, 220, 223, 228
Fundamental estimation methods, 117, 119
- Historical register, 48
- Identifying variable, 33–34, 38, 55–57
Imported variable, 54–57, 69, 113, 128, 195

- Imputation, 39-40, 55, 94, 99, 101-103, 110-111, 127-128, 133-138
- Imputation error, 179
- Integration, 35, 68, 161, 184-188, 199
- Integrated data collection, 72, 84
- Integrated register, 9-10, 30, 32, 46, 57, 70-71, 76-77, 82, 86-87, 89, 196
- Integration error, 148, 177, 180, 192
- Item nonresponse, 77, 102, 127-130

- Link, 20, 23, 34, 57
- Linkage variable, 20-21, 24-25, 28, 37-38, 56-57, 78, 88
- Linking of time series, 140-143, 168-171
- Local primary variable, 54-55, 57
- Local variable, 54
- Locally derived variable, 54-55, 57
- Longitudinal quality, 112, 189-190
- Longitudinal register, 7, 9, 46-48, 112-113, 197

- Macro metadata, 193
- Macrodata, 44-45, 193
- Matching, 4-6, 9-10, 24, 33-34, 38, 52-56
- Matching error, 37, 185, 177, 187
- Metadata, 5, 69, 184, 188, 193-200
- Micro metadata, 193
- Microdata, 3, 43, 46
- Mismatch, see matching
- Missing values, 39, 52, 64, 77, 117, 123-125, 127-138, 176-177, 187
- Model error, 95, 178, 181, 187
- Multi-valued variable, 50, 55, 115, 147-167, 187

- Natural random variation, 179
- Nonresponse adjustment, 127-128

- Object, 3, 19
- Object instance, 48
- Object set, 5, 7, 12, 19-20, 23, 46, 57, 68, 72-78
- Object type, 19-25
- Observation, 43

- Overcoverage, 12, 61, 74, 81-83, 138-139, 184-185

- Population, 69-83
- Primary key, 55-57
- Primary variable, 54-55, 57
- Primary statistical register, 46-47, 57, 75, 81, 86, 193, 201

- Reference variable, 6, 55-57
- Register, 4, 42-48
 - Administrative register, 1-5
 - Base register, 22-29
 - Calendar year register, 23, 47, 50, 83, 121-122, 148, 220-223, 229
 - Current stock register, 47
 - End of year register, 47
 - Events register, 47
 - Historical register, 48
 - Integrated register, 9-10, 30, 32, 46, 57, 70-71, 76-77, 82, 86-87, 89, 196
 - Longitudinal register, 7, 9, 46-48, 112-113, 197
 - Primary statistical register, 46-47, 57, 75, 81, 86, 193-201
 - Register at a specific point in time, 47
 - Source register, 6, 51, 69, 72-73
 - Statistical register, 1, 4-5
- Register maintenance survey, 5, 61
- Register population, 47, 73-77
- Register-based survey, 1-4, 13, 19, 63-65, 68
- Register-based statistics, 2
- Relation, 6, 19-20
- Relational object, 21, 24, 199
- Relevance error, 12, 65, 74, 181, 192
- Response variable, 55-56, 119-120

- Sample survey, 1-4, 12-15, 31, 42, 50, 59-65
- Selection, 5-6, 9
- Single-valued variable, 50, 55, 147
- Source register, 6, 51, 69, 72-73
- Spanning variable, 44, 55-57, 78, 83
- Standard, see classification

- Standardised population, 23, 31, 77, 88–89, 217–218
- Standardised variable, 19, 32–33, 55, 92–93, 177, 217
- Statistical register, 1, 4–5
- Stock variable, 50, 122
- Supplementary estimation methods, 117, 119, 127
- Table, 42–44
- Technical variable, 55
- Time reference, 5, 29, 55, 57, 68, 73, 78
- Time series quality, 189–191
- Undercoverage, 12, 62, 65, 74–76, 79–80, 82–83, 117, 179, 184–185, 222, 228
- Value set, 50, 197
- Variable, 49–57, 91–113
 - Adjoined variable, 52, 94
 - Aggregated variable, 51, 53–54
 - Auxiliary variable, 31, 50, 116, 222
 - Classification, 34, 49, 61, 89, 94–95, 98, 100
 - Communication variable, 55, 57
 - Derived variable, 5–6, 50–57, 62, 91–99, 113
 - Flow variable, 50, 122
 - Identifying variable, 33–34, 38, 55–57
 - Imported variable, 54–57, 69, 113, 128, 195
 - Link, 20, 23, 34, 57
 - Linkage variable, 20–21, 24–25, 28, 37–38, 56–57, 78, 88
 - Local primary variable, 54–55, 57
 - Local variable, 54
 - Locally derived variable, 54–55, 57
 - Multi-valued variable, 50, 55, 115, 147–167, 187
 - Primary key, 55–57
 - Primary variable, 54–55, 57
 - Reference variable, 6, 55–57
 - Response variable, 55–56, 119–120
 - Single-valued variable, 50, 55, 147
 - Spanning variable, 44, 55–57, 78, 83
 - Standardised variable, 19, 32–33, 55, 92–93, 177, 217
 - Stock variable, 50, 122
 - Technical variable, 55
 - Time reference, 5, 29, 55, 57, 68, 73, 78
 - Weight-generating variable, 122, 152
- Variable selection, see selection
- View, 44, 203–207
- Weight, 31, 43, 55, 116–117, 119, 122–125, 131, 139, 143–145, 150–171
- Weight-generating variable, 122, 152