

INDEX

- acetaminophen, 138
acetylcholine, 29, 79
acidophilus, 180
Actiq, 138
acupuncture, 144, 146
acupuncture points, 159
adenosine, 79
Advil, 138
Aleve, 135, 138
alodynea, 60, 145
allopathic medicine, 86. *See also*
doctors
alpha-2 delta receptor blockers, 61,
137, 139, 140
alpha-wave intrusion, 73, 77–78
alprazolam, 137
Ambien, 137
American College of Rheumatology
(ACR), 65, 97, 106
amino acids, 28, 30, 56, 121, 162,
165
amitriptyline, 81, 121, 137
amygdala, 35
described, 83
amyloidosis, 60
anesthesiologist, 147
ankylosing spondylitis, 64
antioxidants, 144, 145, 166
Archives of General Psychiatry,
80
Arnold-Chiari malformation,
58–59
aspartame, 30–31, 130–31,
162–63
aspartate, 29, 30–31
aspirin, 135
Avinza, 138
bacteria, 164
behavioral therapy, 147
bioflavonoids, 166
body mass index (BMI), 70
brain, the, 9–20
higher centers of pain reception,
37–38
key structures of, 31, 35
neurotransmitters. *See* neurotrans-
mitters
breastfeeding, 176–77
breathing, 160–61
bruxism, 58, 82
buccinator muscles, 58

- bupivacaine, 146
- calcium, 163, 165
- calcium gluconate, 149
- capsaisin, 138
- CBC (complete blood count), 116
- Celebrex, 138
- celecoxib, 138
- central nervous system, 7, 139, 170
- injury to, 9–20
- central sensitivity, 7–8, 27, 30, 45, 61, 70, 172, 174
- as core of fibromyalgia, 34, 47
- spectrum of, 37
- cerebellar tonsils, 58–59
- cerebrospinal fluid, 8
- cervical spine, 113
- cervical spondylosis, 63
- Chiari malformation, 58–59
- childhood abuse, 20, 22, 23, 38
- chiropractic care, 143, 144, 159–60
- chronic fatigue syndrome (CFS), 21, 99–100
- criteria for, 100
- Chrousos, Dr. George, 70
- circadian rhythm, 74–76
- clonazepam, 137
- codeine, 33
- coenzyme Q10, 144, 145
- complex regional pain syndrome, 61–63
- concentration meditation, 161
- corticosteroids, 146
- corticotropin-releasing hormone (CRH), 21, 39
- cortisol, 10–11, 19, 29, 79
- Crohn's disease, 44
- cryoanalgesia, 144
- cyclobenzaprine, 121, 137
- Cymbalta, 137, 140
- cytokines, 44, 46
- daily coping strategies, 199–200
- deductive reasoning, 89
- dehydroepiandrosterone (DHEA), 137
- delta waves, 74–75, 77, 80
- Demerol, 138
- depression, 139
- drugs to treat, 139, 140, 141
- pain and, 48–49, 80–81
- rTMS and, 150
- dextromethorphan, 137
- dextrose, 149
- diabetic peripheral neuropathy, 140
- diagnosis, 12–13, 18–19, 97–105
- additional questions for, 90
- chronic fatigue syndrome and, 99–100
- finding the right caregiver, 102–5
- ideal workup. *See* workup, ideal fibromyalgia
- medical specialties and, 91, 92, 109
- myofascial pain and, 17, 98–99
- overlapping medical conditions, 7–9, 17, 18, 21, 100–102
- seven parameters of, 89–90
- tender points and, 15–17, 97–98
- treatment and, 91–93
- diazepam, 137
- diclofenac, 138
- diet, 130–31, 170
- nutrition, 162–66

- dietary supplements, 144–45
 digestive enzymes, 180
 Diluadid, 138
 disability issue, 208–12
 doctors, 85–94
 diagnosis by. *See* diagnosis
 first encounter with. *See* first
 encounter
 holistic, 86–87
 insensitivity of, 87–88
 patients' interaction with, 93–94,
 107–19
 psychosomatic illnesses and,
 89–93
 tunnel vision of, 91, 92
 Western, and fibromyalgia,
 85–88
 Donaldson, M. S., 131
 dopamine, 29, 32, 121, 141
 dopamine-3 agonist, 137, 141
 dopaminergic agents, 32
 doxepin, 137
 drugs. *See* medications
 duloxetine, 2, 137, 140
 Duragesic patch, 138
 dysautonomia, 141

 EEG (electroencephalogram), 77
 Elavil, 81, 137
 electromuscle stimulation, 159
 electromyogram, 61
 encephalitis, 60
 endocrine disorders, 66–67
 endorphins, 29, 121
 epidural steroid injections, 144
 Epstein-Barr virus, 60
 eszopiclone, 137
 etodolac, 138

 exercise, 131, 147, 154–57, 170
 eye movement desensitization and
 reprocessing (EMDR), 196

 facet joint injections, 144
 fatty acids, 165
 fentanyl, 138
 “fibro-fog,” 39–43
 symptoms of, 43
 fibromyalgia
 ability to function and, 12
 advanced technology and, 8–9
 animal models to study, 91
 basics of, 28–30
 categories of, 2, 186–97
 chronic stress and, 23–26
 as a complex ailment, 88
 conditions associated with, 67
 daily coping strategies, 199–200
 demographics of, 2–3
 diagnosis of. *See* diagnosis
 disability issue, 208–12
 doctors and. *See* doctors
 family history of, 21
 gender and, 2–3, 17
 illness-associated, 2, 186, 191–93
 initial insult, 19
 insurance, 108–9, 175, 204–5
 lack of approved treatment for,
 91, 93
 managing. *See* managing your
 fibromyalgia
 managing your medical informa-
 tion, 201–3
 neurotransmitters and, 28–29
 nonpharmaceutical treatments for,
 3
 organizational support, 213–16

- fibromyalgia (*continued*)
- pain generators and. *See* pain generators
 - postinjury, 2, 186, 187–91
 - psychosomatic link, 44–45, 56, 89–93
 - reactive, 13, 54, 99
 - recovery from. *See* recovery
 - sleep and, 80–81
 - stress-associated, 2, 186, 193–97
 - summary, 185–86
 - support of family and friends, 3–4, 13–14
 - symptoms of, 7–9, 12, 13, 25–26, 86
 - triggers of, 12–13, 19
 - Web sites, 213–18
 - work environment, 206–12
- fight-or-flight response, 167
- first encounter, 107–15
- common complaints, 111
 - complete history and, 110–15
 - impressions, 114
 - medical records and, 109
 - physical exam, 112–13
 - questions for your doctor, 108
 - specialists and, 109
 - time of day for appointment, 109
 - treatment plan, 114–15
 - uncommon complaints, 111–12
- fish oil, 165
- Flexeril, 137
- fluoxetine, 32, 81, 140
- food, 162–66, 170
- food additives, 130–31, 162–63
- Food and Drug Administration (FDA), 31, 33, 136
- foramen magnum, 59
- functional magnetic resonance image (fMRI), 2, 8, 124, 149
- described, 16
- Gabapril, 137
- gamma-amino-butyric acid (GABA), 29, 32, 34, 79, 121, 137, 142
- gamma-hydroxybutyrate (GHB), 137, 142
- ganalin, 79
- gastrointestinal (GI) tract, 167
- ginkgo biloba, 144
- glial cells, 35, 44
- glutamate, 29, 30, 31, 46, 162, 163
- group affirmations, 127
- growth hormone, 29, 32, 75, 77, 137
- guided imagery, 144
- “hands-on” healing, 158–60
- hatha yoga, 156
- headache, 55–57, 163
- treatment of, 135–36
- heartburn, 165
- hepatitis C, 19, 68
- hippocampus, 9, 10, 35
- PTSD and, 39
- histamines, 79
- HLA-B27, 64
- holistic practitioners, 86–87, 108, 143
- hormones, 28
- humor, 173–74
- hydrocodone, 138, 143
- hydromorphone, 138
- hyperalgesia, 32, 60, 145

- hypersomnia, 82
 hypnic myoclonia, 74
 hypnotherapy, 144
 hypothalamic-pituitary-adrenal axis (HPA axis), 10–11, 40, 79, 174
 hypothalamus, 9

 ibuprofen, 33, 138
 ice therapy, 148
 implanted neurostimulator device, 144
 infections, 67–68
 inflammation
 chronic stress and, 43–44
 obesity, abnormal sleep and, 69–71
 after trauma, 55
 inflammatory cytokins, 69–70
 insomnia, 73, 81, 83–84, 141, 142.
 See also sleep disorders
 insurance, 108–9, 175, 204–5
 integrative medicine, 87
 interleukin-1 (IL-1), 44, 69
 interleukin-6 (IL-6), 69, 70
 Internet, 2, 153–54
 Web sites, 213–18
 interstitial cystitis, 111, 168–69
 intimacy, 157–58
 ions, 28
 irritable bladder, 168–69
 irritable bowel syndrome (IBS), 165, 166–68
 irritable colon, 166–68
 “It Is Hard Work Behaving as a Credible Patient:...”, 87

 ketamine, 137

 Klonopin, 137

 learned behavior, 126
 lecithin, 166
 lidocaine, 138, 146
 Lidoderm, 138
 limbic system, 9, 35, 167
 lipids, 28
 locus ceruleus-norepinephrine, 35, 39
 Lo-han, 163
 long-term potentiation (LTP), 29–30
 Lorcet, 138
 love, 171–73
 lumber spine, 113
 Lunesta, 137
 lupus, 9, 10, 21, 44, 48, 64
 connection between fibromyalgia and, 65–66
 criteria for, 65
 Lyme disease, 18, 19, 21, 48, 60, 67–68
 post-Lyme syndrome, 9, 68
 Lyrica, 137, 139

 magnesium, 57, 125, 165
 magnetic resonance image (MRI), 16
 maladaptive pain behavior, 126
 malocclusion of the bite, 57
 managing your fibromyalgia, 152–84. *See also* recovery
 chiropractic care, 159–60
 exercise, 154–57
 hatha yoga, 156
 humor and, 173–74
 Internet sites, 153–54

- managing your fibromyalgia
(continued)
 intimacy and, 157–58
 love and, 171–73
 massage therapy, 158–59, 160
 meditation, 160–62
 moving into wellness, 169–71
 nutrition, 162–66
 peace of mind and, 174–75
 personalized approach to, 152–53
 pregnancy and, 176–77
 real-life stories, 177–84
 tai chi, 156–57
- manual therapies, 143, 144, 145
- massage therapy, 144, 158, 160
 styles of, 159
- masseter muscles, 58
- mechanical pain generators, 48, 50
- medical information, managing, 201–3
- medications, 121, 134–43. *See also specific medications*
 disclaimers to consider, 136
 modern technology with, 150–51
 opiate analgesics, 142–43
 options, 137–38
 pramipexole, 141
 pregabalin, 139
 side effects of, 148
 SNRIs, 140
 sodium oxybate, 142
 SSRIs, 140–41
 topiramate, 142
- meditation, 144, 160–62
 types of, 161–62
- meloxicam, 138
- memantine, 137
- membrane-stabilizing medication, 12
- memory, 39–43
- Mengshoel, A. M., 130
- mental health, 131–32
- meperidine, 138
- Midrin, 135
- migraine headaches, 56–57, 163
 treatment of, 135–36
- milnacipran, 137, 140
- mindfulness meditation, 161–62
- Mirapex, 32, 137
 described, 141
- monosodium glutamate (MSG), 30, 130–31, 162, 163
- morphine, 33, 138, 143, 144
- Motrin, 138
- MS Contin, 138
- mucous colitis, 166–68
- multiple sclerosis, 44
- multiple sleep latency test, 82
- myofascial pain, 17, 98–99
- myofascial release therapy, 144, 159
- Namenda, 137
- Naprosyn, 138
- naproxin, 33, 135, 138
- narcolepsy, 81, 82, 142
- narcotic pain medications, 132, 147
 described, 142–43
- negative thinking, 123–27
- nerve compression, 113
- nerve growth factor, 29, 31, 46, 121
- nervous stomach, 166–68
- neurasthenia, 8
- neurons, 28

- neuropathic pain, 59–61
- neurotransmitters, 28–29
 - balance of, 30–34, 121
 - inhibitory, 34–35
 - pain and, 46
 - sleep and, 78–80
- N-methyl-D-aspartate (NMDA), 29, 30–31, 46, 162, 163
- no-cal sweeteners, 163
- nonmechanical pain generators, 48, 50–51
- nonpharmaceutical therapies, 33, 143–50
 - acupuncture, 146
 - dietary supplements, 144–45
 - ice, 148
 - list of, 144
 - manual therapies, 145
 - pain-management, 147–48
 - prolotherapy, 149
 - repetitive transcranial magnetic stimulation, 150
 - trigger point injections, 146
 - virtual reality therapy, 149–50
- nonsteroidal anti-inflammatory drugs (NSAIDs), 32–33
 - list of, 138
- Norco, 138
- norepinephrine, 29, 32, 48–49, 79, 139
- nortriptyline, 81, 137
- nutrition, 162–66
- obesity, 66–67
 - inflammation, abnormal sleep and, 69–71
- occupational therapy, 147
- omega-3, 165
- opiates, 34, 147
 - described, 142–43
 - list of, 138
- orexin, 79
- Osler, Sir William, 8
- osteoarthritis (OA), 63
- osteopathic manipulation, 144
- oxycodone, 33, 138, 143
- Oxycontin, 138
- pain
 - acute, 47
 - expectations of, 124–27
 - generators of. *See* pain generators
 - higher centers of reception and, 37–38
 - suffering versus, 35–37
- painful bladder syndrome, 168–69
- pain generators, 46–71
 - abnormal sleep, 69–71
 - Arnold-Chiari malformation, 58–59
 - convergence of pain and depression, 48–51
 - endocrine disorders, 66–67
 - finding the responsible, 48
 - headache, 55–57
 - how they work, 21–23
 - infections, 67–68
 - inflammatory, 55, 63–65, 69–71
 - lupus, 65–66
 - mechanical, 48, 50
 - neuropathic, 59–61
 - nonmechanical, 48, 50–51
 - reactive fibromyalgia, 54
 - reflex sympathetic dystrophy, 61–63
 - rheumatological, 63–65

- pain generators (*continued*)
 TMJ syndrome, 55–56, 57–58
 whiplash, 51–54
- pain-management techniques, 144, 147–48
- Pamelor, 81
- paracervical muscle relaxation, 187
- paroxetine, 81, 140
- Paxil, 81, 140
- peace of mind, 174–75
- pelvic obliquity, 99
- Percocet, 138
- peripheral neuropathy, 59–61
- phosphates, 163
- phospholipid, 166
- physiatrist, 109, 147
- physical exam, 112–13
- physical health, 130–31
- physical therapy, 144, 147
- physicians. *See* doctors
- polymyalgia rheumatica (PMR), 115–16
- polysomnography, 82, 116
- positive thinking, 47, 123–27
- post-traumatic stress disorder (PTSD), 20, 21, 23, 25, 29, 38–39, 149–50, 172, 174
- pramipexole, 32, 137, 139
 described, 141
- prednisone, 116
- pregabalin, 2, 137, 139
- pregnancy, 176–77
- preparations for recovery, 123–32
 expecting success, 132
 mental health and, 131–32
 narcotic medications and, 132
 negative thoughts and, 123–27
 new medications and technology and, 132
 personal participation and, 132
 physical health and, 130–31
 pretreatment testing and, 132
 stress and, 128–30
- pressure point therapy, 179
- proanthocyanidin, 166
- prolotherapy, 149
- Prozac, 32, 81, 140
- psoriasis, 44
- psychosomatic illness, 44–45, 56
 understanding the concept of, 89–93
- Pycnogenol, 166
- qigong, 156
- ramelteon, 137
- raphe nucleus, 35
- reactive fibromyalgia, 13, 54
- recovery, 120–33
 as a gradual process, 122–23
 integrative treatment and, 121
 interdisciplinary treatment and, 121
 keys to, 26, 32
 medications. *See* medications
 preparations for. *See* preparations for recovery
 real-life stories of, 152–53, 177–84
 self-participation in, 94, 104–5, 132–33
 treatment. *See* treatment
- reflexology, 144
- reflex sympathetic dystrophy (RSD), 50, 61–63

- regional myofascial pain syndrome, 64
- Reiki, 144
- relaxin, 176
- REM (rapid eye movement) sleep, 74–77, 80, 82
- repetitive transcranial magnetic stimulation (rTMS), 2, 144
described, 150
- respiratory drive, 66–67
- restless leg syndrome, 32, 67, 81, 82, 141
- review of systems (ROS), 111
- rheumatic disease, 18, 63–65
- rheumatoid arthritis (RA), 63
- Rozerem, 137
- SAM-e (S-adenosyl-methionine), 125, 144
- Sarapin, 146
- scleroderma, 101
- scoliosis, 99
- selective serotonin reuptake inhibitors (SSRIs), 32, 81
described, 140–41
- self-hypnosis, 127
- sensory cortex, 35
- serotonin, 29, 32, 34, 41, 48–49, 79, 121, 139
- serotonin-norepinephrine reuptake inhibitors (SNRIs), 137, 140
- sertraline, 32, 81, 140
- sex, 157–58
- shiatsu massage, 159
- shoulder-head syndrome, 62
- “sickness response,” 69–70
- “sickness syndrome,” 174
- single photon/positron emission computed tomography (SPECT), 35
- Sjögren’s syndrome, 67
- sleep, 41, 72–84
average amount of, 78
fibromyalgia and, 80–81
good health and, 72
neurotransmitters and, 78–80
normal cycles of, 74–76
“short sleepers,” 78
- sleep apnea, 66, 81–82
- sleep disorders, 66–67, 77–78
causes of, 73
common, 81–84
frustration of, 73
obesity, inflammation and, 69–71
peace of mind and, 74
- Sleep Quality Ratio, 78
- sleep spindles, 77
- Smith, J. D., 130–31
- smoking, 148
- sodium oxybate, 137
described, 142
- spastic colitis, 166–68
- spastic colon, 166–68
- spinal neurostimulator device, 147
- spinothalamic tract, 33
- spiritual healing, 144
- splenius muscles, 98
- stevia, 163
- stress, chronic, 10–11, 19–20, 22, 23–26, 121
basics of, 28–30
biology of, 27–45
conditions linked to, 129
eliminating, 128–30

- stress, chronic (*continued*)
 IBS and, 167–68
 inflammation and, 43–44
 memory, “fibro-fog” and, 39–43
 psychosomatic link, 44–45
 stress hormones, 10–11, 19
 stress-response system, 37–38
 stretching, 155
 substance P, 8, 10, 29, 31, 46, 56, 121
 suffering versus pain, 35–37
 sugar, 162–63
 sumatriptan, 135
 support groups, 153
 Swedish massage, 159
 sympathetic nervous system, 40
 systemic lupus erythematosus.
See lupus
- tai chi, 33, 131, 144, 156–57
 TEDIOUS syndrome, 67, 70
 temporalis muscles, 58
 temporomandibular joint (TMJ),
 26, 55–56, 57–58
 tender points, 15–17, 33, 97–98,
 142, 170
 tension headaches, 135–36
 testosterone, 137
 thalamus, 35
 theta waves, 77
 thrombophlebitis, 112
 thyroid dysregulation, 66
 thyroid replacement hormone, 137
 tiagabine, 137
 Topamax, 137, 142
 topiramate, 137
 described, 142
 tramadol, 138
- transcutaneous electrical nerve
 stimulation (TENS), 18, 144,
 169
 trapezius muscles, 98
 trauma, 25, 170
 trazodone, 137
 treatment, 134–51
 choosing the best options, 132–33
 headaches, 135–36
 medications. *See* medications
 nonpharmaceutical. *See* nonphar-
 maceutical therapies
 tricyclic antidepressants (TCAs),
 81, 137
 trigger point injections, 144, 146
 tryptophan, 79
 tumor necrosis factor (TNF-alpha),
 44, 46, 69, 70
- Ultracet, 138
 Ultram, 138
 ultrasound, 144, 159
 U.S. Department of Labor work
 classifications, 210
- valerian root, 144
 Valium, 137
 ventrolateral preoptic (VLPO) area,
 35, 79
 Vicodin, 138
 Vipassana meditation, 161–62
 virtual reality (VR) therapy, 2, 144,
 149–50
 vitamins, 57, 144, 145, 166
- Watkins, Dr. Linda, 69
 Weil, Andrew, 182
 wellness, moving into, 169–71

- whiplash, 9, 21
 - myofascial pain and, 98–99
 - as a pain generator, 51–54
 - types of inquiry caused by, 52–53
 - what happens in, 54
- “wind-up” effect, 30–31
- work environment, 206–12
- workup, ideal fibromyalgia, 106–19
 - complete history and, 110–15
 - first encounter. *See* first encounter
 - getting the right answers, 107
 - imaging studies, 117
 - lab work, 116–17
 - polymyalgia rheumatica and, 115–16
 - questions answered by, 106
- Xanax, 137
- Xylocaine, 146
- Xyrem, 157
 - described, 142
- yoga, 131, 144, 148, 156
- Zoloft, 32, 81, 140
- zolpidem, 137
- Zostrix, 138