

# Index

---

COPYRIGHTED MATERIAL



## Symbols

- ^ (caret), defined, 63
- ⌘ (Command) key, 57, 63
- \$ (dollar sign), Terminal, 460
- / (forward slash), Terminal, 463
- ~ (tilde), Terminal, 460

## A

- About This Mac command, 510
- About This Mac window, 510–511
- accented characters, inserting, 133
- Access Control pane, 541
- Access Control tab, 541
- Access Privileges, .Mac account, 191
- accessibility features. *See also* speech services
  - key repeat rate, setting, 504–505
  - keyboard preferences, setting, 504–505
  - mouse preferences, setting, 502–503
  - speaking aloud, enabling/disabling, 66–67, 500–501
  - speaking aloud, starting/stopping, 490–491
  - speech preferences, setting, 66–67, 492–493, 500–501
  - system voice, selecting, 66–67, 492–493
  - trackpad preferences, setting, 502–503
- accessibility features, speech recognition
  - activating (Escape key), 66
  - choosing command groups, 66–67, 498–499
  - enabling/disabling, 66, 494–495
  - preferences, setting, 66–67, 496–497

- Accounts icon, 98
- Accounts pane. *See* System Preferences window, Accounts pane
- Action Menu button, 37
- Add button, 414
- Add Chapter button, 456
- Add Fonts command, 69
- Add Key Mapping dialog box, 473
- Add Keyboard Shortcut button, 507
- Add keyboard shortcut dialog box, 507
- add server dialog box, 483
- add service dialog box, 483
- Address Bar, hiding/showing (⌘-Shift-I), 268
- Address Book, Mail application. *See* Mail application, Address Book
- Adobe Photoshop, 396–397
- Adobe Photoshop Elements, 396–397
- Advanced menu (iMovie), 441, 451
- Advanced pane, 60
- Advanced tab, 61
- Advanced tab, Trash warning, 79
- age limits, .Mac account, 188
- AIM screen name, iChat, 290–291
- airplane flights, searching, 206–207
- AirPort
  - Base Station, creating, 162–163
  - closed network, 156–157
  - computer-to-computer, 152–153
  - configuring, 144–145, 152–153
  - enabling/disabling, 144–145
  - public network, 154–155

- AirPort status icon, 152
- AirPort Status menu
  - Create Network command, 152–153
  - joining a network, 154–155
  - Other command, 157
- alarms. *See* reminders
- albums, photo. *See* iPhoto, albums
- alerts, 10–11, 501. *See also* speech services
- aliases
  - adding to sidebar, 18–19
  - applications, 18–19, 40–41
  - desktop, 19, 40–41
  - Dock, 19, 40–41
  - files, 40–41
  - files, searching by, 84–85
  - folders, 40–41
  - hard disks, 84
  - searching for, 84–85
- American Heritage Dictionary, 208
- animation, 38–39, 448–449
- anniversary information, Mail application Address Book, 259
- Announce Slideshow button (.Mac account), 429
- ANSI terminal type, selecting, 463
- Anti Aliasing, 468
- AOL Buddy list, displaying (⌘-I), 290
- Appearance options, 398–399
- Apple Installer, 24–25
- Apple menu
  - About This Mac command, 510
  - Force Quit command (⌘-Option-Esc), 47, 523
  - Log Out command, 2–3
  - Recent Items command, 138–139
  - Restart command, 6–7
  - Shut Down command, 6–7

- Apple menu (*continued*)
    - Sleep command, 6–7
    - System Preferences command, 2–3
  - Apple menu, Force Quit command (⌘-Option-Esc), 47
  - Apple Music Store. *See* iTunes, Music Store
  - Apple Phone Book, 202–203
  - Apple software, 516–517, 530–531. *See also* software
  - Apple Speakable Items Is On button, 495, 496
  - Apple System Profiler, 510–513
  - Apple technical support, searching, 212–213
  - AppleCare channel, 212–213
  - AppleTalk
    - AirPort, enabling/disabling, 144–145
    - Ethernet, enabling/disabling, 142–143
    - and network browser, 158
    - printers, adding, 170–171
  - application associations
    - data files, 74–75
    - image files, 80–81
  - Application menu, 46, 138
  - applications
    - adding to Dock, 40–41
    - aliases, creating, 18–19, 40–41
    - automatic start, terminating, 20
    - cannot start, 528–529
    - in Classic Environment, 48, 61
    - crashed, 522–523
    - displaying all, 511
    - DVD Player, as default for video DVDs, 53
    - error messages, capturing, 22–23
    - faxing from, 182–183
    - file associations, image files, 80–81
    - file associations, setting, 74–75
    - force-quitting (⌘-Option-Esc), 47, 522–523, 524–525
    - handwriting recognition, 56–57
    - hiding, 17, 47
    - hung, 522–523
    - icons, bouncing, 39
    - InkPad, using with, 56–57
    - installing new software, 24–25
    - keyboard shortcuts, creating, 507
    - opening in Finder, 40
    - passwords storing (Keychain Access feature), 30–31
    - pathnames, determining, 487
    - printing from, 178–181
    - recent, launching from Apple menu, 138–139
    - restarting, 47, 522–523
    - running, identifying in Dock, 17
    - running, list of, 47
    - searching for, 86–88
    - setting defaults, 75
    - starting, 486–487
    - starting at login, 42–43
    - switching between windows (⌘-~ or ⌘-n), 465
    - windows, hiding all (Option-⌘-click), 47
    - windows, switching between (⌘-~ or ⌘-n), 465
  - applications, setting as default
    - CD-ROM, music, 53
    - CD-ROM, photo, 53
    - DVD video, 53
    - editing application, 396–397
    - files, 74–75
    - Get Info window (⌘-I), 75
    - music CDs, 53
    - photo CDs, 53
    - Preview, 81
    - TextEdit, 127
  - Applications folder (Mac OS 9), 184–185
  - Applications folder (Mac OS X)
    - customized navigation, 72
    - installing applications in, 86
    - opening from the keyboard (⌘-Shift-A), 87
    - opening from the menu bar, 23
  - application-specific menus, 12–13. *See also specific application names*
  - appointments. *See* iCal
  - arrows on alias icons, 19
  - aspect ratio, still frames, 447
  - attachments, Mail application
    - creating, 226–227
    - failure to open, 242
    - finding, 243
    - opening, 242–243
    - saving, 242–243
    - sending to Windows users, 227
    - size issues, 244
    - and viruses, 242
  - attachments, to chats (Opt-⌘-F), 308–309
  - Attributes pane, 540–541
  - Attributes tab, 540
  - audio (music). *See* iTunes
  - Audio button, 450
  - audio chats, 302–303. *See also* iChat
  - audio clips. *See also* iDVD; iMovie
    - crop markers, 444
    - cropping, 445
    - embedded in DV clips, 441
    - importing from CD, 450–451
    - importing from iTunes, 450–451
    - locking position of, 451
    - markers, viewing, 450
    - pasting, 453
    - positioning at playhead location, 451
    - putting on separate track, 441
    - selecting from Sound Effects list, 45
    - trimming, 445
    - turning tracks off/on
      - individually, 450
      - volume level, 10–11, 451
  - Audio pane, 450–451
  - audiobooks, 383
  - Authenticate command, 116–117
  - AutoFill, Safari, 274, 284–285
  - autofilling Internet forms, 541
- B**
- Back arrow button, 14
  - Back arrow button, hiding, 36

- background color, setting
    - iPhoto, 398–399
    - Terminal, 470–471
  - background image, Terminal, 470–471
  - Base Station, creating, 162–163
  - bash shell, 462
  - battery life, 59
  - Bcc (blind copy), 235, 237, 246
  - Berkeley Software Distribution (BSD), 460
  - bidding on eBay, 204–205
  - birthday information, Mail application Address Book, 258–259
  - black border, still frames, 447
  - black frames, creating at
    - beginning of movie, 443
  - black text. *See* bold
  - black-and-white photos, 410–411
  - blind copy (Bcc), 235, 237, 246
  - blocking people from chats, 310–311
  - blue dot, email message, 224
  - BMP files, and Preview, 80
  - bold text (⌘-B), 131
  - Book button, 426
  - bookmarks. *See* Safari, bookmarks
  - Bookmarks Bar, hiding/showing (⌘-B), 265, 268
  - bookmarks folder, adding (Shift-⌘-N), 266
  - books, iPhoto
    - creating, 414–415, 426–427
    - printing, 427
  - booting, 528
  - bouncing
    - Dock icons, 39
    - email, 249
  - Brightness slider, 405
  - broadcast icon, calendars, 330
  - browsing
    - networks, 158–159
    - the system, 14–15
  - browsing the Web. *See* Finder; Safari
  - BSD (Berkeley Software Distribution), 460
  - buddies. *See* iChat, buddies
  - Buffer pane, 468–469
  - buffer size, Terminal, 468
  - Built-In Ethernet
    - configuring, 142–143
    - enabling/disabling, 142–143
    - proxy servers, 150–151
    - sharing connection over AirPort, 162–163
  - Burn button, 432
  - burning
    - CD/DVD, Windows compatibility problems, 433
    - CD-ROM, data, 52–53, 92–93
    - CD-ROM, photos, 432–433
    - DVD, 52–53
  - busy time, showing in calendars, 333
  - buttons, adding/removing on Web pages, 268
  - B&W button, 410–411
- C**
- cache, clearing, 284–285
  - calendars. *See also* iCal
    - online location, 193
    - publishing with .Mac account, 189
  - calibrating monitors, 50–51
  - cameras. *See* iPhoto, cameras
  - Capture menu, Grab, 23
  - capturing, still frames, 436–437
  - carbon copy (Cc), 236
  - card reader. *See* iPhoto
  - cardboard box with top open icon, 521
  - caret (^), defined, 63
  - case-sensitivity
    - Terminal commands, 460
    - UFS volumes, 533
  - cathode ray tube (CRT) monitors, 50
  - Cc (carbon copy), 236
  - CDDB (Compact Disc Database), 346, 354
  - CD-ROMs
    - available memory, determining, 92
    - blank, setting default action, 52–53
    - data, 52–53, 92–93
    - desktop icon, hiding/showing, 46
    - ejecting, 20–21, 93
    - icons, showing/hiding on desktop, 46, 94
    - music, 53
    - photo, 53
    - types of, 432
  - CD-ROMs icon, 20
  - CD-Rs, 370–371, 432
  - CD-RWs, 370–371, 432
  - CDs
    - booting from, 49, 528
    - preferences, setting, 52–53
    - types of, 92
  - CDs & DVDs pane, 52–53
  - CDs and DVDs icon, 52
  - centering text on page, 131
  - Change Key button, 497
  - Change Keychain Password dialog box, 31
  - Change Keychain Settings dialog box, 31
  - Change Password for Keychain “login,” 31
  - Change Settings for Keychain “login,” 31
  - changing Title (Shift-⌘-T), Terminal, 464
  - channels. *See* Sherlock, channels
  - chapter markers, 456–457
  - Character Palette window, 132–133
  - Check Now button, 517
  - Choose File menu (iPhoto), 415
  - Classic Environment
    - applications, running slowly, 48
    - applications running, determining, 61
    - database corruption, repairing, 60
    - desktop, rebuilding, 60
    - Dock icon, 60
    - force-quitting, 524
    - frozen, 524
    - hung, 524
    - menu bar appearance, 60
    - in a multiuser environment, 60
    - preferences, setting, 60–61

- Classic Environment (*continued*)
  - printing from, 184–185
  - restarting, 60–61
  - sleep preferences, setting, 61
  - sleep settings, 61
  - as a standalone system, 61
  - starting, 60–61
  - starting automatically at login, 60
  - starting manually, 60
  - starting without extensions, 60
  - stopping, 60–61
  - TruBlue, 524
  - and UFS volumes, 533
  - version running, determining, 61
- Classic Page Setup window, 184–185
- Classic pane. *See* System Preferences window, Classic pane
- Classic Print window, 185
- clips. *See* audio clips; iMovie; video clips
- Clips pane, 436
- clock, 8–9, 64–65
- Clockwise command (⌘-R), 391
- Closed Network (AirPort) dialog box, 157
- closed networks, 156–157
- closing windows, 17–18
- cloud icon, iChat, 300
- clutter, desktop, 16–17
- CMYK (Cyan-Magenta-Yellow-Black) color mode, 388
- collections (fonts), 68–69
- color
  - calendars, 335
  - customizing, Terminal, 470–471
  - events, 329
  - mode, iPhoto, 388
  - photos, 410–411, 424–425
  - prints, ordering, 424–425
  - settings, monitors, 50–51
  - text, 131
- Color pane, 470–471
- Color tab, 51
- Column View, 15, 37
- com.app.Terminal.plist file, 463
- Command key (⌘), 57, 63
- command-line access. *See* Terminal
- commands. *See specific commands*
- Commands pane, 499
- Commands subtab, 66–67, 499
- comments
  - iChat, 296
  - photos, 389, 400–401
- Compact Disc Database (CDDDB), 346, 354
- compression formats, 454–455
- Compression Settings window, 455
- computer. *See also* desktop; OS X
  - clock, formatting, 8–9, 64–65
  - clock, setting time, 8–9
  - date, formatting, 8–9, 64
  - date, setting, 8–9
  - numbers, formatting, 64
  - power failure, restarting automatically after, 59
  - putting to sleep, 6–7, 58–59, 61
  - restarting, 6–7
  - restarting from OS X CD, 48–49
  - shutting down, 6–7
  - time, formatting, 64
  - waking up, 6–7, 58–59
- Computer Name field, 461
- computer-to-computer networks, 152–153
- configuring
  - AirPort, 152–153
  - Built-In Ethernet, 142–143
  - Ethernet, 142–143
  - Mail application, 218–219
  - Terminal, 460–461, 474–475
- Connect dialog box, 161
- Connect to Server command, 160–161, 478
- Connect to Server dialog box, 161
- Connect to Server Terminal window (⌘-Shift-K), 478–479
- Connect to Server window, 161
- connection speed, QuickTime, 54–55
- Connection tab, 54
- conserving power. *See* power conservation
- Constrain menu, 392–393
- Contact sheets, printing, 422–423
- contacts. *See* iChat, buddies; Mail application, Address Book
- contextual menus, 12–13, 244–245
- Contrast slider, 405
- control buttons, 16–17
- cookies, 274–275, 284–285
- copying. *See also* importing events, 321
  - iPhoto albums, 415
  - photos, 397
  - text (⌘-C), 128–129
  - from your computer to an external device, 193
  - your data from online storage, 192–193
- copying email recipients
  - blindly, 235, 237, 246
  - openly, 236
- copyright, copying music, 350, 370
- Counter Clockwise command (⌘-Shift-R), 391
- cover page, faxes, 182–183
- Create iDVD Project button, 456–457
- Create Network command, 152–153
- creating. *See item to be created*
- Crop button (⌘-Shift-C), 393
- Crop command, 445
- crop markers, 444–445
- cropping
  - audio clips, 444–445
  - photos, 392–393
  - video clips, 444–445
- CRT (cathode ray tube) monitors, 50
- csh (c-shell), 478
- c-shell (csh), 478

- Ctrl key
    - defined, 63
    - handwriting recognition, 57
  - Ctrl-clicking, 12–13, 278, 279
  - current directory, Terminal, 460
  - cursor blink, 469
  - cursor shape, 469
  - Custom Keys setting, 63
  - Customize toolbar command, 73
  - Customize Toolbar pane, 73
  - Cut command, 441, 444–445
  - Cut command (⌘-C), 128
  - cutting text (⌘-X), 128–129
  - Cyan-Magenta-Yellow-Black (CMYK) color mode, 388
- D**
- Darwin, 460
  - database corruption, repairing, 60
  - date
    - adding to photos, 400–401
    - formatting, 8–9, 64
    - setting, 8–9
  - Date & Time pane, 8–9
  - Default Voice tab, 67, 493
  - Delete Index button, 89
  - Delete User button, 108–109
  - Deleted Users folder, 109
  - deleting. *See item to be deleted*
  - Deranged voice, 492
  - Deselect All command (⌘-Shift-A), 391
  - desktop. *See also* Finder; speech services
    - aliases, creating, 19, 40–41
    - cluttered, 16–17
    - Exposé, 16–17
    - exposing (F11), 16
    - rebuilding, 60
    - screen shot, entire desktop (⌘-Shift-3), 22
    - screen shot, selection from desktop (⌘-Shift-4), 22–23
    - setting as save location (⌘-D), 226
    - spring-loaded folders, enabling/disabling, 37
    - uncluttering, 16–17
    - windows, 13, 16–17
  - Desktop & Screen Saver button, 416
  - Desktop and Screen Saver command, 417
  - Desktop button, 416
  - dialog boxes. *See specific dialog boxes*
  - dictionaries, searching, 208–209
  - digital cameras. *See* iPhoto, cameras
  - Digital Video (DV) clips, splitting, 441
  - Digital Video (DV) format, 454
  - directory, listing files in, 464–465
  - Directory Access, 159
  - Disable Root User command, 117
  - disabling email temporarily, 218
  - disk images icon, 24
  - Disk Utility
    - Apple software, restoring, 530–531
    - disk, erasing, 532–533
    - Erase tab, 533
    - external hard disk, reformatting, 532–533
    - FireWire drive, erasing, 532–533
    - First Aid tab, 529
    - permissions, repairing, 528–529
    - Restore tab, 531
    - system software, restoring, 530–531
    - volume, erasing, 532–533
    - volumes, erasing, 532–533
  - Disk Utility icon, 528
  - disks. *See* hard disks
  - Display Calibrator Assistant window, 51
  - Display pane, 469
  - displays. *See* monitors
  - Displays icon, 50
  - Displays pane, 50–51
  - dividing lines, Dock, 40
  - .dmg file extension, 24
  - Dock
    - aliases, creating, 19, 40–41
    - animations, enabling/disabling, 38–39
    - applications, adding to, 40–41
    - applications, opening in Finder, 40
    - dividing lines, 40
    - files, adding to, 40–41
    - folders, adding to, 40–41
    - Genie Effect, enabling/disabling, 38
    - hiding/unhiding automatically, 39
    - moving, 38
    - Scale Effect, enabling/disabling, 38
    - size, changing, 38
    - windows, minimizing, 38
  - Dock, icons
    - adding, 40–41
    - bouncing, 39
    - dragging files to, 41
    - magnifying, 38
    - rearranging, 41
    - removing, 41
  - Dock icon, 60
  - Dock pane, 38–39
  - Document folder, 72
  - documents, 138–139. *See also* files; folders; TextEdit
  - dollar sign (\$), Terminal, 460
  - Double-click options, 394–395, 396–397
  - Download Only command, 521
  - Download window, clearing, 284–285
  - downloading music. *See* iTunes
  - draft email messages, 238–239
  - Drafts mailbox, opening (⌘-3), 239
  - driving directions, 201, 202–203
  - drop shadows, 398–399
  - Duplicate command, 397, 415
  - duplicating. *See* copying
  - duration, still frames, 436–437

Duration controls, 447  
 DV (Digital Video) clips,  
   splitting, 441  
 DV (Digital Video) format, 454  
 DVD Player, as default for video  
   DVDs, 53  
 DVD-R, 432  
 DVD-R media, 456  
 DVD-ROM, 432  
 DVD-RW, 432  
 DVDs  
   blank, setting default action,  
     52–53  
   booting from, 49  
   burning, setting preferences  
     for, 52–53  
   desktop icon, hiding/showing,  
     46  
   power conservation, 58–59  
   preferences, setting, 52–53  
   video, setting default  
     application, 53  
 DVDs icon, 20

## E

eBay, 204–205  
 Edit button, iPhoto, 392  
 Edit Key Mapping pane, 473  
 Edit Locations dialog box,  
   164–165  
 Edit menu (Finder), 77  
 Edit menu (iMovie)  
   Crop command, 445  
   Cut command, 441, 444–445  
   Split command, 440  
   Split Selected Audio Clip at  
     Playhead command, 441  
   Split Video Clip at Playhead  
     command, 441  
 Edit menu (iPhoto)  
   Deselect All command  
     (⌘-Shift-A), 391  
   Keywords command, 401  
   Keywords command (⌘-K),  
     402  
   Rotate command, 391  
   Set Title command, 401

Edit menu (Keychain Access), 31  
 Edit menu (TextEdit)  
   Cut command (⌘-C), 128  
   Paste command (⌘-V),  
     128–129  
   Special Characters command,  
     132  
   Spelling command (⌘-Shift-;),  
     125  
   Undo Typing command, 125  
 Edit pane, 392  
 Edit toolbar, 395  
 editing  
   email messages, 246–247  
   photos, 394–395, 396–397  
   text, 124–125  
 Eject command, 20  
 ejecting  
   CD-ROMs, 20–21, 93  
   FireWire target volumes, 167  
   iPod, 95  
   removable discs, 20–21  
 Ejecting FireWire target  
   volumes, 167  
 Electricity costs. *See* power  
   conservation  
 email. *See also* Mail application  
   accessing, 188  
   accounts, adding, 218–219  
   accounts, selecting, 225  
   application, choosing, 219  
   Bcc (blind copy), 235, 237,  
     246  
   blue dot, 224  
   bouncing messages, 249  
   Cc (carbon copy), 236  
   copying recipients, blindly,  
     235, 237, 246  
   copying recipients, openly,  
     236  
   deleting, 225  
   disabling temporarily, 218  
   draft, 238–239  
   editing new messages,  
     246–247  
   emptying the Trash, 224, 225  
   Exchange client, 218

filtering, 248–249  
 find and replace message text,  
   233  
 forwarding, 236–237  
 getting new, 225  
 grammar checking, 246–247  
 groups, 254–255  
 hiding, 233  
 hiding copied recipients, 235  
 IMAP (Internet Message  
   Access Protocol), 218  
 importing from other  
   applications, 220–221  
 importing from Outlook  
   [Express], 220  
 inviting people to events,  
   326–327  
 junk mail, 248–249  
 .Mac account, 188  
 mailboxes, 222  
 organizing, by color, 248  
 organizing, by sorting,  
   230–231  
 POP (Post Office Protocol),  
   218  
 reading, 222–223  
 rearranging columns, 231  
 red dot with number, 245  
 red number, 222  
 redirecting, 237  
 red-underlined words, 246  
 reminders, to-do items, 336  
 replying to, 234–235  
 Reply-To: headers, adding, 246  
 searching, 232–233  
 sending immediately, 224–225  
 sending later, 227, 238–239  
 sending to groups, 255  
 sending to individuals,  
   256–257  
 sent messages, saving to a  
   mailbox, 238  
 signature files, creating,  
   228–229  
 signature files, filtering, 229  
 signature files, in replies to  
   messages, 234

- sorting, 230–231
    - spam, 248–249
    - spell checking, 246–247
    - starting a message, 224
    - “threading,” 230
    - unread messages, displaying
      - number of, 222
    - unread messages, indicator, 224
  - email, addresses
    - adding to Address Book, 240–241
    - as links on Web pages, 277
    - .Mac account, 188
    - separating multiple, 240
    - underlined on Web pages, 277
  - Email button, 418
  - email folders. *See* mailboxes
  - emailing
    - photos, 418–419
    - Web pages, 276–277, 283
  - Empty Trash command, 79
  - emptying the Trash, 224, 225
  - Emulation pane, 467
  - emulation preferences, setting, 466–467
  - Enable Root User command, 117
  - encrypted terminal program, 480–481
  - End key, 453
  - Energy Saver, 58–59. *See also*
    - power conservation
  - Energy Saver icon, 58
  - Energy Saver pane. *See* System Preferences window, Energy Saver pane
  - Enhance button, 404–405
  - Enter Password (AirPort) dialog box, 155
  - EPS files, and Preview, 80
  - Equalizer window. *See* iTunes, Equalizer window
  - Erase tab, 533
  - erasing, 532–533
  - error messages, capturing, 22–23
  - Escape key, speech recognition, 66
  - Ethernet
    - configuring, 142–143
    - enabling/disabling, 142–143
    - proxy servers, 150–151
    - sharing connection over
      - AirPort, 162–163
  - Event Info, displaying (⌘-I), 322
  - events, calendar. *See* iCal
  - Exchange client, 218
  - Export command (⌘-Shift-E)
    - File menu (Apple System Profiler), 513
    - File menu (iMovie), 454–455
    - File menu (iPhoto), 420, 430
    - File menu (Preview), 80–81
  - exporting. *See also* iTunes, exporting music
    - calendars, 331
    - files, 80–81
    - photos, 420–421
    - slide shows to iDVD, 428
    - slide shows to iMovie, 429
  - Exposé, 16–17
  - exposing the desktop (F11), 16
  - exposing windows, 16–17
  - exposure (photographic), adjusting, 404–405
  - Extended Report command (⌘-3), 512–513
  - external hard disks
    - connecting as a network, 166–167
    - defined, 20
    - reformatting, 532–533
  - Extract Audio command, 441
  - eye color, adjusting, 408–409
- F**
- FAQs (frequently asked questions), 526
  - fast user Switching,
    - enabling/disabling, 112–113
  - Fast User Switching menu icon, 112–113
  - favorites, Sherlock channels, 215
  - faxing
    - from applications, 182–183
    - calendars, 341
    - from TextEdit, 182–183
    - Web pages, 283
  - file associations
    - image files, 80–81
    - setting, 74–75
  - File menu
    - Eject command, 20
    - Make Alias command, 18
    - New Folder command, 76
    - Print command, 175
  - File menu (Apple System Profiler), 513
  - File menu (applications), 172–173
  - File menu (Finder), 69
  - File menu (Font Book), 69
  - File menu (iMovie)
    - Export command, Expert Settings, 454–455
    - Import command, 429, 438
    - Show Info command, 437
  - File menu (iPhoto)
    - Duplicate command, 397
    - Export command, 430
    - Export command (⌘-Shift-E), 420
    - Import command (⌘-Shift-I), 388–389
    - Page Setup command, 422
    - Revert to Original, 390
  - File menu (Preview), 80–81
  - File menu (Terminal)
    - Connect to Server command, 478
    - New Command command, 487
    - Save command (⌘-S), 475
    - Set Title command, 464
    - Show Info command, 466
  - File menu (TextEdit)
    - Open command, 127
    - Save As command, 127
    - Save command, 123
  - file servers, connecting to networks, 160–161

- File Transfer Protocol (FTP), 478
- files. *See also* Finder; folders
  - adding to, Dock, 40–41
  - aliases, creating, 40–41
  - aliases, searching by, 84–85
  - application association, setting, 74–75
  - application associations, image files, 80–81
  - application associations, setting, 74–75
  - attaching to chats (Opt-⌘-F), 308–309
  - attaching to email, 226–227
  - browsing the system, 14–15
  - burning to CD-ROM, 92–93
  - cannot delete, 538–539
  - cannot open, 528–529
  - content, searching by, 47, 82–83, 90–91
  - creating new, 76–77
  - date created, searching by, 83
  - default application to open with, setting, 74–75
  - deleting/restoring, 78–79, 538–539
  - exporting, 80–81
  - Get Info window, opening, 74–75
  - hidden, searching for, 90–91
  - images, opening in Preview, 80–81
  - invisible, searching for, 90–91
  - kind, searching by, 84–85
  - listing all, 464–465
  - locking/unlocking, 70, 74, 538–539
  - moving, 77
  - name, searching by, 82
  - naming/renaming, 74–75
  - opening in Preview, 80–81
  - ownership, setting, 75
  - Ownership & Permissions pane, 75
  - permissions, default, 74
  - permissions, repairing, 528–529
  - permissions, setting, 75
  - read-only, setting, 74–75
  - recent, launching from Apple menu, 138–139
  - recovering from deleted user accounts, 109
  - renaming, 74–75
  - saving in different format, 80–81
  - saving to desktop (⌘-D), 75
  - searching for, 47, 82–87, 90–91
  - selecting all (⌘-A), 76
  - selecting/unselecting, 76–77
  - sending to chats (Opt-⌘-F), 308–309
  - sorting, 15
  - template, creating, 74
  - transferring on CD-ROM, 92–93
  - transferring on iPod, 94–95
  - undeleting, 78–79, 538–539
  - visibility, searching by, 90–91
- files servers, creating, 160–161
- film roll numbers, 387
- Film Rolls command (Cmd-Shift-F), 387, 399
- films (movies), 200–201
- filtering
  - email, 248–249
  - signature files, 229
- find and replace message text, 233
- Find (⌘-F) command
  - aliases, searching for, 84–85
  - applications, searching for, 86–87
  - content, searching for, 90–91
  - files, searching for, 82–83
  - folders, searching for, 86–87
  - hidden files, searching for, 90–91
  - invisible files, searching for, 90–91
- Finder. *See also* Home folder
  - Action Menu button, 37
  - aliases, adding to sidebar, 18–19
  - Back arrow button, 14
  - Back arrow button, hiding, 36
  - bringing to front (Option-⌘-click), 47
  - Column View, 15
  - Column View, setting as default, 37
  - Customize Toolbar pane, 73
  - Forward arrow button, 14
  - Forward arrow button, hiding, 36
  - Icon View, 14
  - List View, 14–15
  - menu buttons, hiding, 36
  - multiple windows, switching between, 13
  - network browsing, 158–159
  - new window, opening (⌘-N), 72
  - new window (⌘-N), 72
  - opening new window (⌘-N), 14
  - opening new window (double-click hard disk icon), 16
  - preferences, setting, 46–47
  - sorting items, 15
  - toolbar buttons, hiding, 36
  - View button, hiding, 36
- Finder icon, 13
- Finder menu
  - Empty Trash command, 79
  - Preferences command, 37, 46–47, 94
  - Secure Empty Trash, 538
- Finder Preferences window, 37, 46–47
- Firewall tab, 162–163
- firewalls, 162–163
- FireWire devices
  - iPod, for file storage and transfer, 94
  - reformatting, 532
  - target disk mode, 166–167
- FireWire drive, erasing, 532–533
- FireWire target volumes icon, 166
- First Aid, 528–529
- First Aid tab, 529

- fixed-width fonts, 268
  - Flash animation, 274
  - Flights channel, 206–207
  - folders. *See also* files; *specific folders*
    - adding to Dock, 40–41
    - aliases, creating, 40–41
    - creating (⌘-Shift-N), 76
    - deleting/restoring, 78–79
    - hidden, searching for, 90–91
    - invisible, searching for, 90–91
    - labels, using, 37, 76
    - naming/renaming, 76
    - opening in a new window, 37, 76
    - permissions, setting, 76
    - private, searching for, 90–91
    - searching for, 86–88, 90–91
    - spring-loaded,
      - enabling/disabling, 37
      - undeleting, 78–79
  - Font Book, 68–69
  - Font command, 131
  - font size, changing, 269
  - Font window (⌘-T), 130–131
  - fonts
    - chats, 312–313
    - collections of, 68–69
    - enabling/disabling, 69
    - Font Book, 68–69
    - InkPad, setting preferences, 57
    - installation location,
      - determining, 68–69
    - multiuser environment, 68–69
    - organizing, 68–69
    - preferences, setting, 468–469
    - previewing, 68
    - searching, 69
    - setting preferences, 130–131, 468–469
    - smoothing, 468
  - Force Quit command (⌘-Option-Esc), 47, 523
  - Force Quit dialog box (⌘-Option-Esc), 47
  - force-quitting applications (⌘-Option-Esc), 47, 522–523, 524–525
  - Format menu (TextEdit)
    - Font command, 131
    - Make Rich Text command, 127
    - Text command, 131
  - Formats tab, 9, 64–65
  - formatting text, 130–131, 301
  - Forward arrow button, 14
  - Forward arrow button, hiding, 36
  - forward slash (/), Terminal, 463
  - forwarding email, 236–237
  - frame rate, 455
  - frames, capturing, 436–437
  - frequently asked questions (FAQs), 526
  - frozen, Classic Environment, 524
  - FTP (File Transfer Protocol), 478
  - FTP server, 478–479, 484–485
  - Full Keyboard Access,
    - enabling/disabling, 62–63
  - Full Quality DV format, 454
- G**
- Genie Effect, enabling/disabling, 38
  - geographic regions, setting
    - preferences, 9, 64–65
  - Gestures tab, 57
  - Get Info window
    - Content Index pane, 88–89
    - default applications, setting, 75
    - Delete Index button, 89
    - file ownership, setting, 75
    - file permissions, setting, 75
    - Index Now button, 88–89
    - indexing hard disks, 88–89
    - Locked checkbox, 538–539
    - opening (⌘-I), 74–75
    - Ownership & Permissions pane, 75
    - renaming files, 75
    - Stationary Pad checkbox, 74, 134
  - GIF files, 80, 389
  - Go menu
    - about, 72
    - Connect to Server command, 160–161
    - Go To Folder command, 90–91
    - Home command, 412–413
    - Pictures icon, 412–413
    - Utilities command, 514
  - Go To Folder command, 90–91
  - Google, Safari
    - cutting and pasting search terms, 279
    - search entries, clearing, 284–285
    - searching the Web, 270
  - Grab, 23
  - grammar checking email, 246–247
  - Graphics editor. *See* iPhoto
  - graphics tablets. *See* handwriting recognition
  - groups. *See* email, groups; iChat, buddy groups
  - Groups drawer, hiding/showing (Shift-⌘-G), 298
- H**
- hand cursor, 449
  - handwriting recognition, 56–57
  - hanging applications, force-quitting (⌘-Option-Esc), 522–523
  - hard disks
    - aliases, creating (⌘-L), 84
    - double-clicking icon, 16
    - erasing, 532–533
    - importing photos from, 388–389
    - indexing, 47, 88–89
    - permissions, repairing, 528–529
    - restoring to factory settings, 530
    - virtual, 190–191

- hard disks, external
  - connecting as a network, 166–167
  - defined, 20
  - reformatting, 532–533
- hardware profile, 511
- Hardware row. *See* System Preferences window, Hardware row
- hardware troubleshooting. *See* Apple System Profiler; help
- hearing limitations. *See* accessibility features
- Hearing pane, 500–501
- Hearing tab, 500
- help. *See also* Disk Utility; maintenance; troubleshooting
  - Apple FAQ (frequently asked questions), 526
  - Apple System Profiler, setting preferences, 512–513
  - Apple System Profiler, starting, 510–511
  - applications, cannot start, 528–529
  - applications, force-quitting ( $\text{⌘}$ -Option-Esc), 522–523, 524–525
  - applications, hung, 522–523
  - applications, restarting, 522–523
  - file permissions, repairing, 528–529
  - files, cannot delete, 538–539
  - files, cannot open, 528–529
  - First Aid, 528–529
  - Help Viewer, 526–527
  - Keychain, 540–541
  - Mac Help window ( $\text{⌘}$ -?), 526–527
  - Network Utility, 514–515
  - networking, ping utility, 514–515
  - networking, testing
    - connection, 514–515
    - networking, tracing routes, 514–515
    - networking, verifying IP addresses, 514–515
    - passwords, resetting, 534–535
    - passwords, tracking in Keychain, 540–541
    - permissions, repairing, 528–529
    - root password, resetting, 536–537
    - searching for terms, 517
    - software, checking for updates, 516–517
    - Software Update, deleting items, 518–519
    - Software Update, downloading installers, 520–521
    - Software Update, setting frequency, 518–519
    - Software Update, starting, 516–517
    - speech services, 495
    - system administrator
      - accounts, resetting password, 536–537
      - system information, obtaining, 510–511
      - system software, restoring, 530–531
      - Terminal, 461
  - help, Mac Help window ( $\text{⌘}$ -?), 526–527
  - Help, Mail application, 220
  - Help menu, 526
  - Help Viewer ( $\text{⌘}$ -?), 526–527
  - Helpful Tips button, 495
  - Helvetica font, 510
  - HFS (Mac OS Standard), 532
  - HFS Plus (Mac OS Extended), 532
  - history, clearing, 284–285
  - History menu, 280–281
  - Home command, 412–413
  - home directory, 460
  - Home folder ( $\text{⌘}$ -Shift-H), 72–73. *See also* Finder
  - Home key, 453
  - home page, setting a default, 262
  - Hot Corners, creating, 417
  - HTML files, opening, 127
  - hung, Classic Environment, 524

**I**

  - iCal, calendars
    - adding (Opt- $\text{⌘}$ -N), 328–329
    - broadcast icon, 330
    - busy time, showing, 333
    - color coding, 335
    - exporting, 331
    - faxing, 341
    - item information, displaying, 319
    - mini-month, hiding/showing, 329
    - Preferences window, opening ( $\text{⌘}$ -Y), 318
    - printing, 340–341
    - publishing, 330–331
    - renaming, 331
    - saving as PDF files, 341
    - searching, 338–339
    - shared, inviting people to read, 332–333
    - shared, removing, 332–333
    - shared, updating (Opt- $\text{⌘}$ -P), 332–333
    - sharing, 330–331
    - starting, 318–319
    - subscribed, automatic refresh, 334–335
    - subscribed, online
      - clearinghouse, 335
      - subscribing to (Opt- $\text{⌘}$ -S), 334–335
    - today's date, getting, 319
  - iCal, events
    - adding ( $\text{⌘}$ -N), 320–321
    - all-day, 320
    - color coding, 329
    - copying, 321
    - custom event schedules, 323
    - default start time, 320
    - deleting, 321

- detail information, displaying, 319
- Event Info, displaying (**⌘-I**), 322
- hiding/showing, 329
- Info drawer, resizing, 322
- inviting people to, 326–327
- moving between calendars, 335
- on multiple calendars, 328
- notes, 324–325
- People window,
  - hiding/showing (**⌘-option-A**), 326–327
- reminders, adding, 324–325
- reminders, after the event, 325
- reminders, default advance time, 324
- reminders, follow up, 325
- reminders, via email, 324–325
- repeating, changing stop time, 323
- repeating, creating, 322–323
- repeating, recognizing, 323
- repeating, specifying number of repetitions, 323
- status, determining, 320
- timing, changing, 320
- iCal, to-do lists
  - adding items (**⌘-K**), 336–337
  - deleting items, 336
  - hiding/showing, 336
  - past due, reminders, 336
  - printing, 340–341
  - priority, 336
  - reminders, 336
  - searching, 338–339
- iChat
  - AIM screen name, 290–291
  - cloud icon, 300
  - comments, 296
  - IM applications supported, 291
  - .Mac screen name, 290–291
  - Notes field, 296
  - screen names, 290–291
  - setting up, 290–291
  - status, setting, 292–293
  - buddies
    - adding (**Shift-⌘-A**), 294–295
    - chat type, determining, 296
    - deleting, 295
    - icons, 295
    - names, grayed out, 294
    - names, represented by @ (ampersand), 315
    - pictures, 295
    - video camera icon, 296
    - viewing information about (**Shift-⌘-I**), 296–297
  - buddy groups
    - adding a buddy, 299
    - deleting, 298
  - Groups drawer,
    - hiding/showing (**Shift-⌘-G**), 298
  - hiding/showing, 299
  - renaming, 298–299
  - on the Rendezvous network, 298
  - Undo command, 298
- iChat, chats
  - attachments (**Opt-⌘-F**), 308–309
  - audio, recording, 303
  - audio, starting, 302–303
  - audio, volume level, 303
  - background images, 313
  - blocking people, 310–311
  - existing, joining, 301
  - fonts, 312–313
  - formatting text, 301
  - IM window, opening (**Opt-⌘-M**), 300
  - message appearance, setting, 312–313
  - message behavior, setting, 314–315
  - message color, 312–313
  - message contents, speaking, 315
  - message notification, 314
  - microphones, 302–303
  - named, joining, 301
  - notification of invitation, 304
  - Privacy Level menu, 310–311
  - reformatting incoming messages, 312–313
  - ringing phone sound, 304
  - saved sessions, opening, 307
  - saving a session (**⌘-S**), 306–307
  - sending files (**Opt-⌘-F**), 308–309
  - smileys, 300
  - text, starting, 300–301
  - text instead of balloons, 313
  - video, moving/closing the inset video, 305
  - video, saving still photos, 305
  - video, starting, 304–305
  - video cameras, adding, 291
  - video cameras, and audio chats, 302
  - video cameras, and video chats, 304–305
  - video cameras, as microphones, 302
  - video cameras, automatic shutoff, 304
  - video cameras, buying, 305
  - volume level, 314
- Icon View, 14
- icons
  - AirPort status, 152
  - arrows on alias icons, 19
  - bouncing, 39
  - cardboard box with top open, 521
  - CD-ROMs, 20
  - disk images, 24
  - displaying names of, 219
  - DVDs, 20
  - Fast User Switching menu, 112–113
  - FireWire target volumes, 166
  - hard disk, double-clicking, 16
  - iChat buddies, 295
  - Input Menu for languages, 65
  - keyboard layout, 65
  - microphone, 66, 495, 496
  - mounted volumes, 24

- icons (*continued*)
  - software packages, 521
  - Target disk mode, 166
  - Trash icon, changes to triangle, 21
  - user accounts, adding picture to, 29
  - volume, 11
- iDisk access, 190–191
- iDVD, 456–457. *See also* iMovie; iPhoto
- iDVD button, 428, 456
- IEEE 1394. *See* FireWire devices
- Ignore Update command, 519
- IM (instant messaging). *See* iChat
- IM window, opening (Opt-⌘-M), 300
- image files, opening in Preview, 80–81
- Image Size slider, 398
- images. *See* iPhoto; video
- Images dialog box, 104–105
- IMAP (Internet Message Access Protocol), 218
- iMovie. *See also* iDVD; iPhoto; video clips
  - Add Chapter button, 456
  - Audio button, 450
  - Audio pane, 450–451
  - black frames, creating at beginning of movie, 443
  - chapter markers, appearance of, 456
  - chapter markers, deleting, 457
  - Clips pane, 436
  - compression formats, 454–455
  - Compression Settings window, 455
  - Create iDVD Project button, 456–457
  - crop markers, adding/deleting, 444–445
  - Duration controls, 447
  - DV (Digital Video) clips, splitting, 441
  - DV (Digital Video) format, 454
  - End key, 453
  - formats supported, 454
  - frame, capturing, 436–437
  - frame rate, 455
  - Full Quality DV format, 454
  - hand cursor, 449
  - Home key, 453
  - iDVD button, 456
  - iPhoto photos, adding to movie, 446–447
  - iTunes library, importing from, 450–451
  - and JPEG files, 448
  - Ken Burns Effect, 448–449
  - key frame number, 455
  - Movie Settings window, 455
  - MPEG-2 format, 454
  - MPEG-4 format, 454
  - music, adding to video clips, 450–451
  - photos, adding, 446–447
  - photos, adding to movie, 446–447
  - Photos button, 446
  - Photos pane, 446–447
  - Play button, 443
  - playhead, positioning at beginning/end of movie (Home/End), 453
  - Preview button, 449
  - Preview monitor, 447, 449
  - Push transition, 442
  - Record button, 452
  - slide shows, creating, 446–447
  - slide shows, importing from iPhoto, 429
  - Sorenson Video codec, 454–455
  - sound, adding to video clips, 450–451
  - Sound Effects list, 45
  - Speed slider, 442
  - starting, 436
  - and TIFF files, 448
  - timeline viewer, 450
  - Timeline Viewer Mode button, 456
  - title cards, creating, 446–447
  - transitions, editing, 443
  - transitions, setting duration, 443
  - Transitions pane, 442–443
  - video clips, adding, 446–447
  - video crop markers, adding/deleting, 444–445
  - voice recording, starting/stopping, 452–453
  - volume level markers, deleting, 450
  - Volume Level slider, 451
  - Zoom controls, 447
- iMovie, audio
  - adding to video clips, 450–453
  - clips, cropping, 445
  - clips, trimming, 445
  - crop markers, 444
  - embedded in DV clips, 441
  - importing from CD, 450–451
  - importing from iTunes, 450–451
  - locking position of, 451
  - markers, viewing, 450
  - pasting clips, 453
  - positioning at playhead location, 451
  - putting on separate track, 441
  - selecting from Sound Effects list, 45
  - turning tracks off/on individually, 450
  - volume level, 451
- iMovie, still frames
  - adding to video clips, 436–437, 446–447
  - animating, 448–449
  - aspect ratio, 447
  - black border, 447
  - capturing, 436–437
  - creating from video, 436–437
  - panning around, 436–437
  - setting duration, 436–437
  - zooming around, 436–437
- iMovie menu, 438–439
- import button, iPhoto, 386

- Import command
  - File menu (iMovie), 429, 438
  - File menu (iPhoto), 388–389
- Import Option window (iPhoto), 388–389
- importing
  - audio clips from CD, 450–451
  - audio clips from iTunes, 450–451
  - audio into iMovie, 450–451
  - email, 220–221
  - iMovie video clips, 456–457
  - iPhoto color mode, 388
  - photos, 386–387, 388–389, 412–413
  - photos from cameras, 386–387
  - photos from disk, 388–389
  - photos to Photo Library, 412–413
  - slide shows from iPhoto, 429
  - slide shows to iMovie, 429
  - video clips, 438–439
- Index Now button, 88–89
- indexing files, language preferences, 47
- indexing hard disks, 47, 88–89
- Info drawer, resizing, 322
- Info tab, 55
- Information button, 400–401
- Ink icon, 56
- Ink pane. *See* System Preferences window, Ink pane
- Ink window, 56–57
- InkPad
  - enabling/disabling, 56
  - font, selecting, 57
  - menu commands, setting gestures for, 57
  - preferences, setting, 56–57
  - response settings, 57
  - setting font preferences, 57
  - using with applications, 56–57
  - words, adding to list, 57
- Inkwell, 56–57
- Input Menu (keyboard selection), 65
- Input Menu tab, 65
- Installer menu, 535, 537
- installing
  - Apple software updates, 516–517
  - new applications, 24–25
  - software updates, 516–517
- instant messaging (IM). *See* iChat
- internal modem, 146–147
- International command, 9
- International icon, 64
- International pane. *See* System Preferences window, International pane
- Internet and Networking row. *See* System Preferences window, Internet and Networking row
- Internet forms, autofilling, 541
- Internet Message Access Protocol (IMAP), 218
- Internet radio, 376–377
- Internet route, determining, 515
- Internet searches. *See* Sherlock
- Internet Sharing feature, 162–163
- Internet tab, 162–163
- inviting people to events, 326–327
- IP addresses
  - connecting to, 160–161
  - verifying, 514–515
  - your computer, 515
- iPhoto. *See also* iDVD; iMovie; video clips
  - Add button, 414
  - and Adobe Photoshop, 396–397
  - and Adobe Photoshop Elements, 396–397
  - Announce Slideshow button (.Mac account), 429
  - background color, setting, 398–399
  - Book button, 426
  - books, creating, 414–415, 426–427
  - books, printing, 427
  - Brightness slider, 405
  - Burn button, 432
  - burning CD/DVD, Windows compatibility problems, 433
  - B&W button, 410–411
  - cameras, 386–387
  - color mode, for importing, 388
  - computer, importing photos from, 388–389
  - Constrain menu, 392–393
  - Contact sheets, printing, 422–423
  - Contrast slider, 405
  - Crop button (⌘-Shift-C), 393
  - customizing options, setting, 398–399
  - as default application for photo CDs, 53
  - default editing application, setting, 396–397
  - Desktop button, 416
  - disk, importing photos from, 388–389
  - Edit pane, 392
  - Edit toolbar, 395
  - Email button, 418
  - Enhance button, 404–405
  - file types, for importing, 388
  - film roll numbers, 387
  - iDVD button, 428
  - Image Size slider, 398
  - importing photos, 386–387, 388–389, 412–413
  - Information button, 400–401
  - information button, 400–401
  - keywords, 401
  - Keywords window (⌘-K), 401
  - Kodak Print Service, 424–425 and Kodak Prints Service, 424–425
  - libraries, 412–413
  - and .Mac account, 429–431
  - and Mail program, 418
  - mail programs supported, 418
  - .mov file, creating, 429
  - music, adding to slide show, 428–429

- iPhoto (*continued*)
  - Order Book button, 427
  - Order Prints button, 424–425
  - and Photoshop, 396–397
  - and Photoshop Elements, 396–397
  - preferences, setting, 398–399
  - Preferences window, 394–395
  - Print button, 422
  - Retouch brush, 406–407
  - Slideshow button, 428
  - slow operation, 399
  - themes, applying to Photo Books, 426
  - video clips, adding photos to, 446–447
  - Web page, adding photos to, 430–431
  - zoom arrows, 395
  - zooming, 392–393
- iPhoto, albums
  - copying, 415
  - creating, 414–415, 426–427
  - deleting, 415
  - deleting photos from, 414
  - Photo Books, creating, 414–415, 426–427
  - Photo Books, printing, 427
  - printing, 427
  - renaming, 415
- iPhoto, photos
  - adding to movies, 446–447
  - adding to video clips, 446–447
  - adding to Web page, 430–431
  - adjusting exposure, 404–405
  - adjusting eye color, 408–409
  - aligning to grid, 399
  - archiving on CD-ROM, 432–433
  - arranging, 387
  - black-and-white, 410–411
  - burning on CD-ROM, 432–433
  - checkmark keyword, 401
  - color, 410–411, 424–425
  - comments, adding, 389, 400–401
  - compared edited to original (Control key), 393
  - converting color to black-and-white, 410–411
  - creating from video, 436–437
  - cropping, 392–393
  - date, adding, 400–401
  - as desktop pictures, 392, 416–417
  - determining size for email, 418–419
  - duplicating, 397
  - editing in other programs, 396–397
  - editing in separate windows, 394–395
  - emailing, 418–419
  - exporting, 420–421
  - exporting for Windows, 420
  - exporting to QuickTime, 421
  - fitting in window, 395
  - importing, 386–387, 388–389, 412–413
  - keywords, adding, 400–401
  - order professional color prints, 424–425
  - organizing, 412–415
  - outlined in Organize pane, 390, 398
  - overexposed, 404–405
  - printing, 422–423, 427
  - publishing online, 430–431
  - red-eye removal, 408–409
  - resizing in Organize pane, 398
  - resizing in preview window, 389
  - retouching, 406–407
  - rotating, 390–391
  - saving in other formats, 420–421
  - saving to CD-ROM, 432–433
  - as screensavers, 416–417
  - searching for, 400–401, 401–403
  - setting borders, 390, 398
  - setting drop shadows, 398–399
  - sorting, 387, 399
  - text, adding, 400–401
  - titles, adding, 389, 400–401
  - underexposed, 404–405
  - undoing all changes, 390
- iPhoto, slide shows
  - adding music, 428–429
  - creating, 428–429
  - exporting to iDVD, 428
  - exporting to iMovie, 429
  - importing to iMovie, 429
  - multiple music tracks, 429
  - pausing, 428
  - playing, 429
  - resuming, 429
  - saving to iDisk, 429
  - saving to .Mac account, 429
  - as screensaver, 416–417
- iPhoto menu
  - Appearance options, 398–399
  - Double-click options, 394–395, 396–397
  - Preferences command (⌘-), 394
- iPod, 46, 94–95. *See also* iTunes
- IPv4 menu, 144–145
- iSync, 192–193
- italics (⌘-I), 131
- iTunes
  - See also* iMovie
  - See also* iPhoto
  - See also* iPod
  - See also* iTunes, Music Store
  - automatic start, canceling, 94
  - copying music from other computers, 358–359
  - as default application for music CDs, 53
  - Internet radio, 376–377
  - passwords, 375
  - shared music, identifying, 375
  - shared music, searching for, 375
  - sharing music, 374–375
  - streaming music, 374
  - video clips, adding sound to, 450–451

- visual effects light show, 352–353
  - Visualizer (⌘-T), 352–353
  - iTunes, copying music from CDs
    - CDDB (Compact Disc Database), 346, 354
    - copyright, 350
    - editing song information, 354–355
    - importing (Shift-⌘-O), 350–351
    - MP3 format, 359
    - quitting (⌘-Q), 344–345
    - ripping (Shift-⌘-O), 350–351
    - starting, 344–345
    - storing ripped music, location, 350–351
    - viewing song information, 354–355
  - iTunes, copying music to CDs
    - burned CDs won't play, 373
    - burning CDs, 370–371
    - CD-Rs, 370–371
    - CD-RWs, 370–371
    - copyright laws, 370
    - from the iTunes Music Store, 370
    - MP3 format, 372–373
    - setting preferences for, 372–373
    - unable to burn CDs, 373
  - iTunes, Equalizer window
    - faders, 349
    - horizontal values, 349
    - opening (⌘-2), 348–349
    - preamp, 349
    - purpose of, 349
    - removing presets, 348
    - switching presets, 348
    - vertical values, 349
    - volume control, 349, 354
  - iTunes, exporting music
    - default storage location, 356
    - exporting a song list, 356–357
    - exporting song information, 357
    - Library Info file, 357
  - iTunes, Library
    - Comments column,
      - hiding/showing, 378–379
    - importing to iMovie, 450–451
    - reorganizing songs, 379
    - searching, 378–379, 451
    - sorting, 378–379
  - iTunes, Music Store
    - audiobooks, 383
    - authorization, 382
    - automatic purchase, 382–383
    - availability, 380–381
    - buying songs, 380–381
    - gift certificates, 383
    - MPEG-4 format, 381
    - purchase history, viewing, 383
    - returning songs, 380
    - shopping-cart purchase, 382–383
    - special requests, 383
  - iTunes, playing CDs
    - ejecting CDs, 347
    - fine tuning the sound, 348–349
    - keyboard controls, 347
    - starting, 346–3477
  - iTunes, playlists
    - creating (⌘-N), 360–361
    - deleting, 363
    - deleting songs from, 360–361, 365
    - deletions, undoing, 364
    - editing, 360–361, 363
    - gear icon, 360
    - hiding/showing the browser (⌘-B), 360–361
    - musical-note icon, 360
    - one song in multiple lists, 360
    - playing, 364–365
    - random playback, 362–363, 365
    - rating songs, 363
    - rearranging songs, 360
    - renaming, 363
    - repeating the playback, 365
    - shuffling the playback, 362–363, 365
  - size requirements, 361
  - smart playlists, creating (Alt-⌘-N), 362–363
  - iTunes, preferences
    - adding music to the Library, 369
    - automatic volume control, 369
    - burning CDs, 372–373
    - connect to Internet when needed, 366
    - crossfades, 368
    - editing CD information, 369
    - eject CD after import, 367
    - genre, displaying, 366
    - Internet connection speed, 368
    - music storage location, 369
    - Preferences window,
      - hiding/showing (⌘-), 366
    - random playback, 369
    - response to new CD, 367
    - set as default Internet music player, 367
    - shuffling playback, 369
    - Song Text, size, 366
    - Sound Enhancer, 369
    - Source Text, size, 366
- J**
- joining a network, 154–155
  - JPEG files, 388, 389, 448
  - JPG files, 80
  - junk mail, 248–249
- K**
- Ken Burns Effect, 448–449
  - key frame number, 455
  - key mappings, changing, 473
  - key repeat rate, setting, 504–505
  - keyboard
    - click sounds,
      - enabling/disabling, 505
    - Custom Keys setting, 63
    - display delay,
      - enabling/disabling, 505

keyboard (*continued*)

- Full Keyboard Access,
  - enabling/disabling, 62–63
- key repeat speed, setting, 62
- multikey commands,
  - enabling/disabling, 505
  - options, 62–63
  - preferences, setting, 62–63, 504–505
  - response rate, setting, 505
- Slow Keys, enabling/disabling, 505
- speed, setting, 62
- Sticky Keys, setting, 505
  - as substitute for mouse, 63
  - using without a mouse, 63
- Keyboard & Mouse icon, 62–63, 502, 504, 506
- Keyboard & Mouse pane. *See* System Preferences window, Keyboard & Mouse pane
- keyboard layout icon, 65
- Keyboard pane, 472–473, 504–505
- keyboard shortcuts
  - adding a bookmarks folder (Shift-⌘-N), 266
  - adding bookmarks (⌘-D), 264
  - adding bookmarks (Shift-⌘-D), 264
  - AOL Buddy list (⌘-1), 290
  - for applications, creating, 507
  - ⌘, defined, 63
  - creating, 505–506
  - Ctrl, defined, 63
  - emptying the Trash (⌘-K), 224
  - enabling/disabling, 507
  - hiding/showing the
    - Bookmarks Bar (⌘-B), 265
  - hiding/showing the Safari
    - Address Bar (⌘-Shift-I), 268
  - hiding/showing the Safari
    - Bookmarks Bar (⌘-B), 268
  - iChat buddies, adding (Shift-⌘-A), 294–295
  - IM window, opening (Opt-⌘-M), 300
  - importing music from CDs (Shift-⌘-O), 350–351
  - list of, 63
  - open Drafts mailbox (⌘-3), 239
  - Open Location (⌘-L), 264–265
  - pop-up windows, disabling (⌘-K), 275
  - preferences, setting, 505–507
  - Rendezvous window (⌘-2), 290
  - ripping music from CDs (Shift-⌘-O), 350–351
  - select entire document (⌘-A), 276
  - set location to desktop (⌘-D), 226
  - show Mail Preferences (Option-), 228
  - Show Safari Preferences (⌘-), 264
  - start an email message (⌘-N), 256
  - symbols, defined, 63
  - Undo command (⌘-Z), 252
  - viewing, 506–507
  - Visualizer (⌘-T), 352–353
  - Web pages, saving as text (⌘-S), 272
- Keyboard Shortcuts pane, 506–507
- Keyboard Shortcuts tab, 62–63, 506
- Keyboard tab, 504–505
- Keychain, 540–541
- Keychain Access
  - creating new keychain, 30–31, 540
- Internet forms, autofilling, 541
- login keychain, password, 540
- login name, default, 540
- preferences, setting, 30–31
- settings, displaying, 31
- starting, 30
- user name, default, 540

- Keychain Access, passwords
  - changing, 31
  - default, 540
  - retrieving, 541
- Keychain Access icon, 30, 540
- Keychain Access window, 30, 540–541
- keywords, adding to photos, 400–401
- Keywords command (⌘-K), 399, 401–402
- Keywords window (⌘-K), 401
- killing applications. *See* force-quitting
- Kodak Print Service, 424–425

**L**

- labels, folders, 37, 76
- landscape orientation, 172
- Language tab, 64–65
- languages
  - for indexing hard disc, 47
  - keyboard layouts, selecting, 65
  - preferences, setting, 64–65
  - regional preferences, setting, 64–65
  - for searching file contents, 47
  - shifting on the fly, 64
- Languages dialog box, 47
- laptop computer. *See* notebook computers
- LCD (liquid crystal display) monitors, 50
- libraries, iPhoto
  - on CD-ROM, 412
  - creating, 412–413
  - on DVD, 412
  - renaming, 412–413
  - switching between, 413
- libraries, iTunes
  - Comments column,
    - hiding/showing, 378–379
  - importing to iMovie, 450–451
  - reorganizing songs, 379
  - searching, 378–379, 451
  - sorting, 378–379
- Library folder, 72

- Limitations pane, 106–107
- Limitations tab, 106–107
- link addresses, copying, 279
- linking, to eBay auctions, 205
- liquid crystal display (LCD) monitors, 50
- List View, 14–15
- listening key, changing, 497
- Listening pane, 497
- Listening subtab, 66–67, 497
- Lock Audio Clip at Playhead command, 451
- Locked checkbox, 538–539
- locking, user accounts, 99
- locking/unlocking, files, 70, 74, 538–539
- log feature, Apple System Profiler, 510
- Log Out command, 2–3
- Log Out dialog box, 2–3
- logging in
  - as another user, 4–5
  - automatically, 2–3
  - pictures, adding to user name, 29
  - starting applications
    - automatically, 42–43
- logging off, 2–3
- login keychain, default password, 541
- login keychain, password, 540
- login name, default, 540
- login options, user accounts, 114–115
- Login Options button, 3, 110–111, 112–115
- login screen, 114–115
- LZW files, 388

## M

- .Mac account
  - Access Privileges, 191
  - accessing, 190–191
  - accounts, adding, 218–219
  - age limits, 188
  - calendars, deleting, 333
  - calendars, sharing, 332
  - capacity, 190
  - creating, 188–189
  - email access, 188
  - email addresses, 188
  - iDisk access, 190–191
  - iSync, 192–193
  - membership, annual fee, 188
  - membership, expiration, 191
  - membership, free trial, 188
  - online storage, accessing from
    - other computers, 192–193
  - online storage, creating, 190–191
  - Public folder, 190
  - synchronizing computers, 192–193
  - virtual hard disks, 190–191
- Mac Help command, 526
- Mac Help window (⌘-?), 526–527. *See also* AppleCare; Sherlock
- .Mac screen name, iChat, 290–291
- magnifying, Dock icons, 38
- Mail application
  - accounts, selecting, 225
  - Address Book groups, 254–255
  - Bcc (blind copy), 235, 237, 246
  - blue dot, 224
  - bouncing messages, 249
  - Cc (carbon copy), 236
  - configuring, 218–219
  - contextual menus, 244–245
  - copying recipients, blindly, 235, 237, 246
  - copying recipients, openly, 236
  - deleting messages, 225
  - draft messages, 238–239
  - editing new messages, 246–247
  - email addresses, adding to Address Book, 240–241
  - email addresses, separating multiple, 240
  - emptying the Trash, 224, 225
  - filtering messages, 248–249
  - find and replace message text, 233
  - forwarding messages, 236–237
  - getting new messages, 225
  - grammar checking, 246–247
  - Help, 220
  - hiding copied recipients, 235
  - hiding messages, 233
  - IM (instant messaging), 256
  - importing email from other applications, 220–221
  - junk mail, 248–249
  - Mail Drawer, moving, 223
  - Mail Drawer, view options, 223
  - mailbox contents, viewing, 221
  - mailboxes, creating, 222–223
  - mailboxes, switching, 223
  - organizing messages, by color, 248
  - organizing messages, by
    - sorting, 230–231
  - reading messages, 222–223
  - rearranging columns, 231
  - red dot with number, 245
  - red number, 222
  - redirecting messages, 237
  - red-underlined words, 246
  - replying to messages, 234–235
  - Reply-To: headers, adding, 246
  - searching, addresses, 241
  - searching, messages, 232–233
  - selecting multiple files, 245
  - sending email to groups, 255
  - sending email to individuals, 256–257
  - sending messages
    - immediately, 224–225
    - sending messages later, 227, 238–239
  - sent messages, saving to a mailbox, 238
  - showing Mail Preferences, 228

- Mail application (*continued*)
  - signature files, creating, 228–229
  - signature files, filtering, 229
  - signature files, in replies to messages, 234
  - sorting messages, 230–231
  - spam, 248–249
  - spell checking, 246–247
  - starting, 220–221
  - starting a message, 224
  - “threading” email, 230
  - Training mode, 249
  - unread message indicator, 224
  - unread messages, displaying number of, 222
- Mail application, Address Book
  - adding addresses from messages, 240–241
  - adding fields, 250
  - anniversary information, 259
  - birthday information, 258–259
  - creating new entries, 250–251
  - customizing entries, 250, 258–259
  - deleting entries, 252–253
  - maps of contact addresses, 259
  - multiple addresses per contact, 253
  - Note section, 250
  - organizing, by groups, 254–255
  - phonetic pronunciation guide, 258–259
  - photographs, 259
  - printing labels from, 250
  - scrolling, 250
  - searching, 241
  - searching, for your contact information, 259
  - selecting multiple contacts, 253
  - sending email to individuals, 256–257
  - swapping first/last name, 258
  - Undo command (⌘-Z), 252
  - view options, 251
- Mail application, attachments
  - creating, 226–227
  - failure to open, 242
  - finding, 243
  - opening, 242–243
  - saving, 242–243
  - size issues, 244
  - and viruses, 242
- Mail Drawer, 223
- Mail Preferences, Mail application, 228
- Mail Preferences, showing (Option-), 228
- mail programs supported, 418
- mailboxes, 222
- maintenance. *See also* Disk Utility; help
  - Apple System Profiler, setting preferences, 512–513
  - Apple System Profiler, starting, 510–511
  - file permissions, repairing, 528–529
  - Keychain, 540–541
  - passwords, tracking in Keychain, 540–541
  - permissions, repairing, 528–529
  - PRAM (Parameter RAM), wiping, 529
  - software, checking for updates, 516–517
  - Software Update, deleting items, 518–519
  - Software Update, downloading installers, 520–521
  - Software Update, setting frequency, 518–519
  - Software Update, starting, 516–517
  - system information, obtaining, 510–511
  - system software, restoring, 530–531
- Make Alias command, 18
- Make Default command, 171
- Make Rich Text command, 127
- maps of contact addresses, Mail application Address Book, 259
- maximizing windows, 16
- meetings. *See* iCal
- membership, .Mac account, 188, 191
- Memory/Versions tab, 61
- menu bar appearance, Classic Environment, 60
- menu buttons, hiding, 36
- menus. *See specific menus*
- messages, chat, 312–315. *See also* iChat
- microphone icon, 66, 495, 496
- microphones, 302–303. *See also* iMovie; speech services
- minimizing windows, 16, 38
- mobility limitations. *See* accessibility features
- modem detects ring, wake computer, 59
- modems, 146–147
- monitors
  - calibrating, 50–51
  - color settings, 50–51
  - CRT (cathode ray tube), 50
  - LCD (liquid crystal display), 50
  - power conservation, 58–59
  - preferences, setting, 50–51
  - refresh rate, 50
  - resolution settings, 50–51
- More Info button, 510
- mounted volumes icon, 24
- mouse
  - Ctrl-clicking, 278, 279
  - double-click speed, setting, 63, 503
  - keyboard as substitute for, 63
  - keypad as substitute, enabling/disabling, 503
  - preferences, setting, 62–63, 502–503
  - response time, setting, 503
  - right-clicking equivalent, 278
- Mouse pane, 503

- Mouse tab, 63, 503
  - .mov file, creating, 429
  - Movie Settings window, 455
  - movies. *See* iDVD; iMovie; iPhoto
  - Movies channel, 200–201
  - moving text, 128–129
  - MP3 format
    - capacity, 372
    - CD compatibility, 373
    - definition, 359
  - MPEG-2 format, 454
  - MPEG-4 format, 454
  - multiuser environment
    - Classic Environment, 60
    - fonts, 68–69
    - login options, setting, 114–115
    - security, 114–115
    - users, switching between, 112–113
  - music. *See also* iTunes
    - adding to slide shows, 428–429
    - adding to video clips, 450–451
  - Music Store. *See* iTunes, Music Store
  - My Account icon, 98
  - My Channels folder, 215
- N**
- naming. *See* renaming
  - navigating, Home folder, 72–73
  - Netinfo Manager, 116–117
  - Netinfo Manager icon, 116
  - network browser, and AppleTalk, 158
  - network browsing, 158–159
  - Network icon, 142, 158
  - Network pane. *See* System Preferences window, Network pane
  - network ports, 148–149
  - network servers, passwords
    - storing (Keychain Access feature), 30–31
  - Network Time, setting, 8
  - network time servers, using, 8
  - Network Utility
    - Info tab, 55
    - IP address, your computer, 515
    - Ping utility, 515
    - starting, 514
    - Traceroute utility, 515
  - networking. *See also* transferring files
    - browsing networks, 158–159
    - external hard disk, connecting as, 166–167
    - file servers, connecting to, 160–161
    - files servers, creating, 160–161
    - firewalls, 162–163
    - FireWire, 166–167
    - Internet route, determining, 515
    - Internet Sharing feature, 162–163
    - IP addresses, connecting to, 160–161
    - locations, creating, 164–165
    - modem, configuring, 146–147
    - network locations, creating, 164–165
    - Network Utility, 514–515
    - packets, sent/received, determining, 515
    - ping utility, 514–515
    - ports, configuring, 148–149
    - proxy servers, configuring, 150–151
    - servers, connecting to, 160–161
    - servers, creating, 160–161
    - servers, local, 160–161
    - target disk mode (Power-T), 166–167
    - testing connection, 514–515
    - traceroute utility, 515
    - tracing routes, 514–515
    - troubleshooting, 514–515
    - verifying IP addresses, 514–515
    - wireless, 152–153
  - networking, AirPort
    - Base Station, creating, 162–163
    - closed network, 156–157
    - computer-to-computer, 152–153
    - configuring, 152–153
    - public network, 154–155
  - networking, Ethernet
    - configuring, 142–143
    - proxy servers, 150–151
    - sharing connection over AirPort, 162–163
  - networks, joining, 154–155
  - New button, 162–163
  - New Clips go to settings, 438–439
  - New Command command, 487
  - New configuration dialog box, 148–149
  - New Folder command, 76
  - New Location dialog box, 164–165
  - New User button, 100–101
  - New User Password sheet, 100–101
  - Note section, Mail application
    - Address Book, 250
  - notebook computers
    - AirPort network, public, 154–155
    - Energy Saver settings, 58–59
    - sleep settings, 58–59
    - trackpad options, setting, 62–63
  - notes, events, 324–325
  - Notes field, iChat, 296
  - notification, of chat invitation, 304
  - numbers
    - formatting, 9, 64
    - regional preferences, setting, 64–65
- O**
- object-specific menus, 12–13
  - oblique text. *See* italics

- online resources
    - Adobe Photoshop Elements, 397
    - Apple Discussions, 526
    - Apple FAQ (frequently asked questions), 526
    - Apple QuickTime, 24
    - Apple software updates, 520
    - CDDB (Compact Disc Database), 346
    - DVD player compatibility, 456
    - handwriting recognition, 57
    - help discussion boards, 526
    - iChatter, 315
    - iDVD, 456
    - Inkwell, 57
    - iPhoto, 386
    - .Mac accounts, 431
    - published calendars, 335
    - QuickTime, 54
    - QuickTime software, 24
    - software updates, 520
    - speaking chat messages, 315
    - video cameras, 305
  - online storage, 191–193. *See also*
    - .Mac account
  - On/Off pane. *See* System Preferences window, On/Off pane
  - On/Off subtab, 66, 494, 496
  - Open command, 127
  - Open Firmware Password Protection feature, 534
  - Open Location (⌘-L), 264–265
  - Open Speakable Items Folder button, 498–499
  - Option key, handwriting recognition, 57
  - Options tab, 59
  - orange circle button, 280
  - Order Book button, 427
  - Order Prints button, 424–425
  - Organize pane, 388
  - organizing email
    - by color, 248
    - by sorting, 230–231
  - organizing fonts, 68–69
  - OS 9. *See* Classic Environment
  - OS X. *See also* computer; user accounts
    - administrator access, setting, 101
    - aliases, creating, 18–19, 40–41
    - Apple Installer, 24–25
    - audio volume, setting, 10–11
    - automatically logging in, 2–3
    - bash shell, 462
    - booting from CD, 528
    - booting from Install disc, 528
    - booting from Repair disk, 528
    - browsing the system, 14–15
    - CD-ROM, ejecting (⌘-F12), 20–21
    - contextual menus, defined, 12
    - contextual menus, viewing, 12–13
    - external drives, defined, 20
    - hard disks, restoring to factory settings, 530
    - indexing files, language preferences, 47
    - installing software, 24–25
    - logging in, as another user, 4–5
    - logging in, automatically, 2–3
    - logging in, starting
      - applications automatically, 42–43
    - logging off, 2–3
    - permissions, repairing, 528–529
    - pictures, adding to user name, 29
    - PRAM (Parameter RAM), wiping, 529
    - removable discs, ejecting, 20–21
    - restarting, 6–7, 48–49
    - screen shots, entire desktop (⌘-Shift-3), 22
    - screen shots, selection from desktop (⌘-Shift-4), 22–23
    - screen shots, timed capture (Grab), 23
    - searching, language preferences, 47
    - shell, default (bash), 462
    - sidebar, using, 18–19
    - software, installing new, 24–25
    - startup disk, setting, 48–49
    - users, switching, 4–5
    - voice, setting for spoken interface, 67
    - volume, muting, 11
    - volumes, defined, 20
  - OS X Install disk, and intruders, 534
  - OS X status, saving as report, 513
  - Other Channels folder, 214
  - Other command, 157
  - Outlook [Express], importing email from, 220
  - Output tab, 492
  - output volume (hardware), setting, 10–11
  - overexposed photos, 404–405
  - ownership, setting, 75
  - Ownership & Permissions pane, 75
- P**
- packets, 515
  - Page Setup command, 422
  - panning around, still frames, 436–437
  - Parameter RAM (PRAM), wiping, 529
  - Password tab, 28–29, 98–99, 102–103
  - passwords. *See also* security application, storing (Keychain Access feature), 30–31
    - Change Keychain Password dialog box, 31
    - Change Password for Keychain “login,” 31
    - changing for others, 102–103
    - changing your own, 28–29, 99
    - default, 541
    - Enter Password (AirPort) dialog box, 155

- forgotten, 534–535
- guidelines for creating, 98, 535, 537
- hint, creating your own, 98–99
- hint, setting for new user, 100–101
- iTunes, 375
- keychain, default, 30
- Keychain Access feature, 30–31, 540–541
- New User Password sheet, 100–101
- Open Firmware Password Protection feature, 534
- Password tab, 28–29, 98–99, 102–103
- Reset Password command, 537
- Reset Password window, 535
- resetting, 534–535, 536–537
- root, resetting, 536–537
- root account, resetting, 536–537
- by security level, 537
- setting for new user, 100–101
- setting for root account, 117
- setting for system administrator, 117
- storing (Keychain Access feature), 30–31
- system administrator accounts, resetting, 536–537
- tracking in Keychain, 540–541
- Paste command (⌘-V), 128–129
- pasting text (⌘-V), 128–129
- pathnames
  - determining, 487
  - expanding (Tab key), 472
  - specifying, 477
- pausing, slide shows, 428
- PDF files
  - creating from screen captures, 22–23
  - opening in Preview, 80–81
  - saving calendars as, 341
  - saving documents as, 136–137, 180–181
- people, searching for, 202–203
- People window, hiding/showing (⌘-option-A), 326–327
- permissions
  - default, files, 74
  - repairing, 528–529
  - repairing, startup disk, 528
  - setting, files, 75
  - setting, folders, 76
  - user accounts, 106–107
- Personal row, 64
- personalities, system voice, 492
- Phone Book, 202–203
- Phone Book channel, 202–203
- phonetic pronunciation guide, Mail application Address Book, 258–259
- photo albums. *See* iPhoto, albums
- Photo Books
  - creating, 414–415, 426–427
  - printing, 427
- photographs. *See* iPhoto
- Photos button, 446
- Photos pane, 446–447
- PICT files, 80
- Picture tab, 101, 104–105
- pictures. *See also* iPhoto
  - adding to user accounts, 29
  - adding to user name, 29
  - background chat images, 313
  - and iChat buddies, 295
  - purchasing rights to, 196
  - searching the Web for, 196
  - as user account icon, 29, 101, 104–105
- Pictures icon, 412–413
- PID (process ID), locating, 525
- Ping utility, 514–515
- Pipe Organ voice, 492
- .pkg file extension, 24
- Plain Text mode (⌘-Shift-T), 127
- Play button, 443
- playhead, positioning at
  - beginning/end of movie (Home/End), 453
- playlists. *See* iTunes, playlists
- PNG files, 80, 389
- POP (Post Office Protocol), 218
- pop-up menus, Safari, 275, 278–279
- pop-up windows, disabling (⌘-K), 275
- portrait orientation, 172
- ports, configuring, 148–149
- Post Office Protocol (POP), 218
- PostScript, saving as, 180–181
- PostScript files, 80
- power conservation
  - battery life, 59
  - Classic Environment sleep settings, 61
  - DVD playback options, 58–59
  - Energy Saver preferences, setting, 58–59
  - monitor, 58–59
  - monitors, 58–59
  - putting computer to sleep, 6–7, 58–59
- power failure, restarting automatically after, 59
- Power key, shutting down the system, 7
- PPP, 146–147
- PPP dialog box, 146–147
- PPPoE, 142–143
- PRAM (Parameter RAM), wiping, 529
- preferences, setting. *See also* System Preferences window
  - burning CD-ROM data, 52–53
  - CD operations, 52–53
  - Classic Environment, 60–61
  - colors, 470–471
  - cursor blink, 469
  - cursor shape, 469
  - default file name, 463
  - display, 50–51
  - Dock, 38–39
  - DVD operations, 52–53
  - emulation, 466–467
  - Energy Saver, 58–59
  - exit behavior, 466–467
  - Finder, 46–47
  - Font Book, 68–69

- preferences, setting (*continued*)
  - fonts, 468–469
  - geographic regions, 9, 64–65
  - handwriting recognition (Inkwell), 56–57
  - InkPad, 56–57
  - Inkwell, 56–57
  - iPhoto, 398–399
  - keyboard, 62–63, 504–505
  - keyboard options, 62–63
  - keyboard shortcuts, 505–507
  - Keychain Access, 30–31
  - languages, 64–65
  - locking settings, 59
  - monitor, 50–51
  - mouse, 62–63, 502–503
  - mouse options, 62–63
  - numbers, 64–65
  - power conservation, 58–59
  - processes, 466–467
  - QuickTime connection speed, 54–55
  - regions, 9, 64–65
  - restoring defaults, 463
  - screensaver, 417
  - script language, 64
  - scrollback, 468
  - setting, 462–463, 476–477
  - shells, 466–467
  - sleep mode, 61
  - sleep options, 58–59
  - speech, 66–67, 492–493, 500–501
  - speech recognition, 64–67
  - speech services, 66–67, 492–493, 500–501
  - startup disk, 48–49
  - Terminal, 462–463, 466–468, 476–477
  - terminal emulation, 467
  - text language, 64
  - trackpad, 502–503
  - trackpad options, 62–63
  - user accounts, 98–99
  - wraparound, 468
- Preferences window, 318, 394–395
- Preview
  - versus* Adobe Acrobat Reader, 81
  - file types supported, 80
  - files, opening, 80–81
  - setting as default application, 81
- Preview button, 449
- Preview menu (Font Book), 69
- Preview monitor, 447, 449
- previewing, fonts, 68
- Print button, 422
- Print Center menu, 171
- Print command, 175
- Print dialog box, 178–183
- Print pane, 136–137
- Printer Info window, 177
- Printer List window, 170–171
- Printer Setup Utility, 170–171
- printers
  - adding, 170–171
  - choosing, 172–173
  - setting default, 171
  - sharing, 176–177
- Printers menu
  - Make Default command, 171
  - Show Jobs, 175
- printing
  - from applications, 178–181
  - calendars, 340–341
  - from Classic Environment, 184–185
  - copies, number of, 178–179
  - customized settings, saving, 179
  - deleting print job, 175
  - error handling options, setting, 180–181
  - to a file, 180–181
  - iPhoto albums, 427
  - labels from, Mail application Address Book, 250
  - landscape orientation, 172
  - layout, specifying, 178–179
  - orientation, setting, 172
  - output options, setting, 180–181
  - page range, specifying, 178–179
  - page setup options, setting, 172–173, 184–185
  - pages per sheet, specifying, 178–179
  - paper feed, specifying, 181
  - paper size, setting, 172
  - paper trays, switching between, 181
  - PDF, saving as, 180–181
  - photos, 422–423, 427
  - portrait orientation, 172
  - PostScript, saving as, 180–181
  - print jobs, managing, 174–175
  - resuming print job, 175
  - scaling, 173
  - settings, viewing summary of, 173
  - from SimpleText, 184–185
  - stopping print job, 175
  - from TextEdit, 178–181
  - to-do lists, 340–341
  - Web pages, 282–283
- Privacy Level menu, 310–311
- process ID (PID), locating, 525
- Process Viewer, 524
- processes
  - displaying, 525
  - preferences, setting, 466–467
- Processes pane, 467
- profiles. *See* hardware profile; system profile
- programs
  - See* applications
  - See* processes
  - See* software
  - See specific programs*
- projects, creating from iMovie video clips, 456–457
- protocols, adding, 482–483
- proxy servers, 150–151
- PSD files, 80, 389
- Public folder, .Mac account, 190
- public networks, 154–155
- publishing
  - calendars, 330–331
  - photos online, 430–431

punctuation, importance of, 491  
 Push transition, 442  
`pwd` command, 486

## Q

QuickTime, 54–55, 80–81  
 QuickTime icon, 54–55  
 QuickTime pane. *See* System Preferences window, QuickTime pane  
 Quit Printer Setup Utility, 171  
 Quit TextEdit command, 120

## R

rainbow Apple icon, 60  
 reading email, 222–223  
 read-only files, 74–75  
 Rebuild Desktop button, 60  
 Recent Items command, 138–139  
 recent items list, 138–139  
 Record button, 452  
 recording music to CDs. *See* iTunes  
 recovering files, 538–539. *See also* files  
 red dot with number, email, 245  
 red number, email, 222  
 red-eye removal, 408–409  
 Red-Green-Blue (RGB) color mode, 388  
 redirecting email, 237  
 red-underlined words, email messages, 246  
 reformatting, FireWire devices, 532  
 refresh rate, monitors, 50  
 Region drop-down menu, 9  
 region preferences, setting, 9, 64–65  
 reminders, 324–325, 336  
 removable disks, ejecting, 20–21  
 removable media. *See* CD-ROMs; DVDs; iPod  
 renaming  
   calendars, 331  
   email groups, 254  
   files, 74–75  
   folders, 76  
   iChat buddy groups, 298–299  
   iPhoto albums, 415  
   iPhoto keywords, 401  
   iPhoto libraries, 412–413  
 Rendezvous window, opening (`⌘-2`), 290  
 Repair Disk Permission button, 529  
 repairing permissions, 528–529  
 Repertoire command, 69  
 replying to email, 234–235  
 Reply-To: headers, adding, 246  
 reports. *See* Apple System Profiler  
 Reset Password command, 537  
 Reset Password window, 535  
 resizing photos, 389, 398  
 resolution settings, monitors, 50–51  
 Restart button, hiding/showing, 115  
 Restart command, 6–7  
 restarting, Classic Environment, 60–61  
 Restore tab, 531  
 restoring default preferences, 463  
 restoring windows, 16  
 resuming, slide shows, 429  
 Retouch brush, 406–407  
 retouching photos, 406–407  
 Revert to Original, 390  
 RGB (Red-Green-Blue) color mode, 388  
 Rich Text mode (`⌘-Shift-T`), 127  
 right-clicking. *See* contextual menus  
 right-clicking equivalent, 278  
 ring detected, wake computer, 59  
 ringing phone sound, chats, 304  
 ripping music. *See* iTunes  
 root account, 116–117, 536–537. *See also* system administrator accounts  
 root password, resetting, 536–537  
 Rotate command, 391

Rotate menu (iPhoto), 391  
 rotating photos, 390–391

## S

Safari. *See also* Sherlock  
 Address Bar, hiding/showing (`⌘-Shift-l`), 268  
 AutoFill, 274  
 AutoFill information, clearing, 284–285  
 Bookmarks Bar, hiding/showing (`⌘-B`), 268  
 buttons, adding/removing, 268  
 cache, clearing, 284–285  
 cookies, definition, 274  
 cookies, deleting, 284–285  
 cookies, disabling, 275  
 customizing appearance, 268–269  
 default home page, 262  
 as default Web browser, 263  
 Download window, clearing, 284–285  
 enlarging text (`⌘-+`), 268  
 field size, changing, 271  
 fixed-width fonts, 268  
 Flash animation, 274  
 font size, changing, 269  
 hiding/showing the Address Bar (`⌘-Shift-l`), 268  
 history, clearing, 284–285  
 History menu, 280–281  
 opening, 16  
 orange circle button, 280  
 pop-up menus, 278–279  
 pop-up windows, disabling (`⌘-K`), 275  
 on a public computer, 284–285  
 resetting, 284–285  
 search engine, changing, 270  
 search history, deleting, 271  
 search terms, erasing, 271  
 security options, 275  
 SnapBack, 280–281  
 starting, 262–263

- Safari (*continued*)
  - status bar, displaying, 269
  - Web browser plug-ins, 274
- Safari, bookmarks
  - adding to Bookmarks Bar ( $\text{⌘-D}$ ), 264
  - adding to Bookmarks menu ( $\text{Shift-⌘-D}$ ), 264
  - Bookmarks Bar, hiding ( $\text{⌘-B}$ ), 265
  - closing the view, 266
  - creating, 264–265
  - default folder view, 267
  - default location, 264
  - deleting, 267
  - displaying, 264
  - duplicates, 265
  - folders, adding ( $\text{Shift-⌘-N}$ ), 266
  - managing, 266–267
  - resizing panes, 267
  - SnapBack, 280–281
  - temporary, 280–281
- Safari, Google
  - cutting and pasting search terms, 279
  - search entries, clearing, 284–285
  - searching the Web, 270
- Safari, Web pages
  - browsing with Tabs, 286–287
  - emailing, 276–277, 283
  - faxing, 283
  - link addresses, copying, 279
  - as links on Web pages, 277
  - multiple, in same window, 286–287
  - printing, 282–283
  - save location, setting, 272–273
  - saving as PDF, 273, 283
  - saving as shown, 273
  - saving as text ( $\text{⌘-S}$ ), 272–273
  - scaling for printing, 283
  - searching, 270–271
  - select entire document ( $\text{⌘-A}$ ), 276
  - source code, viewing, 269
  - underlined email addresses, 277
- Save As command, 127
- Save command ( $\text{⌘-S}$ )
  - File menu (Terminal), 475
  - File menu (TextEdit), 123
- Save dialog box, 475
- save location, setting to desktop ( $\text{⌘-D}$ ), 226
- saving
  - chat sessions ( $\text{⌘-S}$ ), 306–307
  - customizations as defaults, 474–475
  - to desktop ( $\text{⌘-D}$ ), files, 75
  - files in different formats, 80–81
  - files to new location, 127
  - files to same location, 122–123
  - search results, 195
  - slide shows to iDisk, 429
  - slide shows to .Mac account, 429
- saving, photos
  - to CD-ROM, 432–433
  - in other formats, 420–421
  - as screensavers, 416–417
- saving, Web pages
  - as PDF, 273, 283
  - save location, setting, 272–273
  - as shown, 273
  - as text ( $\text{⌘-S}$ ), 272–273
- Scale Effect, enabling/disabling, 38
- Schedule tab, 59
- scheduling. *See* iCal
- screen captures
  - entire desktop ( $\text{⌘-Shift-3}$ ), 22
  - selection from desktop ( $\text{⌘-Shift-4}$ ), 22–23
  - timed ( $\text{⌘-Shift-Z}$ ), 23
- screen elements, spoken user interface, 67
- screen names, iChat, 290–291
- screensavers
  - force no-start, 417
  - force start, 417
  - Hot Corners, creating, 417
  - photos as, 416–417
  - preferences, setting, 417
  - slide shows, 416–417
- scripts, language preferences, 64
- scrollback, preferences, 468
- Scrollback Buffer, 468
- search engines, changing in Safari, 270
- search engines, Sherlock
  - default, 195
  - definition, 194
  - selecting, 195
- search history, deleting, 271
- Search Results window, 85
- search terms, erasing, 271
- searching
  - calendars, 338–339
  - for channels, 214–215
  - eBay, 204–205
  - email, 232–233
  - for email attachments, 243
  - fonts, 69
  - language preferences, 47
  - for LDAP servers, 254
  - Mail application Address Book, 241, 259
  - to-do lists, 338–339
  - Web pages, 270–271
- searching for
  - aliases, 84–85
  - applications, 86–88
  - folders, 86–88, 90–91
  - help terms, 517
  - invisible, files, 90–91
  - photos, 400–401, 401–403
- searching for files
  - by content, 47, 82–83, 90–91
  - by date created, 83
  - hidden, 90–91
  - invisible, 90–91
  - by name, 82
  - by type, 84–85
  - by visibility, 90–91
- searching the Internet. *See* Sherlock
- Secure Empty Trash, 538
- Secure File Transfer Protocol (SIFT), 478
- Secure Shell (SSH), 478
- security. *See also* passwords; permissions
  - attachments, and viruses, 242
  - login screen, 114–115

- multiuser environment, 114–115
- Open Firmware Password Protection feature, 534
- OS X Install disk, and intruders, 534
- privacy level, chats, 310–311
- Safari on a public computer, 284–285
- Safari options, 275
- server, acting as, 484
- sharing services, 484
- Telnet, 478
- Telnet *versus* SSH, 478, 480
- Security menu (Netinfo)
  - Authenticate command, 116–117
  - Disable Root User command, 117
  - Enable Root User command, 117
- Security tab, 101
- Select All command, 77
- select entire document (⌘-A), 276
- selecting
  - all items (⌘-A), 76, 131
  - files, 76–77
  - text, 124–125
- Selection command, 23
- sending email
  - to groups, 255
  - immediately, 224–225
  - to individuals, 256–257
  - later, 227, 238–239
- sent email messages, saving to a mailbox, 238
- servers
  - acting as, 484
  - connecting to, 160–161
  - creating, 160–161
  - local, 160–161
- Servers icon, 158
- Services command, Speech, 491
- Services tab, 160–161, 176–177, 484–485
- Set Root Password dialog box, 117
- Set Title command, 401, 464
- SFTP server, connecting to, 478–479
- SGI files, 80
- shared calendars
  - inviting people to read, 332–333
  - removing, 332–333
  - updating (Opt-⌘-P), 332–333
- sharing
  - Built-In Ethernet connections over AirPort, 162–163
  - calendars, 330–331
  - Ethernet connections over AirPort, 162–163
  - services, 481–483
  - services, security, 484
- sharing, music. *See* iTunes
- Sharing icon, 150, 461
- Sharing pane. *See* System Preferences window, Sharing pane
- Shell pane, 466–467
- shells
  - changing, 476–477
  - default (bash), 462
  - defined, 476
  - list of, 476
  - preferences, setting, 466–467
- Sherlock. *See also* Safari
  - multiple instances of, 213
  - preferences, setting, 213
- Sherlock, channels
  - Apple defaults, viewing, 214
  - displaying, 195
  - favorites, 215
  - My Channels folder, 215
  - national variations, 198
  - non-Apple, loading, 214
  - Other Channels folder, 214
  - rearranging, 215
  - searching for, 214–215
  - switching, 196
  - Web links to, 215
- Sherlock, Internet searches
  - adjusting your query, 203
  - airplane flights, 206–207
- Apple technical support, 212–213
- AppleCare channel, 212–213
- dictionaries, 208–209
- driving directions, people, 202–203
- driving directions, theaters, 201
- eBay channel, 204–205
- film previews, viewing, 200
- film previews, volume, 200
- films, 200–201
- Flights channel, 206–207
- Movies channel, 200–201
- people, 202–203
- Phone Book channel, 202–203
- pictures on the Web, 196
- results not found, 203
- saving results of, 195
- search engines, default, 195
- search engines, definition, 194
- search engines, selecting, 195
- simultaneous multiple topics, 213
- sorting dictionaries and thesauruses, 200
- sorting stock information, 198
- starting, 194–195
- stock market information, 198–199
- stock names, removing, 199
- Stocks channel, 198–199
- theaters, driving directions, 201
- thesauruses, 208–209
- translating languages, 210–211
- Translation channel, 210–211
- when traveling, 201
- words and meanings, 208–209
- Yellow Pages, 202–203
- ZIP code requirement, 201
- Shift key, handwriting recognition, 57
- Short Report command (⌘-1), 512–513
- shortcuts. *See* aliases
- Show Details button, 58

- Show Font File (⌘-R), 69
- Show Info command
  - File menu (iMovie), 437
  - File menu (Terminal), 466
- Show Jobs, 175
- Show Safari Preferences (⌘-), 264
- Shut Down button,
  - hiding/showing, 115
- Shut Down command, 6–7
- Shut Down dialog box, 166
- shutting down the computer, 6–7
- sidebar, Finder windows
  - aliases, adding, 18–19
  - Network icon, 158
  - Servers icon, 158
- sidebar, Home folder, 73
- SIFT (Secure File Transfer Protocol), 478
- signature files, 228–229, 234
- SimpleText, 184–185. *See also* TextEdit
- singing voice, 492
- size of text, 131
- Sleep button, hiding/showing, 115
- Sleep command, 6–7
- sleep mode, 6–7, 58–59, 61, 386
- sleep options, 58–59
- sleep preferences, setting, 61
- Sleep tab, 58–59
- slide shows, 446–447. *See also* iPhoto, slide shows
- Slideshow button, 428
- Slow Keys, enabling/disabling, 505
- smileys, chats, 300
- SnapBack, 280–281
- snapshots. *See* screen captures
- sneakernet, 92
- software
  - See also* Apple System Profiler
  - See also* applications
  - See also* help
  - See also* troubleshooting
  - checking for updates, 55, 516–517
  - corrupted, restoring, 530–531
  - deleted accidentally, restoring, 530–531
  - installers, saving, 520–521
  - installing updates, 516–517
  - QuickTime, checking for updates, 55
  - restoring, 530–531
- Software License Agreements, 25
- software packages icon, 521
- Software Update
  - deleting items, 518–519
  - downloading installers, 520–521
  - setting frequency, 518–519
  - starting, 516–517
- Software Update icon, 516
- Software Update window
  - automatic checking,
    - enabling/disabling, 518–519
  - Check Now button, 517
  - ignoring update items (⌘-Delete), 518–519
  - installers, saving, 520–521
  - running software updates, 516–517
- songs. *See* iTunes
- Sorenson Video codec, 454–455
- sorting
  - dictionaries, 200
  - email messages, 230–231
  - files, 15
  - Finder items, 15
  - photos, 387, 399
  - stock information, 198
  - thesauruses, 200
- sound. *See* audio
- Sound Effects list, 45
- Sound icon, 492
- Sound pane, 10–11, 492–493
- spam, 248–249
- Speak the phrase checkbox, 501
- speakable items. *See* speech recognition; Spoken User Interface
- Speakable Items folder, 498–499
- speaking aloud
  - command confirmation, 495
  - enabling/disabling, 66–67, 500–501
  - starting/stopping, 490–491
- special characters, inserting, 132–133
- Special Characters command, 132
- Speech command, 500
- Speech Command window, 499
- Speech icon, 493
- Speech pane. *See* System Preferences window, Speech pane
- speech preferences, setting, 66–67, 492–493, 500–501
- speech recognition
  - activating (Escape key), 66, 497
  - choosing command groups, 66–67, 498–499
  - enabling/disabling, 66, 494–495
  - preferences, setting, 64–67
  - setting listening key, 497
  - setting listening preferences, 66–67, 496–497
  - starting automatically at login, 495
- Speech Recognition tab. *See* System Preferences window, Speech Recognition tab
- speech services
  - alerts voice, selecting, 501
  - help, 495
  - listening key, changing, 497
  - preferences, setting, 66–67, 492–493, 500–501
  - punctuation, importance of, 491
  - singing voice, 492
  - TextEdit, 490–491
- speech services, speaking aloud
  - command confirmation, 495
  - enabling/disabling, 66–67, 500–501
  - starting/stopping, 490–491

- speech services, system voice
  - default, 492
  - personalities, 492
  - selecting, 66–67, 492–493
  - speed, 66, 493
- Speed slider, 442
- spell checking, 125
- spell checking email messages, 246–247
- Spelling command (⌘-Shift-;), 125
- Split command, 440
- Split Selected Audio Clip at Playhead command, 441
- Split Video Clip at Playhead command, 441
- split-pane view, 464–465
- Spoken User Interface, 66–67, 500–501. *See also* speech services
- Spoken User Interface pane, 500–501
- Spoken User Interface tab, 67, 500
- spring-loaded folders,
  - enabling/disabling, 37
- SSH (Secure Shell), 478
- SSH server, 480–483
- Standard Report command (⌘-2), 512–513
- Start button, 162–163
- starting/stopping, 120–121
- startup disk
  - defined, 48–49
  - erasing, 532
  - preferences, setting, 48–49
  - repairing permissions, 528
  - setting, 48–49
- Startup Disk icon, 48
- Startup Disk pane, 48–49
- startup items, 42–43
- Startup Items pane, 42–43
- Startup Items tab, 42–43
- Stationary Pad, 134–135
- Stationary Pad checkbox, 74, 134
- status bar, displaying, 269
- status reports. *See* Apple System Profiler
- Sticky Keys, setting, 505
- stock market information,
  - searching, 198–199
- stock names, removing from view, 199
- Stocks channel, 198–199
- styles, saving, 135
- su command, 4–5
- subscribed calendars, 334–335
- subscribing to calendars (Opt-⌘-S), 334–335
- surfing the Web. *See* Safari
- Switchboard.com, 202
- switching
  - application windows (⌘-~ or ⌘-n), 465
  - desktop windows, 13
  - iPhoto libraries, 413
  - paper trays, 181
  - Sherlock channels, 196
  - users, 4–5, 112–113
- synchronizing computers, 192–193
- system. *See* OS X
- system administrator accounts. *See also* user accounts
  - access, setting, 101
  - versus* administrator privileges, 536
  - enabling/disabling, 116–117
  - resetting password, 536–537
- system alerts, 10–11, 501. *See also* speech services
- system beeps, setting volume (audio), 10–11
- system information, obtaining, 510–511
- System Preferences command, 2–3
- System Preferences window. *See also* preferences, setting
  - CDs & DVDs pane, 52–53
  - Color tab, 51
  - Date & Time pane, 8–9
  - Deleted Users folder, 109
  - Desktop & Screen Saver button, 416
  - Displays pane, 50–51
  - Dock pane, 38–39
  - International icon, 64
  - Limitations pane, 106–107
  - locking settings, 59
  - opening, 2
  - Output tab, 492
  - Personal row, 64
  - Sound pane, 10–11, 492–493
  - Startup Disk pane, 48–49
  - Startup Items pane, 42–43
  - Users folder, 109
  - View menu, Desktop and Screen Saver command, 417
- System Preferences window,
  - Accounts pane
    - adding user accounts, 100–101
    - Delete User button, 108–109
    - Limitations tab, 106–107
    - Login Options button, 3, 110–111, 112–115
    - My Account icon, 98
    - New User button, 100–101
    - New User Password sheet, 100–101
    - Password tab, 28–29, 98–99, 102–103
    - Picture tab, 101, 104–105
    - Security tab, 101
    - setting accounts information, 98–99
    - Startup Items tab, 42–43
    - user account icons, 102
    - viewing accounts information, 98–99
- System Preferences window,
  - Classic pane
    - Advanced pane, 60
    - Advanced tab, 61
    - Memory/Versions tab, 61
    - Rebuild Desktop button, 60
- System Preferences window,
  - Energy Saver pane
    - Options tab, 59
    - Schedule tab, 59
    - Show Details button, 58
    - Sleep tab, 58–59
- System Preferences window,
  - Hardware row
    - CDs and DVDs icon, 52

- System Preferences window,
    - Hardware row (*continued*)
      - Displays icon, 50
      - Energy Saver icon, 58
      - Ink icon, 56
      - Keyboard & Mouse icon, 62–63, 502, 504, 506
      - Sound icon, 492
    - Ink pane
      - Gestures tab, 57
      - handwriting recognition, 56–57
      - Word List tab, 57
    - International pane
      - Formats tab, 9, 64–65
      - Input Menu tab, 65
      - Language tab, 64–65
      - Region drop-down menu, 9
    - Internet and Networking row
      - Network icon, 142
      - QuickTime icon, 54–55
      - Sharing icon, 150, 461
    - Keyboard & Mouse pane
      - Add Keyboard Shortcut button, 507
      - Keyboard pane, 504–505
      - Keyboard Shortcuts pane, 506–507
      - Keyboard Shortcuts tab, 62–63, 506
      - Keyboard tab, 504
      - Mouse tab, 63
      - Trackpad pane, 502–503
      - Trackpad tab, 63, 502
    - Network pane
      - AirPort, 144–145, 152–153, 154–155, 156–157
      - AppleTalk, 142–145
      - creating network locations, 164–165
      - Ethernet, 142–143, 150–151
      - internal modem, 146–147
      - IPv4 menu, 144–145
      - modem, 146–147
      - network ports, 148–149
      - PPP, 146–147
      - PPPoE, 142–143
      - proxy servers, 150–151
      - TCP/IP, 142–145, 150–151
    - On/Off pane
      - Apple Speakable Items Is On button, 495, 496
      - Helpful Tips button, 495
      - Open Speakable Items Folder button, 498–499
      - Speakable Items folder, 498–499
      - Turn on Speakable Items at login button, 66, 495
    - QuickTime pane
      - Connection tab, 54
      - Update tab, 55
    - Sharing pane
      - Computer Name field, 461
      - Firewall tab, 162–163
      - Internet tab, 162–163
      - New button, 162–163
      - Services tab, 160–161, 176–177, 484–485
      - Start button, 162–163
    - Speech pane
      - Change Key button, 497
      - Commands pane, 499
      - Default Voice tab, 67, 493
      - Listening pane, 497
      - Speak the phrase checkbox, 501
      - Speech Commands window, 499
      - Spoken User Interface pane, 500–501
      - Spoken User Interface tab, 67, 500
    - Speech Recognition tab
      - Commands subtab, 66–67, 499
      - Listening subtab, 66–67, 497
      - On/Off subtab, 66, 494, 496
    - Universal Access pane
      - Hearing pane, 500–501
      - Hearing tab, 500
      - Keyboard tab, 505
      - Mouse pane, 503
      - Mouse tab, 503
  - System Preferences window,
    - exporting, 513
    - saving, 513
  - System Profiler. *See* Apple System Profiler
  - System Preferences window, System row
    - Preferences window, System row
  - system software, restoring, 530–531
  - system status. *See* Apple System Profiler
  - system voice
    - default, 492
    - personalities, 492
    - selecting, 66–67, 492–493
    - speed, 66, 493
- ## T
- Tab key, pathname expansion, 472
  - Tab-completion feature, 472
  - target disk mode, 166–167
  - target disk mode (Power-T), 166–167
  - Target disk mode icon, 166
  - TCP/IP, 142–145, 150–151
  - tcsh, defined, 478
  - TeleType (TTY) connection, 466
  - Telnet, 478, 480
  - Telnet server, connecting to, 480–481

- templates, 74, 134–135
- `.term` file, creating, 464
- Terminal
  - \$ (dollar sign), 460
  - / (forward slash), 463
  - ~ (tilde), 460
  - active running processes,
    - displaying, 525
  - ANSI terminal type, selecting, 463
  - Anti Aliasing, 468
  - appearance, customizing, 464–465, 470–471
  - application pathnames,
    - determining, 487
  - applications, force-quitting, 524–525
  - applications, starting, 486–487
  - background color, setting, 470–471
  - background image, setting, 470–471
  - buffer size, default, 468
  - case-sensitivity of commands, 460
  - changing Title (Shift-⌘-T), 464
  - color settings, customizing, 470–471
  - colors, setting preferences, 470–471
  - commands, buffering, 468
  - commands, case-sensitivity, 460
  - commands, running, 487
  - configuration, saving to file, 474–475
  - configuring, 460–461
  - current directory, 460
  - cursor blink, setting
    - preferences, 469
  - cursor shape, setting
    - preferences, 469
  - default settings, changing, 464–465
  - default settings, restoring, 463
  - directory, listing files in, 464–465
  - emulation preferences, setting, 466–467
  - exit behavior, setting
    - preferences, 466–467
  - files, listing all, 464–465
  - font, setting preferences, 468–469
  - fonts, setting default, 469
  - fonts, smoothing, 468
  - FTP server, acting as, 484–485
  - FTP server, connecting to, 478–479
  - help, 461
  - home directory, 460
  - key mappings, changing, 473
  - keyboard shortcuts,
    - customizing, 472–473
  - minimizing, 467
  - multiple windows,
    - distinguishing between, 470–471
  - OS X, changing system name, 460–461
  - OS X login history, 460, 478
  - panes, resizing, 465
  - pathname expansion (Tab key), 472
  - pathnames, determining, 487
  - pathnames, specifying, 477
  - PID (process ID), locating, 525
  - preferences, default file name, 463
  - preferences, restoring defaults, 463
  - preferences, setting, 462–463, 476–477
  - process preferences, setting, 466–467
  - protocols, adding, 482–483
  - Scrollbar Buffer, 468
  - scrollback preferences, setting, 468
  - server, acting as, 481–483
  - servers, adding, 482–483
  - servers, connecting to, 478–481
  - services, adding, 481–483
  - settings, customizing, 466–471, 474–475
  - settings, saving customization, 474–475
  - SFTP server, connecting to, 478–479
  - sharing services,
    - enabling/disabling, 481–483
  - shell, changing, 476–477
  - shell, default (bash), 462
  - shell, defined, 476
  - Shell pane, 466
  - shell preferences, setting, 466–467
  - shells, list of, 476
  - split-pane view, 464–465
  - SSH server, connecting to, 480–481
  - SSH server,
    - enabling/disabling, 481–483
  - starting, 4–5, 460–461
  - switching between windows (⌘-~ or ⌘-n), 465
  - Tab key, pathname expansion, 472
  - Tab-completion feature, 472
  - Telnet server, connecting to, 480–481
  - `.term` file, creating, 464
  - terminal emulation, setting
    - preferences, 467
  - terminal type, default, 463
  - TextEdit, opening, 486–487
  - Title, changing (Shift-⌘-T), 464
  - title bar contents, setting, 471
  - Transparency slider, 471
  - TTY (TeleType) connection, 466
  - Use Settings as Default
    - command, 464
  - user login history, 460, 478
  - user name format, 460
  - VT100 terminal type,
    - selecting, 463
  - window dimensions, setting, 471

- Terminal (*continued*)
  - window settings, customizing, 470–471
  - windows, switching between (⌘-~ or ⌘-n), 465
  - wraparound preferences, setting, 468
- terminal emulation, setting preferences, 467
- Terminal icon, 460
- Terminal Inspector window
  - Buffer pane, 468–469
  - changes, saving as defaults, 465, 467
  - Color pane, 470–471
  - Display pane, 469
  - Edit Key Mapping pane, 473
  - Emulation pane, 467
  - Keyboard pane, 472–473
  - opening (⌘-I), 464
  - Processes pane, 467
  - Saving customizations as defaults, 474–475
  - Shell pane, 466–467
  - Use Settings as Defaults button, 474–475
  - Window pane (Shift-⌘-T), 470–471
- Terminal Preferences window (⌘-), 462, 476–477
- terminal type, default, 463
- Terminal window, 4–5
- text. *See also* TextEdit
  - accented characters, inserting, 133
  - adding to photos, 400–401
  - bold (⌘-B), 131
  - centering on page, 131
  - color, 131
  - copying (⌘-C), 128–129
  - cutting (⌘-X), 128–129
  - deleting, 125, 128–129
  - editing, 124–125
  - enlarging (⌘-Shift-+), 131
  - entering, 124–125
  - fonts, setting preferences, 130–131
  - formatting, 130–131
  - italics (⌘-I), 131
  - language preferences, setting, 64
  - moving, 128–129
  - pasting (⌘-V), 128–129
  - printing (⌘-P), 136–137, 178–181
  - selecting, 124–125
  - selecting all (⌘-A), 131
  - size of, 131
  - special characters, inserting, 132–133
  - underline (⌘-U), 131
- text chats, starting, 300–301. *See also* iChat
- Text command, 131
- text-based operation. *See* Terminal
- TextEdit
  - accented characters, inserting, 133
  - bold text (⌘-B), 131
  - centering text on page, 131
  - Character Palette window, 132–133
  - color, setting, 131
  - copying text (⌘-C), 128–129
  - cutting text (⌘-X), 128–129
  - deleting text, 125, 128–129
  - editing text, 124–125
  - enlarging text (⌘-Shift-+), 131
  - entering text, 124–125
  - faxing from, 182–183
  - Font window, 131
  - Font window (⌘-T), 130
  - fonts, setting preferences, 130–131
  - formatting text, 130–131
  - HTML files, opening, 127
  - italics (⌘-I), 131
  - moving text, 128–129
  - opening, 486–487
  - opening files, 126–127
  - opening from Terminal, 486–487
  - pasting text (⌘-V), 128–129
  - PDF files, creating, 136–137
  - Plain Text mode (⌘-Shift-T), 127
  - Print pane, 136–137
  - printing (⌘-P), 136–137, 178–181
  - Rich Text mode (⌘-Shift-T), 127
  - saving files, 122–123
  - saving files to new location, 127
  - selecting all (⌘-A), 131
  - selecting text, 124–125
  - setting as default application, 127
  - size of text, 131
  - special characters, inserting, 132–133
  - speech services, 490–491
  - spell checking, 125
  - starting/stopping, 120–121
  - stationary Pad, 134–135
  - styles, saving, 135
  - templates, creating, 134–135
  - underline (⌘-U), 131
  - undoing changes (⌘-Z), 125, 129
- TextEdit menu
  - Quit TextEdit command, 120
  - Services command, Speech, 491
- text-to-speech capability. *See* Spoken User Interface
- theaters, searching for, 200–201
- themes, applying to Photo Books, 426
- thesauruses, searching, 208–209
- threading email, 230
- TIF files, 80
- TIFF files, 388–389, 448
- tilde (~), Terminal, 460
- time, formatting, 64. *See also* clock; date
- time zone, setting, 8–9
- Timed Screen command, 23
- Timed Screen Grab dialog box, 23
- timeline viewer, 450

- Timeline Viewer Mode button, 456
  - Title, changing (Shift-⌘-T), 464
  - title bar contents, setting, 471
  - title cards, creating, 446–447
  - titles, adding to photos, 389, 400–401
  - Titles command, 399
  - to-do lists. *See* iCal
  - toolbar buttons, hiding, 36
  - toolbars
    - hiding, 36
    - icons, customizing, 73
    - icons, restoring default set, 73
    - unhiding, 36
  - Traceroute utility, 515
  - tracing routes, 514–515
  - tracking, eBay auctions, 205
  - trackpad
    - double-click speed, setting, 63
    - preferences, setting, 62–63, 502–503
    - tracking speed, setting, 63
  - Trackpad pane, 502–503
  - Trackpad tab, 63, 502
  - Training mode, Mail application, 249
  - transferring files. *See also* networking
    - on CD-ROM, 92–93
    - on iPod, 94–95
  - transitions, 443
  - Transitions pane, 442–443
  - translating languages, 210–211
  - Translation channel, 210–211
  - Transparency slider, 471
  - Trash
    - adding items to (⌘-Delete), 79
    - cannot empty, 79, 538
    - emptying, 79
    - files, cannot delete, 538–539
    - files, deleting permanently, 538
    - icon changes to Burn Disc, 93
    - undeleting items (⌘-Z), 79
    - warning, eliminating, 79
  - Trash, emptying, 224, 225
  - Trash icon
    - appearance, 78
    - ejecting CD-ROM, 21
  - Trash icon, changes to triangle icon, 21
  - troubleshooting. *See also* help
    - Apple System Profiles, 510–511
    - applications, cannot start, 528–529
    - applications, force-quitting (⌘-Option-Esc), 522–525
    - applications, hung, 522–523
    - applications, restarting, 522–523
    - files, cannot delete, 538–539
    - files, cannot open, 528–529
    - First Aid, 528–529
    - Help Viewer, starting, 526–527
    - Network Utility, 514–515
    - networking, ping utility, 514–515
    - networking, testing
      - connection, 514–515
    - networking, tracing routes, 514–515
    - networking, verifying IP addresses, 514–515
    - networks, 514–515
    - passwords, resetting, 534–535
    - root password, resetting, 536–537
    - system administrator
      - accounts, resetting password, 536–537
    - system software, restoring, 530–531
  - TruBlue, 524
  - TTY (TeleType) connection, 466
  - Turn on Speakable Items at login button, 66, 495
  - TXT files, 122
- U**
- UFS (Unix File System), 532–533
  - UFS volumes, Classic Environment, 533
  - undeleting files and folders, 78–79, 538–539
  - underexposed photos, 404–405
  - underline (⌘-U), 131
  - Undo command, iChat buddy groups, 298
  - Undo command (⌘-Z), 252
  - Undo Typing command, 125
  - undoing, changes to photos, 390
  - undoing changes (⌘-Z), TextEdit, 125, 129
  - Universal Access command, 503, 505
  - Universal Access icon, 500
  - Universal Access pane. *See* System Preferences window, Universal Access pane
  - Unix File System (UFS), 532–533
  - unread email messages
    - displaying number of, 222
    - indicator, 224
  - Update menu
    - Download Only command, 521
    - Ignore Update command, 519
  - Update tab, 55
  - Use Settings as Default command, 464
  - Use Settings as Defaults button, 474–475
  - user account icons, 102
  - user accounts. *See also* desktop; multiuser environment; system administrator accounts
    - account information, viewing, 98–99
    - adding picture to icon, 29
    - administrative privileges, adding to account, 101
    - applications, adding to Dock, 40–41
    - applications, limiting access to, 106–107
    - applications, starting automatically at login, 42–43
    - authenticating, 98–99, 116–117
    - automatic login, enabling/disabling, 110–111

- user accounts (*continued*)
    - background image, changing, 32–33
    - creating, 100–101
    - deleting, 108–109
    - Dock, adding items to, 40–41
    - Dock preferences, setting, 38–39
    - files, adding to Dock, 40–41
    - folder options, setting, 36–37
    - folders, adding to Dock, 40–41
    - icon, changing, 29
    - icon, changing for others, 104–105
    - information, setting, 98–99
    - information, viewing, 98–99
    - keychain, setting preferences, 30–31
    - Kodak Print Service, 424–425
    - locking, 99
    - login options, setting, 114–115
    - multiuser environment, 112–113
    - name, changing, 99
    - name, setting for new user, 100–101
    - permissions, changing, 106–107
    - permissions, setting, 106–107
    - picture, using as icon, 29, 101, 104–105
    - preferences, setting, 98–99
    - recovering files from deleted user accounts, 109
    - removing, 108–109
    - root password, resetting, 536–537
    - screen saver, using, 34–35
    - simple Finder view, setting, 106
    - switching between, 112–113
    - toolbars, collapsing, 36
    - toolbars, hiding, 36
    - windows appearance, setting, 36–37
  - user login history, 460, 478
  - user name format, 460
  - User pane. *See* System Preferences window, Accounts pane
  - Users folder, 109
  - Utilities command, 514
  - Utilities folder
    - Directory Access, 159
    - Disk Utility icon, 528
    - Keychain Access icon, 30, 540
    - Netinfo Manager icon, 116
    - Network Utility, 514–515
    - Printer Setup Utility, 170–171
    - System Profiler, 510–511
    - Terminal icon, 460
- V**
- Verify Disk Permission button, 529
  - Vicki voice, 492
  - video camera icon, iChat, 296
  - video cameras, and chats. *See also* iChat
    - adding, 291
    - audio chats, 302
    - automatic shutoff, 304
    - buying, 305
    - as microphones, 302
    - video chats, 304–305
  - video chats, 304–305. *See also* iChat
  - iChat
    - adding, 291
    - audio chats, 302
    - automatic shutoff, 304
    - buying, 305
    - as microphones, 302
    - video chats, 304–305
  - video clips. *See also* audio clips; iDVD; iMovie; iPhoto
    - adding music, 450–451
    - adding photos to, 446–447
    - adding to Clips pane, 438–439
    - adding to Movie Timeline, 438–439
    - audio, adding, 450–451
    - blending, 442–443
    - cropping, 444–445
    - deleting, 440–441
    - exporting to iDVD, 456–457
    - exporting to QuickTime, 454–455
    - fades, adding, 442–443
    - importing, 438–439
    - inserting, 440–441
    - moving, 440–441
    - moving forward on timeline, 443
    - music, adding, 450–451
    - narration, adding, 452–453
    - saving as QuickTime, 454–455
    - saving compressed version, 454–455
    - saving to CD-ROM, 454–455
    - saving to DVD, 456–457
    - sound, adding, 450–451
    - speech, adding, 452–453
    - splitting, 440–441
    - still frames, adding, 436–437
    - transitions, adding, 442–443
    - trimming, 444–445
  - video crop markers, adding/deleting, 444–445
  - View button, hiding, 36
  - View menu
    - Customize toolbar command, 73
    - Desktop and Screen Saver command, 417
    - International command, 9
    - Speech command, 500
    - Universal Access command, 503, 505
  - View menu (Apple System Profiler)
    - Extended Report command (⌘-3), 512–513
    - Short Report command (⌘-1), 512–513
    - Standard Report command (⌘-2), 512–513
  - View menu (iPhoto)
    - Film Rolls command, 399
    - Film Rolls command (Cmd-Shift-F), 387
    - Keywords command, 399, 401
    - Titles command, 399
  - virtual hard disks, 190–191
  - viruses, and email attachments, 242
  - vision limitations. *See* accessibility features

visual effects light show, 352–353  
 Visualizer (⌘-T), 352–353  
 voice, setting for spoken interface, 67  
 voice commands. *See* speech  
 voice recording,  
   starting/stopping, 452–453  
 volume, chats, 314  
 volume (audio), 10–11, 451  
 volume icon, 11  
 volume level markers, deleting, 450  
 Volume Level slider, 451  
 volumes (hardware), 20, 532–533  
 VT100 terminal type, selecting, 463

## W

Wacom devices. *See* handwriting recognition  
 waking up, 6–7, 58–59  
 Web browsers. *See* Safari  
 Web cams. *See* video cameras  
 Web pages  
   adding photos to, 430–431  
   browsing with Tabs, 286–287  
   emailing, 276–277, 283  
   faxing, 283  
   link addresses, copying, 279  
   as links on Web pages, 277  
   links to Sherlock channels, 215  
   multiple, in same window, 286–287  
   photos, adding, 430–431  
   printing, 282–283

save location, setting, 272–273  
 saving as PDF, 273, 283  
 saving as shown, 273  
 saving as text (⌘-S), 272–273  
 scaling for printing, 283  
 searching, 270–271  
 select entire document (⌘-A), 276  
 source code, viewing, 269  
 underlined email addresses, 277  
 Web searches. *See* Safari; Sherlock  
 Web sites, passwords storing (Keychain Access feature), 30–31  
 Web surfing. *See* Safari  
 window dimensions, setting, 471  
 Window pane (Shift-⌘-T), 470–471  
 window settings, customizing, 470–471  
 Windows  
   importing email from Outlook [Express], 220  
   mouse, right-clicking equivalent, 278  
   sending email attachments to, 227  
 windows. *See also* desktop; Finder  
   appearance in Dock, 38  
   application, hiding, 47  
   application, switching between, 465  
   closing all, 18  
   closing individual, 16–17

control buttons, 16–17  
 exposing, 16–17  
 grayed out, restoring, 17  
 hiding, 16–17  
 Icon View setting, 14  
 maximizing, 16  
 minimizing, 16, 38  
 multiple, switching between, 13  
 opening, 14, 16, 72  
 restoring, 16  
 selecting all items (⌘-A), 76  
 size, toggling, 17  
 switching between, 13, 465  
 Zoom button, 17  
 wireless networks, 152–153  
 Word List tab, 57  
 word processing. *See* TextEdit  
 words, adding to handwriting recognition, 57  
 wraparound preferences, setting, 468

## Y

Yellow Pages, searching, 202–203

## Z

ZIP code, Sherlock requirement, 201  
 zoom arrows, 395  
 Zoom button, 17  
 Zoom controls, 447  
 zooming  
   iPhoto, 392–393  
   still frames, 436–437

