

# Index

**Note to the reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

---

## Symbols & Numbers

~ (tilde), 76  
10 Gigabit Ethernet Alliance (10GEA), 15  
10Base-T Ethernet network, cabling for, 13  
10GEA (10 Gigabit Ethernet Alliance), 15  
85% policy, 357, 524  
100Base-T networks, cabling for, 13  
"400--Bad request" message, 415  
"401--Unauthorized" message, 415  
"403--Forbidden" message, 415, 420  
"404--File not found" message, 336, 401, 416, 420  
"500--Internal error" message, 416

---

## A

A record (DNS), 73  
<A> tag (HTML), 309  
abend, 524  
access control, 236–244, 524. *See also* firewalls  
Access Control List (ACL), 237–238, 238, 524  
access log, 420, 524  
acknowledgment (ACK), 524  
acknowledgment number, in TCP header, 106  
active caching, 81  
active detection, 524  
Active Directory Service, 30  
active hub, 19  
active monitor, 524  
Active Server Pages (ASP), 292, 524  
ActiveX  
  as virus risk, 433  
  in web pages, 281  
activity indicator in web browser, 171, 172, 173  
adapters, vs. modems, 24  
adaptive content policy, 357, 524  
Address book, in e-mail client, 205  
address record (DNS), 73  
Adobe Acrobat (.pdf) files, 320, 525  
ADSL (Asymmetric Digital Subscriber Line), 41  
advertising. *See also* online marketing  
  negative, 479  
  non-Web, 476–477  
aero domain, 71  
AIM (AOL Instant Messenger), 173  
alias record, 73  
Allaire ColdFusion, 437  
Allaire HomeSite, 302, 303  
Amazon.com, 484  
America Online. *See* AOL  
American Standard Code for Information Interchange (ASCII). *See* ASCII (American Standard Code for Information Interchange)  
analog modems, 24  
Andreessen, Marc, 173  
animation, file formats, 317–318  
Anonymous FTP, 88, 193  
antivirus software, 525  
  decision to run, 431  
  scanning for viruses, 432–434  
  updating, 429–431  
AOL Instant Messenger (AIM), 173  
AOL, web proxy servers, 370  
application filtering, 239  
Application layer, 525  
application log, 525  
application programming interface (API), 287  
application server, 15, 525  
architecture neutrality, 287  
ARCNet, 525  
ARP table, 525  
ARP utility, 422  
ARPAnet, 62  
ASCII (American Standard Code for Information Interchange), 319, 525  
  FTP to download file type, 194  
  for HTML documents, 302  
ascii command (FTP), 189, 195  
ASP (Active Server Pages), 292, 524  
Asymmetric Digital Subscriber Line (ADSL), 41  
asymmetric encryption, 246  
asynchronous transfer modem (ATM), 46, 525  
  for WAN connection, 39–40  
AT command set, 162–164, 526  
ATM (asynchronous transfer modem), 46, 525  
  for WAN connection, 39–40  
ATM card, 231  
Attachment Unit Interface (AUI) port, 526  
attenuation, 17  
attributes for HTML tags, 307–308  
audio, from media servers, 87  
Audio Visual Interlaced, 318  
Audio Visual Interleaved (AVI) files, 526  
auditing, 250, 526  
AUI (Attachment Unit Interface) port, 526  
authentication, 229–235, 526  
  biometric authentication, 231–232  
  digital certificate, 234–235  
  digital signature, 232–233  
  key and card authentication, 231

**578** automatic proxy configuration URL, for Netscape Nav. – cash outflows, government regulation

password authentication, 230–231  
of web site users, 349  
automatic proxy configuration URL, for Netscape Navigator, 180  
AVI (Audio Visual Interleaved) files, 526

---

**B**

<B> tag (HTML), 304  
back-end Web service, planning, 358–363  
back-to-back firewalls, 243, 526  
backbone  
of ISP, 65, 66  
of network, 5  
backbone ISPs, 62, 68–69, 526  
background color, in Telnet, 197  
backups for servers, 17, 362–363  
backward compatibility, 439  
bandwidth, 13, 526  
bottlenecks, 339  
and web server performance, 361, 362  
banner ads, 475–476, 526  
Bare Bones Software BBEdit, 302  
baseband, 527  
baseline, 527  
bastion host, 242–243, 527  
batch files (MS-DOS), 289  
BBEdit (Bare Bones Software), 302  
Bearer (B) channel in ISDN, 40, 527  
Berne Convention, 460  
beta software, 312  
binary command (FTP), 189, 195  
binary files, FTP to download, 194  
binary-to-decimal conversions, 119  
binding protocols, 10  
BinHex, 319, 527  
biometric authentication, 231–232, 527  
BITnet, 63  
bits, vs. bytes, 339  
biz domain, 71  
blackout, 559  
blinking cursor, in Telnet, 197  
Block cursor, in Telnet, 197  
BMP file format, 317  
BNC connectors, 12, 527  
<BODY> tag (HTML), 306  
bonding ISDN channels, 40  
boot disk for emergency scan, 434  
boot sector virus, 429, 527  
bounded medium, 527  
<BR> tag (HTML), 306  
breaking web sites, 395  
bridge, 17–19, 18, 527  
broadband, 527  
broadcast address, 113  
broken links, 401  
brouter, 23, 528  
brownout, 559

browser, 528. *See also* Web browsers  
browser plug-ins, 314–315  
brute force attack, 230, 254–255, 528  
defense against, 231  
buffer size, in Telnet, 197  
bugs. *See also* Web site troubleshooting  
in software, as security risk, 255  
burst mode, 528  
bus network topology, 5  
bus topology, 528  
business. *See also* global marketplace; intellectual property  
exam essentials, 488–489  
Internet commerce, 483–484. *See also* e-commerce  
business-to-business commerce, 484–485, 528  
business-to-consumer commerce, 484, 528  
business-to-employee commerce, 485, 528  
business-to-government commerce, 486, 528  
button bar in web browser, 171, 172  
bytecodes, 287, 528  
bytes, 339

---

**C**

C programming language, 288, 528  
C++ programming language, 288, 529  
cable, 10–15, 529  
coaxial cable, 11, 11–12  
fiber-optic cable, 14–15  
twisted-pair cable, 12–14  
cable map, 529  
cable modems, 24–25, 529  
connection speed, 340  
and hacker access to private key, 247  
cable tester, 529  
cache-in-a-box, 529  
caching, 364–375  
in Internet Explorer, 185  
in Netscape Navigator, 178, 179  
proxy caching, 369–373  
ISP proxy servers, 370–371  
LAN-based, 370  
problems, 372–373  
regional, 371, 372  
reasons for, 365–366, 366  
reverse proxies, 373, 373–375  
web caching, 367–369  
caching server, 79–81  
CAD program, 529  
call waiting, turning off, 164  
canonical name record, 73  
captive audience policy, 355, 529  
card authentication, 231  
Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA), 529  
Carrier Sense Multiple Access with Collision Detection (CSMA/CD), 35–36, 529  
Cascading Stylesheets (CSS), 293, 530  
cash outflows, government regulation, 471

- CAU (controlled-access unit), 36
- cd command (FTP), 188
- CD-ROM requirements
  - for NetWare 5.1, 32
  - for Windows 2000 Server, 31
  - for Windows NT Server 4, 30
- cells for ATM, 39
- Central Office, 42
- centralized WAN, 8, 530
- certificate, 530
  - digital, 88, 234–235, 534
- certificate authority, 88
- certificate server, 88
- certification authority, 234, 530
- CGI (Common Gateway Interface), 283, 531
  - testing, 403
- Challenge Handshake Authentication Protocol (CHAP), 123
- checksum in TCP, 106
- child of web server, 359
- CIDR (Classless Internetwork Domain Routing), 121–122
- ciphertext, 244, 530
- CIR (Committed Information Rate), 45, 531
- Clark, James, 173
- Class A networks, 114, 115
- Class B networks, 114, 115
- Class C networks, 114, 115
- Class D networks, 114, 115
- Class E networks, 114, 115
- Classless Internetwork Domain Routing (CIDR), 121–122
- clearing Web cache, 369
- cleartext, 244, 530
- clickthrough rates, 476
- client IP address, 149
- client-server architecture, 279–284
  - client software, 279–281
  - communications process, 282–283
  - server software, 281–282
- client-server network, 530
- client-side markup languages, 292–295, 530
  - CSS (Cascading Stylesheets), 293
  - DHTML (Dynamic Hypertext Markup Language), 292–293, 536
  - DTD (document type definition), 294, 535
  - HTML (Hypertext Markup Language), 292. *See also* HTML (Hypertext Markup Language)
  - VRML (Virtual Reality Modeling Language), 295, 573
  - WML (Wireless Markup Language), 295, 575
  - XML (eXtensible Markup Language), 294, 539
  - XSL (Extensible Stylesheet Language), 294, 539
- client-side scripting languages, 295–298
  - JavaScript and JScript, 296, 545
  - VBScript, 297–298, 347, 573
- clients, 4. *See also* Internet clients
  - software, 279–281
- clipper chip, 530
- CNAME record, 73
- coaxial cable, 11, 11–12, 530
- ColdFusion (Allaire), 437
- collision, 530
  - detection, 35
- COM (Component Object Model), 286, 531
- com domain, 70
- command-line interface, for Unix, 33
- Commercially Secured Server (CSS), 88
- Committed Information Rate (CIR), 45, 531
- Common Gateway Interface (CGI), 283, 531
- common law copyright, 459–460
- communications process in client-server architecture, 282–283
- communications process on Internet, 76–90
  - caching server, 79–81
  - certificate server, 88
  - connecting through firewall, 90
  - directory (LDAP) server, 88–90
  - e-mail (SMTP and POP3), 83–85
  - FTP server, 87–88
  - HTTP requests and responses, 77, 77–79
  - media servers, 87
  - news server, 85–87
  - proxy server, 81–83, 82. *See also* proxy server
- compatibility of legacy clients, 441–442
- competence proof, as hacker motivation, 251
- compiled languages, 287
- compiler, 287, 531
- Component Object Model (COM), 286, 531
- Comprehensive Perl Archive Network, 290
- compressed file formats, 318–319
- CompuServe, 316
- concentrator (hub), 19, 19–20, 542
- concept search, 381
- connecting to Internet, 160–170
  - dial-up networking connection, 166–170
  - Dial-up Networking software, 165
  - failures, 336–337
  - ISP account, 165–166
  - modems, 161–164
- connection-oriented protocol, 531
  - TCP as, 105
- "Connection reset by peer" message, 413
- connectionless protocol, 531
  - IP as, 107
- consumer reviews, 479
- consumer-to-consumer commerce, 486, 531
- content-technology policies for Web site, 354–358
  - 85% policy, 357
  - adaptive content policy, 357
  - captive audience policy, 355
  - implementation, 357–358
  - lowest common denominator policy, 355, 356
  - page compliance with, 403–404
- contention, 531
- contention-based system, 36
- controlled-access unit (CAU), in Token Ring network, 36
- cookies, 172, 532
  - in Internet Explorer, 184, 184
  - in Netscape Navigator, 177–178
- coop domain, 71

## 580 copyleft – DOM (Document Object Model)

copyleft, 468, 532  
copyright, 458–465, 532  
  fair use, 461–462  
  infringement, 463  
  licensing copyrighted products, 462–463  
  obtaining, 459–460  
  securing, 463  
corrupted files in web site, 348–349  
country codes, 532  
crackers, 253  
CRC (cyclical redundancy check), 532  
credit cards, 471  
cross-sell, 484, 532  
crossover cable, 532  
crosstalk, 12  
CSMA/CA (Carrier Sense Multiple Access with Collision Avoidance), 529  
CSMA/CD (Carrier Sense Multiple Access with Collision Detection), 35–36, 529  
CSS (Cascading Stylesheets), 293, 530  
CSS (Commercially Secured Server), 88  
CSU/DSU (channel service unit/data service unit), 22, 26  
cultural differences, in global marketplace, 470  
currency exchange, 471  
cursor, blinking in Telnet, 197  
customer expectations, 480  
customer service, Web site alternatives to, 478  
cyberwar, 252  
cyclical redundancy check (CRC), 532

---

## D

D channel in ISDN, 40  
daemon  
  for FTP, 87  
  for news servers, 86  
  for public directory servers, 89–90  
DARPA (Defense Advanced Research Projects Agency), 62, 534  
data command (SMTP), 85  
Data Encryption Standard (DES), 533  
Data Link layer, 533  
data mining, 298, 533  
data packet, 533  
database, 533  
Database Management System (DBMS), 298, 533  
database server, 533  
databases, 298–300  
  nonrelational, 299  
  relational, 299  
  servers, 299–300  
datagrams, 105, 533  
Dataphone Digital Service (DDS), 38, 533  
DBMS (Database Management System), 298, 533  
DCOM (Distributed Component Object Model), 286, 535  
DDS (Dataphone Digital Service), 38, 533  
dead zone, 240  
debugging. *See* troubleshooting; Web site troubleshooting  
decimal-to-binary conversions, 119  
DECnet (DEC Networking), 35  
default gateway, 533  
  for Internet clients, 151  
Defense Advanced Research Projects Agency (DARPA), 62, 534  
definition files in antivirus software, 430  
  updating, 431  
Delta channel, 534  
demarcation point, 42  
demilitarized zone (DMZ), 26, 27, 241–243, 242, 534  
denial of service (DoS) attack, 255–257, 534  
DES (Data Encryption Standard), 533  
desktop security patch, 436  
destination port number, 106, 110  
DHCP (Dynamic Host Configuration Protocol), 123, 536  
  and Internet client, 149, 150  
DHTML (Dynamic Hypertext Markup Language), 292–293, 536  
dial tone, AT command to wait for, 164  
Dial-up Networking software, 161, 165  
  script, 166, 166–170  
differential backup, 534  
digital, 534  
digital certificate, 88, 234–235, 534  
digital signature, 232–233, 249, 534  
digital subscriber line (DSL), 25, 41, 46, 534  
Direct Connection to Internet, from Netscape Navigator, 180  
directory (LDAP) server, 88–90  
directory service, 535  
disk cache, 367  
disk drive subsystem, 535  
display  
  requirements  
    for NetWare 5.1, 32  
    for Red Hat Linux 7.1, 33  
    for Windows 2000 Server, 30  
    for Windows NT Server 4, 29  
  resolution, 348  
distance vector, 535  
Distributed Component Object Model (DCOM), 286, 535  
distributed computing, 285–286, 535  
distributed WAN, 8  
DLL (Dynamic Link Library), 536  
DMZ (demilitarized zone), 26, 27, 241–243, 242, 534  
DNS. *See* Domain Name Services (DNS)  
DNS resolver, 535  
DNS server, 535  
DNS Server Search Order field, for DNS Configuration, 156  
DNS zone, 535  
.DOC file extension, 319  
DOCTYPE statement (HTML), 305  
Document Object Model (DOM), 292–293  
document streaming, 173  
document type definition (DTD), 294, 535  
documentation, in troubleshooting, 410  
DOD Networking Model, 535  
DOM (Document Object Model), 292–293

- Domain field, for DNS Configuration, 155
  - Domain Name Services (DNS), 69–75, 536
    - domain organization, 70
    - international domains, 71–72
    - for Internet clients, 154–157
    - NSLookup, 75
    - obtaining domain name, 74–75
    - U.S. domains, 71
    - using, 72–74
    - what are domains, 70
    - and WINS (Windows Internet Name Service), 158–159
  - domain names, avoiding errors, 337
  - Domain Suffix Search Order field, for DNS Configuration, 156
  - DoS (denial of service) attack, 534
  - dot-commers, 477
  - dots per inch (dpi), 348
  - dotted decimal IP address, 112
  - downloading
    - files. *See also* FTP utilities
    - mirror sites for, 404, 405
    - speed for Web site, 337–342
      - impact on content options, 353
      - theoretical and practical, 340–342
  - dpi (dots per inch), 348
  - DreamWeaver (Macromedia), 303
  - DSL (digital subscriber line; xDSL), 25, 41, 46, 534
    - and hacker access to private key, 247
    - for WAN connection, 41
  - DTD (document type definition), 294, 535
  - dumb terminal, 536
  - dumpster diving, 254
  - dynamic entry, 536
  - Dynamic Host Configuration Protocol (DHCP), 123, 536
  - Dynamic Hypertext Markup Language (DHTML), 292–293, 536
  - dynamic IP address, 149
  - Dynamic Link Library (DLL), 536
  - dynamic packet filtering, 238–239, 239, 536
  - dynamic routing, 536
  - dynamic state list, 537
  - dynamically allocated port, 111
- 
- E**
- e-commerce, 236, 457, 483–484, 537
    - avoiding web site corruption, 400
    - vs. storefront, 483
  - e-commerce server, 537
  - e-mail, 537
    - security for, 249
    - SMTP and POP3, 83–85
  - e-mail address, as FTP site password, 194
  - e-mail clients, 204–215
    - bugs, 437–438
    - Microsoft Outlook, 205–209, 206
      - receiving message, 208, 209
      - sending message, 207–208
    - Netscape Messenger, 210, 210–214
      - receiving message, 213–214, 214
      - sending message, 211, 211–212
    - QUALCOMM Eudora, 215, 215
  - E1/E3, 38, 537
  - early token release, 36
  - EBT (Electronic Benefits Transfer), 472–473, 537
  - EDI (Electronic Data Interchange), 473, 537
  - edu domain, 70
  - EFT (Electronic Funds Transfer), 472, 537
  - electromagnetic interference (EMI), 537
  - Electronic Benefits Transfer (EBT), 472–473, 537
  - Electronic Data Interchange (EDI), 473, 537
  - Electronic Funds Transfer (EFT), 472, 537
  - electronic mail (e-mail), 537
  - electrostatic discharge (ESD), 537
  - Emacs, 302
  - emergency scan, 434, 538
  - EMI (electromagnetic interference), 537
  - employees, as security risk, 251
  - emulation, in Telnet, 197
  - Encapsulated PostScript (EPS) files, 317, 538
  - encoding, 538
  - encryption, 244–249, 538
    - political restrictions, 247–248
    - private key, 245–246
    - public key, 246–247, 247
    - software patches for, 436–437
    - technologies, 248–249
    - of web site information, 350
  - encryption algorithm, 538
  - encryption key, 538
  - endpoint for xDSL, 25
  - English language, 469
  - enterprise computing, 284–285, 538
  - entertainment, as hacker motivation, 251
  - EPS (Encapsulated PostScript) files, 317, 538
  - error log, 538
    - for web servers, 420
  - error messages from web browsers, 336, 411–416
    - browser functionality errors, 413
    - connectivity errors, 413–414
    - HTTP response codes, 415–416
  - ESD (electrostatic discharge), 537
  - Ethernet, 538
  - Ethernet addresses, 112
  - Ethernet networks, 35–36
    - bus topology for, 5
    - connection speed, 340
    - vs. Token Ring networks, 37
  - Eudora (QUALCOMM), 215, 215
  - exam essentials
    - business, 488–489
    - Internet, 91–92, 321–322
    - Internet clients, 216–217
    - networks, 47–48
    - security, 262–263
    - TCP/IP, 130–132
    - Web site development, 383–384
    - Web site troubleshooting, 445

## 582 expansion slot – goodwill

expansion slot, 539  
  for network adapter, 10  
Expedia.com, 486  
eXtensible Markup Language (XML), 294, 539  
Extensible Stylesheet Language (XSL), 294, 539  
external modems, 24  
extranet  
  as investment, 482  
  security requirements, 259

---

## F

face recognition, for authentication, 232  
failover server, 539  
fair use, 461–462, 539  
"false-positive" virus, 429  
fast Ethernet networks, cabling for, 13  
fault-resistant network, 539  
fault-tolerant network, 539  
fax server, 15, 539  
FDM (frequency division multiplexing), 14, 540  
feedback, in troubleshooting, 410  
Fiber Distributed Data Interface (FDDI), 539  
fiber-optic cable, 14–15, 540  
fibre channel, 540  
"File contains no data" message, 414  
file formats, 315–320  
  Adobe Acrobat (.pdf) files, 320, 525  
  ASCII (American Standard Code for Information Interchange), 319, 525  
  FTP to download file type, 194  
  for HTML documents, 302  
  Audio Visual Interlaced, 318  
  BinHex, 319, 527  
  BMP, 317  
  EPS (Encapsulated PostScript) files, 317, 538  
  GIF (Graphics Interchange Format), 315–316, 541  
  Web browser support, 173  
  Gzip, 319, 541  
  JPEG (Joint Photographic Experts Group), 316, 545  
  Microsoft Word, 320  
  MPEG (Motion Picture Experts Group) files, 318, 550  
  PNG (Portable Network Graphics), 316–317, 558  
  QuickTime, 318, 561  
  Rich Text Format (RTF), 320, 562  
  Tape Archive, 319  
  TIFF (Tagged Image File Format) files, 317, 568  
  Web browser recognition of, 343–344  
  Zip, 318, 576  
file server, 15, 540  
File Transfer Protocol (FTP), 127–128, 540  
Finger, port for, 111  
fingerprints, for authentication, 232  
firewalls, 26–27, 27, 237–243, 540  
  ACL (Access Control List) for, 237–238, 238  
  application filtering, 239  
  back-to-back, 526  
  demilitarized zone (DMZ), 241–243, 242  
  dynamic packet filtering, 238–239, 239  
  Internet connections through, 90  
  protocol switching, 240, 241  
fixed VPN, regular links in, 260  
flags  
  in IP header, 108  
  in TCP header, 106  
Flash (Macromedia), 314  
flat-file databases, 299  
flavors of Unix, 32–33  
fonts, in Telnet, 197  
Fookes Software NoteTab, 302  
<FORM> tag (HTML), 310  
forms in HTML, 283, 310–311, 540  
FQDN (fully qualified domain name), 70, 541  
Fragmentation Offset, in IP header, 108  
Frame Relay, 44–46, 45, 540  
  connection speed, 340  
Free Software Foundation, 468  
free token, 36  
frequency division multiplexing (FDM), 14, 540  
FrontPage (Microsoft), 303  
FTP (File Transfer Protocol), 127–128, 540  
  ports for, 110  
FTP proxy, 540  
FTP server, 87–88  
FTP utilities, 187–196  
  graphical FTP utilities, 191, 191–192  
  preventing file corruption, 349  
  Unix FTP, 187–190, 190  
  use, 192–196  
  Windows 95/98/NT FTP, 190, 190–191  
fully-featured development languages, 286–288, 540  
  C/C++, 288, 529  
  Java, 287, 545  
  as virus risk, 433  
  in web pages, 281, 347  
  Visual Basic, 287–288, 573  
fully qualified domain name (FQDN), 70, 541

---

## G

gaming, online, ping flood in, 256  
gateways, 108, 541  
  default, 151, 533  
  and routing, 109–110  
get command (FTP), 188, 195  
GET request method (HTTP), 78  
GIF (Graphics Interchange Format), 315–316, 541  
  Web browser support, 173  
global marketplace, 468–474  
  delivery of goods, 470–473  
  order fulfillment, 470–471  
  payment, 471–473  
  language and communication, 469–470  
  laws, 474  
  tax obligations, 474  
goodwill, 478

Google, 380  
 Gopher, 541  
   ports for, 110  
 gov domain, 70  
 graceful degradation, 357  
 graphical interface  
   for FTP utilities, 191, 191–192  
   for Unix, 33  
 Graphics Interchange Format (GIF), 315–316, 541  
   Web browser support, 173  
 graphics, resolution on web pages, 348  
 ground loop, 12  
 Gzip, 319, 541

---

## H

<H1> tag (HTML), 306  
 <H2> tag (HTML), 306  
 hackers, 253  
   and cookies, 178  
   password detection by, 230  
 "Hard disk not found" error message, 429  
 hard disk space  
   for Internet clients, 144  
   requirements  
     for NetWare 5.1, 32  
     for Red Hat Linux 7.1, 34  
     for Windows 2000 Server, 30  
     for Windows NT Server 4, 29  
 hardware, 9–27  
   bridge, 17–19, 18  
   brouter, 23  
   cabling, 10–15  
     coaxial cable, 11, 11–12  
     fiber-optic cable, 14–15  
     twisted-pair cable, 12–14  
   CSU/DSU (channel service unit/data service unit), 22, 26  
   firewall, 26–27, 27  
   hub, 19, 19–20  
   for Internet clients, 143–145  
     for connections, 145  
     platforms, 144–145  
   modems, 23–25  
     analog modems, 24  
     cable modems, 24–25  
     xDSL modems, 25  
   network adapter, 9, 9–10  
   repeater, 17  
   requirements  
     for NetWare 5.1, 32  
     for Red Hat Linux 7.1, 33–34  
     when upgrading software, 439  
     for Windows 2000 Server, 30–31  
     for Windows NT Server 4, 29–30  
   router, 21–22, 23  
     servers, 15–17  
     protection for, 17  
     switch, 20, 21  
   hardware address, 541  
   hardware loopback, 541  
   hash command (FTP), 189  
   hashing algorithm, 244  
   "Hayes-compatible" command set, 162–164  
   HDSL (High Data Rate Digital Subscriber Line), 41  
   HEAD request method (HTTP), 78  
   <HEAD> tag (HTML), 305  
   header, 541  
   Header Checksum, in IP header, 109  
   helo command (SMTP), 85  
   "Helper application not found" error message, 413  
   heuristic scanning, 430  
   High Data Rate Digital Subscriber Line (HDSL), 41  
   home page in web browser, 171  
     for Internet Explorer, 182–183  
     for Netscape Navigator, 175  
   HomeSite (Allaire), 302, 303  
   hop, 541  
   host, 541  
   Host field, for DNS Configuration, 155  
   host name, in Telnet, 198  
   HOSTS file, 152–153, 541  
   HTML (Hypertext Markup Language), 280, 292, 302–312, 542  
     compatibility with Web browsers, 311–312  
     document structure, 304–312  
       basic elements, 305–306  
       forms, 310–311  
       links, 309–310  
       tables, 307–309  
     editing code, 302  
     malformed, 347–348  
     multimedia in web pages, 312–320  
       browser plug-ins, 314–315  
       file formats, 315–320  
       streaming vs. non-streaming, 312–314  
     problems opening or viewing files, 342–350  
     WYSIWYG editors, 303  
   <HTML> tag (HTML), 305  
   HTTP (Hypertext Transfer Protocol), 127, 542  
     port for, 111  
     requests and responses, 77, 77–79  
   HTTP error isolation, 416–418  
   HTTP proxies, 83  
   hub, 19, 19–20, 542  
   Hughes Technologies, 300  
   Hunt, Craig, *Network Security*, 228  
   hyperlinks in HTML, 309–310  
     broken, 343  
     checking, 401–402  
   Hypertext Preprocessor (PHP), 291, 556  
   Hypertext Transfer Protocol (HTTP), 127, 542. *See also*  
     HTTP (Hypertext Transfer Protocol)

- 
- I**
- IAB (Internet Architecture Board), 63, 543
  - IANA (Internet Assigned Numbers Authority), 71
  - IBM data connector, 542
  - ICANN (Internet Corporation for Assigned Names and Numbers), 72, 113, 543
  - ICMP (Internet Control Message Protocol), 543
  - Identification, in IP header, 108
  - identity theft, 236, 254
  - IEEE (Institute of Electrical and Electronics Engineers), 112, 542
  - IETF (Internet Engineering Task Force), 63, 543
  - ifconfig, 425
  - IHL (Internet Header Length), in IP header, 108
  - image file formats, 315–317
    - EPS (Encapsulated PostScript) files, 317, 538
    - GIF (Graphics Interchange Format), 315–316, 541
      - Web browser support, 173
    - JPEG (Joint Photographic Experts Group) files, 316, 545
    - PNG (Portable Network Graphics), 316–317, 558
    - resolution, 402
    - TIFF (Tagged Image File Format) files, 317, 568
  - IMAP (Internet Mail Access Protocol), 128
  - Inbox in e-mail client, 204
  - incoming phone call, AT command to answer, 163
  - index spiders, 377
  - indexing Web sites. *See* searching and indexing Web sites
  - info domain, 71
  - information
    - access to, 478
    - theft and destruction, 257
  - Inktoni, 369
  - Institute of Electrical and Electronics Engineers (IEEE), 112, 542
  - int domain, 70
  - integrated NIC, 9
  - Integrated Services Digital Network (ISDN), 542
  - Intel 386 architecture, 542
  - intellectual property, 457–468, 542
    - copyright, 458–465
      - fair use, 461–462
      - infringement, 463
      - licensing copyrighted products, 462–463
      - obtaining, 459–460
      - securing, 463
    - open source software, 467–468
    - patents, 465–467
    - in public domain, 459
    - trademarks, 463–465
      - registering, 464
  - interconnectivity, 62
  - internal modem, 24
  - international domains, 71–72
  - International Organization for Standardization (ISO), 543
  - Internet, 543. *See also* HTML (Hypertext Markup Language); Web...
    - communications process, 76–90
      - caching server, 79–81
      - certificate server, 88
      - connecting through firewall, 90
      - directory (LDAP) server, 88–90
      - e-mail (SMTP and POP3), 83–85
      - FTP server, 87–88
      - HTTP requests and responses, 77, 77–79
      - media servers, 87
      - news server, 85–87
      - proxy server, 81–83, 82
    - current state, 63–64
    - Domain Name Services (DNS), 69–75
      - domain organization, 70
      - international domains, 71–72
      - NSLookup, 75
      - obtaining domain name, 74–75
      - U.S. domains, 71
      - using, 72–74
      - what are domains, 70
    - exam essentials, 91–92, 321–322
    - graphical representation, 62
    - history, 62–63
      - as investment, 481
    - layout, 64, 64
      - access points (ISPs), 65–66
      - backbone providers, 68–69
      - WAN connections, 66–68
    - security requirements, 258
    - what it is, 61–64
      - as wide area network, 8
  - Internet appliance, 144–145
  - Internet Architecture Board (IAB), 63, 543
  - Internet Assigned Numbers Authority (IANA), 71
  - Internet bandwidth link types, 37–46, 543
    - point-to-point WAN, 38–42
    - public switched network WAN, 42–46
  - Internet clients, 142
    - exam essentials, 216–217
    - hardware, 143–145
      - for connections, 145
      - platforms, 144–145
    - Internet connection, 160–170
      - dial-up networking connection, 166–170
      - Dial-up Networking software, 165
      - failures, 336–337
      - ISP account, 165–166
      - modems, 161–164
      - operating system, 145–146
    - TCP/IP protocol stack, 146–160
      - IP address configuration, 147–151
      - name resolution, 151–160
      - Winsock compliance, 160
  - Internet clients configuration
    - e-mail clients, 204–215
      - Microsoft Outlook, 205–209, 206
      - Netscape Messenger, 210, 210–214
      - QUALCOMM Eudora, 215, 215

- exam essentials, 216–217
  - FTP utilities, 187–196
    - graphical FTP utilities, 191, 191–192
    - Unix FTP, 187–190, 190
    - use, 192–196
    - Windows 95/98/NT FTP, 190, 190–191
  - News clients, 200–203
  - Telnet, 196–200, 197
  - Web browser, 170–186
    - components, 171–172, 172
    - Internet Explorer, 180–186, 181
    - Netscape Navigator, 173–180
  - Internet commerce, 483–484, 543. *See also* e-commerce
  - Internet content, 61
  - Internet Control Message Protocol (ICMP), 543
  - Internet Control Panel, for Internet Explorer configuration, 182
  - Internet Corporation for Assigned Names and Numbers (ICANN), 72, 113, 543
  - Internet Engineering Task Force (IETF), 63, 543
  - Internet Explorer, 180–186, 181
    - clearing Web cache, 369
    - patches, 437, 438
    - viewing HTML code in, 303
  - Internet-in-a-box, 544
  - Internet layer, 543
  - Internet Mail Access Protocol (IMAP), 128
  - Internet Properties dialog box, 182, 182–186
    - Advanced tab, 184
    - Connection tab, 186
    - General tab, 182
  - Internet Protocol (IP), 106, 107–110, 543
    - gateways and routing, 109–110
    - header, 108
    - version 6, 116
  - Internet Purchasing Roundtable, 473
  - Internet Research Task Force (IRTF), 543
  - Internet Service Provider (ISP), 65–66, 544
  - Internet Services Application Programming Interface (ISAPI), 283
  - Internet2, 69
  - internetwork, 8
  - Internetwork Packet eXchange (IPX), 544
  - Internetwork Packet eXchange/Sequenced Packet eXchange (IPX/SPX), 35, 240
  - intranet, 103, 160
    - as investment, 481
    - and private IP addresses, 113
    - security requirements, 258–259
  - intranet server, 544
  - IntraNetWare, 240
  - intrusion detection utilities, 250, 544
  - inverse multiplexing, 40
  - IP addresses, 111–113, 544
    - ARP utility to resolve duplicate, 422
    - classifications, 114–116, 115
    - configuration for Internet clients, 147–151
    - subnets, 116–118
      - for Class C network, 118–120
  - IP (Internet Protocol), 106, 107–110, 543
    - gateways and routing, 109–110
    - header, 108
    - version 6, 116
  - IP proxy, 544
  - IP spoofing, 238, 544
  - IP version 4 (IPv4), 114
  - ipconfig, 151, 424, 544
  - IPSec (Secure IP), 126, 259
  - Ipswitch Software, WS\_FTP, 191, 191
  - IPX (Internetwork Packet eXchange), 544
  - IPX network address, 544
  - IPX/SPX (Internetwork Packet eXchange/Sequenced Packet eXchange), 35, 240
  - IRTF (Internet Research Task Force), 543
  - ISAPI (Internet Services Application Programming Interface), 283
  - ISDN (Integrated Services Digital Network), 46, 542
    - connection speed, 340
    - for WAN connection, 40–41
  - ISDN terminal adapter, 40, 545
  - ISO (International Organization for Standardization), 543
  - ISP (Internet Service Provider), 65–66, 544
    - account for Internet clients, 165–166
    - Internet connection points and, 364
    - proxy server, 370–371
- 
- ## J
- Java, 287, 545
    - as virus risk, 433
    - in web pages, 281
      - troubleshooting, 347
  - Java Database Connectivity (JDBC), 300
  - Java servlets, 282, 545
  - Java Virtual Machine (JVM), 287, 545
  - JavaBeans, 285, 545
  - JavaScript, 296, 545
    - in web pages, troubleshooting, 347
  - JDBC (Java Database Connectivity), 300
  - joins, 545
  - JPEG (Joint Photographic Experts Group) files, 316, 545
    - Web browser support, 173
  - JScript, 296, 546
  - JVM (Java Virtual Machine), 287, 545
- 
- ## K
- kernel in Unix, 33
  - key and card authentication, 231
  - keys, for encryption systems, 245
  - kilobytes, vs. kilobits, 339

**L**

L2TP (Layer 2 Tunneling Protocol), 126, 546  
 LAN (local area network), 7, 547  
   link types, 34–37  
     Ethernet, 35–36  
     Token Ring, 36–37  
   proxy server, 370, 370  
 LAN driver, 546  
 language, in global marketplace, 469  
 Layer 2 switch, 546  
 Layer 2 Tunneling Protocol (L2TP), 126, 259–260, 546  
 Layer 3 switch, 546  
 lcd command (FTP), 195  
 LCP (Link Control Protocol), 123  
 LDAP (Lightweight Directory Access Protocol), 88–90,  
   129, 546  
 leased lines, 37  
 legacy clients, 441–442  
 licensing, 546  
   copyrighted products, 462–463  
   patented products, 467  
 Lightweight Directory Access Protocol (LDAP), 88–90,  
   129, 546  
 line conditioner, 547  
 Line Printer (LPR) protocol, 547  
 linguistics, for search engines, 380–381  
 Link Control Protocol (LCP), 123  
 link light, 547  
 link state route discovery, 547  
 link state routing, 547  
 links in HTML, 309–310  
   broken, 343  
   checking, 401–402  
 Linux, 547  
   Red Hat 7.1 hardware requirements, 33–34  
 LiveScript, 292, 547  
 LLC (logical link control), 548  
 load-testing software, 404  
 local area network (LAN), 7, 547  
   link types, 34–37  
     Ethernet, 35–36  
     Token Ring, 36–37  
   proxy server, 370, 370  
 local echo in Telnet, 197  
 local loop, 42  
 location bar in web browser, 171, 172  
 locked out account, 231  
 log file, 547  
   for security auditing, 250  
   for web servers, 420–421  
 logical bus topology, 548  
 logical link control (LLC), 548  
 logical network addressing, 548  
 logical network topology, 7  
 logical port address, 548  
 logical ring topology, 548  
 logical topology, 548

lossless algorithm, 316  
 lossy algorithm, 316  
 lowest common denominator policy, 355, 356, 548  
 LPR (Line Printer) protocol, 547  
 ls command (FTP), 188  
 Lynx, 354

**M**

MAC (media access control), 112, 549  
 macro, 548  
 macro viruses, 428–429  
 Macromedia DreamWeaver, 303  
 Macromedia Flash, 314  
 Macromedia Shockwave, 314  
   appropriate use, 352  
 mail bombing, 256  
 mail exchange (MX) record, 73  
 mail flooding, 255–256, 548  
 mail from command (SMTP), 85  
 mail server, 15, 548  
 Make a New Connection Wizard, 168–169  
 MAN (metropolitan area network), 8, 549  
 manual proxy configuration, from Netscape  
   Navigator, 180  
 manufacturer's readme file, 549  
 marketing. *See also* global marketplace  
   new challenges, 479–480  
   online, 474–480  
     advertising, 475–477  
 markup languages, 280  
   client-side, 292–295  
     CSS (Cascading Stylesheets), 293, 530  
     DHTML (Dynamic Hypertext Markup Language),  
       292–293, 536  
     DTD (document type definition), 294, 535  
     HTML (Hypertext Markup Language), 292  
     VRML (Virtual Reality Modeling Language),  
       295, 573  
     WML (Wireless Markup Language), 295, 575  
     XML (eXtensible Markup Language), 294, 539  
     XSL (Extensible Stylesheet Language), 294, 539  
 media access, 37, 549  
 media access control (MAC), 112, 549  
 media servers, 87  
 memory  
   for Internet clients, 143  
   requirements  
     for Red Hat Linux 7.1, 34  
     for Windows 2000 Server, 30  
     for Windows NT Server 4, 30  
   and web server performance, 361  
 memory cache, 367  
 menu bar in web browser, 171, 172  
 mesh topology, 5–6, 549  
 Messenger (Netscape), 210–214  
 meta-aggregator, 486–487, 549

meta information, 549  
 for web searches, 379–380  
 <META> tag (HTML), 379  
 meta tags, 549  
 metropolitan area network (MAN), 8, 549  
 mget command (FTP), 188, 195  
 microprocessor. *See* processor  
 Microsoft  
 antitrust case, 181  
 digital certificate, 236  
 FrontPage, 303  
 JScript, 296  
 Outlook, 205–209, 206  
 Outlook Express Newsreader, 200, 201  
 SQL Server 2002, 300  
 VBScript, 297–298, 347, 573  
 Visual Basic, 287–288, 573  
 WebTV, 144  
 Windows NT/2000, 28–31  
 Word, 549  
 file format, 320  
 mil domain, 70  
 MIME (Multipurpose Internet Mail Extension), 172, 343, 550  
 in Internet Explorer, 183  
 missing types and plug-ins, 346, 413  
 in Netscape Navigator, 175–176  
 Mini SQL, 300  
 mirror web sites, 404, 405  
 "Missing operating system" error message, 429  
 mixed network topology, 6, 6  
 modem initialization commands, 162, 550  
 modems, 23–25, 145, 549  
 analog modems, 24  
 cable modems, 24–25  
 connection speed, 340  
 for Dial-up Networking, 167–168  
 for Internet clients, 161–164  
 xDSL modems, 25  
 monetary gain, as hacker motivation, 252  
 monitor. *See* display  
 Mosaic, 173  
 Motion Picture Experts Group (MPEG) files, 318, 550  
 mouse requirements  
 for NetWare 5.1, 32  
 for Windows 2000 Server, 31  
 for Windows NT Server 4, 30  
 .MOV file extension, 318  
 Mozilla, 173  
 MPEG (Motion Picture Experts Group) files, 318, 550  
 mput command (FTP), 189, 196  
 MS-DOS, batch files, 289  
 MSAU (multistation access unit), 36, 550  
 multimedia, 312–320, 550  
 browser plug-ins, 314–315  
 file formats, 315–320  
 Audio Visual Interlaced, 318  
 BinHex, 319, 527  
 BMP, 317  
 EPS (Encapsulated PostScript) files, 317, 538

GIF (Graphics Interchange Format), 315–316  
 Gzip, 319, 541  
 JPEG (Joint Photographic Experts Group), 316, 545  
 MPEG (Motion Picture Experts Group) files, 318, 550  
 PNG (Portable Network Graphics), 316–317, 558  
 QuickTime, 318, 561  
 Tape Archive, 319  
 TIFF (Tagged Image File Format) files, 317, 568  
 Zip, 318, 576  
 streaming vs. non-streaming, 312–314  
 user interest in, 352  
 multiple server backup, 550  
 multiplexing, 14, 550  
 inverse, 40  
 Multipurpose Internet Mail Extension (MIME). *See* MIME (Multipurpose Internet Mail Extension)  
 multistation access unit (MSAU), 550  
 in Token Ring network, 36  
 museum domain, 71  
 MX (mail exchange) record, 73  
 MySQL, 300

---

## N

NADN (nearest active downstream neighbor), 36, 551  
 name domain, 71  
 name resolution, 70, 550  
 for Internet clients, 151–160  
 DNS (Domain Name Services), 154–157  
 HOSTS file configuration, 152–153  
 WINS (Windows Internet Name Service), 157–160  
 naming conventions document, 551  
 NAPs (Network Access Points), 69, 364  
 NAT (Network Address Translation) server, 16  
 National Center for Supercomputing Applications (NCSA), 171  
 National Computing Security Center (NCSC), 551  
 National Security Agency (NSA), 551  
 nationalism, as hacker motivation, 252  
 native embedded content, in web pages, 280  
 NAUN (nearest active upstream neighbor), 36, 551  
 nbstat (NetBIOS over TCP/IP statistics), 551  
 NCSA (National Center for Supercomputing Applications), 171  
 NCSC (National Computing Security Center), 551  
 nearest active downstream neighbor (NADN), 36, 551  
 nearest active upstream neighbor (NAUN), 36, 551  
 negative advertising, 479  
 net domain, 70  
 NetBEUI (NetBIOS Enhanced User Interface), 35, 551  
 NetBIOS (Network Basic Input Output System), 552  
 NetBIOS over TCP/IP statistics (nbstat), 551  
 Netscape Communicator, 173  
 Netscape Messenger, 210, 210–214  
 receiving message, 213–214, 214  
 sending message, 211, 211–212

## 588 Netscape Navigator – one-way hashing algorithm

- Netscape Navigator, 173–180
    - clearing Web cache, 369
    - patches, 437
    - Preferences window, 174
      - Advanced category, 176, 176
      - Application category, 345
      - Cache category, 368
      - Navigator category, 174, 175
      - viewing HTML code in, 303
  - netstat, 423, 551
  - NetWare (Novell), 31–32, 552
    - IPX/SPX (Internetwork Packet eXchange/Sequenced Packet eXchange) for, 35
  - Network Access Points (NAPs), 69, 364
  - network adapter, 9, 9–10
    - MAC (media access control) address, 112
    - requirements
      - for NetWare 5.1, 32
      - for Red Hat Linux 7.1, 34
      - for Windows 2000 Server, 31
      - for Windows NT Server 4, 30
  - Network Address Translation (NAT) server, 16
  - network analyzers, 426–427, 427
  - Network Basic Input Output System (NetBIOS), 552
  - network-centric, 553
  - network communications protocol, 102
  - network connectivity utilities, 422–427
    - ARP utility, 422
    - ifconfig, 425
    - ipconfig, 424
    - netstat, 423
    - network analyzers, 426–427, 427
    - Ping, 423–424, 557
    - tracert, 425
    - winipcfg, 424
  - Network Control Panel (Windows 95/98), 147
  - network interface card (NIC), 9–10, 552. *See also* network adapter
  - Network layer, 552
  - network media, 552
  - Network News Transfer Protocol (NNTP), 111, 128, 200, 552
  - network operating system (NOS), 26–33, 553
    - Microsoft Windows NT/2000, 28–31
    - Novell Netware, 31–32
    - for servers, 15
    - Unix, 32–33
  - network software, 278–286
    - client-server architecture, 279–284
      - client software, 279–281
      - communications process, 282–283
      - server software, 281–282
    - trends, 284–286
      - distributed computing, 285–286
      - enterprise computing, 284–285
  - Network Time Protocol (NTP), 128
  - networks
    - business case for, 480–482
    - connection speed, 340
    - exam essentials, 47–48
    - topologies, 3, 4, 4–7
      - bus, 5
      - mesh, 5–6
      - mixed, 6, 6
      - physical or logical, 7
      - ring, 5
      - star, 5
    - types, 3, 7–8
      - LAN (local area network), 7. *see also* LAN (local area network)
      - MAN (metropolitan area network), 8, 549
      - WAN (wide area network), 8. *see also* WAN (wide area network)
    - what they are, 3–8
  - NetXRay, 426
  - News clients, 200–203, 202
  - news server, 85–87
  - newsgroup, 86, 553
  - newsreader, 553. *See also* News clients
  - NFS (Network File System), 552
  - NIC (network interface card), 9–10, 552. *See also* network adapter
    - diagnostics, 553
  - NNTP (Network News Transfer Protocol), 128, 200, 552
    - port for, 111
    - "No DNS entry" message, 413
  - noise words, 380
  - non-streaming media, 313, 553
  - non-unicast packet, 553
  - non-Web advertising, 476–477
  - nonrelational databases, 299
  - nonrepudiation technologies, 235, 553
  - NOS. *See* network operating system
  - Notepad, 302
  - NoteTab (Fookes Software), 302
  - Novell Netware, 31–32, 552
  - NSA (National Security Agency), 551
  - NSF (National Science Foundation), 63
  - NSFnet, 63
  - NSLookup, 75, 553
  - NTP (Network Time Protocol), 128
- 
- ## O
- OBI (Open Buying on the Internet), 473, 554
  - object-oriented programming, 288
  - objects, 89
  - OC (Optical Carrier) channel, 42
    - connection speed, 340
  - octet, 112
  - ODBC (Open Database Connectivity), 300
  - ODI (Open Datalink Interface), 554
  - offset information, in TCP header, 106
  - on-access scan, 433–434, 554
  - on-demand scan, 432–433, 554
  - one-way encryption scheme, 246, 554
  - one-way hashing algorithm, 232, 554

online marketing, 474–480  
 advertising, 475–477  
 free information, 478  
 partnerships, 477  
 Open Buying on the Internet (OBI), 473, 554  
 open command (FTP), 188  
 Open Database Connectivity (ODBC), 300  
 Open Datalink Interface (ODI), 554  
 open source software, 467–468, 554  
 Open Trading Protocol (OTP), 473, 554  
 OpenLinux, 554  
 operating system. *See also* network operating system (NOS)  
 attacks on weaknesses, 255  
 impact on Web content options, 355  
 for Internet clients, 145–146  
 and maximum memory, 143  
 shell scripting language in, 289–290  
 Optical Carrier (OC) channel, 42  
 options, in TCP header, 107  
 Oracle, 300, 555  
 Orange Book, 555  
 org domain, 70  
 Organizationally Unique Identifier (OUI), 112  
 OSI (Open Systems Interconnection), 554  
 Osterhout, John, 290  
 OTP (Open Trading Protocol), 473, 554  
 OUI (Organizationally Unique Identifier), 112  
 out-of-band management port, 22  
 Outbox, in e-mail client, 205  
 Outlook (Microsoft), 205–209, 206  
 overload attack, 555  
 oversampling, 555

---

## P

<P> tag (HTML), 306  
 packet filtering, dynamic, 238–239, 239, 536  
 packet switching, 555  
 packets, 555  
   netstat to view statistics, 423  
   tracing route of, 425  
 padding, in TCP header, 107  
 PAP (Password Authentication Protocol), 123  
 parallel port, for network adapter, 10  
 parallel processing, 285, 555  
 partnerships, 477  
 passive caching, 80, 80  
 passive detection, 555  
 passive hub, 20  
 password, 230–231, 555  
   for web site access, 349  
 Password Authentication Protocol (PAP), 123  
 patch, 255, 434–438, 555  
 patch cable, 555  
 patch panel, 555  
 "patent pending" status, 466  
 patents, 465–467, 556  
 pause, in AT command, 164

PC card slot, for network adapter, 10  
 .pdf files, 320, 525  
 peer-to-peer network, 556  
 performance  
   estimating speed of Web site, 337–342  
   impact on content options, 353  
   of legacy clients, 442  
   reverse proxies to increase, 374–375  
 performance theory, 359–360  
 Perl (Practical Extraction and Reporting Language), 290, 559  
 permanent virtual circuits (PVCs), 45, 556  
 permissions  
   in troubleshooting web servers, 419–420  
   to use copyrighted materials, 462–463  
   for web servers, 350  
 personal computer, as Internet client, 144  
 PGP (Pretty Good Privacy), 248, 559  
 PHP (Hypertext Preprocessor), 291, 556  
 physical bus topology, 556  
 Physical layer, 556  
 physical mesh topology, 556  
 physical network topology, 7  
 physical parallel port, 556  
 physical port, 556  
 physical ring topology, 557  
 physical star topology, 557  
 physical topology, 557  
 Ping, 423–424, 557  
 Ping attacks, 256  
 ping flood, 256, 557  
 Ping of Death, 240, 256, 557  
 pixels per inch (ppi), 348, 557  
 PKZIP, 318  
 Plain Old Telephone Service (POTS), 42, 43, 557  
   cabling for, 13  
 platform independence, 287  
 plenum-rated coating, 557  
   for cabling, 11  
 plug-ins, 557  
   missing, 346  
   in web pages, 281, 314–315  
 PNG (Portable Network Graphics), 316–317, 558  
 point-to-point, 558  
 Point-to-Point over Ethernet (PPPoE), 126, 558  
 Point-to-Point Protocol (PPP), 123–124  
 Point-to-Point Tunneling Protocol (PPTP), 124–126, 125, 558  
 point-to-point WAN connections, 38–42  
   ATM (asynchronous transfer modem), 39–40, 46, 525  
   DDS/56Kbps, 38, 533  
   ISDN, 40–41, 46, 340  
   Sonet, 41–42  
   T1/E1, 39  
   T3/E3, 39, 568  
   xDSL, 41, 247, 575  
 politics, as hacker motivation, 252  
 polling, 558  
 POP3 (Post Office Protocol version 3), 85, 128, 558  
 port for, 111

## 590 popularity of web sites, and search engine results – quality assurance

- popularity of web sites, and search engine results, 380
- Portable Network Graphics (PNG), 316–317, 558
- portals, 472, 558
- ports, 558
  - preventing access to, 90
  - for routers, 22
  - in TCP/IP, 110–111
  - for Telnet, 110, 198
  - for web servers, 110
- Post Office Protocol version 3 (POP3), 85, 128, 558
- posting to newsgroups, 203, 204
- PostScript, 558
- POTS (Plain Old Telephone Service), 42, 43, 557
  - cabling for, 13
- power blackout, 559
- power brownout, 559
- power outage, 559
- power sag, 559
- power spike, 559
- power surge, 559
- power underage, 559
- ppi (pixels per inch), 348, 557
- PPP (Point-to-Point Protocol), 123–124
- PPPoE (Point-to-Point over Ethernet), 126, 558
- PPTP (Point-to-Point Tunneling Protocol), 124–126, 125, 558
- Practical Extraction and Reporting Language (Perl), 290, 559
- preferences for web browser, 171
- Presentation layer, 559
- Pretty Good Privacy (PGP), 248, 559
- print server, 15, 560
- print services, 560
- private IP addresses, intranet and, 113
- private key, 560
  - for digital certificate, 234
- private key encryption, 245–246, 560
- private testing area for web sites, 396–398
- pro domain, 71
- proactive defense, 560
- processor
  - for Internet clients, 143
  - requirements
    - for NetWare 5.1, 32
    - for Red Hat Linux 7.1, 33
    - for Windows 2000 Server, 30
    - for Windows NT Server 4, 29
- profile, 560
- programming languages, 286–298, 560
  - client-side markup languages, 292–295
    - CSS (Cascading Stylesheets), 293, 530
    - DHTML (Dynamic Hypertext Markup Language), 292–293, 536
    - DTD (document type definition), 294, 535
    - HTML (Hypertext Markup Language), 292. *see also* HTML (Hypertext Markup Language)
    - VRML (Virtual Reality Modeling Language), 295, 573
    - WML (Wireless Markup Language), 295, 575
    - XML (eXtensible Markup Language), 294, 539
    - XSL (Extensible Stylesheet Language), 294, 539
  - client-side scripting languages, 295–298
    - JavaScript and JScript, 296, 545
    - VBScript, 297–298, 347, 573
  - full-featured development languages, 286–288
    - C/C++, 288, 529
    - Java, 281, 287, 347, 433, 545
    - Visual Basic, 287–288, 573
  - scripting languages, 289–291
    - Perl (Practical Extraction and Reporting Language), 290, 559
      - shell scripting language, 289–290, 565
      - Tcl (Tool Command Language), 290–291, 570
    - server-side scripting languages, 291–292
      - ASP (Active Server Pages), 292, 524
      - LiveScript, 292, 547
      - PHP (Hypertext Preprocessor), 291, 556
  - progressive GIF files, 316
  - prompt command (FTP), 189
  - protocol analyzer, 560
  - Protocol information, in IP header, 109
  - protocol stack, 34
  - protocol suite, 34
  - protocol switching, 240, 241
  - protocols, 34, 102, 560
  - proxy, 560
    - proxy cache server, 560
    - proxy caching, 369–373
      - ISP proxy servers, 370–371
      - LAN-based, 370
      - problems, 372–373
      - regional, 371, 372
  - proxy server, 15, 243–244, 244, 561
    - in Internet communications process, 81–83, 82
    - Internet Explorer settings for, 185–186
    - Netscape Navigator settings for, 179, 179
  - PSTN (public switched telephone network), 42–44, 43, 561
  - public domain, 459
  - public domain software, 467, 561
  - public-domain work, 561
  - public key encryption, 245, 246–247, 247, 561
  - public key, for digital certificate, 234
  - public key/private key cryptography, 88
  - public switched network WAN, 42–46
  - public switched telephone network (PSTN), 42–44, 43, 561
  - pull technologies, 475
  - pulse-dialed phone number, AT command to dial, 162
  - push technologies, 475
  - put command (FTP), 188, 196
  - PUT request method (HTTP), 78
  - PVCs (permanent virtual circuits), 45, 556

---

## Q

- QoS (Quality of Service), 561
- quad decimal IP address, 112
- QUALCOMM Eudora, 215, 215
- quality assurance, 398

quality assurance tests, **401–404**  
 link checking, **401–402**  
 storyboard and appearance checking, **402**  
 Quality of Service (QoS), **561**  
 queries (SQL), **301**  
 queue of web requests, **359–360**  
 QuickTime, **318, 561**  
 QuickTime VR, **315**  
 quit command (FTP), **189, 196**

---

## R

radio frequency interference (RFI), **561**  
 RAM. *See* memory  
 reading newsgroup posts, **202**  
 RealJukebox, **436**  
 RealPlayer, **314, 315**  
 receiving message  
   in Microsoft Outlook, **208, 209**  
   in Netscape Messenger, **213, 213–214**  
 recpt to command (SMTP), **85**  
 Red Book, **561**  
 Red Hat Linux 7.1, hardware requirements, **33–34**  
 reduced instruction set computing (RISC), **561**  
 redundancy, **62**  
 regeneration, **562**  
 regional proxy caching, **371, 372**  
 registered copyright, **460**  
 registering patents, **465–466**  
 registering trademarks, **464**  
 registrar, **72**  
 relational databases, **299**  
 remote access. *See also* Telnet  
 remote access protocols, **122–126**  
   Layer 2 Tunneling Protocol (L2TP), **126, 546**  
   Point-to-Point over Ethernet (PPPoE), **126, 558**  
   Point-to-Point Protocol (PPP), **123–124**  
   Point-to-Point Tunneling Protocol (PPTP), **124–126, 125, 558**  
   Serial Line Interface Protocol (SLIP), **122–123, 564**  
 remote access server, **15, 562**  
 remote administration, port numbers for, **110**  
 remote management, **253**  
 repeater, **17, 562**  
 report, **562**  
   from SQL, **301**  
 reserved information, in TCP header, **106**  
 resources, sharing, **3**  
 response code, **562**  
 retinal scanning, **232**  
 reverse index searches, **378**  
 reverse proxies, **373, 373–375**  
 RFI (radio frequency interference), **561**  
 RG grading for cable, **11**  
 Rich Text Format (RTF), **320, 562**  
 ring topology, **5, 562**  
 RIP (Routing Information Protocol), **562**  
 RISC (reduced instruction set computing), **561**

RJ connectors, **13, 562**  
 roaming users, security requirements, **260**  
 Roelofs, Greg, **317**  
 router, **21–22, 23, 562**  
   on Internet, **67–68, 68**  
 routing, **109–110, 563**  
   Internet Protocol (IP) and, **107**  
 Routing Information Protocol (RIP), **562**  
 routing information table, **563**  
 RSA Data Security, Inc., **563**  
 RTF (Rich Text Format), **320, 562**  
 rumor mill, **479–480**

---

## S

S-HTTP (Secure Hypertext Transfer Protocol), **563**  
 S/MIME (Secure Multipurpose Internet Mail Extensions), **249, 563**  
 SAM (Security Accounts Manager), **564**  
 SAP, **285**  
 screened subnet, **26**  
 scripting languages, **280, 289–291, 563**  
   client-side, **295–298**  
     JavaScript and JScript, **296, 545**  
     VBScript, **297–298, 347, 573**  
   Perl (Practical Extraction and Reporting Language), **290, 559**  
   server-side, **282, 291–292**  
     ASP (Active Server Pages), **292, 524**  
     LiveScript, **292, 547**  
     PHP (Hypertext Preprocessor), **291, 556**  
   shell scripting language, **289–290, 565**  
   Tcl (Tool Command Language), **290–291, 570**  
 SDSL (Single Line Digital Subscriber Line), **41**  
 search engines, **563**  
   false hits, **379**  
   notice of Web site by major, **381–382**  
   results based on site popularity, **380**  
 searching and indexing Web sites, **375–382**  
   advanced searches, **379–380**  
   linguistics, **380–381**  
   reverse index searches, **378**  
   search syntax, **377**  
   site maps, **376**  
 Secure Electronic Transactions (SET), **249, 472, 563**  
 Secure Multipurpose Internet Mail Extensions (S/MIME), **249, 563**  
 Secure Sockets Layer (SSL), **88, 248–249, 564**  
 security  
   access control, **236–244. See also** firewalls  
   auditing, **250**  
   authentication, **229–235**  
     biometric authentication, **231–232**  
     digital certificate, **88, 234–235, 534**  
     digital signature, **232–233, 249, 534**  
     key and card authentication, **231**  
     password authentication, **230–231, 555**  
   for CGI, **283**

## 592 Security Accounts Manager (SAM) – state list

- encryption, 244–249
  - political restrictions, 247–248
  - private key, 245–246, 560
  - public key, 246–247, 247, 561
  - technologies, 248–249
- exam essentials, 262–263
- identifying requirements, 257–261
  - for extranet security, 259
  - for Internet security, 258
  - for intranet security, 258–259
  - regular links in fixed VPN, 260
  - variable links to roaming users, 260
  - for virtual private network, 259–260
- proxy server, 243–244, 244
- for servers, 16
- suspicious activities and attacks, 251–257
  - attack types, 253–257
  - attackers' motivations, 251–252
  - information theft and destruction, 257
  - and web site access, 349–350
- Security Accounts Manager (SAM), 564
- security log, 564
- segments, 5, 564
- Select Network Component Type dialog box (Windows 95/98), 148
- Select Network Protocol dialog box (Windows 95/98), 148
- SELECT statement (SQL), 301
- sending message
  - in Microsoft Outlook, 207–208
  - in Netscape Messenger, 211–212, 212
- sequence number, in TCP, 106
- Serial Line Interface Protocol (SLIP), 122–123, 564
- server configuration documents, 564
- server extension, 282, 564
- server hosting, 65
- server log file, 564
- "server not responding" message, 413
- "Server returned an invalid or unrecognized response" message, 414
- server-side scripting languages, 282, 291–292, 564
  - ASP (Active Server Pages), 292, 524
  - LiveScript, 292, 547
  - PHP (Hypertext Preprocessor), 291, 556
- servers, 15–17, 564
  - for databases, 299–300
  - protection for, 17
  - software for web publishing, 281–282
- service agreements, to prevent server downtime, 363
- service packs, 434. *See also* patch
- servicemark, 463, 565
- Session layer, 565
- SET (Secure Electronic Transactions), 249, 472, 563
- share-level security, 565
- shared services, cable Internet services as, 25
- shell in Unix, 33
- shell scripting language, 289–290, 565
- shielded twisted-pair (STP), 12, 565
- Shockwave (Macromedia), 314, 352
- signal bounce, 11–12
- Signal channel in ISDN, 40
- signal encoding, 565
- signaling, 565
- Simple Mail Transfer Protocol (SMTP), 84–85, 128, 565
- Simple Network Management Protocol (SNMP), 565
- SimpleText, 302
- Single Line Digital Subscriber Line (SDSL), 41
- site maps, 376
- Skipjack, 565
- "slash x" networks, 121
- SLIP (Serial Line Interface Protocol), 122–123, 564
- SMTP (Simple Mail Transfer Protocol), 84–85, 128, 565
  - ports for, 110
- SNA (Systems Network Architecture), 35
- SNMP (Simple Network Management Protocol), 565
- social engineering, 253, 566
- sockets, in TCP/IP, 110–111
- software
  - attacks on weaknesses, 255
  - licensing, 462
- software for networks, 28–46
  - antivirus software
    - decision to run, 431
    - scanning for viruses, 432–434
    - updating, 429–431
  - Internet bandwidth link types, 37–46
    - point-to-point WAN, 38–42
    - public switched network WAN, 42–46
  - local area network (LAN) link types, 34–37
    - Ethernet, 35–36
    - Token Ring, 36–37
  - operating system, 26–33
    - Microsoft Windows NT/2000, 28–31, 574
    - Novell NetWare, 31–32, 552
    - Unix, 32–33. *see also* Unix
  - protocols, 34
- Solaris, 566
- SONET (Synchronous Optical Network), 41–42
- SOP (standard operating procedure), 566
- source address, 566
- source port number, 106, 110
- spam, 255–256, 475, 566
- spamming, 566
- speed for Web site
  - estimating, 337–342
  - impact on content options, 353
  - reverse proxies to increase, 374–375
- splitter, 41
- SPS (Standby Power Supply), 566
- SPX (Sequenced Packet eXchange), 564
- SQL (Structured Query Language), 301, 567
- Squid, 369
- SSL (Secure Sockets Layer), 88, 248–249, 564
- staging servers, 397
- standard operating procedure (SOP), 566
- Standby Power Supply (SPS), 566
- star-bus network topology, 6, 6
- star network topology, 5
- star-ring network topology, 6
- star topology, 567
- state list, 239

static entry, 567  
 static IP address, 149  
 static routing, 567  
 status bar in web browser, 171, 172  
 stemming, 381  
 stop words, 380  
 storefront vs. e-business, 483  
 storyboard, 400–401, 402  
 STP (shielded twisted-pair), 12  
 streaming media, 87, 313–314, 567  
 Structured Query Language (SQL), 301, 567  
 stylesheets  
   Extensible Stylesheet Language (XSL) for, 294, 539  
   for Web pages, 293  
 subdomains, 567  
 subnet address, 113  
 subnet mask, 117, 567  
   for Class C network, 118–120  
   for Internet clients, 151  
 subnets, 116–118  
 subnetwork, 567  
 surge protector, 567  
 switch, 20, 21  
   in PSTN, 43  
 Switchboard, 89  
 switching hub, 567  
 Sybase, 300  
 symmetric encryption, 245  
 SYN flood, 240, 256–257, 567  
 Synchronous Optical Network (SONET), for WAN connection, 41–42  
 system log, 568  
 Systems Network Architecture (SNA), 35

---

## T

T-series connections, 572  
 T1/E1, 46, 568  
   connection speed, 340  
   for WAN connection, 39  
 T3/E3, 568, 46  
   for WAN connection, 39  
 <TABLE> tag (HTML), 307  
 tables in HTML, 307–309  
 Tagged Image File Format (TIFF) files, 317, 568  
 tags in HTML, 304, 568  
   attributes, 307–308  
   nonstandard, 347  
 Tape Archive, 319  
 tar, 568  
 target market, 474  
 Tcl (Tool Command Language), 290–291, 570  
 TCP (Transmission Control Protocol), 105–107, 571  
   header, 106  
   port 80, 79  
 TCP Header, in IP header, 109

TCP/IP (Transmission Control Protocol/Internet Protocol), 34, 102–111, 571  
   benefits, 105  
   design goals, 104  
   development, 63  
   exam essentials, 130–132  
   FTP (File Transfer Protocol), 127–128. *See also* FTP (File Transfer Protocol)  
   graphic display of protocols, 129  
   history, 103  
   HTTP (Hypertext Transfer Protocol), 127. *See also* HTTP (Hypertext Transfer Protocol)  
   Internet Protocol (IP), 107–110, 543  
     gateways and routing, 109–110  
     header, 108  
     version 6, 116  
   IP address, 111–113, 544  
   LDAP (Lightweight Directory Access Protocol), 88–90, 129, 546  
   netstat to view connections, 423  
   NNTP (Network News Transfer Protocol), 111, 128, 200, 552  
   POP3 (Post Office Protocol version 3), 85, 128, 558  
   ports and sockets, 110–111  
   remote access protocols, 122–126  
     Layer 2 Tunneling Protocol (L2TP), 126, 546  
     Point-to-Point over Ethernet (PPPoE), 126, 558  
     Point-to-Point Protocol (PPP), 123–124  
     Point-to-Point Tunneling Protocol (PPTP), 125, 124–126, 558  
     Serial Line Interface Protocol (SLIP), 122–123, 564  
   SMTP (Simple Mail Transfer Protocol), 84–85, 128, 565  
   subnets, 116–118  
     for Class C network, 118–120  
   Telnet, 110, 129, 196–200, 197, 568  
 TCP/IP Properties dialog box (Windows 95/98)  
   DNS Configuration tab, 154, 154–155  
   IP address tab, 150  
   WINS Configuration tab, 157–158, 158  
 TCP/IP protocol stack  
   for Internet clients, 146–160  
     IP address configuration, 147–151  
     name resolution, 151–160  
     Winsock compliance, 160  
 TCSEC (Trusted Computer System Evaluation Criteria), 571  
 T.C.X DataKonsult, 300  
 <TD> tag (HTML), 307  
 TDM (time division multiplexing), 14, 569  
 TDR (time-domain reflectometer), 569  
 telecommuting, 261  
 telephony server, 15, 568  
 Telnet, 129, 196–200, 197, 568  
   ports for, 110  
 template, 569  
 Terminal client. *See* Telnet  
 terminal emulator, 569  
 terminator, 12, 569  
 test account, 569

## 594 testing methodology – UTP (unshielded twisted-pair)

testing methodology  
  development, 395–398  
  in troubleshooting, 409

text editor  
  to change HOSTS file, 153  
  for HTML documents, 302

text file formats, 319–320

TFTP (Trivial File Transfer Protocol), 571

Thick Ethernet, 11

thicknet, 11

Thin Ethernet, 11

thinnet, 11

threads of web server, 359

three-homed firewall, 243, 569

TIFF (Tagged Image File Format) files, 317, 568

tilde (~), 76

time division multiplexing (TDM), 14, 569

time-domain reflectometer (TDR), 569

time to live (TTL), 569  
  in IP header, 108

<TITLE> tag (HTML), 306

Tk, 569

TNIEG (Trusted Network Interpretation Environmental Guideline), 571

token passing, 570

Token Ring networks, 5, 36–37, 570  
  cabling for, 13

tone-dialed phone number, AT command to dial, 162

tone generator, 570

tone locator, 570

Tool Command Language (Tcl), 290–291, 570

top-level domains, 70

topology, 570

TOS (Type of Service), in IP header, 108

Total Length, in IP header, 108

<TR> tag (HTML), 307

tracert, 425, 570

trademarks, 463–465, 570  
  registering, 464

trailer, 570

transceivers, 570

transient, 571

translating web sites, 469

Transmission Control Protocol/Internet Protocol (TCP/IP).  
  *See* TCP/IP (Transmission Control Protocol/Internet Protocol)

Transmission Control Protocol (TCP), 105–107, 571  
  header, 106

transmission media, 571

transmission time, 571  
  for Web pages, 339

transparent GIF, 316

Transport layer, 571

Trivial File Transfer Protocol (TFTP), 571

trojan horses, 178, 433

troubleshooting. *See also* Web site troubleshooting  
  duplicate characters in Telnet, 197  
  misconfigured MIME-types, 346

Trusted Computer System Evaluation Criteria (TCSEC), 571

Trusted Network Interpretation Environmental Guideline (TNIEG), 571

TTL (time to live), 108, 569

tunneling protocol, 260

twisted-pair cable, 12–14, 572

.TXT file extension, 319

---

## U

UCAID (University Corporation for Advanced Internet Development), 69

UDP (User Datagram Protocol), 79, 573

Unicode character set, 469

Uniform Resource Locator (URL), 75–76, 572  
  submission to search engines, 381

uninterruptible power supply (UPS), 572

United States Copyright Office, 460, 461

United States Patent and Trademark Office, 464, 466

University Corporation for Advanced Internet Development (UCAID), 69

University of California, Berkeley, 103

Unix, 32–33, 572  
  Berkeley version, 103  
  FTP, 187–190, 190  
  shell scripting language, 289

unshielded twisted-pair (UTP), 12, 13, 572

up-sell, 484

updates, 434. *See also* patch

upgrading software, 439–441  
  changing vendors, 440–441  
  to new version, 439–440

uploading files. *See* FTP utilities

UPS (uninterruptible power supply), 572

upselling, 572

upstream provider, 67

urgent pointer, in TCP header, 106

URL (Uniform Resource Locator), 75–76, 572  
  submission to search engines, 381

U.S. domains, 71

User Datagram Protocol (UDP), 79, 573

user-level security, 573

users  
  errors by, 408  
  feedback from, 419  
  problem descriptions by, 406  
  software monitoring of, 436  
  training in software upgrade, 441  
  web page content appropriateness, 351–358  
    multimedia, 352  
  Web page requests  
    bandwidth bottlenecks, 339  
    limits on waiting for download, 337  
    stages, 338  
    theoretical and practical download speeds, 340–342  
    transmission time, 339

utilization rate in queue theory, 360

UTP (unshielded twisted-pair), 12, 13

**V**

VBScript, 297–298, 347, 573  
 VDSL (Very High Data Rate Digital Subscriber Line), 41  
 vendors  
   changing during software upgrade, 440–441  
   for network adapters, 10  
 version conflict, 573  
 version field, in IP header, 108  
 Very High Data Rate Digital Subscriber Line (VDSL), 41  
 video  
   file formats, 317–318  
   from media servers, 87  
 "Viewer not found" error message, 413  
 virtual private network (VPN), 124, 573  
   as investment, 482  
   regular links in fixed, 260  
   security requirements, 259–260  
 virtual RAM, and web server performance, 361  
 Virtual Reality Modeling Language (VRML), 295, 573  
 virus, 253, 573  
   clearing system of, 433  
   from newsgroups, 87  
 virus engine, 573  
 virus protection, 428–434  
   scanning for viruses, 432–434  
   updating antivirus software components, 429–431  
   virus types, 428–429  
 Visual Basic, 287–288, 573  
 voiceprints, for authentication, 232  
 volume, 573  
 VPN (virtual private network), 124, 573  
   as investment, 482  
   security requirements, 259–260  
 VRML (Virtual Reality Modeling Language), 295, 573  
 VT100 arrows, in Telnet, 197

**W**

Wall, Larry, 290  
 WAN (wide area network), 8, 574  
   in Internet, 66–69  
   point-to-point, 38–42, 46  
     ATM (asynchronous transfer modem), 39–40, 46, 525  
     DDS/56Kbps, 38, 533  
     ISDN, 40–41, 46, 340  
     Sonet, 41–42  
     T1/E1, 568, 39  
     T3/E3, 568, 39  
     xDSL, 41, 247, 575  
   public switched network, 42–46  
     Frame Relay, 44–46, 45, 340, 540  
     PSTN, 42–44, 43, 561  
     X.25, 44, 575

Web browsers, 170–186  
   bugs, 437–438  
   caching, 367–369  
   client error codes, 411–416  
     browser functionality errors, 413  
     connectivity errors, 413–414  
     HTTP response codes, 415–416  
   components, 171–172, 172  
   error messages from, 336  
   file recognition by, 343–344  
     as FTP utility, 191, 192  
   HTML compatibility with, 311–312  
   HTTP request by, 78  
   impact on content options, 353  
   Internet Explorer, 180–186, 181  
   Netscape Navigator, 173–180  
   and user verification, 402  
   viewing HTML code in, 303  
   web page configuration for specific, 347  
 Web resources  
   on browser features, 353  
   on copyleft, 468  
   copyright forms, 460  
   on database server software, 300  
   FAQ on copyright, 459  
   FAQ on patents, 465  
   FAQ on trademarks, 464  
   on LDAP, 89  
   List of ISPs, 66  
   on Microsoft antitrust case, 181  
   for obtaining domain name, 74–75  
   on Perl, 290  
   on prioritization by search engines, 382  
   on streaming media, 314  
   on Tcl, 291  
   testing download times, 342  
   for text editors, 302  
   on XML, DTD, WML and XSL, 295  
 web servers, 15, 574  
   copying files between, 398  
   permissions for, 350  
   planning, 358–363  
     for performance, 358–361  
   ports for, 110  
   problems, 418–421  
     log file, 420–421  
     permissions, 419–420  
     request fulfilment, 419  
   redundancy, 361–363  
   response to requests, 419  
   for testing sites, 397  
 Web site development. *See also* HTML (Hypertext Markup Language)  
   exam essentials, 383–384  
   functionality issues, 335–350  
     connectivity failure, 336–337  
     download and view time, 337–342  
     problems opening or viewing files, 342–350  
   language translations, 469

## 596 Web site troubleshooting – Xerox Corporation

- searching and indexing, 375–382
  - advanced searches, 379–380
  - linguistics, 380–381
  - major search engine notice of site, 381–382
  - reverse index searches, 378
  - search syntax, 377
  - site maps, 376
- technology and content planning, 350–364
  - audience-appropriate media, 351–358
  - content-technology policies, 354–358
  - planning back-end service, 358–363
- Web site troubleshooting. *See also* virus protection
  - CGI errors and file corruption, 403
  - client error codes, 411–416
    - browser functionality errors, 413
    - connectivity errors, 413–414
    - HTTP response codes, 415–416
  - exam essentials, 445
  - HTTP error isolation, 416–418
  - legacy clients, 441–442
  - network connectivity utilities, 422–427
    - ARP utility, 422
    - ifconfig, 425
    - ipconfig, 424
    - netstat, 423
    - network analyzers, 426–427, 427
    - Ping, 423–424
    - tracert, 425
    - winipcfg, 424
  - policy-compliant pages, 403–404
  - pre-rollout testing, 394–398
    - methodology development, 395–398
  - quality assurance tests, 401–404
    - link checking, 401–402
    - storyboard and appearance checking, 402
  - server and increased loads, 404–406
  - server problems, 418–421
    - log file, 420–421
    - permissions, 419–420
    - request fulfillment, 419
  - software patches, 434–438
    - for browsers and e-mail clients, 437–438
    - desktop security, 436
    - encryption levels, 436–437
    - necessity, 435
    - sources for, 435
  - steps, 406–410
    1. problem identification, 407
    2. problem re-creation, 407–408
    3. cause isolation, 408–409
    4. correction formulation, 409
    5. correction implementation, 409
    6. solution testing, 409
    7. documentation, 410
    8. feedback, 410
  - storyboard, 400–401
  - tips, 410
  - upgrade issues, 439–441
    - changing vendors, 440–441
    - to new version, 439–440
  - webring, 574
  - webring banner ads, 476
  - WebTV (Microsoft), 144
  - well-known port numbers, 110–111
  - wide area network (WAN), 8, 574
    - in Internet, 66–69
      - point-to-point, 38–42
      - public switched network, 42–46
  - Wilson WindowWare WinEdit, 302
  - Win16 application, 574
  - Win32 application, 574
  - window in web browser, 171, 172
  - window information, in TCP header, 106
  - Windows 3.1, Y2K (Year 2000) patches, 441
  - Windows 95/98 Internet clients
    - Dial-up Networking software, 165
      - script, 166, 166–170
    - FTP, 190, 190–191
    - IP address configuration, 147–151
    - name resolution, 151–160
    - Telnet, 197, 197–200
    - Winsock compliance, 160
  - Windows 95/98, shell scripting language, 289
  - Windows Internet Name Service (WINS), 574
    - for Internet clients, 157–160
  - Windows Media Player, 314, 315
  - Windows NT/2000 (Microsoft), 28–31, 574
    - WINS (Windows Internet Name Service) for, 157–160
  - Windows Script Host (WSH), 289
  - Windows XP, 574
  - WinEdit (Wilson WindowWare), 302
  - winipcfg, 151, 424, 575
  - WinNuke, 575
  - WINS (Windows Internet Name Service), 574
    - for Internet clients, 157–160
  - Winsock compliance, for Internet clients, 160
  - Winsock proxies, 83
  - Winzip, 318
  - Wireless Markup Language (WML), 295, 575
  - WordPad, 302
  - work-made-for-hire agreement, 463, 575
  - workgroups, 7, 575
  - World Wide Web (WWW), 575
  - worms, 575
  - WS\_FTP (Ipswitch Software), 191, 191
  - WSH (Windows Script Host), 289

---

## X

- X Windows, 32, 575
- X.25, 575, 44
- X.500 directory naming scheme, 89
- xDSL, 575
  - and hacker access to private key, 247
  - for WAN connection, 41
- xDSL modems, 25
- Xerox Corporation, 35

XML (eXtensible Markup Language), 294, 539  
XSL (Extensible Stylesheet Language), 294, 539

---

## **Y**

Y2K (Year 2000) patches, 441

---

## **Z**

Zimmermann, Philip R., 248