

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- Abs function, 109
- abstract base classes, 346
- abstraction, **313**
- accent-sensitive strings, 600
- AcceptButton property, **57**
- AcceptChanges method, 653
- AcceptsReturn property, 216
- AcceptsTab property, 216
- Access database files with Database Explorer, 595
- access keys, **77–78, 78**
- access modifiers, 88, 99, 348
- action queries, 576, **587**
 - DELETE, **587–588**
 - INSERT, **588**
 - UPDATE, **588–589**
- Activate method, 460
- Activated event, 67
- activating hyperlinks, **189**
- Activation property, **281**
- active printers, 513
- ActiveDocument object, 460
- ActiveLinkColor property, 187
- ActiveX controls, 351
- ActiveX Data Objects (ADO), 615
- Ad Hoc Remote Queries feature, **667–668**
- Add Connection dialog box, 594–596, *594*, 663
- Add Item buttons, **204–205**
- Add method
 - ArrayList, **150–152**
 - Columns, **283**
 - Documents, 457, 459, 461
 - HashTable, 155
 - Images, 269
 - Items, **286**
 - List, **200–201**
 - Nodes, **274–275**
 - Schemas, 444
 - TabPage, 304
 - Worksheets, 477–478
 - XML, 442
- Add New Item dialog box
 - for FocusedTextBox controls, 354
 - for forms, 48, 621
 - for modules, 70
- Add New Table command, 601
- Add Reference dialog box, 456
- Add Table dialog box, 607–609, *608*, 624
- Add Web Reference dialog box, 684–686, *685–686*
- Added DataRow state, 650
- AddElement subroutine, 210–211
- AddExtension property, 254
- AddNamedColors subroutine, 361
- AddProductsRow method, 654
- AddRange method, 152
- AddressBook application, **446–454, 446**
- ADO (ActiveX Data Objects), 615
- ADO.NET, 565
 - architecture, **615–617**
 - Connection and DataAdapter controls, **631–632, 632**
 - DataSet controls
 - DataSets application, **638–641, 639–640**
 - navigating, **637–638**
 - structure, **636–637**
 - updating, **642**
 - EditShippers application, **632–636, 633–635**
 - transactions, **642–643**
 - creating, **646–648**
 - Order Details table, **645–646**
 - Orders table, **643–645**
 - update operations
 - DataEntry application, **651–655, 651**
 - performing, **648–651**
- Advanced Options dialog box, 649
- Age property, 328–330
- AgeGroup enumeration, 336–337
- aggregate functions, **582–583, 586**
- Alias application, **662–663, 663–664**

- Alias - New dialog box, 661, 661
- aliases, 661–662, 661–662
- Alignment property
 - Label3D, 365–368
 - ListView, 280–281
- All Windows Forms tab, 24–25
- Allow Nulls field, 599
- AllowColumnReorder property, 281
- AllowFullOpen property, 248–249
- AllowScriptChange property, 251
- AllowSimulations property, 251
- AllowVectorFonts property, 251
- AllowVerticalFonts property, 251
- Alt property, 119
- AltDirectorySeparatorChar property, 408
- ampersands (&) for access keys, 78
- Anchor property, 56, 64–66, 65
- anchoring controls, 64–66, 65–66
- angle brackets (<>) in XML, 430
- AnyColor property, 249
- appearance of forms, 56–57, 56
- Appearance property
 - CheckBox and RadioButton, 193–194
 - TabControl, 304–305
- Append FileMode value, 403
- Append method
 - StringBuilder, 545–546
 - XML, 435
- AppendChild method, 435
- AppendFormat method, 546
- AppendText method
 - File, 399
 - Text, 219
- Application object
 - in Excel, 477
 - in My, 378
 - methods, 380–381
 - properties, 379–380
 - in Word, 456
- Application property, 258
- applications, 27
 - building, 28–31, 29
 - console, 34–36, 35
 - Office. *See* Excel application; Word application
 - robust, 31–32
 - user-friendly, 32–34, 33
- Archive attribute, 401
- Area method, 319–320, 342
- ArgumentException exception, 400
- ArgumentNullException exception, 400
- arguments, 114–115
 - command-line, 557
 - processing, 558–559
 - retrieving, 558
 - constants for, 103
 - event-handlers, 116–119
 - named, 119–120
 - passing
 - by reference, 116
 - by value, 115–116
 - procedures, 112–113
- ArrayList collection, 149–150, 314
 - adding items to, 150–152
 - creating, 150
 - iterating, 153–154
 - removing items from, 152–153
- arrays, 139
 - of arrays, 148–149
 - bounds, 142–143
 - declaring, 140–141
 - dimensions, 143–146, 143, 145
 - dynamic, 146–148
 - initializing, 141–142
- arrow buttons, 206–207
- AS keyword
 - for stored procedures, 590
 - for variables, 87
- assemblies, 597–598
- Attach Databases dialog box, 569
- attributes
 - file, 401–402
 - XML, 430
- Attributes collection, 435
- Audio property, 381
- Auto command, 497
- AutoCheck property, 194
- AutoFlush method, 415
- automating Office applications. *See* Excel application; Word application
- AutoScaleMode property, 57–58
- AutoScroll property, 58, 58
- AutoScrollMargin property, 58
- AutoScrollMinSize property, 59
- AutoSelectWord property, 240

AutoSize property
 Label and LinkLabel, 184
 PictureBox, 490
 AutoWordSelection property, 238
 AVG function, 582

B

\b tag, 237
 BackColor property
 Color, 503
 FocusedTextBox, 354–355
 ListViewItem, 285
 BackgroundColor property, 554
 BackgroundImage property, 192
 BackgroundImageLayout property, 192
 backslash (\) symbol in RTF, 237
 Begin SeekOrigin value, 414
 BeginPrint event, 520
 BeginTransaction method, 646
 "belongs to" relationships, 267
 BETWEEN operator
 Query Designer, 612
 WHERE, 587
 bin project file, 37
 binary files, 411
 reading records from, 427–428
 saving records to, 425–427
 BinaryReader object, 411, 422–424
 BinaryWriter object, 411, 421–422
 BirthDate Property, 331
 bitmap files, 411, 489
 block-level scope, 98
 Bold button, 242
 Bold property, 504
 Boolean variables, 92
 BorderStyle property, 184
 Bottom property, 519, 521
 bounds of arrays, 142–143
 Bounds property in PageSettings, 517
 brackets ({})
 for arrays, 142
 for RTF, 237
 brackets ([]) in SQL, 580
 brackets (<>) in XML, 430
 Break When An Exception Is Thrown option, 170
 Break When An Exception Is User-Unhandled option, 170

breakpoints, 172–174, 174
 browsers
 Folder Browser, 257–258, 257
 Internet, 676–679, 678
 for XML documents, 433, 433
 Brush object, 499, 505–506, 508
 BufferHeight property, 554
 BufferWidth property, 554
 Build menu, 16, 16
 Build toolbar, 19
 built-in functions, 109–111
 business logic, 83
 Button controls, 190–193, 190
 Button property, 117
 Byte type, 90
 ByVal keyword, 115

C

Calculate method, 477
 calculated fields, 581–583, 581
 calculated properties, 332
 Call keyword, 113
 calling procedures, 112–114
 CancelButton property, 57
 CanDuplex property, 517
 CanRead property, 412
 CanRedo property, 241
 CanSeek property, 413
 CanUndo property
 RichTextBox, 241
 TextBox, 222
 CanWrite property, 413
 Capacity property
 ArrayList, 150
 StringBuilder, 544
 Caption property
 Label3D, 368
 TextBox, 371
 carets (^) in SQL, 580
 Case Else statement, 129
 case-sensitivity
 Database Explorer, 600
 SQL, 576
 variables, 89
 XML files, 442
 Case statement, 128–130
 Catch statement, 166–168

- Categories table, 571, 572
- CChar function, 530
- CData section, 431
- cells in Excel, 477
- Cells method, 478–479
- Cells property, 479–480
- Change Data Source dialog box, 594–595, 595
- Changed event, 53
- ChangeExtension method, 409
- Char class, 530–534
- characters, 529–530
- Characters collection, 459, 465
- Characters property, 465–466
- Chars property
 - String, 535
 - StringBuilder, 545
- Check Constraints dialog box, 606, 606
- Check Existing Data On Creation Or Re-enabling option, 602
- CheckAlign property, 194
- CheckBox controls, 45, 193–196, 193
- CheckBoxes property, 270
- Checked property
 - CheckBox and RadioButton, 194–195
 - ListViewItem, 285
 - ToolStripMenuItem, 76
- CheckedListBox controls, 45, 196, 196. *See also*
 - ListBox controls
- CheckFileExists property, 254
- CheckOnClick property, 76
- CheckPathExists property, 254
- CheckState property
 - CheckBox and RadioButton, 195
 - ToolStripMenuItem, 76
- child nodes in trees, 267
- <ChildNode> element, 430
- Choose Command Type dialog box, 633
- Choose Toolbox Items dialog box, 632, 632
- Choose Your Database Object dialog, 626
- Choose Your Database Objects screen, 620–621, 621
- Circle class, 319, 342
- Class_Initialize method, 344
- Class keyword, 324
- class library project templates, 28
- Class statement, 311
- Class_Terminate method, 344
- Class#.vb project file, 36
- classes
 - building. *See* Shape class; Simple class
 - objects as, 310–311
 - overview, 312
- Clear button, 243
- Clear Item buttons, 206
- Clear method, 52
 - Columns, 283
 - Console, 556
 - Items, 286
 - List, 201
 - Nodes, 276, 279
 - Range, 480
 - Text, 218
- clearing ListView items, 291
- ClearUndo method, 223
- Click event, 53
- Clicks property, 117
- Client Protocol Properties dialog box, 660, 660
- clients, Web, 675
- Clipboard
 - exposing, 381
 - for line numbering, 235
 - for RichTextBox, 240–242
 - for TextPad application, 225–228
- Clipboard property, 381
- Clock property, 381
- Close buttons, 56–57
- Close method
 - BinaryReader, 423
 - BinaryWriter, 422
 - Documents, 458
 - forms, 69
 - StreamReader, 417
 - StreamWriter, 415
- CloseWord subroutine, 458
- closing Word documents, 458
- CLR (Common Language Runtime), 324–325
- CLR Integration feature, 668
- code
 - for GUIs, 49–50
 - reuse, 311, 313
 - stepping through, 174–175
- code editor, 20, 21
- Collate property, 517

- Collation setting, 600
- collections, 149
 - ArrayList, 149–154
 - HashTable, 154–156
 - miscellaneous, 156–157
 - for nodes, 268
- Collections class, 149
- Color dialog box, 248, 248
 - properties, 248–250
 - TextPad application, 259–260
- Color object, 141, 503
- Color property
 - Color dialog box, 249
 - Font dialog box, 251
 - PageSettings, 517
- ColorDialog controls, 246, 259
- ColorEdit controls
 - building, 360–363, 360
 - testing, 364
- ColumnHeader Collection Editor, 282, 282
- Columns collection, 282–284, 282
- Columns method, 479
- Columns property, 481
- Combine method, 410
- ComboBox controls, 32–33, 33, 45, 196, 208–211, 209–210
- command-line arguments, 557
 - processing, 558–559
 - retrieving, 558
- Command object, 644, 646–648
- command window. *See* console applications
- CommandLineArgs property, 379
- CommandText property, 644
- commas (,) for array elements, 144
- Commit method, 646
- committed transactions, 643
- Common Controls tab, 24
- common dialog controls, 42, 245
 - Color, 248–250, 248
 - Folder Browser, 257–258, 257
 - Font, 250–253, 250
 - Open and Save File, 253–257, 253
 - overview, 245–246, 246
 - TextPad application. *See* TextPad application
 - working with, 247–248
- common elements
 - events, 52–53
 - methods, 51–52
 - properties, 50–51
- Common Language Runtime (CLR), 324–325
- Community menu, 18, 18
- Compare method, 536–537
- CompareOrdinal method, 537
- comparing
 - objects, 334–336
 - strings, 31–32, 32, 536–537
- compiling
 - projects, 33
 - Simple class, 338
- Components tab, 24
- compound controls, 351, 359–363, 360
- Compressed attribute, 401
- Computer object, 378, 381–383
- Concat method, 537–538
- concatenation
 - in SELECT, 578
 - string, 537–538
- concurrency, 649
- conditions. *See* program flow
- Connect to Server dialog box, 662
- Connection controls, 631–632, 632
- Connection object, 644
- Connection Properties dialog box, 661
- connections, SQL Server Surface Area
 - Configuration utility for, 666–667, 667
- console applications, 28, 34–36, 35
 - building, 551–553, 552
 - command-line arguments in, 557–559
 - in Windows applications, 560, 560
- Console class, 553
 - methods, 555–557
 - properties, 553–555
- constants, 102–104
- constraints, 605–606, 606
- constructors
 - overloading, 346
 - Shape, 344–345
- Containers tab, 24
- Contains method
 - ArrayList, 152–153
 - HashTable, 155
 - List, 202
- ContainsKey method, 155
- ContainsValue method, 155

- ContentAlignment enumeration, 185
- context menus, 79–80, 80
- ContextMenuStrip controls, 79
- Continue statement, 136–137
- ContinueUpdateOnError property, 650–651
- Control property, 119
- ControlBox property, 59
- controls
 - ActiveX, 351
 - anchoring, 64–66, 65–66
 - Button, 189–193, 190
 - CheckBox and RadioButton, 193–196, 193
 - CheckedListBox, 45, 196, 196
 - ComboBox, 208–211, 209–210
 - common dialog. *See* common dialog controls
 - compound, 359–363, 360
 - designing, 351–353
 - docking, 66
 - enhancing, 353–359, 354, 358–359
 - events, 52–53
 - in GUIs, 48
 - Label and LinkLabel, 183–189, 184–186, 188
 - ListBox. *See* ListBox controls
 - ListView. *See* ListView controls
 - methods, 51–52
 - placing, 62–63
 - ProgressBar, 300–302, 300, 302
 - properties, 50–51
 - ScrollBar, 295–298
 - tab order, 63–64, 63
 - TabControl, 302–305
 - text
 - RichTextBox. *See* RichTextBox controls
 - TextBox. *See* TextBox controls
 - TrackBar, 298–300, 298
 - TreeView. *See* TreeView controls
 - user-drawn, 351, 364–365, 364
 - building, 365–366
 - designing, 366–370
 - in other applications, 372, 372
 - testing, 370–372
- Convert function, 113–114
- coordinates
 - DrawLine, 499
 - Point, 502, 503
 - printable area, 520
- Copies property, 517
- Copy command, 226–228, 227
- Copy method
 - File, 399
 - Range, 480
 - RichTextBox, 241–242
 - String, 535, 538
- CopyTo method
 - FileInfo, 408
 - List, 201
- CorrectionsCollection collection, 473
- COUNT function, 582
- Count Distinct function, 610–611
- Count method, 201
- Count property
 - ArrayList, 150
 - Columns, 283
 - Documents, 459
 - HashTable, 154
 - Items, 286
 - Nodes, 275–276
 - SelectedItem, 203
 - Selection, 465
 - UsedRange, 481
- CountChars function, 113
- counters in For...Next, 131–132
- counting
 - in Query Designer, 610–611
 - in SELECT, 582–583
- CountTheVowels function, 173–174, 176–178, 177
- CountWords function, 113
- CREATE ENDPOINT function, 669
- Create FileMode value, 403
- Create method, 399–400
- CREATE statement, 590
- CreateAttribute method, 435
- CreateDirectory method, 390–391
- CreateElement method, 435
- CreateGraphics method, 500
- CreateMeasurementGraphics method, 518
- CreateNew FileMode value, 403
- CreateSubdirectory method, 405–406
- CreateText method, 400
- CreateXmlDeclaration method, 435
- CreationTime property, 407
- Criteria pane in Query Designer, 608
- CType function, 320, 530
- curly brackets ({}),
 - for arrays, 142
 - for RTF, 237

Current SeekOrigin value, 414
 current selection in Word, 464–466
 custom enumerations, 336–338
 custom functions, 111–112
 CustomColors property, 249–250
 Customers table, 571
 customizing default members, 333–336
 Cut command, 226–228, 227
 Cutting method, 241–242

D

DashCap property, 505
 DashStyle property, 505
 Data Adapter Configuration Wizard dialog box, 633–634, 633–634
 Data Connection dialog box, 618
 Data Definition Language (DDL), 576
 Data Design toolbar, 19
 data grids, 45
 Data Manipulation Language (DML), 576
 Data menu, 16, 16
 Data Source Configuration Wizard dialog box, 618, 618–619, 620–621, 621
 data sources for form data, 617–618, 618–619
 Data Sources window, 618, 619
 Data tab, 24
 DataAdapter controls, 631–632, 632, 650
 Database Diagram toolbar, 19
 database diagrams, 596, 603, 603
 Database Explorer, 22, 22
 tables in, 598–601, 598, 600
 working with, 593–598, 594
 database management systems (DBMSs), 572
 databases, 565
 ADO.NET for. *See* ADO.NET
 Database Explorer for, 22, 22
 tables in, 598–601, 598, 600
 working with, 593–598, 594
 for form data, 615
 ADO.NET architecture, 615–617
 drag and drop for, 617–620, 618–619
 stored procedures for, 624–630, 625–626
 views for, 620–624, 621–622
 overview, 572–573
 Query Designer for. *See* Query Designer
 referential integrity in, 575
 relational, 573–574, 574
 relations in, 574–575
 SQL for, 576
 action queries in, 587–589
 selection queries in. *See* SELECT statement
 stored procedures in, 589–591
 SQL Server Express. *See* SQL Server Express
 Table Designer for
 constraints in, 605–606, 606
 indexes in, 604–605, 605
 relationships in, 601–604, 601–603
 DataEntry application, 651–655, 651
 DataFormat class, 226
 DataGridView controls, 635–636
 DataRelation object, 638
 DataRow object, 638, 650
 DataSet controls, 616–617, 631–632, 634–635
 DataSets application, 638–641, 639–640
 navigating, 637–638
 relations, 640, 640
 structure, 636–637
 updating, 642
 DataSets application, 638–641, 639–640
 DataTable object, 638
 datatypes. *See* types
 date/month pickers, 46
 date variables, 93
 DateAdd function, 108
 DateDiff function, 93, 332
 DBMSs (database management systems), 572
 DDL (Data Definition Language), 576
 Deactivate event, 67
 Debug menu, 16, 16
 debug mode, 173
 Debug toolbar, 19
 debugging, 172
 breakpoints for, 172–174, 174
 Locals window and Watch window in, 175–176, 175
 stepping through code in, 174–175
 Decimal type, 91
 decision statements, 125
 If...Then, 125–126
 If...Then...Else, 126–128
 IIf, 128
 Select Case, 128–130
 declaring
 arrays, 140–141
 variables, 85–88, 100–102, 100

- default members, customizing, 333–336
- default namespaces, 445
- Default Value setting, 600
- DefaultExt property, 254–255
- DefaultExtension property, 254
- DefaultPageSettings object, 519
- DefaultPageSettings property
 - PrintDocument, 516
 - PrinterSettings, 517
- DegreesByReference function, 116
- DegreesByValue function, 115–116
- Delete method
 - DataRow, 654
 - Directory, 390–392
 - DirectoryInfo, 390
 - File, 400
- delete queries, 587–588
- Delete Relationships From Database command, 604
- Delete Rule option, 602
- DELETE statement, 587–588
- Deleted DataRow state, 650
- deleting
 - ArrayList items, 152–153
 - arrays, 147–148
 - folders, 391–392
 - HashTable items, 155
 - ListView items, 290–291
- delimiters, 541
- Delta property, 117
- Dependencies tab, 665
- deployment stage, 54
- DereferenceLinks property, 255
- derived classes, 314
 - keywords for, 347–348
 - Shape class, 341–342
- Description property and field
 - Database Explorer, 600
 - Folder Browser, 258
- design mode in form designer, 20, 21
- design-time errors, 159–162, 160–162, 164
- design-time node additions, 272–273
- designing
 - user-drawn controls, 366–370
 - Windows controls, 351–353
- DesignMode property, 352
- Destination Folder screen, 7, 7
- Destruct subroutine, 344, 346
- destructors
 - Shape, 346
 - Visual Basic 6, 344
- Detached DataRow state, 650
- detailed design stage, 54
- DetectUrls property, 238
- developer interface of controls, 353
- Development Process, 53
- Diagram pane in Query Designer, 607–608
- dialog boxes, 42–43, 43
- dialog controls, common. *See* common dialog controls
- DialogResult property, 190–191
- Dialogs tab, 24
- digits, differentiating from letters, 532
- Dim statement, 84, 87
- dimensions, array, 143–146, 143, 145
- directories, 389, 393. *See also* folders
- Directory attribute, 401
- Directory class, 390–398
- Directory method, 408
- DirectoryInfo class, 390, 405–407
- DirectoryName method, 408
- DirectoryNotFoundException exception, 400
- DirectorySeparatorChar property, 408
- DisabledLinkColor property, 187
- discovery files, 686
- displaying
 - forms, 68–69
 - images, 490, 491
 - ListView items, 291–292
 - variable values, 174
- DisplayTheRecord function, 449–452, 454
- DISTINCT keyword
 - with COUNT, 582–583
 - with SELECT, 576, 579
- divide-and-conquer approach, 105–106
- DLL (dynamic link library) files, 312, 338–340, 339, 665
- DML (Data Manipulation Language), 576
- Do...Loop loop, 133–135
- Do Until statement, 133
- Do While statement, 133
- Doc object, 435
- Dock property, 56, 64, 66
- docking controls, 66

Document object, 455, **459–460**
 for current selection, **464–466**
 for printing and saving documents, **460–462, 462**
 for text manipulation, **463–464**
 TypeParagraph and TypeText methods,
466–468, 467

documents, XML, **430**
 creating, **433–435**
 loading, **448–449**
 parsing, **449–452**
 validating, **443–444, 444**

Documents collection, **459–460, 465**

DoEvents method, **380**

DOM Level 1 Core standard, **432**

double-arrow buttons, **207**

Double type, **91**

DoubleClick event, **53**

Download and Install Progress screen, **7, 8**

DpiX property, **500–501**

DpiY property, **500–501**

drag and drop for form data, **617–620, 618–619**

Draw methods, **508–509**

drawing
 GDI for. *See* Graphics Design Device Interface (GDI)
 shapes, **506–509, 508**

Drawing2D library, **500**

DrawLine method
 Graphics, **499**
 PrintDocument, **511**

DrawRectangle method, **507–509, 511**

DrawString method
 Font, **503**
 Graphic, **520**
 PrintDocument, **511**

drives, retrieving names of, **397–398**

DropDown ComboBox controls, **208–209**

DropDownItems property, **75**

DropDownList ComboBox controls, **208–209**

DropDownStyle property, **208–209**

DropDownWidth property, **209, 210**

Duplex property, **517**

dynamic arrays, **146–148**

dynamic link library (DLL) files, **312, 338–340, 339, 665**

dynamic strings, **529, 544–547**

E

edit and continue feature, **176**

Edit Menu
 IDE, **14, 14**
 TextPad application, **225–233**

editing
 properties, **49**
 undoing, **222–223**

editing queries, **588–589**

editions, **4–5**

EditShippers application, **632–636, 633–635**

Effect property, **366–367**

efficient queries, **672–673, 673**

EliminateDuplicate method, **315–316**

Elseif keyword, **126–128**

Employees table, **571**

Enabled property
 description, **51**
 ToolStripMenuItem, **76**

encapsulation
 in object-oriented programming, **311, 313**
 TreeView controls for, **267**

encoding schemes, **414**

Encrypted attribute, **401**

End Class statement, **311**

End property, **464–465**

End SeekOrigin value, **414**

End Select statement, **129**

End Sub statement, **30, 107**

End User License Agreement screen, **6, 6**

EndCap property, **505**

EndsWith method, **538**

Enforce For Replication option, **602**

Enforce Foreign Key Constraint option, **602**

enhancing controls, **353–359, 354, 358–359**

Enter event
 description, **53**
 FocusedTextBox, **355–357**

EnterFocusColor property, **355–356**

EntireColumn property, **480**

EntireRow property, **480**

entities in databases, **573**

enumerations, custom, **336–338**

environment options, **26, 27**

equal signs (=) in Excel, **487**

Equals method, **325, 334–336**

Erase statement, **147–148**
 Error List, **26, 26, 160, 160**
 errors, **159–160**
 design-time, **159–162, 160–162, 164**
 exceptions. *See* exceptions
 logic, **162–164**
 runtime, **162, 164**
 Evaluate method, **486–487**
 even numbers, summing, **97–98**
 event handlers, **29**
 arguments, **116–119**
 triggers, **108**
 events
 common, **52–53**
 form, **67–68**
 key, **118–119**
 mouse, **117–118**
 RichTextBox, **240**
 ScrollBar, **296–297**
 TrackBar, **300**
 Excel application, **455–456, 476–477**
 as math parser, **486–487**
 Range object, **478–486, 480, 482**
 sample application, **482–486, 482**
 Worksheets collection and Worksheet object,
 477–478
 ExcelAutomation application, **482–486, 482**
 Exception class, **167**
 exceptions, **86, 164, 164**
 analyzing, **165**
 custom handlers, **170, 170**
 handling, **165–170**
 raising, **329–330**
 throwing, **170–172**
 Execute method, **471**
 ExecuteScalar method, **644**
 Exists method
 Directory, **392**
 File, **401**
 Exit statement, **136, 138**
 Exit Sub statement, **107**
 expressions
 Excel, **486–487**
 Watch window for, **175–176, 175**
 extending classes, **311, 313**
 Extensible Markup Language. *See* XML (Extensible
 Markup Language)

Extensible Schema Definition (XSD) files, **429,**
436–444, 437
 Extensible Style Language Transformation (XSLT),
429
 Extension property, **407**
 extracting path components, **541–542**

F

Fahrenheit function, **113**
 fields, **95**
 calculated, **581–583, 581**
 in classes, **325**
 in SELECT, **577–578**
 File class, **390, 398–405**
 File Menu
 IDE, **14–15, 15**
 TextPad application, **225, 263–264**
 FileAccess enumeration, **404, 412**
 FileInfo class, **390, 407–408**
 FileMode enumeration, **403, 412**
 FileName property, **255**
 FileNames property, **257**
 FileNotFound exception, **393**
 files, **389**
 accessing, **389–390, 411–412**
 BinaryReader, **422–424**
 BinaryWriter, **421–422**
 Directory, **390–398**
 DirectoryInfo, **405–407**
 File, **398–405**
 FileInfo, **407–408**
 FileStream, **412–414**
 Path, **408–411**
 StreamReader, **416–418**
 StreamWriter, **414–416**
 attributes, **401–402**
 RecordSave application, **424–428, 425**
 retrieving, **395–397**
 sending data to, **418–421**
 FileShare enumeration, **404**
 FileStream class, **412–414**
 FileSystem property, **382**
 FileSystemWatcher class, **411**
 FillDown method, **480**
 filled shapes, **504, 508**
 FillLeft method, **480**
 FillRight method, **480**

- FillUp method, 480
- Filter property, 254–255, 256
- FilterIndex property, 255
- filters, file, 396
- Finally blocks, 168–170
- Find and Replace dialog box
 - TextPad application, 228–233, 228
 - Word, 471
- Find command, 229–230
- Find method, 471
- Find Next command, 229, 231
- FindString method
 - ComboBox, 209
 - ListDemo application, 208
- FindStringExact method
 - ComboBox, 209
 - ListBox, 475
 - ListDemo application, 208
- FirstNode property, 277
- FixedDialog value, 69
- FixedPitchOnly property, 251
- FlatAppearance property, 190
- FlatStyle property
 - Button, 191
 - CheckBox and RadioButton, 195
- flow. *See* program flow
- Flush method
 - BinaryWriter, 422
 - StreamWriter, 416
- Focus method, 52
- FocusedTextBox controls
 - building, 354–357, 354
 - testing, 357–359, 358–359
- Folder Browser dialog box, 257–258, 257
- FolderBrowserDialog control, 246
- folders, 389
 - accessing, 389–390
 - Directory, 390–398
 - DirectoryInfo, 405–407
 - Path, 408–411
 - deleting, 391–392
 - retrieving, 394
- Font dialog box, 245, 246, 250, 250
 - properties, 250–253
 - TextPad application, 259
- Font method, 466–468
- Font object, 503–504
- Font property, 50
 - Font dialog box, 250–252
 - ListViewItem, 285
 - Range, 479
- FontDialog controls, 246, 259
- FontMustExist property, 252
- FontStyle enumeration, 504
- For...Next loop, 131–132
- ForeColor property
 - FocusedTextBox, 355
 - ListViewItem, 285
- ForegroundColor property, 554
- Foreign Key Relationships dialog box, 601–602, 601
- foreign keys, 574–575
- form designer, 20–21, 21, 47
- Form object, 490
- Form#.vb project file, 36
- Format menu
 - IDE, 17, 17
 - TextPad, 233–235
- formatting RichTextBox text. *See* RichTextBox controls
- FormBorderStyle property, 59
- FormClosing event, 67
- forms, 55
 - appearance, 56–57, 56
 - controls on. *See* controls
 - database data for, 615
 - ADO.NET architecture, 615–617
 - drag and drop for, 617–620, 618–619
 - stored procedures for, 624–630, 625–626
 - views for, 620–624, 621–622
 - events, 67–68
 - in GUIs, 48
 - loading and showing, 68–69
 - menus for. *See* menus
 - modal vs. modeless, 69–70
 - properties, 57–62, 58
 - resizing, 66–68, 66
 - startup, 70, 71
- Forms object, 378, 383
- FormStartPosition enumeration, 61
- FormWindowState enumeration, 62
- frames, printing, 511
- FromARGB method, 363, 503
- FromName method, 362
- FromPage property, 517

full joins, 584
 FullName property, 407
 FullOpen property, 250
 FullRowSelect property
 ListView, 282
 TreeView, 270
 functions
 built-in, 109–111
 calling, 112–114
 custom, 111–112
 in Database Explorer, 597
 in modular coding, 108–112
 overloading, 122–124
 returning structures, 120–122

G

garbage collector (GC), 346
 GDI. *See* Graphics Design Device Interface (GDI)
 General tab, 24
 Generate DataSet dialog box, 634, 634
 Generate SQL Statements dialog box, 633, 649
 geometry, page, 519–522
 Get section of Property procedures, 328
 GetAgeGroup method, 337
 GetAttributes method, 401–402
 GetChildRows method, 641
 GetConnectedMethod stored procedure, 663
 GetCreationTime method
 Directory, 392
 File, 402
 GetCurrentDirectory method, 392
 GetDataObject method, 226
 GetDataPresent method, 226, 242
 GetDirectories method, 393
 GetDirectoryName method, 410
 GetDirectoryRoot method, 394
 GetFileName method, 410
 GetFileNameWithoutExtension method, 410
 GetFiles method, 395
 GetFileSystemEntries method
 Directory, 395–397
 DirectoryInfo, 407
 GetFileSystemInfos method, 406–407
 GetFullPath method, 410
 GetLastAccessTime method
 Directory, 397
 File, 402
 GetLastWriteTime method
 Directory, 397
 File, 402
 GetLength method, 145
 GetLogicalDrives method, 397–398
 GetLowerBound method, 142
 GetNextWord function, 523–526
 GetNumericValue method, 531
 GetParent method, 398
 GetSpellingSuggestions method, 473, 475
 GetString method, 316–317
 GetTempFileName method, 410
 GetTempPath method, 410–411
 GetThumbnailImage method, 492–493
 Getting Started section, 12
 GetUnicodeCategory method, 531
 GetUpperBound method, 142
 global scope, 99
 Globally Unique Identifiers (GUIDs), 575, 642
 GoBack method, 677
 GoForward method, 677
 GoHome method, 677
 GoSearch method, 677
 gradient brushes, 506
 granularity in TrackBar controls, 298
 graphical user interfaces. *See* GUIs (graphical user interfaces)
 graphics, 489–490, 489
 displaying, 490, 491
 GDI for. *See* Graphics Design Device Interface (GDI)
 ImageLoad application, 495–498, 495
 for printing. *See* printing
 shapes, 506–509, 508
 Graphics Design Device Interface (GDI), 498
 Brush object, 505–506
 Color object, 503
 Font object, 503–504
 Graphics object, 498–502, 502–503
 Pen object, 504–505
 Point object, 502–503, 503
 Graphics object, 498–502, 502–503
 Graphics property, 500
 GraphicsUnit enumeration, 501–502
 GridLines property, 282
 group boxes, 45
 GROUP BY clause, 584–586

groups
 GROUP BY clause, **584–586**
 HAVING clause, **586**
 GUIDs (Globally Unique Identifiers), **575, 642**
 GUIs (graphical user interfaces), **39–44**
 building, **47–49**
 building blocks of, **44–46**
 code for, **49–50**
 designing, **46–47**

H

handlers, exception. *See* exceptions
 Handles keyword, **30**
 HasExtension method, **411**
 HashTable collection, **154**
 adding and removing items in, **155**
 creating, **154–155**
 iterating, **155**
 HasMorePages property, **511–512**
 HatchBrush object, **505–506**
 HatchStyle enumeration, **506**
 HAVING clause, **586**
 HeaderStyle property, **281**
 Height property
 forms, **62**
 Image, **492**
 PageSize, **519**
 Help menu, **18, 18**
 Help toolbar, **19**
 Hidden attribute, **401**
 Hide method
 description, **52**
 forms, **69**
 HideSelection property
 TextBox, **221**
 TreeView, **270**
 hierarchical XML files, **446–447**
 home pages, **676**
 horizontal scroll bars, **296**
 HorizontalAlignment property, **480**
 HorizontalResolution property, **491**
 HotTrack property, **304**
 HotTracking property, **270**
 HScrollBar controls, **296, 360**
 HTML (Hypertext Markup Language), **237, 429**
 HTTP (Hypertext Transfer Protocol), **675**

hyperlinks
 activating, **189**
 in LinkLabel, **187–189, 188**
 on Web pages, **676**
 in Web services, **683**
 Hypertext Markup Language (HTML), **237, 429**
 Hypertext Transfer Protocol (HTTP), **675**

I

\i tag, **237**
 Icon property, **60**
 IDE (integrated development environment), **11, 12**
 code editor, **20, 21**
 Database Explorer, **22, 22**
 environment options, **26, 27**
 Error List, **26, 26**
 form designer, **20–21, 21**
 menus, **13–18, 14–18**
 Object Browser, **25, 25**
 Other Windows menu, **26**
 project type, **27–28, 27**
 Properties window, **23**
 Solution Explorer, **22, 22**
 Start Page, **12–13, 13**
 toolbars, **18–19, 19–20**
 Identity property, **600–601**
 If...Then statement, **125–126**
 If...Then...Else statement, **126–128**
 If statement, **114, 128**
 Image object, **491**
 methods, **492–495**
 properties, **491–492**
 image properties
 Button, **192**
 Label and LinkLabel, **186–187, 186**
 Image property
 Label and LinkLabel, **186, 186**
 PictureBox, **490**
 ToolStripMenuItem, **77**
 ImageAlign property, **186**
 ImageFormat enumeration, **494**
 ImageIndex property
 Images, **270**
 Label and LinkLabel, **187**
 ImageKey property, **187**
 ImageLayout enumeration, **192**

- ImageList controls, **268**
 - implementing, **269–270, 269**
 - setting up, **288–289**
- ImageList property
 - Label and LinkLabel, **187**
 - TabControl, **305**
- ImageLoad application, **495–498, 495**
- images, **489–490, 489**
 - displaying, **490, 491**
 - GDI for. *See* Graphics Design Device Interface (GDI)
 - ImageLoad application, **495–498, 495**
 - for printing. *See* printing
 - shapes, **506–509, 508**
- Images Collection Editor, **269, 269**
- immediate if statement, **114, 128**
- implementation inheritance, **313, 319**
- implementation stage, **54**
- importing Excel data, **484–486**
- IN keyword, **587**
- Increment method, **301**
- Indent property, **270**
- indenting continued lines, **29**
- Index Columns dialog box, **605**
- indexes
 - array, **140, 143**
 - Documents, **465**
 - Table Designer, **604–605, 605**
- Indexes/Keys dialog box, **604–605, 605**
- IndexOf method, **218, 221, 539**
- IndexOfAny method, **540**
- infinite loops, **163**
- Info property, **379**
- inheritance
 - of existing classes, **314–319**
 - in object-oriented programming, **313–319**
 - in Shape, **346–348**
- Inherits keyword, **347**
- InitialDirectory property, **256**
- initializing
 - arrays, **141–142**
 - variables, **89, 99**
- inner joins, **584**
- InnerText property, **435**
- Insert method
 - ArrayList, **152**
 - Columns, **283**
 - List, **200–202**
 - String, **540**
 - StringBuilder, **546**
- insert queries, **588**
- INSERT statement, **588**
- InsertAfter method, **464, 474**
- InsertBefore method, **464**
- InsertParagraphAfter method, **464**
- InsertParagraphBefore method, **464**
- InsertRange method, **152**
- Installation Options screen, **6, 7**
- InstalledPrinters method, **517**
- installing Visual Basic Express, **5–8, 6–9**
- instance methods, **390**
- instances of classes, **311, 327**
- InStr command, **230–231**
- InStr method, **539**
- InStrRev method, **539**
- Integer type, **90**
- IntegralHeight property, **197**
- integrated development environment (IDE). *See* IDE (integrated development environment)
- integrity, database, **575**
- Intellisense feature, **122, 123**
- interfaces
 - class, **312**
 - control, **353**
 - GUIs. *See* GUIs (graphical user interfaces)
- Internet, **675–676**
 - browsing, **676–679, 678**
 - URLs and hyperlinks on, **676**
 - XML Web services. *See* XML Web services
- Invalidate method, **368**
- InvalidOperationException exception, **444**
- InvalidPathChars property, **409**
- invisible interface of controls, **353**
- IO namespace, **412**
- IOException exception, **400**
- IP Properties dialog box, **659, 659**
- IS NOT NULL expression, **580**
- IS NULL expression, **580**
- ISBNCheckDigit function, **111–112**
- IsControl method, **531**
- IsDefaultPrinter method, **518**
- IsDigit method, **309, 531**

IsLeapYear method, 309–310
 IsLetter method, 309, 533
 IsLetterOrDigit method
 Char, 533
 String, 536
 IsLower method, 533
 IsNumber method, 533
 IsPlotter method, 518
 IsPunctuation method, 533
 IsSeparator method, 533
 IsUpper method, 533
 IsValid method, 518
 IsWhiteSpace method, 534
 Italic button, 243
 Italic property, 504
 <Item> element, 437
 Item property
 Items, 287
 Nodes, 276
 Items collection, 199–203, 286–287
 Items Collection Editor, 73–76, 75–76
 Items property, 197
 iterating
 ArrayLists, 153–154
 HashTables, 155

J

Join method, 541
 joins, 583–584

K

key events, 118–119
 Keyboard property, 382
 KeyChar property, 532
 KeyCode property, 119
 KeyData property, 119
 KeyDown event, 118
 KeyPress event, 118
 KeyPreview property, 60
 keys
 database, 574–575
 HashTable, 155
 in Table Designer, 605
 Keys property, 155
 KeyUp event, 118

KeyValue property, 119
 keywords, 104
 Kind property, 519

L

Label controls
 in GUI, 44
 properties, 184–187, 185–186
 purpose, 183, 184
 Label3D controls, 364–365, 364
 building, 365–366
 designing, 366–370
 in other applications, 372, 372
 testing, 370–372
 Label3D.dll file, 372
 LabelEdit property
 ListView, 282
 TreeView, 271
 Landscape property, 517
 LandscapeAngle property, 518
 LargeChange property
 ScrollBar, 296
 TrackBar, 299
 LargestWindowHeight property, 554
 LargestWindowWidth property, 554
 LastAccessTime property, 407
 LastIndexOf method, 218, 539
 LastNode property, 277
 LastWriteTime property, 407
 late-bound expressions, 200
 Layout toolbar, 19
 Leave event
 description, 53
 FocusedTextBox, 356–357
 LeaveFocusColor property, 355–356
 left-arrow buttons, 206–207
 left joins, 584
 Left property
 forms, 62
 Margin, 519, 521
 Len method, 217
 Length property
 FileInfo, 407
 FileStream, 413
 String, 535
 StringBuilder, 545

- letters, differentiating from digits, 532
 - \li tag, 237
 - lifetime of variables, 99
 - LIKE operator, 579–580
 - line-continuation characters, 29
 - LinearGradientBrush object, 505–506
 - LineJoin property, 505
 - Lines property, 219–220
 - LinkArea property, 187–188, 188
 - LinkBehavior property, 188
 - LinkClicked event
 - LinkLabel, 189
 - RichTextBox, 240
 - LinkColor property, 188
 - LinkData property, 189
 - LinkLabel controls, 183, 184
 - in GUI, 44
 - hyperlinks, 187–189, 188
 - properties, 184–187, 185–186
 - links, 676
 - activating, 189
 - LinkLabel, 187–189, 188
 - on Web pages, 676
 - in Web services, 683
 - Links property, 188
 - LinkVisited property, 189
 - list views, 42, 42
 - ListBox controls, 196, 196
 - in GUI, 45
 - Items collection for, 199–203
 - ListDemo sample application, 203–208, 204
 - populating, 420
 - properties, 196–199
 - ListDemo application, 203–204, 204
 - Add Item buttons, 204–205
 - arrow buttons, 206–207
 - Clear Item buttons, 206
 - Remove Item buttons, 205–206
 - searching in, 208
 - lists, 267–268
 - ListView controls, 265, 268, 268
 - Columns collection, 282–284, 282
 - Items collection, 286–287
 - ListViewItem object, 284–286, 284–285
 - overview, 265–266, 266
 - properties, 280–282
 - sample application. *See* ListView project
 - SubItems collection, 287
 - ListView project, 288, 288
 - adding items, 290
 - clearing items, 291
 - displaying items, 291–292
 - ImageList control, 288–289
 - populating ListView controls, 289–290
 - removing items, 290–291
 - views, 292–293
 - ListViewItem Collection Editor, 284, 284–285
 - ListViewItem object, 284–286, 284–285
 - Load Menu command, 496
 - LoadFile method, 239
 - loading
 - forms, 68–69
 - XML documents, 448–449
 - loan payment function, 110–111
 - local variables, 97
 - Locals window, 175–176, 175
 - Locate Database Files dialog box, 569, 569
 - Lock method, 413
 - Locked property
 - TextBox, 219
 - Visual Basic 6, 64
 - Log property, 379
 - logic errors, 159, 162–164
 - Long type, 91
 - looping statements, 131
 - Continue, 136–137
 - Do...Loop, 133–135
 - For...Next, 131–132
 - While...End While, 135
 - loops, infinite, 163
 - Lower Case command, 234
- ## M
- Main routine
 - command-line arguments, 558, 561
 - in console applications, 35, 552
 - for startup forms, 70
 - maintenance stage, 54
 - Manage Check Constraints command, 606
 - Mandatory property, 355–356
 - MandatoryColor property, 355–356
 - Margin object, 521
 - Margins property
 - DefaultPageSettings, 519, 521
 - PageSettings, 517

- masked text boxes, 45
- math parser, Excel as, **486–487**
- MAX function, 582
- MaxCapacity property, 544
- Maximize buttons, 56–57
- MaximizeBox property, 60
- Maximum property
 - ProgressBar, 301
 - ScrollBar, 296
 - TrackBar, 299
- MaximumCopies property, 518
- MaximumPage property, 518
- MaximumSize property, 60
- MaximumValue property, 360
- MaxLength property, 217
- maxOccurs attribute, 438, 442
- maxOccursString property, 442
- MaxSize property, 252
- MaxValue property, 531
- Me object
 - Application, **378–381**
 - Computer, **381–383**
 - Forms, **383**
 - Resources, **383–385, 384**
 - Settings, **385–386, 385–386**
 - User, **387**
- Me reference for forms, 70
- MeasureString method, 523, 526
- Menu Designer, **71–73, 72–73**
- menus
 - access keys, **77–78, 78**
 - context, **79–80, 80**
 - designing, 71
 - Items Collection Editor for, **73–76, 75–76**
 - Menu Designer for, **71–73, 72–73**
 - GUI, **40, 40**
 - IDE, **13–18, 14–18**
 - menu items
 - commands, 77
 - properties, **76–77**
 - shortcut keys, **78–79, 79**
- Menus & Toolbars tab, 24
- MenuStrip controls, **71–74**
- methods
 - Application, **380–381**
 - BinaryReader, 423–424
 - BinaryWriter, 422
 - Char, **531–534**
 - common, **51–52**
 - Console, **555–557**
 - Directory, **390–398**
 - DirectoryInfo, **405–407**
 - File, **398–405**
 - FileInfo, **407–408**
 - FileStream, **413–414**
 - Image, **492–495**
 - instance, 390
 - Path, **409–411**
 - ProgressBar, 301
 - RichTextBox, **239–240**
 - StreamReader, **417–418**
 - StreamWriter, **415–416**
 - String, **536–543**
 - StringBuilder, **545–547**
 - TextBox, **221–222**
 - with variables, 85
- Microsoft Excel 11.0 Object Library item, 476
- Min function
 - overloading, 122–124
 - SQL, 582
 - Visual Basic, 114
- Min method, 317–318
- Minimize buttons, 56–57
- MinimizeBox property, 60
- Minimum property
 - ProgressBar, 301
 - ScrollBar, 296
 - TrackBar, 299
- MinimumPage property, 518
- MinimumSize property, 60, 67
- MinimumSplashScreenDisplayTime property, 379
- MinimumValue property, 360
- minOccurs attribute, 438, 442
- MinSize property, 252
- minus signs (-) in SQL, 579
- MinValue property, 531
- modal forms, **69–70**
- modeless forms, **69–70**
- Modified DataRow state, 650
- Modified property, 238
- modifiers, 88, 99, 348
- modular coding, **105–107**
 - calling procedures in, **112–114**
 - functions in, **108–112**
 - subroutines in, **107–108**
- module-level scope, **98–99**

Module#.vb project file, 36
 modules, adding, 70
 mouse events, **117–118**
 Mouse property, 382
 MouseDown event, 117–118
 MouseEnter event, 53, 117
 MouseHover event, 117
 MouseLeave event, 53, 117
 MouseMove event, 117
 MouseUp event, 117–118
 Move command, 57
 Move method

- Directory, **398**
- File, **402–403**

 MoveTo method, 408
 MsgBox function, 31
 MultiColumn property, 198
 multidimensional arrays, **143–146**, 143, 145
 MultiLine property

- TabControl, 305
- TextBox, 215

 multiple ElseIf statements, 127
 multiple-line If...Then syntax, 126
 MultiSelect property

- ListView, 282
- Open and Save File dialog boxes, 257

 MustInherit keyword, 346–347
 MustOverride keyword, 346, 348
 My Movie Collection Starter Kit template, 28
 My object

- vs. Me, 378
- overview, **377–379**

 My Project project file, 36–37
 MyArrayList class, 314–315
 MyBrowser Project, **677–679**, 678
 MyFirstConsoleApp application, **34–36**, 35, **551–553**, 552
 MyFirstWinApp application

- building, **28–31**, 29
- robustness, **31–32**
- user-friendly, **32–34**, 33

N

Name property

- Computer, 383
- description, 50
- FileInfo, 407

named arguments, **119–120**
 Named Pipes Properties dialog box, 661
 names

- arrays, 140
- constants, 103
- functions, 109
- variables, 83, **88–89**

 namespaces, XML, **429–432**, **444–446**
 Native XML Web Services feature, **668**
 Navigate method, 677
 NegateNumber method, 326
 nested control statements, **137**
 .NET Framework Components tab, 372, 372
 Network property, 383
 network support, **658–660**, 659–660
 New Diagram command, 603
 New keyword

- ArrayList, 150
- for class instances, 327
- for constructors, 344
- overloading, 346
- Word, 456

 New menu item, **263–264**
 New Project dialog box, 13

- for console applications, 552
- project types in, 27, 27

 NewLine property, 415
 NewOrder stored procedure, 644
 NewOrderLine stored procedure, 645
 NextDay function, 108–109
 NextNode property, 277
 nodes

- in trees, 267–268
- TreeView controls
 - design time, **272–273**
 - runtime, **273–277**
- TreeView project, **278–279**

 Nodes collection, **273–277**
 nonnumeric keystrokes, rejecting, **532–533**
 nonprocedural languages, 576
 Normal attribute, 401
 normalization of databases, 573
 Northwind sample database, **570–572**, 570, 572
 NOT IN keyword, **587**
 NotContentIndexed attribute, 401
 Notepad for Web services, 684
 Nothing value, 97
 NotInheritable keyword, 347

NotOverridable keyword, 347
 NotSupportedException exception, 400
 Now function, 93
 Null Reference exception, 327
 Null values
 Database Explorer, 599
 SQL, 580
 NullReferenceException exception, 452
 Number Lines command, 234–235
 number pickers, 46
 number signs (#) in SQL, 580
 numeric variables, 90–91
 NumMin method, 317–318

O

obj project file, 37
 Object Browser, 25, 25
 object models, 455
 object-oriented programming (OOP), 309, 312
 abstraction and encapsulation in, 313
 inheritance in, 313–319
 polymorphism in, 319–321
 object variables, 96–97, 102
 objects
 classes for. *See* classes
 constructors for, 344–345
 equality of, 334–336
 overview, 309–310
 XML, 429
 Office applications. *See* Excel application; Word application
 Offline attribute, 401
 OLE Automation feature, 668
 On Error statement, 166
 one-dimensional arrays, 143–144, 143, 145
 one-to-many relationships, 604
 OnPaint event, 368–370
 OOP (object-oriented programming), 309, 312
 abstraction and encapsulation in, 313
 inheritance in, 313–319
 polymorphism in, 319–321
 Opacity property, 60–61
 Open dialog box, 245, 246, 253–257
 Open File dialog box, 260–262
 Open method
 File, 403
 Workbooks, 478
 Open Table Definition command, 599–601
 OPENDATASOURCE function, 668
 OpenFileDialog controls, 246, 253, 258
 OpenForms property, 380
 opening Word documents, 458
 OpenOrCreate FileMode value, 403
 OpenRead method, 404
 OPENROWSET function, 668
 OpenText method, 405
 OpenWord subroutine, 458
 OpenWrite method, 405
 optimistic concurrency, 649
 optimizing
 declarations for, 85
 SQL Server Surface Area Configuration utility
 for, 667–669, 668
 Option Base statement, 140
 Option Explicit statement, 100–102, 100
 Options dialog box
 for environment options, 26, 27
 in Excel, 42, 43
 for Option Explicit, 100
 ORDER BY clause, 580–581
 Order Details table, 571, 572, 645–646
 Orders table, 571, 572, 643–645
 Orientation property, 299
 outer joins, 584
 overloading
 functions, 122–124
 New, 346
 Overloads keyword, 335
 Overridable keyword, 347
 Overrides keyword, 348
 overriding, 311, 314
 default members, 333–334
 OnPaint, 368–370
 “owns” relationships, 267

P

PadLeft method, 543
 PadRight method, 543
 page geometry in printing, 519–522
 page numbers, printing, 512
 Page Setup dialog box, 514, 514
 pages, TabControl for, 302–304, 303
 PageSettings object, 516–517
 PageSettings property, 514

- PageSetupDialog controls, **514, 514**
- PageSize property, 519
- PageUnit property, 501
- Paint event, **68**
- panels in GUI, 45
- PaperSize property, 517
- PaperSizes property, 518
- PaperSource property, 517
- PaperSources property, 518
- Paragraph object, 463
- Paragraphs collection, 459
- Paragraphs property, 465
- parameterized constructors, 344
- parameterized queries, **612–613, 612**
- parent classes, keywords for, **347–348**
- parent nodes, 267
- parentheses ()
 - for arguments, 112
 - for array elements, 140, 142, 144
- parsing XML documents, **449–452**
- passing arguments
 - by reference, **116**
 - by value, **115–116**
- PasswordChar property, 220
- passwords, validating, 536
- Paste command, **226–228, 227**
- Paste method, **240–242**
- Path class, **408–411**
- path components, **541–542**
- PathGradientBrush object, 505
- PathSeparator property, 409
- PathTooLongException exception, 400
- payment function, **110–111**
- Peek method, 417
- PeekChar method, **423**
- Pen object, **499, 504**
 - properties, **505**
 - for shapes, 507–508
- Pens collection, 504
- PenType property, 505
- percent signs (%) in SQL, 579
- PerformClick method, 52
- PerformStep method, 301
- Perimeter method, 342
- pessimistic concurrency, 649
- picture boxes in GUI, 45
- PictureBox controls
 - on forms, 490
 - ImageLoad application, **495–498, 495**
- PivotTables, 481
- PixelFormat property, 492
- plain text, printing, **522–526, 523**
- plus signs (+) in SQL, 578
- Pmt function, **110–111**
- Point object, **502–503, 503**
- polymorphism, **319–321**
- pop-up menus, **79–80, 80**
- populating
 - arrays of arrays, **148–149**
 - ListBox controls, 420
 - ListView controls, **289–290**
 - TreeView controls, **277–278**
- Position property, 413, 622
- positional arguments, 119
- Preserve keyword, **147**
- previewing printing, **514–516, 515**
- PrevNode property of Nodes, 277
- primary keys, 574, 605
- Print dialog box
 - settings, 513, **513**
 - Word, 461
- Print method, 511
- Print Preview dialog box, 514–515, **515**
- printable area, 519–520
- PrintDialog controls, **513**
- PrintDocument object, **511–512, 511, 520**
- PrinterName property, 518
- PrinterResolution object, 519
- PrinterResolution property, 517
- PrinterResolutionKind enumeration, 519
- PrinterResolutions property, 518
- PrinterSettings object, **516–519**
- PrinterSettings property, 517
- printing, **509–510**
 - page geometry, **519–522**
 - PageSettings object, **516–517**
 - PageSetupDialog controls, **514, 514**
 - plain text, **522–526, 523**
 - PrintDialog controls, **513**
 - PrintDocument, **511–512, 511**
 - PrinterSettings, **516–519**
 - PrintPreviewControl controls, **516**

- PrintPreviewDialog controls, **514–516**, *515*
- Word documents, **460–462**, *462*
- Printing tab, **24**
- Printout method, **460**, *462*
- PrintPage event, **515**
 - PrintDocument, **511–512**
 - PrintText project, **525–526**
- PrintPageEventArgs class, **516**
- PrintPreviewControl controls, **516**
- PrintPreviewDialog controls, **514–516**, *515*
- PrintRange property, **518**
- PrintText application, **523**
- Private constants, **103**
- Private modifier, **88**, *348*
- Private Sub statement, **30**
- procedure-level variables, **99**
- procedures, **105**
- processing instructions, **430**, *435*
- Products table, **570**, *570*
- program flow, **125**
 - decision statements, **125**
 - If...Then, **125–126**
 - If...Then...Else, **126–128**
 - IIf, **128**
 - Select Case, **128–130**
 - Exit statement, **138**
 - looping statements, **131**
 - Continue, **136–137**
 - Do...Loop, **133–135**
 - For...Next, **131–132**
 - While...End While, **135**
 - nested control statements, **137**
- ProgressBar controls, **300–301**, *300*
 - example, **301–302**, *302*
 - in GUI, **46**
 - methods, **301**
 - properties, **301**
- project files, **36–37**
- Project Menu, **15–16**, *16*
- projects
 - compiling, **33**
 - saving, **32**
 - types, **27–28**, *27*
- ProofreadingErrors collection, **472–474**
- properties
 - Application, **379–380**
 - Button, **191–193**
 - calculated, **332**
 - CheckBox and RadioButton, **193–196**
 - Color dialog box, **258–260**
 - common, **50–51**
 - Computer, **381–383**
 - Console, **553–555**
 - constants for, **103**
 - FileInfo, **407–408**
 - FileStream, **412–413**
 - Font dialog box, **250–253**
 - forms, **57–62**, *58*
 - GUIs, **49**
 - Image, **491–492**
 - Label and LinkLabel, **184–187**, *185–186*
 - ListBox, **196–199**
 - ListView, **280–282**
 - PageSettings, **517**
 - Path, **408–409**
 - Pen, **505**
 - ProgressBar, **301**
 - read-only, **330–331**
 - RichTextBox, **237–239**
 - ScrollBar, **296**
 - StreamWriter, **415**
 - String, **535–536**
 - StringBuilder, **545**
 - TabControl, **304–305**
 - TextBox
 - basic, **214–217**, *216*
 - text-manipulation, **217–220**
 - text-selection, **220–221**
 - ToolStripMenuItem, **76–77**
 - TrackBar, **299**
 - TreeView, **270–271**
 - with variables, **85**
- properties boxes, **46**
- Properties window, **23**, *23*
 - for GUIs, **47**
 - working with, **49**
- Property procedures, **328–333**
- Protected modifier, **348**
- Protected Friend modifier, **348**
- protocol order, **660**, *660*
- Public constants, **103**
- Public modifier, **88**, *348*

Q

queries

- action, 576, 587
 - DELETE, 587–588
 - INSERT, 588
 - UPDATE, 588–589
 - Query Designer for. *See* Query Designer
 - selection. *See* SELECT statement
 - SSMSE for, 670–673, 670, 672–673
 - Query Designer, 606–607, 607
 - counting rows, 610–611
 - Criteria pane, 608
 - Diagram pane, 607–608
 - limiting selections, 611–612
 - parameterized queries, 612–613, 612
 - Results pane, 609
 - SQL pane, 608
 - sums, 609–610, 610
 - Query Designer toolbar, 19
 - Query Parameters dialog box, 612–613, 612
 - question marks (?) in XML, 430
 - Queue collection, 156
 - Quit method, 458
- R**
- RAD (rapid application development), 54
 - RadioButton controls, 193, 193
 - in GUI, 45
 - properties, 193–196
 - Raise method, 171
 - raising exceptions, 329–330
 - random-access files, 411–412
 - Range object
 - Excel, 478–479
 - contents, 477
 - members, 480–481, 480
 - UsedRange object, 481
 - Word, 459
 - for composing documents, 468–472, 470
 - for text manipulation, 463–464
 - for words, 460
 - Range property, 478
 - ranges
 - printing, 513
 - in SELECT, 587
 - Rank property, 145
 - rapid application development (RAD), 54

- Read method in StreamReader, 417–418
- Read methods in BinaryReader, 423–424
- read-only properties, 330–331
- Read value
 - FileAccess, 404
 - FileShare, 404
- ReadBlock method, 418
- Reader object, 411
- reading
 - binary files records, 427–428
 - Items collection data, 420
- ReadKey method, 556
- ReadLine method
 - Console, 556
 - StreamReader, 418
- ReadOnly file attribute, 401
- ReadOnly property, 219
- ReadOnlyChecked property, 257
- ReadToEnd method, 418
- ReadWrite value
 - FileAccess, 404
 - FileShare, 404
- recalculating spreadsheets, 477
- Recent Projects section, 12
- records, 94, 94
- RecordSave application, 424–428, 425
- Rectangle object, 509
- ReDim statement, 142, 146–147
- redimensioned arrays, 146–147
- Redo command, 226
- Redo method, 241
- redo operations
 - RichTextBox, 240–241
 - TextBox, 223
 - TextPad application, 226
- RedoActionName property, 241
- reference, passing arguments by, 116
- References project file, 37
- referential integrity, 575
- Refresh method
 - Image, 492
 - WebBrowser, 677
- Registry property, 383
- relational databases, 573–574, 574
- Relations collection, 637
- relationships
 - database, 573–575

- DataSet, 640, 640
 - in Table Designer, **601–604**, 601–603
 - relative cell references, 478
 - Reload method, 378
 - RemotingFormat property, 649
 - Remove Item buttons, **205–206**
 - Remove method
 - ArrayList, **152–153**
 - Columns, 284
 - HashTable, 155
 - Images, 269
 - Items, 286–287
 - List, **202**
 - Nodes, 276, 279
 - String, 529, **542**
 - StringBuilder, 547
 - TabPage, 304
 - RemoveAt method
 - ArrayList, 153
 - Columns, 284
 - Items, 287
 - RemoveRange method, 153
 - ReparsePoint attribute, 401
 - Replace command, 229, **232**
 - Replace All command, 229, **232**
 - Replace method
 - String, 529, 534, **542–543**
 - StringBuilder, **547**
 - Text, 218
 - replacing
 - misspelled words, **476**
 - TextBox text, **218–219**
 - Request object, 379
 - requirements gathering stage, 53
 - reserved words, **104**
 - ResetColor method, 556
 - Resize event, **67–68**
 - ResizeImage subroutine, **496–497**
 - resizing
 - forms, **66–68**, 66
 - images, **496–497**
 - resolution of images, 489
 - Resource Designer, 384, 384
 - Resources object, 378, **383–385**, 384
 - Response object, 379
 - Restore command, 57
 - RestoreDirectory property, 256
 - result sets, 590
 - Results pane in Query Designer, **609**
 - ResumeBinding method, 654
 - return values
 - functions, 108
 - stored procedures, 644
 - ReverseString method, 326
 - reversing strings, 326, **547–550**, 548
 - \ri tag, 237
 - RichTextBox application, **242–244**, 242–243
 - RichTextBox controls, **235**
 - advanced editing features, **240–241**
 - events, **240**
 - in GUI, 46
 - methods, **239–240**
 - properties, **237–239**
 - RichTextBox application, **242–244**, 242–243
 - RTF language for, **236–237**
 - RichTextBoxStreamType enumeration, 239
 - right-arrow buttons, **206**
 - right joins, **584**
 - Right property, 519, 521
 - robust applications, **31–32**
 - RollBack method, 646
 - rolled back transactions, 642
 - RootFolder property, 258
 - <RootNode> element, 430
 - roots in trees, 267
 - Rotate Right command, 498
 - RotateFlip method, **492**, 497
 - RotateFlipType enumeration, **493**
 - Rows method, 479
 - Rows property
 - DataTable, 638
 - UsedRange, 481
 - RowUpdated event, 652
 - RTF language, **236–237**
 - RTF property, 235, 238
 - Run method, 380
 - runtime errors, 159, **162**, 164
 - runtime mode in form designer, 20
 - runtime node additions, **273–277**
- ## S
- SalesByCategory stored procedure, **589–591**
 - Save As dialog box, 253, 253
 - Save File dialog box, **253–254**
 - properties, **254–257**
 - TextPad application, **262–263**

- Save method
 - Documents, 457
 - Image, **494**
 - Settings, 378
- SaveAs method
 - Document, 461
 - Documents, 457
- Saved property, 461
- SaveFileDialog controls, 246, 253, 258
- SaveMySettingsOnExit method, 380
- SaveRecord subroutine, 426–427
- saving
 - binary file records, **425–427**
 - Items collection data, 421
 - projects, 32
 - Word documents, **457–458, 460–462, 462**
- SByte type, 90
- Scale method, 52
- schemas, XML, 429, **436–444**, 437, 442, 444
- SchemaType property, 442
- SchemaTypeName property, 441
- scope of variables, **97–99**
- Screen Saver Starter Kit template, 28
- ScriptsOnly property, 252
- scroll boxes, 296
- Scroll event
 - ScrollBar, **296–297**
 - TrackBar, 300
- Scrollable property, 282
- ScrollBar controls, **295**
 - events, **296–297**
 - example, **297–298, 297**
 - in GUI, 46
 - properties, **296**
- ScrollBars property, **215**
- ScrollEventArgs class, 297
- ScrollEventType enumeration, **297**
- SDLC (software development life cycle), **53–54**
- Search Online Templates option, 28
- searching
 - ListDemo application, **208**
 - TextBoxes, **218–219**
 - TextPad application, **228–233, 228**
- Seek method
 - BinaryWriter, 422
 - FileStream, **413–414**
- SeekOrigin enumeration, 414
- Select All command, 233
- Select Case statement, **128–130**
- Select Computer dialog box, 665
- Select method
 - ActiveDocument, 464
 - Range, 479
 - RichTextBox, 240
 - TextBox, **221–222**
- Select Resource dialog box, 490
- SELECT statement, **576–577**
 - BETWEEN keyword, **587**
 - calculated fields in, **581–583, 581**
 - DISTINCT keyword, **579**
 - GROUP BY clause, **584–586**
 - HAVING clause, **586**
 - IN and NOT IN keywords, **587**
 - joins in, **583–584**
 - LIKE operator, **579–580**
 - Null values in, **580**
 - ORDER BY clause, **580–581**
 - Query Designer for, **611**
 - TOP clause, **579**
 - WHERE clause, **577–581**
- SelectAll method, 240
- SelectedColor property, 361–362
- SelectedImageIndex property, 270
- SelectedIndex property
 - ComboBox, 210
 - ListBox items, 202
- SelectedIndexChanged event
 - ColorEdit, 362
 - Label3D, 371
- SelectedIndices collection, 209
- SelectedItem property, **202–203**
- SelectedItems collection, 209
- SelectedPath property, 258
- SelectedTab method, 304
- SelectedTab property, 305
- SelectedText property
 - RichTextBox, 238
 - TextBox, 220
- SelectIndex property, 305
- selection
 - current, **464–466**
 - ListBox items, **202–203**
 - text
 - methods, **221–222**
 - properties, **220–221**

- Selection object, **463–466**
- selection queries. *See* SELECT statement
- SelectionChanged event, 360
- SelectionFont property, 238
- SelectionLength property
 - RichTextBox, 238
 - TextBox, **220–221**
- SelectionMode property, **198**, 202
- SelectionStart property
 - RichTextBox, 238
 - TextBox, **220–221**
- sending data to files, **418–421**
- Sentence object, 463
- Sentences property, 465
- separator items in menus, 75, 76
- separators, character, 533
- Serializer object, 412
- servers, Web, 675, **679–680**
- Service Broker, **669**
- services
 - SQL Server Surface Area Configuration utility
 - for, **666–667**, 666
 - XML. *See* XML Web services
- Services console, **664–665**
- Set section of Property procedures, 328
- SetBufferSize method, 557
- SetCreationTime method
 - Directory, **392–393**
 - File, 402
- SetCurrentDirectory method, **392–393**
- SetDataObject method, 226
- SetLastAccessTime method
 - Directory, 397
 - File, 402
- SetLastWriteTime method
 - Directory, 397
 - File, 402
- SetLength method, 414
- Settings Designer tab, 385, 385
- Settings object, 378, **385–386**, 385–386
- Setup Complete screen, 8, 8
- SetWindowSize method, 557
- SGML (Standard Generalized Markup Language), 429
- Shape class, 319–321, **340**
 - base class, **340**
 - constructors, **344–345**
 - derived classes, **341–342**
 - destructors, **346**
 - inheritance in, **346–348**
 - testing, **343–344**
- shapes, drawing, **506–509**, 508
- shared methods, 531
- Shift property, 119
- Shippers table, 571
- Short type, 90
- shortcut keys, **78–79**, 79
- shortcut menus, **79–80**, 80
- shorthand notation of operations, 88
- Show method
 - description, 52
 - for forms, 56, 69
- Show RTF button, 243
- Show Table Data command, **598–599**
- Show Text button, 243
- ShowApply property, **252–253**
- ShowColor property, 253
- ShowColor subroutine, 361, 363
- ShowDate subroutine, 107, 123
- ShowDetails stored procedure, 627, 629
- ShowDialog method
 - for common dialogs, 247
 - for forms, 56, 69
- ShowDialog stored procedure, 628
- ShowEffects property, box, 253
- showing
 - forms, **68–69**
 - images, **490**, 491
 - List View items, **291–292**
 - variable values, 174
- ShowInTaskbar property, 61
- ShowLines property, 271
- ShowNewFolderButton property, 258
- ShowOrder stored procedure, 627
- ShowPageSetupDialog method, 677
- ShowPlusMinus property, 271
- ShowPrintDialog method, 677
- ShowPrintPreviewDialog method, 677
- ShowPropertiesDialog method, 677
- ShowReadOnly property, 257
- ShowRecord subroutine, 427–428
- ShowRootLines property, 271
- ShowSaveAsDialog method, 677
- sibling nodes, 277
- Simple class, **323–325**, 324
 - code for, **325–327**, 327

- custom enumerations in, **336–338**
 - customizing default members, **333–336**
 - error-trapping in, **329–330**
 - in other projects, **338–340**, *339*
 - Property procedures, **328–333**
- Simple ComboBox controls, **208–209**
- Simple Object Access Protocol (SOAP), **680**
- SimpleClass.dll file, *339*, *339*
- SimplePrintout application, **520–522**
- Single type, *91*
- size
 - forms, *57*, **66–68**, *66*
 - images, **496–497**
- Size button, *57*
- Size property
 - description, *51*
 - Font, *504*
- SizeGripStyle property, *61*
- SizeMode property, *490*, *491*, **495–498**
- SmallChange property
 - ScrollBar, *296*
 - TrackBar, *299*
- SmoothingMode property, *501*, *502*
- SOAP (Simple Object Access Protocol), **680**
- software development life cycle (SDLC), **53–54**
- SolidBrush object, *505*
- SolidColorOnly property, *250*
- Solution Explorer, **22**, *22*
 - for GUIs, *47*
 - for project files, *36*
 - for Resources, *384*, *384*
- Sort dialog box, *480*, *480*
- Sort method
 - Array, *311*
 - Range, *480*, *480*
- Sorted property
 - ListBox, **198–199**
 - TreeView, *271*
- SortedList collection, *156*
- SparseFile attribute, *401*
- specifications for Label3D controls, **365–366**
- spell-checking Word documents, **472–476**, *473*
- SpellingErrors method, *473–475*
- SpellingSuggestions collection, *472–473*
- splash screens, **380**
- SplashScreen property, *380*
- Split method
 - String, **541–542**
 - Text, *218*
- SplitContainer control, *56*
- spreadsheets, **482–484**. *See also* Excel application
- SQL (Structured Query Language), **576**
 - action queries in, **587–589**
 - selection queries in. *See* SELECT statement
 - stored procedures in, **589–591**
- SQL Configuration Manager, **657**
 - for advanced features, **664–665**, *664*
 - Alias application, **662–663**, *663–664*
 - for aliases, **661–662**, *661–662*
 - for network support, **658–660**, *659–660*
 - for protocol order, **660**, *660*
 - for status information, **657–658**, *658*
- SQL pane in Query Designer, **608**
- SQL Server database files with Database Explorer, *595*, *595*
- SQL Server Express, *5*, *565–566*, **657**
 - SQL Configuration Manager. *See* SQL Configuration Manager
 - SQL Server Express Books Online, **566**, *567*
 - SQL Server Management Studio Express. *See* SQL Server Management Studio Express (SSMSE)
 - SQL Server Surface Area Configuration utility, **665**, *666*
 - for optimizing, **667–669**, *668*
 - for services and connections, **666–667**, *666–667*
- SQL Server Express Books Online, **566**, *567*
- SQL Server Management Studio Express (SSMSE), **669–670**, *669*
 - installing, **566–567**, *567–568*
 - for queries, **670–673**, *670*, *672–673*
 - sample databases, **568–572**, *569–570*, *572*
- SQL Server Surface Area Configuration utility, **665**, *666*
 - for optimizing, **667–669**, *668*
 - for services and connections, **666–667**, *666–667*
- SqlConnection controls, *632*
- SqlDataAdapter controls, *632–635*
- square brackets ([]) in SQL, *580*
- Square class, *319*, *341–342*
- Stack collection, *156*
- stand-alone XML documents, *435*

Standard Generalized Markup Language (SGML), 429
 Standard toolbar, 19
 standards, XML, **431–432**
 Start Page, **12–13**, 13
 Start property, 464–465
 StartCap property, 505
 StartPosition property, 61
 StartsWith method, 538
 startup forms, **70**, 71
 stateless operations, 498
 Static modifier, 88, 99
 status bars, **40**, 41
 Step property, 301
 stepping through code, **174–175**
 Stop method, 677
 stored procedures
 in Database Explorer, **597**
 for form data, **624**, 625–626
 customer changes, **629–630**
 customer selection, **624–625**, 625
 moving between orders, **629**
 orders, **626–629**, 626
 in SQL, **589–591**
 Stream objects, 411
 StreamReader object, 411, **416–418**
 StreamWriter object, 411, **414–416**
 StretchImage property, 490
 Strict setting, 100, **102**
 strictly typed variables, **102**
 String class, 235, 529, **534–535**
 methods, **536–543**
 properties, **535–536**
 String Collection Editor, 33, 196
 StringBuilder class, 235, 529, **544**
 methods, **545–547**
 properties, **545**
 StringReversal application, **547–550**, 548
 StringReversal application, **547–550**, 548
 strings, **529–530**
 comparing, 31–32, 32, **536–537**
 reversing, 326, **547–550**, 548
 variables, **92**
 stroked shapes, 504, 508
 structured exception handling. *See* exceptions
 Structured Query Language (SQL), **576**
 action queries in, **587–589**
 selection queries in. *See* SELECT statement
 stored procedures in, **589–591**

structures, 94, **120–122**
 Style property, 301
 subclasses, 314
 SubItems collection, **287**
 SubItems property, 285, 287
 subroutines
 calling, **112–114**
 in modular coding, **107–108**
 Substring function, 112
 Subtract method, 93
 suggestions, alternate spellings, 473
 SUM function, 582–585
 sums
 even numbers, 97–98
 in Query Designer, **609–610**, 610
 in SELECT, **582–583**
 Suppliers table, 570, 570
 SupportsColor property, 518
 surface area, **665–669**, 666–668
 switches, command-line, **559**
 synonyms, **597**
 syntax errors, **159–162**, 160–162, 164
 System attribute, 401

T

T-SQL (Transact-Structured Query Language), 589
 tab order of controls, **63–64**, 63
 TabControl controls, **302**, 303
 adding and removing pages, **303–304**, 303
 example, 305, 306
 in GUI, 45
 properties, **304–305**
 TabIndex property, 51, 63
 Table Designer
 constraints in, **605–606**, 606
 indexes in, **604–605**, 605
 relationships in, **601–604**, 601–603
 Table Designer toolbar, 19
 tables
 database, 572
 Database Explorer, 596, **598–601**, 598, 600
 SELECT, 577–578
 Tables And Columns dialog box, 602, 602
 Tables tree, 598
 TabPage Collection Editor, 303–304, 303
 TabPages collection, 304
 TabPages property, 305

- TabStop property, 51
- Tag property, 51
- tags, RTF, 236–237
- task panes, 43
- TCP/IP (Transmission Control Protocol/Internet Protocol), 659, 659, 667, 675
- Template Explorer, 671, 672
- templates for queries, 671–672, 672
- Temporary attribute, 401
- testing
 - applications, 178
 - ColorEdit, 364
 - FocusedTextBox, 357–359, 358–359
 - Label3D, 370–372
 - Shape, 343–344
- testing stage, 54
- text
 - printing, 522–526, 523
 - vector graphics for, 489
- text controls
 - RichTextBox. *See* RichTextBox controls
 - TextBox. *See* TextBox controls
- Text Editor toolbar, 19
- text files, 411
- Text property, 51
 - Button, 192
 - CheckBox and RadioButton, 195
 - Label and LinkLabel, 184
 - ListBox, 199
 - ListViewItem, 285
 - Range, 460, 479
 - RichTextBox, 238
 - TextBox, 217–219
 - TreeView, 271
- TextAlign property
 - Button, 192
 - CheckBox and RadioButton, 195
 - Label and LinkLabel, 185
 - TextBox, 214–215
- TextBox controls, 213, 214
 - enhancing, 353–359, 354, 358–359
 - in GUI, 44
 - methods, 221–222
 - properties
 - basic, 214–217, 216
 - text-manipulation, 217–220
 - text-selection, 220–221
 - TextPad sample application. *See* TextPad application
 - undoing edits in, 222–223
- TextChanged event, 360
- TextImageRelation property, 192–193
- TextPad application, 223–225, 224, 257–258
 - console application, 560–561
 - dialog boxes
 - Color, 259–260
 - Font, 259
 - Open File, 260–262
 - Save File, 262–263
 - menus
 - Edit, 225–233
 - File, 225, 263–264
 - Format, 233–235
- TextRenderingHint property, 501
- TextureBrush object, 505–506
- three-dimensional arrays, 144, 145
- ThreeState property, 195
- throwing exceptions, 170–172
- thumbs, ScrollBar, 295
- tick marks, 298
- TickFrequency property, 299
- TickStyle property, 299
- time values, 93
- Title property, 554
- ToLower method
 - Char, 534
 - description, 51
- toolbars
 - in GUI, 40, 41
 - IDE, 18–19, 19–20
- Toolbox, 23–25, 24
 - Connection and DataAdapter controls for, 631–632, 632
 - for GUIs, 47
- Tools menu, 17, 17
- ToolStripComboBox type, 74
- ToolStripItem objects, 71–74
- ToolStripMenuItem type, 74, 76–77
- ToolStripSeparator type, 74
- ToolStripTextBox type, 74
- ToolTips, 174
- ToolTipText property, 77
- TOP keyword, 579

- Top property
 - forms, 62
 - Margin, 519, 521
 - ToPage property, 517
 - TopMost property, 62
 - TopNode property, 271
 - ToString method, 113
 - Char, 534
 - ListBox items, 199
 - for overriding members, 333–334
 - StringBuilder, 547
 - totaling
 - even numbers, 97–98
 - in Query Designer, 609–610, 610
 - in SELECT, 582–583
 - ToUpper method, 31
 - Char, 534
 - description, 51
 - TrackBar controls, 298, 298
 - events, 300
 - example, 300
 - in GUI, 46
 - properties, 299
 - Transact-Structured Query Language (T-SQL), 589
 - Transaction object, 646
 - transactions, 642–643
 - creating, 646–648
 - Order Details table, 645–646
 - Orders table, 643–645
 - Transmission Control Protocol/Internet Protocol (TCP/IP), 659, 659, 667, 675
 - TreatControlCAsInput property, 554–555
 - tree structures, 266–268, 266, 268
 - tree views, 42, 42
 - TreeNode Editor, 272, 272
 - TreeView application, 277, 277
 - nodes in, 278–279
 - populating controls in, 277–278
 - TreeView controls, 265
 - nodes
 - design time, 272–273
 - runtime, 273–277
 - overview, 265–266, 266
 - properties, 270–271
 - structure, 266–267
 - Triangle class, 319
 - code, 341–342
 - constructor, 345
 - TrimToSize method, 150
 - True/False values, 92
 - Truncate FileMode value, 403
 - Try...Catch...End Try blocks, 166–168
 - two-dimensional arrays, 143–144, 143, 145
 - type identifier characters, 86
 - Type property
 - ScrollEventArgs, 297
 - Selection, 465
 - TypeParagraph method, 466–468
 - types
 - Database Explorer, 597
 - variables, 89
 - Boolean, 92
 - date, 93
 - numeric, 90–91
 - object, 96–97
 - string, 92
 - user-defined, 94–95, 94–95
 - TypeText method, 466–468, 467
- ## U
- UBound function, 142
 - UInteger type, 90
 - ULong type, 91
 - UnauthorizedAccessException exception, 400
 - Unchanged DataRow state, 650
 - underscore characters (_)
 - for access keys, 78
 - line-continuation characters, 29
 - in SQL, 579
 - Undo command, 226
 - Undo method
 - RichTextBox, 241
 - TextBox, 222–223
 - undo operations
 - RichTextBox, 240–241
 - TextBox, 222–223
 - TextPad application, 226
 - UndoActionName property, 241
 - unhandled exceptions, 165
 - uniform resource locators (URLs), 238, 676

Union method, 479
 Update method, 642, 650–652
 Update Rule option, 602
 UPDATE statement, 588–589
 updating
 in ADO.NET, 648–651
 DataSets, 642
 Upper Case command, 234
 URLs (uniform resource locators), 238, 676
 UsedRange object, 481
 UseMnemonic property, 186
 user-defined variables, 94–95, 94–95
 user-drawn controls, 351, 364–365, 364
 building, 365–366
 designing, 366–370
 in other applications, 372, 372
 testing, 370–372
 user-friendly applications, 32–34, 33
 user interface of controls, 353
 User object, 379, 387
 UserControl objects, 352, 359, 366, 368
 UserControl#.vb project file, 36
 UShort type, 90

V

ValidateNames property, 256
 ValidatePassword function, 536
 validating
 passwords, 536
 XML files, 443–444, 444
 ValidationEventHandler object, 444
 validator objects, 436
 Value keyword, 328
 Value property
 ProgressBar, 301
 ScrollBar, 296
 TrackBar, 299
 XML, 435
 ValueChanged event
 ScrollBar, 296–297
 TrackBar, 300
 values
 displaying, 174
 HashTable, 155
 passing arguments by, 115–116
 in Property procedures, 328
 variables, 83

Values property, 155
 variables, 83–85
 declaring, 85–88, 100–102, 100
 displaying, 174
 initializing, 89, 99
 lifetime, 99
 Locals window and Watch window for,
 175–176, 175
 names, 88–89
 Option Explicit statement, 100–102, 100
 scope, 97–99
 types, 89
 Boolean, 92
 date, 93
 numeric, 90–91
 object, 96–97
 string, 92
 user-defined, 94–95, 94–95
 variant variables, 96
 vector graphics, 489
 vertical scroll bars, 295–296
 VerticalAlignment property, 480
 VerticalResolution property, 491
 View Designer toolbar, 19
 View menu, 15, 15, 26
 View property, 280
 views
 Database Explorer, 596
 form data, 620–624, 621–622
 GUI, 42, 42
 ListView project, 292–293
 virtual classes, 346
 visibility of variables, 97–99
 Visible property, 51
 Application, 456–457
 forms, 69
 ToolStripMenuItem, 77
 VisibleCount property, 271
 VisitedLinkColor property, 189
 Visual Basic 6
 arrays, 140
 constructors and destructors, 344
 exception handling, 166, 171
 forms, 56
 ListBox controls, 197
 Locked property, 64
 printing, 510
 procedures, 113

- strings, 112, 539, 542
- TextBox controls, 213
- TreeView controls, 271, 275
- variables, 84, 86, 88, 91, 93, 96, 99
- Visual Basic Express Edition section, 13
- Visual Basic Express Headlines section, 13
- Visual C# 2005 Express Edition, 5
- Visual C++ 2005 Express Edition, 5
- Visual Database Tools
 - Database Explorer, 22, 22
 - tables in, 598–601, 598, 600
 - working with, 593–598, 594
 - Query Designer. *See* Query Designer
 - Table Designer
 - constraints in, 605–606, 606
 - indexes in, 604–605, 605
 - relationships in, 601–604, 601–603
- Visual J# 2005 Express Edition, 5
- Visual Web Developer 2005 Express Edition, 4
- VolumeSeparatorChar property, 409
- VScrollBar controls, 296

W

- Watch window, 175–176, 175
- Web Service Description Language (WSDL), 684
- Web services, 668, 679
 - building, 681–684, 682–684
 - consuming, 684–685, 685
 - locating, 686, 686
 - operation, 679–680
- WebBrowser controls, 676–679, 678
- <WebMethod(> tag, 681
- WebServices object, 379
- Welcome To Setup screen, 5, 6
- WHERE clause
 - DELETE, 588
 - Query Designer, 611
 - SELECT, 577–581
 - UPDATE, 588
- While statement, 135
- While...End While loop, 135
- Width property
 - forms, 62
 - Image, 492
 - PageSize, 519
- wildcard characters, 579–580
- Window menu, 17, 17
- WindowHeight property, 555
- windows application development, 39
 - events, 52–53
 - GUIs. *See* GUIs (graphical user interfaces)
 - methods, 51–52
 - process, 53–54
 - properties, 50–51
- windows applications, 27
- Windows controls. *See* controls
- WindowState property, 62
- WindowWidth property, 555
- With statement, 151
- Word application, 455–456
 - Document object, 459–468
 - Documents collection, 459–460
 - overview, 456–459
 - Range object, 468–472, 470
 - spell-checking documents, 472–476, 473
- Word object, 463
- Word Wrap command, 233–234
- WordPad application, 235–236, 236
- Words collection, 459
- Words property, 465–466
- WordSpellChecker application, 473–476, 473
- WordWrap property
 - mapping, 359
 - TextBox, 215–216, 216
- work areas, 44
- Worksheet object, 477–478
- worksheets, 477. *See also* Excel application
- Worksheets collection, 477–478
- World Wide Web, 676
- Write method
 - BinaryWriter, 422
 - Console, 557
 - StreamWriter, 416
- Write value
 - FileAccess, 404
 - FileShare, 404
- WriteLine method
 - Console, 36, 52, 557
 - StreamWriter, 416, 419
- WriteOnly properties, 332
- Writer object, 411
- writing XML data, 433–435, 433
- WSDL (Web Service Description Language), 684

X

X property

- mouse events, **117–118**
- PrinterResolution, 519

XISheetType enumeration, **477**

XISortOrder enumeration, 480

XISortType enumeration, 481

XIYesNoGuess enumeration, 481

xmins:xs attribute, 445

XML (Extensible Markup Language), **429**

- AddressBook application, **446–454, 446**
- with ADO.NET, **617**

documents, **430**

- creating, **433–435**

- loading, **448–449**

- parsing, **449–452**

- validating, **443–444, 444**

namespaces, **429–432, 444–446**

objects, 429

schemas, **436–444, 437, 442, 444**standards, **431–432**writing data, **433–435, 433**XML 1.0 standard, **432**XML Namespaces standard, **432**XML Web services, **668, 679**

- building, **681–684, 682–684**

- consuming, **684–685, 685**

- locating, **686, 686**

- operation, **679–680**

XmlAttribute class, 431

XmlCDATASection class, 431

XmlComment class, 431

XmlDeclaration class, 431, 435

XmlDocument class, 431

XmlElement class, 431

XmlNode class, 431

XmlNodeList class, 431

XmlProc class, 435

XmlProcessingInstruction class, 431

XmlQualifiedName object, 443

XmlSchemaChoice object, 443

XmlSchemaComplexType object, 442

XmlSchemaElement object, 441, 443

XmlSchemaSequence object, 442

XmlSchemaValidationException exception, 444

XmlTextWriter object, 435, 443

xp_cmdshell feature, **669**XPath Expressions standard, **432**

<xs:choice> element, 438, 442–443

<xs:complexType> element, 436

<xs:schema> element, 445

<xs:sequence> element, 436

XSD (Extensible Schema Definition) files, 429, **436–444, 437**XSD Schemas standard, **432**

XSLT (Extensible Style Language Transformation), 429

XSLT Transformations standard, **432****Y**

Y property




- mouse events, **117–118**


- PrinterResolution, 519

Z

zero indexing scheme, 143

Zoom Normal command, 497





This program was reproduced by Wiley Publishing, Inc. under a special arrangement with Microsoft Corporation. For this reason, Wiley Publishing, Inc. is responsible for the product warranty. If your diskette is defective, please return it to Wiley Publishing, Inc., who will arrange for its replacement. PLEASE DO NOT RETURN IT TO OR CONTACT MICROSOFT CORPORATION FOR SOFTWARE SUPPORT. This product is provided for free, and no support is provided for by Wiley Publishing, Inc. or Microsoft Corporation. To the extent of any inconsistencies between this statement and the end user license agreement which accompanies the program, this statement shall govern.

