

Index

- access
 - link 31, 170
- access bandwidth 169
 - restricted 31
 - scarce 54
- access control mechanisms 201
- access network(s) 3, 5, 9, 54
 - bandwidth characteristics 26
 - heterogeneous 5
 - high-bandwidth 27
 - homogeneous 21, 31
 - links 21
 - UDP 181
 - uncontrolled 170, 185
- access technology(ies) 2, 27, 35
- ad hoc networks 46
- adaptive streaming 3, 29
- adaptiveness 3, 160
- administrators 125
- AIMD 48–49
- amplitude
 - height 82
 - increasing 82
- analytically intractable 97
- application(s)
 - client-server 221
 - elastic 26
 - inelastic 26
 - prototype 221
 - scenario 46
 - third-party 210
- application level framing 58
- application specific information 163
- assessment(s) 203
 - automated execution 72
 - final 70
 - method 71, 74
 - preliminary 203, 205–206
 - results 78
 - see also* subjective assessment
- Asymmetric Digital Subscriber Line (ADSL) 2, 16, 35
- audio data 191
- audio streaming 2
 - see also* streaming
- Audio/Video Transport (AVT) 39
- backbone 181, 186
- bandwidth
 - additional 149, 151
 - available 7, 23, 26–27, 42, 50, 93, 105, 127, 155, 172
 - backbone 55–56
 - capacity 153
 - changes 87
 - characteristics 26
 - constant 120
 - dimension 55
 - estimated 177
 - fluctuations 49
 - fraction 52
 - guaranteed 181
 - guarantees 55
 - increase 44
 - increasing 107, 119

- bandwidth (*Continued*)
 - information 137
 - insufficient 23, 55
 - less 180
 - limitations 95, 174
 - limited 138, 179
 - maximum 109, 170, 177, 186
 - requirements 11
 - reservation 20
 - reserving 67
 - scarce 93
 - spare 154
 - stable 185
 - sufficient 20
 - sustained 180
 - varying 97
- bandwidth skimming 24
- best-effort
 - service 9, 55
- bitrate 50, 173, 180
- branch and bound 135
- broadcast 18
 - live 13
 - live events 1
 - mechanisms 22
 - schemes 20
- broadcasting 34, 41
 - digital 37
- broker 60
- BSD sockets 213
- buffer
 - large 150
 - requirements 54, 231
 - size 150
 - sufficient 24, 152
 - underrun 24
- buffering 212
- byte
 - count 163, 166, 196–199
 - position 163
- C++ 104
 - approach 216
 - program 154
- cable
 - modems 2, 16, 35, 181
 - TV 18
- cache(s) 4–5, 10, 13
 - cache 170
 - clustering 51
 - consistency 21
 - decision 92
 - deployed 181
 - hit rate 61
 - implementation 219, 221
 - miss 38
 - operator 115, 143
 - performance 55
 - request 17
 - scalability 51
 - space 55, 144–145
 - state 144
- cache-centric 95, 157
 - approach 118
- cache cluster 38, 55, 61
 - architecture 59
- cache-friendly viewer-centric 96
- cache replacement 7, 16–17, 141
 - algorithm 55, 189
 - based on polishing 128
 - basic principle 129
 - fine granular 144
 - mechanism 132, 147
 - method 143, 147
 - optimal 153
 - popularity-based 144
 - simulations 141, 147
 - strategy(ies) 22, 25, 31–32, 61, 128–129
- cached video
 - content 91
 - polished 144
 - quality 3
- caching 2–3, 9, 144
 - A/V 194
 - advantageous 21
 - approach 53
 - combination 127
 - concept 24
 - cooperative 17, 22, 59–60
 - efficiency 56
 - functionality 222
 - hierarchy 230
 - mechanisms 53

- method 24
- partial, *see* partial caching
- popularity-based 129
- prefix, *see* prefix caching
- process 32, 128
- quality-based 133
- requirements 51
- resource-based 52
- segment-based 53
- selective 53
- storage space 32
- strategy(ies) 14, 22, 54, 156, 177
- technique 13
- window-based 61
- write-through, *see* write-through caching
- Caching Token 61
- capacity 168
- CBR 152
 - encoded 154
- CDI 37, 41
- CDN(s) 11, 39, 41
 - operators 14
- channel 19, 215
- client(s) 4, 13, 15, 20
 - buffer 54
 - buffering techniques 63
 - current 114
 - heterogeneity 2, 54
 - heterogeneous 26
 - representation 26
 - requesting 197
 - requests 31, 55, 59
 - standard 161, 170, 181
 - variety 30, 63
 - wireless 169, 190
- cluster 59–61
- clustering 59
- CODA 10
- code
 - reuse 221
 - statistics 223–224, 230
- codec(s) 183
 - non-hierarchical 184
- coding efficiency 46
- commercial
 - products 171
 - system 170
- communication system 18–19
- comparison scale 71
- compatibility 170
- completeness 66
- complexity 92
- components
 - reusable 209
- computational effort 136
- computationally infeasible 92, 96, 99, 188
- computer(s) 72, 74, 178
- computing power 99, 169
- congestion 3, 45
 - collapse 162
- congestion control 176
 - algorithm(s) 40, 49, 172
 - approach 181, 185
 - binomial 49–50
 - end-to-end 3, 47
 - information 68
 - intermediate link 91
 - mechanism 20, 29, 162, 169–170
 - perform 170, 172
 - purposes 153
 - rate-based 48, 150
 - streaming 26, 49, 55, 170
 - streaming mechanism 172
 - TCP-friendly, *see* TCP-friendly, congestion control
 - TCP-like 3
 - video transmission 104
- consistency 12, 85
- consumption rate 152
- content
 - A/V 174, 191, 200–201
 - availability 12
 - cached 13, 93, 110, 123, 144
 - cached version 57
 - monolithic 26
 - original 27, 57
 - popularity 13, 145
 - providers 13–14, 27
 - quality 129
 - replicated 12
 - requested 26
 - scalable 30, 187
- content discovery mechanisms 14

- content scalability 5, 9–10, 25, 187
 - existing work 37
 - integration 31
 - major component 42
- continuity 66
- control mechanism(s)
 - open loop 3, 20
- copyright 13
- data
 - flow 191
 - forwarding 212, 220
 - gathered 72, 77
 - locality 217
 - loss(es) 4, 23, 45, 72
 - missing 23
 - new 144
 - path 172, 210, 212, 218
 - ranges 197
 - rate 221
 - real-time 191
 - removed 129
 - segment 173
 - time-critical 162
 - time-uncritical 162
 - transmission 221
 - units 211
- DAVIC 39, 41
- DCCP 40
- DCT 42, 68
- delay 153, 155, 219, 221
- demultiplexing 165
- dimension 32
- discrete hierarchical layer-encoded video 65, 86–87
- disk access
 - access 37
 - space 196
- display capabilities 16
- distance learning application 32
- distributed file system(s) 10
- distributed system(s) 9–11, 94
 - SAS-based 24
- distribution
 - approach 17
 - audio 209
 - efficient 20
 - hierarchical 17
 - mechanisms 166
 - technique 153
 - video 209
- distribution architecture 13, 50
- distribution infrastructure(s) 4, 14, 17–18, 27, 87, 230
 - content 191
 - hierarchical 53
 - SAS-based 22
 - scalability 189
 - specific 58
- distribution system(s) 12, 20, 166, 209–210
 - heterogeneous 31
 - interoperation 41
 - load 50
 - multimedia 209–210, 212
 - node 169
 - prototype 209
 - scalable 172
 - wide-area 172, 230
- domain
 - bandwidth-based 38
 - time-based 38
- downstream 211
- DRM 190
- DSBV 71
- DSCQE 70, 72
- DSIS 71–72, 203–205, 207
- DSL 21, 41, 181
- DSM-CC 172
- DVB 39, 41
- dynamic stream switching (DSS) 26–27, 29, 38
- email
 - transmission 26
- embedded zerotree wavelet (EZW) 42
- empirical evaluation 67
- encoding
 - formats 63, 166, 221
 - non-scalable 28
 - schemes 37
 - type 65

- encoding formats 43
 - adaptive 26
 - inelastic characteristics 3
 - non-scalable 27
 - scalable 27, 190
- endpoints 45
- end-system(s) 9
 - characteristics 21
 - heterogeneity 21
- ERA 61
- error rate 194
- Ethernet 21, 26, 35
- Europe 32
- experiment(s) 67, 69, 75, 88
 - empirical 63
 - goal 178
 - Internet-based 200
 - long-distance 200
 - preceeding 111
 - results 77, 180–181
 - simulative 155
- fair share 151
 - claim 151
 - mechanism 152
- fair share claiming (FSC) 7, 95, 109, 163
 - applicability 149
 - approach 152–153
 - existing work 150
 - implementation design 149
 - mechanisms 149, 152
 - in-band 151, 155–157, 165
 - out-of-band 151, 155–158, 165
 - technique 156, 161, 165–166, 168, 188
 - transmission 160
 - transport mechanism 123
- fast-forward 18–19
- fault tolerance 22, 24
 - increase 25, 34, 37, 59
 - reduced 56
 - trade-off 56
- FEC 58
- feedback
 - mechanisms 48
 - unpredictable 69
- file
 - cached 35
 - indexing information 163, 196
 - layouts 196
- fine granularity scalability (FGS) 43, 45–46, 65, 87
 - drawback 110
 - implications 86
 - perform 109
 - video caching 56
- format(s)
 - audio 167
 - non-scalable 24
 - pseudo-layered 170
 - video 167
- forward error correction 181
- Frakes and Tery metric 221, 223
- frame error rates 24
- frame rate
 - loss 45
 - rate 42
 - variation 67
- frames
 - B- 59
 - dropping 68
 - I- 59
 - P- 59
- frequency variations 73
- FTP 3, 26, 201
 - multicast 57
- game consoles 169
- gap(s) 102
 - closed 113, 157
 - closing 103
 - filling 82
 - layer 78
 - size 81
 - small 156
- gateway 190
- geographical scalability 10, 24
- gleaning 54, 172, 210, 225
 - functionality 228
 - prototype 231
- graph(s) 185, 210–211, 221
 - active 218–219
 - arbitrary 213

- graph(s) (*Continued*)
 - configuration 214
 - directed 177
 - manager (GM) 211–212
 - merge 220
 - reconfiguration 214
 - reconfigure 212, 219
 - stream 211
 - streaming 177
 - sub- 211, 218–220, 231
- GRID computing 10
- gstreamer 229–230

- H.261 3, 63, 231
- H.263 43
- H.263+ 43, 66–67
- handhelds 150
- header
 - fields 162
 - information 162
- heterogeneity 9, 169
- heterogeneous clients 3, 5, 7, 50, 169, 186
 - support 153, 189–190
 - supported 56
 - supporting 172
- heuristic(s) 92, 125, 188
 - cache-centric 116, 118
 - cache-friendly viewer-centric 123
 - design 99
 - drawback 138, 147
 - efficiency 137
 - modifications 114
 - schemes 96
 - simple 131–132, 136, 147
 - unrestricted 115–116
 - variations 140
 - versions 135
 - viewer-centric 116, 118, 120–121
- hierarchical infrastructure 17
- hierarchically layer-encoded video 43, 180, 183, 186
- hierarchy 14
- hints 32
- HTML pages 50
- HTTP 16, 192

- IETF 37, 39, 49
 - RFC 192
 - standards 39
 - working groups 39
- Ilog CPLEX 135
- image
 - quality 70
- impairment 203
- implementation
 - monolithic 212
- implementors 209
- information
 - control 210
 - lost 57
- infrastructure
 - enhanced 41
 - heterogeneous 31
 - modifications 191
 - specific 59
- interactivity 50
 - limited support 56
- interfaces 41, 209
 - definition 220
 - well-defined 212
- Internet 2, 19
 - access 169
 - backbone 31
 - best-effort 5, 20, 162
 - caches 61
 - caching 3
 - current 9
 - future 31, 35
 - global 20
 - infrastructure 20
 - measurement 179
 - path diversity 45
 - popularity 1, 41
 - public 24
 - QoS 2
 - scalable 4
 - services 2
 - standardization 39
 - technology 187
 - telephony 192
 - today's 31, 39, 187, 189
 - traffic 2

- video streaming 38
 - see also* video streaming
- video traffic 25
- Internet Cache Protocol (ICP) 14
- interoperability 210
- IntServ 3
- investigation
 - analytical 133
 - simulative 132, 147, 188
- IP 41
 - multicast 218
 - network 67
- ITU Recommendation 66
- ITU-R 70
 - B.500-10 74

- jitter 169, 219

- KDE2 229
- kernel
 - implementation 213
 - modification 162
- KOMSSYS 209, 222
 - cache 178
 - client(s) 178, 228
 - implementation 177
 - platform 230
 - server 178
 - streaming environment 175
 - streaming platform 166, 177–178, 192, 200, 212
 - streaming system 172

- LAN 16, 26, 55, 169
 - technologies 35
- latency 20
 - start-up 22, 24, 52, 61
- layer(s)
 - base 43, 181
 - changes 179
 - complete 55
 - dropped 70
 - enhancement 43, 87
 - equal size 154
 - field 173
 - granularity 160
 - independent 184
 - overall increase 83
 - patterns 75
 - received 179
 - sequences 66
- layer changes 48
 - account for 134
 - amplitude 78
 - frequency 78, 82, 158
 - reduced 49, 143
- layer dummy (LD)
 - format 173
 - video 179
- layer-encoded
 - format 26
 - streaming 50
- layer-encoded video(s) 3–4, 6–7, 26–27, 127
 - advantages 29
 - approaches 56
 - benefit 29
 - cached 84–85, 152
 - cached partially 38
 - caching 51, 55, 60
 - delivery 187
 - discrete hierarchical, *see* discrete hierarchical layer-encoded video
 - distribution 61, 186
 - extension 59
 - format 67, 173
 - granularity 109
 - hierarchically, *see* hierarchically layer-encoded video
 - inelastic 151
 - instance 135, 155
 - length 138
 - quality 64, 71, 84, 92, 130, 156
 - quality metrics 73
 - see also* quality metrics
 - quality regions 139
 - randomly generated 135
 - rate change 150
 - shows 131
 - simulations 147
 - stored 130
 - streaming 49, 54, 63
 - supports 169

- layer-encoded video(s) (*Continued*)
 - techniques 167
 - transmission 28, 151, 153–154
 - transmitted 137, 170
 - transmitting 14–150
 - variations 43, 63, 125, 128, 203
 - well suited 55
- layer encoding
 - approaches 46
 - discrete 28
 - formats 86
 - hierarchical 46
 - scalability 43
 - schemes 37, 67
 - variations 187, 189
- layered quantization 42
- layer variation(s) 4–7, 63–64, 75, 85–88, 106
 - amount of 111, 121, 127
 - amplitude 64
 - influence 65
 - reduce 127
 - reduced 147
 - reducing 63
 - reduction 131, 147
- LC-RTP 25, 166, 191, 193, 195
 - compatible 197
 - design 198
 - experiments 172
 - extension(s) 174, 186, 202
 - functionality 192
 - header extension 199
 - information 196
 - loss recognition 163
 - modifications 174
 - multicast 197
 - packages 198
 - reliable transport 59
 - RTCP-compliant 194
 - session 194, 200–201
 - streams 198
- lectures 18
 - on-line 13
- life cycles 3
- link bandwidth 31, 55
- link failure 13, 20
- Linux 99, 178–179, 216
- live
 - events 50
 - stream 34
- LMRP 57
- load balancing 59
- local disk 10, 177
- log entry 177
- logging 173, 177
 - mechanisms 179
- loss(es) 169–170, 190
 - detection 58, 197
 - list 163, 196–197
 - probability 180
 - rate 180
- loss collection 191
- loss-recovery mechanisms 57
- maximum of cached layers (MCL) 111
- maximum of original layers (MOL) 111
- MBone-conferences 192
- MCache 53
- measurement(s) 173, 177
 - method 70, 72
 - performance 210
 - result(s) 99, 179
- media processing 215
 - units 177
- memory
 - main 99
 - management 37
 - space 169
- metadata 133
- metric
 - new 133
 - objective 6
 - per-layer 66
 - quality, *see* quality metrics
- MiddleMan 60
- middleware
 - approaches 213
 - frameworks 210
- missing segments 28–29, 31, 110
 - considers 113
 - identification 163
 - on the cache 55
 - optimal set 99

- ordered 165
- reordering 99
- requesting 93
- retransmission 125, 151, 153, 188
- retransmit 121
- retransmitted 91, 128
- transmission 174
- transmit 94
- mixed integer programming problem
 - 133, 144, 147
- MMUSIC 40
- mobile
 - devices 24
 - phones 16, 169
- modem(s) 16, 35
- motion vector 44
- movie(s) 53
 - popular 13
- MP3 11
- MPEG-1 2–3, 63, 169
 - audio 231
 - bitrates 27
 - encoder 71
 - file 26
 - intra-coding 27
 - movie 221
 - players 68
 - sequence 78
 - video 26, 67–68
 - video sequences 23
- MPEG-2 66, 68
 - streams 172
- MPEG-4 66, 68
 - DCT-based 44
 - FGS stream 45
 - standard 42–43
 - stream 46
 - video 59
- mpeglib 229
- MTU 173
- multicast 34, 191, 202, 225
 - delivery 54
 - distribution 50
 - group 58, 191, 196
 - IP 194
 - layered 50
 - mechanisms 22
 - mode 194
 - reliable 57–58, 191
 - schemes 20
 - session 227
 - stream 53, 196, 227–228
 - streaming 50
 - system 61
 - transmission 53, 59, 191
 - trees 61
- multicast protocol
 - reliable 25, 57
- multimedia
 - cache 56
 - communication 40
 - content 11
 - data 1, 15, 191
 - file system 197
 - group 24
 - movie 18
 - object(s) 11, 30, 50
 - stream 14
 - systems 210, 215
 - transmission schemes 88
- multimedia applications 2
- multimedia streams 2
- multiple description coding (MDC)
 - 44–46, 65, 87, 186, 190
 - implications 86
- multiplexing 163
- network 69
 - bandwidth 50
 - cable 41
 - campus 35
 - conditions 30, 63, 131, 152
 - congestion 3, 47, 163
 - connection 193
 - infrastructure 47–48, 150
 - IP 40
 - IP-based 41
 - load 22, 25, 34
 - low-bandwidth 27
 - path 7
 - quality 202
 - resources 29, 37, 109, 149
 - satellite 41
 - simulator 153
 - situation 2

- network (*Continued*)
 - topology 46
 - traffic 178, 187
 - transparency 210
 - utilization 47
- networking
 - components 210
- NISTNet network emulator 178
- NP-complete 97
- ns2 137, 153

- object(s)
 - cached 99, 115, 127, 141
 - caching entirely 56
 - discarded 35
 - distribution 187
 - duration 94
 - encoded 52
 - incomplete 128
 - independent 27, 42
 - initially cached 91
 - locally stored 127
 - originally cached 130, 132
 - partial caching 51
 - see also* partial caching
 - polished 141, 144
 - popular 53, 129
 - popularity 22, 53, 144, 189
 - prefix 52
 - quality 91
 - randomly created 135, 140, 168
 - receive 26
 - removing 128
 - request rate 54
 - requested 26, 34
 - segmentation 61
 - segments 61
 - stored 24, 32
 - unpolished 141
 - updates 13
 - variety 32
 - version 180
 - web 15
- on-demand 34
- operating system 178
- optimization
 - process 133
 - optimization problem
 - characteristics 133
 - discrete nonlinear 97
 - multi-objective 133
 - origin server 9, 14–15
 - load 12, 34
 - see also* server(s)
 - over-polishing 130
 - avoided 133
 - effect 132
 - overlay
 - logical 17
 - networks 11

 - packet(s) 180
 - dropped 29
 - dropping(s) 170, 183
 - duplication 214
 - end 197
 - forwarded 184
 - length 163
 - loss(es) 191, 200, 219
 - retransmitted 29
 - packet loss(es) 20, 25
 - parameter(s)
 - analysis 147
 - dependency 104, 118
 - influence 135, 147
 - variation 105
 - partial caching 38
 - approach 54–55
 - bandwidth-based 56
 - temporal 55–56
 - time-based 52, 56
 - patching 24, 218
 - technique 53
 - path
 - control 173
 - diversity 45
 - pay-per-view (PPV) 18–19
 - payload(s) 163, 168, 210
 - PC
 - high-end 31
 - standard 16, 169
 - PDA(s) 16, 31, 169
 - peer-to-peer 61
 - environment 190

- perceived quality 3–7, 26, 88, 123
 - better 78
 - classifying 63
 - end-user's 63
 - impair 48
 - improved 67
 - increase 127, 128
 - influence 80–81, 86
 - layer changes 75
 - maximize 115
 - videos 63
 - viewer's 86
- performance analysis 92
- playout 7, 52, 212
 - deadline 100
 - smoother 49
 - time 100–101, 113, 115, 122, 150
 - timely 123
 - video 133
- polishing 7, 128, 141, 190
 - applying 156
 - competing goals 133
 - concept 129
 - effect 141
 - fundamentals 128
 - goal 130
 - information 128, 132
 - instance 135
 - layer-encoded video 133, 138
 - mechanisms 189
 - method 143
 - optimal 132, 135–136, 138, 140, 147
 - over-, *see* over-polishing
 - reduce quality variations 128
 - technique 188
 - video 132
- polishing algorithms 128
 - extended 144
 - new 130
 - optimal 131, 137
 - performed 131, 135
- polishing technique 127
 - new 147
 - optimal 128
- popularity 3, 12–13, 172
 - data 94
 - information 94–95, 129, 141
 - lowest 144
 - models 22
 - value 144
 - variance 32
- POSIX semaphores 213
- prefetched 55
- prefetching
 - offset 100, 105, 110
 - window 100–101
- prefix caching 20, 39, 52–53
 - increased latency 56
- products 6, 38
- profiles 167
- protocol(s) 47, 191, 210
 - behavior 162
 - communication 189
 - design 161
 - end-to-end 150
 - existing 161
 - messages 174
 - open standard 39
 - stack 47
 - streaming 41
 - suite 162
 - underlying 58
- proxy cache(s) 14–15, 63
 - cooperative 60
 - see also* cache(s)
- proxy caching 50
- PSNR 46, 85–86, 89, 187
 - average 46, 78, 83
 - metric 65, 83
 - reduced 127
 - results 84
 - value(s) 76, 78
- PSTN 40
- quality
 - acceptable 187
 - adaptation 26
 - adjusting 171
 - average 88
 - change(s) 135, 139, 180, 182
 - decrease 57
 - degradation 3, 24
 - development 180
 - difference 71, 81
 - enhancement 96

- quality (*Continued*)
 - improvement 30, 44, 88, 92, 157
 - increase 43–44, 170
 - level(s) 138, 141
 - loss 133
 - maximizing 95
 - measure 187
 - metric 188–189
 - objective 83
 - perceived, *see* perceived quality
 - perception 76
 - perceptual 132
 - possible 95
 - presentation 96
 - ranking 73
 - reduced 58
 - regions 138, 147
 - steps 30
 - subjective 83, 106
 - variance 85
 - verifying 91
 - video's 64
- quality assessment 67
- quality metrics 49, 63
 - assumptions about 64
 - based on 66
 - correlation 84
 - introduction 187
 - layer-encoded video 66
 - new 65
 - objective 86
- quality of service (QoS) 20
 - guarantees 35
 - Internet 2
 - lack of 63
 - support 4
- quality variations 3–4,
 - 30–31, 204
 - amplitude 85
 - avoid 96
 - decrease 96
 - frequency 85
 - layer-encoded video 63
 - little 125, 149
 - reduced 139
 - results 140
 - scheduled 69
- quantization
 - layered 68
- queue
 - overflow 29
- Quicktime Streaming
 - Server 209
- Rainbow 61
- RAP 48–49, 55
- rate
 - adaptation 55
 - maximum 32, 170
 - oscillations 47
 - variations 52
- rate-based 47
- read-to-update ratio 12–13, 16
- Real Networks 38
- real-time delivery 174
- RealPlayer 209
- RealServer 230
- RealVideo 26
- receiver(s) 26, 37, 153
 - heterogeneous 50
 - mobile 150
 - reports 163
- reference frame 59
- reliability 12–13, 57
- replacement granularity 53
- replica(s) 11–13
- replicated 60
 - data 59
- replication 9, 11–13
 - applied 39
 - client-initiated 11
 - server-initiated 11
- resource(s) 20, 202
 - allocation 3
 - consumption 13
 - local 34
 - needs 215
 - reservation 3
 - scarce 150
 - share 230
 - system 212
- resource management
 - cooperative 47
 - model 3

- retransmission(s) 7, 29, 189, 191
 - bandwidth 107, 109–110, 121, 158
 - benefit 95
 - capacity 96, 99, 129, 160
 - counter 198
 - cycle 197
 - focus 95, 124–125
 - implemented 181
 - initiating 197
 - limited 114
 - mechanism 31
 - methods 174
 - missing data 58
 - performed 92–93
 - phase 32, 93, 110, 175
 - process 91
 - request(s) 165, 174
 - run 121
 - schedule 91, 96, 197
 - scheduled 149
 - schemes 193
 - segments 87
 - session 95
 - signalling 165
 - supported 93
 - time 93, 95
- retransmission scheduling 6–7, 110, 128, 189–190, 203
 - approach(es) 95, 99, 123, 125, 188
 - assumption 79
 - cache-centric 115–116
 - cache-friendly viewer-centric 123
 - case 130
 - clients 91
 - complexity 96–97
 - goal 96
 - heuristic(s) 92, 111
 - investigation 86, 92
 - list 165
 - mechanisms 92
 - optimal 96–97
 - previous work 65
 - strategies 115
 - technique(s) 75, 114
 - viewer-centric 100, 115–116, 122
- retransmission scheduling
 - algorithms 168
 - compare 86, 155
 - different 104, 149, 151
 - favorable 66
 - goal 96
 - modified 116
 - optimal 99, 125
 - priority-based 101
 - rate 86
 - run 165
 - simulations 105
 - unrestricted 105, 155
- rewind 18–19
- RLM 88
- RMTP 57
- robustness 53
- route 23
- routers 41, 47, 153
 - intermediate 29
- RSVP 3, 20
- RTCP 192–193
 - application-specific header 163
 - BYE messages 175
 - changes 166
 - feedback 38
 - functionality 166
 - information 211
 - interaction 219
 - packets 40, 174, 194, 199
 - receiver reports 163, 167
 - source description packet 164
 - standard 210
- RTP 39–40, 57, 162, 192–193
 - extension 174, 191, 199
 - extension header 162, 198
 - format 216
 - functionality 166
 - header 163, 198, 210
 - implementation 199
 - interaction 219
 - mechanism 172
 - modifications 186
 - multiplexing functionality 163
 - packet(s) 163, 167, 173, 191, 196
 - payload 163, 173, 224
 - receiver 164, 202
 - reliable 194

- RTP (*Continued*)
- sequence number 163
 - standard 194, 210
 - standard compliant extension 59
 - stream 165
 - transmission 194, 199
- RTSP 14, 40–41, 192
- application signalling protocol 175
 - functionality 224
 - information 177
 - messages 226
 - proxy 225
 - session 226
 - Setup message 177
 - signalling 186, 216, 223
 - standard 210
- RTT 49, 91, 100
- every 163
 - information 167
 - worst-case 197
- sampling rate 11
- SAP 192
- satellite 18
- scalability 2, 5
- classes 42
 - content, *see* content scalability
 - geographical, *see* geographical scalability
 - increase 11, 13
 - mechanisms 38
 - object-based 42
 - single server 37
 - SNR, *see* SNR scalability
 - spatial, *see* spatial scalability
 - support 30
 - system, *see* system scalability
 - temporal, *see* temporal scalability
 - user, *see* user(s), scalability
- scalable
- content 42, 50
 - encoding 43, 50
 - format 30
- scalable adaptive streaming 91
- related work 39
 - scope 51
- scalable adaptive streaming (SAS)
- architecture 5, 7, 9, 18, 21–22
 - benefit 32
 - building blocks 37
 - design 172
 - difference 172
 - focus 91
 - implementation 172
 - new 187
 - scenario 169–170
 - transmission rate 56
 - unicast 163
- scalable distribution infrastructure 47
- scalable encoded video 42
- see also* scalable video
- scalable video 3
- quality 133
 - variations 4
- SCTP 40
- SDES 164
- SDP 40, 192
- standard 210
- SDPng 40
- segment(s) 7
- additional 75
 - discarded 130
 - dropped 130
 - dropping 3, 55
 - fixed-size 85
 - identify 128
 - importance 129
 - initial 54
 - late 115
 - list 174
 - missing, *see* missing segments
 - received 64
 - remove 128
 - removed 144
 - retransmitted 114
 - subset 127
 - time 71
 - transmission 128
- semaphores 219
- sender(s) 153
- sequence(s) 106
- identical 69
 - impaired 71–72, 203
 - number 162, 173

- numbering 192
- pregenerated 67
- reference 71, 203
- video 83
- sequencing 212
- server(s) 5, 20
 - efficiency 152
 - extended 176
 - failure 20
 - load 5, 12–13, 22, 24
 - outages 13
- server load 5, 12–13
 - generated 22
 - reduce 24, 37
- service
 - acceptance 63
 - binary 30
 - class 35
 - failure 56
 - higher quality 91
 - quality 194
- service model
 - best-effort 3, 21
 - interruption 22
 - low-quality 27
 - quality 57
- sessions
 - light-weight 58
 - non-congestion controlled 176
- set-top boxes 15, 169
- signalling capabilities 170
- significance
 - higher 79, 83
 - statistical 80, 206
- Silo 61
- Simplex algorithm 135
- simulation(s) 92, 97, 111
 - additional 160
 - changed 144
 - configuration 153
 - effort 154
 - environment 99, 104–105, 116, 123, 139, 153, 155
 - outcome 157
 - performed 104, 108, 128, 135
 - polishing 137, 143
 - random-based 137
 - repeated 114
 - results 116, 157
 - steps 153
 - TFRC-based 137
 - time 104, 135
- simulcast, *see* dynamic stream switching (DSS)
- sliding window 53–54
- SNR scalability 42, 68
- sockets 219
- software
 - third-party 228
- source routing 45
- space constraints 31
- spatial resolution 42
- spatial scalability 42
- spectrum 65, 84–86, 187
 - 95% confidence interval 105
 - average 108–110, 121, 135, 137, 140, 157
 - cached video 105
 - calculated 135
 - converges 110, 121
 - final 116, 120
 - gain 105
 - higher 139
 - improvement 106
 - increased 157
 - influence 103
 - metric 96, 130
 - minimization 96, 113, 130
 - minimizing 102, 133
 - nonlinear quadratic form 133
 - objective 88
 - proportional 111
 - received video 118
 - reduced 132, 136
 - reductions 141
 - relative 111
 - rising 114
 - values 112
- SPEG 43, 67
 - created by 75
 - encoded sequence 69
 - format 87, 173
 - layer-encoded format 68
 - pipeline
 - scalability 68
- SplitStream 61

- Squid 56
- SRM 57
 - reliable multicast framework 58
- SR-RTP 59
- SSCQE 71–72
- SSRC 164
 - information 168
- staging 54–55
- standard organizations 6
- standardization 39
- statistical analysis 72, 88, 205
- stimulus comparison (SC) 67, 71–72, 203–207
- stochastic process 50
- storage
 - capacity 144
 - medium 60
 - requirement 61
- storage space 7, 32
 - additional 141
 - cache's 141
 - exhausted 129
 - freed 132, 144
 - less 29
 - local 14, 128
 - medium 60
 - shared 59
- strategy 154
- stream(s) 212
 - audio 48, 50
 - full quality 35
 - graph, *see* graph(s)
 - low-bandwidth 26
 - low-quality 27
 - media 166
 - patch 228
 - video 48, 50
- stream handler (SH) 165, 211, 219
 - active 213–214
 - architecture 166, 177, 216
 - attributes 220
 - classes 220
 - destruction 212
 - downstream 166
 - endpoints 216, 220, 224
 - existing 177
 - functionality 221
 - interaction 167
 - modules 166
 - notifications 220
 - passive 213–214
 - reports 220
 - system 213
 - terminology 210
 - through 214
 - upstream 214–215
- streaming 14
 - A/V 150
 - adaptive 3, 30, 37, 49, 51, 127, 187
 - applications 20, 25, 38, 58, 162, 166, 224, 230
 - audio 2
 - congestion controlled 188
 - efficient 20
 - format 45
 - full quality 179
 - mechanisms 2–3
 - media 20, 215
 - path 177
 - platform 189
 - process 59, 93
 - rate 2
 - scalable 187
 - session 42, 63, 128, 175
 - system(s) 38, 58, 169
 - TCP-friendly, *see* TCP-friendly streaming
 - traditional 20
 - UDP-based 23
 - video 2
- streaming service
 - failure 56
- subjective
 - impressions 4
 - investigations 5
- subjective assessment 4, 6, 63, 74, 127, 187
 - application 72
 - based on 66, 68
 - effort 83
 - experiment 66
 - goal 203
 - interest 75
 - knowledge 92
 - method 69–70, 72

- results 65, 84–85, 96, 102, 125, 189
- statistical results 78
- verified 64
- video quality 65–66
- subjective test method 65
- subnets 31
- suffix 52
- SureStream 38
- switching 26–27
- system
 - architecture 37
 - parameters 125
 - performance 54
- system scalability 4, 24, 31, 187
 - example 24
- TCP 3, 20, 192
 - connection 163
 - mechanism 39
 - model 48
 - reliable transport 57
 - resource allocation model 149, 151
 - session 151, 154
 - throughput equation 48
 - transmission 165
- TCP-compatibility 49
- TCP-friendly
 - congestion control 38, 47, 150
 - see also* congestion control
 - manner 149–150
 - mechanism(s) 21, 39, 150, 161
 - protocol(s) 29, 48, 87, 162
 - rate control 150
 - session 151, 168
 - systems 3
 - transmission 109, 149
 - transport protocol 50
 - video distribution 169
- TCP-friendly streaming 7, 22, 28, 38, 150, 172
 - architecture 153
 - rate-based 38
 - window-based 38
- TCP-unfairness 21
- TEAR 49
- temporal locality 21, 25
 - high 34
- temporal scalability 42, 68
- test
 - application 67
 - candidates 69–72, 74, 78, 81–82, 203–204
 - case 73
 - environment 65
 - method(s) 70–73
 - procedure 203
 - session 73–75
- test sequence(s)
 - actual 204
 - generation 67, 69
 - qualities 72
- testbed 170, 178, 186
 - analysis 209
 - measurement 209
 - setup 179
- TFMCC 49
- TFRC 40, 48–49, 172, 180
 - algorithm 150
 - case 184
 - functionality 162
 - information 181
 - integration 186
 - maximum bandwidth 177
 - model 153
 - modification 190
 - performance 181
 - rate changes 150
 - requires 163
 - slow-start 137
 - specific 167
 - stream 154
 - trace(s) 137, 153–154, 156, 158, 160
- threading
 - conditions 214
 - models 213
- threads
 - internal 214
- throughput 169
 - minimal 181
- time 32
 - constraints 72, 118
 - dependencies 86
 - execution 99
 - interval 72

- time (*Continued*)
 - period 85
 - stamp 162
 - unit 108
 - windows 100
- time-critical 26
- time-stamping 192
- Token-Ring 21
- trace file 177
- traffic
 - characteristics 50
 - competing 138
 - elastic 3, 26
 - generator 67
 - TCP-based 47
 - web-like 154
- transmission
 - adaptive 3, 63
 - bandwidth 44, 56
 - channel 43
 - congestion controlled 109, 130
 - faster-than-real-time 180, 183
 - initial 91, 112
 - lossless 173–174
 - mechanisms 209
 - omit 127
 - path 72
 - quality(ies) 111, 114
 - scheme 87
 - smoothed 54
 - time 94
 - UDP-based 201
- transmission protocol
 - reliable 51
- transmission rate(s) 26–27, 42, 109
 - actual 167
 - available 87
 - constant 48, 53
 - determined 48
 - exceeded 46
 - finite 150
 - higher 152
 - identical 154
 - maximum 171
 - possible 151
 - scalability 67
- transport 7
 - lossless 59, 191
 - mechanism(s) 4, 127, 169–170
 - protocols 166, 221
 - reliable 14, 38, 40, 51, 57
 - TCP-based 24
- TRM 57
- True video on demand (TVoD) 2–3, 18–19
 - service 32
 - support 50
 - system(s) 24–25, 47
- TTL 61
- TV
 - business 32
 - cable 18
 - digital 18, 41
 - terrestrial 41
- UDP 20, 57, 162, 172, 192
 - approach 181
 - modifications 162
 - multiplexing 193
 - standard 23
- UMTS 190
- unicast 59, 225
 - mode 191, 194
 - stream 227–228
- unrestricted lowest layer first (U-LLF) 102–103, 105–106, 124, 157
 - cache-centric 116
 - heuristic 122
- unrestricted lowest layer shortest gap first (U-LL-SGF) 104–106, 116, 124, 157
- unrestricted priority-based heuristics 101
- unrestricted shortest gap lowest layer first (U-SG-LLF) 102–103, 105–106, 157
 - cache-centric 116, 121
 - case 118
 - heuristic 119, 123, 125
 - performance 110
 - results 113, 116
 - totally unrestricted 114
 - viewer-centric 116
- upstream 211

- user(s)
 - access behavior 34
 - demands 149
 - interaction 219
 - preferences 2
 - scalability 10, 24
- user-centric unrestricted
 - heuristic 99
- utility 133
 - factors 135
 - loss 133
 - playback 147
- variable
 - binary 134
- variations
 - amplitude 96
 - frequency 96
- VBR 54, 152
- VCR 2, 19
 - functionality 56
- video(s) 9
 - applications 21
 - block 44
 - cached 28, 101, 107
 - complete 32
 - content 28
 - data 10, 57, 59, 93, 189, 191, 210
 - full quality 29
 - high quality 5, 22, 125
 - impaired 72
 - instance 105, 135
 - news 11
 - objects 7, 14, 17, 21–22, 63
 - see also* object(s)
 - original 31, 165
 - polished 134
 - popularity 174
 - quality 70–71
 - requested 25
 - scalable encoded 37
 - signal 43
 - staging, *see* staging
- video conference system 67
- video content 3
 - distribution 2, 6–7
- video distribution 7
 - architecture 2, 30, 32
 - infrastructure 14, 20, 31
 - mechanisms 22
 - SAS-based 170
 - scenario 9
- video distribution system 9–11, 14, 17
 - available 41
 - extensions 189
 - fault tolerance 22
 - improved 187
 - performance 186
 - products 37
 - SAS support 30
 - scalability 24, 31
 - scalable 186
 - today's 26
- video encoding 2
 - hierarchical schemes 67
- video on demand (VoD) 18–19, 192
 - application 4
 - NoVoD 18
 - NVoD 18, 21
 - operators 4
 - performance 4
 - platform 166
 - popularity 2, 21
 - QoS adaptive 68
 - QVoD 18, 21
 - scalability 2
 - services 2, 4–5, 9, 23, 41
 - session 4
 - subtype 2
 - system(s) 3–4, 23, 189
 - trials 2
 - True (TVoD) 2, 18–19, 21
 - see also* True video on demand (TVoD)
- video quality assessment
 - objective 66
- video server(s) 2, 9, 63
 - cluster 59
 - reduce load 20
- video stream 30, 55
 - see also* stream(s)

- video streaming 2, 6–7, 149
 - architecture 169
 - open source 40
 - popularity 45
 - see also* streaming
- video transmission(s) 3
- VideoCharger 230
- viewer(s) 24, 93
 - annoying 87
 - current 95, 100, 114–115, 118
 - perceived quality 3
 - potential 115
- viewer-centric 95
 - approach 118
- web caches 22, 24
- web caching systems 61
- web objects 50
- web server 16
- window-based 47
 - algorithm 155
 - approach 47, 53–54
- window-based lowest layer first (W-LLF)
 - 100, 102–103, 105, 159
 - disadvantages 100
 - extensions 101
 - window size 105
- Windows Media Player 68
- wireless
 - access 35
 - channel 190
 - infrastructure 31
 - networks 16, 21
 - scenario 54
- WLAN 21
- workload 24
- World Wide Web (WWW) 1, 10
- write-once-read-many 21
- write-through caching 24–25, 28, 51
 - advantage 93
 - attractiveness 114
 - conditional 177
- XDSL 26

