

# Index

- Abscissa axis, 11
- Absorption, 67
- Abundance sensitivity, 98
- Accuracy, 3
- Acetic acid, 31
- Acid digestion, 3, 13, 22
- Adduct formation reactions, 111
- Air entrainment, 58
- Aliquot, 3
- Ammonium pyrrolidine dithiocarbamate (APDC), 13, 18
- Amylases, 38
- Analyte, 3
- Analytical standard, 7
- Anion exchange, 20
- Atom transfer reactions, 110
- Atomic emission spectroscopy, 72
- Atomic spectra, 67
- Atomic structure, 90
- Aqua regia, 23
- Aqueous samples, 18
  
- Babington nebulizer, 42
- Background equivalent concentration, 72
- Beenakker-type resonator, 62
- Bias, 3
- Blaze angle, 76, 78
- Blood, 130
  
- Boltzmann constant, 70
- Boltzmann distribution law, 69
- Bremsstrahlung, 60
- Broadening (*see* Line broadening), 70
  
- Calibration, 3, 8, 11
  - direct, 12
  - isotope dilution analysis (IDA), 93, 114, 137
  - standard addition, 12
- Calibration curve, 3
- Calibration standard, 8
- Catalytic converters, 136
- Cation exchange, 20
- CCD camera, 49
- Certificate concentration, 14
- Certified reference material (CRM), 3, 13, 127, 132, 137, 143
- Charge-coupled device, 49, 84
- Charge-exchange reactions, 110
- Charge-injection device, 84
- Charge-transfer device, 84
- Chelating agent, 21
- Chelex-100, 21
- Chemical resolution, 112
- Chromatography, 54
  - gas, 54
  - high performance liquid, 54

- Clinical analysis, 130
- Coal, 127
- Cold plasma conditions, 109
- Cold vapour generation, 54
- Collision cell, 109, 130
- Complexing agent, 3
- Concentration, 9
  - mass, 9
  - molar, 9
- Condensation reactions, 111
- Confidence interval, 3
- Confidence limit, 4
- Contamination, 2, 4
- Continuous dynode electron multiplier, 102
- Continuous sample introduction, 52
  - chromatography, 54
  - flow injection, 52
- Co-precipitation, 4, 22
- Correlation coefficient, 11
- COSHH, 4, 149
- Cross-flow nebulizer, 42
- Cyclonic spray chamber, 44, 46
- Czerny–Turner configuration, 77
  
- Daly detector, 104
- Data acquisition, 97
  - multi-channel scanning, 97
  - peak hopping, 97
  - single scan, 97
- Data sheet, 149
  - analytical technique (ICP–AES), 153
  - analytical technique (ICP–MS), 154
  - sample preparation for inductively coupled plasma, 152
  - sample pre-treatment, 151
- Decomposition, 22
- Desolvation system, 46
- Detection limit, 134
- Detectors, 82, 102
  - charge-coupled device, 82
  - charge-injection device, 82
  - charge-transfer device, 82
  - continuous dynode electron multiplier, 102
- Daly, 104
  - Faraday cup, 104
  - photomultiplier tube, 82
- Diethyldithiocarbamate, 19
- Diethylenetriamine pentaacetic acid (DTPA), 31
- Diffraction grating, 76, 78
- Digestion
  - acid, 3, 13, 22
  - decomposition, 22
  - microwave, 24
- Dilution factor, 4, 13
- Direct-current plasma (DCP), 61
- Discrete sample introduction, 47
  - electrothermal vaporization (ETV), 47
  - laser ablation, 48
- Dissolved, 4
- Dithiozone, 20
- Document analysis, 124
- Doppler broadening, 70
- Double-focusing mass spectrometer, 99, 141
- Double-pass spray chamber, 45
- Doubly charged polyatomic interferences, 105, 107
- Dry ashing, 4, 28
- Dynode chain, 83
  
- Easily ionizable elements, 85
- Echelle spectrometer, 78, 80, 84
- EDTA, 31
- Electromagnetic radiation, 66
- Electromagnetic spectrum, 66
- Electron impact, 63
- Electron multiplier tube, 102
- Electronic transitions, 67
- Electrothermal vaporization, 47
- E-mail alerting service, 155
- Emission, 66, 67
- Energy level diagram, 69
- Environmental analysis, 136
- Enzymatic digestion, 36
- Error, 4
  - random, 4
  - systematic error, 4
- Ethylenediamine tetraacetic acid (EDTA), 31

- Excimer laser, 49
- Extraction, 4, 13, 29
  
- Faraday cup, 104
- Figure of merit, 4
- Fitness for purpose, 4
- Flow injection, 52
- Food analysis, 141
- Forensic science, 124
- Fractional abundance, 114, 116
- Frequency, 66
- Fusion, 29
  
- Gadolinium oxide, 134
- Gain, 84
- Gas chromatography, 54
- Glow discharge, 63
- Graphs, 11
- Groove density, 76
  
- Heterogeneity, 4
- High performance liquid chromatography, 54
- Homogeneity, 5
- Hydride generation, 54
- Hydrofluoric acid (HF), 22, 23
- Hydrolytic enzymes, 38
- 8-Hydroxyquinoline, 19
  
- ICP, 58
- ICP-MS, 89
- Induction coil, 58
- Inductively coupled plasma, 58
- Inductively coupled plasma-atomic emission spectroscopy, 65
  - atomic spectra, 67
  - axial viewing, 60, 72
  - end-on viewing, 72
  - fundamentals, 66
  - lateral viewing, 60, 72
  - radial viewing, 72
  - side-on viewing, 60, 72
- Inductively coupled plasma-mass spectrometry, 89
  - cold plasma, 109
  - collision/reaction cells, 109
  - data acquisition, 97
  - detectors, 102
  - interface, 94
  - interferences, 104
  - ion source, 94
  - mass spectrometer, 96
  - remedies for molecular interferences, 109
- Industrial analysis, 127
- Interferences, 85, 104, 132
  - doubly charged, 104, 107
  - isobaric, 104, 105
  - matrix, 104
  - molecular, 104, 105
  - non-spectral, 104
  - polyatomic, 107, 132
  - spectral, 85, 104
- Interferent, 5
- Internal standard, 116
- Internet, 159
- Ion-exchange, 20
- Ionization energy, 91
- Ion-trap mass spectrometer, 100
- Isobaric interferences, 104, 105
- Isotope, 90
- Isotope dilution analysis (IDA), 93, 114, 137
- Isotope ratios, 93, 114
  
- Journals, 155
  
- Keywords, 155
  
- Laser, 48
  - excimer, 49
  - Nd:YAG, 49
- Laser ablation, 48
  - direct liquid ablation, 52
  - dual introduction (sample-standard), 50
  - matrix-matched direct solid ablation, 50
- Limit of detection, 5, 72
- Limit of quantitation, 5, 127
- Line broadening, 70
  - Doppler, 70, 71
  - natural, 70, 71
  - pressure, 70, 71
- Line density, 76
- Linear dynamic range, 5

- Linearity, 5
- Lipases, 38
- Liquid–liquid extraction, 5, 13
- Load coil, 58
  
- Mass concentration, 9
- Mass spectral interpretation, 117
- Mass spectrometer, 96
  - double-focusing, 99, 141
  - electrostatic analyzer, 99
  - ion-trap, 100
  - magnet analyzer, 99
  - quadrupole, 96
  - sector-field, 98
  - time-of-flight, 101
- Mass spectrometry
  - detectors, 102
  - fundamentals, 90
  - ion source, 94
  - interface, 94
  - isotope dilution analysis, 114
  - mass spectral interpretation, 117
- Mass-to-charge ratio, 91
- Materials analysis, 134
- Matrix, 5
- Matrix modifiers, 47
- Measurand, 5
- Method, 5
- Method of standard additions, 12
- Methyl isobutyl ketone (MIBK), 13, 18
- 4-Methylpentan-2-one (MIBK), 13, 18
- Micro-nebulizers, 46
- Microwave digestion, 5, 24, 127
- Microwave heating, 24
- Microwave-induced plasma (MIP), 62
- Microwave oven, 124
- Milk products, 141
- Molar concentration, 9
- Molecular interferences, 105
  
- Natural broadening, 70, 71
- Nd:YAG laser, 49
- Nebulizer, 40
  - Babington, 42
  - cross-flow, 42
  - micro-nebulizer, 46
  - pneumatic concentric, 40
  - ultrasonic, 42
  - V-groove, 42
- Ordinate axis, 11
- Organometallic, 5
- Outlier, 5
  
- Paschen–Runge, 78
- Penning ionization, 63
- Pharmaceutical analysis, 146
- Photoelectric effect, 82
- Photomultiplier tube, 82
  - dynode chain, 84
  - gain, 84
  - photoelectric effect, 82
  - quantum efficiency, 82
- Physiologically based extraction test (PBET), 37
- Planck constant, 67
- Plasma sources
  - direct-current plasma (DCP), 61
  - glow discharge (GD), 63
  - inductively coupled plasma (ICP), 58
  - microwave-induced plasma (MIP), 62
- Plasma temperature, 57
- Plasma torch, 58
- Platinum groups elements, 136
- Pneumatic concentric nebulizer, 40
- Polyatomic interferences, 105, 107, 132
- Polychromator, 78
- Precision, 6
- Pre-concentration, 18
- Prefixes, 9
- Pressure broadening, 70, 71
- Proteases, 38
- Protolytic enzymes, 38
- ‘Pseudo-total’, 33, 35
- Publishers, 157
  
- Quadrupole analyser, 96
- Quadrupole mass spectrometer, 96
- Qualitative analysis, 6
- Quality assurance, 6, 13
- Quality control, 6
- Quality control chart, 6

- Quantitative analysis, 6
- Quantum efficiency, 82
  
- Random error, 4
- Reaction cell, 109, 130
- Reagent, 6
- Reagent blank, 6
- Recovery, 6
- Reference material, 6
- Reflectron, 102
- Repeatability, 6
- Reproducibility, 6
- Resolution, 76, 92
- Resonance lines, 68
- Roadside samples, 136
- Robustness, 6
- Rowland circle, 78
  
- Sample, 6
- Sample introduction, 39
- Sample preservation, 2
- Sample storage, 2
- Sampling, 2
- Sampling cone, 95
- Sector-field mass spectrometer, 98, 134
- Selective extraction, 29
- Selectivity, 6
- Sequential analysis, 75
- Sequential extraction, 33
- Sequential multi-element analysis, 75
- Signal-to-noise ratio, 7
- Simultaneous analysis, 75
- Simultaneous multi-element analysis, 75
- Single extraction procedures, 31
  - acetic acid, 31
  - diethylenetriamine pentaacetic acid (DTPA), 31
  - ethylenediamine tetraacetic acid (EDTA), 31
- Single-ion monitoring, 97
- Single-pass spray chamber, 45, 46
- SI units, 8
- Skimmer cone, 95
- Soil, 136
- Solvent extraction, 7
- Speciation, 7, 29
- Spectral line broadening, 70
  - Doppler, 70, 71
  - Lorentz, 71
  - natural, 70, 71
  - pressure broadening, 70, 71
- Spectral line intensity, 69
- Spectral order, 76, 78, 79
- Spectral overlap, 85
- Spectrometer, 75
  - Czerny–Turner, 77
  - Echelle, 80
  - mass, 96
  - Paschen–Runge, 78
- Spray chamber, 44
  - cyclonic, 44, 46
  - cylindrical, 45, 46
  - direct, 45, 46
  - double-pass, 44, 45
  - single-pass, 45, 46
- Sputtering, 63
- Standard, 7, 8
  - analytical standard, 7
  - calibration standard, 7
  - external standard, 7
  - internal standard, 7
  - standard method, 7
  - standard solution, 7
- Standard addition, 7, 12
- Stock solution, 7, 8
- Sub-sample, 7
- Systematic error, 4
- Système International d’Unites (SI), 8
  
- Temperature, 57
  - electron, 58
  - excitation, 58
  - gas, 58
  - ionization, 58
- Tesla coil, 58, 62
- Time-of-flight mass spectrometer, 101
- Trace elemental analysis, 1
- Transport efficiency, 42
- True value, 7
  
- Ultrasonic nebulizer, 42
- Uncertainty, 7
- Unit mass resolution, 98

Units, 8

Urine, 130

Venturi effect, 40

V-groove nebulizer, 42

Wash-out time, 45

Wavelength, 66

Websites, 155

Whole blood, 130

World Wide Web, 159