

Index

A

AATOS (Acts as Taggable On Steroids), installing, 132
ActAsReviewableGenerator class, 398
action caching, 362
ActiveCalendar, 270
ActiveRecord, 158
 callback feature, 173–174
 class names, 158
 MySQL and, 356–357
 :polymorphic option, 175–176
 table names, 158
 test setup, 407–410
 translations and, 279–281
ActiveResource, 241–242
 client script, 243–244
 copy operations, 245
 deletions, 245
 find, 244
 rails:edge:freeze, 242
 updates, 245
ActiveWebService, 241
acts_as_ferret method, 147
acts_as_reviewable plugin, 383–385
acts_as_taggable method, 133
after_save method, 173
ago method, 272
Ajax, in-place editing, 34
alert method, 233
alias keyword, 381
alias method, 381
Apache, Mongrel load balancing and, 333–334
APIs (application program interface), tags, 133–134
applications, starting points, 2
Aptana plug-in, 444
ARTS plugin, 235–236
asserting HTML, 23–25
 creation, 31–34
assert_parse method, 26
assert_select, 23–25
assign method, 233
associations, data hijacking prevention, 178–179
Atom Feed Helper, 250–253
attachment_fu plugin, 288–296
 data setup, 289
 forms, 293–294
 has_attachment method, 290
 images, displaying, 294–296
 testing, 291–293
authentication
 controller, 72–74

routes.rb, 71
 tests, 71–72
 using, 76–78
 views and, 74–76
autocomplete, JavaScript and, 228–229
auto_complete_for method, 229
automation, 103

B

BDD (Behavior-Driven Design), 193
before_filter method, 19
before_save method, 174
Behaviors gem, 205–206
benchmarks, Railsbench, 340–344
bindings, 368–370
 Proc object, 368
block helpers, 77
Bloglines, 241
bots, 80
 CAPTCHA, 86–94
 protection
 authorization email, 84–86
 controller logic, 83
 token model, 80–81
bottlenecks, 338
branches directory, 42
builder templates, XML, 248–249
Builder::XmlMarkup, 248

C

caching, 360–361
 action caching, 362
 expiration, 364
 fragment caching, 362–363
 page caching, 361–362
 storage, 364
 tags, 134–135
CakePHP, 445
calendars, 270–271
call method, 233
Camping, 445–446
can_edit_ingredient method, 220
Capistrano
 dependencies, creating, 324
 deployment
 basic, 316–318
 clustered deployment, 329–333
 multistage, 325

Capistrano (continued)

- installing, 314
- introduction, 313–314
- SSH and, 314
- tasks, 318–320
 - writing, 322–323
- variables, 320–321

CAPTCHA (Completely Automated Public Turing test to tell Computers and Humans Apart), 86–94

charts

- RMagick, Gruff, 306–309
- Sparklines, 309–311

classes

- ActAsReviewableGenerator, 398
- DateTime, 262
- FileList, 112
- FormBuilder, 64
- metaprogramming, 373–375
- Time, 262
- TimeZone, 264
- TzinfoTimezone, 264
- TzTime, 265

class_eval method, 370

commands

- generators, 399–400
- rake, 17
- revert, 44
- svn commit, 46–47
- svn mkdir, 42
- svnadmin create, 42
- svnserve, 50–52

consuming web services, 257–259

controller object

- before_filter method, 19
- testing, 19–20

controllers

- authentication, 72–74
- create method, 13–14
- delete method, 14–15
- edit method, 13
- index method, 11–12
- new method, 13
- show method, 12
- update method, 14

cookies

- life cycle, 97–98
- login, validation, 98–100
- persistent login cookies, 94
- persistent login mechanism, 95–97

create method, 13–14

created_at, 263

cross-site scripting security, 237–238

CRUD (Create, Read, Update, Delete), 4

CruiseControl.rb, 120–123

D

data hijacking, preventing, associations and, 178–179

databases

- downloading, 443
- flat databases, 170

hierarchical databases, 170

indexing, 360

legacy, 156–157

relational databases, 170

normalization, 170

sessions

ActiveRecord store, 354–355

SQLSessionStore, 355–356

setup, 17

tz, 264

date and time, 262

ago method, 272

date arithmetic, 271–273

distance_of_time_in_words method, 271

DST (daylight savings time), 263

duration helpers, 271–272

from_now method, 272

GMT (Greenwich Mean Time), 263

inputting dates, 266

text input, 268–269

time zones, 266–268

JavaScript calendars, 270–271

outputting dates, 271–273

string formats, 272–273

time zones, 263–266

time_ago_in_words, 271

timestamps, 263–266

TimeZone class, 264

TzinfoTimezone class, 264

TzTime class, 265

UTC (Coordinated Universal Time), 263

DateTime class, 262

db:abort_if_pending_migrations, 105

db:charset, 106

db:collation, 106

db:create, 105

db:create:all, 105

db:drop, 105

db:fixtures:identify, 105

db:fixtures:load, 105

db:migrate, 105

db:migrate:redo, 105

db:migrate:reset, 105

db:reset, 105

db:rollback, 105

db:schema:dump, 105

db:schema:load, 105

db:sessions:clear, 106

db:sessions:create, 106

db:structure:dump, 105

db:test:clone, 106

db:test:clone_structure, 106

db:test:prepare, 106

db:test:purge, 106

db:version, 106

delete method, 14–15, 238

deployment, 313

Capistrano and, 313–316

basic deployment, 316–318

hot deployment, 317

Mongrel, 326–328

basic deployment, 328–329

- clustered deployment, 329–333
- multistage, 325
- desc method, 112**
- distance_of_time_in_words method, 271**
- Django, 446**
- doc:app, 107**
- doc:clobber_app, 107**
- doc:clobber_plugins, 107**
- doc:clobber_rails, 107**
- doc:plugins, 107**
- doc:rails, 107**
- doc:reapp, 107**
- doc:rereails, 107**
- DOM, elements, selecting, 233**
- downloads**
 - databases, 443
 - installers, 444
 - Mongrel, 443
 - platform notes
 - Linux, 441
 - Mac OS X, 441–442
 - Windows, 442
 - Rails, 442–443
 - Ruby, 442
 - Subversion, 443
 - text editors, 444
- DRY (Don't Repeat Yourself), 77**
- DSL (domain-specific language), 112**
- DST (daylight savings time), 263**
- duck punching, 378–385**

E

- E text editor, 444**
- Eclipse, 444**
- Edge Rails, 53–55**
 - rake, 55–56
- edit method, 13**
- editing, in-place, 34**
- Emacs, 444**
- encrypted passwords, storing, 67–70**
- ERB, replacements**
 - Haml, 422–427
 - Liquid, 427–431
 - Markaby, 418–421
- .erb files, 215**
- eval method, 368–370**
- :except option, 247**
- executable files, marking, 46**

F

- Ferret**
 - fields, 148–149
 - installation, 146–147
 - search results, 150–151
- FileList class, 112**
- fixture_file_upload method, 292**
- fixtures method, 160–163**
- FixtureScenario plugin, 206–207**

- FixtureScenarioBuilder plugin, 206–207**
- flat databases, 170**
- FlexMock, 187–189**
 - expectations, 191–192
 - stubs, 189–191
- foreign keys, 164**
- FormBuilder, refactoring forms, 64–67**
- FormBuilder class, 64**
- form_for method, 15**
- forms**
 - attachment_fu plugin, 293–294
 - refactoring, FormBuilder, 64–67
 - user creation form, 60–64
- fragment caching, 362–363**
- frameworks**
 - CakePHP, 445
 - Camping, 445–446
 - Django, 446
 - Grails, 446
 - Merb, 446–447
 - TurboGears, 447
- Freemage, 286**
- from_now method, 272**

G

- generators**
 - ActAsReviewableGenerator class, 398
 - basic functionality, 396–398
 - commands, 399–400
 - manifest method, 398–400
 - testing, 400–402
 - GeneratorTestHelper, 404–406
 - migration templates, 406
 - writing test, 402–404
- GlassFish, 439**
- Globalize plugin, 274–275**
 - localize method, 275–276
 - translations, 276–278
 - displaying, 278–279
- GMT (Greenwich Mean Time), 263**
- Google Reader, 241**
- Grails, 446**
- graphics**
 - files, uploading, 288–296
 - library
 - ImageScience, 296–297
 - MiniMagick, 303–306
 - RMagick, 297–303
- graphics packages, RMagick, 286**
- GraphicsMagick, 285, 286**
- Gregorian calendar, 262**
- Gruff, 306–309**

H

- Haml, 422–427**
- has_attachment method, 290**
- helper methods, block helpers, 77**
- helpers, testing, 207–209**

hide method

hide method, 233
hierarchical databases, 170
hot deployment, 317
HTML (Hypertext Markup Language), asserting, 23–25

I

ImageMagick, 285, 286
installation
 Mac OS X, 287
 Windows, 286

images

displaying, attachment_fu, 294–296
uploading, 288–296

ImageScience, 285

FreedImage, 286
graphics library, 296–297
with_image method, 296

in-place editing, 34

JavaScript and, 226–228

index method, 11–12, 250

indexing database, 360

IngredientParser class, 27

ingredient.user method, 221

installers, 444

Instant Rails, 444

internationalization, 273

tracking routes, 281–282

introspection

metaprogramming and, 370
methods, 371–373

J

JavaScript

autocomplete, 228–229
calendars, 270–271
DRY violations, fixing, 213–217
in-place editing, 226–228
tooltips, 222–226
writing, RJS example, 230–232

JDN (Julian day number), 262

jEdit, 444

JRails, running, 435–437

JRuby on JRails, 431

JSON (JavaScript Object Notation), 241

producing, 256–257

Julian day number, 262

L

legacy databases, 156–157

testing, fixtures method, 160–163

lightboxing, RJS, 234–235

link_to method, 15

link_to_remote method, 217, 219

link_to_unless_current method, 125

Liquid, 427–431

localization, 273

localize method, 275–276

localtime method, 263

Locomotive, 444

log:clear, 109

login

cookies, validation, 98–100
persistent login cookies, 94
persistent login mechanism, 95–97

logs, performance and, 345–346

M

manifest method, 398–400

Markaby

standalone, 420–421
template files, 418–420

menus

object cache, 130–131
single-level, 125–130
YAML files, 128

Merb, 446–447

merge feature of YAML, 156–157

metaprogramming

classes, 373–375
duck punching, 378–385
introduction, 367
introspection and, 370
methods, defining dynamically, 387–389
monkey patching, 378–385
objects, 373–375
singletons, 375–378

method timings, ruby-prof, 346–352

method_eval method, 370

method_missing method, 248

methods

acts_as_ferret, 147
acts_as_taggable, 133
after_save, 173
ago, 272
alert, 233
alias, 381
assert_parse, 26
assign, 233
auto_complete_for, 229
before_filter, 19
before_save, 174
call, 233
can_edit_ingredient, 220
class_eval, 370
create, 13–14
defining dynamically, 387–389
delete, 14–15, 238
desc, 112
distance_of_time_in_words, 271
edit, 13
eval, 368–370
fixture_file_upload, 292

fixtures, 160–163
 form_for, 15
 from_now, 272
 has_attachment, 290
 index, 11–12, 250
 ingredient.user, 221
 introspective, 371–373
 link_to, 15
 link_to_remote, 217, 219
 link_to_unless_current, 125
 localize, 275–276
 localtime, 263
 manifest, 398–400
 method_eval, 370
 method_missing, 248
 missing, 386–387
 new, 13
 paginate, 152
 parse, 27
 render :xml, 246
 replace_html, 232
 respond_to, 11–12
 returning, 254–255
 sanitize, 237
 select, 233
 show, 12
 span_for, 214
 super, 247
 time_ago_in_words, 271
 timestamps, 8
 time_zone_select, 266–267
 to_date, 262
 toggle, 233
 to_time, 262
 to_xml, 246
 unit, 28
 update, 14, 219
 utc, 263
 validates_as_attachment, 291
 visual_effect, 233
 with_image, 296
 zone_names, 267–268

migrations, 7–8

MiniMagick, 285, 286
 graphics library, 303–306
 installation
 Mac OS X, 287
 Windows, 286

missing methods, 386–387

mock object testing, 187
 FlexMock, 187–189
 expectations, 191–192
 stubs, 189–191

Mongrel
 Apache and, 333–334
 deployment, 326–328
 basic deployment, 328–329
 clustered deployment, 329–333
 downloading, 443

monkey patching, 378–385

multistage deployment, 325
MySQL, 17

N

nested routes, 9–10
NetBeans, 444
network protocols, REST and, 4–5
new method, 13

O

object cache, menus, 130–131
objects, metaprogramming, 373–375
OOP (object-oriented programming), REST and, 4

P

page caching, 361–362
paginate method, 152
paginating_find plugin, 153
pagination
 paginating_find plugin, 153
 will_paginate plugin, 152

parse method, 27
parsing, 25–29
passwords, encrypted, storing, 67–70
performance
 fixing problems, 352–353
 logs, 345–346
 measurement, 337
 Railsbench, 338–344
 session management
 ActiveRecord store, 354–355
 cookie-based sessions, 353–354
 SQLSessionStore, 355–356

PHP, CakePHP, 445
plugins
 ActiveCalendar, 270
 acts_as_reviewable, 383–385
 ARTS, 235–236
 attachment_fu, 288–296
 creating, 394–396
 distributing, 414
 FixtureScenario, 206–207
 FixtureScenarioBuilder, 206–207
 Globalize, 274–275
 installing, 391–392
 listing, 393
 paginating_find, 153
 rails_rcov, 183–184
 repositories, 392–394
 Shoulda, 205–206
 view_test, 204–205
 will_paginate, 152
 writing
 ActiveRecord test setup, 407–410
 acts_as_reviewable plugin, 410–414

POSIX (Portable Operating System Interface) shell,
Capistrano and, 314
Proc object, bindings, 368
profiling, 350–352
Prototip, 222–226

R

RadRails, 444
Rails, versions, 53–55
rake command, 55–56
Railsbench, setup, 338–340
rails:edge:freeze, 242
rails:freeze:edge, 109
rails:freeze:gems, 109
rails_rcov plugin, 183–184
rails:unfreeze, 109
rails:update, 110
rails:update:configs, 110
rails:update:javascript, 110
rails:update:scripts, 110
Rake, 103
capabilities of, 104–111
cleanup tasks, 108–109
database tasks, 104–106
db:charset, 106
db:collation, 106
db:sessions:clear, 106
db:sessions:create, 106
db:test:clone, 106
db:test:clone_structure, 106
db:test:prepare, 106
db:test:purge, 106
db:version, 106
management, 106
output, 106
sessions, 106
db:abort_if_pending_migrations, 105
db:create, 105
db:create:all, 105
db:drop, 105
db:fixtures:identify, 105
db:fixtures:load, 105
db:migrate, 105
db:migrate:redo, 105
db:migrate:reset, 105
db:reset, 105
db:rollback, 105
db:schema:dump, 105
db:schema:load, 105
db:structure:dump, 105
doc:app, 107
doc:clobber_app, 107
doc:clobber_plugins, 107
doc:clobber_rails, 107
doc:plugins, 107
doc:rails, 107
doc:reapp, 107
doc:rereails, 107
documentation tasks, 107
log:clear, 109
notes, 110
notes:fixme, 110
notes:optimize, 110
notes:todo, 110
Rails in, 116–117
Rails tasks, 109–110
rails:freeze:edge, 109
rails:freeze:gems, 109
rails:unfreeze, 109
rails:update, 110
rails:update:configs, 110
rails:update:javascript, 110
rails:update:scripts, 110
routes, 110
stats, 110–111
tasks, 111–112
dependencies, 113–115
file tasks, 115–116
legacy database testing, 160
testing, 117–119
test, 108
test:coverage, 185
test:coverage:clean, 185
test:functionals, 108
testing tasks, 107–108
test:integration, 108
test:plugins, 108
test:recent, 108
test:uncommitted, 108
test:units, 108
tmp:cache:clear, 109
tmp:clear, 109
tmp:create, 109
tmp:pids:clear, 109
tmp:sessions:clear, 109
tmp:sockets:clear, 109
rake command, 17
Rails version, 55–56
RDoc, 56–58
rcov
installing, 183–184
tasks, 184
RDoc, rake and, 56–58
recipe input form, 22
redirect_to_recipe variable, 221
refactoring forms, FormBuilder, 64–67
relational databases, 170
normalization, 170
relationships
functionality, 165–166
multiple databases, 165–170
proxy model, 167
accessors, 168–169
remote_edit, 35
remote_update, 35
render :xml method, 246
replace_html method, 232
replacement tools
ERB, 417–431
JRuby on JRails, 431–439

repositories

- adding files, 43–44
- changes, committing, 46–47
- checking out files, 43–44
- commands
 - revert, 44
 - svn commit, 46–47
- conflicts, 48–50
- creating, 42–43
- database files, 45
- doc folder, 44
- executable files, marking, 46
- file-level changes, 50
- life cycle, 47–50
- log folder, 44
- plugins, 392–394
- tmp folder, 44
- updates, 48–50

resources

- building, 6–16
- migrations, 7–8
- routes
 - customizing, 10–11
 - nested, 9–10
 - standard, 8–9

respond to method, 11–12

- JavaScript block, 215

REST (REpresentational State Transfer), 1, 241

- client side, 242–243
- network protocols and, 4–5
- OOP and, 4
- pages *versus* resources, 4
- Rails and, 5–6
- reasons for, 6
- resources, finding, 243–245

returning method, 254–255**revert command, 44****REXML toolkit, 257****REXML::Document, 257****RJS**

- lightboxing, 234–235
- methods, 233
- testing
 - ARTS plugin, 236
 - assert_select_rjs, 235–236
- writing JavaScript, 230–232

RMagick, 285, 286

- draw method, 301–302
- graphics library, 297–303
- GraphicsMagick and, 286
- Gruff, 306–309
- Image class, 298–299
- ImageList, 298
- ImageMagick and, 286
- installation
 - Linux, 288
 - Mac OS X, 287–288
 - Windows, 286
- MiniMagick and, 286

roles, users, 78–79**routes**

- customizing, 10–11
- display, 16
- nested, 9–10
- standard, 8–9

routes.rb, 8–9**RSpec**

- loading, 193–194
- writing specs, 194–195
 - controller specifications, 198–199
 - model tests, 195–197
 - testing helpers, 201–202
 - view behavior, specifying, 199–201

RSS feeds

- Atom Feed Helper, 250–253
- channels, 254
- generating, 253–255
- items, 254
- producing, 249–255

ruby-prof, 346–352**S****salt sequences, 67–68****sanitize method, 237****scripting, security, cross-site, 237–238****searches**

- Ferret and
 - fields, 148–149
 - installation, 146–147
 - results, 150–151
- SQL and, 144–146

security, cross-site scripting, 237–238**select method, 233****servers, Subversion, setup, 50–52****session management**

- ActiveRecord store, 354–355
- cookie-based sessions, 353–354
- SQLSessionStore, 355–356

sessions, 94**Shoulda plugin, 205–206****show method, 12, 233****single-level menus, 125–130****singletons, 375–378****SOAP, 241****Soups OnLine, introduction, 1****source control, 39**

- client-server model, 40
- commands
 - revert, 44
 - svn commit, 46–47
- conflicts, 48–50
- database files, 45
- doc folder, 44
- executable files, marking, 46
- file-level changes, 50
- log folder, 44
- repositories
 - adding files, 43–44
 - checking out files, 43–44
 - committing changes, 46–47

source control (continued)

- creating, 42–43
- systems, 40
- tmp folder, 44
- updates, 48–50

spam, 80

- CAPTCHA, 86–94

span_for method, 214

Sparklines, 309–311

SQL (Structured Query Language)

- injection attack, 176–177
- searches and, 144–146

SQLite3, 17

SSH (Secure Shell), Capistrano and, 314

storage, encrypted passwords, 67–70

stubs, 187

- FlexMock, 189–191

Subversion, 41

- changes, committing, 46–47
- commands
 - revert, 44
 - svn commit, 46–47
 - svn mkdir, 42
 - svnadmin create, 42
- conflicts, 48–50
- database files, 45
- directories
 - branches, 42
 - tags, 42
 - trunk, 42
- doc folder, 44
- downloading, 443
- executable files, marking, 46
- file-level changes, 50
- log folder, 44
- plugin installation and, 392
- repositories
 - adding files, 43–44
 - checking out files, 43–44
 - creating, 42–43
- server, setup, 50–52
- tmp folder, 44
- updates, 48–50
- working copies, 41

subversive control, introduction, 39

super method, 247

svn commit command, 46–47

svn mkdir command, 42

svnadmin create command, 42

svnservice command, 50–52

T

tagging, AATOS (Acts As Taggable On Steroids), installing, 132–133

tags

- API, 133–134
- caching, 134–135
- cloud, calculation, 139–142
- count display, 143

- entering data, 135
- models, applying to, 133–135
- showing detail, 136–137
- viewing, 137–139

tags directory, 42

task method, 112

TDD (Test Driven Development), 1, 23, 181

- process, 181–182
- Rake testing tasks, 107–108

templates, free online, 29

test doubles, 187

test:coverage, 185

test:coverage:clean, 185

test:functionals, 108

testing, 17–18

- assert_select, 23–25
- behavior of application, 193
- Behaviors gem, 205–206
- controller object, 19–20
- FixtureScenario plugin, 206–207
- FixtureScenarioBuilder plugin, 206–207
- generators, 400–402
 - GeneratorTestHelper, 404–406
 - migration templates, 406
 - writing test, 402–404
- helpers, 207–209
- legacy databases, fixtures method, 160–163
- mock object testing, 187
 - FlexMock, 187–189
- rcov
 - installing, 183–184
 - tasks, 184
- RJS, 235–236
- Shoulda plugin, 205–206
- state of application, 193
- stubs, 187
 - FlexMock, 189–191
- TDD, 181
- test object, 18–19
- turn and, 21–22
- views, 20–22
 - Test::Rails, 202–204
 - view_test plugin, 204–205
 - ZenTest, 202–203
- ZenTest, 119–120

test:integration, 108

test:plugins, 108

Test::Rails, 202–204

test:recent, 108

tests, authentication, 71–72

test:uncommitted, 108

Test::Unit, Behaviors gem, 205–206

test:units, 108

text editors, 444

TextMate, 444

Time class, 262

- localtime method, 263
- utc method, 263

time zones, 263–266

- inputting, 266–268
- zone_names method, 267–268

time_ago_in_words method, 271
timestamps, 263–266
timestamps method, 8
TimeZone class, 264
time_zone_select method, 266–267
tmp:cache:clear, 109
tmp:clear, 109
tmp:create, 109
tmp:pids:clear, 109
tmp:sessions:clear, 109
tmp:sockets:clear, 109
to_date method, 262
toggle method, 233
tools, replacing
 ERB replacements, 417–431
 JRuby on JRails, 431–439
tooltips, JavaScript and, 222–226
to_time method, 262
to_xml method, 246
 overriding, 247
transactions, 177–179
translations
 ActiveRecord and, 279–281
 Globalize plugin, 276–278
 displaying, 278–279
trunk directory, 42
t.string syntax, 8
TurboGears, 447
turn, testing and, 21–22
Twitterific, 241
tz database, 264
Tzinfo gem, 264
TzinfoTimezone class, 264
TzTime class, 265

U

Unicode, 274
unit method, 28
unit tests, quality, 183
update method, 14, 219
update_attributes, 188
updated_at, 263
user creation form, 60–64
user interface, tags and
 cloud calculation, 139–142
 count display, 143
 entering data, 135
 showing detail, 136–137
 viewing, 137–139
users
 creating, introduction, 59–60
 definition of, 60
 roles, 78–79

UTC (Coordinated Universal Time), 263
utc method, 263
UTF-8, 274

V

validates_as_attachment method, 291
vender/plugins directory, 395
views
 authentication and, 74–76
 form_for method, 15
 link_to method, 15
 testing, 20–22
view_test plugin, 204–205
Vim, 444
visual_effect method, 233

W

web services, consuming, 257–259
websites
 www.cookingforengineers.com, 2
 www.freecsstemplates.org/preview/cavass, 29
 www.freewebtemplates.com, 29
will_paginate plugin, 152
with_image method, 296
working copies, 41
www.cookingforengineers.com, 2
www.freewebtemplates.com, 29

X

XML, 241
 producing, 246–248
 builder templates, 248–249
 render :xml method, 246
 to_xml, 246

Y

YAML, producing, 256–257
YAML files
 menus, 128
 merge feature, 156–157
 object cache, 130–131

Z

ZenTest, 119–120
zone_names method, 267–268