

INDEX

- Ab initio and molecular modeling, 246–247
- Abiotic/biotic interactions, 39
- Abiotic processes, 38–39
- Absolute solvation coefficient, 237
- Absorption, versus adsorption, 527
- Acidity constants, prediction of, 238
- Acidophilic bacteria, 67–68
- Acidophilic organisms, Fe(II) oxidation via, 342
- Acid-soluble fractions, 474
- trace-element, 481–482
- Acid-soluble trace element form, 468
- Adsorbate, 98
- “islands” of, 20
- Adsorbed radiation dose, 523
- Adsorbents, 98
- different adsorption models for, 250
- Adsorption, 20, 98, 216
- ionic strength dependence in, 245–246
- versus absorption, 527
- Adsorption–desorption reactions
- influences on, 22
- ionic composition affecting, 468
- of radionuclides, 525–526
- Adsorption isotherm equations, 216
- Adsorption mechanisms, spectroscopic
- techniques for evidence of, 241–245
- Aerenchyma, 291–292
- Aerobic–anaerobic interface zones, 352
- Aerobic lithotrophic FeOB, 346–347
- Aerobic photoreduction, of Fe(III), 343
- Aerobic respiration, 345
- Aerobic rhizosphere processes, 344–345
- Aerobic soils, heterogeneous nucleation
- in, 23
- ^{110m}Ag, 541–542. *See also* Silver entries
- Aggregates
- “architecture” of, 15
- formation of, 13–16
- Agronomic stabilization, 568–569
- Air-drying
- of sediment samples, 471
- of soil samples, 470
- Al³⁺. *See also* Aluminum entries
- hydrolysis constants for, 380
- in the rhizosphere, 281–282
- Al–citrate aqueous complexation, chemistry of, 410. *See also* Aluminum–citrate entries
- Al–citrate species, disagreement concerning, 398–399
- Al–citrate systems, chemical models and conditional formation constants for, 386–387t
- Al-containing species, distribution of, 388, 390, 394

- Al hydroxide precipitation products, 9t. *See also* Metal–Al hydroxide precipitates
- Aliphatic acids, leaching and removal performance of, 581
- Aliquot method, 110
- Al–organic complexes, removal of, 482
- Al–organic solution complexes, 191
- Alpha particles, 523
- Al precipitation products, sorption behavior of, 174. *See also* Metal–Al hydroxide precipitates
- Al reaction pathways, 7
- Al_{TS} concentrations, 406–407
- Aluminum (Al). *See also* Al entries; Co–Al hydroxide surface precipitates; Metal–Al hydroxide precipitates acid–base speciation of, 376 citric acid dissociation and hydrolysis of, 379–380 in mineral soils, 7 stable complex formation with, 8
- Aluminum–citrate interactions, 384–398. *See also* Al–citrate entries
- Essington model of, 397–398, 406
- Gregor and Powell model of, 389, 406
- Harris model of, 391–393, 406
- Lakatos model of, 393–397, 406
- Motekaitis and Martell model of, 388–389, 406
- Öhman model of, 385–388
- spectroscopic studies related to, 393–397
- Venturini and Berthon model of, 390–391
- Aluminum–citrate models, summary of, 398–399. *See also* Aluminum–citrate interactions
- Amadori compound, formation of, 11
- Ameliorants, soil, 38–39
- Amino groups, 21
- Anaerobic conditions, Tc reduction under, 539–540
- Anaerobic FeOB, 347
- Anaerobic metal-reducing bacteria, 70
- Anaerobic subsurface environments, microbial activities in, 76
- Anaerobiosis, arsenic desorption on, 326–329
- Anion-exchange capacity (AEC), 280
- Anionic-form trace elements, 187–194
- Anions, sorption of, 187–188
- Anoxic conditions, Cs mobilization and, 547
- Anthropogenic activities effects of, 608 radiation exposure due to, 524
- Anthropogenic non-point pollution, 566
- Antimonate, 543
- Antimony (Sb), concentration in soils, 543
- Antimony-125, 542–543, 544
- Antimony radioisotopes, sources and fate of, 542–544
- Aqueous complexation, 373–416
- Arabidopsis thaliana* gene encoding PC synthase (AtPCS), 76
- Arbuscular mycorrhizal (AM) fungi (AMF), 26–27, 62–63, 576
- Aromatic amino acid groups, as binding sites, 134
- arrA* gene, 324
- ArsC enzyme system, 325
- Arsenate adsorption of, 244 concentrations of, 315 displacement of, 322 precipitation of, 320–321 reduction of, 324–325, 325–326, 331, 332
- Arsenate desorption. *See also* Arsenate sorption–desorption effect of residence time on, 202–203 versus arsenite desorption, 322–324
- Arsenate-respiring bacteria, 71
- Arsenate sorption, 188, 189, 191–194 effect of phosphate on, 197t inhibition of, 195
- Arsenate sorption–desorption, 194
- Arsenate uptake, concentration-dependent kinetics of, 294
- Arsenic (As). *See also* As entries adsorption processes of, 315–320 aqueous chemistry of, 314–315 binding of, 315 chemistry of, 18–19 contamination with, 292 detoxification of, 324–325 dissolved concentrations and migration of, 332 fate and toxicity of, 116 fate under anaerobic conditions, 332–333 hyperaccumulators of, 577 leaching of, 486–487 methylation of, 72 monitoring the fate of, 502–503 oxidation states of, 314 release of, 321 risk imposed by, 314 sorption–desorption of, 194 TCLP-leachable, 584 uptake of, 293
- Arsenic contamination, 314
- Arsenic cycling, biogeochemical processes controlling, 313–338

- Arsenic desorption
 on anaerobiosis, 326–329
 on iron and arsenic reduction, 327–329
 on metal reduction, 326–327
 in soils and sediments, 321–324
Arsenic partitioning, pathways and changes
 in, 330
Arsenic phases, precipitation of, 320–321
Arsenic reduction, 324, 330–331
 arsenic desorption on, 327–329
Arsenic release, 327, 328
 via ion displacement, 321–322
Arsenic resistance, bacterial, 58
Arsenic retention, 322–323
 maximum on solids, 316–317t
 in soils and sediments, 315–321
Arsenite
 adsorption of, 320
 inner-sphere complexes of, 322
 precipitation of, 321
 sorption of, 188, 189, 191–194
Arsenite desorption, versus arsenate desorption,
 322–324
As(III), 314, 315
 adsorption envelopes for, 318–319t
 desorption of, 330
 precipitation of, 320–321
 sorption of, 193t
 transport of, 329
As(V), 314, 315
 adsorption envelopes for, 318–319t
 dissimilatory reduction of, 328–329
 precipitation of, 320–321
 sorption of, 101, 191
As(V)-reducing organisms, 325
As(V) reduction, 331–332
 implications of, 330
As(V)-respiring microorganisms, 325
Atomic absorption spectrometry (AAS),
 487
Atomic fluorescence spectrometry (AFS),
 487
ATR-Fourier transform infrared (FTIR)
 technique, 115, 116. *See also* Fourier
 transform infrared (FTIR) spectroscopy;
 Time-resolved attenuated total reflectance
 (ATR) Fourier transform infrared (FTIR)
 spectra
Attenuated total reflectance (ATR) technique, 115
Attenuation mechanisms/processes, 526
 natural, 581–582
Australia, remediation in, 591
Automated fractionation studies, 507
Autotrophic leaching, 74
Auxin production, by bacterial isolates, 59
Availability index, 36
 $A_{||}$ values, correlation with $g_{||}$ values, 142
Average concentration quotient, 129
Average conditional concentration quotient, 130
Average stability constant, 129
Background electrolytes,
 protonation–dissociation constants and
 surface complexation constants for, 235
Bacteria. *See also* Geobacteraceae; Microbes;
 Microbial entries; Microorganisms
 aerobic rhizosphere, 344
 arsenic-resistant, 325
 As(V)-respiring, 325
 denitrifying, 345
 distribution of, 57
 element uptake by, 26
 metal resistance in, 61
 nickel-resistant, 60
 trace element sorption onto, 176
Bacteria diversity index, 59
Bacterial arsenate reduction, 330
Bacterial cell surfaces, highly reactive, 72
Bacterial communities
 development of tolerance in, 57–58
 serpentine, 60
Bacterial diversity, impact of metals on, 56
Bacterial Fe(III) reduction, 67
Bacterial surfaces, metal sorption and
 precipitation on, 23
Barber–Cushman model, 276, 277
Batch macroscopic experiments, 110–111
Batchwise kinetic leaching, 501–503
Batchwise sequential extraction schemes, 476
Becquerel (Bq), 523
“Best-fit” surface complexes, 226–227
Beta radiation, 523
Bidentate binuclear bridging complex, 244–245
Bidentate binuclear complexes, arsenite, 320
Bidentate surface complexes, 243
 inner-sphere, 244
Binding mechanisms, multiple, 322
Binding site, steric microenvironment of, 127
Bioassays
 using microbes, 620
 using worms, 619–620
Bioavailability. *See also* Metal bioavailability;
 Phytoavailability; Trace element
 bioavailability
 assessing, 450
 defined, 270–271
 elemental speciation and, 430
 lack of information on, 451

- Bioavailability (*continued*)
 of radionuclides, 525–529
 sequential extraction and, 444–448
 toxicity and, 55
 of trace elements, 204
 Bioavailable trace metal fraction, 278
 Biodiversity, terrestrial ecosystem stability and,
 32–33
 Biofilm bacteria, 69
 Biogenic Mn oxides, 28–29
 Biogeochemical gradients, in the
 rhizosphere, 269
 Biogeochemical processes
 in arsenic cycling control, 313–338
 in natural remediation, 36
 rhizospheric, 37
 “Bio-influenced” zone, 270
 Biological cycling, 422
 Biological Fe(III) reduction, 343
 importance of, 352
 rates of, 351
 Biological metal precipitation, 76
 Biological radiation dose, 523
 Biological remediation technologies, 573–577
 Biological systems
 modifications by, 528–529
 radionuclide uptake/assimilation
 by, 527–529
 Biomass, 24
 incinerated, 592
 soil microbial, 57
 use in biosorption and chelation, 75
 BIOMET biosensor, 620
 Biomethylation, of selenium, 533
 Biomineralization, 68, 72–74
 of metals and metalloids, 27–29
 microbial, 27
 Biomolecules
 complexing, 16–17
 effect on metal/metalloid dynamics, 22
 metal oxide transformation and, 7
 Biophysico-chemical processes, in soil
 environments, xiii
*Biophysico-Chemical Processes in Environmental
 Systems* series, xv
 Bioremediation, 573–574, 593–594
 technology for, 38
 Biosensors, bacterial, 270
 Biosorbents, microbial, 75–76
 Biosorption, 68
 Biosurfactants, plant and microbially
 derived, 588
 Bond relaxation, 238
 Borda, Michael J., ix, 97
 Borderline metals, 16
 Born solvation coefficient, 237
 Born solvation free energies, 241
 Cadmium (Cd). *See also* Cd entries
 bioavailability of, 431
 concentrations extracted from soils, 439t
 influence on *Chlorococcum*, 433t
 release of, 22
 solid-phase speciation of, 482–483
 sorption of, 176
 toxicity of, 431
 Cadmium-113 NMR (¹¹³Cd-NMR), 150
 Cadmium availability index (CAI) values,
 17, 444
 Calcite, formation of, 73–74
 Calcium (Ca). *See also* Cs–Ca selectivity;
 PbCa–HA solid phase
 role in Pb immobilization, 626
 role in PR solubility, 613–614
 Calcium oxalate crystals, influence on
 biogeochemical processes, 73
 Capacitances, 233–235
 CaPbHA intermediary phase, 614. *See also*
 Calcium entries; Hydroxyapatite (HA);
 Lead entries
 Capillary break layers, 590
 Capillary electrophoresis (CE), 159
 Capping, in situ, 588–590
 Carbon (C), rhizodeposition of, 295. *See also*
¹³C-NMR entries; Dissolved organic carbon
 (DOC); Organic carbon
 Carbonated fluoropyromorphite, 621
 Carbon dioxide, *see* pCO₂ gradients
 Carboxylate groups. *See also* COO[−] entries
 role in Eu³⁺ binding to HS, 151
 role in metal ion complexation, 136–138
 Cation exchange, with synthetic resins, 159
 Cation-exchange capacity (CEC), 280
 Cationic contaminants, 243
 Cationic element sorption, foreign ligands
 and, 172
 Cationic metal species, 68
 Cation sorption versus pH plot, 174
 Cd²⁺ complexes, sorbed on iron oxyhydroxide
 minerals, 243. *See also* Cadmium entries
 Cd²⁺–HA complexes, stability constant of, 151.
See also Humic acids (HAs)
 Cd²⁺–HS complexes, ¹¹³Cd-NMR of, 150. *See
 also* Humic substances (HSs)
 Cd²⁺ ion concentration, in soil solutions,
 431
 Cd²⁺ speciation, 424–425. *See also*
 Cd speciation

- Cd desorption
 kinetics of, 200–201t
 by phosphate, 202
- Cd–ligand ion complexation, 187
- Cd mobility, in phosphorus-amended soil, 186
- Cd–organic associations, in soil solutions, 186–187
- Cd–organic complexes, bioavailability of, 172
- Cd–phosphate complexes, 186
- Cd sorption, Ca concentration and, 177
- Cd speciation, 299, 428, 432t. *See also*
 Cd species
 in soil solutions, 424–425
 solid-phase, 444
- Cd species
 metal–organic complex-bound, 444
 particulate-bound, 443, 482
- CEEM soil project, 469
- Cement-based S/S, 583–584
- CEN standards, 469
- Cesium (Cs). *See also* Cs entries; K–Cs
 discrimination
 adsorption properties of, 545–546
 concentration dependence of, 547
 fixation with time, 548
 uptake by plants, 548–549
- Cesium-135, 544
- Cesium-137, 523, 524, 544–545, 546
- Cesium radioisotopes, sources and fate of, 544–549
- Charge balance, 230
- Charge distribution multisite complexation
 (CD-MUSIC) model, 221, 228–230, 248
 capacitance values for, 235
 surface functional group intrinsic constant for, 236
- Chelant extractors, 587
- Chelate-assisted phytoextraction, 77
- Chelated micronutrients, 434–435
- Chelating agents, 576–577. *See also* Chelators
- Chelators, concentration of, 586
- Chemical equilibrium models, computer-based, 423
- Chemical exchange rate, 150–151
- Chemical extraction, 435
- Chemical Fe(II) oxidation, versus microbial Fe(II) oxidation, 347–349
- Chemical Fe(III) reduction, versus microbial Fe(III) reduction, 350–352
- Chemical fractionation, 623–624
- Chemical gradients
 development of, 301
 at the soil–root interface, 277
- Chemical models, 451
 of metal–citrate aqueous complexation, 382–406
- Chemical reaction (CR) sorption rates, 99
- Chemical reagents, modeling of kinetic curves for, 502
- Chemical remediation technologies, 577–588
- Chemical speciation. *See also* Chemical species
 models of, 130–131
 using the MINTEQA2 model, 426–429
- Chemical species, 420
- Chemical surface complexation models, 220–247
- Chemolithotrophic (autotrophic) leaching, 67–68
- Chernobyl incident, 524
- Chloride ions (Cl⁻)
 complexes with trace elements, 180
 effect on Cd uptake, 430
- Chloropyromorphite, 609–610
 Pb bioavailability and, 621
- Chromate sorption, 191; 188–189, 190. *See also*
 Cr entries
 rate and quantity of, 192t
- Chromatographic methods, disadvantages of, 159
- Chromophores, 132
- Citrate. *See also* Al–citrate entries;
 Aluminum–citrate entries; Citric acid
 entries; Iron(III)–citrate entries;
 Metal–citrate entries
 acid–base speciation of, 376
 power to complex metals, 379
 predicting the influence of, 410
- Citrate ligand, 374–375
- Citrate/metal ratios, 383
- Citric acid, dissociation and hydrolysis of
 iron(III) and aluminum, 375–382. *See also*
 Citrate entries
- Citric acid ionization constants, 378t
- Citric acid moieties, ionization of, 377
- Classical flow method, 111
- Classical (solution) speciation, 420–421, 422–435. *See also* Solution speciation
- Clay–humic interactions, 12
- Clay minerals, sorption reactions on, 99
- Clean cover barrier methods, 590
- Clean surface covers, 589
- Closed-loop leaching agent reutilization, 495–496
- ¹³C-NMR, 151. *See also* Carbon (C); Nuclear magnetic resonance (NMR) spectroscopy studies using, 389
- ¹³C-NMR resonance lines, chemical shifts in, 392
- ⁶⁰Co, solid–liquid distribution coefficients for, 532. *See also* Cobalt entries

- Co^{2+} adsorption, 243–244
 Co–Al hydroxide surface precipitates, 106
 Cobalt (Co). *See also* Co entries
 adsorption of, 243–244
 complexes with, 156–157
 Cobalt-60, solid–liquid distribution coefficients for, 532
 Cobalt radioisotopes, sources and fate of, 530–532
 Collaborative research, importance of, 119
 Colloid surfaces, 425
 Columbium (Cb), 537. *See also* Niobium entries
 Column experiments, 491–492
 Column leaching experiments, 491, 492
 Common thermodynamic database project (CTDP), 240–241
 Community Bureau of Reference (BCR) Programme, 479
 Community Bureau of Reference three-stage extraction procedure, 451
 Competitive Gaussian distribution model, 131
 Competitive proton binding model, 131
 Competitive sorption, 177–180, 189–190, 204
 of Cu and Zn, 178–180
 effect of time and surface coverage on, 194–195
 phosphate–arsenate, 194
 Complexation capacity (CC), of humic substances, 127–128
 Complexation reactions
 aqueous, 373–416
 of metals, 16–17
 of trace elements in cationic form, 172
 Complexing biomolecules, 16–17
 Complexing extractants, 436
 Complexing ligands, 181–183
 Complexing reagents, nonoxidizing strong, 485
 Complex systems, collaborative research on, 119
 Component addition sequence, effect on trace element sorption, 195–199
 Component additivity (CA), in surface complexation models, 249–250
 Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 569
 Computer-based geochemical modeling, 423
 Computerized speciation models, 424
 Computer optimization, 235
 Concentration gradients, 277, 279
 decreasing, 296
 Concentration quotient, 129
 Conditional concentration quotient, 129
 Conditional stability constant, 129
 Constant-capacitance model, 221–223, 425–426
 capacitance values for, 233, 234
 predictive capability of, 251
 surface complexation constant values in, 235
 Contaminants
 electrokinetic migration of, 579
 transport to organisms, 36–37
 upward migration of, 589–590
 Contaminated areas
 in situ capping of, 588–590
 preparing for vitrification, 592–593
 Contaminated land, treatment of, 74–78
 Contaminated sites
 urgency level of, 570t
 versus polluted sites, 566–567
 Contaminated soils. *See also*
 Metal-contaminated soils
 excavation of, 590–591
 particle-size separation of, 585
 phosphate-induced lead immobilization in, 607–629
 Continuous-flow analysis, 491
 Continuous-flow systems, with closed extraction chambers, 494
 Continuous-flow technique, 111
 Continuous multiligand distribution models, 131
 Continuous phytoextraction, 77
 COO^- stretching vibrations, 137. *See also*
 Carboxylate groups
 COO^- -to- COOH absorption ratio, 136–137
 Copper (Cu), bioavailability of, 434. *See also*
 Cu entries
 Copper amendment, impact on bacterial community, 58–59
 Copper complexes
 divalent, 141–143
 study by XANES and EXAFS spectroscopies, 153–156
 Coprecipitates, formation of, 102
 Cordierite production study, 114–115
 Coupled iron oxidation–reduction, effects of, 355
 Courchesne, François, ix, 267
 Cr(III) sorption, 102, 178, 179. *See also*
 Chromate sorption
 Cr(VI) migration, 579–580
 Criscenti, Louise J., ix, 215
 “Critical zone,” reactivity in, 119
 CrO_4^{2-} , adsorption isotherm of, 118. *See also*
 Chromate sorption
 ^{135}Cs , 544. *See also* Cesium entries
 ^{137}Cs , 523, 524, 544–545, 546. *See also*
 Radiocesium
 Cs^+ adsorption, 244, 247
 Cs–Ca selectivity, 545. *See also* Calcium entries

- Cs–Na selectivity, 545. *See also* Sodium entries
- Cu²⁺, octahedral binding site of, 155. *See also* Copper entries
- Cu²⁺ adsorption, binding mechanisms related to, 133–134
- Cu²⁺ ESR pattern, analysis of, 142
- Cu²⁺–FA complexing, 134. *See also* Fulvic acids (FAs)
- Cu²⁺–HS complexes, 156. *See also* Humic substances (HSs)
- ESR parameters of, 142
- Cu behavior, reactions governing, 187
- Cu-contaminated soils, 282
- Cu contamination, 287–288
- Cu ion toxicity, 430–431
- Culture-based technique, 79
- Cu–O bond lengths, 155
- Cytosolic metal ion concentrations, regulation of, 63
- Decontamination, via bioremediation, 38
- Denaturing gradient gel electrophoresis (DGGE) profiles, 60
- Depletion gradient, 275
- Desferrioxamine B (DFOB), 284. *See also* DFOB complexes
- influence on Cu, Zn, and Cd sorption, 181
- sorption of, 182
- Desorption
- effect of residence time on, 202–203
- of trace elements, 199–203
- Desorption agents, acids and bases as, 586–587
- Desorption kinetics, 199–202
- Detoxification, arsenic, 324–325
- DFOB complexes, 184. *See also* Desferrioxamine B (DFOB)
- Dialysis, disadvantages of, 159
- Diethylenetriaminepentaacetic acid (DTPA), 438, 436
- leaching and removal performance of, 581
- Differential pulse anodic stripping voltammetry (DPASV) polarograms, 299
- Diffuse double-layer model (DDLDM), 221, 223–225, 425
- Diffuse layer model
- metal surface complexation constants in, 239
- standardized database for, 239
- Diffuse reflectance Fourier transform infrared (DRIFT) spectroscopy, 138
- Diffuse reflectance spectroscopy (DRS), 106
- Diffusion-controlled passive sampler, 474
- Diffusive gradients in thin film (DGT) technique, 473
- Dilution techniques, 591
- Dimethylarsenic acid (DMAA), 314
- Dipolar dephasing CPMAS ¹³C-NMR, 151.
- See also* Carbon (C); Nuclear magnetic resonance (NMR) spectroscopy
- Direct enzymatic reduction, 540
- Discrete ligand approach, 130–131
- Dissimilatory Fe(III) reduction, 342
- Dissociation constants, 235–238
- Dissolution agents, acids and bases as, 586–587
- Dissolved metals/metalloids, gradients in, 281–283
- Dissolved organic carbon (DOC), 283, 622
- dependence on TE release rates, 494–495
- Dissolved organic matter–solution speciation, 424–429
- Distortion enhancement by polarization transfer (DEPT) ¹³C-NMR, 151. *See also* Carbon (C); Nuclear magnetic resonance (NMR) spectroscopy
- Distribution coefficient, 216–217, 525–526
- Disulfide/disulfane S, 158
- Dithionite salts, 484–485
- Divalent copper complexes, 141–143
- Divalent manganese complexes, 143–145
- Dose equivalent, 523
- Dynamic column extraction experiments, 491
- Dynamic fractionation systems, 501
- continuous-flow, 493
- Dynamic metal/metalloid fractionation, techniques for, 498–500t
- Easily oxidizable fractions, 474
- Easily reducible fractions, 474
- ECOSAT program, 230, 236, 238, 424
- Ecosystem, metal/metalloid impacts on, 29–39
- Ecotoxicology, 30–32
- Ectoenzyme gradients, 296–297
- Ectomycorrhizal fungi (EcM), 286
- metal-binding effect of, 63
- Ectomycorrhizal infection, Cs uptake and, 549
- EDTA extractograms, comparison of, 507. *See also* Ethylenediaminetetraacetic acid (EDTA)
- EDTA–ferrihydrite system, 195
- EDTA–kinetic procedure, 502–503
- EDTA wastewater, recycling, 587
- Effective electrostatic radius, 237
- Electrokinetic extrapolation, 234
- Electrokinetic remediation, 577–580
- success of, 579
- Electrolyte system, effect of, 614
- Electrolyte types, capacitance values for, 234
- Electron-accepting processes, 345–346

- Electron–nuclear double resonance (ENDOR) spectroscopy, 146
- Electron paramagnetic resonance (EPR) spectroscopy, 112. *See also* Electron spin resonance (ESR) spectroscopy
- Electron-spin echo envelope modulation (ESEEM) spectroscopy, 146
- Electron spin resonance (ESR) spectroscopy, 139–146, 140, 242. *See also* ESR entries
- advantages of, 145–146
- limitations of, 146
- for studying VO^{2+} complexes, 143
- Electron Zeeman effect, 139
- Electrophoretic mobility, 245
- Electrostatic component additivity approach, 250
- Electrostatic effects, influence on complex stability, 127
- Electrothermal atomic absorption spectrometry (ETAAS), 509
- Elements
- bioavailability parameters of, 421
- influence of form on, 420
- leaching kinetics for, 501
- speciation of, 271
- Emerson, David, ix, 339
- Emission spectrum, 132
- Empirical models, 216–220
- limitations of, 219–220
- Enclosed column systems, 491–492
- End-over-end extraction procedures, 476
- Energy-dispersive EXAFS (EDE), 112, 114. *See also* EXAFS spectra; Extended x-ray absorption fine structure (EXAFS) spectroscopy; Quick-EXAFS (QEXAFS); X-ray absorption fine structure (XAFS) spectroscopy
- Enhanced electrokinetic remediation techniques, 579, 580
- Enthalpies of formation, 108
- Environment, transformation of metals and metalloids in, 4
- Environmental biotechnology, microbial metal and mineral transformations in, 74–78
- Environmental constraints, on depth distribution of roots, 273
- Environmental exposure assessment, 35
- Environmental management, 608
- Environmental science, xv
- Environmental systems
- second-harmonic-generation spectroscopy in studying, 116–117
- study of, 115
- Enzymatic activity, in soil, 33
- Enzymatic Fe(III) reduction, 351
- EPR stop-flow (EPR-SF) technique, 112
- Equilibrium-based sequential extraction procedures, 474–490
- Equilibrium dialysis–ligand exchange (EDLE), 159
- Equilibrium surface protonation constants, predictive equations for, 236–237
- Equilibrium surface protonation equation, 236
- Ericaceous mycorrhizas, 63
- ESR analysis, 145–146. *See also* Electron spin resonance (ESR) spectroscopy
- ESR spectra, 140, 141
- of Mn^{2+} , 145
- parameters for, 142
- Essential trace elements, 170
- Essington, Michael E., ix, 373
- Essington model
- of aluminum–citrate interactions, 397–398, 406
- of iron(III)–citrate interactions, 401–403, 404, 409
- Ethylenediaminedisuccinic acid stereoisomers, 588
- Ethylenediaminetetraacetic acid (EDTA), 436, 505–506, 576, 577, 586. *See also* EDTA entries; Ni–EDTA entries
- leaching and removal performance of, 581
- salts of, 485
- TE extraction by, 502
- Europium ion (Eu^{3+}) binding, to humic substances, 151
- EXAFS spectra, 153. *See also* Extended x-ray absorption fine structure spectroscopy (EXAFS); Quick-EXAFS (QEXAFS); X-ray absorption fine structure (XAFS) spectroscopy
- of Fe^{3+} – and Mn^{2+} –HA complexes, 157
- Excavation, of contaminated soil, 590–591
- Exchangeable species, 436
- Exchangeable trace element form, 468
- Exchangeable trace element fractions, 480–481
- Excitation spectrum, 132
- Exopolyphosphatase (PPX), 61
- Experimental methods, non-spectroscopic, 159
- Ex situ remediation techniques, 573
- Ex situ vitrification, 592
- Extended x-ray absorption fine structure spectroscopy (EXAFS), 112, 113, 114, 152, 242, 244, 246, 450. *See also* EXAFS spectra; Quick-EXAFS (QEXAFS)
- Extracellular polymeric substances (EPSs), 69
- Extracellular polysaccharides (EPSs), 13
- Extractable metal contents, comparison of, 505t
- Extractants, examples of, 437t

- Extracting reagents, for Se fractionation, 487
Extraction procedure toxicity test (EP-TOX), 570
Extraction processes/schemes
 expediting, 490–491
 pH changes during, 494–495
 sequential, 440–444
Extraction tests, 204
Extraction time, extent of readsorption and, 497
Extractograms, 501, 503
 comparison of, 506
- FA–metal binding curves, 134. *See also* Fulvic acids (FAs)
Fast exchange, 150–151
Fe(II)/Fe(III) redox couples, 18, 19. *See also* Iron entries
Fe(II) oxidation, 18
 coupling with Fe(III) reduction, 352–354
 rates of, 341
Fe(II)-oxidizing bacteria (FeOB), 341, 348–349
 influence on iron–metal interactions, 360–361
 lithotrophic, 346–347
Fe(II) oxygenation, kinetics of, 20t
Fe(III)–citrate aqueous complexation, chemistry of, 410. *See also* Iron(III) entries
Fe(III)–citrate complexation model, 401
Fe(III)–citrate solutions, electrospray mass spectra of, 405
Fe(III)–citrate speciation, 399–400
Fe(III)–citrate systems, aqueous speciation of, 402t
Fe(III)-containing species, distribution of, 404
Fe(III) (hydr)oxides
 bioreducible, 326
 congruent dissolution of, 326–327
Fe(III) oxides, microbial reduction of, 67
Fe(III) reducers, rhizosphere, 350
Fe(III)-reducing bacteria (FeRB), 342. *See also* Fe(III)-reducing microbes (FeRB); FeOB–FeRB interactions; FeRB isolates
 influence on iron–metal interactions, 360–361
 metal sorption and, 361
Fe(III)-reducing microbes (FeRB), 349
 in the rhizosphere microbial community, 350
Fe(III) reduction, 332, 333
 abiotic, 343
 microbial versus chemical, 350–352
 by sulfides, 342–343
Fe(III)_{T5} concentrations, 406–409
Fe²⁺–HA complexes, 147–148. *See also* Humic acids (HAs)
Fe³⁺ complexation, 150
Fe³⁺–FA complexes, 148–149. *See also* Fulvic acids (FAs)
Fe³⁺–HA complexes, 148–149. *See also* Humic acids (HAs)
Fe–As-reducing bacteria, 332
Fe-complexing compounds, 297
Fe-cycling microbes, assessing the activity of, 361–362
Fe deficiency, 300
Fedotov, Petr S., ix, 467
FEFF simulations, for Pb²⁺ bound to HS, 156
FEFF software, 153
⁵⁷Fe isotope, 147
Fendorf, Scott, x, 313
FeOB–FeRB interactions, 352–356. *See also* Fe(II)-oxidizing bacteria (FeOB); Fe(III)-reducing bacteria (FeRB); Fe(III)-reducing microbes (FeRB)
FeOB strain TW2, 347
FeOOH, precipitation of, 18. *See also* Ferric (hydr)oxides; Hydrous ferric oxides; Iron oxyhydroxides
Fe–organic complexes, removal of, 482
Fe oxides
 associations with other metals, 358
 distinguishing from Mn oxides, 479
 formation and transformation of, 8–9
FeRB isolates, 350. *See also* Fe(III)-reducing bacteria (FeRB); Fe(III)-reducing microbes (FeRB)
Ferric (hydr)oxides, reductive dissolution of, 327. *See also* FeOOH; Hydrous ferric oxides; Iron oxyhydroxides
Ferric iron, 340
Ferric iron complexes, 157
 ESR signal of, 140–141
Ferric oxide, protonation–dissociation constants and best estimates for, 235–236
Fe transformation pathway, 331
Fickian diffusion model, 177
Field model, of iron(III)–citrate interactions, 400–401, 403, 406–409
Field sampling, uncertainty related to, 469
Field studies, on toxic metal effects, 57
Fine-grained particles, contaminants in, 471
FITEQL computer model, 233
FITEQL program, 230, 235, 238, 239, 249
Fixation mechanisms, 526
Fixed cations/anions, 526
Flame atomic absorption spectrometry (FAAS), 509
Flow-injection analysis, 491
Flow-injection assemblies, 495–496
 limitations of, 496
Flow-through fractionation procedures, 490–497
Flow-through macroscopic experiments, 110, 111

- Flow-through methods
 assets of, 507
 with off-line detection, 503–508
 with online detection, 508–509
- Flow-through microcolumn approach, 495
- Flow-through microdialysis, 473–474
- Fluorescence emission spectra, 133
- Fluorescence emission peaks, wavelength shifts of, 134
- Fluorescence excitation spectra, 135
- Fluorescence quenching effect, 133
- Fluorescence spectroscopy, 132–136
 advantages of, 135–136
 limiting aspects of, 134–135
- Fluoropyromorphite, 621
- Flushing fluids, 580, 581
- Fluxes
 longitudinal, 276
 modeling, 276
- Foreign ligands, trace element sorption and, 180
- Fourier transform infrared (FTIR) spectroscopy, 115, 116, 138, 242. *See also* Time-resolved attenuated total reflectance (ATR) Fourier transform infrared (FTIR) spectra
- Fractionation
 of As, Se, and P, 486–487
 chemical, 623–624
 for Fe(III) reduction, 351
 of Pb, 617
 of trace elements in soils and sediments, 467–520
- Fractionation analysis, 468, 509
- Fractionation procedures/techniques
 dynamic metal and metalloid, 498–500
 flow-through, 490–497
- Fractions, classification of, 474
- Free ion activity model (FIAM), 450
- Free ionic concentration, 187
- Free metal ion hypothesis, 17, 428
- Freeze-drying, of sediment samples, 471
- Freezing, of wet sediments, 471
- Frequency shifts, 138
- Fresh extractant volumes, continuous provision of, 491
- Freundlich adsorption isotherm equation, 217–218
- Fructosylglycine, 11
- FTIR spectra collection, 115. *See also* ATR-Fourier transform infrared (FTIR) technique; Fourier transform infrared (FTIR) spectroscopy; Time-resolved attenuated total reflectance (ATR) Fourier transform infrared (FTIR) spectra
- Fulvic acids (FAs), 126, 423. *See also* FA–metal binding curves
- Fulvic functional groups, 426
- Functionally defined speciation, 421, 435–439
- Fungal vacuole, role in cytosolic metal ion regulation, 63
- Fungi. *See also* Arbuscular mycorrhizal (AM) fungi (AMF); Ectomycorrhizal fungi (EcM); Melanized fungi; Mycorrhizal-entries; Soil saprotrophic microfungi
 Cs uptake by, 549
 effect of toxic metals on, 62–63
 element uptake by, 26
 as metal ion sorbents, 68
- Gadd, Geoffrey M., x, 53
- Gaines–Thomas selectivity coefficient, 545
- Gamma radiation, 523
- Gaussian distribution models, 131
- Gel filtration chromatography (GPC), 159
- Generalized composite (GC) approach
 applications of, 251
 in surface complexation models, 250–252
- Generic surface sites, protonation–dissociation constant values for, 236
- Genomic sequences, use in mechanism surveys, 61
- Geobacteraceae, 342
- Geochemical models
 computer-based, 423
 solution speciation predictions offered by, 429
- Geochemical reactions, in iron cycling, 340
- GEOCHEM program, 271, 423–424
- Geomedical problems, soil science solutions to, 30
- GEOSURF program, 238
- Gibbs free energy, 236, 238
- Gibbsite
 aluminum concentration supported by, 407
 equilibrium solubility of, 379, 406
- Global ion cycling, 29–30
- Goethite
 equilibrium solubility of, 406–409e
 Fe(III)_{TS} concentration supported by, 408
- Gold (Au), reduction and precipitation of, 70
- Goldberg, Sabine, x, 215
- Gradients
 in dissolved metals/metalloids, 281–283
 in solid-phase metals and metalloids, 277
- Gräfe, Markus, x, 565
- Granular activated carbon (GAC), for metal removal, 587

- Gregor and Powell model, of aluminum–citrate interactions, 389, 406
 $g_{||}$ values, correlation with $A_{||}$ values, 142
- Half-life, 523
- Halide complexation, 580
- Harris model, of aluminum–citrate interactions, 391–393, 406
- HA surface, metal complexation at, 611. *See also* Hydroxyapatite (HA)
- Haudin, Claire-Sophie, x, 521
- Heavy metal/metalloid fate, organic substances involved in, 297–300
- Heavy metal/metalloid mobility, 300
- Heavy metals
adsorption of, 241
bioavailability of, 438
contamination by, 608
increasing gradients in, 278–279
plant uptake of, 434t
pollution induced by, xiii
in the rhizosphere, 357
in serpentine soils, 59–60
toxicity studies of, 430–431
- Herbel, Mitchell J., x, 313
- Heteronuclear multiple quantum coherence (HMQC), 152
- Heteronuclear overhauser effect (HOE), 152
- Hexahydrated Mn^{2+} complexation, 150
- Hg^{2+} adsorption, 246
- Hg^{2+} complexation, EXAFS study of, 158. *See also* Mercury(II) complexes
- Hg-contaminated wetland, in situ remediation of, 582
- Hg– L_{III} edge spectra, 158
- Hg sorption, 178
- High-density polyethylene (HDPE) liners, 589–590
- High-performance cation-exchange chromatography (HP-CEC), 159
- High spatial resolution techniques, 118–119
- High-time resolution studies, 114
- Hinsinger, Philippe, x, 267
- H^+ ions, diffusion coefficient and ionic mobility of, 579. *See also* Proton entries
- HOE spectroscopy (HOES), 152
- Homogeneous precipitates, 101
- Homogenization, of soil samples, 470
- Horizontal Project, 469
- “Hot spots,” 590
- HS binding site heterogeneity, models characterizing, 131. *See also* Humic substances (HSs)
- HS complexation, effects on 1H relaxation times, 149–150
- HS ligands, CC values of, 134
- HS structural components, nature and reactivity of, 138
- Huang, Pan Ming, x, 3
- Humic acids (HAs), 126, 423
aromaticities of, 151
 Cu^{2+} in, 156
Mo(V)-enriched, 145
- Humic functional groups, characterizing, 426
- Humic substances (HSs), 126. *See also* HS entries; Metal–HS entries; Metal–humic entries
arsenic adsorption by, 315
carboxylate binding site in, 137
complexation capacity of, 127–128
complexing sites in, 21
complex nature of, 128
ESR signal from, 140–141
fluorescence of, 132–133
fluorescence quenching by Cu^{2+} , 134
formation of, 9–13
interaction products of, 12
IR spectra of, 136
as a “multiligand” complexing system, 127
as scavengers of trace elements in cationic form, 173
stability constants and, 151
UV–Vis spectra of, 132
 VO^{2+} doping of, 143
- HYDRAQL program, 238, 424
- Hydraulic lift, 275
- Hydrocarbons, effect on soil microbial community, 56
- Hydrogen chloride (HCl), as a desorbing agent, 587
- Hydrogen peroxide, for oxidizable fraction separation, 485–486
- Hydrolysis
of aluminum, 379–380
of iron(III), 380–382, 400
- Hydrous ferric oxides, 348. *See also* FeOOH; Ferric (hydr)oxides; Iron oxyhydroxides
- Hydroxyapatite (HA)
in decreasing Pb, 615–616
dissolution of, 614
Pb reaction with, 610–611
in reducing Pb concentrations, 619
treating Pb-contaminated alkaline soil with, 619
- Hydroxy–metal complexation reaction, 226
- Hydroxypyromorphite, 610, 611, 614, 621

- Hyperaccumulator plants, characteristics of, 574
- “Hyperaccumulators,” 77–78
- Hyperfine coupling constant, 139, 142
- Hyphenated microanalytical technique, 508
- Hysteresis, of trace element cation sorption–desorption, 177
- Incineration, 592
- Indigenous communities, anthropogenic stress on, 60–61
- Indirect enzymatic reduction, 540
- Inductively coupled plasma-atomic emission spectrometer (ICP-AES), 494
- multielemental detection capabilities of, 508–509
- Inductively coupled plasma-mass spectrometry (ICP-MS), 487
- multielemental detection capabilities of, 508–509
- Infrared (IR) spectroscopy, 115; 136–138, 242
- applied to HS–metal complexes, 138
- Inner-sphere bidentate surface complexes, 243, 244
- Inner-sphere complexes, 21, 98, 127, 146, 155, 157
- arsenite, 322
- Inner-sphere sorption, 188
- Inner-sphere surface complexes, Pb, 612
- Inorganic ligands, 172
- competitive sorption with trace elements, 194–195
- effect on trace element desorption, 199
- effect on trace element sorption, 180–184, 190–194
- sequence of addition of, 199
- Inplace inactivation, 568–569
- In situ capping, 588–590
- In situ cement-based S/S, 583
- In situ immobilization techniques, 608
- In situ remediation, 572–573
- strategy and management of, 622
- In situ soil flushing, 580–581
- In situ stabilization, 568–569
- In situ vitrification (ISV), 592
- International Atomic Energy Agency
- Databank, 528
- International Conference on the Biogeochemistry of Trace Elements (ICOBTE), 268
- International Union of Pure and Applied Chemistry (IUPAC), book series from, xv
- International Union of Radioecology (IUR)
- Databank, 528, 541
- Interstitial soil solution, in situ sampling of, 507
- Intracellular metal concentrations, regulation of, 63
- Intrinsic equilibrium constants
- for the diffuse double layer model, 224
- in expressions, 222
- triple layer model, 227
- Inverse detection heteronuclear multiple quantum coherence (HMQC), 152
- Ion adsorption mechanisms, 241–247
- Ion-association model, 422
- Ion displacement, arsenic release via, 321–322
- Ion-exchange membranes, 438
- Ionic strength effects, 245–246
- Ion pairing reactions, 229
- Ion-selective electrode (ISE) potentiometry, 159
- Iron (Fe). *See also* Fe entries
- arsenic desorption on, 327–329
- bioavailability of, 293–294
- interactions with other metals, 356–361
- microbial cycling of, 340
- oxidation of, 341–342
- Iron(III). *See also* Fe(III) entries
- acid–base speciation of, 376
- citric acid dissociation and hydrolysis of, 380–382
- hydrolysis constants for, 381t
- Iron(III)–citrate interactions, 399–403
- direct characterizations of, 403
- Essington model of, 401–403, 404, 409
- Field model of, 400–401, 403, 406–409
- Königsberger model of, 401, 403, 409
- Iron(III)–citrate models, summary of, 403–406.
- See also* Iron(III)–citrate interactions
- Iron(III)-reducing microbes, metal mobility and, 360–361. *See also* Fe(III)-reducing bacteria (FeRB)
- Iron assimilation, 64–65
- Iron cycling, temporal changes in, 354–356
- Iron–metal interactions, microbes and, 360–361
- Iron oxidation, in the rhizosphere, 346–349
- Iron oxides, reduction of, 483
- Iron oxidizers, bacterial, 71
- Iron oxyhydroxides, dissolution of, 484. *See also* FeOOH; Ferric (hydr)oxides; Hydrous ferric oxides
- Iron plaque, 341, 346, 358–359
- binding of arsenic to, 359
- metals in, 357–358
- Iron-reducing microbes, 342
- Iron reduction, 67; 331, 332, 342–343
- in the rhizosphere, 349–352
- Iron reduction zones, 354
- Isomer shift, 147

- Job's method, 132
Joint Expert Speciation System (JESS), 409, 411
- ⁴⁰K, 524. *See also* Potassium entries
- K–Cs discrimination, in plants, 527. *See also*
Cesium entries
- K-edge XANES spectra, 153
- Kinetic equations, linear forms of, 171t
- Kinetic extraction–desorption studies, 202
- Kinetic models, of trace element fate, 170
- Kinetics, of Pb immobilization, 613
- Kinetic studies, refinement of, 284
- Kocar, Benjamin D., x, 313
- Königsberger model, of iron(III)-citrate interactions, 401, 403, 409
- Krishnamurti, Gummuluru S. R., x, 169, 419
- Lability, 525
- Laboratory studies, preliminary, 622
- Lakatos model, of aluminum–citrate interactions, 393–397, 406
- Landfills, containment in, 590–591
- Langmuir adsorption isotherm equation, 218. *See also* Multisite Langmuir adsorption isotherm equation
- Lanthanide ion probe spectroscopy (LIPS), 134
- Lanthanum (La) removal, 77
- Large column experiments, 491
- Layered double hydroxide (LDH) precipitate, 183
- Layered double hydroxide structure, 103
- LDH phases, 108. *See also* Ni–Al LDH
- Leachable lead, 615–616
- Leaching
of As, Se, and P, 486–487
of trace metals, 476–486
- Leaching agent
reutilization of, 495–496
volume and flow rate control for, 508
- Leaching kinetics, 501–520
batchwise, 501–503
off-line detection for investigating, 503
- Leaching profiles, 503, 504–505
- Leaching reagents, efficiency of, 501
- Leaching tests, 204
steps and criteria for selecting, 489
- Lead (Pb). *See also* Pb entries
bioavailability of, 617–620
chemical fractionation and, 623
complexes with, 156
mineralogical characterization of, 620–621
PBET-extractable, 618
sequential and single extraction
of, 616–617
toxicity characteristic leaching procedure for, 584, 620, 624
uptake by plants, 618–619
water-soluble and leachable, 615–616
- Lead-contaminated soils, washing, 587
- Lead immobilization, phosphate-induced, 607–629
- Lead phosphates, 609, 620
- Ligands
effect on trace element sorption, 171–172, 190–194
influence on trace element bioavailability, 184–187
metal complexing, 18, 28
in metal-contaminated soils, 57
protonation of, 129
rapid biodegradation in the rhizosphere, 284–285
- Ligand site environment, influence on complexation process, 127
- Ligand superhyperfine interaction, 139
- Lime, effect on phytoavailability, 185–186
- Limestone, 38, 39t
- Liming, 576
- LMMO substances, chelation by, 434. *See also* Low-molecular-mass organic entries
- Loffredo, Elisabetta, xi, 125
- Longitudinal fluxes, 276
- Low-energy sorbed fraction, 177
- Lowest observed adverse effect concentrations (LOAECs), 32
- Low-molecular-mass organic acids (LMMOAs), 37–38, 297, 295, 296, 444
Cd release and, 284
secretion into the rhizosphere, 483
- Low-molecular-mass organic ligands (LMMOLs), 172, 180
Cd desorption by, 201t, 202
influence on metal bioavailability and transport, 374
influence on Pb sorption, 198–199
- Lysimeter analyses, 472. *See also* Tension lysimeters
- M²⁺ adsorption, 241. *See also* Metal adsorption
- Ma, Lena Q., xi, 607
- Macronutrients, dissolution of, 297
- Macroscopic experiments, types of, 110–111
- Macroscopic sorption–desorption kinetic methods, 110–111
- Magnetic hyperfine field, 147
- Maillard reaction, 12
in humification processes, 9–11

- Manganese (Mn) complexes, divalent, 143–145.
See also Mn entries
- Manganese(II) complexes, 157
- Manganese oxides. *See also* δ -MnO₂
 extraction of, 440–443
 formation of, 28–29
 reduction of, 483
 selective dissolution of, 483–484
- Manual fractionation protocols, 501–502
- Mass analyzers, high-resolution, 509
- Mass balance approach, 351
- Mass flow, 275
- Mathematical models, of trace element speciation, 422
- Megonigal, J. Patrick, xi, 339
- Melamed, Ricardo, xi, 607
- Melanized fungi, 63
- Mercury (Hg), *see* Hg entries
- Mercury(II) complexes, 158
- Metabolic activity, in metal-contaminated soil, 59
- Metal adsorption
 concentration-dependent, 526
 from NaNO₃ solutions, 241
- Metal–Al hydroxide precipitates, transformation to metal–Al phyllosilicate precursor phase, 108, 109. *See also* Aluminum entries
- Metal-binding compounds,
 microorganism-produced, 69
- Metal binding model, 131
- Metal-binding sites, 68
- Metal bioavailability, 421, 567–569, 617–620
 to plants, 618–619
- Metal–citrate aqueous complexation, chemical models of, 382–406
- Metal–citrate complexation
 assessing, 382–383
 formation of, 383–384
 mineral solubility and, 406–410
- Metal–citrate speciation equilibrium, 383
- Metal clusters, 102
- Metal complexing ligands, 28
- Metal concentrations, intracellular, 63
- Metal contaminant transformation, redox potentials for, 18
- Metal-contaminated media, incineration of, 592
- Metal-contaminated soils
 ameliorants adapted to, 39t
 remediation of, 565–605
 stages of evolution of, 594
- Metal contamination, of terrestrial and aquatic environments, 593
- Metal detoxification model, 62
- Metal–DFOB complexes, 181. *See also* Desferrioxamine B (DFOB); DFOB complexes
- Metal-dissolved organic matter (DOM) stability constants, 424
- Metal–fulvate complexes, 445
 association constants for forming, 427t
- Metal geochemistry, microbial influence on, 54
- Metal–HS associations, ESR analysis of, 140.
See also Humic substances (HSs)
- Metal–HS complexation
 importance of, 126
 models of, 130–131
 stability constants of, 128
 types of, 127
- Metal–humate complex, 445
- Metal–humic complexes, spectroscopic techniques for studying, 125–168
- Metal–humic interactions, 12
- Metal-hydroxide precipitates, 579
 phases of, 102–103, 106
- Metal-hydroxide surface precipitates
 formation of, 106–107
 residence time of, 107–108
- Metal immobilization, 64, 68–71, 78
- Metal ion availability, 429
- Metal ions
 accumulation of, 468
 association with hydrous oxide surfaces, 174
 binding by humic substances, 21
 complexes with, 21–22
 distribution and behavior in soils, 126
 NMR-active, 150
 phytoavailability of, 438
- Metal-ion speciation, thermodynamic approaches to, 423
- Metallic pollutants, negative effects caused by, 567
- Metallic radionuclides, sources and mobility of, 521–564
- Metal–ligand complexation reactions, 129–130
- Metal–ligand complexes, 576
 stability constants of, 128
- Metalloids. *See also* Metal/metalloid entries
 accumulation of, 468
 fractionation through SEPs, 487
 pollution induced by, xiii
 transformations of, 71–72
- Metalloregulatory protein (MerR), 75–76
- Metallothioneins, 26
- Metal/metalloid adsorption, modeling, 215–264.
See also Metals/metalloids
- Metal/metalloid bioavailability, 567–569, 617–620

- Metal/metalloid concentration gradients, at the soil–root interface, 277–285
- Metal/metalloid-contaminated sites
management of, 567
phytostabilization of, 574–576
- Metal/metalloid-contaminated soil, remediation of, 572–573
- Metal/metalloid cycling, 29–30
- Metal/metalloid pollutants, concentrations of, 568
- Metal/metalloid pollution, point sources of, 566
- Metal/metalloid release, microbe-mediated, 24–25
- Metal/metalloid speciation, soil-solution reactions involved in, 54
- Metal–microbe interactions, 56–64
importance of, 55, 77, 78
- Metal mobilization, 64–68
- Metal–organic complexes, 436
extraction of, 440
ligand functional group vibrational frequencies and, 136
stability constants of, 427
- Metal oxides, short-range-ordered, 7–9
- Metal partitioning studies, sampling in, 472
- Metal phosphates, insoluble, 77
- Metal precipitation
external, 72–73
by extracellular polymers, 69
- Metal readsorption phenomenon, 491
stirred-flow cells in assessing, 495
- Metal-reducing bacteria, 67
- Metal reduction, arsenic desorption on, 326–327
- Metal release, dependence on plant nutritional status, 300
- Metal-resistant bacteria, 61
- Metals
bacterial biosensors for, 270
as components of all soils, 55
interactions of iron with, 356–361
microbial reduction of, 69–70
reduction in anoxic environments, 539
in the rhizosphere, 357–359
solution complexation reactions of, 16–17
at Superfund (CERCLA) sites, 569
surface precipitation of, 100–109
toxicities toward microorganisms, 55
- Metals dynamics, kinetics in the rhizosphere, 284–285
- Metal sequestration, in wetland soils, 356–357
- Metals/metalloids. *See also* Dissolved metals/metalloids; Metal/metalloid entries
bioavailability of, 567–569
biogeochemistry at the soil–root interface, 267–311
biomineralization of, 27–29
bioremediation technology for, 38
ecotoxicological problems and, 30–32
impacts on terrestrial ecosystem, 29–39
interactive interfacial processes influencing, 4
limitation to the uptake of, 576
long-term ecological effects of, 32
microbial interaction with, 573
microbial sorption and uptake of, 25–27
natural attenuation of, 582
phytoremediation of, 574
precipitation–dissolution reactions of, 23
radioactive isotopes of, 522
reduction–oxidation reactions of, 17–19
sorption–desorption reactions of, 20–22
trigger values for, 570
volatilization of, 574
- Metal speciation
approaches to, 421–422
microorganism influence on, 64
molecular-scale processes involved in, 65
- Metal species, translocation of, 68–69
- Metal surface complexation constant, 238–241
- Metal surface configuration, methods of establishing, 253
- Metal surface precipitates, formation of, 108–109
- Metal tolerance
manipulation of, 78
polyphosphate and, 61–62
- Metal-to-ligand ratios, 130
- Metal transformations, 64–72
- Metal transport systems, of microorganisms, 26
- Metal volatilization/accumulation, in plants, 360
- Methylated selenium derivatives, methylation and volatilization of, 71
- Methyl-Se, 533
- Michelson interferometer moving mirror, 115
- Microanalytical column-based flow-through systems, 492
- Microanalytical techniques, 269
- Microbe-mediated metal/metalloid release, 24–25
- Microbe–plant processes, in phytoremediation, 77–78
- Microbes. *See also* Bacteria entries; Bacterial entries; Microorganisms
bioassay using, 620
in iron oxidation and reduction, 341
iron–metal interactions and, 360–361
iron-reducing, 342, 360–361
- Microbial activity, Tc immobilization and, 539
- Microbial biomineralization, 27
- Microbial biopolymers, 25–26

- Microbial cells, metal binding by, 26
- Microbial communities, characterizing, 79
- Microbial community analysis, methods for, 60–61
- Microbial community structure, changes in, 58
- Microbial Fe(II) oxidation, versus chemical Fe(II) oxidation, 347–349
- Microbial Fe(III) reduction, versus Chemical Fe(III) reduction, 350–352
- Microbial iron oxidation/reduction, coupling between, 352–356
- Microbially-derived biosurfactants, 588
- Microbially mediated rhizosphere Fe(II) oxidation, 346
- Microbial metal/mineral transformations, 74–78
- Microbial metal transformations, 72–74
- Microbial populations
assessing responses and changes in, 56
response to toxic metals, 57–58
- Microbial remediation, 573
- Microbial siderophores, 180
- Microbial sorption/uptake, of metals/metalloids, 25–27
- Microcolumn assays, in-line hyphenation with ETAAS, 509
- Microcolumn-based partitioning protocols, 508
- Microcolumn flow-through manifolds, 496
- Microcolumn leaching experiments, 495
- Microcolumns
conical, 497
packed, 495–497
- Microdialysis sampling, 473–474
- Microdialyzers, 507
- Micro-/macronutrient bioavailability, sorption and, 97–98
- Micronutrient availability, indicators of 298, 300
- Micronutrients, 170
- Microorganisms. *See also* Bacteria entries;
Bacterial entries; Microbes; Microbial entries
Cs dynamics and, 549
influence on Fe transformation, 8–9
influence on plant nutrition, 54–55
metal toxicities toward, 55
modes of attack of minerals by, 25
organic acid production and, 285–286
rhizosphere, 301
Se oxidation by, 533
in Tc reduction, 539–540
trace element sorption onto, 176
vertical distribution of, 25t
- MICROQL program, 238, 423
- Microsuction cup method, 473–472
- Microwave-power saturation, 146
- MINEQL program, 271, 423, 424, 451
- Mineral colloid–organic matter–microbe interactions, 14
- Mineral colloids, in aggregate formation, 13–14
- Mineral diagenesis, 26
- Mineral forms, precipitation of, 23
- Mineralogical characterization, of Pb, 620–621
- Mineral–organic matter–microorganism interactions, in soil environments, 6–16
- Mineral particle–organic substance–organism interactions, 14
- Mineral phases, formation of, 73
- Minerals
formation by bacteria, 27–28
surface site densities for, 233
- Mineral soil, formation of, 55
- Mineral solubility, metal–citrate complexation and, 406–410
- Mineral solubility, role of system pH in, 611–612
- Mineral transformations, 72–74
- Mineral–water surfaces, site density for, 233
- Mineral weathering, in the rhizosphere, 280
- MINTEQA2 calculation, results of, 428t
- MINTEQA2 model, 424, 426–429
- MINTEQA2 program, 131, 424, 451
- Miró, Manuel, xi, 467
- Mixed metal–Al hydroxide surface precipitates, 103
- Mn²⁺–FA complexes, 145. *See also* Fulvic acids (FAs)
- Mn²⁺–HS complexes, 145. *See also* Humic substances (HSs)
- Mn²⁺ sorption, predicted time dependence for, 113
- Mn(IV) oxides, microbial reduction of, 67
- MNAtoolbox, 582
- Mn deficiency, 300
- δ -MnO₂, promoting effect of, 12. *See also* Manganese oxides
- Mn oxides, distinguishing from Fe oxides, 479. *See also* Manganese oxides
- Modeling. *See also* Models
ab initio and molecular, 246–247
computer-based geochemical, 423
of metal/metalloid adsorption, 215–264
of rhizosphere fluxes and transport processes, 276
- Model parameter values, obtaining, 231–241
- Models, 216–247. *See also* Aluminum–citrate entries; Charge distribution multisite complexation (CD-MUSIC) model; Chemical equilibrium models; Chemical models; Chemical surface complexation

- models; Diffuse double-layer model (DDLm); Diffuse layer model; Fickian diffusion model; Field model; Free ion activity model (FIAM); Geochemical models; Ion-association model; Iron(III)-citrate models; Mathematical models; NICA (nonideal competitive adsorption)-Donnan model; Numerical models; Polyphenol transformation model; Surface complexation models (SCM); Triple layer model (TLM)
- absorption, 250
- CD-MUSIC, 221, 229
- charge distribution multisite complexation, 228–230
- chemical speciation, 130–131, 424, 426–429
- chemical surface complexation, 220–247
- competitive Gaussian distribution, 131
- competitive proton binding, 131
- constant-capacitance, 221–223, 425–426
- empirical, 216–220
- Fe-citrate complexation, 401
- FITEQL, 233
- flux, 276
- kinetic, 170
- metal binding, 131
- metal-citrate complexation, 382–406
- metal detoxification, 62
- metal-HS complexation, 130–131
- MINTEQA2, 424, 426–429
- 1 pK basic Stern, 426
- quasiparticle, 131
- transport, 276
- thermodynamic, 422–429
- Mo(V)-enriched HA, 145. *See also* Humic acids (HAs); Molybd- entries
- Molecular mechanics approaches, classical, 247
- Molecular-scale assessment, of
sorption-desorption, 111–118
- Molybdate sorption, 189, 190
- Molybdenum complexes, 145. *See also* Mo(V)-enriched HA
- Monitored natural attenuation (MNA), 581–582
MNAtoolbox, 582
- Monomethylarsonous acid (MMAA), 314
- Mononuclear (¹H) two-dimensional NMR experiments, 151
- Montmorillonite (Mt), Cu, Zn, and Cd sorption onto, 178, 181
- Mössbauer spectroscopy, 146–149
advantages and limitations of, 149
- Motekaitis and Martell model, of
aluminum-citrate interactions, 388–389, 406
- Mucigel, 295
- “Multiligand” complexing agents/system, 21, 127, 129–130
- Multinuclear surface complexes, 20–21
- Multiple regression analysis data, 449t
- Multisite Langmuir adsorption isotherm equation, 218–219
- Multistage continuous extraction, 493
- Mycorrhizae, plant associations with, 26–27
- Mycorrhizal fungi, metal toxicity toward, 62–63
- Mycorrhizal infection, cesium uptake and, 549
- Mycorrhizosphere, 272
- Naidu, Ravendra, xi, 565
- National Institute of Standards and Technology (NIST) database, 409, 411
- National Priority List (NPL), 569
- Natural attenuation, 581–582
- Naturally occurring radioactive metals (NORM), 531
- Natural remediation-bioavailability processes, 36–37
- ⁹⁵Nb, 537. *See also* Niobium entries
- Neubauer, Scott C., xi, 339
- Ni-Al LDH, 183. *See also* Ni LDH phases
phases of, 103–104
- NICA (nonideal competitive adsorption)-Donnan model, 131
- Nickel (Ni), bacterial adaptation to, 60. *See also* Ni entries
- Nickel complexes, 156–157
- Ni-EDTA-ferrihydrite system, component
addition sequence in, 195
- Ni-EDTA system, 198
- Ni-gibbsite-citrate system, 183
- Ni LDH phases, 108. *See also* Layered double hydroxide entries; Ni-Al LDH
- Ni-Ni distances, 104
- Niobium-95, 537
- Niobium (Nb) radioisotopes, sources and fate of, 537
- Ni-O distances, 104
- Ni phytotoxicity, 576
- Ni sorption, 100
radial structure functions for, 107
structural information related to, 105t
- Nitrate reduction, inhibition by, 70
- NMR-active metal ions, 150. *See also* Nuclear magnetic resonance (NMR) spectroscopy
- NOE spectroscopy (NOESY), 152
- Nonbuffered acetic acid solutions, 481–482
- Nondestructive analysis, 448–450
- Nondestructive x-ray absorption spectroscopy (XAS) techniques, 152

- Nonessential trace elements, 170
- Nonoxidizing strong complexing reagents, 485
- Non-point-source pollution, 566
- Nonseparation methods, 159
- Nonspecific sorption, 188
- Non-spectroscopic experimental methods, 159
- Nuclear gamma rays, resonant absorption of, 146–147
- Nuclear hyperfine interaction, 139
- Nuclear magnetic resonance (NMR) spectroscopy, 149–152, 242
- Nuclear overhauser effect (NOE), 152
- Nuclear waste, radionuclides in, 524–525
- Nucleation, role in metal transformation, 23
- Numerical models, 301
in soil biogeochemistry, 269
- O-bearing groups, 21
- Off-line detection, flow-through methods with, 503–508
- Off-site burial, of contaminated soil, 590–591
- OH band, net shift of, 138
- OH⁻ ions, 579
- Öhman model, of aluminum–citrate interactions, 385–388
- 1 pK basic Stern model, 426
- Online detection, flow-through methods with, 508–509
- Operationally defined fractions
classification of, 474
corresponding extracted components of, 475t
- Operationally defined speciation, 421, 439–450
- Optical second-harmonic-generation (SHG) spectroscopy, 116–118
- ORCHESTRA program, 230
- Organic acids, 172
contribution to pH gradients in the rhizosphere, 285–286
functions of, 65–67
importance of, 199
low-molecular-mass, 10
- Organic carbon. *See also* Carbon (C); Organic matter; Organic substances
availability of, 349–350
in rhizosphere processes, 344
- Organic complexes
of Cu, 187
time-resolved dissolution of, 494
- Organic compounds, release of, 294
- Organic ligands, 171, 172
Cd toxicity and, 431
competitive sorption with trace elements, 194–195
effect on trace element sorption, 180–184, 190–194
sequence of addition of, 199
- Organic matrix, 27
- Organic matter. *See also* Organic substances;
Soil organic matter
adsorption of Cs on, 546
in natural waters, 426
under oxidizing conditions, 485
role in immobilizing Sr, 535
ruthenium affinity for, 541
trace element sorption onto, 173–174
- Organic soil components, competitive sorption of trace elements to, 178
- Organic soils, ruthenium in, 541
- Organic substance gradients, 295–297
at the soil–root interface, 294–300
- Organic substances. *See also* Organic matter
Al transformation products and, 8
impact on metal sorption–desorption, 298
impact on trace element bioavailability, 298–300
impact on trace element speciation, 297–298
involved in heavy metal/metalloid fate, 297–300
microporosity and, 16
role in complexing metals, 282
- Organometallic compounds, 29
- Organomineral complexes, formation of, 9–13
- Outer-sphere complexes, 21, 98, 127
- Outer-sphere sorption, 188
- Oven-drying, of sediment samples, 471
- Overall thermodynamic stability (equilibrium) constant, 129
- Oxalate
influence on sorption, 183, 184
sorption of, 190
- Oxidation–reduction reactions, of microbes, 573–574. *See also* Reduction–oxidation reactions
- Oxide aging, 177
- Oxides, capacitance values for, 234
- Oxide–solution interface
charge distribution multisite complexation model of, 228–230
constant capacitance model of, 221–223
diffuse double layer model of, 223–225
- Oxide surfaces, metal binding on, 246
- Oxidizable trace element form, 468
- Oxidizable trace element fractions, 485–486
- Oxidizing zones, 354
- Oxyanions
bioremediation of, 38
competition between, 195

- Oxygen (O). *See* Cu–O bond lengths; pO_2 gradient(s); Radial O_2 loss (ROL)
- Packed microcolumns, 495–497
- Paramagnetic metal ions, 146
- Paramagnetic metal “probe” addition method, 140
- Paramagnetic metal spectra, spectral parameters from analysis of, 139–140
- Paramagnetic transition metal ions, fluorescence quenching effect of, 133
- Particulate-bound Cd species, distribution of, 482
- Particulate-bound metal species, sequential extraction schemes used for, 441–442t
- Particulate organic matter (POM), 14
- Pauling bond strength, 237, 239
- Pb^{2+} adsorption, 243. *See also* Lead entries
- Pb^{2+} –HS complexes, 156. *See also* Humic substances (HSs)
- Pb(II) presence, seasonality of, 357
- Pb bioassay
using microbes, 620
using worms, 619–620
- PbCa–HA solid phase, 611. *See also* Calcium entries; Hydroxyapatite (HA)
- Pb compounds, 156
- P-bearing groups, 21. *See also* Phosphate entries; Phosphorus entries
- Pb immobilization, reaction kinetics of, 613
- Pb sorption, 101
increase of, 183
influence of LMMOLs on, 198–199
- pCO_2 gradients
impact on trace element bioavailability, 288–290
impact on trace metal speciation, 286–288
at the soil–root interface, 285–290
- Peptidoglycan carboxyl groups, as cation binding sites, 68
- Permeable reactive barriers (PRBs), 584–585
- Pertechnetate, 538
biosorption of, 539
- Perturbation-induced microporosity, 16
- pH. *See also* Rhizosphere pH; Soil pH; System pH
anion sorption and, 187–188
effect on sorption and extractability, 186–187
effect on Sr mobility and uptake, 535
HA dissolution and, 611
impact on trace element bioavailability, 288–290
impact on trace metal speciation, 286–288
inner-sphere complexation and, 146
at the soil–root interface, 285–290
- Phase overlapping, 490–491
- pH changes, during extraction, 494–495
- Phenolic compounds, abiotic polymerization of, 11
- Phosphate(s)
As displacement and mobilization by, 321–322
effects on Pb immobilization, 623
influence on Cd concentration, 186
influence on metal interactions, 358
- Phosphate-induced immobilization, mechanisms involved in, 609
- Phosphate-induced lead immobilization, 609. *See also* Phosphorus-induced lead immobilization
in contaminated soils, 607–629
- Phosphate minerals, dissolution reactions and solubility products of, 610t
- Phosphate release, 65
for metal precipitation, 77
- Phosphate rock (PR)
Pb immobilization by, 612–613
Pb uptake and, 619
treating Pb-contaminated alkaline soil with, 619
- Phosphate sorption, effect of contact time on, 196
- Phosphoric acid, soil pH and, 626
- Phosphorus (P)
fractionation of, 487
leaching of, 486–487
- Phosphorus amendments, 608
effectiveness of, 626
effect on soil pH, 622–623
field application of, 621–624
- Phosphorus-induced lead immobilization, assessing the effectiveness of, 615. *See also* Phosphate-induced lead immobilization
- Photosynthesis, longer-term patterns of, 355
- pH–trace metal relationships, 289
- pH values, gradients in, 280
- Phyllosilicates
catalytic ability of, 11
trace element sorption onto, 173, 180–181
- Physical remediation technologies, 588–593
- Physicochemical-biological interfacial interactions, xv
- Physiologically based extraction test (PBET), 618
- Phytoavailability, 270, 438
solid-phase fractions in assessing, 445–448
- Phytochelatin (PCs), 76
- Phytodegradation, 77
- Phytoextraction, 77, 573
- Phytoremediation, 77–78, 571, 574–577
categories of, 575t
- Phytorestitution, 568–569

- Phytoscrubbing, 77
- Phytosiderophore complexes, 300
- Phytosiderophores, 295
 impact on metal speciation, 298
- Phytostabilisation, 77, 568–569, 573
- Phytovolatilization, 77
- Pigna, Massimo, xi, 169
- Plant-available species, 435
- Plant–bacterial systems, for phytoremediation, 78
- Plant derived biosurfactants, 588
- Plants. *See also* Phyto- entries;
 Vegetation systems
 cesium uptake by, 548–549
 genetically engineered, 269
 K–Cs discrimination in, 527
 metal availability to, 60
 metal bioavailability to 618–619
 metal volatilization and accumulation in, 360
- Plant tissues, antimony concentrations in,
 543–544
- Plate counting, 60–61
- pO₂ gradient(s)
 impact on trace element bioavailability,
 293–294
 impact on trace element speciation, 292–293
 processes responsible for decreasing, 290–291
 processes responsible for increasing, 291–292
 at the soil–root interface, 290–294
- Point of zero charge (PZC), 579
 shifts in, 245
 values of, 174, 183
- Point sources of pollution, 566
- Pollutants
 adverse impact of, 567
 soil- and sediment-bound, 31
- Polluted sites
 remediation of, 569–572
 versus contaminated sites, 566–567
- Polluted soil, in situ capping of, 589
- Pollution mapping, sampling for, 470–471
- Polymer encapsulation S/S, 583
- Polymeric hydroxy–Fe(III)–citrate complexes,
 400
- Polyphenol transformation model, 12
- Polyphosphate, metal tolerance and, 61–62
- Polyphosphate kinase (PPK), 61
- Polysaccharides, extracellular, 69
- Polytetrafluoroethylene (PTFE) column, 492
- Polyvalent cation bridging, 13
- Polyvalent elements, 536, 537
- Porosity, formation of, 13–16
- Portland cement, salt amendments to, 584
- Portland-type cement, 583
- Potash fertilizer, 38–39
- Potassium (K), soil affinity for Cs and, 547. *See also* K entries
- Potassium-40, 524
- Potassium/sodium pyrophosphate, 485
- Pozzolans, 583
- Precipitation–dissolution reactions, 23–24
- Preferential flow paths, 276
- Preliminary laboratory studies, 622
- Pressure-jump kinetic data, 227
- Pressure-jump relaxation, 177
- Proteoid roots, 273
- Protonation–dissociation constants, 235–238
- Proton fluxes, 286
- Proton-induced x-ray emission (PIXE)
 spectroscopy, 440
- Proton-release titration, 159
- Protons. *See* H⁺ ions
- PR solubility, at different pH values, 613. *See also* Phosphate rock (PR)
- Pump-and-treat cleanup methods, 580
- Pure culture studies, 79
- Pyromorphite, 78, 609, 624
 precipitation of, 613–614, 619
- Pyrophosphate extractable TE fractions, 482–483
- Quadrupole splitting, 147
- Quantum mechanics calculations, 246
- Quasiparticle model, 131
- Quick-EXAFS (QEXAFS), 112–114, 118–119.
 See also Extended x-ray absorption fine
 structure (EXAFS) spectroscopy; X-ray
 absorption fine structure (XAFS)
 spectroscopy
- Quick kinetics, 111–112
- Quick x-ray diffraction (QXRD), 114
- Radial O₂ loss (ROL), 344, 354
 high rates of, 355–356
- Radial structure functions (RSFs), 103, 104, 153.
 See also RSF plots
- Radiation, biological consequences of, 523–524
- Radioactive isotopes, of metals and metalloids,
 522. *See also* Radioisotopes; Radionuclides
- Radioactive metals, sources of, 524–525
- Radioactivity, basic principles of, 522–524
- Radiocesium, 523, 524. *See also* ¹³⁵Cs; ¹³⁷Cs
 adsorption of, 547
 sources of, 544–545
- Radioisotopes. *See also* Radioactive isotopes;
 Radionuclides
 environmentally significant, 530t
 redistribution of, 528
- Radionuclide contamination, remediation
 strategies for, 529

- Radionuclides
adsorption-desorption of, 525-526
antimony, 542-544
cesium, 544-549
cobalt, 530-532
differences from metal pollutants, 529
factors affecting mobility and bioavailability
of, 525-529
metallic, 521-564
niobium, 537
ruthenium, 540-541
selenium, 532-534
silver, 541-542
soil-to-plant transfer factors for, 528
sources and fate of, 529-549
strontium, 534-535
technetium, 537-540
uptake and assimilation by biological systems,
527-529
zirconium, 536
- Raman spectroscopy, 242
- Rapid kinetics, 111-112
- Rapid mirror motion, developments in, 115
- Rapid-scan infrared (IR) spectroscopy, 118-119
- Rapid scan near-infrared (NIR) spectroscopy,
115-116
- ⁸⁷Rb, 524
- Reaction kinetics
of Pb immobilization, 613
in the rhizosphere, 284
- Reactive inorganic ligands, 28
- Reactive surface area, in surface complexation
models, 248-249
- Reactive surface functional group, in the
CD-MUSIC model, 229
- REDEQL2 program, 423, 424
- Redox conditions, root-induced changes of,
292
- Redox-coupled pH changes, 286
- Redox microelectrodes, 290
- Redox potential gradients
impact on trace element bioavailability,
293-294
impact on trace element speciation, 292-293
processes responsible for decreasing, 290-291
processes responsible for increasing, 291-292
at the soil-root interface, 290-294
- Redox potentials, for metal contaminant
transformation, 18
- Redox reactions, importance to trace
elements, 170
- Reducible TE fractions, 483-485
- Reducible trace element form, 468
- Reductant molecules, 291
- Reduction mechanisms, separating the
contributions of, 350-351
- Reduction-oxidation reactions, 17-19. *See also*
Oxidation-reduction reactions
- Relaxation process, 149-150
- Relaxation techniques, 177
- Remediation. *See also* Bioremediation;
Phytoremediation
in Australia versus the United States, 591
decisions concerning, 571
of metal-contaminated soils, 565-605
of metal/metalloid-contaminated soil, 572-573
natural, 36-37
of polluted sites, 569-572
- Remediation technologies, 572-593
average cost spans of, 571
biological, 573-577
chemical, 577-588
development of, 593-594
in situ immobilization techniques, 608
physical, 588-593
thermal, 592-593
- Research
collaborative, 119
ecotoxicological, 31
- Residence time, effect on desorption, 202-203
- Residual trace element form, 468
- Resonance condition, 139
- Respiration
aerobic, 345
arsenate reduction via, 325-326
- Respiratory reduction, primary reductases
for, 331
- Retrodialysis, 474
- Rhizobox system, 473
- Rhizodeposition, 290-291, 295-297
- Rhizoferrin, 284
- Rhizofiltration, 77
- Rhizon microsamplers, 282
- Rhizoplane, 343
- Rhizosphere, 343-346
acidification of, 281, 288, 290
bioavailable trace metal fraction in, 278
biological processes in, 4
in contaminant transformation, 36
defined, 269-270, 343
gradients in dissolved metals in, 281
interactive processes in, xv
iron cycling in, 344
iron-metal interactions in, 356-361
iron oxidation in, 346-349
iron reduction in, 349-352
kinetics of metals dynamics in, 284-285
metal contaminant complexation in, 23-24

- Rhizosphere (*continued*)
 metal depletion/accumulation in, 279
 metals in, 357–359
 microbial community structure of, 346
 microorganisms in, 301
 modeling fluxes and transport processes in, 276
 organic acids in, 172
 pH changes in, 285–286
 radial flow of water in, 275
 root-induced oxidation of, 291, 292
 spatial and temporal characteristics of, 269
 understanding, 268–269
- Rhizosphere biogeochemistry, 37–38, 344
 understanding and quantifying traits of, 269
- Rhizosphere environment, 5
- Rhizosphere Fe(II) oxidation, microbially mediated, 346–347
- Rhizosphere Fe(III) reducers, 350
- Rhizosphere-isolated Fe(II) oxidizers, 348
- Rhizosphere pH
 changes in, 288
 importance of, 289–290
- Rhizosphere processes, 344–346
- Rhizosphere soil, 344
- Rhizosphere “trinity,” 6
- Rhizotron approach, 281–282
- Ribosomal intergenic spacer analysis (RISA) technique, 60
- Risk assessment
 discerning operationally defined fractions with, 502
 regulatory-driven, 34–36
 remediation decisions based on, 571
- Root activity
 influence on soil, 343
 soil transformation via, 272–273
- Root apoplasm, role in pH–trace metal relationships, 289
- Root exudates, 295
 binding of Cu²⁺ by, 298
 organic compounds in, 296t
 weathering and, 297
- Root plaque, metals in, 357–358
- Root profile analysis, 273
- Roots. *See also* Rhizo- entries; Soil–root entries
 flux of water into, 275
 longevity of, 273–274
 persistence of changes imposed by, 274
 repeated colonization by, 274
 soil modification by, 272
 water uptake and transport processes, 274–277
- Root surface
 radial fluxes toward, 274–275
 simultaneous presence of FeOB and FeRB on, 354
- Rosendorf expert system (RES³T), 239–240
- Rotating coiled columns (RCCs), 492–494
 coupling with inductively coupled plasma-atomic emission spectrometers, 494
- Rotating column extraction process, scale up of, 493–494
- rRNA/rDNA libraries, 59
- RSF plots. *See also* Radial structure functions (RSFs)
 derived from EXAFS spectra, 153–154, 155
 for Pb²⁺ bound to HS, 156
 for Zn, Ni, and Co, 157
- ¹⁰⁶Ru, 540–541
- Rubidium-87, 524
- Ruthenium-106, 540–541
- Ruthenium (Ru) radioisotopes, sources and fate of, 540–541
- Sacrificial method, 110
- Sample-extractant contact time, 495
- Sample preparation, 468–474
- Sample processing, miniaturization of, 497
- Sampling, as a source of uncertainty, 469. *See also* Field sampling; Soil sampling
- Sampling design, 469
- Saponin, 588
- ¹²⁵Sb, 542–543, 544. *See also* Antimony entries
- S-bearing groups, 21
- ⁷⁵Se, 532. *See also* Selenium entries
- ⁷⁹Se, 532
- Se⁰ oxidation, 71
- Secondary-ion mass spectrometry (SIMS), 440
- Second-harmonic-generation (SHG) spectroscopy, 116–118
- Second-shell coordination numbers, 155
- Sediments
 arsenic retention in, 315–321
 care in sampling, 470–471
 desorption of arsenic in, 321–324
 trace element fractionation and mobility in, 467–520
- Sediment samples, handling operations of, 471–472. *See also* Sample entries; Sampling entries
- Selective sequential extraction scheme, for solid metal phase fractionation, 446t
- Selenate-respiring bacteria, 71
- Selenate salts, 533
- Selenate sorption, 188
- Selenite on goethite competition sequence, 190–191

- Selenite salts, 533
Selenite sorption, 188, 189
Selenium (Se). *See also* Se entries
 biomethylation of, 533
 leaching of, 486–487
 methylation of, 71–72
 oxidation state, 533
Selenium-75, 532
Selenium-79, 532
Selenium radioisotopes, sources and fate of, 532–534
Selenium reduction, bacteria and fungi in, 533–534
Senesi, Nicola, xi, 125
Separation methods, 159
Sequence of addition, of inorganic and organic ligands, 199
Sequential extraction
 bioavailability and, 444–448
 of Pb, 617
Sequential extraction experiments, 582
Sequential extraction procedures (SEPs), 468.
 See also Sequential extraction schemes
 for As, Se, and P fractionation, 488t
 comparing, 480
 development/application trends related to, 489–490
 equilibrium-based, 474–490
 examples of, 476, 477–478t
 novel, 487
 reducible fraction recovery via, 483
 uses for, 476
 validation and harmonization of, 489
Sequential extraction schemes, 440–444
 batchwise, 476
 modification of, 444–445
 for particulate-bound metal species, 441–442t
 simplified, 479
Sequential extraction studies, 581
Sequential injection assemblies, 496–497
Sequential injection analysis (SIA), 491, 496–497
Sequential injection network, in-line coupling with detectors, 509
SERIES software, 115
Serpentine soils, heavy metals in, 59–60
Shaw, George, xii, 521
Short-chain organic acids, metal mobilization and, 67
Short-range-ordered metal oxides, formation of, 7–9
Siderophores
 influence on Cu and Zn sorption, 183–184
 iron assimilation and, 64–65
 plant- and microbially based, 568–569
Sieving, of soil samples, 470
Silicic acid
 effect on trace element sorption, 191
 sorption of, 191, 193t
Silver (Ag), solid–liquid distributions of, 542
Silver-110m, 541–542
Silver radioisotopes, sources and fate of, 541–542
Simulation, estimating bioavailability using, 270–271
Simultaneous sorption, of trace elements, 177–180
Single extraction
 of lead, 616–617
 procedures for, 505
Single-site assumption, in surface complexation models, 248
Site-specific screening, 582
Slow-exchange conditions, 150–151
Slow sorption, of trace elements, 176–177
SM&T leaching scheme, 489
 modified three-step, 479
 SO_4^{2-} reduction, 351, 355. *See also* Sulfate entries
Sodium (Na). *See* Cs–Na selectivity
Sodium acetate/acetic acid buffer, 481
Sodium hypochlorite, as an oxidizing reagent, 485
Sodium pyrophosphate, 482
 SOH_2^+ , standard states for, 232
SOH sites, 231
Soil(s)
 arsenic retention in, 315–321
 bioavailability processes in, 36
 components of, 4
 desorption of arsenic in, 321–324
 as interactive biogeochemical reactors, 4
 interfacial interactions in, 40
 kinetics and mechanisms of
 sorption–desorption in, 97–124
 lead and phosphorus concentrations, pH, residual Pb, and TCLP–Pb in, 625t
 metal and metalloid pollution induced by, xiii
 metal contamination of, 33–34
 organic acids in, 65–67
 phosphorus-induced lead immobilization in, 609–614
 physicochemical and biological interfacial interactions of, 31–32
 point of zero charge of, 579
 sources and fate of radionuclides in, 529–549
 sources of radioactive metals in, 524–525
 in the terrestrial ecosystem, 33

- Soil(s) (*continued*)
 total trace element content of, 270
 trace element fractionation and mobility in, 467–520
- Soil aggregate, bacteria, fungi, and mineral particles in, 5
- Soil ameliorants, 38–39
- Soil amendments, bioavailability reduction and, 576
- Soilborne contaminants, pathways for human exposure to, 35t
- SOILCHEM program, 424
- Soil components
 interactions of, 39–40
 sorption of trace elements onto, 171–199
- Soil contaminants, chemistry of, 590
- Soil environments
 mineral–organic matter–microorganism interactions in, 6–16
 restoration of, 36–39
- Soil extractants, 435, 438
- Soil flushing, in situ, 580–581
- Soil–fungus Cs transfer, 549
- Soil geochemistry, microbial metal and mineral transformations in, 72–74
- Soil management, regulatory-driven, 34–36
- Soil–metal(loid) complex, 576
- Soil metals, complexed, 57
- Soil microbial parameters, effects of metals on, 32
- Soil microorganisms, role in radionuclide fate, 528
- Soil minerals
 abiotic polymerization and, 11
 interactions with organic substances and microorganisms, 8–9
 metal sorption on, 108–109
- Soil mixing, 591
- Soil organic matter. *See also* Organic matter
 affinity sequence for divalent metal ions, 16
 functional groups of, 173
- Soil particle arrangement, in aggregates, 14–15
- Soil particles, microbe-mediated metal/metalloid release from, 24–25
- Soil pH, effect of phosphorus amendments on, 622–623
- Soil–plant transfer factors
 database of, 541
 for niobium, 537
 for zirconium, 536
- Soil properties, variability in, 470
- Soil quality (soil health), 34–36
 indices for, 35t
- Soil remediation, major challenges for, 594
- Soil respiration, as an index of
 biodegradation, 57
- Soil–root interface, 269–270
 dissolved metals in, 281–283
 metal/metalloid biogeochemistry at, 267–311
 metal/metalloid concentration gradients at, 277–285
 organic substance gradients at, 294–300
 pH and pCO₂ gradients at, 285–290
 reaction kinetics at, 284
 redox potential and pO₂ gradients at, 290–294
 spatial and temporal extension of, 272–274
 trace element fate and, 300–301
 of trees, 279
- Soil–root uptake, of strontium, 535
- Soil sampling, 468–474
- Soil saprotrophic microfungi, 63
- Soil selenium content, 188
- Soil solids, arsenic retention on, 329
- Soil–solution reactions, in metal/metalloid speciation, 54
- Soil solutions
 Cd–organic associations in, 186–187
 elemental forms in, 271
 metal speciation of, 17
- Soil–Sr reactions, 535
- Soil structure, stabilization of, 14
- Soil tests, for bioavailability, 270
- Soil-to-plant transfer factors, 528, 535
- Soil washing, 573, 585–588
 appropriate solutions for, 585–586
 with mixed washing fluids, 587
 treatment process, 586
- Solidification and stabilization (S/S), 582–584
- Solid–liquid partitioning, advantages of, 510
- Solid metal phase fractionation, 446t
- Solid-phase Cd fractions, distribution of, 448t
- Solid-phase metals/metalloids, gradients in, 277–281
- Solid–solution interface, surface complexation models of, 221
- Solubilized metal–ligand complexes,
 bioavailability of, 65
- Solution complexation reactions, 16–17
- Solution speciation, 429–435. *See also* Classical (solution) speciation
- Solvation water (¹H) relaxation, 149–150
- Sorbate, 232
- Sorbent sites, standard states for, 231
- Sorption, 97–98. *See also* Competitive sorption;
 Sorption processes
 competition in, 177–180
 terminology related to, 98–99

- Sorption–desorption
 developments in, 116
 kinetics and mechanisms of, 97–124
 molecular-scale assessment of, 111–118
 time scales for, 99
 of trace elements, 169–213
- Sorption–desorption kinetic methods,
 macroscopic, 110–111
- Sorption–desorption reactions, 20–22
 assessing, 98
- Sorption edge, 174
- Sorption processes
 assessing, 118–119
 biphasic behavior in, 99–100
 continuum of changes in, 109
 time scales for, 99–109
- Sorption sites
 competition for, 195
 range of, 171
- Sparks, Donald L., xii, 97
- Spatial coupling, between microbial Fe(II)
 oxidation and Fe(III) reduction, 352–354
- Spatial extension, of the soil–root interface,
 272–273
- Spatiotemporal coupling, 356
- Speciation, 271
 assessing, 450
 defined, 420–421
 lack of information on, 451
 programs, 271
- Specific sorption, 188
- Spectroscopic studies, of aluminum–citrate
 interactions, 393–397
- Spectroscopic techniques
 for evidence of adsorption mechanisms,
 241–245
 for studying metal–humic complexes,
 125–168
- Spectroscopy
 electron spin resonance, 139–146, 242
 fluorescence, 132–136
 infrared, 136–138
 Mössbauer, 146–149
 nuclear magnetic resonance, 149–152, 242
 synchrotron-based x-ray absorption,
 152–158
 ultraviolet–visible, 132
 vibrational, 242
 x-ray absorption, 242–245
- Spin Hamiltonian, 140
- ⁹⁰Sr, 534. *See also* Strontium entries
- SRM 2710 soil, extraction patterns of, 503–504
- Stability constants, 128–130, 150–151
 of trace element complexes, 173
- Stability function, 130
- Stabilization. *See* Solidification and
 stabilization (S/S)
- Standardized database, of surface complexation
 constants, 239
- Standards, Measurements, and Testing (SM&T)
 Programme, 479. *See also* SM&T
 leaching scheme
- Standard states, for surface species activities,
 231–232
- Staunton, Siobhan, xii, 521
- Stimulus–response approaches, 474
- Stirred-flow cells, 494–495
- Stirred-flow method, 111
- Stopped-flow approach, 495
- “Strong” sites, 224
- Strontium (Sr)
 adsorption mechanism of, 535
 adsorption of, 244
- Strontium-90, 534
- Strontium radioisotopes, sources and fate of,
 534–535
- Structure-binding relationship, 150–151
- Sulfate, 194. *See also* SO₄²⁻ reduction
- Sulfate-reducing bacteria (SRB), 70
- Sulfato-respiring bacteria, 534
- Sulfides, iron(III) reduction by, 342, 343
- Sulfur (S). *See* Disulfide/disulfane S
- Sulfur-reducing bacteria, 70
- Superfund program, 569
- Superfund (CERCLA) sites
 commonly encountered metals at, 569
 remedial actions undertaken at, 572
- Surface barriers, 589–590
- Surface charges, 224, 229
- Surface complexation, 229
 phenomena related to, 66
 role in Pb immobilization, 611
- Surface complexation constants
 predicting, 251
 standardized database of, 239
- Surface complexation models (SCM),
 220–247, 425
 advantages of, 247
 applications to natural systems, 248–252
 characteristics of, 252
 component additivity in, 249–250
 generalized composite approach in, 250–252
 reactive surface area in, 248–249
 self-consistent parameter databases for,
 232–233
 single- or two-site assumption in, 248
- Surface complexation–surface precipitation
 continuum, 102

- Surface complexation reactions, 226
 in the constant capacitance model, 222
- Surface complexes, 20–21, 98
 stoichiometries and relative adsorption energies of, 246
- Surface coverage, effect on competitive sorption, 194–195
- Surface functional group, protonation and dissociation reactions of, 222, 226
- Surface-induced precipitation, 102
- Surface loading, 100, 102
- Surface–metal–ligand complexes, 183
- Surface precipitates, 98–99
 formation of, 100
 types of, 101–102
- Surface precipitation, of metals, 100–109
- Surface reactions, in the diffuse double layer model, 224
- Surface site density (N_S), 232–233
- Surface speciation, 241–247
- Surface species
 effective electrostatic radius of, 237
 standard states for, 223, 231–232
- Synchrotron-based x-ray absorption spectroscopy, 152–158, 450
- System pH, 611–613
 reduction and increase in, 612
- Tamm's reagent, 484
- Tannic acid, 10
- Tartrate, influence on sorption, 183
- ^{99}Tc , 537–538. *See also* Technetium entries
- Tc(VII), 538
- TCLP-leachable Pb, 584. *See also* Toxicity characteristic leaching procedure (TCLP)
- Technetium (Tc), immobilization of, 538–539
- Technetium-99, 537–538
- Technetium chemistry, in soil, 538
- Technetium radioisotopes, sources and fate of, 537–540
- Tellurium (Te) transformation, 72
- Temporal coupling, 354–356
- Temporal extension, of the soil–root interface, 273–274
- Tension lysimeters, 473. *See also* Lysimeter analysis; Zero-tension lysimeters
- Terminal restriction fragment length polymorphism (t-RFLP) profiles, 58
- Ternary complexes, 183
- Terrestrial ecosystem
 functioning and stability of, 32–33
 role of soil in, 31–32
 ^{232}Th , 524
- Thermal remediation technologies, 592–593
- Thermo electron rapid-scan capabilities, 115–116
- Thorium-232, 524
- Through-space nuclear overhauser effect (NOE), 152
- Time-dependent fixation, of cesium, 548
- Time-of-flight secondary-ion mass spectrometry (ToF-SIMS), 279
- Time of reaction, effect on competitive sorption, 194–195
- Time-resolved attenuated total reflectance (ATR) Fourier transform infrared (FTIR) spectra, 117. *See also* ATR-Fourier transform infrared (FTIR) technique; Fourier transform infrared (FTIR) spectroscopy; FTIR spectra collection, 115
- Titration-batch reaction, automatic, 612–613
- Tortuosity, 275
- Total correlation spectroscopy (TOCSY), 151
- Toxic ions, 430–431
- Toxicity
 of heavy metals, 593
 of metals/metalloids, 568
 of technetium, 538
 of trace elements, 204
- Toxicity characteristic leaching procedure (TCLP), 570, 620, 624. *See also* TCLP-leachable Pb
- Toxic metals, 55
 fate in soils, 421
- Toxic metal stress, experimental systems for studying, 56
- Trace element bioavailability
 desorption kinetics and, 199–202
 impact of organic substances on, 298–300
 impact of pH and pCO_2 gradients on, 288–290
 impact of redox potential and pO_2 gradients on, 293–294
 influence of inorganic and organic ligands on, 184–187
 toxicity and, 172
 transformation and, 30
- Trace element cation sorption–desorption, hysteresis of, 177
- Trace element complexation reactions, effects of, 173–174
- Trace element extractions, kinetics of, 489
- Trace element fractionation
 representative sample for, 469
 seasonal variability and, 470

- Trace element fractions
acid-soluble, 481–482
commonly elucidated, 480–486
exchangeable, 480–481
oxidizable, 485–486
pyrophosphate extractable, 482–483
reducible, 483–485
water-soluble, 480
- Trace elements (TEs). *See also* Trace element
bioavailability; Trace metals
affinity for Mn oxide, 174
in anionic form, 187–194
assessing mobility of, 501–520
in cationic form, 173–187
changes in the solubility of, 287
competitive sorption of, 189–190
competitive sorption with organic or inorganic
ligands, 194–195
desorption of, 199–203
discrimination of solid-phase associations
of, 468
fate in the rhizosphere, 268
fate of, 170
fractionation and mobility of, 467–520
fractionation into operationally defined forms,
474–500
heterogeneous precipitation on mineral
surfaces, 176
investigation of extraction patterns of,
502
kinetic fractionation of, 501
local behavior and mobility of, 473
mobility of, 170, 445
occurrence of, 170
phytoavailability of, 445
solid matter speciation of, 439–440
speciation of, 271
- Trace element sorption
effect of inorganic and organic ligands on,
180–184, 190–194
effects of component addition sequence on,
195–199
kinetics of, 176–177
onto microorganisms, 176
onto organic matter, 173–174
simultaneous, 177–180
onto soil components, 171–199
onto variable charge minerals, 174–176,
181–184
- Trace element sorption–desorption, factors
affecting, 169–213, 203–204
- Trace element speciation
impact of organic substances on, 297–298
impact of redox potential and pO₂ gradients
on, 292–293
pH-controlled changes in, 288
thermodynamic models of, 422–429
- Trace element species, range of, 175–176
- Trace element toxicity, factors affecting, 204
- Trace metals
chemical speciation and bioavailability of,
419–466
continuous leaching of, 492
impact of pH and pCO₂ gradients on
speciation of, 286–288
ion complexation of, 158
leaching of, 476–486
precipitation of, 23
- Transfer coefficient, 35–36
- Transition metals
adsorption of, 241
solubility of, 529
- Transport processes
modeling, 276
of roots, 274–277
- Trees, soil–root interface of, 279
- Triethanolamine (TEA), 436
- Triple-layer model (TLM), 221, 225–228, 426
capacitance values in, 233–234
electrolyte cation and anion adsorption
equilibrium constants for, 238
equilibrium constants for, 241
protonation-dissociation constant values
for, 235
- Tufano, Katharine J., xii, 313
- Two-coordinate binding environment, 158
- Two-dimensional NMR methods, 151
- Two-site assumption, in surface complexation
models, 248
- ²³⁸U, 524. *See also* Uranium entries
- U hyperaccumulators, 577
- Ultrafiltration (UF), 159
- Ultraviolet–visible (UV–Vis) spectroscopy,
132
- “Unculturable” population, 79
- Unidentate metal complexes, 137
- United States, remediation in, 591
- Uranium-238, 524
- Uranium-contaminated groundwater,
bioremediation strategy for, 76
- Uranium (U) phytoremediation, 577
- Uranyl removal, 77
- Vacuum extraction methods, 581
- Vanadyl ion complexes, 143

- Variable charge, 171
- Variable-charge minerals, 172
trace element sorption onto, 174–176,
181–184
- Vegetation systems, diversity of, 33. *See also*
Phyto- entries; Plant entries
- Venturini and Berthon model, of
aluminum–citrate interactions, 390–391
- Vermiculite, sorption and desorption reactions
on, 99
- Vertical mixing, of contaminated soils, 591
- Vesicles, 27
- Vibrational spectroscopy, 242
- Violante, Antonio, xii, 169
- Vitrification, 592–593
- VO²⁺ doping, of humic substances, 143
- Volatile organic halocarbons
(VOHs), 587
- Voltammetric techniques, 159
- Wang, Guo, xii, 521
- Washing fluids, mixed, 587
- Water
phosphorus-induced lead immobilization in,
609–614
preferential flow paths of, 276
- Water-soluble lead, 615–616
- Water-soluble TE fractions, 480
- Water uptake, by roots, 274–277
- “Weak” sites, 224
- Weathering products, accumulation of, 280
- Wetland plants, 356–357
uptake of Se by, 534
- WHAM program, 271, 282
- Worms, bioassay using, 619–620
- XANES spectra, 152–153, 154. *See also* X-ray
absorption near-edge structure (XANES)
spectroscopy
- XAS-active elements, 152. *See also* X-ray
adsorption spectroscopy (XAS)
- X-ray absorption edge, 152
- X-ray absorption fine structure (XAFS)
spectroscopy, 450. *See also* Extended x-ray
absorption fine structure (EXAFS)
spectroscopy
studies using, 244–245
- X-ray absorption near-edge structure (XANES)
spectroscopy, 152, 242. *See also* XANES
spectra
- X-ray adsorption spectroscopy (XAS), 112,
242–245, 450. *See also* XAS-active
elements
techniques for, 152
in XANES and EXAFS regimes, 158
- X-ray diffraction, quick, 114
- X-ray fluorescence (XRF), 279
- X-ray reflectivity measurements, 245
- Zeeman effect, 139
- Zeolites, 38, 39t
- Zero-tension lysimeters, for in situ soil sampling,
472. *See also* Tension lysimeters
- Zinc (Zn). *See also* Zn entries
bioavailability of, 288
complexes with, 156–157
concentration of, 18
fractionation of, 288, 292–293
speciation of, 299
- Zinc adsorption
component additivity approach to, 249–250
generalized composite approaches to, 251
- Zirconium-95, 536
- Zirconium (Zr) radioisotopes, sources and fate
of, 536
- Zn²⁺ adsorption, 244. *See also* Zinc entries
- Zn²⁺–soil HA complexes, RSFs of, 157. *See
also* Humic acids (HAs)
- Zn–Al hydroxide surface precipitates, 106
- Zn sorption, effect of residence time on,
202
- ⁹⁵Zr, 536