

Index

• Symbols •

- + (addition) operator, 171
- * (asterisk), 25, 100
- / (division) operator, 171
- ... (ellipsis), 28
- % (modulus) operator, 171
- * (multiplication) operator, 171
- (subtraction) operator, 171

• A •

- abstraction, reusable code, 200
- AccessControl namespace, 251
- AccessRule class, 251
- Adapter classes, 257
- Add a New Data Source button (Data Sources window), 33
- Add command (File menu), 119, 154
- Add Connection dialog box, 260–261
- Add method, 173
- Add Reference dialog box, 216
- Add Web Reference dialog box, 134–136
- add-ins, 41–42
- addition (+) operator, 171
- ADO.NET services, 47
- affected users, risk analysis, 242
- Align command (Format menu), 73
- Anchor tags, Web applications, 103–104
- API (Application Programming Interface), 64
- AppActivate function, 219–220
- app.config file, 294–296
- append functions, StringBuilder class, 168
- application design
 - application load, 57
 - application state details, Trace mode, 153
 - assumptions in, 57
 - BCL (Base Class Library), 45
 - consistency in, 59
 - data storage, 53–54
 - developer tools, 44–45
 - documentation research, 59
 - enterprise services, 47
 - ER (Entity Relationship), 54
 - IO (Input Output) services, 47
 - logic, defining, 56–58
 - loosely coupled applications, 247
 - My.Application object, 46
 - .NET Framework, 44
 - n-tier design, 54
 - operating system basics, 45–47
 - overview, 43
 - planned processes, 58–59
 - project lifecycle process, 49–51
 - pseudocode, 57
 - requirements gathering, 52
 - scenarios, 57
 - scope, 51
 - screen design, 54–56
 - server integration, 47–48
 - services integration, 47–48
 - test plans, 58
 - use cases, 57
 - user interaction, 48
 - user stories, 57
 - user-identifiable field controls, 55
 - well-designed application layers, 45
- Application Programming Interface (API), 64
- applications. *See* Web Forms applications; Windows Forms applications
- architecture-neutral Web service characteristic, 127

- Array class, 229–230
 - Ask a Question button (Document Explorer tool), 39
 - ASP.NET 2 For Dummies* (Hatfield), 93, 106
 - ASP.NET services
 - overview, 47
 - Web applications and, 84–85
 - Web site, 336
 - .aspx file, 90
 - assemblies, compiled blocks of code, 205
 - assessing data. *See* data assessment
 - assumptions, in application design, 57
 - asterisk (*), 25, 100
 - Attach to Process dialog box, 155
 - AuditRule class, 251
 - authentication
 - Authentication class, 285
 - defined, 239
 - Windows logins, 243–245
 - authorization
 - Authorization class, 285
 - Authorization namespace, 251
 - defined, 239
- B •**
- backward compatibility issues, Web services, 131
 - BCL (Base Class Library), 45
 - best practices, secure applications, 250
 - BinaryReader class, 272
 - BinaryWriter class, 272
 - BindingNavigator application, 264
 - Bitmap object, 302–303
 - black box problems, data
 - assessment, 255
 - bold text, 302
 - branching, business logic in code, 181
 - breakpoints
 - Breakpoints window, 144
 - concept of, 142
 - creating, 143
 - properties, 144
 - stopping, 143
 - Brush class, 301
 - bugs. *See* debugging
 - Build toolbar, 315
 - business logic in code
 - branching, 181
 - class libraries, 111
 - decision making, 181–182
 - exceptions, 186–187
 - flowchart presentations, 178
 - multiple choice processes, 184–185
 - overview, 178
 - process definition, 180
 - single processes, 182–184
 - users, communicating with, 179
 - Web services, 128–129
 - Business Logic Layer, n-tier design, 54
 - Button control
 - Web Forms applications, 87
 - Windows Forms applications, 66
 - buttons
 - adding to toolbars, 40
 - Ask a Question (Document Explorer tool), 39
 - Category (Properties window), 29
 - Contents (Document Explorer tool), 39
 - Events View (Properties window), 164
 - How Do I (Document Explorer tool), 39
 - Index (Document Explorer tool), 39
 - lightning bolt (Properties window), 28
 - New Connection (Data Source Configuration Wizard), 260
 - Refresh button, Document Explorer tool, 39
 - Refresh button, Solution Explorer tool, 29
 - Reset Window (Options dialog box), 41
 - Search (Document Explorer tool), 39
 - Solution Explorer tool button
 - options, 29

ByRef keyword, 206–207
Byte type, 161
ByVal keyword, 206–207

• C •

Cache function, 286
Calendar control, Web Forms applications, 87
CallByName function, 215
Catch statement, 186
Category button (Properties window), 29
CBool statement, 163
CDate statement, 163
CDBl statement, 163
cell properties, Properties window, 28
CGI (Common Gateway Interface), 83, 98
Change Data Source dialog box, 261
Char type, 161
CInt statement, 163
CipherAlgorithmType class, 251
circles, image creation, 300
Class Designer toolbar, 315
class libraries. *See also* DLLs
 business logic code, 111
 class definition, 114
 code-heavy devices, 114
 coding, 114–115
 creating, 115–118
 debugging, 153–154
 defined, 109
 functional code, 114
 functions, 112
 namespaces, 112
 objects, 112
 operation declaration, 114
 overloading, 123–124
 private variables, 117
 properties, 112, 114, 116–117
 subroutines, 112, 114, 118, 122

classes
 AccessRule, 251
 Adapter, 257
 Array, 229–230
 AuditRule, 251
 Authentication, 285
 Authorization, 285
 BinaryReader, 272
 BinaryWriter, 272
 Brush, 301
 CipherAlgorithmType, 251
 class files, reusable code, 203–205
 CodeAccessPermission, 251
 Cookie, 285
 CryptoConfig, 251
 DataReader, 256
 DataRow, 255–256
 DataSet, 254–256
 DataTable, 255–256
 DataView, 255–256
 DbCommand, 255
 DbConnection, 255
 Debug, 147–148
 defined, 49, 112
 Directory, 272
 DirectoryInfo, 272, 279–280
 DNS, 285
 Download, 285
 DriveInfo, 272
 EndPoint, 285
 Evidence, 251
 File, 273
 FileInfo, 273
 FileStream, 272
 FileSystemWatcher, 273, 280–281
 FileWeb, 285
 FolderBrowserDialog, 273
 Font, 302
 FtpWeb, 285
 Graphics, 302–303

classes (*continued*)

- HatchBrush, 301
- Http, 285
- HttpApplication, 89
- HttpBrowserCapabilities, 89
- HttpContext, 89
- HttpCookie, 89
- HttpRequest, 89, 105–106
- HttpResponse, 89
- HttpSession, 89
- HttpUtility, 89
- HttpWriter, 89
- Inherits, 73
- instances of, 49
- instant, 273
- IP, 285
- IrDA, 286
- NetworkCredential, 286
- OdbcAdapter, 255
- OdbcCommand, 255
- OleDbAdapter, 255
- OleDbCommand, 255
- OpenFileDialog, 273–275
- OracleAdapter, 255
- OracleCommand, 255
- Path, 273
- PathGradientBrush, 301
- PrincipalPermission, 251
- Process, 215–217
- SaveFileDialog, 273, 277
- SecureString, 251
- SecurityPermission, 251
- Service, 286
- Site, 251
- SmtplibClient, 292
- Socket, 286
- SolidBrush, 301
- SqlCommand, 255
- SqlDataAdapter, 255
- SqlDateTime, 255
- StreamReader, 277
- StreamWriter, 277
- StringBuilder, 166–169
- TextReader, 272
- TextureBrush, 301
- TextWriter, 272
- Upload, 286
- Url, 251
- Web, 286
- WindowsIdentity, 105–106, 251
- WindowsPrincipal, 251
- ClickOnce deployment, 246
- clients, well-designed application
 - layers, 45
- clock controls, Toolbox feature, 27
- closed categories, Toolbox feature, 27
- CObl statement, 163
- code
 - class libraries, 114–115
 - code generator programs, 330–331
 - for controls, writing, 65
 - snippets, 321
- Code View
 - event handlers, 303
 - Insert Snippet tool, 321
 - opening, 37
- CodeAccessPermission class, 251
- CodeBehind file, 90
- CodeRush Web site, 330–331
- CodeSwap organizational tool
 - example of, 321
 - Web site, 338
- collections
 - data assessment, 256
 - loops and, 193–195
- Color property, 301
- COM (Component Object Model), 214–215
- command line programs, 218–219
- commands
 - Add (File menu), 119, 154
 - Align (Format menu), 73

- Attach to Process (Tools menu), 155
- Customize (Tools menu), 40
- Macros (Tools menu), 319
- New (File menu), 15, 130, 162
- New Project (File menu), 116
- New Web Site (File menu), 91
- Options (Tools menu), 40
- Other Windows (View menu), 320
- Paste Alternate (Edit menu), 315
- Paste (Edit menu), 314
- Project/Solution (File menu), 147, 150, 152
- Properties (View menu), 28
- Save All (File menu), 19
- Shell, 218–219
- Technical Support (Help menu), 39
- Toolbox (View menu), 27
- Commands tab (Customize dialog box), 40
- Common Gateway Interface (CGI), 83, 98
- compiled blocks of code, assemblies, 205
- complexity traps, reusable code, 205–208
- Component method, 173
- Component Object Model (COM), 214–215
- Component Tray feature, 317–318
- component-based software, Data Sources window, 35
- concatenation, 163
- Condition column (Breakpoints window), 144
- config file, 293
- Configuration function, 286
- Connection Properties dialog box, 31–32
- connectivity
 - data sources, 257
 - network connectivity checks, Internet access, 287–288
 - ODBC (Open Database Connectivity), 257
- consistency, application design, 59
- consuming Web services, 134–137
- content placeholders, 212
- Contents button (Document Explorer tool), 39
- context menus, Windows Forms applications, 81–82
- ContextMenuStrip control, 81–82
- Control Panel services, Server Explorer tool, 31
- controls
 - control details, Trace mode, 153
 - positioning, 65
 - properties, changing, 65
 - Properties window, 28
 - Toolbox feature, 26–27
 - Web Forms applications, 86–88
 - Windows Forms applications, 65–66
 - writing code for, 65
- Conversion method, 173
- cookies
 - Cookie class, 285
 - details, Trace mode, 153
- copying files, 29
- CreateGraphics method, 307
- CreateObject function, 214–215
- cross-platform compatibility issues, Web services, 131
- CryptoConfig class, 251
- Cryptography namespace, 251
- Crystal Reports Services node, 31
- CStr statement, 163
- CType statement, 162–163
- Customize dialog box, 40
- customizing toolbars, 315–316
- D •
 - D format provider, 174
 - d format provider, 174
 - damage potential, risk analysis, 242
 - DashStyle property, 301

- data assessment
 - Adapter classes, 257
 - BindingNavigator application, 264
 - black box problems, 255
 - collections, 256
 - data brokers, 269
 - data code, writing, 266–269
 - data source connections, 257–261
 - DataSet container, 254
 - disconnection, 255
 - hashtables, 256
 - importance of, 253
 - manually retrieving data, 256–257
 - ODBC (Open Database Connectivity), 257
 - OLEDB (Object Linking and Embedding Database), 257
 - RAD data tools, 263
 - smart tags, 264
 - System.Data namespace, 254–255, 257
 - System.Data.Common namespace, 255
 - System.Data.ODBC namespace, 255
 - System.Data.OleDb namespace, 255
 - System.Data.OracleClient namespace, 255
 - System.Data.SqlClient namespace, 255
 - System.Data.SqlTypes namespace, 255
- data brokers, data assessment, 269
- data connection screen (Data Source Configuration Wizard), 259–260
- Data Connections node, 31–32
- data controls, Web Forms applications, 88
- Data Encryption Standard (DES), 245
- Data Layer, n-tier design, 54
- Data Source Configuration Wizard
 - Add Connection dialog box, 260–261
 - Change Data Source dialog box, 261
 - data connection screen, 259–260
 - Data Sources panel, 262–263
 - New Connection button, 260
 - Object Source type, 258
 - Web service selection, 258
- Data Sources window
 - Add a New Data Source Button, 33
 - component-based software, 35
 - Database option, 33
 - data-bound control creation, 34
 - Local Database File option, 33
 - Object option, 33
 - Products dataset, 34
 - Web Service option, 33
- data storage, application design, 53–54
- Database option (Data Sources window), 33
- data-bound control creation (Data Sources window), 34
- DataGridView control, 66
- DataReader class, 256
- DataRow class, 255–256
- DataSet class, 254–256
- DataTable class, 255–256
- DataView class, 255–256
- DateTime type, 161, 172–173
- DbCommand class, 255
- DbConnection class, 255
- Debug toolbar, 315
- debugging. *See also* errors
 - breakpoints, 142–144
 - class libraries, 153–154
 - common tools for, 142
 - Debug class, 147–148
 - Debug.Print method, 146
 - error handling, 148–149
 - Immediate window, 146–147
 - importance of, 141
 - remote, 151
 - Trace mode, 152–153
 - Watch window, 145–146
 - Web Forms applications, 96–97, 151–153

- Web services, 154–156
- Windows Forms applications, 150–151
- Debugging Not Enabled dialog box, 96
- decision making, business logic in code, 181–182
- declaring variables, 122
- default namespaces, Web services, 132
- deleting files, 29
- denial of service, security threats, 242
- deployment security, 246–247
- DES (Data Encryption Standard), 245
- Description property, 132
- design
 - design issues, overloading, 229–230
 - project lifecycle process, 49–51
 - Web services, 128
- Design Time Environment (DTE), 332–333
- Design View
 - discussed, 16
 - overview, 90
 - screen management options, 25
 - tabs, 25
 - uses for, 24
- developer tools, application design, 44–45
- development tips, Web Forms applications, 107
- Device toolbar, 315
- dialog boxes
 - Add Connection, 260–261
 - Add Reference, 216
 - Add Web Reference, 134–136
 - Attach to Process, 155
 - Change Data Source, 261
 - Connection Properties, 31–32
 - Customize, 40
 - Debugging Not Enabled, 96
 - File Management, 276
 - Items Collection Editor, 75–76
 - New Project, 15, 67
 - New Web Site, 91
 - Options, 40–41
 - Save Project, 19
- dialog controls, 273
- Dim statement, 128, 161
- directories, listing, 279
- Directory class, 272
- DirectoryInfo class, 272, 279–280
- DISCO (discovery) files, 138–139
- disconnection, data assessment, 255
- discoverability, risk analysis, 242
- discussion boards, Web Parts, 331
- Disk Operating System (DOS), 218
- display page, Web services, 132
- division (/) operator, 171
- DLLs (Dynamic Link Libraries). *See also*
 - class libraries
 - defined, 110
 - encapsulation and, 111
 - files, running, 118–121
 - memory management, 111
 - procedure definitions, 121
- DNS class, 285
- Do loop, 195
- dockable windows, 36
- Document Explorer tool, 38–39
- document storage, Web Parts, 331
- documentation
 - application design research, 59
 - document requirements, 52
 - security, 240–241
- DomainUpDown control, 66
- DOS (Disk Operating System), 218
- Dotfuscator add-in, 41–42
- Double type, 161
- Do-Until loop, 197–198
- Do-While loop, 196–197
- Download class, 285
- downloading files from Internet, 288–290
- DragDrop event, 225
- dragging windows, 36

DrawBezier object, 300
 DrawCircle object, 300
 DrawLine object, 300
 DrawRectangle object, 300
 DriveInfo class, 272
 DTE (Design Time Environment),
 332–333
 Dynamic Link Libraries. *See also* class
 libraries
 defined, 110
 encapsulation and, 111
 files, running, 118–121
 memory management, 111
 procedure definitions, 121

● **E** ●

Edit Items link (Properties window), 75
 Edit menu commands
 adding to Windows Forms
 applications, 80
 Paste, 314
 Paste Alternate, 315
 editable files, Web Forms
 applications, 90
 editions, Visual Studio 2005, 14
 elevation of privileges, security
 threats, 242
 ellipsis (...), 28
 Else statement, 183
 ElseIf statement, 184
 e-mail requirements, Internet access,
 290–293
 encapsulation
 defined, 111
 encapsulated versus reusable code, 200
 encryption, 245–246
 End Class statement, 131
 End If statement, 183
 EndCap property, 301
 EndPoint class, 285

Enterprise Library Data Access
 Application Block data broker, 269
 enterprise servers, application
 design, 47
 ER (Entity Relationship), 53–54
 ErrorProvider control, 66
 errors. *See also* debugging
 exceptions versus, 186
 InvalidCastException, 163
 in reusable code, 207–208
 throwing and error, 208
 escaping the mark, 161
 Even Spacing Between Controls option,
 alignment, 73
 event handlers
 Code View use, 303
 DragDrop event, 225
 Form_Load, 76
 IntelliSense feature, 226–227
 MouseEnter event, 225–226
 OnChange event, 305
 OnClick event, 224
 PostBack communication, 85
 Properties window use, 225–226,
 312–313
 Windows Forms applications, 70–72
 Event Logs node, 31
 Events View button (Properties
 window), 164
 Evidence class, 251
 exceptions
 business logic in code, 186–187
 errors versus, 186
 Exception object, 148–149
 Exit While statement, 198
 exploitability, risk analysis, 242
 Express Edition, Visual Studio 2005,
 14, 323
 expressions, regular, 167, 169
 extended providers, 316
 Extensible Markup Language (XML), 138

• **F** •

- fax control, Web Parts, 331
- fields, private variables, 117
- File class, 273
- File Management dialog box, 276
- File menu commands
 - Add, 119, 154
 - adding to Windows Forms applications, 80
 - New, 15, 130, 162
 - New Project, 116
 - New Web Site, 91
 - Project/Solution, 147, 150, 152
 - Save All, 19
- file systems. *See also* files
 - dialog controls, 273
 - file management classes, 272–273
 - FileUpload control, 274
 - System.IO namespace, 272–274
 - uses for, 271
- FileInfo class, 273
- files. *See also* file systems
 - app.config, 294–296
 - .aspx, 90
 - changes to, monitoring, 280–281
 - CodeBehind, 90
 - config, 293
 - copying, 29
 - deleting, 29
 - DISCO (discovery), 138–139
 - DLL, running, 118–121
 - downloading from Internet, 288–290
 - filenames, 277
 - information in, viewing, 279–280
 - listing, 279
 - opening, 29, 274–277
 - renaming, 29
 - saving, 277–278
 - shared, 272
- FileStream class, 272
- FileSystemWatcher class, 273, 280–281
- FileUpload control, 88, 274
- FileWeb class, 285
- FillCircle object, 300
- FillRectangle object, 300
- Finalize function, 223
- Finally statement, 187
- floating windows, 36
- flowchart presentations, business logic
 - in code, 178
- FolderBrowserDialog class, 273
- Font class, 302
- font size maintenance, Document Explorer tool, 39
- For-Each loops, 193–195
- form collection details, Trace mode, 153
- Form object (Document Explorer tool), 39
- Format menu, Align command, 73
- format providers, strings, 174
- Form_Load event handler, 76
- For-Next loops, 192–193
- Friend keyword, 121
- FTP sites, Web Forms applications, 91
- FtpWeb class, 285
- functional code, class libraries, 114
- functions. *See also* methods
 - AppActivate, 219–220
 - Cache, 286
 - CallByName, 215
 - Configuration, 286
 - CreateObject, 214–215
 - defined, 112
 - Finalize, 223
 - function declaration, Web services, 132
 - Mail, 286
 - Mime, 286
 - NetworkInformation, 286, 288
 - Now, 173
 - returning values from, 113
 - reusable code, 201–203

functions (*continued*)

- Security, 286
- shared, 122–123
- SharedListener, 295
- Sockets, 286
- Sort, 229–230
- ToString(), 112, 174

• **G** •

- G format provider, 174
- g format provider, 174
- Gantt Chart example, project lifecycle process, 50
- garbage collection feature, 223
- General Environment variables (Options dialog box), 40
- generics
 - creating, 231–232
 - designing for, 233
- Get property, 117
- Google Web site, 338
- GotDotNet Web site, 326, 336
- Graphics class, 300, 302–303
- gray dividers, Toolbox feature, 27
- groups, tabs, 25

• **H** •

- hackers, Internet access, 293
- Handles statement, 225
- hashtables, 256
- HatchBrush class, 301
- Hatfield, Bill (*ASP.NET 2 For Dummies*), 93, 106
- header details, Trace mode, 153
- Hello World application
 - new project setup, 15–16
 - Windows Forms application example, 18

help options

- Document Explorer tool, 39
- Help Desk, Web Parts, 331
- Help menu, Technical Support command, 39
- Hide parameter, 219
- hierarchy, .NET Framework, 12–14
- Hit Count column (Breakpoints window), 144
- How Do I button (Document Explorer tool), 39
- Howard, Michael (*Writing Secure Code*, Second Edition), 293
- HREF property, 103
- HTML controls, Web Forms applications, 88
- Http class, 285
- HttpApplication class, 89
- HttpBrowserCapabilities class, 89
- HttpContext class, 89
- HttpCookie class, 89
- HttpRequest class, 89, 105–106
- HttpResponse class, 89
- HttpSession class, 89
- HttpUtility class, 89
- HttpWriter class, 89

• **I** •

- ID property, 100
- IEnumerable interface, 194
- If statement, 183
- If-Then-Else statements, 104
- IIS (Internet Information Services), 91, 137–138
- image creation
 - Bitmap object, 302–303
 - Brush class, 301
 - CreateGraphics method, 307
 - Cribbage card game example, 303–307

- DrawBezier object, 300
 - DrawCircle object, 300
 - DrawLine object, 300
 - DrawRectangle object, 300
 - FillCircle object, 300
 - FillRectangle object, 300
 - Font class, 302
 - Graphics class, 300, 302–303
 - overview, 299
 - Paint object, 305
 - pen properties, 301
 - project setup, 305–306
 - System.Drawing namespace, 300–303
 - System.Drawing.Imaging namespace, 299
 - System.Drawing.Text namespace, 299
 - System.Drawing.2D namespace, 299
 - text operations, 302
 - image tags, Web Forms applications, 104–105
 - ImageMap control, 88
 - ImageUrl property, 104
 - Immediate window, 146–147
 - Imports statement, 131
 - indefinite loops, 190–191, 195
 - Independent Software Vendor (ISV), 327
 - Index button (Document Explorer tool), 39
 - information disclosure, security threats, 242
 - inheritance statement, Web services, 131
 - Inherits class, 73
 - Input Output (IO) services, 47
 - insert functions, `StringBuilder` class, 168
 - Insert Snippet organizational tool, 321
 - installing Visual Studio 2005, 15
 - instances, classes, 49
 - instant classes, 273
 - Integer type, 161
 - IntelliSense feature
 - event handling, 226–227
 - overloading, 123
 - overview, 37–38
 - interfaces, `IEnumerable`, 194
 - internal values, subroutines, 118
 - Internet access
 - e-mail requirements, 290–293
 - file downloads, 288–290
 - hackers, 293
 - network activity logs, 293–297
 - network connectivity checks, 287–288
 - network traffic, 293
 - overview, 283
 - RFC (Request For Comments), 284
 - status reports, 290–293
 - System.Net namespace, 284–286
 - Task List project management feature, 320–321
 - Internet Information Services (IIS), 91, 137–138
 - interoperable Web service
 - characteristic, 127
 - intrinsic types, 161
 - `InvalidCastException` error, 163
 - IO (Input Output) services, 47
 - `IP` class, 285
 - `IrDA` class, 286
 - `IsDBNull` method, 167
 - ISV (Independent Software Vendor), 327
 - Items Collection Editor dialog box, 75–76
- *K* ●
- kbAlertz Web site, 337–338
 - Kernighan, Brian W. (*Software Tools*), 324
 - keywords
 - `ByRef`, 206–207
 - `ByVal`, 206–207

keywords (*continued*)

Friend, 121
 Of, 231
 Private, 121, 205
 Protected, 121
 Protected Friend, 121
 Public, 121, 205
 Using, 224
 With, 224

● **L** ●

labels

Label control, 66
 Web Forms applications, 92

layers, n-tier design, 54

layout options

Toolbox feature, 27
 windows, 41

Layout toolbar, 315

LeBlanc, David C. (*Writing Secure Code*,
 Second Edition), 293

libraries

BCL (Base Class Library), 45
 Enterprise Library Data Access
 Application Block data broker, 269
 MSDN Library Web site, 14

lightning bolt button, Properties
 window, 28

linefeeds, 3

lines, image creation, 300

link lists, Web Parts, 331

listing directories and files, 279

literals, 170

local and remote resource access, Server
 Explorer tool, 31

Local Database File option (Data Sources
 window), 33

log files, network activity, Internet
 access, 293–297

logic, application design, 56–58

LogonUserIdentity object, 106

loops

collections and, 193–195

defined, 189

Do, 195

Do-Until, 197–198

Do-While, 196–197

For-Each, 193–195

For-Next, 192–193

indefinite, 190–191, 195

specific, 190–191

when to use, 190–191

While-End, 198

loosely coupled applications, 247

● **M** ●

macros, recording, 318–320

Mail function, 286

master pages, reusable code, 212–213

mathematical operators, 171

MaximizedFocus parameter, 219

MaxValue method, 172

memory

memory management, DLLs, 111

RAM (Random Access Memory), 160

menus, adding to Windows Forms
 applications, 80–81

MenuStrip control, 66, 78–79

Message property, 149, 187

Message Queues node, 31

metacharacters, 170

methods. *See also* functions

Add, 173

calling, Web services, 136

Component, 173

Conversion, 173

CreateGraphics, 307

Debug.Print, 146

IsDBNull, 167

MaxValue, 172

method signature, 123

MinValue, 172

- Parse, 174–175
 - Regex, 170
 - Save, 214
 - System.String.ToString(), 112
 - ToLower, 172
 - ToUpper, 166, 172
 - TryParse, 174–175
 - Write, 147
 - Mime function, 286
 - MinimizedFocus parameter, 219
 - MinimizedNoFocus parameter, 219
 - MinValue method, 172
 - mobile computing devices, 21
 - modulus (%) operator, 171
 - monitoring files, 280–281
 - mouse, right-click activation, 81–82
 - MouseEnter event, 225–226
 - moving
 - between pages, Web applications, 103–104
 - windows, 35–36
 - MSDN Library Web site, 14, 335
 - multiple choice processes, business logic in code, 184–185
 - multiplication (*) operator, 171
 - My Documents folder, 29
 - My.Application object, 46
 - My.Computer object, 46
 - My.User object, 46
- *N* •
- namespaces
 - AccessControl, 251
 - Authorization, 251
 - Cryptography, 251
 - defined, 112
 - namespace classes, Web Forms applications, 89
 - Permissions, 251
 - Policy, 251
 - Principal, 251
 - Security, 251
 - System.Data, 254–255, 257
 - System.Data.Common, 255
 - System.Data.ODBC, 255
 - System.Data.OleDb, 255
 - System.Data.OracleClient, 255
 - System.Data.SqlClient, 255
 - System.Data.SqlTypes, 255
 - System.Drawing, 300–303
 - System.Drawing.Imaging, 299
 - System.Drawing.Text, 299
 - System.Drawing.2D, 299
 - System.IO, 272–274
 - System.Net, 284–286
 - System.Security, 251
 - Web services, 132
 - naming Web Forms applications, 92–93
 - navigation
 - navigation button (Document Explorer tool), 39
 - navigation controls, Web Forms applications, 88, 103–104
 - NavigationURL property, 104
 - .NET Framework
 - application design, 44
 - hierarchy, 12–14
 - Visual Basic version differences, 11
 - .NET 247 Web site, 337
 - network activity logs, Internet access, 293–297
 - NetworkCredential class, 286
 - NetworkInformation function, 286, 288
 - New command (File menu), 15, 130, 162
 - New Connection button (Data Source Configuration Wizard), 260
 - New Project command (File menu), 116
 - New Project dialog box, 15, 67
 - New Web Site dialog box, 91
 - newsgroups, 337
 - non-volatile storage, 160
 - NormalFocus parameter, 219
 - NormalNoFocus parameter, 219

Now function, 173
 n-tier design, application design, 54
 null values, strings, 166–167

● 0 ●

Object Linking and Embedding Database (OLEDB), 257
 Object option (Data Sources window), 33
 Object Source type (Data Source Configuration Wizard), 258
 Object type, 161
 objects, defined, 49, 112
 ODBC (Open Database Connectivity), 257
 OleDbAdapter class, 255
 OleDbCommand class, 255
 Of keyword, 231
 OLEDB (Object Linking and Embedding Database), 257
 OleDbAdapter class, 255
 OleDbCommand class, 255
 OnChange event, 305
 OnClick event, 224
 Open Database Connectivity (ODBC), 257
 open source software, 326–327
 OpenFileDialog class, 273–275
 opening
 Code View, 37
 files, 29, 274–277
 Server Explorer tool, 30
 Toolbox feature, 27
 Watch window, 145–146
 operating systems, application design, 45–47
 operation declaration, class libraries, 114
 operators, mathematical, 171
 optional parameters, overloading, 230, 232
 Options command (Tools menu), 40

Options dialog box (Visual Studio 2005), 40–41
 OracleAdapter class, 255
 OracleCommand class, 255
 Other Windows command (View menu), 320
 overloading
 built-in functions, changing, 228–229
 class libraries, 123–124
 design issues, 229–230
 optional parameters, 230, 232
 procedure names, reusing, 227–228

● p ●

Paint object, image creation, 305
 Panel control, 88
 Parse method, 174–175
 Paste Alternate command (Edit menu), 315
 Paste command (Edit menu), 314
 Path class, 273
 PathGradientBrush class, 301
 patterns, regular expressions and, 169
 pen properties, image creation, 301
 Performance Counters node, 31
 Permissions namespace, 251
 personalization controls, Web Forms applications, 88
 planned processes, application, 58–59
 planning, project lifecycle process, 49–51
 Plaugher, P. J. (*Software Tools*), 324
 Pocket PC 2003, mobile computing devices, 21
 Policy namespace, 251
 port numbers, 135
 portal servers, 331–332
 positioning controls, 65
 PostBack communication, Web Forms applications, 85
 Presentation Layer, n-tier design, 54
 Principal namespace, 251

- PrincipalPermission class, 251
 - PrintDialog control, 66
 - Private keyword, 121, 205
 - private variables, fields, 117
 - procedure definitions, DLLs, 121
 - procedure names, reusing, 227–228
 - Process class, 215–217
 - process definition, business logic in
 - code, 180
 - producing Web services, 130–131
 - Products dataset (Data Sources window), 34
 - Professional Edition, Visual Studio 2005, 14
 - project lifecycle process
 - design, 49–51
 - Gantt Chart example, 50
 - planning, 49–51
 - requirements considerations, 51
 - scope considerations, 51
 - project management, Task List feature, 320–321
 - project sensitivity, Toolbox feature, 26
 - project types and platforms, Web services, 126
 - Projects directory, My Documents folder, 29
 - Project/Solution command (File menu), 147, 150, 152
 - properties
 - adding, 116–117
 - breakpoints, 144
 - Color, 301
 - DashStyle, 301
 - defined, 112
 - Description, 132
 - EndCap, 301
 - Get, 117
 - HREF, 103
 - ID, 100
 - ImageUrl, 104
 - Message, 149, 187
 - NavigationURL, 104
 - renaming, 116–117
 - SelectedValue, 99
 - Set, 117
 - StackTrace, 149
 - Text, 99
 - values, 114
 - width, 301
 - Properties button (Solution Explorer tool), 29
 - Properties window
 - Category button, 29
 - cell properties, 28
 - controls, 28
 - Edit Items link, 75
 - ellipsis (...), 28
 - event handling, 28, 225–226, 312–313
 - Events View button, 164
 - lightning bolt button, 28
 - opening, 28
 - overview, 27
 - property description information, 29
 - Protected Friend keyword, 121
 - Protected keyword, 121
 - proxy class, Web service, 137
 - pseudocode, 57
 - Public keyword, 121, 205
 - public services, Web services, 137–138, 328–330
- *Q* •
- Query Designer toolbar, 316
- *R* •
- RAD (Rapid Application Development), 23, 263
 - RadioButtonList control, 88
 - RAM (Random Access Memory), 160
 - recording macros, 318–320
 - rectangles, image creation, 300

- referencing Web services, 136
 - Refresh button
 - Document Explorer tool, 39
 - Solution Explorer tool, 29
 - Regex method, 170
 - regular expressions
 - defined, 167
 - patterns and, 169
 - uses for, 169
 - remote and local resource access, Server Explorer tool, 31
 - remote debugging, 151
 - remove functions, `StringBuilder` class, 168
 - renaming
 - files, 29
 - properties, 116–117
 - replace functions, `StringBuilder` class, 168
 - reproducibility, risk analysis, 242
 - repudiation of action, security threats, 242
 - request details, Trace mode, 152
 - Request For Comments (RFC), 284
 - `RequiredFieldValidator` control, 100
 - requirements
 - project lifecycle process, 51
 - requirements document, 52
 - requirements gathering, application design, 52
 - Reset Toolbox option, Toolbox feature, 27
 - Reset Window Layout button (Options dialog box), 41
 - resources, debugging, 155
 - reusable code
 - abstraction, 200
 - `AppActivate` function, 219–220
 - class files, 203–205
 - COM (Component Object Model) references, 214–215
 - command line programs, 218–219
 - complexity traps, 205–208
 - custom control creation, 209–211
 - DOS (Disk Operating System), 218
 - encapsulated code versus, 200
 - errors in, 207–208
 - functions, 201–203
 - `Interop` function, 219
 - master pages, 212–213
 - overview, 199
 - `Process` class, 215–217
 - user controls, creating, 211
 - RFC (Request For Comments), 284
 - `RichTextBox` control, 66
 - right-click activation, 81–82
 - risk analysis, security, 242
 - Ruby Forms engine, Visual Basic 6.0, 63–64
- S ●
- s format provider, 174
 - SAO (Software Architecture Overview), 241
 - Save All command (File menu), 19
 - Save method, 214
 - Save Project dialog box, 19
 - `SaveFileDialog` class, 273, 277
 - saving files, 277–278
 - scenarios, application design, 57
 - scope
 - application design considerations, 51
 - project lifecycle process, 51
 - screen design, application design, 54–56
 - screen management options, Design View, 25
 - script exploits, 248–250
 - Search button (Document Explorer tool), 39
 - Search IRC Web site, 337
 - `SecureString` class, 251

- security
 - AccessControl namespace, 251
 - authentication, 239, 243–245
 - authorization, 239
 - base classes for, 251
 - best practices, 250
 - Cryptography namespace, 251
 - denial of service, 242
 - deployment, 246–247
 - documentation, 240–241
 - elevation of privileges, 242
 - encryption, 245–246
 - new features, 21
 - Permissions namespace, 251
 - Policy namespace, 251
 - Principal namespace, 251
 - program component documentation, 240–241
 - risk analysis, 242
 - script exploits, 248–250
 - Security namespace, 251
 - spoofing, 242
 - SQL Injection attacks, 247–248
 - System.Security namespace, 251
 - threats, 241–242
 - Web Forms applications, 247–251
 - what to secure, 240
 - Windows Forms applications, 243–247
- Security function, 286
- Security namespace, 251
- SecurityPermission class, 251
- SelectedValue property, 99
- Server Explorer tool
 - Control Panel node, 31
 - Crystal Reports Services node, 31
 - Data Connections node, 31–32
 - Event Logs node, 31
 - Message Queues node, 31
 - opening, 30
 - Performance Counters node, 31
 - remote and local resource access, 31
 - Servers node, 31
 - tree view, 31
- Server View, 90
- servers
 - portal, 331–332
 - server integration, application design, 47–48
 - variables, Trace mode, 153
 - variables, Web Forms applications, 86
 - well-designed application layers, 45
- Servers node (Server Explorer tool), 31
- Service class, 286
- Service-Oriented Architecture (SOA), 128
- services integration, application design, 47–48
- Session object, 101–103
- session state details, Trace mode, 153
- Set property, 117
- Setup Project tool, 19
- shared files, 272
- shared functions, 122
- SharedListener function, 295
- SharePoint portal server, 331
- Shell command, 218–219
- short article publications, 333–334
- Show All Files button (Solution Explorer tool), 29
- Simple Object Access Protocol (SOAP), 138
- simplicity characteristic, Web services, 127
- single processes, business logic in code, 182–184
- Site class, 251
- sites. *See* Web sites
- smart tags, 264
- SmartPhone platform, mobile computing devices, 21
- SmtplibClient class, 292
- snippets, inserting in code, 321
- SOA (Service-Oriented Architecture), 128

- SOAP (Simple Object Access Protocol), 138
- Socket class, 286
- Sockets function, 286
- software
 - ISV (Independent Software Vendor), 327
 - open source, 326–327
- Software Architecture Overview (SAO), 241
- Software Tools* (Kernighan and Plaugher), 324
- SolidBrush class, 301
- Solution Explorer tool, 29
- Sort function, 229–230
- Source View, 90, 93–94
- SourceForge Web site, 326
- specific loops, 190–191
- spoofing, security threats, 242
- SQL Injection attacks, 247–248
- SqlCommand class, 255
- SqlDataAdapter class, 255
- SqlDateTime class, 255
- src attribute, 104
- StackTrace property, 149
- Standard Edition, Visual Studio 2005, 14
- state management
 - Session object, 101–103
 - ViewState object, 101–103
 - Web Forms applications, 85–86, 101–103
- statements
 - Catch, 186
 - CBool, 163
 - CDate, 163
 - CDBl, 163
 - CInt, 163
 - CObl, 163
 - CStr, 163
 - CType, 162–163
 - Dim, 128, 161
 - Else, 183
 - ElseIf, 184
 - End Class, 131
 - End If, 183
 - Exit While, 198
 - Finally, 187
 - Handles, 225
 - If, 183
 - If-Then-Else, 104
 - Imports, 131
 - Step, 193
 - Try, 186
 - Try-Catch block, 148
 - WebMethod, 131
 - WebServiceBinding, 131–132
- status bar controls, Windows Forms applications, 74–76
- StatusStrip control, 75
- Step statement, 193
- stopping breakpoints, 143
- storage
 - application data, 53–54
 - documents, Web Parts, 331
 - non-volatile, 160
 - volatile, 160
- StreamReader class, 277
- StreamWriter class, 277
- String type, 161, 165
- StringBuilder class, 166–169
- strings
 - concatenation, 163
 - defined, 161
 - format providers, 174
 - literals, 170
 - metacharacters, 170
 - null values, 166–167
 - title, 165–166
- Style Sheet toolbar, 316
- styles, text, 302
- subroutines
 - class libraries and, 114
 - defined, 112

- internal values, 118
 - shared functions versus, 122
- subtraction (-) operator, 171
- System.Data namespace, 254–255, 257
- System.Data.Common namespace, 255
- System.Data.OleDb namespace, 255
- System.Data.OracleClient
 - namespace, 255
- System.Data.SqlClient
 - namespace, 255
- System.Data.SqlTypes
 - namespace, 255
- System.Drawing namespace, 300–303
- System.Drawing.Imaging
 - namespace, 299
- System.Drawing.Text namespace, 299
- System.Drawing.2D namespace, 299
- System.IO namespace, 272–274
- System.Net namespace, 284–286
- System.Security namespace, 251
- System.String.ToString()
 - method, 112

• T •

- tabbed windows, 36
- TabControl control, 66
- tabs
 - Commands (Customize dialog box), 40
 - Design View, 25
 - groups, 25
 - order of, changing, 25
- tactics, Web services, 129
- tags
 - Anchor, 103–104
 - image, 104–105
- tampering with files, security
 - threats, 242
- Task List project management feature,
 - 320–321

- Technical Support command (Help menu), 39
- Templates pane (New Project dialog box), 15
- templates, Web services, 130
- testing
 - application design, 58
 - Web services, 133
- text
 - bold, 302
 - styles, 302
 - text input, Windows Forms
 - applications, 72–74
 - underlined, 302
 - in Web pages, 314–315
- text box controls, Web Forms
 - applications, 98
- Text property, 99
- TextBox control, 66, 72
- TextReader class, 272
- TextureBrush class, 301
- TextWriter class, 272
- third-party tools
 - add-ins, 41–42
 - software created by, 327–328
- threading
 - implementation, 234–236
 - overview, 233
 - uses for, 234
- threats, security, 241–242
- throwing an error, 208
- timing details, Trace mode, 152
- title strings, 165–166
- TODO comments, Task List project management feature, 321
- tokens, Task List project management feature, 321
- ToLower method, 172

toolbars

- Build, 315

- buttons, adding, 40

- Class Designer, 315

- customizing, 315–316

- Debug, 315

- Device, 315

- Layout, 315

- Query Designer, 316

- Style Sheet, 316

Toolbox feature

- clock controls, 27

- closed categories, opening, 27

- controls, 26–27

- gray dividers, 27

- layout options, 27

- opening, 27

- project sensitivity, 26

- Reset Toolbox option, 27

Tools menu commands

- Attach to Process, 155

- Customize, 40

- Macros, 319

- Options, 40

ToolStrip control, 66

ToolTips, 76–77, 316

TopCoder Web site, 325–326

ToString() function, 112, 174

ToUpper method, 166, 172

Trace mode, debugging, 152–153

tree view, Server Explorer tool, 31

Try statement, 186

Try-Catch block, 148

TryParse method, 174–175

types

- Byte, 161

- Char, 161

- DateTime, 161, 172–173

- discussed, 159

- Double, 161

- Integer, 161

- intrinsic, 161

- mathematical operators, 171

- Object, 161

- String, 161, 165

- validation control, 164–165

• U •

- ubiquitous Web service characteristic, 127

- UDDI (Universal Discovery and Description Language), 138–139

- underlined text, 302

- Upload class, 286

- Url class, 251

- URL option (Add Web Reference dialog box), 135

- urlString variable, 216–217

- use cases, application design, 57

- user stories, application design, 57

- user-identifiable field controls, application design, 55

users

- communicating with, business logic, 179

- input forms, Windows Forms applications, 67–69

- input validation, Web Forms applications, 98–101

- LogonUserIdentity object, 106

- My.User object, 46

- user controls, reusable code, 211

- user information retrieval, Web Forms applications, 105–106

- user interaction, application design, 48

- Using keyword, 224

• V •

validation

- controlling types with, 164–165

- RequiredFieldValidator control, 100

- user input, Web Forms applications, 98–101
 - ValidationSummary control, 100
 - values, properties, 114
 - variables
 - declaring, 122
 - private, 117
 - urlString, 216–217
 - Watch window, 146
 - VbForDummies Web site, 336
 - View Code button (Solution Explorer tool), 29
 - View Designer button (Solution Explorer tool), 29
 - View Diagram button (Solution Explorer tool), 29
 - View menu commands
 - Other Windows, 320
 - Properties, 28
 - Toolbox, 27
 - viewing Web services, 132–134
 - views
 - Code, 37, 303, 321
 - Design, 16, 24–25, 90
 - Server, 90
 - Source, 90, 93–94
 - ViewState object, 101–103
 - Visual Basic 6.0
 - Ruby Forms engine, 63–64
 - Visual Basic 2005 versus, 13
 - Visual Basic 2005
 - new features, 21
 - overview, 13
 - Visual Basic 6 versus, 13
 - Visual Studio 2005
 - add-ins, 41–42
 - Code View, 37
 - Customize dialog box, 40
 - Data Sources window, 33–35
 - Design View, 16, 24–25
 - Document Explorer tool, 38–39
 - Express Edition, 14, 323
 - installing, 15
 - IntelliSense feature, 37–38
 - New Project dialog box, 15, 67
 - Options dialog box, 40–41
 - overview, 12–13
 - Professional Edition, 14
 - Properties window, 27–29
 - Server Explorer tool, 30–32
 - Solution Explorer tool, 29
 - Standard Edition, 14
 - Toolbox feature, 26–27
 - Visual Studio Integration Program Web site, 327
 - volatile storage, 160
 - VWD (Visual Web Developer), 96–98
- *W* ●
- Watch window
 - opening, 145
 - variables, 146
 - watch lists, 145
 - Web class, 286
 - Web Forms applications
 - Anchor tags, 103–104
 - ASP.NET service and, 84–85
 - .aspx file, 90
 - Button control, 87
 - Calendar control, 87
 - CodeBehind file, 90
 - controls, 86–88
 - data server, 88
 - debugging, 96–97, 151–153
 - Design View, 90
 - development tips, 107
 - editable files, 90
 - FileUpload control, 88
 - FTP sites, 91

Web Forms applications (*continued*)

- HTML controls, 88
- HttpApplication class, 89
- HttpBrowserCapabilities class, 89
- HttpContext class, 89
- HttpCookie class, 89
- HttpRequest class, 89, 105–106
- HttpResponse class, 89
- HttpSession class, 89
- HttpUtility class, 89
- HttpWriter class, 89
- If-Then-Else statements, 104
- IIS sites, 91
- image tags, 104–105
- ImageMap control, 88
- label controls, 92
- LogonUserIdentity object, 106
- moving between pages, 103–104
- namespace classes, 89
- naming, 92–93
- navigation controls, 88, 103–104
- New Web Site dialog box, 91
- overview, 13, 20, 83
- Panel control, 88
- personalization controls, 88
- PostBack communication, 85
- RadioButtonList control, 88
- RequiredFieldValidator control, 100
- running, 96–98
- security, 247–251
- server variables, 86
- Server View, 90
- Source View, 90, 93–96
- state management, 85–86, 101–103
- text box controls, 98
- user information retrieval, 105–106
- user input validation, 98–101
- validation controls, 88

- ValidationSummary control, 100
- VWD (Visual Web Developer), 96–98
- Web Forms controls, 88
- Web-ready images, 104–105
- WindowsIdentity object, 105–106
- Web pages, text in, 314–315
- Web Parts, 331–332
- Web servers, saving files to, 274
- Web services
 - Add Web Reference dialog box, 134–136
 - advantages of, 127
 - backward compatibility issues, 131
 - business logic code, 128–129
 - characteristics of, 127
 - consuming, 134–137
 - cross-platform compatibility issues, 131
 - debugging, 154–156
 - default namespaces, 132
 - Description property, 132
 - design strategies, 128
 - display page, 132
 - End Class statement, 131
 - function declaration, 132
 - goals of, 134
 - inheritance statement, 131
 - methods, calling, 136
 - overview, 13, 125
 - producing, 130–131
 - project types and platforms, 126
 - proxy class, 137
 - public services, 137–138, 328–330
 - referencing, 136
 - SOA (Service-Oriented Architecture), 128
 - tactics, 129
 - templates, 130
 - testing, 133–134
 - viewing, 132–134
 - WebMethod statement, 131

- WebServiceBinding statement, 131–132
- Windows concepts, 126
- Web Services Description Language (WSDL), 138
- Web sites
 - ASP.NET, 336
 - CodeRush, 330–331
 - CodeSwap, 338
 - Google, 338
 - GotDotNet, 326, 336
 - kbAlertz, 337–338
 - MSDN Library, 14, 335
 - .NET 247, 337
 - Search IRC, 337
 - SourceForge, 326
 - TopCoder, 325–326
 - VbForDummies, 336
 - Visual Studio Integration, 327
 - Windows Forms .NET, 327
 - XMethods, 328
- WebBrowser control, 66
- Web-ready images, Web Forms applications, 104–105
- well-designed application layers, 45
- What-You-See-Is-What-You-Get (WYSIWYG), 24, 90
- While-End loop, 198
- width property, 301
- windows
 - dockable, 36
 - dragging, 36
 - floating, 36
 - layout options, 41
 - moving, 35–36
 - tabbed, 36
- Windows CE platform, mobile computing devices, 21
- Windows Forms applications
 - Button control, 66
 - context menus, 81–82
 - ContextMenuStrip control, 81–82
 - controls, 65–66
 - DataGridView control, 66
 - DateTimePicker control, 66
 - debugging, 150–151
 - DomainUpDown control, 66
 - Edit menu commands, adding, 80
 - ErrorProvider control, 66
 - event handlers, 70–72
 - File menu commands, adding, 80
 - Form_Load event handler, 76
 - Hello World application, 18
 - Label control, 66
 - menus, adding, 80–81
 - MenuStrip control, 66, 78–79
 - overview, 13, 63–64
 - PrintDialog control, 66
 - RichTextBox control, 66
 - right-click activation, 81–82
 - security, 243–247
 - status bar controls, 74–76
 - StatusStrip control, 75
 - TabControl control, 66
 - text input, 72–74
 - TextBox control, 66, 72
 - ToolStrip control, 66
 - ToolTip control, 76–77
 - user input forms, 67–69
 - WebBrowser control, 66
- Windows Forms .NET Web site, 327
- WindowsIdentity class, 105–106, 251
- WindowsPrincipal class, 251
- With keyword, 224
- wizards, Data Source Configuration, 258–263

Write method, 147

Writing Secure Code, Second Edition
(Howard and LeBlanc), 293


WSDL (Web Services Description
Language), 138

WYSIWYG (What-You-See-Is-What-You-
Get), 24, 90



XMethods Web site, 328

XML (Extensible Markup Language), 138



Y format provider, 174