

Index

Note: Figures and Tables are indicated by *italic page numbers*, notes by suffix 'n'

- acetyl-CoA, ¹³C-enriched, entry into TCA cycle 162–165
- actin 106, 109
- adenosine diphosphate (ADP)
 - determination by ³¹P NMR 110
 - in muscle contraction 107, 118
- adenosine 5'-monophosphate (AMP) 94
- adenosine triphosphate (ATP)
 - 2-deoxyglucose phosphorylation by 153–155
 - as energy source in muscle contraction 106–107, 108, 112, 182
 - binding to myosin 107
 - factors affecting production during muscle contraction 109, 111, 127–129
 - free energy of hydrolysis 108, 109
 - in yeast spore dormancy 150, 153, 156
 - maintenance of constant levels 156, 181
 - mobilization by trehalose, in yeast spores 150, 153, 181
 - ³¹P MRS 12, 19, 74, 114, 115, 153–154
 - production during muscle contraction 107, 110, 118
- adiabatic half-passage pulses 18
- allosteric control
 - of metabolite homeostasis 61, 68, 156, 179
 - of phosphofructokinase 146
- allosteric enzymes
 - glycogen synthase 61, 179
 - trehalase 156
- amplitude distortions, frequency-dependent 17
- anaplerotic pathways, flux through 165–167, 168
- anaplerotic substrates, entry into TCA cycle 164, 165–167
 - disadvantage of using 167
 - [U-¹³C]propionate 167–168
- athletes, MRI of leg muscles 82–83
- ATP *see* adenosine triphosphate
- biochemistry, link with physiology 2, 176, 177–178
- bioenergetics, muscle contraction 109–110
- biopsy method, muscle glycogen assayed using 25, 75–76, 129
- brain
 - ATP levels in 156
 - glycogen in 24
 - imaging methods 126, 130
 - lactate levels during neuronal activity 126, 132
- [1-¹³C]glucose NMR 176
 - heart glycogen metabolism studies 88, 89, 95, 96, 99
 - muscle glycogen metabolism studies 130, 132
 - yeast, aerobic compared with anaerobic glycolysis 139–140, 142
- [3, 4-¹³C]glucose tracer 170
- ¹³C MRS
 - basic principles 14–15, 161, 183
 - compared with ¹H MRS 14, 161
 - compared with ³¹P MRS 14, 161
 - heart glycogen metabolism 87–100
 - in vivo* studies 14–15, 47–55, 60–69, 91–97, 139–147, 163–172, 176–177
 - liver metabolism 165–168
 - muscle glycogen metabolism 47–55, 74–75, 76–83, 129–130, 182
 - yeast metabolism 139–144

- ¹⁴C tracer studies
 liver metabolism 160
 yeast metabolism 139, 140, 142
- carbon-13
 natural abundance 2, 14, 161
 see also ¹³C MRS
- cardiac glycogen metabolism, ¹³C NMR studies 87–100
- carnosine
 ¹H MRS 10–11, 10
 pH-dependence of chemical shifts 10
- catabolite repression of yeast cells 138
- cellular energy pathways 109
- chemical shift(s), effects first observed 8
- cigarette smoking, post-exercise recovery of muscle glycogen affected by 80
- citrate, ¹³C-enriched 164
- citric acid cycle *see* tricarboxylic acid cycle
- concentration connectivity relationship (in MCA) 37, 38
- concentration control coefficients (in MCA) 35
 relationship to elasticities 37, 38
 summation theorem 35, 38
- co-response coefficients (in MCA) 40, 63–64
 glycogen synthase and glucose transport 65
- creatine, ¹H MRS 9, 10, 19
- creatine kinase (CK)
 in muscle contraction 107, 109, 116
 ³¹P NMR measurement 13–14
- creatine phosphate *see* phosphocreatine
- cytosolic malate dehydrogenase 138
- db/db leptin receptor-deficient mouse, as model of type 2 diabetes 100
- 2-deoxyglucose, phosphorylation by ATP 153–155
- 2-deoxyglucose 6-phosphate (2DG-6-P), in yeast spores 153
- deoxymyoglobin, ¹H MRS 11, 117
- derepressed yeast cells 138
 aerobic compared with anaerobic glycolysis 142
- deuterium (²H) NMR 161
 compared with mass spectrometry 169
 liver metabolism studies 169, 171
- deuterium oxide (²HO), as tracer in gluconeogenesis studies 168
- diabetes mellitus
 heart glycogen metabolism affected by 97
 see also insulin-dependent diabetes mellitus;
 non-insulin-dependent diabetes mellitus
- diffusion effects 16
- dipolar coupling 17, 161
- dipolar relaxation theory 25
- elasticities (in MCA) 35–37, 62
 definition 36
 GSase with respect to G6P 64–65
 GT/HK with respect to G6P 64–65
 relationship to control coefficients 36–37, 38, 62–63
- Embden–Meyerhoff–Parnas (EMP) pathway 139
- epinephrine, heart glycogen metabolism affected by 94, 95
- exercise
 assessing workload 76–77
 insulin-stimulated muscle glycogen synthesis affected by 54–55
 intense, NMR studies of muscle glycogen recovery 77–83
 localized protocol, advantages 76
 muscle glycogen changes during 76–83, 129–130
- exercise-induced temperature changes, NMR affected by 75
- exercised muscles, MRI used to locate 80–83
- external concentration reference, in quantitative MRS 19–20, 20
- external simulated phantom concentration reference, in quantitative MRS 20, 21
- extramyocellular lipids (EMCL), ¹H MRS 9, 10, 11
- fatigue in muscles
 and depletion of glycogen 129, 132–133
 and lactate accumulation 125, 133–134
- feedback-inhibited enzymes 32
- Fenn effect 104, 112
- fitness, MRI of leg muscles affected by 82–83
- flux connectivity relationship (in MCA) 36–37, 38, 62–63
- flux control coefficients (in MCA) 32–35, 60, 62, 179
 definition 33
 glucose transport/hexokinase, in heart glycogen metabolism 98
 glycolysis, in heart glycogen metabolism 98–99
 relationship to elasticities 36–37, 38, 62–63
 summation theorem 34–35, 38, 42
- flux, reasons for large changes 41
- fMRI *see* functional magnetic resonance imaging
- Fourier transform NMR 8
- free fatty acids, insulin resistance affected by 52–53

- freeze-clamp method (in muscle contraction studies)
112–113, 119
limitations 119, 127
- fructose 6-phosphate (Fru-6-P), comparison of aerobic
and anaerobic glycolysis in yeast 142, 145, 146
- Fru-1,6-P₂-ase 138
inactivation in anaerobic glycolysis of acetate-grown
yeast cells 141, 144
- functional magnetic resonance imaging (fMRI), lactate
levels during increased neural activity 126
- glucagon, heart glycogen synthesis affected by 93–94
- gluconeogenesis
in liver, ²H NMR data 168–169
in yeast, enzymes required 138
- gluconeogenic network, flux values in liver 170–171
- gluconeogenic tissues, isotopomer analysis 165–168
- glucose catabolism, in yeast, factors affecting 138,
139
- glucose metabolism, factors affecting 47, 67, 96
- glucose-6-phosphate (G6P)
as signal for glucose abundance 94
changes in type 2 diabetes 50
glycogen synthesis activated by 94, 96, 109
insulin effects 64
³¹P NMR 50, 53, 74
- glucose phosphorylation, measurement of 50, 53, 74,
100
- glucose, sources in liver 169
- glucose storage 47
- glucose transport (GT)
in insulin-stimulated muscle glycogen synthesis 49
relative importance 50, 61
whether defect is acquired or genetic 50–51
whether rate-controlling 51–52
- glucose transport/hexokinase (GT/HK)
in heart glycogen metabolism 98
in muscle glycogen metabolism 63
MCA elasticities with respect to G6P 64–65
- glucose transporter-4 (GLUT-4), in heart glycogen
metabolism 98, 100
- glutamate
¹³C isotopomers 163
¹³C-enriched, deconvolution of resonance 163–164
¹H NMR resonance 9
- glycogen
¹³C MRS 14, 15, 24–26, 88, 89, 129, 130
in vivo studies 25–26, 47–55
NMR visibility 24–26, 74, 90
postprandial storage of 48–49
relaxation characteristics 25, 30
role in generating ATP during muscle contraction
128–129, 133
structure 24, 90, 92
see also brain glycogen; liver glycogen; muscle
glycogen; tissue glycogen
- glycogen phosphorylase, in muscle contraction 129
- glycogen shunt mechanism, in muscle contraction
118, 119, 133
- glycogen synthase (GSase)
elasticity with respect to G6P 65–66
phosphorylation state affecting 66
insulin effects 64, 98
in muscle glycogen synthesis 49, 61
phosphorylation of
as general homeostatic mechanism 68–69
metabolite homeostasis affected by 3, 67–68,
179
proportional activation of
effects of phosphorylation 67–68
role in homeostasis 67, 180
relative importance in insulin-stimulated muscle
glycogen synthesis 50, 61
- glycogen turnover, measurement *in vivo* 92–94
- glycogenesis
in yeast metabolism 138
proportional activation analysis of 64–65
see also heart glycogen synthesis; muscle glycogen
synthesis
- glycogenin 90
- glycogenolysis
factors affecting 96–97
in muscle contraction 110, 119, 128–129
- glycolysis
aerobic compared with anaerobic, in yeast
139–146
factors affecting 95, 99
in muscle contraction 62, 106, 107, 110, 126
- ¹H NMR see proton NMR
²H NMR see deuterium NMR
³H see tritium
- heart glycogen metabolism
¹³C NMR studies 87–100, 182
advantages 89
early experiments 88–89
effects of diabetes 97
effects of epinephrine 94
effects of epinephrine and insulin combined 95–96
effects of insulin 94, 98
effects of nutrients 96–97
enhancement by plasma lactate 98–99

- heart glycogen metabolism (*continued*)
 glucose transport and phosphorylation as control steps 100, 182
 transgenic mice studies 100, 182
see also myocardial glycogen synthesis
- heart muscle, functions 88
- heat-shock protectant (in yeast spores), trehalose as 155–156, 157, 181
- heat shock, trehalose content of yeast cells affected by 149–150
- Henderson–Hasselbach relationship 13
- hepatic glucose production, measurement of 170
- hepatic metabolism *see* liver metabolism
- hexokinase
 in insulin-stimulated muscle glycogen synthesis 49
 whether defect is acquired or genetic 50–51
 whether rate-controlling 51–52
- homeostasis *see* metabolite homeostasis
- hormones *see* epinephrine; insulin
- hypoxia, lactate uptake by heart affected by 95
- in vivo* MRS
¹³C NMR 14–15, 47–55, 60–69, 91–97, 139–147, 163–172, 176–177
 development of 1–2, 176
 heart glycogen metabolism 91–97
 integration of spectra 22, 24
 liver metabolism 163–172
 muscle contraction studies 110–119
 muscle glycogen synthesis 47–55, 60–69
³¹P MRS 12–14, 50, 53, 74, 100, 110
 proton NMR 9–11
 yeast metabolism 139–147
- inorganic phosphate, ³¹P MRS 12, 74, 114
- insulin-dependent diabetes mellitus, postprandial changes in plasma glucose levels 67
- insulin resistance
 factors affecting 46, 52
 free fatty acid induced 52–53
- insulin resistant subjects, post-exercise recovery of muscle glycogen in 79–80
- insulin-stimulated glycogen synthesis
 in heart
 effect of insulin 98
 effect of plasma lactate 98–99
 in muscle
 identification of impaired enzymatic steps 49–52
 in type 2 diabetes 47–49, 66–67
- insulin-stimulated heart glycogen metabolism 94, 95
- internal concentration reference, in quantitative MRS 18–19, 20
- intracellular pH, determination of 10–11, 12–13
- intramyocellular lipids (IMCL)
¹H MRS 9, 10, 11, 52, 55
 insulin resistance affected by 52
- isocitrate lyase 138
- isotopic steady state 163
- isotopomer analysis 5, 162, 183
 carbohydrates vs fatty acids in energy production 164–165
 dilution problem 166
 gluconeogenic tissues 165–168
 multiple-substrate metabolism 163–164
- isotopomers
 maximum number per molecule 161–162
 meaning of term 161
 numbering system 162
- J* coupling constant 17
- α -ketoglutarate, ¹³C-enriched 164
- kidney cells, ATP levels in 156
- Krebs cycle *see* tricarboxylic acid cycle
- lactate, uptake by heart, effect on glycogen synthesis 95, 98–99, 182
- lactate accumulation, during muscle contraction 106, 125–126, 182
- lactate shuttle mechanism 125, 126, 133, 182
 driving force for 127
- lactic acid, ¹H NMR resonance 9
- lactic acid theory of muscle contraction 106, 125
 rejection of theory 106, 126
- LCmodel signal quantification algorithm 24
- lipids
¹³C MRS 14
see also extramyocellular lipids; intramyocellular lipids
- liver cells, ATP levels in 156
- liver glucose sources
¹³C NMR studies 165–168
²H NMR studies 169
²H tracer studies 168–169
- liver glycogen 24, 25, 74, 90
- liver metabolism studies 160–173
 high-throughput analysis methods 172–173
- localization 17
- longitudinal T₁ relaxation 15

- MAG *see* monoacetone glucose
- magnetic resonance imaging (MRI)
 exercised muscles 80–83
 effects of fitness 82–83
 first reports 8
- magnetization transfer
 creatine kinase enzyme 14
 glycogen 26
 phosphate metabolites 110
see also saturation transfer
- [2-¹³C]mannitol NMR 51
- mass spectrometry, compared with ²H NMR in liver
 metabolism studies 169
- MCA *see* metabolic control analysis
- McArdle's disease 128, 129
- metabolic control analysis (MCA) 31–44, 60, 61–63, 177
 applications
 heart glycogen metabolism 98
 muscle glycogen synthesis 64–66
 concentration connectivity relationship 37, 38
 concentration control coefficients 35
 concentration summation theorem 35, 38
 co-response coefficients 40, 63–64
 elasticities 35–37, 62
 first developed 3, 32
 flux connectivity relationship 36–37, 38, 62–63
 flux control coefficients 32–35, 60, 62, 179
 flux summation theorem 34–35, 38
 limitations 41
 proportionality analysis 42, 63–64
 relationship of control coefficients and elasticities 36–37, 38, 62–63
 response coefficient 36
 response to change in K_m 37
 supply–demand analysis 40–41, 63
 top-down analysis 39–40, 63
- metabolism
 as bridge between biochemistry and physiology 176, 177–178
 and metabolomics 183–184
- metabolite homeostasis 60
 ATP levels 156
 factors affecting 60–61, 67, 68
 in glucose oxidation 60
- metabolomics, meaning of term 2, 183–184
- Michaelis–Menten kinetics 36
- mitochondrial redox state, effects 99
- monoacetone glucose (MAG)
²H NMR spectrum 169
 in hepatic glucose production measurement 170, 171
 for liver-specific PEPCK knockout mice 171–172
 structure 169
- MRI *see* magnetic resonance imaging
- multi-site modulation 42, 61, 179, 180
- muscle
 ATP levels in 156
¹³C MRS 14–15
 fast-twitch (FT) fibers, glycogen depletion in 77
¹H MRS 9–11
³¹P MRS 12–14, 74
 calibration strategies 20
 slow-twitch (ST) fibers, glycogen depletion in 77
- muscle contraction 103–119
 ATP–glycogen–lactate–PCr model 4, 109–110, 127–129, 182
 biochemical evidence for 129
 bioenergetics paradigm 109–110, 116–117
 cellular energy pathways 109
 creatine kinase in 116
 energy balance in 108–109
 energy consumption during 112–113, 127
 energy source for 105–108
 heat–work relationships 104–105, 111
 Hill's model 104, 105, 111
 intracellular oxygen concentration 117–118
 lactate production during 106, 126–127
 lactic acid theory 106, 125
 NMR measurement of metabolic transients 113–115
 oxygen consumption during 117
 phosphocreatine kinetics 116
 physiological models 112
 role of glycogen in ATP synthesis 128–129
 sliding filament model 105
 techniques to trap metabolites during 108
 thermodynamic approach 104, 111–112
 viscoelastic model 104, 112
- muscle glycogen
 determination of
 agreement between biopsy and NMR 25, 26, 75
 by biochemical analysis 75–76
 by ¹³C MRS 25, 74–75
 exercise-induced changes, factors affecting ¹³C NMR studies 75
 need for in exercise 129
- muscle glycogen recovery (after exercise)
 in healthy subjects 77–79
 in insulin-resistant subjects 79–80
 insulin dependence in healthy subjects 79

- muscle glycogen synthesis
¹³C MRS 47–55, 74–75, 76–83, 129–130, 182
 impaired, during hyperglycemia hyperinsulinemia 47
 insulin-stimulated
 effect of exercise 54–55
 effect of obesity 52–54
 role in type 2 diabetes 47–52
 pathways 61, 62
- muscle metabolism, NMR studies 76–77
- myocardial glycogen synthesis, quantitation of
in vivo studies 91–92
 in perfused heart 91
- myoglobin 11
 desaturation during muscle contraction 117–118, 126
see also deoxymyoglobin
- myosin 106
 ATP reaction in 107
- N*-acetyl aspartate (NAA), as internal ¹H NMR reference 19
- nitrogen sources, activity of yeast cells in absence of 138, 153
- NMR *see* ¹³C NMR; nuclear magnetic resonance; ³¹P NMR
- Nobel Prize winners 8
- non-insulin-dependent diabetes mellitus (NIDDM)
 gene vs environment debate 178–179
 pathophysiology 46, 178
 MRS studies 3, 47–55, 178
see also type 2 diabetes
- nuclear magnetic resonance (NMR)
 basic principles 7–8
 first discovered 8
 NMR visibility, glycogen 24–26, 74, 90
 principal components of spectrum 23
- nuclear Overhauser effect/enhancement (NOE) 16, 90, 161
- nutrients
 heart glycogen metabolism affected by 96–97
see also fatty acids; ketone bodies; lactate; pyruvate
- obesity
 factors affecting 52
 insulin resistance affected by 52–53
 insulin-stimulated muscle glycogen synthesis affected by 53–54
- oxaloacetate, ¹³C-enriched 163
- oxidative phosphorylation, in muscle contraction 110, 118, 119
- oxygen uptake
 maximal, as measure of exercise workload 76
 in muscle contraction 117–118, 118–119
 yeast glycolysis affected by 140
- ³¹P MRS
 glucose phosphorylation measurement 50, 53, 74, 100
in vivo studies 12–14, 50, 53, 74, 100, 110
 first used 8
 heart phosphate metabolism 88
 identification of resonances 12, 12
 limitations 14
 internal concentration references 12, 19
 total phosphate pool as reference 19
- ³¹P NMR
 chemical shifts 12, 13
 gated technique, phosphate metabolites
 determination 4, 114, 115, 127
 intracellular pH determination 12–13, 74
- Pasteur effect 138–139
- pentose shunt, in yeast glycolytic pathways 141
- PEP carboxykinase 138
 liver-specific knockout of, metabolic consequences 171–172
- pH, intracellular, determination by ³¹P NMR 12–13, 74
- phosphocreatine (PCr)
 as energy buffer in muscle contraction 4, 107–108, 109–110, 112, 118, 128, 182
 kinetics during muscle contraction 115, 116, 127
³¹P MRS 12, 74, 110–116, 114
 as internal chemical shift reference 12
 recovery after muscle contraction 114, 128
- phosphodiesterases (PDE), ³¹P MRS 12, 110
- phosphoenolpyruvate carboxykinase 138
- phosphofructokinase (PFK)
 allosteric control of 146
 inhibition in heart glycogen synthesis 99
 inhibition in muscle glycogen synthesis 52, 53
 role in yeast glycolytic pathways 142, 145–146
- phosphomonoesters (PME), ³¹P MRS 12, 110
- phosphorus-31 NMR *see* ³¹P NMR
- phosphorylation of GSase
 as general homeostatic mechanism 68–69
 metabolite homeostasis affected by 67–68, 179
- physiology, link with biochemistry 2, 176, 177–178
- plasma fatty acid levels
 factors affecting 46, 52
 insulin resistance affected by 52–53
- post-exercise recovery of muscle glycogen

- effect of cigarette smoking 80
- healthy subjects 77–79
- insulin dependence in healthy subjects 79
- insulin-resistance subjects 79–80
- postprandial changes in plasma glucose levels 48, 66
 - in insulin-dependent diabetes 67
- postprandial storage of glycogen 48–49
- [U-¹³C]propionate
 - as anaplerotic substrate in TCA cycle 167–168, 171
 - advantages of use 167
- proportional activation 42, 63
 - determination using *in vitro* and *in vivo* elasticities 65–66
 - of glycogen synthase
 - effects of phosphorylation and allostery 67–68
 - role in homeostasis 67
- proportional activation analysis 63–64
 - of glycogen synthesis 64–65
- proton NMR
 - compared with ¹³C NMR 14, 161
 - in vivo* studies
 - first used 8
 - identification of resonances 9–11
 - limitations 14
 - internal concentration references 10, 19
 - water suppression techniques 9, 17
 - ‘pulse-chase’ experiment, heart glycogen turnover
 - measured using 92–94, 93
- pulsed NMR 8

- quantitative NMR spectroscopy 15–26
 - experimental considerations 15–18
 - diffusion effects 16
 - frequency-dependent amplitude and phase distortions 17–18
 - localization 17
 - longitudinal T₁ relaxation 15
 - NMR visibility 2, 18
 - nuclear Overhauser effects 16
 - scalar coupling 16–17
 - transverse T₂ relaxation 16
 - external concentration reference 19–20, 20
 - external simulated phantom concentration reference 20, 21
 - internal concentration reference 18–19, 20
 - signal quantification 21–26
 - example 24–26
 - general principles 21–22
 - integration of resonances 22–24
 - least-squares fitting 24
- Randle (fat-induced insulin resistance) mechanism 52, 53, 55
- rate-limiting step concept 32, 43
- repressed yeast cells, aerobic compared with anaerobic glycolysis 142

- Saccharomyces cerevisiae*
 - metabolism in 137–147, 160
 - see also* yeast
- sacromere (in muscle) 105, 106
- saturation transfer measurements
 - phosphate metabolites in muscle contraction 110–111
 - phosphofructokinase in yeast glycolytic pathways 142
- scalar coupling 16–17
- seizures, lactate levels during 126, 132
- signal quantification, in quantitative MRS 21–26
- smoking, post-exercise recovery of muscle glycogen
 - affected by 80
- somatostatin, muscle glycogen recovery affected by 79
- starvation, trehalose content of yeast cells affected by 149, 150
- stroke, diffusion effects 16
- supply-and-demand systems 40, 60–61
 - MCA applied to 40–41, 63, 180
- symmorphosis 42

- T₂ relaxation time, glycogen 25
- thermodynamic approach, muscle contraction 104, 111–112
- tissue glycogen 90
- top-down control analysis 39–40, 63
- transgenic mice studies
 - heart glycogen metabolism 100, 182
 - liver metabolism studies 171–172
- transverse T₂ relaxation 16
- trehalase (enzyme) 150
 - factors affecting activation 154, 155
 - inhibition by ATP in dormant yeast spores 154
- trehalose
 - accumulation in yeast spores
 - in absence of nitrogen sources 138, 153
 - NMR studies 150–153
 - as energy source in yeast spores 138, 149, 156, 157, 181
 - ATP mobilized by, in yeast spores 150, 153, 155
 - factors affecting concentration in yeast cells 149–150

- trehalose (*continued*)
 production from non-glucose-grown yeast 138,
 140, 141, 142, 144
 role in dormant yeast spores 150, 152–153, 181
 as stress protectant in yeast spores 155–156, 157,
 181
- trehalose-6-phosphate (T6P), as hexokinase inhibitor
 139, 144, 145–146
- tricarboxylic acid (TCA) cycle 160
 anaplerotic pathways 165–168
 and effect of liver-specific PEPCK knockout 172
 and heart glycogen synthesis 88, 98, 99
 entry of ^{13}C -enriched acetyl-CoA into 161–165
 ^2H NMR combined with ^{13}C NMR data 170–171
 pyruvate cycling pathways 168
- tritium tracer studies, liver metabolism 168
- tropomyosin 106, 109
- troponin complex 106, 109
- tryptophan dioxygenase, metabolic flux dependent on
 activity 33
- type 1 diabetes *see* insulin-dependent diabetes mellitus
- type 2 diabetes
 causes 46
 insulin-stimulated muscle glycogen synthesis in
 47–49, 66–67
 pathophysiology 46
 MRS studies 3, 47–55
 tailored drug therapy 173
see also non-insulin-dependent diabetes mellitus
- VARPRO signal quantification algorithm 24
- viscoelastic theory of muscle contraction 104
- water, as internal concentration reference 19
- water suppression techniques, in ^1H MRS
 9, 17
- yeast
 aerobic compared with anaerobic glycolysis
 ^{13}C NMR studies 139–144
 Pasteur effect 138–139
 aerobic glycolysis, flow diagram 141
 anaerobic glycolysis, flow diagram 141
 factors affecting transition between three states
 138, 181
 glucose metabolism 5, 137–147
 glucose-derepressed cells 138, 181
 effect of oxygen 140
 futile cycling by 144–145, 147, 181
 intermediates 142
 turbo effect in transition period 139, 144, 147,
 181
 glucose-repressed cells 138, 181
 effect of oxygen 140
 intermediates 142
- yeast spores
 in dormancy period
 ATP concentration 156
 role of trehalose in 150, 152–153,
 156, 181
 factors affecting formation of 138
 metabolic changes during germination 151–152,
 153
 NMR studies on trehalose metabolism 150–153
 yeast strain Y55, confusion about identity 150–151n

With kind thanks to Paul Nash for creation of this index.