

Subject Index

a

abrasion 25
 acceleration 53
 access matrix 29
 accessibility 27 ff
 acetone 394
 acoustic coupling 250
 acoustic grippers 21
 acoustic resonator 250
 acoustic sensors 317
 acoustic wave 21
 acrylonitrile butadiene 199
 actuator 247
 adaptable grippers 379
 adaptive 259
 adaptive grippers 28, 197
 adaptive gripping 325
Adept 305
 adhesive elastomers 232
 adhesive roller 306
 adhesive tape 227, 230
 adhesive tape gripper 230 f
 adhesives 227
 agricultural automation 367, 393
 air bags 384
 air cushion 22
 air flow 21
 air flow grippers 295
 air jet grippers 202
 air leakage detectors 310
 air turbulence 21
 aliphatic oil 228
 aluminium 240, 283, 297, 356
 ambient light 315
 AML 328
 ampoules 254
 androids 16
 angle lever 103, 106, 335
 angular acceleration 53
 angular grippers 136

angular impactive grippers 122
 angular velocity 53, 57
 anthropoid servopneumatic hand 277
 anthropomorphic 263
 anthropomorphic hands 257
 anti-slip 88
 approach sensors 313
 arachnia 278
 Argonne National Laboratory 279
 arrest hook 419
 artificial hands 16
 artificial intelligence 313
 artificial neuron network 273
 astrictive 3, 19, 36, 48, 61, 216, 238, 248, 293, 343 f
 astrictive grippers 176, 409, 412
 astrictive microgrippers 248
 astrictive prehension 169, 413, 422
 atraumatic grippers 241
 automatic exchange 60, 348, 350, 353, 358
 automatic prehension 19
 automatic re-tooling 341
 axial gripping 40

b

backlash 117
 bag and sack grippers 426
 balancers 402 f, 423
 ball bearings 106
 ball locking 361
 ball spindle gears 276
 ball-and-socket 12
 band spring 144
 bar code 388
 barrel edge grippers 151
 barrels 417
 barret hand 262
 basic jaw 3
 bayonet 357
 Belgrade hand 270

- bellows 31, 173, 184, 422
 - Bernoulli* 295
 - bimetal 145
 - bimetallic strip 240
 - binary sensors 31, 327
 - bio-hands 15
 - biomechanics 278
 - bistable valves 329
 - block copolymer 228
 - blow moulding 167
 - Bologna 268
 - boolean 327
 - bottle gripper 387
 - bottle palletization 425
 - bottles 254, 425
 - bounce 52
 - Bourdon* 145
 - Bourdon tubes* 267
 - Boyle's law 198
 - brake 75
 - brass 297
 - bricks 423
 - brushes 162
 - bulk waste 292
 - butyl rubber 228
- c**
- cantilevered grippers 410
 - capacitance 217, 223, 247
 - capacitive proximity sensors 314
 - capillary 248, 250
 - capillary pressure 251
 - carbon 213
 - carbon dioxide 232
 - carbon fibre 62, 164, 189, 220, 313, 430
 - cardboard 405
 - carpal 12
 - carton gripper 417
 - cartons 184
 - case studies 401
 - case-hardened 26
 - catches 355, 362
 - CCD camera 249, 316f
 - centrifugal 47, 53
 - centring elements 48
 - centring grippers 131, 242
 - ceramic magnets 205
 - ceramics 423
 - cam gear 76
 - chain 256, 259
 - chamfered shaft 368
 - charge 221
 - chemical 62
 - chemical adhesion 4, 19, 227
 - chloroprene 394
 - choke valves 86
 - chromium 213
 - chucks 19
 - clasping 253
 - cleanroom 22, 25, 66f, 244, 263
 - CluPicker 162
 - cobalt 212
 - coefficient of friction 52, 149, 303, 377
 - cognitive robotics 326
 - cohesive forces 222, 250
 - collet 19, 118, 132
 - collet chuck 386
 - collision 396, 400
 - collision avoidance 28
 - collision detection 320, 396f
 - collision protection 347, 396
 - collision space 340
 - combined grip 40
 - compliance 36, 302, 367, 381
 - compliant mechanism 243, 257
 - compliant prehension 388
 - composite grippers 342
 - composite material 412
 - concertina 374
 - concrete 403
 - conformal 89
 - conformal grippers 60
 - conical lever 93
 - conical suction cup 180
 - constriction 253
 - contact points 21
 - contact pressure 176
 - contactless 22
 - containers 413
 - contigutive 3, 5, 19, 37, 61, 227, 306, 344
 - contigutive gripper 231
 - contigutive prehension 227
 - continuous sensing 327
 - contour matching 260, 263
 - controlled (active) mating 368
 - controlled release 250
 - copper 213
 - copper wire 419
 - coriolis 47, 52
 - corrugated jaw 241
 - Coulomb friction 50
 - countersunk holes 368
 - coupling elements 350
 - crank 117
 - crimping 363
 - cross-bow 93
 - cryogenic 37
 - crystal structure 213, 220

cam slide 103
 Curie point 205
 current density 221
 cylindrical objects 417

d

5/2-directional valves 329
 Darmstadt hand 273
 dashboards 421
 dataglove 273
 DC motors 79
 dead zone 145
 definitions 2
 degree of freedom 96
 delicate materials 388, 393
 de-palletizing 413
 dextrous hand 5, 17, 268, 312
 dielectric 216, 221
 dielectric relaxation 221
 differential gear 285, 288
 directional valves 329
 discrete sensing 310, 327
 disk springs 115
 distance measurement 318
 DLR gripper 273
 DLR hand II 275
 double cone RCC 372
 double gripper 333, 335, 347, 349
 double-prismatic 40
 dovetail profile 356
 drives 75
 droplet 250
 dry friction 50
 dual grippers 333
 Duran glass 381
 dwell time 229, 233
 dynamic pressure nozzles 373

e

eccentric loads 282
 echo sounders 317
 efficiency 192
 eggs 425
 ejection trajectory 249
 ejectors 171, 174, 192
 elastic fingers 144
 elastic jaw coatings 377
 elastic membrane 383
 elastic modulus 394
 elastic tension bands 254
 elasticity 23, 26, 132, 176, 180, 228, 246
 elastomer 228, 254
 elastomer finger 266
 elastomer links 369

elastomer springs 371
 elastomeric suction cups 169
 electroadhesion 36
 electret 216
 electric displacement 217
 electric field strength 217, 221
 electric motors 79
 electric polarisation 217
 electric susceptibility 217
 electrical breakdown 245
 electrical discharge 223
 electrical polarisation 220
 electrical resistance 210, 221f
 electroadhesion 5, 62, 169, 216, 220, 225, 238, 249, 297
 electroadhesive force 218
 electroadhesive microgripper 249
 electroconductive rubber 271
 electrodynamic 245
 electroimmobilisation 223
 electromagnet 213, 246
 electromagnetic grippers 207, 212
 electromagnetic transducers 317
 electromechanical drives 79
 electromyograms 269
 electro-optical microcomponents 249
 electrorheological fluids 394
 electrostatic 241, 245
 electrostatic attraction 246
 electrostatic chucks 216
 electrostatic roller gripper 305
 electrostatic voltmeter 246
 electrostriction 92
 embracing 253f
 end effector 5
 endoscope 241
 energy density 245
 Ernst-arm 270
 error recovery 397
 ethanol 250
 Euler 279
 evacuation time 193
 exchangeable fingers 379
 extended jaw 5
 external prehension 40f, 101, 342, 387

f

fabric 344
 Fail-Safe-Principle 362
 failure mitigation 396
 failure safety 397
 Faraday equation 221
 femur 430
 ferromagnetic 31, 215, 298

fertilizers 426
 fibrous 161
 fibrous materials 249, 299
 finger exchange systems 362
 finger position measurement 323
 3-finger gripper 153
 4-finger gripper 119, 157, 342
 5-finger grippers 259
 five-finger hand 263, 277
 fixed gripping point 27
 flexibility 59
 flexible bands 256
 flexible manipulators 245
 flexible material joints 264
 flexible materials 161
 flexible objects 426
 flocculence 162, 232, 306
 flowgraph 327
 fluid muscle 15, 86, 386
 fluorine rubber 176
 flux diversion 204
 flywheel diode 210
 foam 161
 fold-back current limiting 80
 forbidden zones 28
 force feedback 331
 force manipulators 402
 force matching 23, 69, 349
 force sensors 276
 force-torque measurement 320, 347, 432
 forks 426
 formed jaws 39
 fracture 430
 fraying 300
 friction coefficient 54, 109, 178, 181
 frictional charging 224
 frictional forces 23, 53
 FZK hand 277

g

gear 75
 Gifu 278
 Gifu five-finger hand 312
 glass fibre 62, 161, 331
 glass sheet 412
 glues 19
 grain 426
 granule filled bag 393
 grasping 3
 gravitational force 53
 grids 120
 gripper axis 5
 gripper classification 61
 gripper control 328

gripper exchange 338, 348
 gripper finger 6, 138
 gripper jaw 6
 grippers 1f, 5
 gripping area 6
 gripping cycle 52
 gripping hooks 418
 gripping strategy 27
 gripping surface 6
 guidance gears 76
 guideway 109

h

hackles 19, 36, 164, 302
 hair follicle receptors 309
 half axis 339
 hall 229
 hall-sensor 324f
 hand axes 279
 hand guided manipulators 22, 354, 357, 361, 386, 418, 423
 handling of castings 420
 hand-operated manipulators 151
 hardware interrupts 328
 harmonic drive 273
 Hertzian pressure 25
 hexapod 245, 248
 high level programming language 327
 HI-T hand 271
 Hitachi tactile controlled hand 271
 holding 3
 hollow piston rods 343
 hooks 355
 humerus 430
 humidity 223
 hybrid electromagnetic grippers 215
 hybrid mating mechanism 373
 hydraulic cylinder 88, 260, 274, 415
 hydraulic drives 115
 hydraulic muscle 335
 hysteresis 92, 207

i

I/O system 328
 ice bridge 232
 ideal grip 38
 IFAS hand 277
 image processing 28
 impact 52
 impactive 3, 19, 36, 61, 75, 94, 293, 343
 impactive gripper 6, 253, 338, 408
 impactive internal prehension 384
 impactive microgrippers 238, 245
 impactive prehension 426

impedance 212
 indeterminate positions 29
 induced polarization 220
 inductance 210f
 inductive proximity sensors 314
 inductive sensors 412
 inertial force 53
 ingressive 19, 36, 61, 161f
 ingressive grippers 6, 161
 instrumentation and control 309
 Instrumented Remote Centre Compliance (IRCC) 372
 integrated processing 363
 integrated sensors 29, 326
 interference contour 339
 internal grippers 101, 132, 151, 384, 386
 internal prehension 40, 156, 342, 384
 intrusive 36, 62, 161
 intrusive mechanisms 163
 IPA hand 278
 iron 208, 212, 298
 irregular shaped objects 425
 irregular topology 420, 422
 isoprene 228

j

jaw profiles 21, 338
 joining techniques 353
 joint level 327
 jointless finger grippers 264

k

KAREL 285
 Karlsruhe dextrous hand 275
 keyhole surgery 241
 kinematic chain 279f
 kinematic coupling 286
 kinematic decoupling 285
 kinematic matrix 301
 kinematic models 103, 123
 kinematic structure 258, 280
 kinematic system 7
 kinematics 3, 10f, 94, 279
 knee lever 99
 knitted fabrics 231, 299, 301
 knurled 88
 knurled rollers 302

l

lamellae gripper 380
 laparoscopy 241
 laser triangulation 248, 317, 319
 law of interaction 49
 leaf spring 145, 373

leakage 184, 219
 leather 222, 344
 lever gears 77
 light barrier 317
 limp 162
 line scan cameras 319
 linear motion 56, 83, 254, 275
 linear motors 78
 linting 299, 305
 locking hook 362
 locking rollers 361
 loosely bagged parts 303
 lubricants 51
 luggage 254

m

Magnatac 228
 magnetic 19
 magnetic circuit 208
 magnetic field strength 207
 magnetic flux 207
 magnetic permeability 207
 magnetic powder 214
 magnetic reluctance 208f, 213
 magnetic saturation 246
 magnetically susceptible 62
 magnetization curve 208
 magnetoadhesion 7, 62, 169, 204, 213, 224, 297
 magnetorheological fluid 214, 394
 mandrel 120
 manganese 213
 manipulator level 327
 manual exchange systems 354
 manual gripper exchange 359
 master-slave manipulators 402
 McKibben arm 15
 measurement sensors 317
 mechanical amplifiers 92
 mechanical compliance 377, 396
 mechanical coupling 351
 mechanical play 11, 102, 123, 371
 medical applications 430
 Meissner corpuscles 309
 membrane cylinders 86
 membrane expansion 387
 meniscus 250
 merging 328
 Merkel tactile cells 309
 metacarpus 12
 metal fatigue 245
 metal foil 249
 MH-1 hand 270
 microcomponents 62

micro-fluid (gas) actuators 277
 microgrippers 237, 246, 248
 microjoints 243
 micromechanical 249
 micro-robotics 237
 micro-surgery 430
 migratory gripping point 27
 miniature grippers 237f
 miniaturisation 237
 minimally invasion surgery 241, 311
 MIT/Utah-Hand 268
 modular 118, 347, 359
 modular gripper systems 345
 molecular polarisability 221
 molecular structure 220
 molybdenum 213
 moment of inertia 27, 65, 82, 282f
 monostable valves 329
 motor 75
 multi-finger grippers 268
 multi-grippers 345
 multi-link finger grippers 264
 multi-point grippers 378
 multi-purpose grippers 342
 multi-sensory grippers 331
 multiple grippers 333, 335
 multiple prehension 338
 multisensor manipulator 274
 multitooth 110
 mutual inductances 212
 myoelectric biohand 15

n

nanotechnology 237
 NASA 263
 natural rubbers 228
 NCC 374f.
 Near Collet Compliance (NCC) 368, 374
 needle gripper 167
 needles 19, 36, 165
 neodymium-boron 206
 neodymium-iron 206
 neoprene 394
 nickel 212f
 NiTi 241, 244
 nitrile rubber 176
 nitrogen 232
 non-intrusive 62, 161
 non-intrusive mechanisms 167
 non-linearity 247
 non-return valves 174, 398
 nozzle plate 297
 nuclear 273
 nylon cord 384

o

object 9
 object detection 309
 object ejection 249
 object level 327
 octopus 254
 oilers 170
 Okada hand 270
 omnigripper 380, 391
 optical approach sensor 315
 optical fibres 316
 optical microsensors 249
 orientation errors 37
 O-rings 365, 428
 ornate glassware 393
 overload control 320
 overload protection 370
 overtemperature 145

p

packages and cartons 413
 pair mating 19
 palletizing 130f, 342
 pallets 427
 paper 405
 paper handling 222
 paperboard 342
 parallel jaw 42
 parallel jaw gripper 242
 parallel prehension 48
 partially compliant shape adaptive grippers 391
 parts feeding 375
 passive mating 374
 passive suction caps 199
 peg in hole 325, 376
 pegs 223, 381
 peltier 233
 pendulum bridge 149
 pendulum jaw 133, 377
 penetration depth 27
 perception types 309
 permalloys 208
 permanent dipole moment 220
 permanent magnet grippers 204
 permanent magnets 260
 permatack 37, 227
 permatack adhesives 231f, 306
 permeability 207
 permeate 161
 permittivity 217, 246
 Petri-net 327
 phalanx 12, 270
 photodetector 315
 photodiodes 270

- piezoelectric 21, 78, 92, 241
 - piezoelectric actuator 249
 - piezoelectric fork 243
 - piezoelectric stack 248
 - piezoelectric transducers 317
 - piezoelectric translator 244
 - piezoresistive 311
 - piezo-resistive sensors 323
 - piklift 165
 - pincer 19, 241
 - pinch 161 f
 - pinch force 303
 - pinion gears 131
 - pins 19, 161
 - piston suction 173
 - pivoted jaw 38
 - pivoting radius 54
 - planetary roller gear 275
 - plastic boards 412
 - plastic lamellae 380
 - plasticized polyurethane 228
 - play 39, 109
 - PLC 327
 - plenum chambers 173, 175, 344
 - ply separation 161, 232, 300, 304 f
 - plywood 184, 342
 - pneumatic 239
 - pneumatic bending finger 266
 - pneumatic compliance 383
 - pneumatic cylinder 9, 66, 77, 84, 101, 103, 117, 123, 128, 132, 145, 154, 167, 170, 230, 263, 329, 370, 398, 414
 - pneumatic damping 86
 - pneumatic drives 84
 - pneumatic muscle 414
 - pneumatic piston 339
 - pneumatic pivot drive 289
 - polarisation 221
 - polarized light 315
 - polyamides 222, 384
 - polyester 384
 - polyester-cotton 305
 - polyethylene 222
 - polyisobutylene 228
 - polymer cords 275
 - polymer sheet 249
 - polymer tendons 394
 - polyol/isocyanate 228
 - polypropylene 243
 - polystyrene 222
 - Polytex 166
 - polyurethane 199, 390, 394
 - polyvinyl alcohol 394
 - position and orientation 310
 - position sensing detector 319
 - potatoes 425
 - power consumption 209, 218, 221 f
 - power failure 396 f
 - prehension 1 f, 8, 27
 - prehension of cuboid objects 413
 - prehension of cylindrical objects 417
 - prehension features 69
 - prehension force 53
 - prehension interface 50
 - prehension kinematics 242
 - prehension pressure 221, 236
 - prehension of coils 419 f
 - prehension of tubes 418
 - prehension zones 28
 - presence detection 309
 - pressure accumulator 173
 - pressure boosters 116
 - pressure gauges 145, 267
 - pressure regulation 329
 - prismatic jaws 25, 43 f
 - process media connection 353
 - profile matching 60
 - programming abstraction 326
 - proportional control 115
 - prostheses 15 f, 269, 277
 - protection system 8
 - prostheses 430
 - proximity detectors 313, 316
 - PSD 372
 - PTFE 222
 - pulleys 254, 272
 - PVC 222, 394
- q**
- quick release 410
- r**
- rack and pinion 76, 79, 81, 99, 117
 - radial grippers 131
 - radioactive materials 279, 401
 - radius of curvature 26
 - radius of gyration 129
 - random bin picking 31
 - randomly orientated parts 291
 - rapid gripper exchange 357
 - RCC 368, 371
 - reconfigurability 333
 - reconfigurable grippers 344
 - recycling 291, 405
 - Remote Centre Compliance (RCC) 368
 - REPOROBO 430
 - reserved zones 28
 - residual magnetic polarisation 211

- resistivity 210
- retention 3, 8, 75
- retention pressure 221
- re-tooling 358
- revolver 349
- RoboDoc 430
- robonaut hand 263, 278
- robot controller 328
- robot programming levels 326
- robot vision 28
- rocker arm 111
- roller cranks 136
- roller grippers 301, 416
- roll-membrane 86
- rotary motion 126, 254
- rotary wing 131
- rotatable jaw grippers 137
- rotational inertia 53
- rotex gripper 273
- RPY 279
- rubber fingers 264
- rubber membrane 159, 257, 384
- Ruffini corpuscles* 309
- RWTH 277

- S**
- sack gripper 130f, 427
- sacks 254, 417, 426
- safety aspects 396
- safety factor 114
- safety margins 28
- safety requirements 396
- Salisbury hand 273
- Samarium-Cobalt 206
- sandpaper 162
- SCARA 341, 430
- Schunk 432
- scissor gear 103
- screw gear 76
- search path 29
- selective prehension 291
- self securing grippers 142
- self-blocking 135
- self-centring 131
- self-locking 351, 408, 427
- semiconducting polymer 323
- semiconductor 216, 220
- semiconductor industry 170
- semiconductor wafers 295
- sensor fusion 327f
- sensor system 8
- sensor transition driven programming 310, 327
- sensors 309
- sensory driven programming 310
- sensory feedback 264
- sensory identification 291
- sensory integration 309, 326
- separation 291f, 298, 413
- servo motors 78
- servopneumatic joints 277
- shape adaptation 377, 381
- shape adaptive grippers 391
- shape adoption 380f
- shape matching 21, 48
- shape mating 69, 258, 338, 361
- shape memory alloys 241, 243
- shape memory foams 394f
- shape memory polymers 241, 394
- shear forces 300
- sheet metal 338, 405, 409
- shock overload 107
- silicon 240
- silicon strain gauges 320
- silicone 176, 199
- silicone rubber 292, 302, 381
- sinews 272
- single finger grippers 22
- single point contact 370
- skinner hand 270
- slewing unit 335, 340
- slip sensors 61, 325
- slippage 275
- SMA 245, 271
- soft fruit 395
- software and hardware interrupts 310, 328
- solenoid 132
- solvents 252
- sonotrode 22
- spatial orientation 279
- special designs 253
- specialized grippers 342
- specific heat 235
- spider 278
- spindle 79, 81
- spindle drive 275
- spindle nut 79
- spline 137
- spring clamp 142
- spring force 143
- spring loaded RCC 375
- stability 20
- stainless steel 298, 430
- stall mode 80
- Stanford/JPL hand 273
- steel 283, 356
- steel bands 337
- steel cable 154

- steel cords 254, 262
 steel lamellae 380
 steel tape 380
 steel wire 386, 419
 Steiner's theorem 283
 stepper motor 77, 344
 stereo cameras 274
 stone 423
 strain gauges 373
 styrene butadiene 228
 sucker 8
 suction cup 31
 suction disks 295
 suction head 8, 35, , 173, 197
 suction nozzle 171
 suction spiders 409
 sulphur 228
 support ribs 187
 support zones 28
 surface mount device (SMD) 170, 248, 382
 surface tension 19, 37, 249ff
 swivel joint 123, 146, 183, 240, 259
 swivel unit 333
 synchronization 8
 synchronous belts 337
 synchronous motors 78
 synthetic rubbers 228
- t**
- tactile 270
 tactile arrays 274, 311
 tactile element 325
 tactile sensor foil 312
 tactile sensors 273, 310f, 331
 tapered sliding link 132
 task level 327
 taxels 312
 TCP 9, 77
 Teflon 273
 telemanipulator 239, 331, 401
telepresence 278
 tension bands 272
 tensioning belt 257
 textile 62, 161, 165, 222, 405
 textile fabrics 249
 textile material 298
 thermal 62
 thermal adhesion 19, 250
 thermal conductivity 236
 thermal expansion 240
 thermoadhesion 9, 232f
 three finger gripper 51, 153, 239, 259
 three jaw grippers 131
 three-fingered hand 275
 throttle valves 329
 tilt 108
 tilt sensors 432
 time constant 210, 218, 222
 toggle 90
 toggle lever 427
 toggle lever clamps 407
 toggle lever gripper 383
 Tool Centre Point (TCP) 421
 tool exchange 333, 348f
 tool exchanger 60
 toothed belt 103, 137
 toothed rack 79
 torque resistant mechanisms 368
 torsional actuators 267
 totally compliant shape adaptive grippers 393
 tow 165
 transfer rail 336
 translational motion 279
 transmission gears 76
 transmission ratio 100
 TUM hand 274
 tupling 328
 turret 60, 281, 338f
 tweezer 239, 278
 two point contact 370
- u**
- ultrasound 318
 uncontrolled (passive) mating 368
 underhook 119
 underwater 273
 unfired ceramics 393, 395
 Utah/MIT dextrous hand 272
- v**
- V+ 285
 vacuum 169
 vacuum blowers 171
 vacuum crossbar 35
 vacuum distribution 174
 vacuum generators 171
 vacuum management 193
 vacuum microgrippers 248
 vacuum prehension 248
 vacuum production 170
 vacuum pumps 170
 vacuum reservoir 171
 vacuum suckers 176
 vacuum suction 19, 62, 169, 177, 224, 337, 398, 403, 410, 412, 422, 426
 vacuum-packing 381
 Vaduz hand 15
 VAL II 328

Van der Waals forces 249
vane drives 101
Vater-Pacini lamellary corpuscles 309
V-belt 120
Velcro 19
Venturi 170, 192
Venturi ejectors 264
vibratory feed 29, 232, 291
vibratory motion 306
viscosity 250
volumetric flow rate 177, 209, 218, 229
vulcanisation 228

W

Walton 162
warp 168
water droplet 236

water pumps 422
wax candles 424
WBK hand 275
wedge gear 76
weft 168
welding 363
wheel gear 76
wire brush gripper 167f
wire coils 419
wire cord 240
wire mesh 120
workpiece 9
woven fabrics 299
wrist axes 279

Y

Young Equation 235