

Index

- 3G networks 105
- 7-bit data 270
- 32-bit operating systems 159, 162
- 64-bit machines 163

- absolute binding 140–1
- abstraction principles
 - see also* objects
 - communications 18–19, 22, 39, 53–4, 130–1, 198, 204–5, 210–11, 216, 229–31, 235–46, 249–62, 303
 - concepts 6–7, 10, 18, 22, 39, 42–3, 53–4, 118–20, 130–2, 167, 175–6, 198, 204–5, 210–11, 216–27, 229–46, 249–62, 303
 - file systems 167, 175–6
 - HAL 210–11
 - I/O 198, 204–5, 210–11, 303
 - networks 215–27
 - telephony 249–62
- access issues 170–1, 174–5, 181, 189–4, 277, 285–97
 - see also* capabilities; security issues
 - files 170–1, 174–5, 181, 189–4
 - MTMs 277
- access models, storage structures 31–2, 33–38
- accounting information 50, 64
- active components, kernel 48–2
- active objects
 - see also* threads
 - concepts 73–4, 76–79, 83–6, 132, 212–13, 236–7
 - critique 79, 212–13
- active scheduler, concepts 73–4, 84–6
- addresses
 - message characteristics 265–71, 273–5
 - networks 217–19
- AF_INET 243–5
- AFS 225
- Agenda engine 277
- aging concepts, process scheduling 100–1
- allocation patterns, memory management 147–50, 162–3
- analog communications, telephony 248, 260–1
- AnswerIncomingCall 259

- API *see* application programming interface
- Apple computers 19, 91, 188
- application engines 10
- application programming interface (API)
 - communication resources 18–19, 26–29, 38–9, 76, 178, 220, 237–42, 275–6
 - concepts 4–5, 10, 18, 26–29, 36–39, 76, 172, 178, 220, 237–42, 275–6, 307
 - layers 18–19, 237–42
- application-specific standard product (ASSP) 56–7
 - see also* extensions
- applications
 - see also* processes
 - definition 62
 - files 171–2, 178
 - signed applications 294–6
 - size constraints 155
- ARM processors 54, 161
 - see also* CPU
- ASCII 265, 268
- assembly code 140–1, 305–6
- ASSP *see* application-specific standard product
- asynchronous calls, nonblocking system calls 209
- asynchronous cancellations, threads 72
- asynchronous device I/O, concepts 27–29, 54–5, 84–6, 205, 236, 277
- atomicity concepts 113, 116–20
- attachments, messaging 268, 274–5, 278–9
- attributes, files/directories 169–1, 179–2
- authentication concepts 54, 192–4, 288–6
 - see also* security issues
- authorization concepts 287–88, 293–4
- AVKON 307

- Babbage, Charles 7
- bad blocks, storage media 182
- bakery method, multiple-process
 - synchronization 115–16
- base registers 37, 64

- batch-processing, mainframe systems 11–13, 62, 93
- batteries 15–16
- Bearer Information Object (BIO) messages 271–2, 276, 280
 - see also* messaging
- Bell Labs 8
- BeOS 1
- Beowulf clusters 220–1, 226–7
- BESYS 8, 11–12, 17–18
- binary files
 - see also* files
 - concepts 168–9
- binary semaphores
 - see also* mutexes
 - concepts 118–20, 126–7
- bind 243–5
- binding processes, memory 140–1
- binomial distribution 97
- BIO (Bearer Information Object) messages 271–2, 276, 280
 - see also* messaging
- biometrics 291
- blocking/nonblocking I/O 208–9, 212–13
- blocks, storage media 146–7, 177–78, 179–2, 186–7
- Bluetooth connectivity 1, 39, 42, 131, 202, 217, 219, 226–7, 233–5, 238, 240, 272, 282, 293, 307
- bookkeeping operations 50, 64, 83
- Booleans 114–15
- bootstrap programs, concepts 24–5, 35, 51, 58, 76, 178–9, 184–5, 223
- bounded services, real-time systems 16, 102–4, 122–3
- bounded-waiting criteria, critical sections 113–16, 122–3
- browsers 14, 33–5, 47, 67–68, 226, 232
- buddy system, page frames 162
- buffers 152–4, 206–7, 223–4, 286, 292
 - see also* spools
- bugs 37
- bus-structured network topology 218–19

- buses
 - concepts 22–4, 137, 176–7, 198–14, 218–19
 - I/O 198–14
 - USB connectivity 22, 199, 200, 210
- busy bits 203–4
- busy waiting, concepts 118
- bytecode execution 305–6

- C 8, 10, 148–9
- C++ 10, 119, 148–9
- caches
 - concepts 30–1, 32, 137, 206–7, 222, 223–4
 - definition 30–1, 32
 - networks 223–4
- CActive 84–6
 - see also* active objects
- CActiveScheduler 84–6
- CAgnEntry 85
- Call abstraction, ETel 251, 257–60
- calls, telephony 250–60
- cancellations, threads 72
- capabilities
 - see also* authentication concepts; security issues
 - concepts 54, 192–4, 254–5, 295–6
- case 86
- catcommand 180
- CBaseMtm...classes 275–6
- CCITT 273
- CD-R/RWs 188
- CD-ROMs 31, 167–68, 188, 198
- CDMA 234, 251
- CDPD 234
- character-stream devices 205
- children IDs, processes 64–5, 66–7, 74–5, 81–3, 279
- circuit-switched networks 251, 260
 - see also* GSM...
- classes, object-oriented approaches 119–20, 275

- CLDC (Connected Limited Device Configuration) 306
- client–server architecture
 - see also* networks
 - concepts 11, 14, 93, 130–1, 221, 231–2, 235, 237–42, 245, 265–68, 275–81
 - message-passing features 221
- clones, processes 72, 79–4, 124–6
- Close 254–60
- close operations, files 173, 178
- closed environments 215–16
- clustering concepts, networks 220–1, 226–7
- clusters, disks 177, 181
- code *see* source code
- command shells, mainframe systems 12–13
- command-ready bits 203–4
- communications 2–3, 9, 15–16, 18–19, 22, 25–29, 38–9, 43, 128–2, 197–214, 215–28, 229–46, 247–62
 - see also* connectivity; networks
 - abstraction principles 18–19, 22, 39, 53–4, 130–1, 198, 204–5, 210–11, 216, 229–30, 235–46, 249–62, 303
 - asynchronous/synchronous device I/O 26–29, 54–5, 84–6, 205, 236, 277
 - bus 22–4, 137, 176–7, 198–14
 - concepts 9, 18–19, 22–4, 25–29, 38–9, 43, 128–2, 198–14, 215–28, 229–46
 - constraints 231
 - device I/O 25–29, 38–9, 50–3, 64–5, 84–6, 180–1, 197–214
 - distributed systems 13–14, 219–2
 - DMA 28–9, 203–4, 210–13
 - errors 230
 - event-driven communications 236–42
 - flexibility needs 230–1
 - general concepts 230–1, 237
 - general device I/O 201–4
 - historical background 9, 13–16
 - IPC 128–2
 - ISO model 232–3
 - Linux 229–30, 243–5, 249–50, 281–3
 - messaging 42–3, 221, 263–84
 - models 229–46

- communications (*continued*)
 - modularity principles 231, 234–5, 242, 251, 261–2
 - multimedia 15–16, 43
 - packets 232–5, 260–2
 - powerful tool 215
 - protocol-implementation layer 240–4
 - stacks 232–5, 237–44
 - structural issues 38–9, 43, 231–46
 - Symbian OS 18–19, 22, 38–9, 43, 132, 226–7, 237–42, 250–60, 275–81
 - synchronization operations 49, 76–7, 114–36
 - ‘telephone game’ 229
 - telephony 247–62
 - types 9, 18–19, 22, 38–9
 - WAP 227, 232–5, 242
- compact-flash cards 31, 154, 167–68, 177
- compilation 139–1, 144–5
- computers
 - see also* devices; hardware; operating systems; software
 - closed environments 215–16
 - core computing cycle (fetch–execute cycle) 29, 204
 - historical background 7–16, 17–19, 33, 182–5, 247
 - platforms 39–3
 - security issues 285–97
 - storage structures 29–2, 146–54, 167–68, 176–7, 178–2, 223–5, 278–9
 - structural issues 18–39, 43, 47–59, 146–7, 168–9, 171–95, 231–46, 250–60
 - system types 11–16, 93–4
- concurrently-shared resources 34–5, 42, 69, 109–36, 236–7
 - see also* synchronization . . .
 - concepts 34–5, 42, 69, 109–36
 - deadlocks 120–3, 133–4
 - dining-philosophers problem 120–6
 - environmental issues 110–12
 - models 110–16
 - producer–consumer problem 122–3
 - reader–writer problem 122
 - serializability goal 112–13
 - Symbian OS 126–7
 - Unix example 123–6
- conditional variables 78
- Connect 251–2
- connected environments 33–38, 217–28
 - see also* networks
- Connected Limited Device Configuration (CLDC) 306
- connected/connectionless sockets
 - see also* sockets
 - concepts 131
- connectivity
 - see also* communications; networks
 - concepts 9, 39, 201–3, 226–7, 231–46
 - Symbian OS 226–7
- content, message characteristics 265–7, 273–5, 278–9
- context-switches
 - concepts 25, 37–38, 40–1, 49–50, 55, 74, 76, 82, 91–102, 138, 145–6, 156, 160–1
 - pre-emptive/non-pre-emptive scheduling concepts 90–106, 133–4
- controllers, bus 22–4, 200–1
- core computing cycle (fetch–execute cycle) 29, 204
- corrupted data 112
- coupling considerations, networks 218, 221
- CPhoneCall 253–62
- CPU
 - background 1, 8, 12, 20, 22–5, 35–38, 50–1, 52, 61–88, 89–108, 137–38, 202–3, 216, 231, 300
 - buses 22–4, 137, 202–3
 - constraints 89, 231
 - historical background 8, 12–13
 - interrupts 23–6, 204
 - multitasking 25, 37–38, 50–1, 52, 61–88
 - performance considerations 92–3, 137–38

- processes 13–16, 25, 32, 37–38, 48–50, 55–6, 61–88, 89–108
- protection issues 35–38
- registers 29–2, 37, 62–4, 68–9, 74, 91, 137, 202–3
- scheduling concepts 12–13, 40–1, 89–108, 216
- throughput criteria 92–3
- timers 37–38, 55, 207–8
- utilization criteria 92–4
- create operations, files 172–3
- critical regions, concepts 119–20
- critical sections
 - see also* synchronization operations
 - concepts 112–34
 - criteria 112–16, 122–3, 126–7
- CSendAs 280–1
- CSY modules 239, 241–2
- cycle stealing DMA 203
- cylinders, disks 177

- data
 - caging 296
 - process sections 62–3
 - registers 202–3
- databases
 - see also* files
 - concepts 168–9, 175
- date/time of access, files 170–1, 181
- deadlines, real-time systems 102, 105–6
- deadlocks
 - concepts 120–3, 133–4
 - dining-philosophers problem 120–3
- DEC VMS 172
- deferred cancellations, threads 72
- defragmentation 182
- delete operations, files 174
- delivery information, message characteristics 265–71, 273–5
- denial-of-service attacks, networks 293
- desktop systems
 - see also* personal computers
 - historical background 13–14, 93
- destinations, message characteristics 265–71, 273–5
- developer certificates, Symbian OS 296
- device controllers, concepts 22–4, 198–1, 216
- device drivers
 - see also* logical . . . ; physical . . .
 - concepts 18, 41, 52–3, 56–58, 177, 198, 199–13, 216, 237–44, 253
 - definition 199
 - diagrammatic overview 56–7
 - extensions 56, 58, 210, 240
 - LDDs 52–3, 56–58, 210–12, 239–41
 - PDDs 52–3, 56–58, 210–11, 239–41
 - roles 56–7, 177, 198, 199–200, 209–10, 216, 243
- device reservations 207
- devices
 - see also* hardware
 - asynchronous/synchronous device I/O 26–29, 54–5, 84–6, 205, 236, 277
 - concepts 8, 22–4, 25–29, 38–9, 41–2, 52–58, 66, 167–68, 174–94, 198–14, 225–7
 - concurrently-shared resources 34–5, 42, 69, 109–36
 - errors 207
 - I/O 25–29, 38–9, 50–3, 64–5, 84–6, 180–1, 197–214
 - interrupts 22–29, 35–6, 54–6, 204
 - network communications 225–7
 - performance considerations 29, 205–8
 - queues 66
 - types 201–4, 205
- DFC Wait state, nanothreads 77–78
- DFS (distributed file systems) 222–6
- Dial 258–9
- dictionary attacks, passwords 289, 292
- Difference Engine 7
- digital communications, telephony 248
- dining-philosophers problem,
 - concurrently-shared resources 120–6
- direct memory access (DMA), concepts 28–9, 203–4, 210–13

- direct model, memory implementation models
 - 161–2
- direct (random) access, files 174–5, 205
- directories 32, 159–3, 167–95
 - see also* files
 - attributes 169–1, 179–2
 - concepts 167–95
 - definition 168
 - files 32, 167–95
 - historical background 169
 - names 171, 179–80
 - page directories 159–3
 - paths 168–1
 - sizes 179
 - structures 179–2
 - table of contents 170–1
 - Unix 180
- disks 12, 28–9, 31, 138, 145–6, 163, 167–68, 177, 180–5, 305
 - see also* files; secondary storage
 - clusters 177, 181
 - components 177
 - cylinders 177
 - defragmentation 182
 - DMA 28–9, 203–4
 - FAT file systems 42, 182–5
 - fragmentation problems 180–2
 - mainframe computers 12
 - partitions 168–9, 179
 - sectors 177, 181
 - storage-free computers 223–5
 - tracks 177
 - types 31, 177
 - virtual disks 305
- dispatchers, operating systems 91–4
- displays
 - see also* screens
 - double buffering 206
 - LCD management 210–11
- distributed file systems (DFS) 222–6
- distributed systems
 - see also* networks
 - concepts 13–14, 219–6
 - historical background 13–14
 - models 14
- DLLs *see* dynamically loaded libraries
- DMA (direct memory access) 28–9, 203–4, 210–13
- DOC files 169
- DoCancel 84–6
- DomainOS 14, 221
- domains 161
- double buffering 206
- drives 212
- DVDs 188
- dynamic loading, concepts 143–5, 148–4, 243
- dynamic memory 49, 51, 143–5, 148–6, 160–1
- dynamically loaded libraries (DLLs) 49, 52–3, 139–1, 143–5, 155–6, 303–4
 - loading issues 155–6
 - memory management 143–5, 155–6
 - stubs 144–5, 160
- ECOMM.LDD 210, 240
- ECUART 241–2
- electronic disks 31
 - see also* disks
- electronic mail (email) 53, 236–7, 263, 265–68, 271, 274–6, 280, 282–3
 - see also* messaging
- ELF format Solaris files 157
- email (electronic mail) 53, 236–7, 263, 265–68, 271, 274–6, 280, 282–3
 - see also* Internet; messaging
- emulator, concepts 161–2, 251, 302, 303–4
- encryption 186, 289–90
- ENET.LDD 240
- ENIAC 7
- environmental issues
 - closed environments 215–16
 - concurrently-shared resources 110–12
 - connected environments 217–28
- EPOC
 - see also* Symbian OS
 - historical background 10–11, 19, 42, 305

- epochs, Linux 103–4
- Ericsson 11, 247
- errno 207
- errors
 - I/O 207
 - socket streams 131
 - Symbian OS 160
- ESDRV.PDD 240
- ESOUND.LDD 240
- ETel
 - Call abstraction 251, 257–60
 - concepts 247, 249, 251–60, 295
 - Line abstraction 251, 256–7
 - Phone abstraction 251, 254–5
- Ethernet 226, 238, 240
- ETHERNET.PDD 240
- events, active objects 73–4, 76–79, 83–6, 212–13, 236–7
- evolution, operating systems 17–19
- exceptions
 - errors 160
 - interrupts 24
- executable files 139–1
 - see also* processes
- execution in-place issues, memory management 155
- execution libraries 8
- execution times
 - execution-time binding 139–1
 - interrupts 55, 105–6
 - predictions 105–6
- executive calls 42–3
- exit 81–2
- extensibility needs, operating systems 6–7
- extensions
 - see also* application-specific...; bootstrap...; device drivers
 - concepts 56, 58, 169–70, 210, 240
 - files 169–70, 172
- external fragmentation, concepts 149–50, 181–2
- fast Semaphore Wait state, nanothreads 77–78
- FAT file systems 42, 182–5, 188–9
- fault tolerance, file systems 186
- fax 251, 272–3, 276, 280
 - see also* messaging
- FCBs (file control blocks) 178, 179–2
- FCFS *see* first-come-first-served strategy
- fetch–execute cycle (core computing cycle) 29, 204
- FIFO queues 90
- file control blocks (FCBs) 178, 179–2
- file servers 39, 42, 48–9, 53, 57, 93, 178, 187–88, 190–4, 211–12, 222–6
 - see also* RF...; servers
 - naming considerations 222–3
 - networked file systems 222–6
 - replicated files 224
- file systems
 - see also* storage structures
 - abstraction principles 167, 175–6
 - access rights 32, 33–38, 189–4
 - building blocks 167–75
 - concepts 32, 42, 167–95, 216, 222–6
 - FAT file systems 42, 182–5, 188–9
 - fault tolerance 186
 - generic implementation layers 175–78
 - implementation issues 175–88
 - Microsoft Windows 42, 170–2, 182–3, 188–90
 - mobile phones 188–9, 193–4
 - networks 222–6
 - NTFS 185–6, 305
 - permissions 190–4
 - remote file systems 187–88
 - roots 171, 180, 190, 279
 - security issues 189–4
 - Symbian OS 42, 193–4, 227
 - Unix 186–7, 191–2, 305
 - VFAT file system 183–5
- files 32, 39, 41–2, 167–95, 216, 222–6
 - see also* databases; directories; disks
 - access issues 170–1, 174–5, 181, 189–4
 - applications 171–2, 178

- files (*continued*)
 - attributes 169–1, 179–2
 - binary files 168–9
 - close operations 173, 178
 - concepts 32, 39, 41–2, 167–95, 216
 - create operations 172–3
 - date/time of access 170–1, 181
 - definition 167–68
 - defragmentation 182
 - delete operations 174
 - direct (random) access 174–5, 205
 - extensions 169–70, 172
 - group identification 170–1, 190–4
 - historical background 169, 182–5, 216
 - identification issues 170–1, 190–4
 - indexed access 175
 - Linux 170–2, 188–9, 192–3
 - logical/physical files 170–1, 178, 181–2
 - Microsoft Windows 42, 170–2, 182–5, 188–90, 223, 288
 - names 169, 171, 181, 222–3
 - open operations 173, 178, 179
 - operation types 172–4, 178, 192–4
 - owners 170–1, 181, 190–4
 - partitions 168–9, 179
 - pathnames 171, 222–3
 - performance considerations 180–2, 206–8
 - read operations 173, 178, 192, 205, 209
 - replication benefits 224
 - reposition operations 173
 - roots 171, 180, 190, 279
 - sequential access 174–5, 205
 - sizes 170–1, 181–3
 - structural issues 168–9, 171–95
 - tables 170–1, 174, 178
 - truncate operations 174
 - types 168–70
 - users 170–1, 190–4
 - write operations 173, 178, 194, 205, 209
- finger example, security issues 286, 292
- fingerprints 291
- Firewire 199
- first-come-first-served strategy (FCFS), process scheduling 94–6, 98, 116
- flags, synchronization operations 114–15
- flash storage 2, 31, 52, 146, 154, 167–68, 177, 188–9
- FMSignal 127
- FMWait 127
- folders 32, 168, 277–79
 - see also* directories
- fork 79–1, 124–6
- forking issues, processes 72, 79–2, 124–6
- formats, message characteristics 265–7, 273–5
- fragmentation
 - disks 180–2
 - memory 149–50
- frames, physical memory 146–7, 159–1, 162–3
- free space, storage media 182
- FreeBSD 91
- FSSignal 127
- FSWait 127
- function calls 5–6, 36, 42–3, 47, 49, 52–4, 69–1, 76, 79–2, 207–9, 231–2, 279
- gatekeeper security model 294–6
- gateway servers 232
- general communications concepts 230–1, 237
 - see also* communications
- General Electric 8
- generic implementation layers, file systems 175–78
- Gentoo Linux 14
- GetPhoneInfo 253–4
- Gif files 168, 272
- global memory 50, 128
- GPRS networks 226
- graphical user interfaces (GUIs)
 - asynchronous device I/O 28
 - historical background 13–16
 - process scheduling 97
- The Great Wall of China 285

- group identification, files 170–1, 190–4
- GSM protocol 57, 105, 234, 248, 250–1, 254–5, 260, 263, 269–3
- GUIs *see* graphical user interfaces

- HAL (hardware-abstraction layer) 210–11
- handheld computers 9–10, 14–15, 28, 154–5, 247, 306
 - constraints 14–15, 154–5
 - historical background 9–10, 14–15, 247
- HangŪp 260
- Hansen, Per Brinch 120
- hard disks *see* disks
- hard real-time systems
 - see also* real-time...
 - concepts 16, 101–2
- hardware
 - see also* CPU; devices; disk...; memory...
 - access issues 32–38, 170–1, 174–5
 - concepts 2–11, 17–45, 62–3, 156, 167–68, 174–94, 198–14, 237–42
 - concurrently-shared resources 34–5, 42, 69, 109–36
 - definition 3
 - goals 3–4
 - historical background 7–16, 33
 - I/O issues 201–4
 - interrupts 22–29, 35–6, 54–6, 204
 - kernel structures 20–2, 47–59
 - memory offloads 156
 - new hardware 301–2
 - operating systems 1–16, 17–45, 109–36
 - protection issues 33–38, 48–9, 189–4, 301–2
 - virtual machines 300–8
- hardware-abstraction layer (HAL) 210–11
- Hayes command set, modems 248
- headers, messaging 265–71, 273–5, 278–9
- heaps, concepts 149, 155, 156–7, 161, 306
- hexadecimal 269–70
- hidden scheduling problems 104
- Hoare, C.A.R. 120
- host operating systems, concepts 300–8

- HTML pages 232
- HTTP 227, 232, 293
- human level, security issues 286–7, 292
- hybrid kernels, concepts 21–2

- I/O 25–29, 38–9, 50–3, 64–5, 84–6, 180–1, 197–214, 216, 225–7, 249–50
 - abstraction principles 198, 204–5, 210–11, 303
 - blocking/nonblocking I/O 208–9, 212–13
 - buffers 206–7
 - buses 198–14
 - communications models 229–46, 249–50
 - components 198–1
 - concepts 197–214, 216, 225–7, 229–46
 - device controllers 22–4, 198–1, 216
 - device drivers 198, 199–13
 - diagrammatic overview 201
 - DMA 203–4, 210–13
 - errors 207
 - hardware issues 201–4
 - interrupts 204
 - kernel structure 205–8, 210
 - memory-mapped I/O 202–4
 - network communications 225–7
 - performance considerations 29, 180–1, 205–7
 - polling 203–4
 - registers 202–4
 - removable storage media 212–13
 - sockets 39, 49, 130–2, 225–7, 235, 243–5
 - software issues 204–13
 - spools 206–7
 - Symbian OS 209–13
 - timers 207–8
 - types 198–1
- IBM
 - 350 disk file 169
 - MS-DOS 8–9, 13, 19, 36, 169, 182–3
 - MVS 40–1

- IBM (*continued*)
 - OS/360 8, 12, 40–1
 - SMB 225
- identification issues
 - files 170–1, 190–4
 - processes 32, 64, 66–7, 74, 113–16, 287–88
- idle processes 100–1
- image files
 - see also* files
 - concepts 168, 272–3
- IMAP (Internet Message Access Protocol) 268, 275–6
- IMC (Internet Mail Consortium) 272
- indexed access, files 175
- infrared connectivity 9, 10, 50–1, 226, 238, 240–2, 249, 271, 272
- Initialize 255
- InitL 253–61
- input
 - see also* I/O
 - concepts 3–7, 197–214
- Intel chips 1, 8–9, 36, 162
- interdependent distributed systems, concepts 14
- interface designs 2
- interleaving processes 111–12, 207
- internal fragmentation, concepts 149–50, 181–2
- International Telecommunication Union (ITU) 273
- Internet 10–11, 14, 33–5, 39, 47, 67–68, 218, 226, 232–5, 267, 268, 272, 275–6
 - see also* email; web
- Internet Engineering Task Force 267
- Internet Mail Consortium (IMC) 272
- Internet Message Access Protocol (IMAP) 268, 275–6
- interprocess communication (IPC)
 - concepts 128–2
 - mail model 129
 - phone model 129–30
 - RPCs 130, 132
 - sockets 130–2, 235
- Symbian OS 132
- interrupt service routines (ISRs) 23–5, 52–3, 55–6, 204
- interrupt-request line 204
- interrupts
 - see also* system function calls
 - bootstrap programs 24–5
 - concepts 22–29, 35–6, 43, 49, 52–6, 72, 91–4, 104–6, 204
 - context-switches 25, 37–38, 40–1, 49–50, 55, 74, 76, 82, 91–102, 145–6, 156
 - definition 23–4, 54
 - dispatchers 91–4
 - exceptions 24
 - execution times 55, 105–6
 - I/O 204
 - implementation 54–6, 91–4
 - latency requirements 55, 92, 103–4, 106
 - maskable interrupts 24
 - operating systems 22–29, 35–6, 43, 49, 52–6, 72, 91–4, 104–6, 204
 - phases 55–6
 - priorities 55–6, 98, 104–6
- interval timers 208
- ioctl 205, 249
- IP addresses 218–19
- IPC *see* interprocess communication
- IR *see* infrared...
- IrCOMM 242
- ISO networking model 232–4
- ISRs (interrupt service routines) 23–5, 52–3, 55–6, 204
- IsSupportedByModule 253–4
- ITU (International Telecommunication Union) 273
- Java 43, 299, 303–7
 - ME 305–6, 307
 - virtual machine (JVM) 299, 303–7
- JFFS 189
- jobs
 - see also* processes

- mainframe systems 11–13, 62
- scheduling 12, 40–1
- join operations, process programming 79–2
- Jpeg files 168, 272
- JVM (Java virtual machine) 299, 303–7
- KERN-1 EXECerror 160
- kernel
 - see also* micro ...; monolithic ...; operating systems
 - active components 48–2
 - bootstrap programs 25, 51, 58, 76, 178–9, 184–5, 223
 - concepts 8–9, 16, 20–2, 25, 41–3, 47–59, 104–6, 161–2, 205–8, 210, 295–6, 300–8
 - definition 20
 - design issues 20–2, 47–53, 56–58
 - diagrammatic overview 56–7
 - hybrid kernels 21–2
 - I/O structure 205–8, 210
 - interrupt implementation 52–6, 91, 104–6
 - layers 48–58
 - memory model 56–7, 161–2, 227
 - nanokernel 48–58, 76–79, 126–7
 - passive components 48, 49, 52–3
 - performance considerations 51–2, 53, 205–8
 - roles 8–9, 20–2, 48–3, 54, 205–8, 300
 - servers 20–2, 43, 47–59, 132
 - structures 20–2, 47–59
 - system function calls 53–4, 69–1, 207–9, 231–2
 - telephony 249–50
 - types 20–2
 - virtual machines 300–8
- kernel threads
 - see also* threads
 - concepts 70–1
- kernel-server requests 43
- LANs (local area networks) 217–21
- latency issues 55, 92, 103–4, 106
- LCD management 210–11
- ldd 141
- LDDs (logical device drivers) 52–3, 56–58, 210–12, 239–40
- libraries 8, 49, 52–3, 139–1, 143–5
- lightweight processes (LWP)
 - see also* threads
 - concepts 73–4, 77
- limit registers 37, 64
- Line abstraction, ETel 251, 256–7
- link editors 139–1
- Linux 1–2, 6, 14–15, 21–2, 28, 39–2, 74–6, 79–1, 84, 91, 103–4, 141, 143, 162–3, 170–2, 188–9, 192–3, 205, 229–30, 243–5, 249–50, 281–3
 - see also* Unix
 - communications models 229–30, 243–5, 249–50, 281–3
 - epochs 103–4
 - files 170–2, 188–9, 192–3
 - handheld systems 15, 28
 - historical background 6, 14, 15, 41
 - I/O 205, 243–5
 - kernel 21–2, 162–3, 281–2
 - memory management 143, 162–3
 - messaging 264, 281–3
 - MMU 143, 162–3
 - module dependencies 141
 - processes 74–6, 79–1, 84, 91, 103–4
 - scheduling 103–4
 - security issues 287
 - shared process data 82, 91
 - simplicity dangers 283
 - telephony 249–50
- list, operating systems 7
- LoadPhoneModule 252–3
- local area networks (LANs) 217–21
- locks, semaphores 118–19
- log-structured file systems 188
- logical device drivers (LDDs), concepts 52–3, 56–58, 210–12, 239–40
- logical file systems 170–1, 178, 181–2
 - see also* files

- logical memory
 - see also* memory . . .
 - concepts 141–3, 146–54, 156–59, 216
- logical/physical addressing, memory
 - management 141–3, 146–54, 156–59, 177–78
- loosely-coupled connections 218

- Mach kernel 91
- MacOS 91, 188
- macro-style interleavings 111–12
- magnetic disks 31, 138, 145–6, 163, 167–68
 - see also* disks
- mail model, IPC concepts 129
- main memory
 - concepts 30–1, 32, 137–65, 202–3
 - definition 31
- mainframe systems, historical background 11–13, 33, 40–1, 93
- MakeCall 258–60
- malicious code 35, 189, 194, 285, 292–6
- malloc 148–9
- many-to-many model of kernel threading 71
- many-to-one model of kernel threading 70–1
- Mark I computer (1948) 7
- maskable interrupts 24
- master boot record (MBR) 178–9, 180
- Matsushita (Panasonic) 11
- MBR *see* master boot record
- memory 2–9, 15, 22, 30–2, 36–38, 49–3, 56–7, 64–5, 77–79, 91–4, 128, 137–65, 216, 221–3
 - see also* caches; flash . . . ; RAM; ROM
 - binding processes 140–1
 - coherence issues 222
 - concepts 30–2, 36–38, 49–3, 56–7, 64–5, 77–79, 91–4, 128, 137–65, 216
 - DMA 28–9, 203–4, 210–13
 - implementation models 161–2
 - main memory 30–1, 32, 137–65, 202–3
 - MMUs 142–62
 - performance considerations 51–2, 53, 137–65
 - protection issues 36–38, 40–1, 153–4, 162–3, 216, 301–2
 - record-keeping needs 28
 - shared memory 137–65, 221–4
 - virtual memory 22, 32, 40–1, 43, 151–4, 159, 216
- memory management
 - allocation patterns 147–50, 162–3
 - application size 155
 - complexity 142–3
 - concepts 57, 64–5, 137–65, 216
 - DLLs 143–5, 155–6
 - dynamic loading 143–5, 148–4, 243
 - execution in-place issues 155
 - fragmentation problems 149–50
 - frames 146–7, 159–1, 162–3
 - hardware-offloading issues 156
 - heaps 149, 155, 156–7, 161
 - Linux 143, 162–3
 - logical/physical memory 141–3, 146–54, 156–59, 216
 - MMUs 142–62
 - networks 221–2
 - on-demand paging 151–4
 - overlays 144–5
 - page tables 147–54, 159–2
 - pages 146–54, 156, 159–1
 - segmentation 156–59, 161, 162–3
 - smartphones 154–6, 159–2
 - swapping and paging 145–54, 159, 160, 163
 - Symbian OS 156, 159–2
 - thrashing problems 152–3
 - TLBs 152–3
- memory management units (MMUs), concepts 142–62
- memory model, concepts 56–7, 161–2, 227
- memory-mapped I/O 202–4
- message manager applications 3–6
- message type modules (MTMs) 53, 239, 241–2, 275–81

- messaging 42–3, 221, 263–84
 - see also* BIO; email; fax; SMS
 - attachments 268, 274–5, 278–9
 - characteristics 264–7, 273–5
 - concepts 42–3, 221, 263–84
 - dissected parts 264–7
 - headers 265–71, 273–5, 278–9
 - Linux 264, 281–3
 - manipulation overview 279–80
 - models 267, 273–5, 278–80, 281–2
 - overview 264–7, 279–80
 - protection issues 277–78
 - pull/push model 267, 269, 272
 - receiving overview 279–1, 283
 - send-as messaging interface 276–81
 - sending overview 279–1, 282–3
 - server functions 42–3, 275–81
 - Symbian OS 42–3, 53, 239, 241–2, 263–4, 275–81
 - types 263–73
- microkernels
 - see also* kernel
 - concepts 20–2, 43, 47–58, 93–4, 104–6, 132, 249–62, 277
 - critique 51–2
 - process scheduling criteria 93–4, 104–6
 - telephony 249–62
- Microsoft Disk Basic system 182
- Microsoft SQL Server 2000 292–3
- Microsoft Windows 1, 6, 9, 13–14, 15, 18–19, 42, 51, 99–100, 143, 153, 170–1, 182–3, 188–9, 190, 249
 - 3.1 91
 - 95 1, 183
 - 98 288
 - 2000 71, 191, 302
 - CE 143
 - communication resources 18
 - emulator 162, 251, 302, 303–4
 - evolution 9, 13–14, 19
 - files 42, 170–2, 182–5, 188–9, 190, 223, 288
 - handheld systems 15
 - historical background 9, 13–14, 19
 - idle processes 100
 - kernel 51, 71
 - Mobile 249
 - NT 71, 184–6
 - plug-and-play concepts 6
 - priorities 99–100
 - roots of files 171
 - security issues 288
 - swap-space 153
 - telephony 249
 - threads 71
 - XP 1, 302
- Microsoft Word 170–1
- MIDP (Mobile Information Device Profile) 306
- MIMD (multiple instructions, multiple data) distributed systems 221
- MIME (Multipurpose Internet Mail Extensions) 268
- mini-SD cards 31
- minidisks *see* partitions
- MISD (multiple instructions, single data) distributed systems 221
- MIT 8
- MMUs (memory management units) 142–62
- Mobile Information Device Profile (MIDP) 306
- mobile phones
 - see also* smartphones; Symbian OS
 - concepts 1–16, 42–3, 48, 93–4
 - data requirements 15–16
 - EPOC 10–11, 19, 42, 305
 - file systems 188–9, 193–4
 - focus 4, 42–3
 - historical background 9–11, 15–16, 42–3, 247
 - memory management 154–6
 - networks 218, 226–7, 248–9
 - operating systems 2–4, 9–11, 15–16, 42–3, 48–58, 93–4
 - real-time systems 16, 56, 93–4
 - resource demands 15–16
 - storage media 177, 211–12
 - text messages 3–6, 15–16

- mobile-phone networks 248–9
- modems 238, 248–50, 272–3
- modularity principles 18–19, 22, 231, 234–5, 242, 251, 261–2
- module dependencies, concepts 141
- Moka5 302
- monitors, semaphores 119–20
- monolithic kernels
 - see also* kernel
 - concepts 20–2, 41, 47–58, 105, 249
 - critique 51
- Motorola 11
- mouse 28, 198
 - see also* I/O
- moving model, memory implementation
 - models 161–2
- MP3s 15–16
- MPI 220
- MS-DOS, historical background 8–9, 13, 19, 36, 169, 182–3, 188–9
- MTMs (message type modules) 53, 239, 241–2, 275–81
- MULTICS 8, 12–13, 41
- multilevel feedback 101
- multimedia communications 15–16, 43
- MultiMediaCards 212
- multiple instructions, multiple data (MIMD)
 - distributed systems 221
- multiple instructions, single data (MISD)
 - distributed systems 221
- multiple model, memory implementation
 - models 161–2
- multiple-queuing strategy, process scheduling 101, 106
- multiprogramming concepts 12–13, 15–16, 40–1
- Multipurpose Internet Mail Extensions (MIME) 268
- multitasking operating systems 8, 25, 37–38, 40–3, 50–1, 61–88
- multithreading 25, 41–3, 48–2, 67–88, 212
 - see also* threads
 - benefits 68–9
 - concepts 25, 41–3, 48–2
 - issues 71–2
 - performance considerations 51–2, 68–9, 79, 212
- mutexes 49, 78, 123–7
 - see also* binary semaphores; synchronization operations
 - concepts 49, 126–7
 - definition 126
- mutual-exclusion criteria, critical sections 113–16, 126–7
- MVS, IBM 40–1
- names
 - directories 171, 179–80
 - files 169, 171, 181, 222–3
- nanokernel
 - concepts 48–58, 76–79, 126–7
 - roles 48–9
 - synchronization operations 49, 76–7, 126–7
- nanothreads
 - concepts 76–79, 127–28
 - states 77–78
- NASA 220
- Network File Services (NFS) 186–7, 189, 225, 227
- networks 1, 3–5, 9–14, 33–38, 39, 42, 93, 130–1, 202, 215–28, 231–2
 - see also* communications; connectivity
 - abstraction principles 216–27
 - addresses 218–19
 - caches 223–4
 - client–server architecture 11, 14, 93, 130–1, 221, 231–2, 235, 237–42, 245, 265–68, 275–81
 - closed environments 215–16
 - clustering concepts 220–1, 226–7
 - concepts 11, 14, 33–38, 93, 130–1, 215–28, 231–2
 - connection strength 217–18
 - coupling considerations 218, 221
 - denial-of-service attacks 293
 - devices-communication methods 225–7

- distributed systems 13–14, 219–2
- file systems 222–6
- influencing criteria 217–19
- interconnection concepts 217–19
- message-passing features 42–3, 220–1
- NFS 186–7, 189, 225, 227
- performance considerations 223–5
- powerful tool 215
- protocols 218–19, 227, 240–4
- routers 218–19
- security issues 223–4, 286–7, 293
- shared memory 221–4
- shared resources 33–38, 69, 109–36, 205, 215–28
- smartphones 218, 226–7
- SMB 187, 189, 225
- sockets 39, 49, 130–2, 225–7, 243–5, 261
- storage-free computers 223–5
- Symbian OS 226–7
- topologies 217–19
- Unix 220
- new 148–9
- new hardware, virtual machines 301–2
- new state, processes 63–4
- next-hop routing 219
- NFastMutex 127
- NFastSemaphore 127
- NFS (Network File Services) 186–7, 189, 225, 227
- no-starvation criteria, critical sections 113–16
- Nokia 10–11, 247, 249, 255–6, 262, 307
- non-pre-emptive concepts, process scheduling 90–106
- nonblocking I/O 208–9, 212–13
- notifications, telephony 254–5
- NTFS file system 185–6, 305
- NTP servers 226
- object code 139–1
 - see also* processes
- object-oriented approaches 10–11, 42–3, 119–20, 275
- objects
 - see also* abstraction principles
 - active objects 73–4, 76–79, 83–6, 132, 212–13, 236–7
 - concepts 6–7, 10, 42–3, 48–9, 73–4, 76–79, 109
 - concurrently-shared resources 34–5, 42, 69, 109–36
- offsets, segmentation 156–59
- on-demand paging, memory management 151–4
- ONC RPC 225
- one-to-one model of kernel threading 71
- open 42, 187–88, 254–60
- open operations, files 173, 178, 179
- open source 41–2, 91, 287, 289
- open-file tables 179
- OpenExistingCall 257–60
- OpenNewCall 257–60
- operating systems
 - see also* IBM; kernel; Linux; Microsoft...; Symbian OS; Unix
 - 30-bit operating systems 159, 162
 - 62-bit machines 163
 - abstraction principles 6–7, 10, 18, 22, 39, 42–3, 53–4, 118–20, 130–2, 167, 175–6, 198, 204–5, 210–11, 216, 229–46, 249–62, 303
 - Apple computers 19, 91, 188
 - BESYS 8, 11–12, 17–18
 - character issues 17–45, 47
 - communication resources 18–19, 22, 38–9, 43, 198–14, 216, 229–46, 249–62
 - computer-systems perspective 11–16, 93–4
 - concepts 1–16, 17–45, 61–2, 90–4, 110, 159, 162, 219–2
 - concurrently-shared resources 34–5, 42, 69, 109–36
 - DEC VMS 172
 - definitions 2–7

- operating systems (*continued*)
 - design issues 17–22, 47–53, 56–58
 - device I/O 25–29, 38–9, 50–3, 64–5, 84–6, 197–214
 - dispatchers 91–4
 - distributed systems 13–14, 219–2
 - EPOC 10–11, 19, 42, 305
 - evolution 17–19
 - extensibility needs 6–7
 - file types 169–70
 - goals 1–7
 - good systems 4, 6–7, 18, 28
 - hardware 1–16, 17–45, 109–36
 - historical background 7–16, 17–18, 19, 33
 - host operating systems 300–8
 - IBM 8–9, 12, 13, 19, 36, 40–1, 182
 - interrupts 22–29, 35–6, 43, 49, 52–6, 72, 91–4, 104–6, 204
 - kernel structures 20–2, 25, 47–59
 - list 7
 - messaging 263–84
 - Microsoft Windows 1, 6, 9, 13–14, 15, 51
 - mobile phones 2–4, 9–11, 15–16, 42–3, 48–58, 93–4
 - MS-DOS 8–9, 13, 19, 36, 169, 182–3, 188–9
 - multitasking operating systems 8, 25, 37–38, 40–3, 50–1, 61–88
 - networks 33–38, 215–28
 - new operating systems 301–2
 - open-file tables 179
 - platforms 39–3
 - portability needs 7
 - pre-emptive/non-pre-emptive scheduling
 - concepts 90–106, 133–4
 - privileged-mode operations 35–6, 42–3, 48–9, 54, 55–6, 76–7
 - processes 25
 - protection issues 33–38, 40–1, 42–3, 48–4, 76–7, 82, 153–4, 190–4, 277–78, 285–97, 301–2
 - qualities 6–7
 - record-keeping needs 28
 - recursive problems 301–2
 - resource models 2–9, 33–38
 - robustness needs 6–7
 - ‘rose-tinted glasses’ 1, 167
 - scalability needs 6
 - security issues 7, 33–38, 40–1, 42–3, 48–4, 76–7, 82, 153–4, 190–4, 277–78, 285–97
 - Solaris 123–6, 143, 157
 - structural issues 18–39, 47–59
 - telephony 247–62
 - threads 25, 48–9
 - throughput needs 6–7
 - varieties 1–2, 7–9, 13–16, 93–4
 - virtual machines 299–8
- operation types, files 172–4, 178, 192–4
- ordered-delivery property, socket streams 131
- OS/360, IBM 8, 12, 40–1
- output
 - see also* I/O
 - concepts 3–7, 197–214
- overlays, concepts 144–5
- owners, files 170–1, 181, 190–4
- packets, communications 232–5, 260–2
- pages
 - directories 159–3
 - faults 151, 154
 - logical memory 146–54, 156, 159–1
 - page replacements 151–4
 - tables 147–54, 159–2
- paging, memory management 146–54, 156
- Palm handhelds 15, 156
- parent IDs, processes 64–5, 66–7, 74–5, 81–3, 279
- partition-label control block (PLCB) 179
- partitions, disks 168–9, 179
- Pascal 120
- passalgorithms 290
- passive components, kernel 48, 49, 52–3
- passwords 288–6
- pathnames, files 171, 222–3

- paths, directories 168–1
- PCBs (process control blocks), concepts
 - 64–7, 74, 76–84, 99–100, 104–5,
 - 145–7, 295
- PCMCIA 188–9
- PCP 40–1
- PCs *see* personal computers
- PDA's 154, 306
- PDDs (physical device drivers) 52–3,
 - 56–58, 210–11, 239–40
- PDF files 172
- peer-to-peer systems, concepts 14, 218–19,
 - 242, 248–9, 266–7
- Pentium 1
- perceptions 1
- performance considerations 29, 51–2, 53,
 - 68–9, 73–4, 92–3, 137–65, 205–8
 - CPU 92–3, 137–38
 - device I/O 29, 180–1, 205–7
 - files 180–2, 206–8
 - I/O handling 29, 180–1, 205–7
 - kernel 51–2, 53, 205–8
 - memory 51–2, 53, 137–65
 - multithreading 51–2, 68–9, 79, 212
 - networks 223–5
 - passive kernel components 53
 - real-time systems 102
 - response times 51, 93–106
 - turnaround times 92–103
 - virtual machines 304–5
 - waiting times 93–103
- personal computers (PCs)
 - see also* desktop systems
 - historical background 8–9, 13–14,
 - 182–5
- personal information, security issues 290–1
- personality layers, concepts 56–7
- Phone abstraction, ETel 251, 254–5
- phone calls 15–16
- phone model
 - see also* remote procedure calls
 - IPC 129–30
- photographs 15–16
- physical device drivers (PDDs), concepts
 - 52–3, 56–58, 210–11, 239–40
- physical level, security issues 286–7, 290–1
- physical memory
 - see also* memory . . .
 - concepts 141–3, 146–54
- physical/logical addressing, memory
 - management 141–3, 146–54, 156–59,
 - 177–78, 216
- pipes 82
- platforms, operating systems 39–3
- PLCB (partition-label control block) 179
- plug-and-play concepts 6, 42, 51, 227
- PNG files 168
- polling 203–4
- POP (Post Office Protocol) 268, 275–6, 280
- portability needs, operating systems 7
- ports 202
- POSIX standards, Unix 76, 84
- Post Office Protocol (POP) 268, 275–6, 280
- power management 10, 15, 16
- pre-emptive/non-pre-emptive concepts,
 - process scheduling 90–106, 133–4
- predictions, execution times 105–6
- printers 198, 206–7
 - see also* I/O
- priorities, interrupts 55–6, 98, 104–6
- priority inheritance 128
- priority inversion concepts 104
- priority queues, process scheduling 101,
 - 104–6, 127–28
- priority strategy, process scheduling 98–1,
 - 103, 105–6, 128
- privileged-mode operations, operating systems
 - 35–6, 42–3, 48–9, 54, 55–6, 76–7
- process control blocks (PCBs), concepts
 - 64–7, 74, 76–84, 99–100, 104–5,
 - 145–7, 295
- process scheduling
 - aging concepts 100–1
 - basics 25, 49, 64–6, 76–7, 90–4
 - concepts 25, 49, 64–6, 76–7, 89–108,
 - 216
 - CPU 89–108

- process scheduling (*continued*)
 - criteria 92–4
 - deadlines 102, 105–6
 - dispatchers 91–4
 - first-come-first-served strategy (FCFS)
 - 94–6, 98, 116
 - microkernels 93–4, 104–6
 - multiple-queuing strategy 101, 106
 - pre-emptive/non-pre-emptive concepts
 - 90–106, 133–4
 - predicted execution-times 105–6
 - priority strategy 98–1, 103, 105–6, 128
 - real-time strategy 101–6
 - response times 93–106
 - round-robin strategy 97–98
 - shortest-job-first strategy (SJF) 96–98
 - starvation issues 100–1, 113–16, 122, 134
 - static monotonic scheduling 102, 105–6
 - strategies 93–103
 - Symbian OS 105–6
 - system types 93–4
 - turnaround times 92–103
 - waiting times 93–103, 113
- processes
 - see also* threads
 - access permissions 32, 33–38, 192
 - clones 72, 79–4, 124–6
 - concepts 13–16, 25, 32, 37–38, 48–9, 55–6, 61–88, 89–108, 138–1, 219–2
 - concurrently-shared resources 34–5, 42, 69, 109–36, 236–7
 - context-switches 25, 37–38, 40–1, 49–50, 55, 74, 76, 82, 91–102, 138, 145–6, 156, 160–1
 - conventional programming model 79–2
 - deadlocks 120–3, 133–4
 - definition 25, 61–2
 - distributed systems 13–14, 219–2
 - file structures 171–2
 - forking issues 72, 79–2, 124–6
 - identification 32, 64, 66–7, 74, 113–16, 287–88
 - implementation concepts 66–7
 - interleaving processes 111–12, 207
 - IPC 128–2
 - life cycle 138–1
 - Linux 74–6, 79–1, 84, 91, 103–4
 - multitasking 25, 37–38, 40–3, 50–1, 61–88
 - overview 62–79
 - parent–child relationships 64–5, 66–7, 74–5, 81–3, 279
 - programming 79–7
 - programs 62–3
 - queues 66, 75–6, 79–2, 90–106, 127–28
 - rollback approaches 134
 - shared data 82, 91–4, 109–36
 - signals 72, 117–18
 - source code 138–1
 - states 63–7, 72, 74–5, 90–4, 133–4, 145, 236–7
 - Symbian OS 73–4, 76–79, 83–7, 105–6
 - types 32, 62
 - zombie processes 67, 74–5
- producer–consumer problem,
 - concurrently-shared resources 122–3
- program counter 62–4, 67, 74
- program stack 62–3, 68–9, 76–7, 156, 306
- programming
 - concurrent processes 120
 - conventional model 79–2
 - historical background 8–11
 - MTM 276–7
 - processes 79–7
 - Symbian OS 83–7, 276–7
 - threads 82–7
- programs, processes 62–3
- protection issues
 - see also* security ...
 - definition 285
 - file systems 189–4
 - hardware 33–38, 48–9, 189–4
 - memory 36–38, 40–1, 153–4, 162–3, 216
 - messaging 277–78
 - modes 35–6, 48–9, 54, 76–7

- operating systems 33–38, 40–1, 42–3, 48–4, 76–7, 82, 153–4, 190–4, 277–78, 285–97, 301–2
- software 34–38, 40–1, 48–9, 285–97
- virtual machines 301–2
- protocols 39, 42, 57, 105, 218–19, 226, 227, 232–5, 238–4, 282
- concepts 39, 200, 218–19, 227, 240–2
- encapsulation concepts 218–19
- PRT modules 239, 241–2
- Psion Computers
 - see also* Symbian OS
 - historical background 9–10, 247
- PSTN (public-switched-telephone network) 248, 260–1
- Pthreads standard 76
- public-switched-telephone network (PSTN) 248, 260–1
- pull model, messaging 267
- punched cards 12
- push model, messaging 267, 269, 272
- PVM 220

- queues
 - devices 66
 - FIFO queues 90
 - process scheduling 66, 75–6, 79–2, 90–106, 127–28

- radio connectivity 3–5, 9, 217
- RAID 185–6
- RAM 137–65, 221–2, 231
 - see also* memory
- random (direct) access, files 174–5, 205
- RBusLogicalChannel 240
- RCall 253–4, 257–60
- read 244
- read locks 118–20
- read operations, files 173, 178, 192, 205, 209
- read-only memory (ROM) 25, 223, 305
- reader–writer problem, concurrently-shared resources 122

- ready queues, process scheduling 66, 75–6, 79–2, 90–106
- ready state, processes 63–4, 66, 79–2, 90–106
- real-time OS (RTOS), concepts 56–7
- real-time systems
 - concepts 16, 27, 56–7, 93–4, 101–6
 - deadlines 102, 105–6
 - performance considerations 102
 - process scheduling 101–6
 - Symbian OS 16, 56, 105–6
 - types 16, 101–2
- record-keeping needs, operating systems 28
- recursive problems, new operating systems 301–2

- registers
 - concepts 29–2, 37, 62–4, 68–9, 74, 91, 137, 159–60, 202–4
 - definition 30
 - I/O 202–4
 - polling 203–4
 - relocation registers 142–3
- relay servers, messaging 266–69
- reliability property, socket streams 131
- relocatable binding 140–1
- relocation registers, MMUs 142–3
- remote file systems 187–88
- remote procedure calls (RPCs)
 - see also* phone model
 - IPC 130, 132
- removable storage media 212–13
- replication benefits, files 224
- reposition operations, files 173
- reserved-page frames 162–3
- resource models
 - concepts 2, 4–9, 33–38
 - operating systems 2–9, 33–38
- response times, concepts 51, 93–106
- RFCOMM 234
- RFile 42
 - see also* file servers
- rich text data 278–9
- ring networks 218–19
- ringtones 271

- Ritchie, Dennis 8
- RLine 253–60
- RMessage2 132
- robustness needs, operating systems 6–7
- rollback approaches, deadlocked processes 134
- ROM (read-only memory) 25, 223, 305
- roots, files 171, 180, 190, 279
- ‘rose-tinted glasses’ 1, 167
- round-robin strategy, process scheduling 97–98
- routers, networks 218–19
- RPCs (remote procedure calls), IPC 130, 132
- RPhone 253–59
- RS230 port 240
- RSemaphore 127
- RTelServer 251–4
- RTOS (real-time OS), concepts 56–7
- RunL 84–6, 259
- running state, processes 63–4, 66, 90–103, 105–6, 145

- scalability needs, operating systems 6
- scheduling 25, 49, 64–6, 76–7, 89–108, 216
 - see also* process scheduling
 - jobs 12, 40–1
 - nanokernel 49
 - threads 71–2
- screens
 - see also* displays
 - LCD management 210–11
- SCSI (Small Computer Systems Interface) bus 200–1
- SDs (secure-digital cards) 31, 154, 212–13
- secondary storage
 - see also* disk...; flash...
 - concepts 30–1, 137, 146–7, 167–68, 176–7
 - definition 31
- sectors, disks 177, 181
- secure-digital cards (SDs) 31, 154, 212–13
- security issues 7, 33–38, 40–1, 42–3, 48–4, 76–7, 82, 153–4, 189–4, 223–4, 277–78, 285–97
 - see also* protection...
 - authentication concepts 54, 192–4, 288–6
 - authorization concepts 287–88, 293–4
 - buffer overflows 286, 292
 - capabilities 54, 192–4, 254–5, 295–6
 - concepts 33–38, 40–1, 42–3, 48–4, 189–4, 223–4, 285–97
 - data caging 296
 - definition 285
 - difficulties 286–7
 - failures 190–2, 286
 - file systems 189–4
 - finger example 286, 292
 - gatekeeper security model 294–6
 - human level 286–7, 292
 - levels 286–7
 - Linux 287
 - Microsoft Windows 288
 - networks 223–4, 286–7, 293
 - operating systems 7, 33–38, 40–1, 42–3, 48–4, 76–7, 82, 153–4, 190–4, 277–78, 285–97
 - passwords 288–6
 - personal information 290–1
 - physical level 286–7, 290–1
 - signed applications 294–6
 - smartphones 193–4, 293–6
 - Symbian OS 193–4, 293–6
 - threat types 292–4
 - Unix 286, 288–90, 292–3
 - virtual machines 301–2
- security needs, operating systems 7
- segmentation, memory management 156–59, 161, 162–3
- select 245
- semaphores 49, 50, 77–78, 116–36
 - see also* synchronization operations
 - binary semaphores 118–20, 126–7
 - concepts 116–20
 - definition 126–7

- locks 118–20
 - monitors 119–20
 - Unix example 123–6
 - Send 85–6
 - send-as messaging interface, MTM 276–81
 - senders, message characteristics 264–71, 273–5
 - SendItem 85–6
 - sequential access, files 174–5, 205
 - serial connectivity 9, 85–6, 210
 - serializability goal, concurrently-shared resources 112–13
 - serially-shared network resources 33–5
 - Server Message Block (SMB) 187, 189, 225
 - servers
 - see also* file . . . ; sockets
 - client–server architecture 11, 14, 93, 130–1, 221, 231–2, 235, 237–42, 245, 265–68, 275–81
 - concepts 10–11, 14, 18, 20–2, 39, 42, 43, 48–9, 53, 57, 93, 130–1, 132, 178, 187–88, 190–4, 211–12, 221, 231–2, 251–60, 265–68
 - ETel 247, 249, 251–60
 - kernel 20–2, 43, 47–59, 132
 - messaging functions 42–3, 275–81
 - passive kernel components 53
 - relay servers 266–69
 - roles 49, 132, 231–2
 - Session Initiation Protocol (SIP) 261–2
 - SetActive 84–6
 - shared data, processes 82, 91–4, 109–36
 - shared memory 137–65, 221–4
 - see also* memory . . .
 - shared resources 33–4, 61–88, 90–4, 109–36, 137–65, 205, 216–28
 - see also* concurrently-shared . . . ; memory management; networks
 - shell access, Unix 288
 - shortest-job-first strategy (SJF), process scheduling 96–98
 - SIBO 9–10, 42
 - signal 117–18, 119–20, 122–7
 - see also* synchronization
 - signals, processes 72, 117–18
 - signed applications 294–6
 - SIMD (single instruction, multiple data) distributed systems 221
 - Simple Mail Transfer Protocol (SMTP) 268, 275
 - single instruction, multiple data (SIMD) distributed systems 221
 - SIP (Session Initiation Protocol) 261–2
 - sizes
 - applications 155
 - directories 179
 - files 170–1, 181–3
 - SJF (shortest-job-first strategy) 96–98
 - sleeping state, nanothreads 77–78
 - Small Computer Systems Interface (SCSI) bus 200–1
 - smartphones 9–11, 20–2, 42–3, 47–58, 93–4, 154–6, 177, 229–30, 247–62, 285–97
 - see also* mobile phones; Symbian OS
 - communications models 229–30
 - constraints 154–6, 231
 - file systems 188–9, 193–4
 - flash storage 2, 31, 52, 146, 154, 167–68, 177, 188–9
 - historical background 9–11, 42–3, 247
 - memory management 154–6, 159–2
 - microkernels 20–2, 43, 47–58, 93–4, 104–6, 132, 249, 277
 - networks 218, 226–7
 - platform uniqueness 56
 - security issues 193–4, 293–6
 - storage media 177, 211–12
 - telephony 247–62
- SMB (Server Message Block) 187, 189, 225
- SMS 53, 242, 263, 267, 268–1, 276, 280
 - see also* messaging
- SMTP (Simple Mail Transfer Protocol) 268, 275
- sockets
 - see also* servers; TCP/IP
 - concepts 39, 49, 130–2, 225–7, 235, 243–5, 261

- sockets (*continued*)
 - connected sockets 131
 - IPC 130–2, 235
 - network communications 225–7, 243–5, 261
 - streams 131
- SOCK_STREAM 243–5
- soft real-time systems
 - see also* real-time . . .
 - concepts 16, 101–2
- software
 - see also* application . . . ; operating systems; processes
 - concepts 2–11, 35–38, 204–13
 - definition 3
 - device drivers 18, 41, 52–3, 56–58, 177, 198, 199–13
 - goals 3–4
 - historical background 7–16
 - I/O issues 204–13
 - interrupts 24–5, 35–6, 43, 104–6
 - protection issues 34–38, 40–1, 48–9, 285–97, 301–2
 - signed applications 294–6
 - virtual machines 300–8
 - ‘write once, run everywhere’ goal 302
- software controllers 213
- Solaris 123–6, 143, 157
- solid-state storage 146
- Sony Ericsson 307
- sorting algorithms 82
- source code
 - malicious code 35, 189, 194, 285, 292–6
 - open source 41–2, 91, 287, 289
 - processes 138–1
- spam 283
- spools
 - see also* buffers
 - concepts 206–7
- spyware 292
- SQL 292–3
- stacks
 - communications 232–5, 237–44
 - program stack 62–3, 68–9, 76–7, 156, 306
- standards 198, 204–5, 230, 238–9, 271
 - see also* protocols
- star networks 218–9
- starvation issues, process scheduling 100–1, 113–16, 122, 134
- states
 - nanothreads 77–78
 - processes 63–7, 72, 74–5, 90–4, 133–4
 - threads 71–2, 77–78
- static monotonic scheduling 102, 105–6
- statically loaded system libraries 139–1, 144–5
- storage media
 - bad blocks 182
 - blocks 146–7, 177–78, 179–2, 186–7
 - free space 182
 - removable storage media 212–13
 - smartphones 177, 211–12
 - structural issues 146–7, 177–82
 - Symbian OS 211–12
- storage structures
 - access models 31–2, 33–38
 - concepts 29–2, 146–54, 167–68, 176–7, 178–2, 223–5, 278–9
 - core computing cycle (fetch–execute cycle) 29, 204
 - hierarchical levels 29–30, 188, 278–9
 - main mechanisms 29–30
- storage-free computers 223–5
- strategies, process scheduling 93–103
- streams 131, 233–5
- struct 119
- structural issues
 - see also* storage . . .
 - directories 179–2
 - files 168–9, 171–95
 - kernel 20–2, 47–59
 - operating systems 18–39, 47–59
 - telephony 250–60
- stubs 144–5, 160
- Sun Microsystems 145, 225
- suspended state, nanothreads 77–78

- swap-space configuration, concepts 153–4, 163
- swapping and paging, memory management 145–54, 159, 160, 163
- SWinstall 295–6
- switch 86
- Symbian OS 2, 9–11, 15, 16, 18–19, 32, 38–9, 42–3, 48–58, 73–4, 76–79, 105–6, 126–7, 132, 156, 159–2, 209–13, 226–7, 237–42, 247–62, 293–6, 299, 302–7
 - see *also* mobile phones; operating systems
 - 30-bit operating system 159
 - abstraction principles 210–11, 251–62
 - active objects 73–4, 76–79, 83–6, 132, 212–13, 236–7
 - communication resources 18–19, 22, 38–9, 43, 132, 226–7, 237–42, 250–60, 275–81
 - complexity issues 56–58, 276, 280–1
 - concurrently-shared resources 126–7
 - connectivity 226–7
 - data caging 296
 - developer certificates 296
 - diagrammatic overview 56–7
 - emulator 161–2, 251, 302, 303–4
 - EPOC 10–11, 19, 42, 305
 - errors 160
 - ETel 247, 249–60, 295
 - file systems 42, 193–4, 227
 - formation 11, 42
 - gatekeeper security model 294–6
 - historical background 9–11, 19, 38–9, 42–3, 247
 - I/O 209–13
 - IPC 132
 - JVM (Java virtual machine) 299, 303–7
 - kernel 20–2, 43, 48–58
 - memory implementation models 161–2
 - memory management 156, 159–2, 227
 - messaging 42–3, 53, 239, 241–2, 263–4, 275–81
 - microkernels 20–2, 43, 48–58, 132, 249, 277
 - networks 226–7
 - object-oriented approaches 10–11, 42–3, 275
 - page directories/tables 159–2
 - process scheduling 105–6
 - processes 73–4, 76–79, 83–7, 105–6
 - programming 83–7, 276–7
 - protocol-implementation communication layer 240–4
 - real-time systems 16, 56, 105–6
 - removable storage media 212–13
 - roots of files 171, 279
 - security issues 193–4, 293–6
 - signed applications 294–6
 - storage media 211–12
 - telephony support 247–62
 - threads 73–4, 76–79, 83–7, 212–13, 236–7
 - trust relationships 295–6
 - TTBRs 159–60
 - Unix 42
 - v8 51
 - v9 16, 54, 193, 251, 261–2, 294–6
 - v9.1 54, 304
 - virtual machines 299, 302, 303–7
 - VoIP 261–2
- synchronization operations 49, 76–7, 114–36
 - see *also* critical sections; mutexes; semaphores
 - bakery method 115–16
 - concepts 49, 76–7, 114–36
 - dining-philosophers problem 120–6
 - flags 114–15
 - IPC 128–2
 - multiple processes 115–16
 - nanokernel 49, 76–7, 126–7
 - two processes 113–15
- synchronous device I/O, concepts 26–29, 205
- system function calls 5–6, 36, 42–3, 47, 49, 52–4, 69–1, 76, 79–2, 207–9, 231–2, 279
 - see *also* interrupts

- system function calls (*continued*)
 - concepts 5–6, 53–4, 69–1, 76, 207–9
 - kernel 53–4, 69–1, 207–9, 231–2
 - privileged-mode operations 36, 42–3, 47, 49, 54
- system time 38
- systems perspective, operating systems 11–16, 93–4

- table of contents, directories 170–1
- tables, files 170–1, 174, 178
- tape drives, spools 207
- TCP/IP protocol 39, 42, 218, 226, 227, 238–9, 241–2, 244, 261–2, 268
- ‘telephone game’, communications 229
- telephony
 - analog communications 248, 260–1
 - concepts 247–62
 - digital communications 248
 - ETel 247, 249–60
 - kernel 249–50
 - Linux 249–50
 - Microsoft Windows 249
 - models 248–60
 - structural issues 250–60
 - voice communications 248–9, 257
 - VoIP 260–2
- terminated state, processes 63–5, 66–7, 72, 78–80, 90–103, 134
- tertiary (archival) storage
 - concepts 30–1
 - definition 31
- test 126
- text files
 - see also* files
 - concepts 168–1, 267–68
- text messages 3–6, 15–16, 53, 242, 263, 267, 268–1, 276, 280
 - see also* SMS
- text sections, processes 62–3
- TFTP (trivial-file-transfer protocol) 293
- Thompson, Ken 8

- thrashing problems, memory management 152–3
- thr_create 83
- threads
 - see also* active objects; multithreading; processes
 - cancellations 72
 - concepts 25, 41–3, 48–9, 50–2, 67–88, 211–12, 236–7
 - creation 71–2, 82–3
 - definition 25, 67
 - kernel threads 70–1
 - management issues 71–2
 - nanothreads 76–79, 127–28
 - programming 82–7
 - scheduling 71–2
 - single threads 68–9, 71
 - states 71–2, 77–78, 236–7
 - Symbian OS 73–4, 76–79, 83–7, 212–13, 236–7
 - user threads 69–1
- threat types, security issues 292–4
- thr_join 83
- throughput needs, operating systems 6–7
- TIFF class F images 273
- tightly-coupled connections 218
- time slices 25, 37–38, 97–98, 103–4, 105–6
- time-sharing concepts
 - mainframe systems 12–13
 - processes 25, 37–38, 97–98, 103–4
- timers 37–38, 55, 207–8
- timestamps, message characteristics 265–71, 273–5
- TLBs (translation look-aside buffers) 152–4
- token-ring networks 218–19
- touch screens 10
- tracks, disks 177
- translation look-aside buffers (TLBs) 152–4
- translation table-base registers (TTBRs) 159–60
- tree-structured network topology 218–19
- trivial-file-transfer protocol (TFTP) 293
- trojan horses 292

- truncate operations, files 174
- trust relationships, Symbian OS 295–6
- TSY modules 239, 241–2, 251–4, 257, 261
- TTBRs (translation table-base registers) 159–60
- turnaround times, process scheduling 92–103
- TXT files 169, 171, 184–5
- type information, message characteristics 273–5

- UDP 226
- UFS, Unix 186–7, 305
- UIQ 307
- UltraSPARC architectures 74
- UMTS 250–1
- Unicode 268
- uninterruptible state, processes 74–5
- Unix 8–9, 14, 18–19, 24, 41–2, 51, 71, 74–6, 100–1, 123–6, 153, 180, 191–2, 220, 225–6, 229–30, 286, 288–90, 292–3
 - see also* Linux
 - communication resources 18, 229–30
 - concurrently-shared resources 123–6
 - directories 180
 - evolution 19
 - file systems 186–7, 191–2, 305
 - historical background 8–9, 14, 19, 41
 - idle processes 100–1
 - interrupts 24
 - kernel 51, 71
 - networks 220, 225–6
 - POSIX standards 76, 84
 - security issues 286, 288–90, 292–3
 - semaphores example 123–6
 - shell access 288
 - swap-space 153
 - Symbian OS 42
 - TFTP 293
 - threads 71
 - UFS 186–7, 305
 - VFS 186–7
- UnloadPhoneModule 252–3
- URLs 67–68
- USB connectivity 22, 199, 200, 210
- user interfaces 2–3
- user threads
 - see also* threads
 - concepts 69–1
- user-mode operations 35–6, 43, 48–58, 77, 93–4, 132, 161
- user-space servers 43, 48–9, 57, 132
 - see also* servers
- users 2–3, 35–6, 43, 48–58, 69–1, 77, 93–4, 132, 161
 - files 170–1, 190–4
 - passwords 288–6

- valid–invalid bits 154
- vCalendar objects 271–2, 277
- vCards 271–2
 - see also* messaging
- vectors, interrupts 23–29
- Version 253–4
- VFAT file system 183–5
- VFS, Unix 186–7
- video clips 15–16
- ‘viewing the world through rose-tinted glasses’ 1, 167
- virtual clocks 208
- virtual disks 305
- virtual machines
 - challenges 304–5
 - concepts 299–8
 - definition 300
 - implementation methods 303–4
 - JVM (Java virtual machine) 299, 303–7
 - performance considerations 304–5
 - security issues 301–2
 - Symbian OS 299, 302, 303–7
 - uses 301–2
- virtual memory
 - concepts 22, 32, 40–1, 43, 151–4, 159, 216
 - systems without virtual memory 154–6

- virtual memory (*continued*)
 - uses 22, 32, 40–1, 43, 151–4
- virtual reality 299
- viruses 191, 194, 292, 294
- VMware 302
- Voice 257–59
- voice communications, telephony 248–9, 257
- voice over IP (VoIP) 260–2
- volumes *see* partitions
- von Neumann, John 29

- wait 81–2, 117–18, 119–20, 122–7
 - see also* synchronization...
- waiting state, processes 63–4, 66, 79–1, 90–103, 133–4, 236–7
- waiting times, process scheduling 93–103, 113
- WAP (Wireless Access Protocol) 227, 232–5, 242
- web
 - see also* Internet
 - browsers 14, 33–5, 47, 67–68, 226, 232–5
 - resources 309
 - servers 226

- whileloops 110–11, 113–14
- Windows *see* Microsoft Windows
- Wireless Access Protocol (WAP) 227, 232–5, 242
- wireless connectivity 3–5, 9, 53, 202, 217–19, 226–7, 248–9, 263
- wireless LANs 217–19
- worms 292–3, 294
- write 39, 85, 244
- write locks 118–20
- 'write once, run everywhere' goal, software 302
- write operations, files 173, 178, 194, 205, 209

- XNU kernel 91

- YAFFS 189

- Zhou dynasty 285
- zombie processes 67, 74–5