

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- A/C Privileged classification, 352
- accepted domains
 - creating, **160–163**, *160–163*
 - defined, 606
- access control entries (ACEs)
 - defined, 606
 - PFDAVAdmin for, 388
- access control lists (ACLs)
 - defined, 606
 - PFAdmin for, 389
 - PFDAVAdmin for, 388
 - security lists in, 303
- Account tab
 - mail-enabled users, 292
 - mailboxes, **281**, *282*
- accounts
 - mail-enabled. *See* mail-enabled users
 - mailbox-enabled. *See* mailbox-enabled users
 - service, **483–484**
- ACEs (access control entries)
 - defined, 606
 - PFDAVAdmin for, 388
- ACLs (access control lists)
 - defined, 606
 - PFAdmin for, 389
 - PFDAVAdmin for, 388
 - security lists in, 303
- Action tab
 - antispam, 220, 220
 - Sender Confidence, 227
 - sender filtering, 225, 225
 - Sender ID, 226, 226
 - Sender Reputation, 227, 228
- actions, transport rules, 355
- active/active clustering support, 6
- Active Directory, **6–7**
 - defined, 606
 - deployment, 19
 - exam essentials, 20–21
 - Exchange Server dependence on, **15–18**
 - for Exchange Server installation, **54–56**
 - domain and forest functional levels, **56–57**, *57*
 - domain preparation, **59–63**, *60–63*
 - forest preparation, **57–59**, *58*
 - organization changes, **63–64**
 - verification, **94**, *95–96*
 - logical components, **7–10**, *9–10*
 - masters, **13–14**
 - partitions, **12–13**, *17*
 - physical components, **10–12**
 - replication, **14–17**
 - review questions, **22–27**
 - site-based routing, 3
 - summary, **19–20**
- Active Directory Application Mode (ADAM)
 - database, **565–566**
 - for Edge Transport server, 36, 43, 98
 - with EdgeSync, 209
 - ports for, 105
- Active Directory Topology service, 98, 578
- active node computers in SCC, **508–512**, *509–512*
- Active Remote Delivery Queue Length
 - counter, 585
- Active value for queued messages, 443
- ActiveSync
 - configuring, **414**
 - mobile devices, **420–425**, *420–424*
 - policies, **361–363**, *363*, **416–420**, *417–419*
 - support, **415–416**, *415*
- ActiveSync Internal Availability report, 593
- ADAM (Active Directory Application Mode)
 - database, **565–566**
 - for Edge Transport server, 36, 43, 98
 - with EdgeSync, 209
 - ports for, 105
- /AdamLdapPort option, 90
- /AdamSslPort option, 90
- Adapters and Bindings tab, 482, 482
- Add Address Space dialog box, 165
- Add-AttachmentFilterEntry cmdlet, 229–230
- Add-DistributionGroupMember cmdlet, 281
- Add Edit Port Rule dialog box, 495, 495
- Add Exchange Administrator Wizard, 112–113, *112–113*
- Add-ExchangeAdministrator cmdlet, 113
- Add Nodes Wizard, 488, 515
- Add-PublicFolderAdministrativePermission
 - cmdlet, 380
- Add-PublicFolderAdministrativePermission-User
 - cmdlet, 381
- Add-PublicFolderClientPermission
 - cmdlet, 381
- Add Users dialog box, 400
- AddReplicaToPFRRecursive.ps1 script, 381

632 Address and Phone tab – Avg. Disk sec/Write counter

- Address and Phone tab
 - contacts, 320
 - mail-enabled users, 292
 - mailboxes, 275, 275
- address lists, 359–361, 360
- Address Lists tab, 360
- Address Space page, 165, 167, 168
- address spaces
 - defined, 606
 - send connectors, 167, 168
- /AddUmLanguagePack option, 89
- AddUsersToPFRecursive.ps1 script, 381
- administrative groups
 - defined, 606
 - support, 5
- administrative rights
 - defined, 606
 - setting, 403
- Administrative Rights tab, 403
- Administrative roles, 109
 - configuring, 110–113, 110–114
 - overview, 109–110
- Administrators group, 54–55, 62
- Advanced Security Settings for User dialog box, 294, 294
- Advanced tab for distribution groups, 306, 308
- affinity, NLB, 495–496
- age, message tracking logs, 453
- age limits
 - defined, 606
 - public folders, 386
- Age Limits setting, 386
- aliases
 - defined, 606
 - email, 291
 - groups, 298, 300, 304
 - mailboxes, 457–458
- All Address Lists option, 187
- All Contacts list, 359
- All Groups list, 359
- All Public Folders folder
 - contents, 382–383
 - defined, 606
- All Rooms list, 359
- All Users list, 359
- Allow List dialog box, 181
- Allow Nonprovisionable Devices setting, 361
- Allow Simple Password policy, 361, 418
- Allowed Addresses tab, 220–221, 221
- Alphanumeric Password Required policy, 361
- Analyzing Configuration tool, 488
- anonymous access, 606
- Anonymous users, 176, 402
- answer files, 234, 234
- /AnswerFile option, 90
- Anti-spam tab, 218
- Anti-spam Update service, 98, 579
- Antigen product, 234
- Antimalware Engine, 237
- antispam settings, 217
 - attachment filtering agents, 227–232, 228, 230–232
 - content filtering, 218–220, 218–220
 - IP allow lists, 220–221, 221
 - IP block lists, 222–223, 222–223
 - new features, 4
 - recipient filtering, 224, 224
 - sender filtering, 224–225
 - Sender ID, 226, 226
 - Sender Reputation, 226–227, 227
- antivirus settings
 - Forefront Security for Exchange Server, 242–243, 242
 - new features, 4
- API (application programming interface), 606
- Application log, 581
- application partitions, 13
- application programming interface (API), 606
- Application Server dialog box, 46, 46
- Apply an Exchange ActiveSync Policy option, 419
- Apply Security Policy page, 108, 108
- architecture, 606
- archives, 606
- attachment filtering agents, 227–232, 228, 230–232
- Attachment Removed classification, 352
- Attachments Enabled policy, 361
- attributes
 - Active Directory objects, 7, 11
 - CCR outages, 522–523
 - defined, 606
 - distribution groups, 304, 304
 - mail-enabled users, 292
 - public folders, 378–379
- Audit Policy page, 107
- auditing, 606
- Authenticated Users group, 62
- authentication
 - ActiveSync, 416
 - defined, 607
 - OWA, 185, 186
 - SMTP connectors, 174, 175
- Author role permissions, 402
- Auto Accept Agent, 326
- AutoDatabaseMountDial attribute, 522–523
- Autodiscover feature, 403–404
 - configuring, 406–410, 407–409
 - internal vs. external, 404–406, 404–406
- Automatically Process Meeting Requests and Cancellations option, 326
- availability reports, 592–593
- Avg. Disk sec/Read counter, 584
- Avg. Disk sec/Write counter, 584

B

backfill, 607
backticks (`) in cmdlets, 377
backup domain controllers (BDCs), 14
Backup tab, 546
Backup utility, 545–547, 546
backups, 536

- Client Access server, 563–564
 - defined, 607
 - Edge Transport servers, 565–566
 - Hub Transport servers, 564
 - jobs, 545–547, 545–546
 - mailbox servers, 567
 - overview, 541–544
 - testing, 547–548
- Bad Mail folder, 607
- BadItemLimit option, 458
- BADMAIL value, 450
- Basic Authentication
 - defined, 607
 - receive connectors, 174
- Basic over Secure Sockets Layer (SSL)
 - authentication, 607
- BDCs (backup domain controllers), 14
- Best Availability option
 - CCR scheduled outages, 522
 - CCR unscheduled outages, 524
- Bias setting, 243
- bin folder, 97
- Block List dialog box, 181
- block lists, 181, 222–223, 222–223
- Blocked Address tab, 222, 222
- Blocked Recipients tab, 224, 224
- Blocked Senders tab, 224–225, 225
- bulk management
 - mailboxes
 - creating, 460–463, 462–463
 - moving, 459–460
 - size, 464–465, 464–465
 - populating groups, 463

C

CA (continuous availability), 477, 609
cache mode, 607
calendars

- mobile devices, 423
- OWA, 187

California SB 1386, 343
CALs (client access licenses), 33, 608
CAs (certificate authorities), 607
catalogs

- Active Directory, 11
- partitions, 13, 17

categorizers, 607
CCR. *See* cluster continuous replication (CCR)
centralized models, 607
certificate authorities (CAs), 607
Certificate Request File Name page, 196–197
certificate revocation lists (CRLs), 607
certificate stores, 607
Certificate Summary page, 410
certificate templates, 608
certificate trust lists (CTLs), 608
certificates

- defined, 607
- installing, 192–197, 193–197
- SSL, 410

challenge/response security, 608
change numbers, 608
Change Password option, 187
checkpoint files

- defined, 608
- purpose, 125–126, 550

checksums, 552
child domains

- Active Directory, 9
- defined, 608

.chk files, 125–126
Choose Destination Location page, 238–239, 239
circular logging

- defined, 608
- overview, 133

classifications of messages, 351–353, 352
Clean:Repair Document option, 243
Clear-ActiveSyncDevice cmdlet, 425
client access licenses (CALs), 33, 608
Client Access servers, 35–36, 178, 489

- backing up and recovering, 563–564
- configuring
 - Outlook Anywhere, 190–191, 190–191
 - OWA. *See* Outlook Web Access (OWA)
 - process, 178–179
 - SSL, 191–197, 192–197
- defined, 608
- requirements, 44–45

- client connectivity, 403
- ActiveSync
 - configuring, 414
 - mobile devices, 420–425, 420–424
 - policies, 416–420, 417–419
 - support, 415–416, 415
- Autodiscover, 403–404
 - configuring, 406–410, 407–409
 - internal vs. external, 404–406, 404–406
- exam essentials, 427
- mobile devices, 420–425, 420–424
- POP3 and IMAP4, 410–414, 412
- review questions, 428–433
- summary, 426–427
- client licenses, 33, 608
- Client Permissions dialog box, 400–401

634 Client Settings page – Create a New Certificate option

- Client Settings page
 - databases, 142, 142
 - SCC, 510
 - for versions, 81, 81
- ClientAccess folder, 97
- cloned configuration process, 565
- cloning, edge, 232–234, 233–234
- Cluster Administrator, 485, 488
- cluster continuous replication (CCR), 34, 478
 - defined, 608
 - file share witness, 515–516
 - installing, 519–521, 519–521
 - limitations, 518–519
 - majority node sets, 513–515
 - outages
 - scheduled, 521–523
 - unscheduled, 523–525
 - overview, 512–513, 514, 516, 517
 - transport dumpster, 517–518
- Cluster Name and Domain page, 485, 485
- Cluster Parameters tab, 491–492, 492
- cluster resources, 608
- cluster services, 608
- Cluster Setting Selection page, 510
- Cluster Settings page, 520
- clustering, 609
- clusters
 - defined, 608
 - NLB, 491–493, 492
 - server. *See* server clusters
- cmdlet overview, 377
- /CMSDataPath option, 90
- /CMSIPAddress option, 90
- /CMSName option, 90
- /CMSSharedStorage option, 90
- command-line
 - benefits, 114–115
 - Exchange Server installation from, 87–91, 91
- committed transactions, 609
- Company Confidential classification, 351–352
- Company Internal classification, 352
- compatibility
 - Forefront Security for Exchange Server, 237
 - SCC, 508
- Completion page
 - contacts, 316
 - distribution groups, 300
 - mail-enabled users, 287–288
 - mailbox-enabled users, 266–267
 - resource mailboxes, 322
- compliance
 - defined, 609
 - new features, 4
 - requirements, 342–343
- Computer Management console, 580, 609
- conditions
 - dynamic distribution groups, 311, 311, 313, 314
 - transport rules, 354
- Conditions page, 311, 311, 313, 314
- Configuration Action page, 101, 101
- configuration partitions, 12, 17
- Configure Data Collection page, 588, 588
- Confirm Port Configuration page, 106, 106
- Confirm Service Changes page, 104, 104
- Connect-Mailbox cmdlet, 286, 558
- Connect Mailbox Wizard, 285–286, 286, 557, 557
- Connect to Active Directory page, 590, 590
- connecting disconnected mailboxes, 285–286, 286
- connectivity checks, 49
- connectors
 - IMAP4 and POP3 clients, 413
 - SMTP, 163–164
 - deleting, 178
 - receive, 169–177, 170–173, 175–176
 - send, 163–169, 165–169
 - support, 5
- Contact Information page, 316–317, 316, 320–321
- contacts, 260, 314–315
 - creating
 - Active Directory Users and Computers Console, 318–319, 318
 - Exchange Management Console, 315–317, 316
 - Exchange Management Shell, 317–318
 - defined, 609
 - managing, 319
 - OWA, 187
 - properties, 319–321, 320–321
- Contacts option, 187
- container objects, 609
- content filtering, 218–220, 218–220
- Content Filtering Properties dialog box, 218–219, 218–219
- contiguous namespaces, 16, 609
 - continuous availability (CA), 477, 609
- Contributor role permissions, 402
- convergence
 - defined, 609
 - NLB, 490
 - replication, 14
- copy backups, 544, 609
- copy database, 505–506
- copying database files, 552
- Copying Files dialog box, 79
- corrupt database recovery, 506
- counters, performance, 584–585
- CPU requirements
 - Exchange Server, 38–39
 - LCR, 500
- Create a New Certificate option, 195

Create a New Security Policy option, 101
 Create Items permission, 401–402
 Create New Folder dialog, 383, 383
 Create Subfolders permission, 401–402
 Creating the Cluster page, 515
 Credential Service, 98, 579
 Critical Issues tab, 592
 CRLs (certificate revocation lists), 607
 CTLs (certificate trust lists), 608
 Custom Attributes dialog box
 distribution groups, 304, 304
 mail-enabled users, 292
 Custom Exchange Server Installation option,
 509, 519
 custom managed folders, 344–345
 Custom Words tab, 218, 219
 Customer Information page, 235, 235

D

DACLs (discretionary access control lists), 610
 daily backups, 609
 damaged database repair, 548–553, 549, 551–553
 Data Encryption Standard (DES), 609
 data loss, avoiding, 538–539
 Database Management tab, 127, 127
 Database Recovery Management tool, 560, 562
 databases, 124–125, 125, 136
 creating, 136–139, 137–139
 defined, 609
 deleting, 146–147, 147
 guidelines, 148
 LCR, 505–506
 logs, 538
 mailbox, recovering, 559–562
 mounting and dismounting, 145–146, 146
 portability, 539
 properties, 140–142, 140–142
 public folders, 375–376, 380
 queues, 446–447, 447
 in recovery, 540
 repairing, 548–553, 549, 551–553
 reports, 594–596
 Date Received field, 442
 DAVEx component, 609
 DCDiag utility
 for connectivity, 49–50
 defined, 609
 decentralized models, 610
 decryption, 610
 dedicated public folder servers, 610
 default gateways, 481, 483
 default global address list, 359
 Default group, 401
 default managed folders, 344
 Default or Custom Managed Folder tab, 347
 Default public store setting, 142
 Default Transport Template, 241
 Default user, 402
 Default Web Site Properties dialog box
 OWA, 181–190, 181–183, 185–186, 188
 third-party SSL certificates, 193, 193
 DEFER value, 450
 defragmenting databases, 551
 Delayed or Immediate Request page, 195, 195
 Delete Items permission, 401–402
 Deleted Items folder, 555
 deleted items retention, 142, 386, 539, 610
 deleted mailboxes, 283–286, 283–286
 recovering, 556–558, 556–558
 retention, 539
 DeleteSourceMailbox option, 458
 deleting
 attachments, 243
 databases, 146–147, 147
 SMTP connectors, 178
 storage groups, 147–148
 DELIVER status, 450–451
 Delivery Options dialog box, 278, 279
 Delivery Type field, 439
 Dell OpenManage monitor, 589
 deployment
 Active Directory, 19
 in large organizations, 65
 DES (Data Encryption Standard), 609
 Device Encryption Enabled setting, 361
 diagnostics tests, 49–50, 50
 dial-tone recovery, 539, 560–561, 610
 differential backups, 544, 610
 digital signatures, 610
 Direct File Access Settings dialog box, 188–189, 188
 directories, 610
 directory replication, 610
 directory rights, 403, 610
 Directory Rights tab, 403
 Directory Security tab, 193, 193, 197, 410
 directory services requirements, 42–43
 Disable-DistributionGroup cmdlet, 303
 Disable Local Continuous Replication option, 502
 Disable-Mailbox cmdlet, 273, 324
 Disable-MailContact cmdlet, 319
 Disable-MailPublicFolder cmdlet, 379
 Disable-MailUser cmdlet, 290
 Disable-StorageGroupCopy cmdlet, 503
 disabling and Disable option
 contacts, 319
 distribution groups, 303
 LCR, 502–503

636 disaster recovery – E00res00001.jrs file

- mail-enabled users, 290
- mailbox-enabled users, 273
- message tracking, 452
- message tracking logs, 453
- resource mailboxes, 324
- SharePoint and file server integration, 182–183, 182–183
- disaster recovery
 - avoiding data loss, 538–539
 - backups. *See* backups
 - damaged databases, 548–553, 549, 551–553
 - defined, 610
 - exam essentials, 567–568
 - messaging data, 553–562, 554, 556–558
 - overview, 536–537
 - reactions in, 539–540
 - review questions, 569–575
 - summary, 567
- Disaster Recovery mode, 610
- DisconnectDate setting, 558
- disconnected mailboxes, 283–286, 283–286
- discovery, 610
- discretionary access control lists (DACLS), 610
- disk hardware
 - SCC requirements, 508
 - server clusters, 480, 484
- Dismount-Database cmdlet, 145, 506
- dismounting
 - databases, 145–146, 146
 - defined, 610
- display filters, 144, 144
- distribution groups, 296
 - creating
 - Active Directory Users and Computers Console, 302–303, 302
 - Exchange Management Console, 297–299, 297–298
 - Exchange Management Shell, 300, 301
 - defined, 610
 - dynamic, 309–313
 - mail-enabling, 299–300, 299, 301
 - modifying, 303–304
 - properties, 304–309, 304–308
- distribution lists, 295
- DMZs, 210–211
- DNS (Domain Name Service), 8, 16
 - dcdiag for, 50
 - defined, 611
 - round-robin, 497
 - server clusters, 482–483
- DNSConnectorDelivery value, 439
- Do Not Change the Startup Mode of the Service option, 104
- Do Not Permanently Delete Items Until This Database Has Been Backed Up option, 554, 556
- Do Not Send Delivery Reports option, 307

- Documents page, 183, 184
- Domain Admins group, 54
- domain controllers
 - Active Directory, 10–11
 - defined, 611
 - diagnostics tests, 49–50, 50
- domain forests
 - Active Directory, 10, 10
 - functional levels, 56–57, 57
 - preparation, 57–59, 58
 - Windows Server 2003, 16
- domain local groups, 296
- Domain Name Service (DNS), 8, 16
 - dcdiag for, 50
 - defined, 611
 - round-robin, 497
 - server clusters, 482–483
- domain naming masters, 13
- domain partitions, 12, 17
- domain trees
 - Active Directory, 9, 9
 - defined, 611
- /DomainController option, 88
- DomainPrep command, 56, 62
- domains
 - Active Directory, 8
 - defined, 611
 - functional levels, 56–57, 57
 - Hub Transport servers, 156–163, 157–163
 - mobile devices, 421, 421
 - preparation, 59–63, 60–63
 - SCC, 507
- /DoNotStartTransport option, 88
- dsadd user command, 270, 460
- DSN value, 450
- Dynamic Distribution Group Preview dialog box, 313, 314
- dynamic distribution groups, 309
 - creating, 310–312, 310–312
 - defined, 611
 - managing, 312–313
 - properties, 313, 313–314

E

- E-mail Address Policy tab, 358
- E-Mail Addresses tab
 - contacts, 320–321, 321
 - distribution groups, 306, 307
 - mail-enabled users, 292
 - mailboxes, 282, 283
- E-mail Signature option, 187
- E00.log file, 550
- E007FFFFFFFF.log file, 550
- E00res00001.jrs file, 550

- EAS (Exchange ActiveSync)
 - configuring, 414
 - mobile devices, 420–425, 420–424
 - policies, 361–363, 363, 416–420, 417–419
 - support, 415–416, 415
- EDB (rich-text) files, 124, 126, 550
- edge cloning, 232–234, 233–234
- edge subscription files, 212–213, 212–213
- Edge Transport server, 36, 208, 209
 - antispam settings. *See* antispam settings
 - backing up and recovering, 565–566
 - defined, 611
 - edge cloning, 232–234, 233–234
 - EdgeSync. *See* EdgeSync service
 - NLB, 489
 - requirements, 43
- EdgeSync service, 98, 579
 - configuring, 209–210
 - edge subscription files, 212–213, 212–213
 - firewall ports, 210–211
 - internal SMTP servers, 211–212, 212
 - process, 214–216, 214–217
- EdgeTransport.exe.config file, 447
- Edit Items permission, 401–402
- editions, 30–32
- Editor role permissions, 402
- EHLO command, 611
- email
 - address-generation policies, 356–359, 358
 - contacts, 320–321, 321
 - defined, 611
 - groups. *See* mail-enabled groups
 - mailboxes. *See* mailboxes
 - mobile devices, 423
 - users. *See* mail-enabled users; mailbox-enabled users
- EMC (Exchange Management Console)
 - for configuration, 84, 84
 - defined, 611
 - new features, 3
 - for public folders, 377
- EMS (Exchange Management Shell)
 - new features, 3
 - for public folders, 377
 - for storage group paths, 135
- Enable Anti-Spam Updates page, 238, 238
- Enable-DistributionGroup cmdlet, 300, 302
- Enable Domain Security (Mutual Auth TLS) option, 168
- Enable Local Continuous Replication for This Storage Group option, 501
- Enable-Mailbox cmdlet, 269–270, 324, 461
- Enable-MailContact cmdlet, 318
- Enable-MailPublicFolder cmdlet, 379
- Enable-MailUser cmdlet, 289
- Enable Outlook Anywhere Wizard, 190, 190, 407, 407
- Enable-OutlookAnywhere cmdlet, 407
- Enable Storage Group Local Continuous Replication Wizard, 500
- Enable-StorageGroupCopy cmdlet, 503
- Enable Unified Messaging option, 324
- /EnableErrorReporting option, 90
- /EnableLegacyOutlook option, 89
- enabling
 - LCR, 500
 - message tracking, 452
 - message tracking logs, 453
 - NLB, 491, 491
 - POP3 and IMAP4 client services, 411–412, 412
 - storage group replication, 500–501
- encryption, 611
- Engine Updates Required page, 237–238, 238
- Engines page, 237, 237
- Enter Product Key dialog box, 86, 86
- Enterprise Admins group, 54
- enterprise CAs, 611
- Enterprise Edition, 31, 611
- EOO.chk file, 550
- Error Reporting page
 - CCR, 519
 - installation setting, 80, 80
 - SCC, 509
- ESE (Extensible Storage Engine)
 - databases, 436, 549–550
 - defined, 612
 - instances, 125
- ESEUtil.exe (Exchange Server Database Utility), 550–552
- ethical walls, 611
- EU Data Protection Act, 343
- event log, 611
- Event Viewer
 - for Exchange Server installation verification, 92, 92
 - working with, 580–581, 581
- EventID field, 450
- ExBPA (Exchange Best Practices Analyzer), 87, 552, 589–590
- exceptions and Exceptions tab
 - antispam, 219, 219
 - IP block lists, 223, 223
 - transport rules, 354
- Exchange 5.5 support, 5
- Exchange ActiveSync (EAS)
 - configuring, 414
 - mobile devices, 420–425, 420–424
 - policies, 361–363, 363, 416–420, 417–419
 - support, 415–416, 415
- Exchange ActiveSync Integration option, 187

638 Exchange ActiveSync Mailbox Policy tab – features

- Exchange ActiveSync Mailbox Policy tab, 362
 - Exchange ActiveSync Properties dialog box, 419, 419
 - Exchange ActiveSync tab, 416
 - Exchange Advanced tab, 398, 399
 - Exchange Best Practices Analyzer (ExBPA), 87, 552, 589–590
 - Exchange Database Recovery Management, 552–553
 - Exchange Database Troubleshooting Assistant, 552–553
 - Exchange Install Domain Servers group, 62
 - Exchange Management Console (EMC)
 - for configuration, 84, 84
 - defined, 611
 - new features, 3
 - for public folders, 377
 - Exchange Management Shell (EMS)
 - new features, 3
 - for public folders, 377
 - for storage group paths, 135
 - Exchange Organization Administrators group, 55, 62, 109
 - Exchange Organization dialog box, 81, 81
 - Exchange Recipient Administrators group, 55, 62, 110
 - Exchange Server 2007, 30
 - and Active Directory, 15–18, 54–56
 - domain and forest functional levels, 56–57, 57
 - domain preparation, 59–63, 60–63
 - forest preparation, 57–59, 58
 - organization changes, 63–64
 - installation, 30, 76
 - exam essentials, 115–116
 - GUI-based, 77–84, 78–83
 - post-installation configuration, 84–87, 85–86
 - review questions, 117–122
 - roles, 76–77, 109–113, 110–114
 - Security Configuration Wizard, 99–108, 100–108
 - summary, 115
 - unattended installations, 87–91, 91
 - verification. *See* verification
 - new features, 2–4
 - preparation
 - directory services and network requirements, 42–43
 - editions, 30–32
 - exam essentials, 66–67
 - hardware requirements, 38–41, 42
 - licensing issues, 32–33
 - name resolution, 48–49, 49
 - network and domain controller diagnostics
 - tests, 49–50, 50
 - review questions, 68–74
 - roles, 34–37
 - SCW, 48
 - software requirements, 43–44
 - storage, 50–54, 51
 - summary, 66
 - Windows services and components, 45–48, 46–47
 - removed and deemphasized features, 5–6
 - Exchange Server 2007 Setup dialog box, 79–83, 79–83
 - Exchange Server Administrators group, 55, 110, 112
 - Exchange Server authentication, 174
 - Exchange Server Database Utility (ESEUtil.exe), 550–552
 - Exchange Servers group, 55, 62
 - Exchange servers permission group, 177
 - Exchange users permission group, 176
 - Exchange View-Only Administrators group, 55, 110
 - Exchange2003Interop group, 55
 - ExchangeOAB folder, 97
 - ExchangeSetup.log file, 93–94, 93, 95
 - ExchangeSetup.msilog file, 93, 94
 - Existing User option, 286
 - EXPAND value, 450
 - expanding distribution groups, 612
 - Expansion Server option, 306
 - Expiration Time field, 442
 - Export-CSV cmdlet, 465
 - Export-Message cmdlet, 445
 - ExportEdgeConfig command, 233
 - ExportEdgeConfig.ps1 script, 565–566
 - extended permissions, 612
 - Extensible Storage Engine (ESE)
 - databases, 436, 549–550
 - defined, 612
 - instances, 125
 - extensions, registering, 100, 100
 - external Autodiscover, 404–406, 404–406
 - External DNS Lookups tab, 151, 152
 - Externally Secured authentication, 174
 - ExTRA tool, 552
-
- F**
- FAIL value, 450
 - failback, 612
 - failover, 612
 - fault-tolerant components, 480
 - Favor Certainty option, 243
 - Favor Performance option, 243
 - Favorites folder, 382
 - features
 - new, 2–4
 - removed and replaced, 5–6

fiber switches, 479
 Fibre Channel, 51
 File Deletion Text dialog box, 241, 241
 File Distribution Service, 98, 579
 file dumps, 552
 file server access in OWA, 180–183, 180–183
 file share witness (FSW), 515–516, 612
 Filter Settings page, 310–311, 310
 Filter tab, 313, 313
 filters
 antispam settings
 agents, 227–232, 228, 230–232
 content, 218–220, 218–220
 recipient, 224, 224
 sender, 224–225
 display, 144, 144
 dynamic distribution groups, 310–311, 310, 313, 313
 quarantine views, 248
 Finalize Installation Using the Exchange Management Console option, 83
 firewalls
 defined, 612
 port configuration, 210–211
 First Storage Group, 127
 folder-based applications, 612
 Folder Contact permission, 401–402
 Folder Owner permission, 401–402
 Folder Visible permission, 401–402
 folders
 installation structure, 96–97, 96
 managed, 343–345
 assistant, 350–351, 350
 creating, 345–346, 345
 mailbox policies, 343, 346, 348–349, 348–349
 public. *See* public folders
 ForEach-Object cmdlet, 462
 Forefront Security for Exchange Server, 234
 installing, 235–239, 235–239
 settings, 240–241, 240
 Antivirus, 242–243, 242
 General Options, 245, 245
 Incidents, 248, 248
 Notification, 246–247, 247
 Operate, 246, 246
 Quarantine, 248, 249
 Report, 246–248, 247–248
 Scan Job, 241, 241–242
 Scanner Updates, 243–245, 244
 foreign systems, 612
 /ForeignForestFQDN option, 89
 forest root domains, 10, 612
 ForestPrep command, 56
 forests
 Active Directory, 10, 10
 functional levels, 56–57, 57

 preparation, 57–59, 58
 Windows Server 2003, 16
 forms registry, 612
 FQDNs (fully qualified domain names), 613
 free/busy applications, 612
 From Address field, 443
 FSW (file share witness), 515–516, 612
 full backups, 543
 full-text indexing, 613
 fully qualified domain names (FQDNs), 613
 function calls, 613

G

GAL (global address list)
 contents, 359
 defined, 613
 general-purpose trees, 613
 General tab and settings
 accepted domains, 160–162, 160, 163
 ActiveSync, 416, 417
 antispam, 218, 218
 contacts, 319, 320
 databases, 140–141, 140
 distribution groups, 304, 304
 Forefront Security for Exchange Server, 245, 245
 Hub Transport servers, 151, 151
 mail-enabled users, 291, 291
 mailboxes, 273–274, 274
 Outlook Anywhere, 191
 OWA, 181, 183, 184
 public folders, 385, 385, 398, 398
 receive connectors, 173, 173
 resource mailboxes, 324
 send connectors, 167, 167
 geocustering, 512–513, 514
 Geographical Information page, 196, 196
 Get-ActiveSyncDeviceStatistics cmdlet, 425
 Get-AttachmentFilterListConfig cmdlet, 228–230, 232
 Get-AutodiscoverVirtual Directory cmdlet, 406
 Get-ClusteredMailboxServerStatus cmdlet, 522
 Get-ExchangeAdministrator cmdlet, 111
 Get-ImapSettings cmdlet, 412
 Get-Mailbox cmdlet, 420, 458, 464–465, 596, 598–599, 599
 Get-MailboxDatabase cmdlet, 594
 Get-MailboxStatistics cmdlet, 284, 558, 599
 Get-MailPublicFolder cmdlet, 379
 Get-Message cmdlet, 444–445
 Get-MessageTrackingLog cmdlet, 448–449
 Get-OABVirtualDirectory cmdlet, 408
 Get-OutlookAnywhere cmdlet, 408
 Get-PopSettings cmdlet, 412

640 Get-PublicFolder cmdlet – HyperText Transfer Protocol

Get-PublicFolder cmdlet, 378
 Get-PublicFolderAdministrativePermission cmdlet, 381
 Get-PublicFolderClientPermission cmdlet, 381
 Get-PublicFolderDatabase cmdlet, 380, 595–596
 Get-PublicFolderStatistics cmdlet, 378, 397
 Get-Queue cmdlet, 441, 596
 Get-ReceiveConnector cmdlet, 413
 Get-Service cmdlet, 582–583, 582
 Get-SetupLog.ps1 script, 94
 Get-StorageGroupCopyStatus cmdlet, 504–505
 Get-TransportAgent cmdlet, 227
 Get-TransportConfig cmdlet, 517, 565
 Get-TransportServer cmdlet, 156
 Get-User cmdlet, 459, 463
 Get-WebServicesVirtualDirectory cmdlet, 409
 global address list (GAL)
 contents, 359
 defined, 613
 global catalogs
 Active Directory, 11
 defined, 613
 partitions, 13, 17
 global groups, 296
 Good Availability option
 CCR scheduled outages, 522
 CCR unscheduled outages, 524
 Group Information page, 298, 298, 300, 304–305, 305
 groups, 260
 Active Directory, 54–55
 defined, 613
 distribution. *See* distribution groups
 mail-enabled. *See* mail-enabled groups
 populating, 463
 removing, 113
 storage. *See* storage and storage groups
 groupware, 613
 GUI-based installations, 77–84, 78–83

H

HA. *See* high availability (HA)
 Handling Unspecified Services page, 104, 104
 handoffs, SCC, 512
 hard disk space requirements, 38
 hardware
 for avoiding data loss, 538
 monitoring, 589
 requirements, 38–41, 42
 server clusters, 479–480
 hardware compatibility list, 479
 HBAs (host bus adapters), 479, 613

Health Insurance Portability and Accountability Act (HIPAA), 343
 health reports, 589–592, 590–592
 heartbeat networks, 479
 heartbeats, 613
 HELO command, 613
 Hide Group from Exchange Address Lists
 option, 307
 hierarchies
 defined, 613
 public folders, 389–390
 high availability (HA)
 cluster continuous replication. *See* cluster continuous replication (CCR)
 defined, 613
 exam essentials, 525–526
 local continuous replication. *See* local continuous replication (LCR)
 network load balancing. *See* network load balancing (NLB)
 new features, 4
 overview, 476–478
 review questions, 527–534
 server clustering. *See* server clusters
 single copy cluster
 installing, 508–512, 509–512
 overview, 506–507, 507
 requirements, 507–508
 summary, 525
 HIPAA (Health Insurance Portability and Accountability Act), 343
 host bus adapters (HBAs), 479, 613
 hosts, NLB, 493, 494, 496
 HTML (HyperText Markup Language), 614
 HTTP (HyperText Transfer Protocol), 614
 Hub Transport server, 18, 34–35, 148–149
 backing up and recovering, 564
 defined, 614
 domains, 156–163, 157–163
 message routing, 149
 postmaster mailbox, 154–156, 154–156
 queues, 437
 requirements, 44
 settings, 150–153, 150–153
 SMTP connectors, 163–164
 deleting, 178
 receive, 169–177, 170–173, 175–176
 send, 163–169, 165–169
 transport rules, 354–355
 address lists, 359–361, 360
 creating, 355–356
 email address-generation policies, 356–359, 358
 HyperText Markup Language (HTML), 614
 HyperText Transfer Protocol (HTTP), 614

I

IBM Director, 589
 IFS (installable file system), 388
 IGMP (Internet Group Management Protocol), 492–493
 IIS (Internet Information Services), 615
 IIS Metabase
 backing up, 563
 defined, 614
 IMAP4 (Internet Message Access Protocol version 4), 98, 579
 access to public folders, 6
 Client Access server settings, 563
 clients, 410–411
 configuring, 413–414
 mailboxes, 412–413
 receiver connectors, 413
 server, 412
 services, 411–412, 412
 defined, 615
 IMF (intelligent message filter), 217
 Import-CSV cmdlet, 268, 462
 Import-ExchangeCertificate cmdlet, 410
 ImportEdgeConfig command, 234
 ImportEdgeConfig.ps1 script, 565–566
 Inbox, 614
 Inbox repair tool, 614
 Incidents area, 248, 248
 incremental backups, 544, 614
 information rights management (IRM), 351
 Information Store Integrity Checker (ISInteg.exe), 552–553, 552–553
 Information Store service, 98, 579
 infrastructure masters, 13–14, 614
 inheritance, 614
 installable file system (IFS), 388
 installation
 CCR, 519–521, 519–521
 Exchange Server. *See* Exchange Server 2007
 Forefront Security for Exchange Server, 235–239, 235–239
 SCC, 508–512, 509–512
 SCW, 48
 server clustering, 478–479
 Installation Location page, 235–236, 236
 Installation Type page
 Forefront Security for Exchange Server, 236, 236
 roles, 80, 80
 installer package (MSI file), 614
 installer transform (MST file), 614
 Integrated Authentication
 defined, 615
 receive connectors, 174

integrity, database, 551
 intelligent message filter (IMF), 217
 internal Autodiscover, 404–406, 404–406
 Internal DNS Lookups tab, 152, 152
 internal SMTP servers, 211–212, 212
 InternalSMTPServers list, 213
 Internet Group Management Protocol (IGMP), NLB, 492–493
 Internet Information Services (IIS), 615
 Internet Information Services (IIS) dialog box, 46, 46
 Internet Information Services (IIS) page, 107
 Internet Message Access Protocol. *See* IMAP4 (Internet Message Access Protocol version 4)
 Internet Message ID field, 443
 Internet SCSI (iSCSI) storage, 52, 480
 intersite replication, 14
 Introduction page
 CCR, 519
 contacts, 317
 distribution groups, 299–300
 LCR, 500
 postmaster mailbox, 155, 155
 SCC, 509
 IP addresses
 NLB, 493, 495
 server clusters, 481–483, 486
 IP Allow List Providers Properties dialog box, 220, 221
 IP allow lists, 220–221, 221
 IP Block List Properties dialog box, 222–223, 222–223
 IP block lists, 222–223, 222–223
 ipconfig utility, 615
 IRM (information rights management), 351
 iSCSI (Internet SCSI) storage, 52, 480
 ISInteg.exe (Information Store Integrity Checker), 552–553, 552–553

J

JET (Joint Engine Technology) database, 549
 jobs, backup
 creating, modifying, and performing, 545–546, 545–546
 monitoring and validating, 547
 Joint Engine Technology (JET) database, 549
 Journal folder, 187
 journaling, 140
 .jrs files, 126
 Junk E-mail Filtering option, 187

642 /kbname option – Mail Flow Settings tab**K**

/kbname option, 100
 KCCEvent checks, 50
 Kerberos authentication, 615
 key pairs, 615
 keys, 615

L

large organizations, deployment in, 65
 Last Error field, 440, 443
 Last Retry Time field, 440
 latency, replication, 15
 LCR. *See* local continuous replication (LCR)
 LDAP (Lightweight Directory Access Protocol), 615
 leaf objects, 615
 Legacy Exchange servers permission group, 177
 legacy streaming backups, 541
 /LegacyRoutingServer option, 89
 licensing and License Agreement page
 Exchange Server, 32–33, 79, 79, 84
 Forefront Security for Exchange Server, 235
 Lightweight Directory Access Protocol (LDAP), 615
 Limits tab
 databases, 141–142, 141
 Hub Transport servers role, 153, 153
 mailboxes, 283, 283
 public folders, 386–387, 387
 local continuous replication (LCR), 34, 478,
 497–498, 498
 copy database, 505–506
 defined, 615
 disabling, 502–503
 enabling, 500
 existing storage groups, 500–502
 preparing for, 499–500
 seeding, 503–504
 testing, 505
 Local Continuous Replication tab, 505
 Local delivery rate counter, 585
 Local Network Settings page, 171–172, 171
 local procedure call (LPC), 615
 lockbox process, 615
 log file replay process, 616
 .log files, 125–126, 550
 log shipping, 497
 Logging folder, 97
 logical components in Active Directory, 7–10, 9–10
 logical unit numbers (LUNs)
 configuration and design, 52–53
 defined, 616
 server clusters, 480

LogicalDisk counters, 584
 logs and log files, 125–126, 550
 for avoiding data loss, 538
 circular, 133
 ESE database, 550
 Exchange Server installation verification, 93–94,
 93–94
 message tracking, 452–453
 loosely consistent replication, 14
 Lossless option
 CCR scheduled outages, 522
 CCR unscheduled outages, 524–525
 Lotus Notes connector support, 5
 LPC (local procedure call), 615
 LUNs (logical unit numbers)
 configuration and design, 52–53
 defined, 616
 server clusters, 480

M

MAC addresses
 NLB, 492–493
 switch flooding, 496
 Mail and Directory Management (MADMAN)
 MIB, 616
 mail attributes, 378–379
 mail-enabled contacts. *See* contacts
 mail-enabled groups, 295
 creating
 Active Directory Users and Computers
 Console, 302–303, 302
 Exchange Management Console, 297–299,
 297–298
 Exchange Management Shell, 300, 301
 distribution. *See* distribution groups
 mail-enabling, 299–300, 299, 301
 modifying, 303–304
 properties, 304–309, 304–308
 scope, 296–297
 types, 295–296
 mail-enabled users, 260–261
 creating
 Exchange Management Console, 287–288
 Exchange Management Shell, 288–289, 289
 defined, 616
 managing, 290–291, 290
 properties, 291–293, 291
 Send As permissions, 293–295, 294
 mail exchanger (MX) records, 616
 Mail Flow Settings tab
 contacts, 321
 distribution groups, 307–309, 308
 mail-enabled users, 293
 mailboxes, 278–280, 278

- Mail.que file, 446
- Mail Settings page, 287–288
- Mail Submission service, 98, 149, 579
- Mailbox Assistants service, 98, 579
- Mailbox Database.edb file, 124
- mailbox databases
 - defined, 616
 - recovering, 559–562
- Mailbox delivery queue, 437
- mailbox-enabled users, 260–261
 - creating, 263–266, 263–265
 - defined, 616
 - enabling, 266–267, 266
 - mailbox properties
 - Account, 281, 282
 - Address and Phone, 275, 275
 - E-Mail Addresses, 282, 283
 - General, 273–274, 274
 - Mail Flow Settings, 278–280, 278
 - Mailbox Features, 280, 281
 - Mailbox Settings, 276–277, 276
 - Member Of, 281, 282
 - Organization, 276, 276
 - User Information, 274, 275
 - managing, 272–273, 273
- Mailbox Features tab, 280, 281, 419
- Mailbox folder, 97
- Mailbox Server Role Storage Requirements
 - Calculator, 41, 42
- Mailbox servers, 18, 34
 - backing up and recovering, 567
 - databases, 136
 - configuring, 140–142, 140–142
 - creating, 136–139, 137–139
 - deleting, 146–147, 147
 - mounting and dismounting, 145–146, 146
 - defined, 616
 - storage and storage groups, 127
 - creating, 127–131, 127–132
 - deleting, 147–148
 - paths, 134–136, 134–136
 - properties, 131–134, 132
 - structure, 124–127, 125
 - viewing, 143–145, 143–145
- Mailbox Service Availability report, 593
- Mailbox Settings page, 276–277, 276
 - disconnected mailboxes, 286, 286
 - mailbox-enabled users, 265–267, 265
 - managed folders, 349
 - postmaster mailbox, 156
 - resource mailboxes, 322
- mailboxes
 - aliases, 457–458
 - defined, 616
 - deleted, 283–286, 283–286
 - recovering, 556–558, 556–558
 - retention, 539
 - moving, 453–454
 - bulk management, 459–460
 - Exchange Management Console, 454–456, 454–456
 - Exchange Management Shell, 456–459, 457–458
 - POP3 and IMAP4 clients, 412–413
 - reports, 596–600, 597
 - requirements, 44
 - resource, 321–322
 - creating, 322–324, 323
 - managing, 324
 - properties, 324–326, 325–327
 - working with, 328
 - SCC, 507
 - size, 464–465, 464–465
- Mailflow Local Service Availability report, 593
- Mailflow Remote Service Availability report, 593
- Maintain Per-User Read and Unread Information
 - for This Folder option, 385
- majority node set (MNS)
 - clusters, 616
 - quorums, 513–515
- Manage Mobile Device Wizard, 425
- managed content settings, 343, 346–348, 347
- managed folders, 343–345
 - assistant, 350–351, 350
 - creating, 345–346, 345
 - mailbox policies, 343, 346, 348–349, 348–349
- management information base (MIB), 589, 616
- Managing Queues value, 439
- MAPI (Messaging Application Programming Interface), 617
- MAPI clients, 617
- MAPI subsystems, 617
- MapiDelivery value, 439
- masters, Active Directory, 13–14
- Matching User option, 286
- MaxDumpsterSizePerStorageGroup setting, 517
- MaxDumpsterTime setting, 517
- Maximum Attachment Size setting, 362
- Maximum Certainty option, 243
- Maximum Concurrent Outbound Connections
 - setting, 153
- Maximum Concurrent Outbound Connections per Domain setting, 153
- Maximum Failed Password Attempts setting, 362
- Maximum Inactivity Time Lock setting, 362
- Maximum Number of Recipients to Display
 - link, 315
- Maximum Performance option, 243
- Maximum Time Since Submission (Days) setting, 153
- Member Of tab
 - contacts, 320
 - distribution groups, 306, 306
 - mail-enabled users, 292
 - mailboxes, 281, 282

644 Members tab – moving mailboxes

- Members tab, 305, 305
- Memory counters, 584
- memory requirements
 - Exchange Server, 38–41
 - LCR, 500
- message compliance, 342–343
- Message Count value, 440
- Message Delivery Restrictions dialog box
 - contacts, 321
 - distribution groups, 309
 - mail-enabled users, 293
 - mail flow, 280, 280
- Message Format tab
 - accepted domains, 160, 161
 - remote domains, 160
- message queues
 - databases, 564
 - reports, 594–596
- Message Size Restrictions dialog box
 - contacts, 321
 - distribution groups, 309
 - mail-enabled users, 293
 - mail flow, 278–280
- Message Source Name field, 443
- message state information, 617
- message tracking, 448, 448
 - configuring, 451–453, 451
 - disabling or enabling, 452
 - logs, 452–453, 564
 - process, 448–451, 449–450
- messages
 - classifications, 351–353, 352
 - content settings, 346–348, 347
 - flow, 17–18
 - queues. *See* queues
 - recovery, 553–562, 554, 556–558
 - routing, 149
- Messages Received/sec counter, 585
- Messages Sent/sec counter, 585
- Messaging and Security Feature Pack (MSFP), 414, 415
- Messaging Application Programming Interface (MAPI), 617
- messaging records management (MRM), 343–344
- Messaging Records Management option, 276, 350
- MIB (management information base), 589, 616
- Microsoft Clustering Service (MSCS), 617
- Microsoft Exchange System Objects container, 62–63, 63
- Microsoft Management Console (MMC), 617
- Microsoft Office Outlook 2007, 617
- Microsoft Office SharePoint Server (MOSS), 180, 425
- Microsoft Operations Manager (MOM), 499
 - availability reports, 592–593
 - benefits, 599
- Microsoft Search Service, 617
- migration
 - defined, 617
 - organization changes for, 63–64
- MIME (Multipurpose Internet Mail Extensions), 618
- Minimum Password Length setting, 362
- MMC (Microsoft Management Console), 617
- MNS (majority node set)
 - clusters, 616
 - quorums, 513–515
- mobile devices
 - configuring, 420–425, 420–424
 - policies, 361–363, 363
- /mode option, 88
- Modify the Current Certificate Assignment page, 194, 194
- Modify the Maximum Number of Recipients to Display link, 262
- MOM (Microsoft Operations Manager), 499
 - availability reports, 592–593
 - benefits, 599
- monitoring
 - backups jobs, 547
 - exam essentials, 600
 - hardware, 589
 - performance, 583–585, 583–584
 - Performance Troubleshooter for, 586–589, 586–588
 - review questions, 601–603
 - server services, 578–583, 580–582
 - summary, 600
- Monitoring service, 99, 579
- MOSS (Microsoft Office SharePoint Server), 180, 425
- Mount-Database cmdlet, 146, 562
- Mount This Database option, 137, 376
- mounting
 - databases, 145–146, 146
 - defined, 617
- Move-ClusteredMailboxServer cmdlet, 512, 523
- Move-Mailbox cmdlet, 456–459, 560
- Move Mailbox option
 - mail-enabled users, 291
 - mailbox-enabled user, 273
 - resource mailboxes, 324
- Move Mailbox Wizard, 454, 454, 460
- Move Options page, 455, 455
- Move Schedule page, 455–456, 455
- Move Storage Group Path link, 134
- Move Storage Group Path Wizard, 134, 134
- move-StorageGroupPath cmdlet, 135–136
- MoveAllReplicas.ps1 script, 381
- moving mailboxes, 453–454
 - bulk management, 459–460
 - Exchange Management Console, 454–456, 454–456
 - Exchange Management Shell, 456–459, 457–458

MRM (messaging records management), 343–344
 MSCS (Microsoft Clustering Service), 617
 MSEExchange Store Interface counters, 585
 MSEExchangeIS counters, 585
 MSEExchangeSyncAppPool pool, 416
 MSEExchangeTransport SmtptReceive counters, 585
 MSFP (Messaging and Security Feature Pack),
 414, 415
 MSI file (installer package), 614
 msilog file, 93, 94
 MST file (installer transform), 614
 multicast support in NLB, 492–493
 multimaster replication model, 617
 multipathing
 defined, 617
 server cluster configuration, 480
 Multiple Users Are Complaining of Delays While
 Using Outlook option, 587
 Multipurpose Internet Mail Extensions
 (MIME), 618
 MX (mail exchanger) records, 616

N

Name and Security Settings page, 195, 195
 name resolution, 48–49, 49, 618
 names
 certificates, 195, 195
 databases, 140
 organizations, 83
 remote domains, 158
 SMTP domains, 159
 storage groups, 129
 namespaces, 16, 618
 nbtstat utility, 618
 netdiag tool, 49–50, 618
 NetLogons checks, 49
 netstat utility, 618
 network load balancing (NLB), 477, 489–490, 489
 cluster parameters, 491–493, 492
 defined, 618
 DNS round-robin, 497
 enabling, 491, 491
 host parameters, 493, 494
 host TCP/IP properties, 496
 port rules, 493–495, 494–495
 switch flooding, 496–497
 Network News Transfer Protocol (NNTP),
 5, 618
 Network Security page, 105, 105
 Network Settings page, 165–166, 165
 Network tab
 receive connectors, 174, 175
 send connectors, 167–168, 168

networks
 diagnostics tests, 49–50, 50
 Exchange Server requirements, 42–43
 SCC requirements, 508
 server clusters, 479, 482, 482
 Neutral option, 243
 New Accepted Domain Wizard, 161–162, 161
 new-AcceptedDomain cmdlet, 162
 New ActiveSync Policy Wizard, 362–363, 363
 New-ActiveSyncMailboxPolicy cmdlet, 363
 New-ActiveSyncPolicy cmdlet, 418
 New-ActiveSyncVirtualDirectory cmdlet, 416
 New Address List Wizard, 360, 360
 New-AddressList cmdlet, 361
 New Cluster Wizard, 514
 New Content Setting Wizard, 347
 New Custom Managed Folder Wizard, 345, 345
 New Distribution Group Wizard, 298–299, 298
 new-DistributionGroup cmdlet, 300
 New Dynamic Distribution Group Wizard,
 310–311, 310–311
 new-DynamicDistributionGroup cmdlet, 312
 New Edge Subscription Wizard, 210, 214–215,
 214–215
 New-EdgeSubscription cmdlet, 212, 215
 New Email Address Policy Wizard, 358, 358
 New-EmailAddressPolicy cmdlet, 359
 New Exchange ActiveSync Mailbox Policy, 362
 New-ExchangeCertificate cmdlet, 409–410
 new features, 2–4
 New Group option, 298
 New Mail Contact Wizard, 316–317, 316
 New Mail User Wizard, 287–288
 New-Mailbox cmdlet, 267–268, 323, 462
 New Mailbox Database Wizard, 137, 137
 New Mailbox page, 266–267, 322
 New Mailbox Wizard
 mailbox-enabled users, 263–266, 263–265
 postmaster mailbox, 155, 155
 resource mailboxes, 322
 New-MailboxDatabase cmdlet, 562
 New-MailContact cmdlet, 317
 new-MailUser cmdlet, 288
 New Managed Content Settings Wizard, 347, 347
 New Managed Folder Mailbox Policy Wizard,
 348, 348
 New Managed Folder Wizard, 345
 New-ManagedContentSettings cmdlet, 348
 New-ManagedFolder cmdlet, 346
 New-ManagedFolderMailboxPolicy cmdlet, 349
 New-MessageClassification cmdlet, 353
 New Object - Contact dialog box, 318, 318
 New Object - Group dialog box, 302, 302
 New Object - User dialog box, 271, 271
 New Public Folder Database Wizard, 376
 New-PublicFolder cmdlet, 378

646 New-PublicFolderDatabase cmdlet – Outlook

- New-PublicFolderDatabase cmdlet, 380
 - new-ReceiveConnector cmdlet, 172
 - New Remote Domain Wizard, 158, 158
 - new-RemoteDomain cmdlet, 158
 - new-SendConnector cmdlet, 166
 - New Server Cluster Wizard, 484–487, 484–487
 - New SMTP Receive Connector Wizard, 171–172, 171–172
 - New SMTP Send Connector Wizard, 165, 165
 - New Storage Group link, 128, 128
 - New Storage Group Wizard, 129–130, 129–130, 501
 - New-StorageGroup cmdlet, 502, 561
 - New Transport Rule Wizard, 356, 356
 - New-TransportRule cmdlet, 356
 - New User option
 - mail-enabled users, 287
 - mailbox-enabled users, 264
 - /NewCms option, 89
 - /NewProvisionedServer option, 89
 - Next Hop Domain field, 439
 - Next Retry Time value, 440
 - NLB. *See* network load balancing (NLB)
 - NNTP (Network News Transfer Protocol), 5, 618
 - nodes, 618
 - non-MAPI clients, 179
 - Nonediting Author role permissions, 402
 - nonprovisionable devices, 418
 - NonSmtpGatewayDelivery value, 439
 - normal backups, 618
 - /NoSelfSignedCertificates option, 90
 - Notes option, 187
 - notifications
 - defined, 618
 - Forefront Security for Exchange Server, 246–247, 247
 - Notify Sender When Message Is Delayed More Than (Hours) setting, 153
 - nouns in cmdlets, 377
 - Novell GroupWise connector, 5
 - nslookup utility, 49, 49, 618
-
- O**
- OABs (Offline Address Books), 87
 - for address lists, 359–360
 - configuring, 408, 409
 - defined, 619
 - Object Linking and Embedding version 2 (OLE 2), 619
 - objects
 - Active Directory, 7
 - defined, 619
 - Obtain Product Key dialog box, 85, 85
 - Offline Address Books (OABs), 87
 - for address lists, 359–360
 - configuring, 408, 409
 - defined, 619
 - Offline address list setting, 142
 - offline backups, 619
 - Offline Storage (OST) folder, 619
 - OLE 2 (Object Linking and Embedding version 2), 619
 - Open Ports and Approve Applications page, 105, 105
 - Open Shortest Path First (OSPF) protocol, 619
 - Operate area, 246, 246
 - operating systems
 - requirements, 38
 - server clusters, 481
 - operations masters, 13
 - optical drive requirements, 38
 - Organization Information page, 195–196, 195
 - organization management, 436
 - bulk management, 460–465, 462–465
 - exam essentials, 467
 - message tracking, 448, 448
 - configuring, 451–453, 451
 - disabling or enabling, 452
 - logs, 452–453, 564
 - process, 448–451, 449–450
 - for migration, 63–64
 - moving mailboxes, 453–454
 - bulk management, 459–460
 - Exchange Management Console, 454–456, 454–456
 - Exchange Management Shell, 456–459, 457–458
 - queues. *See* queues
 - review questions, 468–474
 - summary, 466–467
 - Organization object, 619
 - Organization tab
 - contacts, 320
 - mail-enabled users, 292
 - mailboxes, 276, 276
 - organizational units (OUs), 7–8, 619
 - /OrganizationName option, 88
 - OSPF (Open Shortest Path First) protocol, 619
 - OST (Offline Storage) folder, 619
 - OUs (organizational units), 7–8, 619
 - outages, CCR
 - scheduled, 521–523
 - unscheduled, 523–525
 - Outbound Connection Failure Retry Interval (Minutes) setting, 153
 - Outlook
 - Autodiscover with, 405–406, 406
 - deleted items in, 555
 - public folders with, 382–384, 383–384

- Outlook Anywhere
 - configuring, 190–191, 190–191, 407–408, 407–408
 - defined, 619
 - Outlook Anywhere tab, 191, 191
 - Outlook Web Access (OWA), 179
 - Authentication settings, 185, 186
 - defined, 619
 - deleted items in, 555
 - General settings, 183, 185
 - mobile devices, 424, 424
 - Private Computer File Access settings, 189
 - Public Computer File Access settings, 187–189, 188–189
 - Remote File Servers settings, 190
 - for resource mailboxes, 326, 327
 - Segmentation settings, 185–187, 186
 - for SharePoint and file server access, 180–183, 180–184
 - Outlook Web Access External Service Availability report, 593
 - Outlook Web Access Internal Service Availability report, 593
 - outsourced dial tone, 540
 - OWA. *See* Outlook Web Access (OWA)
 - OWA Light, 619
 - Owner role permissions, 402
-
- P**
- PAB (Personal Address Book), 620
 - Pages/sec counter, 584
 - partitions, Active Directory, 12–13, 17
 - Partner Mail classification, 352
 - Partners permission group, 177
 - passive node computers, 508–512, 509–512
 - Password Enabled setting, 361
 - Password Expiration setting, 361
 - Password History setting, 362
 - password page
 - ActiveSync, 418, 418
 - users, 272, 272
 - Password Recovery setting, 362
 - passwords
 - ActiveSync, 361–362, 416, 418, 418
 - mailboxes, 463
 - mobile devices, 421, 421
 - server clusters, 483
 - users, 268–269, 268, 272, 272
 - patch files, 619
 - Path field, 385
 - pathping command, 620
 - paths
 - public folders, 385
 - storage groups, 134–136, 134–136
 - PDC (Primary Domain Controller) emulators
 - defined, 621
 - masters, 14
 - Pending Certificate Request page, 197, 197
 - PendingRemove value, 443
 - PendingSuspend value, 443
 - Perform a Remote Wipe to Clear Mobile Device
 - Data option, 425
 - Performance console, 583
 - Performance Details tab, 589
 - Performance Monitor, 583–585, 583–584, 620
 - Performance Snap-in tool, 620
 - Performance Summary tab, 589
 - Performance Troubleshooter, 586–589, 586–588
 - perimeter networks, 620
 - Permission Entry dialog box, 294
 - Permission Groups tab, 176–177, 176
 - permissions
 - defined, 620
 - mail-enabled users, 293–295, 294
 - public folders, 380–381, 399–403, 400
 - receive connectors, 176–177, 176
 - Permissions tab, 399–403, 400
 - Personal Address Book (PAB), 620
 - Personal Store (PST) folder, 620
 - PFAAdmin tool, 389
 - PFDAVAdmin (Public Folder DAV Administration) tool, 387–388
 - PFInfo tool, 389
 - PFMigrate.wsf tool, 389
 - physical components in Active Directory, 10–12
 - Pickup folder, 620
 - ping tool, 620
 - PKI (public key infrastructure), 621
 - plain text, 620
 - Point-to-Point Protocol (PPP), 620
 - Poison message queue, 437
 - POISONMESSAGE value, 450
 - policies
 - ActiveSync, 416–420, 417–419
 - email address-generation, 356–359, 358
 - exam essentials, 364
 - managed folder mailbox, 346, 348–349, 348–349
 - mobile device, 361–363, 363
 - review questions, 365–371
 - summary, 364
 - Policy Refresh Interval setting, 362
 - polling, 620
 - pools, RID, 14
 - POP3 (Post Office Protocol version 3) protocol, 99, 579
 - Client Access server settings, 563
 - clients, 410–411
 - configuring, 413–414
 - mailboxes, 412–413
 - receiver connectors, 413

648 populating groups – public folders

- server, 412
- services, 411–412, 412
- defined, 620
- populating groups, 463
- port flooding, 497
- port numbers, 620
- port rules in NLB, 493–495, 494–495
- portability, database, 539
- post-installation configuration, 84–87, 85–86
- Post Office Protocol. *See* POP3 (Post Office Protocol version 3) protocol
- postmaster mailboxes
 - defined, 621
 - Hub Transport servers, 154–156, 154–156
- PowerShell
 - benefits, 114–115
 - Exchange Server installation verification, 91, 92
- PPP (Point-to-Point Protocol), 620
- Premium Client option, 187
- /PrepareAD command, 55–56, 59–61, 61
- /PrepareDomain command, 55–56, 59, 62–63, 65
- /PrepareLegacyExchangePermissions command, 63–65
- /PrepareSchema command, 55–59
- Primary Domain Controller (PDC) emulators
 - defined, 621
 - masters, 14
- priorities
 - public folder replication, 396
 - server clusters, 482, 482
- Private Computer File Access tab, 183, 183, 189–190
- private keys, 621
- private networks, TCP/IP configuration for, 482–483
- Process the Pending Request option, 197
- Processing Security Configuration Database page, 101
- Processor counters, 585
- processor requirements, 38–39
- % Processor Time counter, 585
- Product Key, 85–86
- Progress page
 - CCR, 520
 - Exchange Server installation, 82, 82
 - SCC, 510
- properties
 - accepted domains, 160–162, 160
 - ActiveSync, 418–420, 418–419
 - contacts, 319–321, 320–321
 - databases, 140–142, 140–142
 - defined, 621
 - distribution groups, 304–309, 304–308
 - dynamic distribution groups, 313, 313–314
 - Hub Transport servers, 150–153, 150–153
 - IP allow lists, 220–221, 221
 - mail-enabled users, 291–293, 291
 - mailboxes, 144, 145
 - Account, 281, 282
 - Address and Phone, 275, 275
 - E-Mail Addresses, 282, 283
 - General, 273–274, 274
 - Mail Flow Settings, 278–280, 278
 - Mailbox Features, 280, 281
 - Mailbox Settings, 276–277, 276
 - Member Of, 281, 282
 - Organization, 276, 276
 - resource, 324–326, 325–327
 - User Information, 274, 275
 - Outlook Anywhere, 191, 191
 - OWA, 181–190, 181–183, 185–186, 188
- public folders, 383–387, 384–387
 - Advanced, 398, 399
 - General, 398, 398
 - Permissions, 399–403, 400
 - replication, 394–398, 394–396
- queues, 445–447, 446–447
- send connectors, 167–169, 167–169
- storage groups, 131–134, 132
- Properties task for queued messages, 444
- Proposed Cluster Configuration page, 487, 487, 515
- Providers tab, 220, 221, 223, 223
- PST (Personal Store) folder, 620
- Public Computer File Access tab, 182, 182, 187–189, 188
- public databases, 621
- Public folder, 97
- Public Folder DAV Administration (PFDAdmin) tool, 387–388
- Public Folder Migration Tool, 389
- public folders, 260, 374–375
 - complicated tasks, 381–382
 - databases, 375–376, 380
 - defined, 621
 - exam essentials, 427
 - general tasks, 377
 - hierarchy, 389–390, 621
 - mail attributes, 378–379
 - management options, 376–377
 - managing, 392, 393
 - with Outlook, 382–384, 383–384
 - permissions, 380–381
 - properties, 397–398
 - Advanced, 398, 399
 - General, 398, 398
 - Permissions, 399–403, 400
- Public Folder DAV Administration tool, 387–388
- referrals, 621
- replicating, 390–391, 391, 394–397, 394–396, 621
- review questions, 428–433
- specific folder tasks, 377–378
- summary, 426–427

- support, 6
 - System Manager for, 384–387, 385–387, 392, 393
 - Public Folders list, 359
 - public-key encryption, 621
 - public key infrastructure (PKI), 621
 - public keys, 621
 - public networks, TCP/IP configuration for, 481–482
 - Publishing Author role permissions, 402
 - Publishing Editor role permissions, 402
 - purging mailboxes, 284
 - push email, 414
-
- Q**
- Quarantine area, 248, 249
 - Quarantine Security Settings page, 236–237, 237
 - queue folders, 621
 - Queue ID field, 443
 - Queue Viewer Options dialog box, 445, 446
 - Queue Viewer tool, 438–440, 438, 440, 621
 - queues, 436
 - managing, 437–442, 438, 440–442
 - message management, 442–445, 443–445
 - overview, 436–437
 - properties, 445–447, 446–447
 - reports, 594–596
 - quorum disks, 622
-
- R**
- RAID Levels, 53–54
 - Raise Domain Functional Level dialog box, 57, 57
 - random failover, 622
 - Read Items permission, 401–402
 - Readiness Checks page
 - CCR, 520, 520
 - Exchange Server installation, 82, 82
 - SCC, 510, 510
 - Ready value, 443
 - receive connectors
 - POP3 and IMAP4 clients, 413
 - SMTP, 163, 169–177, 170–173, 175–176
 - RECEIVE value, 450
 - recipient filtering, 224, 224
 - Recipient Filtering Properties dialog box, 224, 224
 - Recipient Update Service (RUS)
 - in migration, 63–64
 - support, 5, 356–357
 - recipients, 260–261
 - defined, 622
 - exam essentials, 329
 - mail contacts. *See* contacts
 - mail-enabled groups. *See* mail-enabled groups
 - mail-enabled users. *See* mail-enabled users
 - mailbox-enabled users. *See* mailbox-enabled users
 - resource mailboxes. *See* resource mailboxes
 - review questions, 330–339
 - summary, 328–329
 - record management, 342–343
 - /RecoverCms option, 89
 - RecoverServer option, 539
 - recovery. *See* disaster recovery
 - recovery servers, 622
 - recovery storage groups (RSGs), 560, 622
 - REDIRECT value, 450
 - redundant components
 - for avoiding data loss, 538
 - server clusters, 480
 - registry settings
 - Client Access server, 563
 - Hub Transport servers, 564
 - message classifications, 353
 - server roles, 100, 100, 106, 106
 - Registry Settings page, 106, 106
 - regular expressions, 622
 - Reject option, 231
 - relative identifier (RID) masters, 14, 622
 - Reminders and Notifications option, 187
 - remote delivery, 437, 623
 - remote domains
 - creating, 157–160, 157–159
 - defined, 623
 - Remote File Servers tab, 181, 181
 - Remote Network Settings page, 172, 172
 - remote procedure calls (RPCs), 623
 - Remove-AttachmentFilterEntry cmdlet, 230
 - Remove-DistributionGroup cmdlet, 304
 - Remove-DynamicDistributionGroup cmdlet, 313
 - Remove-ExchangeAdministrator cmdlet, 113
 - Remove-Mailbox cmdlet, 284, 324
 - remove-mailboxesdatabase cmdlet, 146
 - Remove-MailContact cmdlet, 319
 - Remove-MailUser cmdlet, 291
 - Remove-Message cmdlet, 442, 444
 - Remove Messages (with NDR) task, 441
 - Remove Messages (Without Sending NDR) task, 441
 - Remove-PublicFolder cmdlet, 378
 - Remove-PublicFolderAdministrativePermission cmdlet, 381
 - Remove-PublicFolderClientPermission cmdlet, 381
 - Remove-PublicFolderDatabase cmdlet, 380
 - remove-StorageGroup cmdlet, 147
 - Remove (with NDR) task, 443
 - Remove (Without Sending NDR) task, 444
 - /RemoveCms option, 89
 - /RemoveProvisionedServer option, 89

650 RemoveReplicaFromPFRecursive.ps1 cmdlet – rules

- RemoveReplicaFromPFRecursive.ps1 cmdlet, 381–382
- /RemoveUm LanguagePack option, 89
- removing and Remove option
 - contacts, 319
 - distribution groups, 304
 - mail-enabled users, 291
 - mailbox-enabled users, 273
 - resource mailboxes, 324
 - roles, 198
 - users and groups, 113
- repairing databases, 548–553, 548, 551–553
- ReplaceReplicaOnPFRecursive.ps1 cmdlet, 382
- ReplaceUserPermissionOnPFRecursive.ps1 cmdlet, 382
- ReplaceUserWithUserOnPFRecursive.ps1 cmdlet, 382
- replaying transaction log files, 551
- replicas, 623
- replication
 - Active Directory, 14–17
 - CCR. *See* cluster continuous replication (CCR)
 - dcdiag for, 49
 - defined, 623
 - LCR. *See* local continuous replication (LCR)
 - public folders, 390–391, 391, 394–397, 394–396
- Replication Service, 99, 579
- Replication Status dialog box, 396, 396
- Replication tab, 385, 386, 395, 395
- reports
 - availability, 592–593
 - database and message queue, 594–596
 - Forefront Security for Exchange Server, 246–248, 247–248
 - health, 589–592, 590–592
 - mailbox and user usage, 596–600, 597
- Request File Summary page, 197
- reserved log files, 550, 623
- RESOLVE value, 450
- resolving addresses, 623
- Resource Custom Properties field, 325
- resource groups, 623
- Resource Information tab, 325–326, 325
- resource mailboxes, 321–322
 - creating, 322–324, 323
 - managing, 324
 - properties, 324–326, 325–327
 - working with, 328
- Resource Settings option, 326
- Restart Exchange Transport Service page, 239, 239
- Restore-StorageGroupCopy cmdlet, 505–506
- restoring
 - Client Access server, 563–564
 - database files, 552
 - defined, 623
 - Edge Transport servers, 565–566
 - Hub Transport servers, 564
 - mailbox databases, 559–562
 - mailbox servers, 567
 - resume-generating events (RGEs), 537
 - Resume Local Continuous Replication option, 504
 - Resume-Message cmdlet, 444
 - Resume-PublicFolderReplication cmdlet, 378
 - Resume-Queue cmdlet, 441
 - Resume task, 441, 443
 - Retry-Queue cmdlet, 442
 - Retry Remote Delivery Queue Length counter, 585
 - Retry task, 441, 443
 - Reviewer role permissions, 402
 - RGCs (routing group connectors), 623
 - RGEs (resume-generating events), 537
 - rich-text (EDB) files, 124, 126, 550, 623
 - RID (relative identifier) masters, 14, 622
 - RIDManager checks, 49
 - Rights Management Service (RMS) Exchange Agents, 351
 - risk management and identification process, 476
 - Role-Based Service Configuration page, 101
 - roles
 - Active Directory, 13–14
 - adding and removing, 198
 - Administrative, 109
 - configuring, 110–113, 110–114
 - overview, 109–110
 - Client Access server. *See* Client Access servers
 - defined, 623
 - exam essentials, 199
 - Exchange Server, 34–37
 - extensions for, 100, 100
 - Hub Transport server. *See* Hub Transport server
 - installing, 76–77
 - Mailbox server. *See* Mailbox servers
 - permissions, 402
 - review questions, 200–205
 - selecting, 102, 102
 - summary, 198
 - /roles option, 88
 - Room Mailbox option, 322
 - root CAs, 623
 - root domains, 9–10, 59–61, 60–61, 623
 - round-robin DNS, 497
 - routing group connectors (RGCs), 623
 - routing group masters, 623
 - routing groups, 5, 623
 - RPC Averaged Latency counter, 585
 - RPC Latency average (msec) counter, 585
 - RPC Requests counter, 585
 - RPCs (remote procedure calls), 623
 - RSGs (recovery storage groups), 560, 622
 - RTF (rich-text format), 623
- rules
 - defined, 623
 - exam essentials, 364
 - firewall ports, 210–211

port, 493–495, 494–495
 review questions, 365–371
 summary, 364
 transport, 354–355
 address lists, 359–361, 360
 creating, 355–356, 356
 email address-generation policies,
 356–359, 358
 Run Job area, 246, 246
 Run Update-StorageGroupCopy cmdlet, 503
 RUS (Recipient Update Service)
 in migration, 63–64
 support, 5, 356–357

S

S/MIME (Secure/Multipurpose Internet Mail Extensions), 624
 SANs (storage area networks), 480, 625
 Sarbanes-Oxley (SOX) Act, 343
 SAS (Serial-attached SCSI) disks, 51
 SATA (Serial ATA) interface, 51–52
 Save Security Policy page, 107
 scalability, 624
 Scan Job section, 241, 241–242
 Scanner Updates area, 243–245, 244
 SCC (single copy cluster), 478
 defined, 624
 installing, 508–512, 509–512
 overview, 506–507, 507
 requirements, 507–508
 Schedule+ Free Busy public folders, 624
 schedules
 CFR outages, 521–523
 database routines, 141
 managed folders assistant, 350, 350
 moving mailboxes, 455, 455
 tape rotation, 543
 Schema Admins group, 54
 schema masters, 13, 624
 schemas
 Active Directory, 12, 55–59
 defined, 624
 partitions, 12–13, 17
 SCL field, 443
 SCL (spam confidence level) value, 218
 scope in mail-enabled groups, 296–297
 SCPs (service connection points), 404
 Scripts folder, 97
 SCSI devices, 480
 SCW (Security Configuration Wizard), 48, 99–108,
 100–108
 scwcmd register, 100
 Search Folders option, 187
 Search Indexer service, 99, 579
 Search service, 99, 579
 Second Storage Group, 131
 secret keys, 624
 Secure Mode in Forefront Security for Exchange
 Server, 237
 Secure/Multipurpose Internet Mail Extensions
 (S/MIME), 624
 Secure Sockets Layer (SSL)
 configuring, 191–197, 192–197, 409–410
 defined, 624
 security, 208
 Edge Transport server. *See* Edge Transport server
 exam essentials, 250
 Forefront Security for Exchange Server. *See*
 Forefront Security for Exchange Server
 review questions, 251–258
 Security Configuration Wizard, 99–108,
 100–108
 summary, 250
 Security Configuration Wizard (SCW), 48, 99–108,
 100–108
 security groups
 defined, 624
 mail-enabled, 303
 working with, 295
 security identifiers (SIDs), 14
 Security Policy File Name page, 107, 107
 Security tab, 294, 294
 seeding LCR, 503–504
 Segmentation tab, 185–187, 186
 Select a Best Practices Scan to View page, 592, 592
 Select a Public Store dialog box, 395, 395
 Select Additional Services page, 103, 103
 Select Administration and Other Options page,
 103, 103
 Select Client Features page, 102, 102
 Select Computers page, 515
 Select Contact dialog box, 317
 Select Group dialog box, 299–300, 299
 Select-Object cmdlet, 595
 Select Organizational Unit dialog box
 contacts, 316
 mail-enabled users, 287
 mailbox-enabled users, 265, 265
 resource mailboxes, 322
 Select Program Folder page, 239, 239
 Select Resource Custom Property dialog box,
 326, 326
 Select Server page, 101
 Select Server Roles page, 102, 102
 Select User dialog box
 mail-enabled users, 288
 mailbox-enabled users, 266–267, 266
 Select User, Computer, or Group dialog box, 294
 self-signed SSL certificates, 192
 Send As permissions, 293–295, 294
 send connectors, 163–169, 165–169
 Send Delivery Reports to Group Manager
 option, 307

652 Send Delivery Reports to Message Originator option – 64-bit features

- Send Delivery Reports to Message Originator option, 307
- Send Out-of-Office Messages to Originator option, 307
- SEND value, 450
- Sender Confidence tab, 227, 227
- sender filtering, 224–227, 226–227
- Sender Filtering Properties dialog box, 224–225, 225
- Sender ID Properties dialog box, 226, 226
- sender reputation level (SRL), 227
- Sender Reputation Properties dialog box, 226–227, 227
- Serial ATA (SATA) interface, 51–52
- Serial-attached SCSI (SAS) disks, 51
- Server Certificate page, 194–195, 194–195
- server clusters
 - CCR. *See* cluster continuous replication (CCR)
 - disk configuration, 484
 - hardware, 479–480
 - installing, 478–479
 - operating systems, 481
 - service accounts, 483–484
 - service configuration, 484–488, 484–488
 - single copy clusters, 506–512, 507, 509–512
 - TCP/IP configuration, 481–483
- Server Configuration folder, 137
- Server Configuration node, 85, 85
- Server Role Selection page
 - CCR, 520
 - SCC, 510
- /ServerAdmin option, 89
- servers
 - adding and removing, 198
 - Client Access. *See* Client Access servers
 - Edge Transport. *See* Edge Transport server
 - Hub Transport. *See* Hub Transport server
 - licenses, 33, 624
 - Mailbox. *See* Mailbox servers
 - new features, 3
 - POP3 and IMAP4 clients, 412
 - SMTP, 211–212, 212, 625
- Service Availability Summary report, 593
- service connection points (SCPs), 404
- Service Host service, 99, 579
- service providers, 624
- services
 - directory, 42–43
 - monitoring, 578–583, 580–582
 - POP3 and IMAP4 clients, 411–412, 412
 - server clusters, 483–484
 - verifying, 97–99, 98
- Services console, 580, 580
- Services node, 94
- Set-ActiveSyncVirtualDirectory cmdlet, 416
- Set-AttachmentFilterListConfig cmdlet, 231–232
- Set-CASMailbox cmdlet, 412–413, 420
- Set-Mailbox cmdlet, 350
- Set-MailboxCalendarSettings cmdlet, 326
- Set-MailboxDatabase cmdlet, 562
- Set-MailboxServer cmdlet, 351, 452
- Set-MailPublicFolder cmdlet, 379
- Set-OABVirtualDirectory cmdlet, 408
- Set Paths page, 500
- Set-PublicFolder cmdlet, 379
- Set-PublicFolderDatabase cmdlet, 380
- Set-ReceiveConnector cmdlet, 280
- Set-ResourceConfig cmdlet, 325
- Set-SendConnector cmdlet, 280
- Set-Service msExchangeIMAP4 cmdlet, 411
- Set-Service msExchangePOP3 cmdlet, 411
- Set-TransportConfig cmdlet, 211, 279, 518, 565
- Set-TransportServer cmdlet, 156, 452–453
- Set-WebServicesVirtualDirectory cmdlet, 409
- setup.com command, 87–89
- Setup folder, 97
- setup log files, 93–94, 93–94
- SharePoint
 - configuring, 180–182, 180–181
 - disabling, 182–183, 182–183
 - Microsoft Office SharePoint Server, 180, 425
- sharing content and information. *See* public folders
- SIDs (security identifiers), 14
- signing, 187, 624
- SilentDelete option, 231
- SIM (Systems Insight Manager), 589
- Simple Display Name setting, 306
- simple display names, 306, 624
- Simple Mail Transfer Protocol (SMTP)
 - connectors, 163–164
 - defined, 625
 - deleting, 178
 - receive, 169–177, 170–173, 175–176
 - send, 163–169, 165–169
 - defined, 624
 - domains, 158–159
 - mail-enabled users, 287–288
 - servers
 - EdgeSync, 211–212, 212
 - virtual, 625
- Simple Network Management Protocol (SNMP), 589, 624
- single copy cluster (SCC), 478
 - defined, 624
 - installing, 508–512, 509–512
 - overview, 506–507, 507
 - requirements, 507–508
- single-instance storage, 625
- site link object replication, 15
- sites, 625
- 64-bit features, 3

- size
 - mailbox, 464–465, 464
 - message tracking logs, 452–453
 - queued messages, 443
 - Size (KB) field, 443
 - Skip:Detect Only option, 243
 - smart hosts, 625
 - SmartHostConnectorDelivery value, 439
 - SMTP. *See* Simple Mail Transfer Protocol (SMTP)
 - SMTP Address dialog box, 287–288
 - SmtRelaytoRemoteAdSite value, 439
 - SmtRelaytoTiRg value, 439
 - SmtRelayWithinAdSite value, 439
 - SmtRelayWithinAdSiteToEdge value, 439
 - SNMP (Simple Network Management Protocol), 589, 624
 - software
 - requirements, 43–44
 - SCC, 508
 - Source IP field, 443
 - Source Server page, 166, 169, 169
 - SOX (Sarbanes-Oxley) Act, 343
 - spam confidence level (SCL) value, 218
 - special characters in organization names, 83
 - Speech Engine service, 99, 579
 - Spelling Checker option, 187
 - spooling, 625
 - SRL (sender reputation level), 227
 - SSL (Secure Sockets Layer)
 - configuring, 191–197, 192–197, 409–410
 - defined, 624
 - stand-alone CAs, 625
 - Standard Edition, 30, 625
 - standard permissions, 625
 - Start a New Best Practices Scan page, 591, 591
 - Start Copying Files page, 239
 - Start-EdgeSynchronization cmdlet, 215
 - Start-Service cmdlet, 411–412
 - Status field, 440, 443
 - storage and storage groups, 124–127
 - configuring, 50–54, 51
 - creating, 127–131, 127–132
 - databases, 124–125, 125
 - defined, 625
 - deleting, 147–148
 - guidelines, 148
 - LCR, 500–502
 - memory requirements, 40–41, 42
 - paths, 134–136, 134–136
 - properties, 131–134, 132
 - public folders. *See* public folders
 - viewing, 143–145, 143–145
 - storage area networks (SANs), 480, 625
 - Storage Limits setting, 386
 - Storage Quotas dialog box, 276, 276
 - store-and-forward method, 626
 - Store.exe process, 625
 - stories, 565
 - streaming backups
 - legacy, 541
 - support for, 6
 - streaming database support, 5
 - Strip option, 231
 - Subject field, 443
 - Submission queue, 437
 - SUBMIT value, 450
 - subnet masks, 481, 483
 - subordinate CAs, 626
 - subsystems, 626
 - support agreements, 538
 - Suspend Local Continuous Replication option, 504
 - Suspend-Message cmdlet, 444
 - Suspend-PublicFolderReplication cmdlet, 378
 - Suspend-Queue cmdlet, 441
 - Suspend-StorageGroupCopy cmdlet, 503
 - Suspend task, 441, 443
 - Suspended value, 443
 - switch flooding, 496–497
 - synchronization event log entries, 215, 216
 - System Attendant service, 99, 579
 - System log, 581
 - System Manager, 384–387, 385–387, 392, 393
 - system state backups, 626
 - Systems Insight Manager (SIM), 589
-
- ## T
- Tag Text dialog box, 241, 242
 - tape rotation schedules, 543
 - /TargetDir option, 88
 - Task Manager, 626
 - Tasks option, 187
 - TCP/IP configuration
 - Network Load Balancing, 496
 - server clusters, 481–483
 - telnet tool, 626
 - templates
 - defined, 626
 - Forefront Security for Exchange Server, 241–242
 - temporary database, 550
 - testing
 - backups, 547–548
 - LCR, 505
 - Theme Selection option, 187
 - third-party dial tones, 561
 - third-party SSL certificates, 192–197, 193–197
 - Third Storage Group, 131
 - This Object Only from the Apply Onto list, 294
 - TLS (Transport Layer Security)
 - encryption, 626
 - receive connectors, 174
 - send connectors, 168
 - Tmp.edb file, 126, 446, 550

654 tokens – UUENCODE protocol

tokens, 626
 top-level folders, 626
 topology checking, 50
 Topology service, 98, 578
 tracert utility, 626
 transaction logs, 125–126
 for avoiding data loss, 538
 defined, 627
 ESE database, 550
 TRANSFER value, 450
 Transient Failure Retry Attempts setting, 153
 Transient Failure Retry Interval (Seconds)
 setting, 153
 transitive trust relationships, 9
 transport dumpster, 517–518
 Transport Layer Security (TLS)
 encryption, 626
 receive connectors, 174
 send connectors, 168
 Transport Log Search service, 99, 579
 transport rules, 354–355
 address lists, 359–361, 360
 creating, 355–356, 356
 email address-generation policies, 356–359, 358
 Transport Rules tab, 355–356
 Transport service, 99, 579
 TransportRoles folder, 97
 Triple Data Encryption Standard (3DES), 627
 Trn.chk file, 446
 Trn.log file, 446
 Trnres00001.jrs file, 446
 Trntmp.log file, 446
 trust relationships, 9
 two-node MNS clusters, 514–515
 two of three rule, 480
 two-way trust relationships, 9
 Typical installation, 80, 627

U

unattended installations, 87–91, 91
 UNC File Access setting, 362
 Undefined value, 439
 unicast support in NLB, 492
 Unified Messaging Integration option, 187
 Unified Messaging Local Fax Service Availability
 report, 593
 Unified Messaging Local Voice Service Availability
 report, 593
 Unified Messaging Remote Voice Service
 Availability report, 593
 Unified Messaging server and service, 99, 579
 defined, 627
 functions, 36–37

 Hub Transport servers for, 18
 new features, 3
 OWA, 187
 requirements, 44
 UnifiedMessaging folder, 97
 uniform resource identifiers (URIs), 627
 uniform resource locators (URLs), 627
 universal groups, 296
 Unreachable queue, 437, 439
 unscheduled CCR outages, 523–525
 Update-EmailAddressPolicy cmdlet, 357
 Update-PublicFolder cmdlet, 379
 Update-PublicFolderHierarchy cmdlet, 378
 Update-StorageGroupCopy cmdlet,
 503–504
 /UpdatesDir option, 88
 URIs (uniform resource identifiers), 627
 URLs (uniform resource locators), 627
 Usenet network, 627
 user behavior in memory
 recommendations, 41
 User Information page
 mail-enabled users, 287, 292
 mailbox-enabled users, 264, 264
 mailboxes, 274, 275
 postmaster mailbox, 155, 155
 resource mailboxes, 322
 User Mailbox option, 266
 User Type page
 contacts, 317
 mail-enabled users, 288
 mailbox-enabled users, 264, 264, 266
 mailboxes, 286
 postmaster mailbox, 155
 resource mailboxes, 322
 usernames for mobile devices, 421, 421
 users and user accounts, 260–262
 anonymous, 176, 402
 creating
 Active Directory Users and Computers,
 270–272, 271–272
 Exchange Management Console, 262–266,
 262–265
 Exchange Management Shell, 267–269,
 268–269
 defined, 627
 deleted, 283–286, 283–286
 mail-enabled. *See* mail-enabled users
 mailbox-enabled. *See*
 mailbox-enabled users
 mailboxes. *See* mailboxes
 removing, 113
 usage reports, 596–600, 597
 UUENCODE protocol, 627

V

validating backups jobs, 547
 verbs in cmdlets, 377
 verification
 Exchange Server installation
 Active Directory, 94, 95–96
 Event Viewer, 92, 92
 folder structure, 96–97, 96
 PowerShell, 91, 92
 services, 97–99, 98
 setup log files, 93–94, 93–94
 public folder replication, 396–397, 396
 versions
 Exchange Server, 31–32, 44–45
 MSFP information, 414, 415
 View Best Practices Report page, 591, 591
 View Messages task, 441
 virtual directories, 406
 virtual local area networks (VLANs), 513, 628
 virtual servers, 628
 Virus Administrators notifications, 247
 Virus Recipients (external) notifications, 247
 Virus Recipients (internal) notifications, 247
 virus scanning API (VSAPI), 6
 Virus Sender (external) notifications, 247
 Virus Sender (internal) notifications, 247
 VLANs (virtual local area networks), 513, 628
 volume configuration and design, 52–53
 Volume Shadow Copy Service (VSS), 513, 542, 628
 VSAPI (virus scanning API), 6

W

W3svc service, 628
 WAN link replication, 15
 Web, 628
 web.config file, 563
 web pages for Client Access server, 563
 Web Server Certificate Wizard, 194, 194
 web service configuration, 409
 WebDAV extension support, 6

WebReady Document Viewing Settings dialog box, 189, 189
 WebReady file types, 189, 189, 628
 well-known port numbers, 628
 Windows 2000 mixed domain functional level, 8, 628
 Windows 2000 native domain functional level, 8, 628
 Windows Components dialog box, 46–47, 47
 Windows Internet Name Service (WINS), 16
 defined, 628
 server clusters, 482–483
 Windows Server 2003 domain functional level, 8, 628
 Windows Server 2003 interim domain functional level, 8
 Windows Server 2003 sites, 11–12
 Windows Server Catalog, 479
 Windows services and components for Exchange Server, 45–48, 46–47
 Windows sites, 11–12, 628
 WINS (Windows Internet Name Service), 16
 defined, 628
 server clusters, 482–483
 wiping mobile devices, 425
 working log files, 550
 World Wide Web (WWW), 629
 WSS File Access setting, 362

X

X.400 message transfer agent, 5
 X.400 standard, 629
 X.500 standard, 629
 X.509 certificates, 629
 XML files, 233–234, 233–234

Y

Your Site's Common Name page, 196, 196

