

# Index

## • A •

- AABT (The Association for Behavioral and Cognitive Therapies) Web site, 344
- abstinence, 184
- abuse
- physical, as risk factor, 56, 62–64
  - of substances, 58, 99–102, 238
- Academy for Eating Disorders (AED), 12, 344
- accentuate-the-negative coach, 249
- acceptance of body, 280, 346–347
- accomplishments, tracking, 341–342
- accountability in recovery, 313–314
- accusation in treatment plan, 301–302
- actors, eating disorders in, 251–258
- ADA (American Dietetic Association) Web site, 345
- Addiction & Recovery For Dummies* (Shaw, Ritvo, Irvine and Lewis), 101
- addictions, 58, 99–102, 238
- adolescents. *See* children and adolescents
- advanced practice registered nurse (APRN), 131
- AED (Academy for Eating Disorders), 12, 344
- aging, eating disorders in later life, 267–268
- Al-Anon, 308
- alcohol abuse, 58, 99–102, 238
- alexithymia, 277, 280
- alternative therapies, 145–146
- AMA (American Medical Association) Web site, 137, 345
- amenorrhea, 24, 80, 246, 247
- American Dietetic Association (ADA) Web site, 345
- American Medical Association (AMA) Web site, 137, 345
- American Music Therapy Association, Inc., 345
- American Psychiatric Association (APA), 23. *See also DSM-IV (Diagnostic and Statistical Manual of Mental Disorders)*
- American Psychological Association, 149
- ANAD (National Association of Anorexia Nervosa and Associated Disorders) Web site, 343
- anemia, 81
- anger, treatment plan, 303–306
- Annals of Behavioral Medicine*, 13
- anorexia nervosa. *See also* starvation
- behavioral traits, 25–27
  - bingeing/purging, recovery, 109–111
  - children and adolescence, 262–265
  - in dancers, 253
  - defined, 22, 23–24
  - dopamine, 71
  - hospitalization, 135
  - Internet-based therapy, 194
  - in males, 235, 237
  - medication, 189–190
  - menstruation, 108–109
  - OCD, 91
  - orthorexia nervosa, 22
  - as progressive disorder, 22, 86
  - psychological traits, 27–30
  - questionnaire to determine if you have condition, 31–32
  - recovery, 106–107, 109–111
  - seniors, eating disorders in, 268–269, 271–272
  - serotonin levels, 69
  - symptoms of starvation, 22
  - thinking processes, as altered, 86–87
  - treatment approaches, 135, 138–141, 147
  - warning signs, 285
- Anorexia Nervosa and Related Eating Disorders (ANRED) Web site, 24, 102, 343
- ANS (autonomic nervous system), 167
- antiemetic, 191
- anxiety, as companion condition, 92–94, 100, 215, 238, 264
- Anxiety and Depression Workbook For Dummies* (Elliott, Smith and Beck), 94
- appointments, collaborative therapy partnership, 205
- approval, need for external, 30, 42, 53, 67, 255
- APRN (advanced practice registered nurse), 131
- arguing, treatment plan, 304–305
- art therapy, 146
- assembly of treatment team, 129–133

- The Association for Behavioral and Cognitive Therapies (AABT) Web site, 344
- Association for Thought Field Therapy (ATFT) Web site, 345
- athlete-focused coach, 249
- athletes, eating disorders in, 243–250
- attention for yourself, recovery, 325–327
- autonomic nervous system (ANS), 167
- avoiding growing up as risk factor, 68
- awareness
- building healthy eating habits, 113–114, 217–218
  - of emotions, 120–124
  - of “feeling fat,” 50, 341
- **B** •
- balance in recovery, 105–106, 113
- beauty and midlife crisis, 270
- Beck, Aaron T. (*Anxiety and Depression Workbook For Dummies*), 94
- BED. *See* binge eating disorder (BED)
- behavior
- anorexia nervosa, 25–27
  - to avoid, 335–338
  - binge eating disorder (BED), 47–50
  - bulimia nervosa, 36–39
  - CBT, 148–153
  - Dialectical Behavioral Therapy (DBT), 148, 153–155
  - extreme emotions and drama, 336
  - monitoring, 313
  - normal family, 317–319
  - quick-fix, longing for, 198–199, 336
  - self-help, 335–336
  - treatment priority, 139–140
  - truthfulness, with therapist, 207–208
  - trying new behaviors outside recovery, 206–207
- bigorexia, 237–238
- binge/diet cycle, 48–50
- binge eating disorder (BED)
- about, 13, 46, 277
  - behavioral traits, 47–50
  - defined, 45–47
  - in males, 235, 237
  - medication, 190–191
  - in obese people, 275–277
  - psychological traits, 51–53
  - questionnaire to determine if you have condition, 53–54
  - recovery, 109–111
  - warning signs, 285–286
- binge state, 37
- bingeing. *See also* binge eating disorder (BED); bulimia nervosa
- anorexia nervosa, 26
  - binge eating disorder (BED), 47
  - bingeing/purging type anorexia nervosa, 24
  - bulimia nervosa, 35, 36–37
  - defined, 13, 36
  - recovery marker worksheet, 111
  - recovery symptoms, 202, 215
  - reduction in recovery, 109–111
  - slip-ups/relapse, 110–111
  - treatment priority, 139
- bingeing/purging type anorexia nervosa, 24
- biographical male risk factors, 239
- biological changes in seniors, 272
- biologically-based medication, 189–190
- bipolar disorder, 97–99, 192
- Bipolar Disorder For Dummies* (Fink and Kraynak), 98, 192
- black-and-white thinking anorexia nervosa, 30
- binge eating disorder (BED), 52–53
- bulimia nervosa, 41–42
- individual vulnerabilities as risk factor, 66–67
- recovery, 111, 229, 316
- relapse, 229
- blame, treatment plan, 301–302
- blood pressure, 79
- blood work, 138
- BMI (body mass index), 239, 257, 276
- body-based therapy, 165–167, 220
- body dissatisfaction, 239
- body enjoyment, 340–341
- body image disturbance, 24, 27
- body mass index (BMI), 239, 257, 276
- Body Positive Web site, 346
- bodybuilding, 245
- bone density test, 138
- books, self-help, 347–348
- bottom-up therapies, 164–165
- boundaries, 117–118, 177–180, 317
- brain chemistry, 68–71, 189–191
- Bratman, Steven, 30
- breathing, emotional management, 220
- Brief Therapy, 52
- British Fashion Council, 257
- British Medical Journal*, 74
- Brookhaven National Laboratory, 71
- bruising and malnutrition, 81
- bulimia nervosa
- alcohol and drug abuse, 99
  - behavioral traits, 35–39
  - bingeing/purging, recovery, 109–111

- defined, 34–36  
dissociation, 65  
health risks, 34, 83  
in males, 235, 237  
medication, 190–191  
menstruation, 108–109  
psychological traits, 39–43  
questionnaire to determine  
  if you have condition,  
  43–44  
serotonin levels, 69  
underorganized family,  
  59–60, 177, 239  
warning signs, 285–286
- C •
- CABF (Child and Adolescent  
Bipolar Foundation) Web  
site, 98, 99  
calmness, treatment plan,  
  297, 305  
cardiomyopathy, 83  
caregivers. *See* family and  
caregiver concerns  
CASA (National Center on  
Addiction and Substance  
Abuse), 99  
CBT (Cognitive-Behavioral  
Therapy), 148–153  
Celexa (citalopram), 190  
centered, treatment plan,  
  297, 305  
chatrooms, 126, 330  
cheerleading, 312–313  
chest X-ray, 138  
Child and Adolescent Bipolar  
Foundation (CABF) Web  
site, 98, 99  
The Child Performers  
Advisory  
Board, NY, 257  
children and adolescents  
  as actors, dancers and  
  models, 257–258  
  anorexia nervosa, 28,  
  262–265  
  as athletes, 248–249  
  bipolar disorder, 98–99  
  eating disorders in, 259–266  
  feeding disorder of infancy  
  or early childhood, 266  
  fluid refusal, 264  
  food avoidance emotional  
  disorder (FAED), 260, 262  
  food refusal, 261, 264  
  functional dysphagia, 261  
  medication for, 192  
  obesity in, and male eating  
  disorders, 239  
  pica, 266  
  recovery. *See* recovery,  
  management and  
  support during another's  
  restrictive eating, 261  
  risk factors, 263–264  
  rumination disorder, 266  
  selective eating disorder  
  (SED), 261, 262  
  signs and symptoms,  
  264–265  
  treatment, 265–266. *See*  
  also treatment plans  
  very young children, 266  
citalopram (Celexa), 190  
classifying eating disorders,  
  12–13  
clear communication,  
  treatment plan  
  implementation, 298  
client, 174  
clinic, for outpatient therapy,  
  144–145  
Clinical Research Center,  
  MIT, 70  
closeness and couples  
  therapy, 179–182  
clothing in sports, 245  
co-existing conditions. *See*  
  companion conditions  
coach, for recovery team,  
  189  
coaching, sports, 249–250  
Cognitive-Behavioral Therapy  
(CBT), 19, 148–153  
cold sensitivity, malnutrition,  
  81  
collaborative therapy  
  partnership, 159,  
  204–209  
commitment to recovery,  
  214–215  
companion conditions  
  addictions, 99–102  
  alcohol abuse, 99–100  
  altering thoughts and  
  perceptions, 86–87  
  anxiety, 92–94, 100, 215,  
  238, 264  
  binge eating disorder  
  (BED), 51  
  bipolar disorder, 97–99, 192  
  depression, 94–97  
  drug abuse, 99–100  
  excessive exercise, 101–102  
  family traits as risk factor,  
  58  
  length of recovery, 214  
  male eating disorders, 238  
  medication, 191–192  
  OCD, 90–92  
  preoccupation with food  
  and weight, 86–87  
  questionnaire on risk of,  
  89–94, 96, 102  
  SSRIs, 69, 70, 190, 191  
  suicide, 87–91  
  treatment for, 87–99,  
  139–140  
compassion, development of,  
  348  
competition  
  actors, dancers and  
  models, 251–258  
  athletes and sports,  
  243–250  
compulsions, 1, 11, 90.  
  *See also* obsessive-  
  compulsive disorder  
  (OCD)  
concern as caring, treatment  
  plan, 295  
conflict and intimacy, 119  
control  
  alcohol and drug abuse, 100  
  anorexia nervosa, 28–29  
  couples therapy, 180  
  dieting as risk factor, 74  
  midlife crisis, 270–271  
controlled environment for  
  treatment, 134  
conversational therapy,  
  feminist, 159

- conversations, treatment
  - plan implementation, 294, 296–297
- counseling, 131
- couples therapists, 130
- couples therapy, 178–180, 328–329
- credentials, checking
  - therapist's, 126–127
- cultural concerns
  - athletes, eating disorders in, 244
  - dieting and self-image, 16–17
  - fat phobia, 13, 24, 27–28, 72–73
  - feminist therapy, 158–162
  - influence potential, 56
  - male eating disorders, 236
  - mid-life, 267, 269–271, 273–274
  - obese people with binge eating disorder (BED), 278
    - as risk factor, 71–73
    - seniors, 267
    - slim standard, 72
    - talking with other women about “thin,” 342
  - cutting weight, 248
- **D** •
- dance therapy, 146, 345
- dancers, eating disorders in, 251–258
- day (partial) hospital, 143
- DBT (Dialectical Behavioral Therapy), 148, 153–155
- death and eating disorders, 12, 270
- decisions and medical work-up, 138
- deconstructing the body. *See* physical hazards
- dehydration as physical hazard, 78–80, 81–82
- denial, 28, 273, 303–306
- depression
  - alcohol and drug abuse, 100
  - companion conditions, 94–97, 192
  - eating disorders, 58
  - in males, 238
  - obese people with binge eating disorder (BED), 280
  - seniors, 272
  - suicide risk, 88
- Depression and Bipolar Support Alliance Web site, 98
- Depression For Dummies* (Smith and Elliott), 96–97, 192
- despair, 51–52, 96, 165, 323–324
- developing treatment plan, 138–140, 283–292
- developmental transitions, overorganized family style, 58–59, 176, 239
- diabetes, 79
- diagnosis in males, 241–242
- Diagnostic and Statistical Manual of Mental Disorders* (APA). *See* *DSM-IV (Diagnostic and Statistical Manual of Mental Disorders)*
- Dialectical Behavioral Therapy (DBT), 148, 153–155
- dietary changes in seniors, 272–273
- dietician Web site, 345
- dieting
  - behaviors and thoughts to avoid, 335
  - binge/diet cycle, 48–50
  - binge eating disorder (BED), 48, 279
  - child athlete, 248
  - children's risk factors, 263
  - culture, relationship to, 16
  - male risk factors, 240
  - as risk factor, 73–74
  - underorganized family, 59–60, 177, 239
- discomfort in actors, dancers and models, 255
- discovering the “real you,” recovery, 216, 348
- disease, eating disorder as, 183–185
- disgust, 40, 48, 51
- disinhibitors, 48, 276
- disordered eating, 11, 246, 248
- dissociation, 65–66, 170
- distance in couples therapy, 179–182
- diuretics (water pills), 38, 81–83
- divorce and midlife crisis, 270
- doctorate in social work (DSW), 131
- doctors, 131, 133, 136–138, 345
- don'ts in treatment plan implementation, 300–303
- dopamine, 70–71
- do's in treatment plan implementation, 297–300
- drug abuse, 58, 99–102, 238
- DrugHelp Web site, 101
- Drugnet Web site, 101
- drugs
  - abuse of, 99–100
  - medication, 189–192
- DSM-IV (Diagnostic and Statistical Manual of Mental Disorders)*
  - anorexia nervosa, 23–24
  - binge eating disorder (BED), 46–47
  - bulimia nervosa, 35–36
  - OCD, 90
  - DSW (doctorate of social work), 131
  - dysthymia, 95
- **E** •
- early feeding problems, children's risk factors, 264, 266

- early stages of recovery  
 building habits and skills, 217–225  
 commitment, 214–215  
 discovering the “real you,” 216  
 fear in, 225–227  
 length of recovery process, 214  
 process overview, 214–217  
 relapse, 228–232  
 resistance, 225–227  
 secrets to, 216  
 symptom reduction, 215–216
- eating, building healthy habits, 113–114, 207, 217–218
- eating disorder-informed coach, 250
- Eating Disorder Referral and Information Center, 344
- eating disorders  
 in actors, dancers and models, 251–258  
 anorexia. *See* anorexia nervosa  
 in athletes, 243–250  
 behavioral dimensions. *See* *specific eating disorders*  
 binge eating disorder (BED). *See* binge eating disorder (BED)  
 bulimia nervosa. *See* bulimia nervosa  
 caregivers. *See* family and caregiver concerns  
 in children, 259–266  
 classifying, 12–13  
 companion conditions, 85–102  
 compulsivity, 1  
 cultural dimensions, 10  
 damage from, 14–15  
 damage to sufferer, 15  
 defined, 9  
 disengagement from another’s, 309–310  
 disordered eating, compared to, 11
- family. *See* family and caregiver concerns  
 history of, 57  
 in later life, 267–274  
 letting go of another’s, 308–311  
 in males, 235–242  
 mid-life, 267, 269–271, 273–274  
 in obese people, 275–280  
 in perspective, 315  
 physical hazards, 77–84  
 psychological dimensions, 10–11, 14. *See* *specific eating disorders*  
 recovery. *See* recovery  
 resource guide, 343–348  
 rise in, 15–18  
 risk factors, 12, 55–75  
 roommate with, 314  
 sense of problem, 9–10  
 in special populations. *See* special populations  
 spouse with, 314  
 therapy. *See* therapists  
 treatment. *See* *under* treatment  
 understanding, 9–19  
 warning signs, 285–286
- Eating Disorders: The Journal of Treatment and Prevention*, 228
- Eating Disorders Awareness and Prevention (EDAP) Web site, 343
- eating disturbances, 259
- eclectic treatment approach, 149
- EDAP (Eating Disorders Awareness and Prevention) Web site, 343
- EFT (Emotional Freedom Techniques), 169, 344
- electrocardiogram, 138
- electrolytes, imbalance and heart failure, 78–79
- Elliott, Charles H. (author) *Anxiety and Depression Workbook For Dummies*, 94
- Depression For Dummies*, 96–97, 192
- Overcoming Anxiety For Dummies*, 94, 192
- Seasonal Affective Disorder For Dummies*, 192
- EMDR (Eye Movement Desensitization and Reprocessing), 149, 167–168
- EMDRIA (The EMDR International Association), 344
- emergency hospitalization, 134–136  
 treatment plan implementation, 306
- Emotional Freedom Techniques (EFT), 169, 344
- emotions  
 awareness of, in recovery, 120–122, 222–224  
 bingeing/purging recovery, 110  
 body-based therapy, 166–167, 220  
 caregiver difficulty managing, 323
- Dialectical Behavioral Therapy (DBT), 148, 153–155
- Emotional Freedom Techniques (EFT), 169, 344
- extreme, and drama, behaviors and thoughts to avoid, 336
- individual vulnerabilities as risk factor, 62
- letting go of another’s eating disorder, 310–311
- negative emotions, behaviors and thoughts to avoid, 337
- obese people with binge eating disorder (BED), 276–277
- recovery, 120–122, 219–222
- tolerating, 219–220, 316
- trauma treatment, 169–172

- emotions (*continued*)  
 treatment plan  
   development, 290–291  
   treatment team, 129–131  
   trying new behaviors  
     outside recovery, 207  
 empowerment and recovery, 349  
 “empty nest” and midlife crisis, 270  
 endurance sports, 245  
 enema use/abuse, 26–27, 38–39, 81–83  
 energy therapy, 168–169  
 enhancing recovery, 339–342  
 enjoyment of your body, 340–341  
 escitalopram oxalate (Lexapro), 190  
 estrogen, 109  
 exercise  
   anorexia nervosa, 26, 102  
   child athlete, 248–249  
   companion conditions, 101–102  
   habits and skills in recovery, 218–219  
   obese people with binge eating disorder (BED), 279–280  
   for pleasure, 114–116  
   recovery, 114–116  
 expectations  
   therapists, 127  
   treatment approaches, 198–200  
 experience of therapist, 149  
 experiential therapies, 145–146  
 Eye Movement Desensitization and Reprocessing (EMDR), 149, 167–168  
 eye movements, 168
- **F** ●
- FAED (food avoidance emotional disorder), 260, 262
- family and caregiver concerns  
 accountability, 313–314  
 attention for yourself, 325–327  
 couples therapy, 178–180, 328–329  
 damage to, 15  
 family history of eating disorders, 57, 239  
 family therapy, 174–177  
 “fat talk” interactions, 311–313  
 focus outside the disorder, 315–319  
 implementation of treatment plan, 293–306  
 length of recovery, 214  
 letting go, 308–311  
 male eating disorders, 241  
 normal behavior, 317–319  
 recovery traps, 319–320, 322–323  
 resource guide, 346  
 suicide risk, 88  
 support groups for, 329–330  
 timing, 175–176  
 treatment and therapy for caregivers, 322–332  
 treatment inclusion, 174–180, 328–329  
 family-of-origin issues in couples therapy, 179, 180  
 family therapists, 130, 265  
 family therapy  
   as aid to recovery, 177  
   family patterns, 174, 176–177  
   Maudsley approach, 177, 193–194, 310  
   timing, 175–176  
 family traits as risk factor  
   children’s risk factors, 263, 265–266  
   eating disorder history, 57, 239  
   family patterns, 58–61  
   influence potential, 56  
   overorganized pattern, 58–59, 176, 239  
   shame-based pattern, 60–61, 177  
   underorganized pattern, 59–60, 177, 239  
   vulnerability, 57–58  
 fashion models, eating disorders in, 251–258  
 fat phobia, 13, 24, 27–28, 72–73  
 fault-finding, 302–303  
 fear. *See also* phobias  
   in early stages of recovery, 225–227  
   Internet-based therapy, 195  
   recovery, early stages, 225–227  
 feeding disorder of infancy or early childhood, 266  
 “feeling fat” awareness, 50, 341  
 feelings. *See* emotions  
 female athlete triad, 246–247  
 females  
   age, and risk, 12  
   approval, need for external, 67  
   brain chemistry, 69–70  
   disordered eating habits, 11  
   female athlete triad, 246–247  
   feminist therapy, 158–162  
   minority women, risk of eating disorder, 12  
   prevalence, 235  
   rise in eating disorders, 15–16  
   suicide risk, 88  
   women’s movement, 17  
 feminist therapy, 158–162  
 fertility. *See also* menstruation  
   bulimia, 83  
   malnutrition, 78  
   menopause and midlife crisis, 270–271  
   midlife crisis, 270  
   recovery, 109  
 finding  
   doctors for medical work-up, 137

- energy for life, in recovery, 347
- healthy weight, 106–107
- therapists, 125–128
- fingernails and malnutrition, 81
- Fink, Candida (*Bipolar Disorder For Dummies*), 98, 192
- flexibility in recovery, 348
- fluid refusal by children, 264
- fluoxetine (Prozac), 190, 191
- fluvoxamine (Luvox), 190
- focus outside the disorder, in recovery, 315–319
- follow through, collaborative therapy partnership, 205–206
- food
- anxiety, relationship to, 93
  - depression, relationship to, 95
  - forbidden foods allowed, in recovery, 113–114
  - goal substitutions in, 202–204
- food avoidance emotional disorder (FAED), 260, 262
- food refusal by children, 261, 264
- The Foundation for Human Enrichment Web site, 345
- free association, 156
- Freudian analysis, 155
- fun and recovery, 350
- functional dysphagia in children, 261
- **G** ●
- GAD (generalized anxiety disorder), 92
- Garfinkle, Paul (researcher), 253
- Garner, David (researcher), 253
- gathering support for treatment plan, 289–292
- gay lifestyle as male risk factor, 240
- gender. *See* females; males
- generalized anxiety disorder (GAD), 92
- genes as risk factor, 56–59
- giving up survival strategies, treatment plan, 303–304
- goals
- actors, dancers and models, 255
  - goal substitutions in recovery, 201–204
  - treatment plan implementation, 293–294
- goodness-of-fit with therapists, 128
- Goulston, Mark (*PTSD For Dummies*), 63, 170
- group therapists, 130
- group therapy, 181–183, 209–211
- groups for family/parent support, 329–330
- growing up, avoiding, as risk factor, 68
- growth stunting and malnutrition, 81
- guilt, compared to shame, 66
- Gürze Books Therapist Directory, 344
- **H** ●
- habits
- building in recovery, 217–225
  - eating, building healthy, 113–114, 207, 217–218
  - emotional awareness, 219–222
  - exercise, 218–219
  - needs awareness, 222–224
  - positive traits becoming bad habits, athletes, 244–245
  - self-expression, 224–225
- hair and malnutrition, 81
- halfway houses, 142–143
- Hamilton, Linda (dance expert), 253, 258
- hazards. *See* physical hazards
- healing. *See* recovery
- health. *See* specific topics
- healthy eating habits, in recovery, 113–114, 217–218
- heart failure, 78–80
- heart muscle atrophy, 79
- Helping Athletes with Eating Disorders* (Thompson and Sherman), 250
- higher-risk sports, 245
- homework in collaborative therapy partnership, 205–206
- homosexuality as male risk factor, 240
- hopelessness in caregiver, 323–324
- hospitalization
- day (partial) hospital, 143
  - emergency, 134–136
  - halfway houses, 142–143
  - inpatient care, 140–141
  - intensive outpatient program (IOP), 143
  - intervention level, 134–136
  - outpatient therapy, 144–145
  - recovery houses, 142–143
  - residential treatment, 141–142, 268
- hyperactivity, feelings of, 26
- hypomania, 98
- hypothalamus, 109
- **I** ●
- IAEDP (International Association of Eating Disorder Professionals), 344
- ideal appearance in sports, 245
- illness in seniors, 273
- immune system and malnutrition, 80
- imperfection, practicing, 231–232, 316, 339
- implementing treatment plan, 293–306
- individual therapists, 129–130

- individual therapy, 174, 328
- individual vulnerabilities, as risk factor
- abuse, 62–64
  - approval, need for external, 67
  - avoid growing up, 68
  - black-and-white thinking, 66–67
  - dissociation, 65–66
  - emotional management, 62
  - influence potential, 56
  - shame, 64–65
  - trauma history, 62–64
- influence potential, 56
- ingenu role, acting, 253
- inhibitors, 48, 276
- initiative, 216, 223
- injuring the body. *See* physical hazards
- inpatient care, 140–141
- inside resources for self-soothing, 221
- intensive outpatient program (IOP), 143
- interdependence, 119
- internal strength and coping, treatment plan, 287
- International Association of Eating Disorder Professionals (IAEDP), 344
- International Journal of Eating Disorders*, 268
- International Size Acceptance Association (ISAA) Web site, 346
- Internet. *See also specific Web sites*
- chatrooms, 126, 330
  - eating disorder information, 343
  - Internet-based therapy, 194–195
  - local support groups, 346
  - online support, 330–331
  - resources on, 331–332
  - self-esteem, 346–347
  - size acceptance, 346–347
  - treatment, 343–345
  - underground, 196
- Web sites as hazardous, 196
- Interpersonal Therapy (IPT), 19, 148, 150, 162–164
- intervention level
- non-urgent intensive treatment, 136
  - structure, 134, 140–141
  - treatment options and availability, 134–136
  - urgent hospitalization, 134–136
- interventions, as technique, 289
- intimacy
- couples therapy, 178–180, 328–329
  - damage to, 15
  - recovery, 349
  - relationship recovery, 118–119
- IOP (intensive outpatient program), 143
- ipecac syrup, 83
- IPT (Interpersonal Therapy), 148, 150, 162–164
- Irvine, Jane (*Addiction & Recovery For Dummies*), 101
- ISAA (International Size Acceptance Association) Web site, 346
- isolation, 50, 272

## • J •

- job requirements for actors, dancers and models, 256–258
- judged sports, 245
- Jungian therapy, 156

## • K •

- keeping appointments, collaborative therapy partnership, 205
- knowing and being known, intimacy, 118–119
- Kraynak, Joe (*Bipolar Disorder For Dummies*), 98, 192
- lanugo, 77, 81
- Largely Positive Web site, 347
- later life, eating disorders in fighting loss of youth, 269–271
- mid-life, 267, 269–271, 273–274
  - seniors, 267–274
- laxative use/abuse, 26–27, 38–39, 81–83
- LCSW (licensed clinical social worker), 131
- leadership, treatment team, 133
- leisure activities, normal, 318–319
- length of recovery process, 214
- letting go in recovery, 308–311
- leverage, treatment plan implementation, 305
- Lewis, M. David (*Addiction & Recovery For Dummies*), 101
- Lexapro (escitalopram oxalate), 190
- licensed clinical social worker (LCSW), 131
- licensed professional counselor (LPC), 131
- licensed therapists, 131
- Linehan, Marsha, 153
- listening in treatment plan implementation, 299, 304
- local resources, 331
- locations for treatment
- day (partial) hospital, 143
  - emergency, 134–136
  - halfway houses, 142–143
  - inpatient care, 140–141
  - intensive outpatient program (IOP), 143
  - Internet-based therapy, 195
  - intervention level, 134–136
  - options and availability, 140–145
  - outpatient therapy, 144–145
  - recovery houses, 142–143

residential treatment,  
141–142, 268  
looping, emotional  
management, 220  
loss of youth, eating  
disorders in later life,  
269–271  
LPC (licensed professional  
counselor), 131  
Luvox (fluvoxamine), 190

## • M •

major depression, 95  
males  
anorexia nervosa, 235, 237  
athletes, 247  
binge eating disorder  
(BED), 235, 237  
brain chemistry, 70  
buff appearance, 236  
bulimia nervosa, 235, 237  
cultural concerns, 236  
diagnosis, 241–242  
differences from women's  
condition, 236  
feminist therapy, 158–162  
prevalence, 235–236  
recovery, 240–243  
risk factors, 237–240  
risk of, 12  
treatment approaches,  
240–242  
malnutrition, 80–81  
manic-depressive illness, 97.  
*See also* bipolar disorder  
master's of social work  
(MSW), 131  
Maudsley approach, 177,  
193–194, 310, 344  
MD (medical doctor), 131,  
133  
mealtimes, normal, 317–318  
medical doctor (MD), 131,  
133  
medical work-up  
decisions, 138  
finding right doctor, 137  
male eating disorders, 241  
physicians, 136–138  
treatment plan  
development, 138–140  
what happens during,  
137–138  
who needs, 137  
medication  
for anorexia nervosa,  
189–190  
for binge eating disorder  
(BED), 190–191  
as biologically-based  
treatment, 189–190  
brain chemistry  
rebalancing, 189–191  
for bulimia nervosa,  
190–191  
for children or adolescents,  
192  
companion conditions,  
191–192  
as cure, 188–189  
seniors, 273  
meditation, 222  
men. *See* males  
menopause and midlife  
crisis, 270–271  
menstruation. *See also*  
fertility  
amenorrhea, 24, 80, 246, 247  
anorexia nervosa, 24  
child athlete, 249  
in female athletes, 246, 247  
irregularity, 83  
recovery, understanding,  
108–109  
message boards, 330  
mid-life, eating disorders in,  
267, 269–271, 273–274  
midlife crisis, 269–270  
mindfulness, 217–218  
minimum body weight, 24  
minority women, risk of  
eating disorder, 12  
models, eating disorders in,  
251–258  
monitoring behavior, 313  
movement therapy, 146, 345  
MSW (master's of social  
work), 131  
muscle dysmorphia, 237–238

music therapy, 146, 345  
mutual support groups,  
183–185  
My ED Help Web site, 343

## • N •

NAAFA (National Association  
to Advance Fat  
Acceptance) Web site,  
346  
nails and malnutrition, 81  
naltrexone (ReVia), 190  
NAMI (National Alliance on  
Mental Illness) Web site,  
98  
naming the problem,  
treatment plan, 294  
National Alliance on Mental  
Illness (NAMI) Web site,  
98  
National Association of  
Anorexia Nervosa and  
Associated Disorders  
(ANAD) Web site, 343  
National Association to  
Advance Fat Acceptance  
(NAAFA) Web site, 346  
National Center for  
Overcoming Overeating  
Web site, 346  
National Center on Addiction  
and Substance Abuse  
(CASA), 99  
National Eating Disorders  
Association (NEDA) Web  
site, 343  
navigator, personal and  
relationship, 223–224  
NEDA (National Eating  
Disorders Association)  
Web site, 343  
needs awareness, in  
recovery, 222–224  
negative emotions, 337  
neurons, 69  
newsgroups, 330  
night eating syndrome, 277  
nocturnal sleep-related  
eating disorder, 277

non-emergency  
 hospitalization, 135–136  
 non-family support in  
 treatment plan, 291–292  
 non-purging type bulimia, 36  
 non-urgent intensive  
 treatment, 136  
 normal thinking processes in  
 recovery, 111–112  
 nursing, 131  
 nurturing social network in  
 recovery, 339–340  
 nutritionist on treatment  
 team, 133

## ● O ●

OA (Overeaters Anonymous),  
 183–185, 346  
 obese people, eating  
 disorders in  
 binge eating disorder  
 (BED), 275–277  
 males, 239  
 night eating syndrome, 277  
 treatment, 277–280  
 obesity  
 defined, 276  
 treatment of, 278–279  
 object relations therapy, 156,  
 157  
 objectification, 159  
 obsession. *See also* thoughts  
 and thinking  
 defined, 90  
 “fat talk” interactions,  
 ending, 311–313  
 with food, and starvation,  
 86–87  
 with weight and recovery,  
 107–108, 123–124  
 obsessive-compulsive  
 disorder (OCD), 29,  
 90–92, 238  
 olanzapine (Zyprexa), 189  
 older people. *See* seniors,  
 eating disorders in  
 ondansetron (Zofran), 191  
 online support, 194–196,  
 330–331

openness in group therapy,  
 210–211  
 opiate antagonist, 190  
 options and availability,  
 140–145  
 organ failure and  
 malnutrition, 80  
 orthorexia nervosa, 22  
 osteopenia, 80  
 osteoporosis, 80, 246, 247  
 orthostatic hypotension, 79  
 outpatient therapy, 144–145  
 outside fix, longing for,  
 199–200  
 outside resources for self-  
 soothing, 221  
*Overcoming Anxiety For  
 Dummies* (Elliott and  
 Smith), 94, 192  
 Overcoming Overeating Web  
 site, 346  
 Overeaters Anonymous (OA),  
 183–185, 346  
 overorganized family, 58–59,  
 176, 239  
 overwhelm, feelings of, and  
 bulimia nervosa, 42–43  
 ovulation, 109

## ● P ●

pancreatitis, 82  
 panic attacks, 92–93  
 panic disorder, 92–93  
 parasympathetic branch of  
 autonomic nervous  
 system (ANS), 167  
 parent counseling, 329  
 parents. *See also* family and  
 caregiver concerns  
 child performers, 258  
 disengaging from child’s  
 disorder, 309–311  
 Maudsley approach, 177,  
 193–194, 310, 344  
 online support, 330–331  
 support groups, 329–330  
 paroxetine (Paxil), 190  
 partial relapse, 228  
 partnering with your  
 therapists, 204–209

pastoral counseling, 131  
 Paxil (paroxetine), 190  
 PCOS (polycystic ovary  
 syndrome), 83  
 PCP (primary care provider),  
 132  
 people skills improvements  
 in recovery, 349  
 perception of thinness, shift  
 in, 17–18  
 perfectionism, 29, 41, 52, 255  
 personal agency, 216  
 personal qualities  
 actors, dancers and  
 models, 255  
 children’s risk factors, 264  
 handling discomfort in  
 actors, dancers and  
 models, 255  
 personal responsibility in  
 couples therapy, 179  
 PhD in psychology, 131  
 phobias  
 anorexia nervosa, 13, 24  
 culture as risk factor, 72–73  
 defined, 93  
 fat phobia, 13, 24, 27–28,  
 72–73  
 Internet-based therapy, 195  
 seniors, 273  
 Thought Field Therapy  
 (TFT), 169  
 physical activity. *See*  
 exercise  
 physical benefits of exercise,  
 114  
 physical hazards  
 dehydration, 78–80, 81–83  
 electrolyte imbalance,  
 78–79  
 health and weight, 78  
 malnutrition, 80–81  
 purging, 81–82  
 recovery reversals, 83–84  
 refeeding syndrome, 80  
 starvation, 78–81  
 treatment team, 131–133  
 wear-and-tear effects of  
 purging, 81–82  
 physical strength in midlife  
 crisis, 270

- physicians, 131, 133, 136–138, 345
- pica, 266
- pleading, treatment plan implementation, 302
- polycystic ovary syndrome (PCOS), 83
- positive traits becoming bad habits, athletes, 244–245
- Post-Traumatic Stress Disorder (PTSD), 170–172
- practicing imperfection, 231–232, 339
- preoccupation with food and weight, 86–87
- primary care provider (PCP), 132
- private outpatient therapy, 145
- pro-ana Internet groups, 196
- pro-ed Internet groups, 196
- pro-mia Internet groups, 196
- process overview, recovery, 214–217
- progressive disorder, anorexia nervosa as, 22
- Prozac (fluoxetine), 190, 191
- psychiatry, 131, 133
- psychoanalytic therapies, 155, 156
- psychodynamic therapy, 155–158
- psychoeducational groups, 331
- psychological dimensions of eating disorders, 10–11, 14
- exercise benefits, 114
- male risk factors, 237–238
- treatment team, 129–131
- psychological traits
- anorexia nervosa, 27–30
- binge eating disorder (BED), 51–53
- bulimia nervosa, 39–43
- psychology, 131
- psychopharmacologist, 133, 188
- psychotherapist, 131
- PsyD in psychology, 131
- PTSD (Post-Traumatic Stress Disorder), 170–172
- PTSD For Dummies* (Goulston), 63, 170
- purging. *See also* bulimia nervosa
- bingeing/purging type
- anorexia nervosa, 24
- bulimia nervosa, 35, 37–38
- child athlete, 249
- defined, 13
- enema use/abuse, 26–27, 38–39, 81–83
- laxative use/abuse, 26–27, 38–39, 81–83
- physical hazards, 81–83
- recovery marker
- worksheet, 111
- recovery reduction, 109–111
- recovery symptoms, 202, 215
- slip-ups/relapse, 110–111
- treatment priority, 139
- wear-and-tear effects, 81–83
- purging type bulimia, 35–36
- *Q* •
- questionnaires
- addictions, 100–101
- anorexia nervosa, 31–32
- anxiety disorders, 93–94
- binge eating disorder (BED), 53–54
- bulimia nervosa, 43–44
- companion conditions, 89–94, 96, 102
- depression, 96
- excessive exercise, 102
- OCD, 91–92
- substance abuse, 100–101
- suicide, 89–90
- quick fix, longing for, 198–199, 336
- *R* •
- re-feeding, in recovery, 141
- “real you,” discovering, in recovery, 216, 348
- rebound time, in relapse, 228
- recovery
- accomplishments, tracking, 341–342
- anorexia nervosa, 106–107, 109–111
- baby steps improvement, 341
- balance, 105–106
- bingeing reduction, 109–111
- body enjoyment, 340–341
- building habits and skills, 217–225
- cheerleading, 312–313
- compassion, development of, 348
- defined, 105
- discovery of real you, 348
- disgust, letting go of, 348
- early stages, 214–227
- emotional awareness, 120–122, 222–224
- empowerment, 349
- energy for life, 347
- enhancing, 339–342
- exercise, 114–116, 218–219
- “feeling fat” awareness, 341
- flexibility, 348
- forbidden foods allowed, 113–114
- fun, 350
- goal substitutions in, 201–204
- healthy eating, 113–114, 217–218
- healthy weight, 106–107
- intimacy, 118–119, 349
- maintaining health weight, 106–108
- in males, 240–243
- meditation, 222
- menstruation, 108–109
- needs awareness, 222–224
- normal thinking processes, 111–112
- nurturing social network, 339–340

- recovery (*continued*)
  - obsession with weight, 107–108, 123–124
  - outside fix, longing for, 199–200
  - people skills improvements, 349
  - phases of, 315–317
  - practicing imperfection, 231–232, 339
  - process overview, 214–217
  - purging reduction, 109–111
  - quick fix, longing for, 198–199, 336
  - relapse, 228–232
  - relationship, 116–119
  - in relationships, 116–118
  - remembering that people heal, 342
  - resiliency, 350
  - resistance, 227
  - reversal of physical hazards, 83–84
  - self-expression, 224–225
  - self-hatred, 348
  - self-image, 123–124
  - self-worth, 123
  - sense of peace, 350
  - signs of, unrelated to weight, 203–204
  - speaking up, 340
  - surprises from, 347–350
  - tai chi, 222
  - talking with other women about “thin,” 342
  - therapeutic aids to, 177, 180, 183
  - tracking accomplishments, 341–342
  - treatment plan
    - development, 287–288
  - truthfulness with treatment team, 340
  - trying new behaviors
    - outside, 206–207
  - understanding, 105–124
  - using book to understand problem, 2
  - worksheets, 106
  - yoga, 222
- recovery, management and support during another’s
  - accountability, 313–314
  - attention for yourself, 325–327
  - “fat talk” interactions, 311–313
  - focus outside the disorder, 315–319
  - letting go, 308–311
  - recovery traps, 319–320, 322–323
  - treatment and therapy for caregivers, 322–332
- recovery, worksheet for bingeing/purging, 111
- eating, 114
- emotions, 122
- exercise, 116
- relationships, 119
- self-image, 124
- thinking processes, 112
- recovery houses, 142–143
- recovery traps, 307, 319–320, 322–323
- refeeding syndrome, 80
- reflux, 82
- refusing to acknowledge “fat talk,” 312
- relapse
  - addressing, 230–231
  - behaviors and thoughts to avoid, 337
  - new insights, 229–230
  - as part of recovery, 228–229
  - practicing imperfection, 231–232
  - recovery, early stages, 228–232
- relationships
  - boundaries, 117–118, 177–180, 317
  - healthy relating, 116
  - Interpersonal Therapy (IPT), 148, 150, 162–164
  - intimacy, 118–119
  - recovery, 116–119, 223–224, 317
  - recovery marker worksheet, 119
  - recovery navigator, 223–224
  - self-expression in, 224–225
  - trauma treatment, 169–172
  - trying new behaviors
    - outside recovery, 207
- remembering that people heal, 342
- repairing relationship with therapist, 209
- report reactions and concerns, treatment plan, 298–299
- reproductive health. *See* fertility
- residential treatment, 141–142, 268
- resiliency in recovery, 350
- resistance in recovery, 225–227
- resources
  - eating disorder information, 343
  - on Internet, 331–332
  - Internet-based therapy, 194–195
  - local, 331
  - local support groups, 346
  - self-esteem, 346–347
  - self-help books, 347–348
  - for self-soothing, 221
  - size acceptance, 346–347
  - for therapists, 126
  - treatment, 343–345
  - treatment plan preparation, 288–289
- responsibility
  - accountability in recovery, 313–314
  - personal, in couples therapy, 179
  - treatment plan
    - implementation, 300
- restoration, 171
- restricting type anorexia nervosa, 24
- restrictive eating in children, 261
- reverse anorexia, 237–238
- ReVia (naltrexone), 190
- risk factors
  - about, 12, 55–56
  - actors, dancers and models, 251

- for athletes, 243–244  
 brain chemistry, 68–71  
 children and adolescence, 263–264  
 collaborative therapy  
 partnership, 206  
 companion conditions, 58  
 companion conditions  
 questionnaire, 89–94, 96, 102  
 culture, 71–73  
 dieting, 73–75  
 family traits, 56–61  
 genes, 56–59  
 individual vulnerabilities, 61–68  
 overorganized family, 58–59, 176, 239  
 shame-based family, 60–61, 177  
 underorganized family, 59–60, 177, 239  
 vulnerability, 57–58, 61–68  
 ritualism in anorexia  
 nervosa, 25  
 Ritvo, Paul (*Addiction & Recovery For Dummies*), 101  
 roommate with eating  
 disorder, 314  
 rumination disorder in  
 children, 266
- S •
- sandwich generation, 269  
 SE (Somatic Experiencing), 166, 220, 345  
*Seasonal Affective Disorder For Dummies* (Smith and Elliott), 192  
 secrecy, 38–39, 50  
 secrets to recovery, early  
 stages, 216  
 selective eating disorder  
 (SED), 261, 262  
 selective serotonin reuptake  
 inhibitors (SSRIs), 69, 70, 190, 191, 277
- self, strengthening sense of, 225  
 self-esteem, 10, 14  
 self-expression, 224–225  
 self-hatred, letting go of, 348  
 self-help, 335–336  
 self-help groups, 183–185, 308  
 self-image, 10, 28, 123–124, 207, 224  
 self psychology, 156  
 self-soothing skills,  
 strengthening, 221–222  
 self-worth  
 behaviors and thoughts to  
 avoid, 337  
 binge eating disorder  
 (BED), 52  
 bulimia nervosa, 35, 40–41  
 recovery, 123, 316  
 SelfMatters Web site, 347  
 seniors, eating disorders in  
 aging and thinness, 267–268  
 anorexia nervosa, 268–269, 271–272  
 fighting loss of youth, 269–271  
 treatment, 268, 274  
 sense of peace in recovery, 350  
 Sensorimotor Psychotherapy  
 (SP), 166, 345  
 Sensorimotor Psychotherapy  
 Institute Web site, 345  
 serotonin, 69–70  
 sertraline (Zoloft), 190  
 setpoint, 106, 107  
 severe restriction of food  
 intake, 25  
 sexual relationships and  
 intimacy, 119  
 shame  
 binge eating disorder  
 (BED), 48  
 bulimia nervosa, 39, 40  
 defined, 60  
 guilt, compared to, 66  
 individual vulnerabilities as  
 risk factor, 64–65  
 Internet-based therapy, 195  
 shame-based family, 60–61, 177  
 Shaw, Brian F. (*Addiction & Recovery For Dummies*), 101  
 Sherman, Roberta Trattner  
 (*Helping Athletes with Eating Disorders*), 250  
 showing up at session,  
 collaborative therapy  
 partnership, 205  
 situations which involve  
 food, avoiding, 39  
 size discrimination, 278  
 “size zero” modeling, 252, 254, 255  
 skills  
 emotional awareness, 219–222  
 exercise, 218–219  
 healthy eating habits, 113–114, 217–218  
 needs awareness, 222–224  
 people skills improvements,  
 recovery, 349  
 recovery, early stages, 217–225  
 self-expression, 224–225  
 self-soothing, 221–222  
 skin and malnutrition, 81  
 slim standard, as risk factor, 72  
 Smith, Laura L.  
*Anxiety and Depression Workbook For Dummies*, 94  
*Depression For Dummies*, 96–97, 192  
*Overcoming Anxiety For Dummies*, 94, 192  
*Seasonal Affective Disorder For Dummies*, 192  
 social network in recovery, 339–340  
 social phobia, 93  
 social withdrawal, 50  
 social work, 131  
 Somatic Experiencing (SE), 166, 220, 345  
 Something Fishy Web site, 343, 346

- SP (Sensorimotor Psychotherapy), 166, 345
- speaking up and recovery, 208–209, 340
- special populations
- in actors, dancers and models, 251–258
  - in athletes, 243–250
  - in children, 259–266
  - in later life, 267–274
  - in males, 235–242
  - in obese people, 275–280
- sports, eating disorders in athletes, 243–250
- spouse with eating disorder, 314
- SSRIs (selective serotonin reuptake inhibitors), 69, 70, 190, 191
- starvation. *See also* anorexia nervosa
- obsession with food, 86–87
  - physical hazards, 78–83
  - in seniors, 268–269, 271–272
- stinkin' thinkin', 86–87, 112
- stopping treatment too soon, 338
- structure of intervention, 134, 140–141
- stunted growth and malnutrition, 81
- substance abuse, 58, 99–102, 238
- sufferers
- anorexia nervosa, 23
  - binge eating disorder (BED), 46
  - bulimia nervosa, 34
  - treatment plan development, 286–287
- suicide
- bipolar disorder, 97
  - companion conditions, 87–91
  - Internet-based therapy, 194
  - steps to take if feeling suicidal, 91
  - suicidal impulses, 134–135
  - suicidal thoughts, 87, 91
  - urgent hospitalization, 134–135
- support
- accountability, 313–314
  - attention for yourself, 325–327
  - “fat talk” interactions, 311–313
  - focus outside the disorder, 315–319
  - letting go, 308–311
  - online support, 330–331
  - in recovery, 307–332
  - recovery traps, 319–320, 322–323
  - support groups, 211, 329–330
  - treatment and therapy for caregivers, 322–332
  - treatment plan implementation, 300
- surprises from recovery, 347–350
- sympathetic branch of autonomic nervous system (ANS), 167
- symptom reduction, recovery, early, 215–216, 287
- symptom severity, treatment plan, 296
- T •
- tai chi, 222
- talking with other women about “thin,” 342
- team. *See* treatment team
- TFT (Thought Field Therapy), 169, 345
- The EMDR International Association (EMDRIA), 344
- therapists. *See also* treatment, approaches and options
- appointments with, 205
  - boundaries, 117–118, 177–180, 317
  - for caregivers, 322–332
  - children's eating disorders, 265
  - collaborative therapy partnership, 159, 204–209
  - credentials, 126–127
  - expectations, 127
  - experience, 149
  - finding right, 125–128
  - following through with, 205–206
  - goodness-of-fit, 128
  - inside fix, longing for, 200
  - outside fix, longing for, 199–200
  - partnering with your, 204–209
  - private outpatient treatment, 145
  - quick fix, longing for, 198–199, 336
  - recovery trap, 320
  - repairing relationship with, 209
  - resources, 343–348
  - role of, 129–131
  - sources, 126
  - speaking up, 208–209
  - taking risks with, 206–207
  - therapist's role, 129–131
  - treatment plan, 138–140
  - in treatment team, 129–131
  - truthfulness, 207–208
  - trying new behaviors outside recovery, 206–207
  - Web sites, 344
- thinness
- direct pressure to attain, 256
  - fascination with, 338
  - as measure of success, surrendering, 201–202
  - shift in perception, 17–18
  - talking with other women about “thin,” 342
  - waiting until thin enough, 338
- thinspiration, 196
- Thompson, Ron A. (*Helping Athletes with Eating Disorders*), 250

- Thought Field Therapy (TFT), 169, 345
- thoughts and thinking, also  
obsession. *See also*  
black-and-white thinking  
altered thinking processes,  
86–87  
anorexia nervosa, 22  
to avoid, 335–338  
CBT, 148–153  
dieting, 335  
extreme emotions and  
drama, 336  
negative emotions, 337  
quick-fix, longing for,  
198–199, 336  
recovery marker  
worksheet, 112  
relapse, 229  
self-help, 335–336  
self-worth and weight, 337  
signs of relapse, 337  
stinkin' thinkin', 86–87, 112  
stopping treatment too  
soon, 338  
thinness, fascination with,  
338  
treatment priority, 139–140  
waiting until thin enough,  
338
- threatening in treatment  
plan, 302
- timing  
couples therapy, 178  
family therapy, 175–176  
treatment plan  
implementation, 305–306
- titrating, emotional  
management, 220
- tolerating emotions, 219–220,  
316
- Topimax (topiramate), 190
- total relapse, 228
- tracking accomplishments in  
recovery, 341–342
- trauma  
defined, 62, 169  
history of, as risk factor, 56,  
62–64, 239  
length of recovery, 214  
treatment of, 139–140,  
169–172
- treatment  
approaches to. *See*  
treatment, approaches  
and options  
athletes, eating disorders  
in, 250  
bipolar disorder, 97, 192  
for caregivers, 322–332  
children and adolescence,  
265–266  
companion conditions,  
87–99  
inside fix, longing for, 200  
in males, 242  
mid-life, 273–274  
new options in, 19  
obese people, eating  
disorders in, 277–280  
of obesity, 278–279  
outside fix, longing for,  
199–200  
Post-Traumatic Stress  
Disorder (PTSD),  
170–172  
quick fix, longing for,  
198–199, 336  
resources, 343–348  
seniors, eating disorders in,  
268, 274  
using book to understand  
importance of, 2
- treatment, approaches and  
options  
alternative therapies,  
145–146  
body-based, 165–167, 220  
bottom-up, 164–165  
Cognitive Behavioral  
Therapy, (CBT) 148–153  
choosing, 148–150  
couples therapy, 178–180,  
328–329  
Dialectical Behavioral  
Therapy (CBT), 148,  
153–155  
eclectic, 149  
Emotional Freedom  
Techniques (EFT), 169,  
344  
energy therapies, 168–169  
expectations as realistic,  
198–200
- experiential therapies,  
145–146
- Eye Movement  
Desensitization and  
Reprocessing (EMDR),  
149, 167–168
- family therapy, 174–177  
feminist, 158–162  
goal shifting, 201–204  
group therapy, 181–183,  
209–211
- Internet-based therapy,  
194–195
- Interpersonal Therapy  
(IPT), 148, 150, 162–164  
intervention level, 134–136  
location for treatment,  
134–136, 140–145, 268  
for males, 240–242  
Maudsley, 177, 193–194,  
310, 344  
medical work-up, 136–140  
medication, 189–192  
mutual support groups,  
183–185  
plan for. *See* treatment  
plans  
psychodynamic, 155–158  
research on, 149  
self-help groups, 183–185  
Sensorimotor  
Psychotherapy (SP), 166  
Somatic Experiencing (SE),  
166, 220, 345  
support groups, 211  
therapists, finding right,  
125–128  
Thought Field Therapy  
(TFT), 19, 169  
trauma treatment, 169–172  
treatment team assembly,  
129–133
- treatment plans  
developing, 138–140,  
283–292  
implementing, 293–306  
medical work-up, 138–140  
priority of treatment,  
139–140  
therapists, 138–140

treatment team. *See also*  
 treatment, approaches  
 and options  
 assembly of, 129–133  
 for children's eating  
 disorders, 265  
 emotional health, 129–131  
 physical health, 131–133  
 psychological health,  
 129–131  
 team leadership, 133  
 therapist role, 129–131  
 triggers  
 anorexia in seniors, 272  
 children's risk factors, 264  
 of emotions, 121  
 obese people, eating  
 disorders in, 276  
 truthfulness  
 with therapist, 207–208  
 with treatment team, 340  
 twelve-step programs,  
 183–185, 308

## • U •

underorganized family,  
 59–60, 177, 239  
 urgent hospitalization,  
 134–136

## • V •

Vandereycken, Walter, 65  
 Vanderlinden, Johan, 65  
 vomiting, 38, 81–83. *See also*  
 bulimia nervosa, purging  
 vulnerabilities as risk factor  
 abuse, 62–64  
 approval, need for external,  
 67  
 black-and-white thinking,  
 66–67  
 emotional management, 62

family traits, 57–58  
 individual vulnerabilities,  
 62–66, 68  
 influence potential, 56  
 shame, 64–65

## • W •

wasting illness in seniors,  
 273  
 water pills (diuretics), 38,  
 81–82  
 wear-and-tear effects of  
 purging, 81–83  
 Web sites. *See* Internet;  
*specific Web sites*  
 weight  
 anorexia nervosa, 23–24  
 cheerleading, 312–313  
 finding healthy, 106–107  
 goal substitutions in,  
 202–204  
 maintaining healthy,  
 106–108  
 medication for anorexia  
 nervosa, 189  
 minimum, anorexia  
 nervosa, 24  
 obsession with weight,  
 107–108, 123–124  
 physical hazards, 76  
 psychological dimensions  
 of eating disorders,  
 10–11  
 recovery, 106–108, 123–124,  
 203–204  
 self-worth and weight,  
 behaviors and thoughts  
 to avoid, 337  
 severe loss, and urgent  
 hospitalization, 135  
 too low, 106–107  
 tracking, and stability,  
 107–108

weight-categories in sports,  
 245  
 weight-critic coach, 249  
 weight spectrum, 48  
 win-focused coach, 249  
 women. *See* females  
 women's movement, 17  
 worksheets for recovery  
 bingeing/purging, 111  
 eating, 114  
 emotions, 122  
 exercise, 116  
 relationships, 119  
 self-image, 124  
 thinking processes, 112  
 wrestling, 248

## • X •

X-ray of chest, 138

## • Y •

yoga, 222  
 youth  
 fighting loss of, 269–271  
 quest for, 16

## • Z •

Zofran (ondansetron), 191  
 Zoloft (sertraline), 190, 277  
 Zonegran, 190  
 Zyprexa (olanzapine), 189