

Index

• Symbols •

. (dot) operator, 230–231
// (slashes), 243

• A •

about this book
 companion Web site, 5–6, 347
 conventions used, 2–3
 downloading graphics for book, 5–6
 how to use it, 1–2
 icons used, 4–5
 organization, 3–4
 required knowledge, 2
 topics covered, 1
 using *Flash For Dummies* Library, 162–163
accessibility for Web sites, 286–287
Accessibility panel, 287
.act files, 72
Actions panel, 232, 234–235
ActionScript
 adding comments in, 242–243, 335
 buttons using, 177, 182–183, 234–238
 creating, 243–244
 frames using, 232–234
 interactivity with, 229–231
 loading music dynamically from Web,
 343–344
 methods, 230–231
 mouse events, 237, 238
 programming in, 242
 publishing .swf files for versions of, 299–300
 saving files, 243
 Script Assist, 235, 242–243
 statements versus function in, 270
 testing, 184
 tips for using, 336
 versions of components, 265–266
ActionScript Web site, 349
active area of button, 238
active layer, 140–141
Adobe Flash. *See* Flash CS4
Adobe Illustrator, 86
Adobe Photoshop, 86
Adobe Web site, 346–347, 350
ADPCM (Adaptive Differential Pulse Code
 Modulation), 252
AI files, 322
aligning
 Flash Player movie in HTML code, 311–312
 movie to center of Web page, 338–340
 objects, 95–96
 snap, 93–94
 text, 135
anchor points
 adjusting, 99–100
 defined, 62–63
 moving, 98–99
animation. *See also* armatures; bones;
 tweening
 about, 187–188
 adding to mask layers, 150
 adjusting frame rate for tweens, 191
 animating movie clip in 3D space, 199–200
 bones and, 224–227
 breaking into scenes, 227–228
 changing speed of frames, 214
 conceiving first, 23
 converting to movie clip symbol, 157–158
 creating, 188
 easing, 225–226
 editing, 210–217
 embedding video in, 256–258
 frame-by-frame, 188, 192–193
 importing existing graphics for, 23–24
 keyframes, 191–192
 layers for, 188–189
 Motion Presets for, 204–205
 motion tweening, 27–29
 moving, 213, 216–217
 onion skinning, 214–216
 optimizing with tweening, 293
 publishing animated logo, 30
 replacing or editing motion path, 200–204

- animation (*continued*)
 - reversing, 213
 - synchronizing sound with, 248, 331
 - testing buttons with, 177
 - 3D Translation tool for, 169–172, 336–338
 - Timeline with, 190–191
 - tweening, 194–210
 - ways to add, 33–35
 - anti-aliasing
 - font, 310–311
 - PNG artwork, 314
 - armatures
 - animating, 224–227
 - binding shapes to, 220–221
 - building, 218–220
 - defined, 188, 217
 - easing animation of, 225–226
 - joining, 220
 - selecting frames from, 211
 - Audacity, 246
 - audio
 - acquiring, 246–247
 - adding to button, 177, 178–179
 - adding to movies, 245
 - adjusting properties of, 251–253
 - changing volume of, 251
 - compressing, 252–253, 292–293, 301
 - deleting parts of, 250
 - editing, 249–251
 - importing files to Library, 246–247
 - loading dynamically from Web, 343–344
 - placing in movies, 247–249
 - sampling rate, 246, 251
 - synchronizing, 248, 331
 - AVI files, 322
 - Away3D, 337
- B •**
- background images, animating over, 198
 - Bandwidth Profiler, 294
 - Best Flash Animation Web site, 346
 - bevel corner, 52, 53
 - Bezier curves, 62–63
 - Bind tool, 221–222
 - bit rates of audio, 246
 - bit resolution, 246
 - bitmap graphics
 - about, 12
 - converting to vector graphic, 86–87
 - disadvantages of, 290
 - importing, 148, 332–333
 - using as fill, 77
 - vector versus, 37–38
 - Bitmap Properties dialog box, 333
 - blend modes, 166
 - BMP files, 322, 332
 - Bone tool
 - object types for bones, 189
 - using, 188
 - bones. *See also* armatures
 - animating, 224–227
 - binding to shapes, 220–221
 - changing shape flex when moving, 221–222
 - constraining motion of, 222–224
 - limiting joint speed, 225
 - using, 217–218
 - breaking apart
 - instances, 169
 - objects, 118–119, 138
 - brightness
 - of instances, 164
 - tweening object's, 198–199
 - browsers
 - aligning movie to window of, 311–312
 - configuring Flash Player window for, 311
 - printing movies from, 323
 - testing movie in, 296–297, 335
 - Web site testing on multiple, 342
 - Brush tool
 - adjusting pressure and tilt of, 66
 - modifiers for, 64–65
 - performance disadvantages of, 290
 - setting size and shape of, 65
 - smoothing stroke of, 66–67
 - brushes
 - Spray, 67–69
 - using Symmetry, 80–81
 - button symbols. *See* buttons
 - buttons
 - about, 154–155, 173
 - active area of, 238
 - adding movie clip to, 177, 179–181
 - changing to movie clips or graphic symbol, 167
 - creating, 174–176
 - defined, 173
 - filtering, 166
 - icon for, 155
 - inserting sound in, 177, 178–179

mouse events in ActionScript, 237, 238
 states of, 174
 testing, 176–177, 181, 184
 using actions with, 177, 182–183, 234–238

• C •

- C curves, 63
- channels for sound, 246
- character embedding, 137, 292
- Character Embedding dialog box, 292
- CheckBoxes component, 266, 271–272
- checking spelling, 127–129
- child bone, 219
- classes for ActionScript, 230
- classic tweening, 194
- Clipboard
 - copying objects to, 96
 - moving objects with, 94
- .clr files, 72
- collapsed panels, 17
- color
 - adjusting rectangle stroke and fill, 55
 - adjusting symbol transparency, tint, and, 165–166
 - animating, 195
 - choosing Pencil's stroke, 53–54
 - designing gradient, 75–76
 - fill options for shapes, 70–76
 - filling shapes with, 69–70
 - kuler, 73
 - previewing Web browser display of, 296–297
 - selecting PNG color, 315
 - selecting text, 131, 132
 - setting Stage, 35–36
 - tweening object's, 198–199
 - using color themes, 73–75
 - Web-safe, 291, 315–316
- Color panel, 71–72
- columns in Library, 41–42
- ComboBox component, 266, 273–275
- commands
 - Crop, 116
 - Envelope, 102
 - Intersect, 116
 - keyboard shortcuts for menu, 19–20
 - Publish Preview, 320
 - Punch, 116
 - saving, 123–124
 - Union, 115
- comments
 - ActionScript, 242–243, 335
 - Timeline, 210–211
- companion Web site, 5–6
- Component Inspector, 273
- components
 - about, 265–266
 - CheckBoxes, 266, 271–272
 - ComboBox, 266, 273–275
 - creating preloader with, 277–278
 - defined, 154
 - exporting SWC files, 302
 - List, 266, 275–277
 - preparing to work with, 266–267
 - RadioButtons, 266, 267–271
- Components panel, 266–267
- compressing
 - bitmap image, 332, 333
 - JPEG files, 300
 - sound files, 252–253, 292–293, 301
- computers. *See* Mac computers; Windows PCs
- conferences on Flash, 350–351
- constraining
 - motion of bones, 222–224
 - movement of movie clip, 241
- Content Path dialog box, 260, 261
- context sensitive panels, 17
- Controller, 189
- conventions in book, 2–3
- Convert to Symbol dialog box, 156
- copying
 - folder content, 146
 - frames, 211–212
 - graphics, 85
 - layers, 143
 - motion, 212–213
 - movie scenes, 329–330
 - objects, 96
 - outline and fill properties, 109
 - publish profiles, 318
 - steps, 123
- corners, 52–53
- courses in Flash, 347
- Create New Profile dialog box, 317
- Crop command, 116
- curves
 - drawing Bezier, 62–63
 - optimizing, 104, 290
- cutout effects, 58–59



Davis, Joshua, 353–354
 deblocking JPEG files, 301
 debugging movies, 303
 Deco tool, 78–81
 deleting
 anchor points, 99
 layers, 143
 objects, 97
 parts of sound, 250
 publish profiles, 319
 Spray Brush dots, 69
 deselecting all objects, 92
 designing with Flash
 best designers, 353–358
 first animations, 23
 tips for Web site design, 341–343
 Detect Flash Version check box (Publish Settings dialog box), 307, 309
 distorting shapes, 101–102
 dithering, 314–315
 docking, panels, 16
 Document Properties dialog box, 36–37, 334
 documents
 document-level undo, 120–121
 embedding video in, 256–258
 setting Stage size for, 36–37
 dot (.) operator, 230–231
 Down button state, 174, 176, 180
 downloading
 book's graphics, 5–6
 Flash Player, 10
 optimizing movie, 290–293
 preloaders and, 277–278
 draggable movie clips, 240–241
 drawing
 lines, 54
 motion path, 203–204
 objects with object-drawing model, 59
 using grids and ruler for, 81–84
 drawing tablet, 66
 duplicating publish profiles, 318
 DXF files, 322
 dynamic text, 136



easing animations, 225–226
 Eden, Anthony, 354

Edit bar, 15, 16
 Edit Envelope dialog box, 250
 Edit Scene button, 330
 Edit Snapping dialog box, 93
 editing
 animation, 210–217
 breaking apart objects, 118–119
 combining objects, 115–116
 converting lines to fills, 106–107
 flipping objects, 114–115
 gradient and bitmap fill, 107–109
 grouped objects, 116–117
 instances, 164–169
 layer properties, 146–148
 mask layers, 149–150
 motion path, 200–204
 moving objects, 92–95
 multiple Timeline frames, 215
 publish profiles, 318
 selecting objects for, 89–92
 shapes, 98–107
 softening object edges, 105–106
 sound, 249–251
 symbols, 159–160, 161–162
 text, 127
 transferring properties from one object to another, 109
 e-mail discussion groups, 348
 embedding
 metadata in .swf files, 302
 text characters, 137, 292
 video in animation, 256–258
 enabling
 hardware acceleration, 304
 snap alignment, 93
 snapping, 83
 Envelope command, 102
 EPS files, 322
 erasing
 objects, 97
 steps on History panel, 124
 event listeners
 adding, 236
 connecting to RadioButtons, 270
 defined, 272
 triggering navigateToURL function with, 280
 exiting Flash CS4, 31
 Expand Fill dialog box, 105

expanding
 fills and shapes, 105
 folders, 145

exporting
 movies and images, 321–322
 publish profiles, 319–320
 sound to mobile devices, 301
 SWC files, 302

eXtensible Metadata Platform (XMP), 37

Eyedropper tool, 109

● **F** ●

fadeouts, 351

file formats
 export, 322
 import, 85
 most common bitmap, 332
 publishing movies to various, 313
 saving movies in Flash CS3, 297
 selecting for publishing movie, 297–298
 self-playing movie, 316
 video, 253

files. *See also* .swf files
 .act, 72
 adding passwords for movie, 303
 AI, 322
 archived in Library, 39–41
 AVI, 322
 BMP, 322, 332
 .clr, 72
 compatible formats for importing, 85
 compressing sound, 252–253, 292–293
 DXF, 322
 EPS, 322
 exporting SWC, 302
 .fla, 284–286, 289, 293, 302, 351
 Flash stock Library, 43
 .flv, 258–262, 322
 formats for exporting, 322
 GIF, 13, 322, 332
 JPEG, 300, 301, 321, 322, 332, 333
 managing color palette and Color Table, 72
 MDV, 322
 most common bitmap formats, 332
 PCT, 322
 PNG, 313–316, 321, 322, 332
 publishing movies to various formats, 313
 saving ActionScript, 243
 saving movies in Flash CS3 format, 297

SWC, 302
 .swf, 289, 293, 299–304
 .txt, 243–244
 video formats, 253
 WAV, 322
 WMF/EMF, 322

fill
 adding bitmap graphic as, 77
 converting lines to, 106–107
 copying properties of outlines and, 109
 defined, 54
 defining oval without, 61
 expanding and contracting, 105
 locked, 77–78
 optimizing downloading of, 291
 pattern, 78–81
 reshaping, 98
 selecting solid color, 70–73
 skewing, 109
 softening edges of, 105–106
 using Gap Size modifier with, 69–70
 using Gradient Transform tool with, 107–109

filtering
 buttons and movie clips, 166
 options for PNG files, 315–316
 text, 138, 166

Find and Replace dialog box, 110

finding and replacing
 objects, 110–111
 text, 129–130

Finish Video Import pane (Import Video dialog box), 260

.fla files
 about, 289
 analyzing with Movie Explorer, 284–286
 components implemented as, 302
 downloading and analyzing, 351
 .swf versus, 293

Flash color set files, 72

Flash CS4. *See also* user interface
 accessing common libraries, 162
 components for, 154
 delivering video over Web with, 253
 designing Web site with, 278–283
 exiting, 31
 features of user interface, 15–22
 .fla versus .swf files, 293
 forums and newsgroups, 348
 getting started with, 13–15
 help resources for, 22–23

Flash CS4 (*continued*)

- history of, 9
- importing Illustrator and Photoshop files into, 86
- recommended Web sites on, 349–350
- resources for, 345–351
- stock Library for, 43
- support for ActionScript, 230
- using, 10, 11–12
- ways of using video in, 254
- Web design tips for, 341–343
- Web sites featuring examples of, 10
- when not to use, 12–13
- Flash CS4 For Dummies* Web site, 5–6, 347
- Flash Design Center, 346
- Flash For Dummies* Library, 162–163
- Flash Kit Web site, 349
- Flash Media Server, 254
- Flash Player. *See also* .swf files
 - combining movie code with elements of HTML code, 306
 - configuring window options for, 311
 - controlling size of movie on Web site, 309
 - downloading, 10
 - .fla versus .swf files, 293
 - indicating movie's print area, 324–325
 - options aligning movie to browser window, 311–312
 - print features of, 323
 - printing movies from, 325–326
 - publishing .swf files for, 299–304
 - reducing file sizes for, 290
 - saving files for previous versions of, 299–300
 - scaling movie to HTML page, 312
 - setting limits on movie looping, 304
 - specifying printable frames for, 324–325
 - .swf files for, 289
 - testing for presence and version, 283–284, 309
 - universality of, 253
- Flash tab (Publish Settings dialog box), 299, 300
- FlashBelt Conference, 351
- Flashforward Conference and Web site, 345, 346, 351
- Flashgoddess Web site, 349
- flipping objects, 114–115
- .flv video files, 258–262, 322
- flyout toolbar on Tools panel, 54, 56

folders

- creating new, 41
- organizing layers in, 144–146
- viewing on Timeline, 190
- working with, 145–146

fonts

- formatting, 130–132
- limiting numbers of, 342
- reducing number of styles and, 291
- selecting anti-aliasing for, 310–311
- using device, 134–135

Formats tab (Publish Settings dialog box), 298

formatting

- characters, 130–132
- paragraphs, 135–136

forums and newsgroups, 348

Foulds, Andy, 354

Frame Graph, 294–295

frame rate

- adjusting animation, 191
- finding for video, 254–256
- specifying, 36

frame-by-frame animation, 188, 192–193

frames. *See also* frame rate; keyframes

- about, 188, 190–191
- adding ActionScript to, 232–234
- adjusting Timeline appearance of, 192
- animating frame-by-frame, 188
- changing speed of, 214
- copying and pasting, 211–212
- defined, 21
- editing multiple Timeline, 215
- moving, 21–22, 213
- printable, 324
- reversing direction of, 213
- selecting, 211
- storing static Web content in, 280–283
- synchronizing sound with animation, 248, 331

- tween span of, 199
- using keyframes, 191–192

Free Transform tool

- changing transformation point, 117–118
- distorting shapes with, 100–102
- scaling and rotating animation with, 198
- transforming motion path with, 201–202

freehand lassoing, 91

function definitions, 270

• G •

Gap Size modifier, 69–70
 Georganes, Chris, 355
 getting started
 creating new movies, 13–14
 customizing workspaces, 20
 exiting Flash, 31
 Flash menus, 18–20
 frames in Timeline window, 21–22
 looking at screen features, 15
 panels, 16–18
 Stage and Pasteboard, 21
 toolbars, 15, 16
 trying first animation, 23–31
 using PC or Mac, 13
 GIF files
 animating, 13
 exporting movies as, 322
 pros and cons of, 332
 glows, 351
 Go ActionScript Animation Platform, 337
 Gotoandlearn Web site, 349, 350
 gradient fill
 color for, 75–76
 downloading time for, 291
 editing, 107–109
 radial, 75, 174
 removing in PNG graphics, 314
 Gradient Transform tool, 107–109
 graphic symbols
 changing to movie clip or button, 167
 defined, 154
 icon for, 155
 unable to filter, 166
 graphics. *See also* bitmap graphics; buttons;
 symbols; vector graphics
 adding pattern fills to, 78–81
 advantages of vector-based, 38
 changing symbol properties, 159
 creating objects with object-drawing model,
 59
 cutting up shapes, 57–58
 designing gradient color, 75–76
 designing Web, 342
 drawing shapes, 54–57
 duplicating symbols, 158
 exporting, 321–322
 finding in Library, 39–41
 grid and ruler used with, 81–84

imported, 86–88
 importing, 84–88
 making curves and lines, 62–63
 optimizing movie downloading, 290–291
 Pencil tool used for, 49–54
 places to find, 39
 placing on layers, 26–27
 Spray Brush tool for, 67–69
 stacking objects on others, 58–59
 types used for animation, 189
 grid fill, 80
 grids, 83
 groups
 breaking apart, 118–119
 grouping objects, 116–117
 optimizing artwork with, 290
 guide layers, 147–148
 guides, 82

• H •

Hantoot, Ben, 355
 hardware acceleration, 304
 help resources
 Flash CS4, 22–23
 Web site, 23
 hexadecimal notation, 71
 hiding. *See* showing/hiding
 Hit button state, 174, 176, 180
 HTML (HyperText Markup Language)
 adjusting movie playback options in, 310
 centering movie on Web page, 338–340
 combining Flash Player movie code with
 code for, 306
 configuring publishing settings for, 307–312
 detecting Flash versions, 309
 HTML pages on Web sites, 278–279
 knowledge required of, 2
 movie template options in, 308–309
 presenting text in, 125
 providing non-Flash pages in, 279, 283, 284,
 309
 publishing movies in, 298, 304–312
 rendering text as, 137
 scaling movie to Web page, 312
 tags in movie code, 305–307
 uploading when posting movie to Web,
 320–321
 HTML tab (Publish Settings dialog box),
 307–312

• 1 •

icons
 symbol, 155
 used in book, 4–5

IK. *See* inverse kinematics

Illustrator, 86

images. *See* graphics

Import Video dialog box, 257, 259

importing
 bitmap graphics, 148, 332–333
 color palettes, 72–73
 existing graphics to animate, 23–24
 graphics, 84–88
 protecting .swf files from, 303
 publish profiles, 319–320
 sound, 246–247

indenting text, 136

Info panel, 94–95

Ink Bottle tool, 70

input text, 136

instances
 ActionScript, 230
 breaking apart, 169
 building armature to connect, 218–220
 defined, 153, 154, 159, 163
 editing, 164–169
 inserting, 163–164
 naming, 335
 replacing, 167–168
 rotating and moving movie clip, 169–172

interactivity, 229

interlacing PNG graphics, 314

Intersect command, 116

inverse kinematics (IK). *See also* bones
 adding armature with, 218–220
 animating bones, 224–227
 binding bones to shapes, 220–221
 changing shape flex when moving, 221–222
 constraining motion of bones, 222–224
 defined, 188
 easing animations, 225–226
 layer illustrated, 190
 limiting bone's joint speed, 225
 using, 217–218

• J •

JavaScript, 304, 305–306

JPEG files
 compression settings for, 300
 deblocking, 301
 exporting movies as, 321, 322
 importing bitmaps as, 332
 setting quality of exported, 333

• K •

kerning text, 132–133

keyboard shortcuts for menu commands,
 19–20

keyframes
 defined, 22
 editing, 210
 motion tween and property, 197
 using, 191–192

kinematic chain, 217

Kirupa's Web site, 349

kuler colors, 73–74

• L •

labels
 changing placement of CheckBox, 271
 changing RadioButtons, 268, 269
 Timeline, 210–211

Lasso tool, 91

Layer Properties dialog box, 146

layers
 active, 140–141
 animation, 188–189
 Armature, 220
 changing state of, 141–142
 copying and pasting, 143
 creating, 140
 defined, 21
 deleting, 143
 displaying object as outline on, 142
 guide, 147–148
 linking to mask layer, 149–150
 locking/unlocking, 142

- managing, 143, 335
 - mask, 148–150
 - modifying properties of, 146–148
 - organizing in folders, 144–146
 - placing graphics on, 26–27
 - pose, 219, 225
 - renaming, 144
 - reordering, 144
 - showing/hiding, 141
 - unlocking to move animation, 217
 - using, 139
- Lee-Delisle, Seb, 356
- Library
- about, 39–41
 - accessing, 162
 - Flash For Dummies*, 162–163
 - Flash stock, 43
 - importing sound files to, 246–247
 - inserting instances from, 163–164
 - organizing symbols in folders, 41
 - reusing symbols from other movies, 160–162
 - sorting columns in, 41–42
 - tips for organizing, 336
 - using from other movies, 42–43
- Library panel, 40
- line caps
- styles of, 52
 - using, 104
- line spacing for text, 136
- Line tool
- creating shapes with, 56–57
 - using, 54
- linear gradients, 75
- lines
- adjusting smoothing and shape-recognition preferences for, 52
 - converting to fills, 106–107
 - drawing, 54
 - intersecting shapes with, 57–58
 - modifying ends of, 104
 - optimizing, 290
 - selecting caps and joins for, 52–53
- links
- creating with text, 133–134
 - opening movie site with button, 234–238
- List component, 266, 275–277
- local playback security, 304
- locking
- fill, 77–78
 - folders, 145
 - guides, 82
 - layers, 142, 145
 - objects from selection, 92
- looping
- movies in HTML code, 310
 - setting limits on, 304
 - sound, 249
- M •
- Mac computers
- creating ActionScript files in, 243–244
 - editing HTML in TextEdit, 305
 - file format for self-playing movies, 316
 - getting started on, 13
 - preparing to embed video for, 254–255
- Macromedia Flash, 9
- margins for text, 135
- mask layers
- animating, 150
 - creating, 148–149
 - editing, 149–150
 - making movie clip into, 238–240
- MDV files, 322
- menus
- keyboard shortcuts for commands on, 19–20
 - overview of, 18–19
- metadata
- adding to movies, 37
 - including for .swf file, 301–302
- methods
- ActionScript, 230
 - Stop, 232–234
 - using and specifying, 230–231
- Microsoft Internet Explorer
- changes to, 304
 - requirements for object tag, 306
- Minns, Dominic, 356
- miter joins, 52, 53
- mobile devices, 301

modes

- Brush, 64–65
- button symbol-editing, 175
- Pencil tool, 50
- 3D Translation tool, 169
- used for editing symbols, 159
- window, 311

monophonic sound, 246

morphing. *See* shape tweening

Motion Editor, 205–206

motion path

- about, 197
- editing or replacing, 200–204

Motion Presets, 204–205

motion tween keyframes, 197

motion tweening

- about, 194, 195–196
- adding to armature animation, 226–227
- controlling with Motion Editor, 205–206
- creating, 27–29, 196–199
- editing or replacing motion path, 200–204
- method for selecting frames, 211
- using Motion Presets, 204–205

mouse events in ActionScript, 237, 238

movie clip symbols. *See also* movies

- changing to graphic or button symbol, 167
- converting animation to, 157–158
- filtering, 166
- icon for, 155
- using, 154

movie clips. *See* movies

Movie Explorer, 284–286

Movie Inspector window, 255

movies. *See also* frames

- ActionScript methods in, 232–234
- adding metadata to, 37
- adjusting playback options in HTML, 310
- analyzing with Movie Explorer, 284–286
- animating in 3D space, 199–200
- archived files in Library, 39–41
- award-winning Flash, 345–346
- breaking into scenes, 227–228
- CheckBoxes component in, 266, 271–272
- combining two, 329–330
- components and size of, 266
- compressing sound, 292–293
- creating animated masks with, 238–241
- creating new, 13–14

defined, 13

- draggable, 240–241
 - exporting, 321–322
 - fonts for, 134–135
 - frame rate for, 191
 - frames in, 188
 - generating size report for, 303
 - helping goal of Web site, 341
 - hiding movie clips, 324
 - indicating print area for, 324–325
 - inserting in buttons, 177, 179–181
 - opening existing, 14–15
 - optimizing download of, 290–293
 - placing sound in, 247–249
 - playback optimization for, 167
 - playing with ActionScript, 234–238
 - posting to Web sites, 320–321
 - preloaders for, 277–278
 - previewing in Web browser, 296–297
 - printing, 44–46, 323–326
 - publishing in HTML, 304–312
 - publishing settings for, 297–298
 - RadioButtons component used in, 267–271
 - removing trace actions from, 303
 - rescaling size of, 333–335
 - reusing parts of, 351
 - saving, 297, 335
 - self-playing, 316
 - size limits for, 341
 - sound and video clips used in, 245
 - specifying printable frames for, 324–325
 - streaming video inside, 258–262
 - symbols reused from other, 160–162
 - templates for, 43–44
 - testing, 293–297, 335
 - text optimization, 291–292
 - tips for creating, 335–336
 - understanding HTML for, 305–307
 - using Library from other, 42–43
 - viewing on companion Web site, 6
- moving
- complete animation on Stage, 216–217
 - focal point of fill, 108
 - frames, 213
 - movie clip instances, 169, 170–171
 - objects, 92–95, 100
- MP3 sound compression, 252–253, 292

• N •

naming instances and symbols, 335

Natzke, Erik, 356

navigation

- creating structure for, 279

- testing URL, 184

- using navigateToURL function, 280

nested folders, 145

nesting symbols, 153, 290

New from Template dialog box, 43

New Workspace dialog box, 20

newsgroups, 348

Notepad, 305

• O •

object tag, 306

object-drawing model, 59

objects

- ActionScript, 230

- adding ActionScript methods to, 230–231

- adjusting stacking order of, 119–120

- aligning, 95–96

- breaking apart, 118–119

- changing transformation point for, 117–118

- choosing from Library, 40–41

- combining, 115–116

- copying, 96

- deleting and erasing, 97

- displaying as outline, 142

- editing anchor points of, 99–100

- finding and replacing, 110–111

- flipping, 114–115

- grouping, 116–117

- making symbols from existing, 155–156

- moving, 92–95, 100

- placing on top of other shapes, 58–59

- redoing actions to, 121

- reusing actions from History panel, 122–124

- rotating, 112–113

- rotating tweened, 195, 202–203

- scaling, 101, 111–112

- selecting, 89–92

- skewing, 101, 113–114

- snap aligning, 93–94

- snapping to, 83–84

- softening edges of, 105–106

- tapering, 101

- transferring properties between, 109

- transforming and distorting, 100–102

- tweening, 194–195

- undoing actions to, 120–121

onion skinning, 214–216

opening existing movies, 14–15

Optimize Curves dialog box, 104

optimizing. *See also* performance

- animation with tweening, 293

- curves, 104, 290

- movie downloading, 290–293

- movie playback, 167

- text, 291–292

organization of book, 3–4

outlines

- copying properties of fill and, 109

- onion skinning with, 215

- reshaping, 98

outlining

- existing shapes, 70

- object on layers, 142

Oval Primitive tool, 60–61

ovals, 56, 60–61

Over button state, 174, 175, 180

overriding sound settings, 301

• P •

Page Setup dialog box, 45

Paint Bucket, 69–70

painting with Brush tool, 64

palettes, saving color, 72

panels

- Accessibility, 287

- Actions, 232, 234–235

- collapsed, 17

- Color, 71–72

- Components, 266–267

- context sensitive, 17

- docking, 16

- illustrated, 15

- kuler, 73–74

- Library, 39–40

- moving objects from Property inspector and Info, 94–95

- reusing actions from History, 122–124

- Transform, 112

- using, 16–18

- using Scene, 227–228

- Papervision 3D, 337, 338
- paragraph formatting, 135–136
- parent bone, 219
- parent folders, 145
- passwords for movie files, 303
- Pasteboard, 21
- pasting
 - frames, 211–212
 - layers, 143
 - motion, 212–213
 - selected objects, 96
- paths
 - closing oval primitive, 61
 - motion, 197, 200–204
- PCT files, 322
- Pen tool
 - adjusting curves with, 99–100
 - drawing curves and lines with, 62–63
- Pencil tool
 - cap styles for, 52
 - color of stroke for, 53–54
 - cutting shapes with, 57–58
 - drawing mode modifiers for, 50–51
 - editing stroke and fill with, 102–103
 - optimizing performance with, 290
 - selecting, 49–50
 - setting stroke for, 51–53
- performance
 - components and size of movies, 266
 - Flash CS4, 12–13
 - improving movie downloading, 290–293
 - optimizing movie playback, 167
 - preloaders and downloading, 277–278
 - size of published movies, 303
 - text optimization, 291–292
- Photoshop, 86
- pixels
 - ruler measurements in, 82
 - sizing movie for Web sites in, 309
 - snapping to, 84
- playback options in HTML code, 310
- playhead
 - defined, 22
 - illustrated, 15, 190
- PNG files
 - creating, 313–316
 - exporting movies as, 321, 322
 - importing bitmaps as, 332
- PNG tab (Publish Settings dialog box), 313
- Polystar tool, 56–57
- pose layers, 219, 225
- posting movies to Web sites, 320–321
- precision
 - placing objects with, 94
 - rotating objects with, 112–113
 - scaling objects with, 111–112
- Preferences window (Mac), 243, 244
- preloaders, 277–278
- previewing movies in Web browser, 296–297
- primitive shapes, 60–62
- printing
 - movie storyboards, 44–46
 - movies, 323–326
- programming in ActionScript, 242
- projectors, 316
- Property inspector
 - about, 17–18
 - adjusting Spray Brush tool symbols, 67–68
 - changing Stage color, 35–36
 - easing animation from, 225–226
 - editing instances, 164–169
 - formatting types of text in, 136–137
 - illustrated, 15, 17
 - limiting bone's joint speed, 225
 - moving movie clip instances with, 170–171
 - paragraph formatting with, 135–136
 - parameter adjustments for oval primitive in, 61
 - Pencil stroke adjustments with, 51
 - placing objects precisely with, 94
 - rotating tweened objects, 202–203
 - scaling objects with, 111–112
 - setting sound parameters in, 247
 - type attributes set with, 130–133
 - using with components, 266, 267
- property keyframes, 197
- Publish Preview command, 320
- publish profiles, 316–320
- Publish Settings dialog box, 251, 296
 - about, 297–298
 - configuring HTML settings, 307–312
 - creating projectors, 316
 - Flash tab for, 299, 300
 - Formats tab for, 298
 - PNG tab for, 313
 - publish profiles, 316–320

publishing
 animated logo, 30
 configuring publish profile, 316–320
 hidden layers of .swf file, 301
 movies in HTML, 298, 304–312
 selecting settings for movies, 297–298
 settings for embedded streaming video, 262
 .swf files for Flash Player, 299–304
 using Publish Preview, 320
 Punch command, 116



QuickTime Player, 255



radial gradients, 75, 174
 RadioButtons components, 266, 267–271
 Rainbow Resources logo
 animating, 27–29
 converting into symbols, 25–26
 importing graphics for, 23–24
 placing graphics on layers, 26–27
 publishing animated, 30
 rectangle corner radius, 55–56
 Rectangle Primitive tool, 60
 Rectangle tool, 54
 rectangles
 drawing, 54–56
 setting corner radius for, 55–56
 using primitive, 60
 redoing actions to objects, 121
 registration point, 113, 118
 removing shape hints, 209
 renaming
 layers, 144
 publish profiles, 318
 scenes, 228
 reordering layers, 144
 repeating sound, 249
 replaying Flash session steps, 123
 resources for Flash CS4, 345–351
 reversing animation, 213
 Reynaud, Micaël, 357
 rotating
 fill, 108
 movie clip instances, 171–172

objects precisely, 112–113
 shapes, 100
 tweened object, 195, 198, 202–203
 round cap, 52
 round corner, 52, 53
 rulers, 81–82
 runtime bitmap caching, 167



sampling rate, 246, 251
 Sandy 3D Engine, 337, 338
 Save as Template dialog box, 44
 saving
 ActionScript files, 243
 commands, 123–124
 gradient color, 76
 movies in Flash CS3 format, 297
 multiple movie versions, 335
 scaling
 bitmap fill, 108–109
 creating animated changes in, 198
 Flash movie to HTML page, 312
 movie size, 333–335
 objects, 101, 111–112
 stroke, 53
 Scene panel, 227–228
 scenes
 breaking animation into, 227–228
 combining movie, 329–330
 testing, 294–296
 screen readers, 286–287
 screen resolution, 296
 Script Assist, 235, 242–243
 security
 adding passwords for movie files, 303
 local playback, 304
 protecting movies from import, 303
 selecting
 frames on Timeline, 211
 item from group with RadioButtons
 component, 267–271
 Lasso tool for, 91
 objects, 89–92
 Selection tool for, 90–91, 98
 Selection tool, 90–91, 98
 self-playing movies, 316
 shape hints, 208–210

- shape tweening
 - about, 194, 206–207
 - changing speed of frames, 214
 - creating, 207–208
 - editing shape-tweened frames, 210
 - objects for, 189
 - using shape hints, 208–210
- shape-recognition feature, 49, 52
- shapes. *See also* shape tweening
 - adding decorative pattern fill, 78–81
 - applying gradient color to, 76
 - artistic effects with Brush tool, 63–67
 - binding bones to, 220–221
 - bitmap graphics for filling, 77
 - changing flex as bone moves, 221–222
 - color fill options for, 70–76
 - cutting up, 57–58
 - drawing curves and lines with Pen, 62–63
 - editing, 98–107
 - expanding and contracting, 105
 - filling with color, 69–70
 - gradient color fills for, 75–76
 - lines, 54
 - object-drawing model used for, 59
 - outlining existing, 70
 - ovals, 56
 - placing objects on top of others, 58–59
 - polygon and star, 56–57
 - primitive, 60–62
 - rectangles, 54–56
 - using grids and ruler for drawing, 81–84
- showing/hiding
 - folders, 145
 - layers, 141, 145
 - movie clips, 324
 - onion skinning, 215
- size
 - adjusting Brush tool, 65
 - components and movie, 266
 - controlling Flash Player movie, 309
 - generating report on movie, 303
 - limits for movie, 341
 - rescaling movie, 333–335
 - Stage, 36–37
- skewing
 - fill, 109
 - objects, 101, 113–114
 - text, 137, 138
- Skinning pane (Import Video dialog box), 259
- skins, 260
- slashes (/), 243
- Smooth dialog box, 103
- smoothing
 - adjusting preferences for lines, 52
 - Brush stroke, 66–67
 - PNG graphics, 314
 - stroke, 103–104
- snap alignment, 92–94
- snapping
 - enabling, 83
 - to grid, 83
 - to guides, 82
 - to objects, 83–84
 - to pixels, 84
- Soften Fill Edges dialog box, 106
- softening edges of objects, 105–106
- sorting Library columns, 41–42
- sound
 - acquiring, 246–247
 - adding to button, 177, 178–179
 - adding to movies, 245
 - adjusting properties of, 251–253
 - changing volume of, 251
 - compressing, 252–253, 292–293, 301
 - deleting parts of, 250
 - editing, 249–251
 - importing files to Library, 246–247
 - loading dynamically from Web, 343–344
 - overriding compression settings for, 301
 - placing in movies, 247–249
 - sampling rate, 246, 251
 - synchronizing, 248, 331
- Sound Properties dialog box, 251–252, 293, 301
- speech compression, 253
- spelling checks, 127–129
- Spray Brush tool
 - adjusting brush properties, 68–69
 - selecting, 67
 - setting symbol properties for, 67–68
 - working with dots from, 69
- square cap, 52
- stacking order of objects, 119–120
- Stage
 - about, 21
 - adjusting object stacking order, 119–120
 - aligning objects on, 95–96

- color of, 35–36
 - copying and pasting objects on, 96
 - displaying object as outline on, 142
 - enabling and testing buttons with, 176–177
 - grid displayed on, 83
 - illustrated, 15
 - moving complete animation on, 216–217
 - setting up, 35–37
 - sizing, 36–37
 - specifying frame rate, 36
 - stars, 56–57
 - Startup screen, 14
 - statements in ActionScript, 233, 270
 - static text, 136
 - stereophonic sound, 246
 - Stop method, 232–234
 - storing Web content on Timeline, 280–283
 - storyboards, 44–46
 - streaming sound
 - loading dynamically from Web, 343–344
 - setting compression for, 301
 - synchronizing animation with, 331
 - streaming video
 - publishing settings for embedded, 262
 - using inside Flash movie, 258–262
 - ways of using, 254
 - stretching envelopes, 102
 - stroke
 - changing with Ink Bottle tool, 70
 - color setting for Pencil, 53–54
 - defined, 51
 - rectangle, 54, 55
 - scaling options for, 53
 - setting for Pencil tool, 51–53
 - straightening and smoothing, 102–104
 - stroke hinting, 52
 - Subselect tool, 98–99
 - Swap Symbol dialog box, 168
 - Swatches panel, 75
 - SWC files, 302
 - .swf files
 - about, 289
 - .fla versus, 293
 - including metadata on, 301–302
 - protecting from import, 303
 - publishing for Flash Player, 299–304
 - testing in browsers, 296–297
 - tips for using, 336
 - uploading when posting movie to Web site, 320–321
 - Swift 3D, 337
 - symbols. *See also* buttons; graphic symbols;
 - movie clip symbols
 - breaking apart, 118–119
 - changing type of, 167
 - converting animation to movie clip, 157–158
 - creating empty, 156
 - defined, 153
 - duplicating, 158
 - editing, 159–160, 161–162
 - finding in *Flash For Dummies* and common libraries, 162–163
 - making from existing objects, 155–156
 - modifying properties of, 159
 - naming instances and, 335
 - nesting, 153, 290
 - organizing in folders, 41
 - replacing instances of, 167–168
 - reusing from other movies, 160–162
 - rotating and moving movie clip instances, 169–172
 - transformation points for, 198
 - types of, 153–155, 167
 - using instances of, 163–172
 - words and logo converted to, 25–26
 - Symmetry brush, 80–81
 - synchronizing sounds, 248, 331
- T •
- tags
 - in movie code, 305–307
 - requirements for object, 306
 - tangent lines, 63
 - tapering objects, 101
 - Tarbell, Jared, 358
 - templates
 - movie, 43–44
 - options for HTML, 308–309
 - testing
 - buttons, 176–177, 181, 184
 - ComboBox component, 275
 - Flash Player presence and version, 283–284, 309
 - movies, 293–297, 335
 - preloader, 278
 - URL navigation to Web sites, 184
 - Web sites on multiple browsers, 342

- text
 - aligning, 135
 - allowing selectable, 133
 - checking spelling of, 127–129
 - choosing color of, 131, 132
 - creating, 126
 - creating links from, 133–134
 - dynamic, 136
 - editing, 127
 - embedding text characters, 137, 292
 - filtering, 138, 166
 - finding and replacing, 129–130
 - formatting in Property inspector, 136–137
 - indenting, 136
 - kerning, 132–133
 - line spacing for, 136
 - margins for, 135
 - optimizing, 291–292
 - selecting anti-aliasing for fonts, 310–311
 - setting attributes for, 130–133
 - skewing, 137, 138
 - static, 136
 - tracking, 132–133
 - transforming, 137, 138
 - types of Flash, 136–137
 - vertical, 132
- text fields, 292
- Text tool, 126
- TextEdit, 305
- Thorp, Jeremy, 358
- 3D animation, 199–200
- 3D Translation tool, 169–172, 336–338
- thumbnail sketches of Web pages, 342
- Timeline
 - adding labels and comments to, 210–211
 - changing speed of frames, 214
 - customizing frame appearance on, 192
 - displaying sound wave on, 178
 - editing multiple frames on, 215
 - illustrated, 15, 21
 - layers listed on, 140
 - motion tweens indicated on, 28
 - moving frames on, 213
 - onion skinning, 214–216
 - selecting frames on, 211
 - storing Web content, 280–283
 - synchronizing sound with animation, 248, 331
 - using for animation, 190–191
 - viewing button symbol-editing mode on, 175
 - working with frames in, 21–22
- tint of symbol instances, 165
- toolbars
 - Edit bar, 15, 16
 - Tools panel flyout, 54, 56
- tools
 - Bandwidth Profiler, 294
 - Bind, 221–222
 - Bone, 188, 189
 - Brush, 64–67, 290
 - Deco, 78–81
 - Eyedropper, 109
 - Frame Graph, 294–295
 - Free Transform, 100–102, 117–118, 198, 201–202
 - Gradient Transform, 107–109
 - Ink Bottle, 70
 - Lasso, 91
 - Line, 54, 56–57
 - Oval Primitive, 60–61
 - Pen, 62–63, 99–100
 - Pencil, 49–54
 - Polystar, 56–57
 - Rectangle, 54
 - Rectangle Primitive, 60
 - Selection, 90–91, 98
 - Spray Brush, 67–69
 - Subselect, 98–99
 - Text, 126
 - 3D Translation, 169–172, 336–338
- Tools panel
 - about, 17
 - flyout toolbar on, 54, 56
 - illustrated, 15
- trace actions, 303
- tracing bitmap graphic, 86–87
- tracking text, 132–133
- Transform panel, 112
- transformation point
 - changing for objects, 117–118
 - symbol's, 198
- transforming
 - objects, 100–102
 - text, 137, 138

transparency
 animating, 195
 instance, 165–166
 movie performance and, 291
 tweening object's, 198–199

troubleshooting movies on companion Web site, 6

tween span, 199

tweening. *See also* motion tweening
 about, 188
 keyframes and, 191–192
 layer illustrated, 190
 object types for, 189
 object's color, transparency, or brightness, 198–199
 optimizing animation with, 293
 rotating tweened objects, 195, 202–203
 shape, 189, 194, 206–210
 types of, 194
 using Motion Editor, 205–206
 using Motion Presets, 204–205

.txt files, 243–244

type
 adding special effects to, 137–138
 allowing selectable text, 133
 breaking apart, 118–119, 138
 checking spelling of text, 127–129
 choosing text color, 131, 132
 creating text, 126
 defined, 125
 editing text, 127
 finding and replacing text, 129–130
 formatting paragraphs, 135–136
 hyperlinking, 133–134
 innovative formats for, 125–126
 kerning and tracking, 132–133
 selecting anti-aliasing for fonts, 310–311
 setting text attributes, 130–133
 text optimization, 291–292
 types of Flash text, 136–137
 using device fonts for, 134–135

• u •

Ultrashock Web site, 349

undoing
 actions to objects, 120–121
 operations from History panel, 122
 recovering from mistakes with, 24

Union command, 115

unlocking
 group or symbol, 92
 layers, 142, 217

Up button state, 174, 175, 180

updating symbols, 161–162

URLs
 testing button navigation to, 184
 using navigateToURL function, 280

user interface
 Color panel, 71
 customizing workspaces, 20
 features of, 15–22
 Flash menus, 18–20
 frames in Timeline window, 21–22
 main screen, 15
 Motion Editor, 205–206
 panels, 16–18
 preparing to work with components, 266–267
 setting up Stage, 35–37
 Stage and Pasteboard, 21
 Timeline, 190–191
 toolbars, 15, 16



vector graphics
 about, 12
 bitmaps versus, 37–38
 optimizing movie downloading with, 290
 tracing and converting bitmap to, 86–87

versions
 ActionScript component, 265–266
 saving Flash movies in CS3, 297
 saving multiple movie, 335
 testing for Flash Player, 283–284, 309
 using previous Flash Player and ActionScript, 299–300

vertical text, 132

video
 adding clips to movies, 245
 delivering over Web, 253
 embedding in Flash documents, 256–258
 finding frame rate of, 254–256
 streaming inside Flash movie, 258–262
 ways of using in Flash, 254

Video Import Wizard, 256–257, 258, 259

Vine fill, 78–79

volume of sound, 251

• W •

Wacom tablet, 66
warning messages
 converting movie to CS3 format, 297
 during publishing, 312
WAV files, 322
Web browsers. *See* browsers
Web servers, 254
Web sites
 accessibility with screen readers, 286–287
 adding animation to, 33–35
 allowing selectable text for, 133
 alternative non-Flash pages for, 279, 283, 284, 309
 award-winning movie, 345–346
 book's, 5–6, 347
 centering movie on page, 338–340
 controlling movies size for, 309
 delivering video with Flash CS4, 253
 designing complete site with Flash, 278–283
 downloading book's graphics, 5–6
 featuring Flash examples, 10
 Flash design tips for, 341–343
 help resources from, 23
 HTML pages on, 278–279
 linking text to, 133–134
 loading music dynamically from, 343–344
 navigation structure using Flash, 279
 posting movie to, 320–321

 recommended, 349–350
 resource for Flash, 346–347
 testing URL navigation to, 184
 ways for using Flash on, 10, 11–12
 when Flash isn't required for, 12–13
Web-safe color, 291, 315–316
Windows PCs
 editing HTML in Notepad, 305
 file format for self-playing movies, 316
 getting started on, 13
 preparing to embed video for, 255–256
WMF/EMF files, 322
workspaces
 adjusting Timeline placement in, 190
 customizing, 20

• X •

X axis, 170, 171
XMP (eXtensible Metadata Platform), 37

• Y •

Y axis, 170, 171

• Z •

Z axis, 170, 171
Zoom Control box, 20