

Index

Numbers and Symbols

- * (asterisk) wildcard, 311
- /**/ (block comment) operator, 316
- // (comment) operator, 286, 316
- { } (curly braces), 284–285
- (decrement) operator, 316
- /= (divide/assign) operator, 316
- / (division) operator, 316
- == (equality) operator, 316
- > (greater than) operator, 316
- >= (greater than or equal to) operator, 316
- ++ (increment) operator, 316
- != (inequality) operator, 316
- <= (less than or equal to) operator, 316
- &&= (logical AND assignment) operator, 317
- && (logical AND) operator, 317
- ! (logical NOT) operator, 317
- ||= (logical OR assignment) operator, 317
- || (logical OR) operator, 317
- %= (modulo/assign) operator, 316
- % (modulo) operator, 316
- * (multiplication) operator, 316
- *= (multiply/assign) operator, 316
- === (strict equality) operator, 316
- !== (strict inequality) operator, 316
- = (subtract/assign) operator, 316
- (subtraction) operator, 316
- 3D animation
 - 3D Rotation tool, 11, 23, 224–225
 - 3D Translation tool, 11, 23, 225–226
- 3D Rotation tool
 - creating animations, 224–225
 - overview, 11, 23
- 3D Translation tool
 - creating animations, 225–226
 - overview, 11, 23

A

- access
 - modifiers
 - overview, 312–313
 - types, 313

- setting, 312–315
- statements, 291
- Actions panel, 57–58
- ActionScript 3.0
 - actions, 52–53
 - adding
 - to pages, 52
 - to preloader, 594–596
 - arrays, 338–344
 - basic structure, 306–315
 - changes since previous version, 268–272
 - changing movie clips, 39
 - classes, 59
 - code for interactive buttons, 507–509
 - conditional statements, 321–329
 - controlling
 - Flash Timeline, 48, 273–275
 - movie clip Timelines, 276–281
 - copying motion with, 255–257
 - creating
 - ActionScript file for AIR application, 558–560
 - Timeline functions, 49–53
 - two buttons, 49–50
 - cue points, 453–458
 - for desktop AIR browser, 570
 - exclusively for AIR, 566–567
 - files, 59
 - formatting buttons, 50–52
 - graphic programming, 351–358
 - help, 79–80
 - levels, 56–61
 - loading
 - external sound files, 378–381
 - soundtracks, 381–383
 - loops, 329–336
 - making buttons functional with, 506–507
 - operators, 315–320
 - organizing
 - layout for, 538
 - tasks, 55–56
 - overview, 13, 47–48, 267
 - Timeline
 - to ActionScript file, 59–61
 - adding blank keyframes, 211–212

- ActionScript 3.0
 - adding frames, 209–210
 - adding keyframes, 210–211
 - anatomy, 208
 - buttons, 292–295
 - class, 287–288
 - clip code, 286
 - code, 56–59
 - code and design, 295–298
 - comments, 286
 - controlling movie clip, 276–281
 - copying frames, 212–213
 - creating frames, 209–212
 - creating functions with ActionScript, 49–53
 - editing frames, 212–213
 - frames, 208–213
 - instances, 296–298
 - managing, 213
 - overview, 20, 48, 207–208, 273–275
 - selecting frames, 212
 - templates, 284–285
 - text fields, 292–295
 - User Interface (UI) component
 - classes, 299–304
 - working with, 49
 - transporting objects, 53–56
 - vectors, 345–351
- ActionScript 3.0 Language and Components Reference*, 312
- Add Anchor Point tool, 116
- add/assign (+) operator, 316
- “add colors,” 128
- addChild() method, 355–358
- addChild(objName) statement, 288–289
- addChildAt(objName, index) statement, 289
- adding
 - ActionScript
 - to pages, 52
 - to preloader, 594–596
 - blank keyframes, 211–212
 - CHANGE choice, 515–516
 - CheckBox components, 519–520
 - cue points, 442–444
 - data to arrays, 339
 - event listeners to buttons, 269–270
 - frames, 209–210
 - hyperlinks to text, 143
 - keyframes, 210–211
 - maps, 529–530
 - multiple frames, 210
 - player controls, 475–476
 - RadioButton components, 520–521
 - selections to List component, 548–551
 - site components, 528
 - sound
 - to buttons, 376–377
 - from document library, 374
 - effects, 375–376
 - text
 - to pages, 528–529
 - to TextArea component, 551–554
 - worker methods, 474–475
- addition (+) operator, 315–316
- addMedia() method, 474–475
- addUI method, 474–475
- Adobe
 - AIR
 - converting standard Flash applications to AIR, 565–566
 - creating a desktop AIR browser, 567–573
 - creating simple AIR application, 556–565
 - extension, 70
 - file publishing, 560–562
 - overview, 555
 - using ActionScript for, 566–567
 - Web site, 555
 - AIR applications
 - converting Flash applications to, 565–566
 - creating ActionScript file, 558–560
 - creating Flash file, 556–558
 - installing, 562–565
 - modifying, 573
 - publishing AIR file, 560–562
 - testing, 562–565
 - using ActionScript exclusively for, 566–567
 - AIR browser
 - completing application, 571–573
 - creating AIR application, 568
 - entering ActionScript, 570
 - File class, 567–568
 - modifying AIR application, 573
 - setting up AIR file, 568–569
 - Audition, 367–368
 - classes, 311
 - Extension Manager CS4
 - launching extension, 84–85
 - managing with, 85–86

- Flash Media Live Encoder CS4
 - overview, 14–15, 427
 - recording with, 419–421
- Illustrator, 35
- Kuler, 10
- Media Player download, 417
- Online Forums resource, 87
- Premiere Pro video editor, 425
- Sound Document (*.asnd) format, 362
- Training resource, 87
- Adobe Updater Preferences dialog box, 81
- advanced animation techniques
 - copying motion, 254–257
 - editing
 - motion tween animations, 245–254
 - multiple frames, 261–263
 - shape tween animations, 258–260
 - motion
 - paths, 244–245
 - presets, 241–243
 - Onion Skins, 261
- Advanced option, 172
- AIFF Sound (*.aif, *.aiff) format, 362
- AIR. *See* Adobe, AIR; Adobe, AIR
 - applications; Adobe, AIR browser
- AIR - Application & Installer Settings dialog box, 560–562, 571–572
- Align panel, 121–122
- Alpha option, 172
- analogous, 138
- animation. *See also* advanced animation techniques; Flash Animation; frame-by-frame animation; IK (Inverse Kinematics) animation; text, animations
 - animated buttons, 501–502
 - copying motion, 254–257
 - creating, 72–76
- Application Install dialog box, 563–565, 572
- applications
 - adding
 - selections to List components, 548–551
 - text to TextArea component, 551–554
- Adobe AIR
 - converting standard Flash applications to, 565–566
 - creating desktop AIR browser, 567–573
 - creating simple applications, 556–565
 - extension, 70
 - file publishing, 560–562
 - overview, 555
 - using ActionScript for, 566–567
 - Web site, 555
 - applying dynamic text style to UI components, 544–547
 - button components, 537
 - chat
 - creating, 480–483
 - testing, 483–484
 - finding coordinates, 538–539
 - formatting TextField class with TextFormat class, 543–544
 - graphic elements, 538
 - grid, 538
 - Header TextField, 537
 - layout preparation, 535
 - List component, 536
 - organizing
 - Flash pages, 533–543
 - layout for ActionScript, 538
 - placing objects on Stage, 539–543
 - separating static and dynamic elements, 534–535
 - server-side, 479–480
 - styling
 - button components, 547–548
 - code, 543–554
 - text labels, 537
 - TextArea component, 536–537
 - UI Loader components, 536
 - video editing, 492–493
 - applying dynamic text style to UI components, 544–547
- arrays
 - adding data to, 339
 - creating, 338–339
 - element, 338
 - retrieving data from, 339–340
 - sample, 341–344
 - sorting with, 341
- assignment (=) operator, 315–316
- asterisk (*) wildcard, 311

attributes, `begin`, 458–459

Audacity Web site, 370

audio

bit depths, 362–364

data rates, 362–364

file tips, 66

formats, 361–362

importing, 371–373

recording hardware, 364–367

sample rates, 362–364

sending, 478

settings, 440–441

sound-editing software, 367–370

Audio Interchange File Format, 362

Audition (Adobe), 367–368

autofocus, Webcam, 414–415

AVI files

converting to F4V files, 430–432

downloading, 395

B

background

creating animated, 216–217

setting document, 70–72

bandwidth

Bandwidth Profiler, 589–592

creating a preloader, 592–598

defined, 433

managing, 433–434

overview, 589

Webcam, 415

Bandwidth Profiler, 589–592

bars

display, 18

menu, 16–17

battery power (camera), 486

`begin` attribute, 458–459

Bind tool

overview, 12, 24

using, 232

bit depth, 362

bit rate, 363

Bitmap files, 190

Bitmap Properties dialog box,

200–201

bitmaps

converting to vector graphics,

526–527

defined, 92

fill, 201–202

Find and Replace, 157

graphics, 91–93

swapping, 202–203

tracing, 196–198

bitrate settings, 439–440

blank keyframes. *See also* frames;

keyframes

adding, 211–212

creating, 209–212

overview, 209

block comment (`/**/`) operator, 316

Blue Snowball, 365–366

Blue Snowflake, 366–367

Bones tool

overview, 12, 24

using, 227–229

breakpoints, 580

Brightness option, 171

broadcasting, compared with

streaming, 463–464

browser (Adobe). *See also* Adobe

completing application, 571–573

creating AIR application, 568

entering ActionScript, 570

File class, 567–568

modifying AIR application, 573

setting up AIR file, 568–569

Brush tool

creating graphics with, 34–35

overview, 24

painting with, 109–110

building. *See* creating

built-in microphone, Webcam, 415

Button symbol, 160

buttons

adding

event listeners, 269–270

sound, 376–377

classes, 292–295

components

overview, 537

styling, 547–548

creating

animated, 501–502

buttons, 49–50

invisible, 499–501

multistate, 498–499

navigation menu with, 502–505

User Interface (UI), 308–309

defined, 498

formatting, 50–52

functions for, 270–271

- graphic, 38–39
- interactive, 507–509
- library, 505–506
- making functional with
 - ActionScript, 506–507
- Object Drawing, 109
- overview, 497–498
- scripts, 268
- Timeline, 292–295

C

- camera
 - battery power, 486
 - color, 137–138
 - exposure, 486
 - object, 478
 - settings, 478–479
 - tips, 485–487
 - video, 416
- can, 428
- captions (video)
 - creating video with, 460–462
 - launching, 459–462
 - overview, 458
 - timed text in XML file, 458–459
- Carl Zeiss Tessar optical system, 414–415
- catching
 - connection, 475
 - metadata, 475
- CHANGE choice, 515–516
- changing
 - appearance of play controls, 407–409
 - basic camera settings, 478–479
 - keyboard shortcuts, 28–30
 - movie clip properties, 39–40
 - timing of motion tween animations, 245
 - videos for progressive downloads, 405–407
- chat application
 - changing basic camera settings, 478–479
 - creating
 - camera object, 478
 - chat application, 480–483
 - server-side application, 479–480
 - overview, 477
 - sending audio and video, 478
 - testing application, 483–484
- Check Spelling dialog box, 154
- CheckBox
 - adding components, 519–520
 - overview, 517–518
 - reading results, 518–519
- checkConnect() method, 475
- choosing
 - compression codec, 433
 - file types before conversion, 429
 - from lists, 299
 - video camera, 416
 - Webcam, 414–415
- classes
 - ActionScript, 59
 - Adobe, 311
 - button, 292–295
 - File, 567–568
 - GraphicPlay, 353–355
 - MovieClip, 288–292
 - overview, 287–288
 - properties, 306
 - PubPriv, 314–315
 - Shape, 351–355
 - TestBench, 313–314, 315
 - testing, 315
 - TextField, 543–544
 - TextFormat, 543–544
 - top-level, 310
 - URLLoader, 527
 - URLLoaderDataFormat, 527
 - URLRequest, 527
- clause, `else`, 323–325
- cleaning Document Library, 175–176
- clearing keyframes, 213
- CLICK mouse event, 506
- client, 464
- clip art, 283
- clip code, 283
- closed path, 112
- code
 - clip, 283
 - DoSound ActionScript, 380–381
 - hinting, 312
 - interactive buttons, 507–509
 - nonrunning, 296
 - SoundPlayer ActionScript, 379–380
 - styling, 543–554
 - Timeline, 56–59
- codec, 433

color

- “add,” 128
- changing, 137–138
- creating custom set, 129–131
- fill, 126–127
- Find and Replace, 157
- graphics, 36–37
- Kuler Extension, 138–140
- mixing swatch of, 131–133
- panel, 131–133
- replace, 129
- setting document, 70–72
- stroke, 125–126
- Web-safe, 127

Color Panel, 131–133

commands

- Copy Motion, 254–255
- Find and Replace, 156–157
- Trace Bitmap, 196–198

comment (/) operator, 316

commented out, 296

comments, 286

complementary, 138

components

- button, 537, 547–548
- CheckBox, 519–520
- defined, 299

Flash

- adding CHANGE choice, 515–516
- CheckBox components, 517–523
- converting bitmaps to vector graphics, 526–527
- creating calculator application, 512–515
- creating interface with, 523–525
- extending visible selection, 516–517
- graphic vs. SWF files, 526
- Label component, 512–517
- List component, 512–517
- loading, 525–527
- loading text and XML files, 527
- overview, 511–512
- RadioButton components, 517–523
- reading results, 518–519
- settings, 525
- UI Loader, 525–527
- Web site creation example, 528–532

Label

- adding CHANGE choice, 515–516
 - creating calculator application, 512–515
 - extending visible selections, 516–517
 - setting text style for, 545–547
- ### library, 308–309

List

- adding CHANGE choice, 515–516
 - adding selections to, 548–551
 - creating calculator application, 512–515
 - extending visible selections, 516–517
 - overview, 536
- ### RadioButton, 520–521
- site, 528
- ### TextArea, 536–537, 551–554
- ### UI (User Interface), 299–304, 544–547

composing scenes, 486, 489–490

compound, 139

compression codec, 433

concatenate, 315

conditional statements

- else clause, 323–325
- if statement, 322–323
- overview, 322
- switch statement, 325–329

conducting interviews, 491

configuring connection to Flash Media Server, 468–469

connection

- catching, 475
 - to Flash Media Server, 467–468
- ### constant, compared with variable and objects, 309–310

constructor function

- creating, 473
- overview, 284

Content Path dialog box, 406

controlling

- Flash Timeline, 48, 273–275
- movie clip Timelines, 276–281

controls, play, 405, 407–409

conventions used in this book, 2

Convert Anchor Point tool, 116

Convert to Symbol dialog box, 161–163, 274–275, 593–594

- converting
 - AVI files to F4V files, 430–432
 - bitmaps to vector graphics, 526–527
 - files with default options, 429–432
 - keyframes to frames, 213
 - objects to symbols, 161–163
 - standard Flash applications to AIR, 565–566
 - text to graphics, 151
 - video files to Flash compatible files, 395
- coordinates, 538–539
- Copy Motion command, 254–255
- copying
 - frames, 212–213
 - motion
 - with ActionScript, 255–257
 - with Copy Motion command, 254–255
- cost
 - Flash Media Server, 464
 - Sony ACID Music Studio, 370
- Create New Symbol dialog box, 163–164, 276–281, 293–295, 498–499
- Create Project dialog box, 422–424
- Create Self-Signed Digital Certificate dialog box, 562
- creating
 - ActionScript code for interactive buttons, 507–509
 - ActionScript file for AIR application, 558–560
 - AIR applications, 556–565
 - animated buttons, 501–502
 - animation, 72–76
 - applications with choices, 326–329
 - applications to find metadata in video, 451–453
 - arrays, 338–339
 - bitmap fill, 201–202
 - blank keyframes, 209–212
 - button classes, 292–295
 - buttons, 49–50, 497–505
 - calculator application, 512–515
 - camera object, 478
 - chat application, 480–483
 - constructor function, 473
 - custom color set, 129–131
 - desktop AIR browser, 567–573
 - documents
 - from scratch, 69–70
 - from templates, 68
 - dynamic text, 144–145
 - Flash documents, 66–76
 - Flash files for AIR application, 556–558
 - flying text, 235–239
 - frame-by-frame animation, 217
 - frames, 209–212
 - functional buttons with ActionScript, 506–507
 - gradient, 133–135
 - graphics
 - with drawing tools, 34–35
 - images, 353–355
 - groups, 122
 - guides, 185–186
 - input text, 144
 - interface with Flash components, 523–525
 - inventories, 470–471
 - Inverse Kinematics (IK) animation, 227–232
 - invisible buttons, 499–501
 - keyframes, 209–212
 - layer folders, 181–182
 - library folders, 172–173
 - lines, 103–104
 - live audio/video receivers, 469–477
 - logical comparison applications, 317–320
 - motion
 - presets, 242–243
 - tween animation, 218–220
 - tween animations with Motion Editor, 249–252
 - MovieClip class, 288–292
 - multistate buttons, 498–499
 - navigation menu with buttons, 502–505
 - new layers, 180–181
 - new symbols, 163–166
 - with Oval tool, 98–99
 - paths with Pen tool, 111–112
 - with Polystar tool, 100
 - preloader, 592–598
 - Primitive Oval shape, 94–95
 - Primitive Rectangle shape, 95–97
 - progressive downloads, 400

- creating (*continued*)
 - project lists, 66
 - receivers, 471
 - with Rectangle tool, 99
 - server-side applications, 479–480
 - shape tween animation, 220–222
 - static text, 142–143
 - symbols, 160–167
 - text, 149–151
 - Timeline functions with
 - ActionScript, 49–53
 - typewriter text, 233–235
 - unique shapes, 100–103
 - universal chat application, 477–484
 - User Interface (UI) buttons, 308–309
 - video
 - with captions, 460–462
 - players, 446–448
 - Web site example, 528–532
 - XML files, 459
- credits, video, 493–494
- CS4. *See* Flash
- cue points
 - ActionScript, 453–458
 - adding, 442–444
 - defined, 442
 - displaying, 448–450
 - extracting, 448–450
 - overview, 448
 - properties, 450
- curly braces ({}), 284–285
- Custom Anti-Aliasing dialog box, 147
- Customize Tool Panels dialog box, 25–26
- customizing
 - Tools panel, 25–26
 - video conversions, 433–434
 - video for progressive downloads, 401–403
 - workspace, 25–32



- data
 - adding to arrays, 339
 - list, 200–201
 - rate, 363
 - retrieving from arrays, 339–340

- debugging movies
 - overview, 579–580
 - setting breakpoints, 580
 - using debugger, 580–584
- Deco tool, 11, 24
- decrement (-) operator, 316
- Default Colors tool, 24
- default names, 175
- defining
 - fill color, 126–127
 - stroke color, 125–126
- Delete Point tool, 116
- deleting
 - frames, 213
 - guides, 186
 - motion presets, 243
 - swatches, 128
 - workspace, 28
- desktopDirectory property, 567–568
- determining project scope, 65
- dialog box
 - Adobe Updater Preferences, 81
 - AIR - Application & Installer Settings, 560–562, 571–572
 - Application Install, 563–565, 572
 - Bitmap Properties, 200–201
 - Check Spelling, 154
 - Content Path, 406
 - Convert to Symbol, 161–163, 274–275, 593–594
 - Create New Symbol, 163–164, 276–281, 293–295, 498–499
 - Create Project, 422–424
 - Create Self-Signed Digital Certificate, 562
 - Custom Anti-Aliasing, 147
 - Customize Tool Panels, 25–26
 - Digital Signature, 560–562
 - Document Properties, 70–72
 - Duplicate, 29–30
 - Duplicate Symbol, 174–175, 504
 - Export, 425
 - Export Color Swatch, 129, 130
 - Find and Replace, 156
 - Find Source, 199
 - Grid, 186–187
 - Guides, 185–186
 - Import, 193, 195–196, 372
 - Import Color Swatch, 128

- Import to Library, 371–372
- Import Video, 396, 401–403
- Info, 121
- Installation Progress, 82
- Keyboard Shortcuts, 29–30
- Layer Properties, 183–184
- Manage Workspace, 28
- Movie Explorer Settings, 586–587
- New Document, 68–70, 378–379
- New Symbol, 500–502, 593–594, 596–598
- Preferences, 31–32, 209–213
- Publish Settings, 600–601, 601–605, 605–608, 609–613
- Save As Preset, 243
- Select Extension to Install, 85
- Select External Editor, 390
- Select Skin, 407–408
- Show Details, 82
- Sound Properties, 385–387
- Sound Settings, 603–605
- Spelling Setup, 153
- Stroke Style, 108
- Swap Bitmap, 203
- Swap Symbol, 166–167, 170, 226–227
- Tool Settings, 100
- Trace Bitmap, 197–198, 526
- Digital Signature dialog box, 560–562
- directing videos, 490–491
- display bar, 18
- display list, 288
- displaying
 - cue points, 448–450
 - objects, 183
 - percentage of file loaded to preloader, 596–598
- divide/assign (/=) operator, 316
- division (/) operator, 316
- docking floating panels, 26
- document library
 - adding sound from, 374
 - cleaning, 175–176
 - creating library folders, 172–173
 - default names, 175
 - duplicating symbols, 174–175
 - importing symbols from Flash
 - documents, 176–178
 - overview, 19–20, 172
- Document Properties dialog box, 70–72
- documents
 - creating
 - Flash, 66–76
 - from scratch, 69–70
 - from templates, 68
 - dimensions, 191
 - importing
 - Photoshop documents with layers, 195–196
 - symbols from Flash, 176–178
 - integrating Flash movies with HTML, 613–614
 - optimizing, 588
 - publishing Flash documents in other formats, 608–613
 - setting
 - background, 70–72
 - color, 70–72
 - frame rate, 70–72
 - size, 70–72
- documentsDirectory property, 567–568
- Don't Make me Think* (Krug), 517
- DoSound ActionScript code, 380–381
- double slashes (//), 286
- double pipe, 317
- DOUBLE_CLICK mouse event, 506
- do...while loop, 334–336
- downloading
 - Adobe Media Player, 417
 - AVI files, 395
 - Flash Media Live Encoder 2.5, 417
 - Flash Media Server, 465–467
 - progressive, 399–409
 - updates, 82
- dragging movie clips, 350–351
- drawing
 - with Pencil tool, 107–109
 - rectangles, 352
- drawing tools
 - Brush, 34–35
 - Pen, 35
 - Pencil, 34–35
- drawTriangles() method, 355–358
- driver compatibility, Webcam, 415
- Duplicate dialog box, 29–30
- duplicate swatch, 128

- Duplicate Symbol dialog box, 174–175, 504
- duplicating symbols, 174–175
- DV editing for Web, 491–494
- dynamic elements, separating from static elements, 534–535
- dynamic range, 363
- dynamic text
 - choosing fonts for, 150–151
 - creating, 144–145
 - overview, 35–36

E

- easing, 11
- Edit Scene icon, 18
- Edit Symbol icon, 18
- editing
 - DV for Web, 491–494
 - frame-by-frame animation, 261–263
 - frames, 212–213
 - guides, 185–186
 - images
 - in external editors, 199
 - overview, 198–201
 - properties, 199–201
 - layer properties, 183–184
 - layers, 182–183
 - motion
 - paths, 244–245
 - tween animations, 245–254
 - tween animations in Property Inspector, 245–248
 - multiple frames, 261–263
 - shape tween animations, 258–260
 - sound
 - in external editors, 390
 - files, 385–390
 - in Flash, 388–389
 - symbols
 - in another window, 169–170
 - overview, 168–172
 - in place, 168–169
 - text, 152
- editors
 - editing sound in external, 390
 - video, 425
- effects, sound, 375–376

- elements
 - arrays, 338
 - coordinates, 538
 - defined, 338
 - graphic, 538
 - separating static from dynamic, 534–535
 - tracking, 525
- else clause, 323–325
- embedding video, 394–399
- enabling, onion skins, 261
- encapsulation, 313
- equality (==) operator, 316
- Eraser tool
 - overview, 24
 - using, 113–114
- erasing. *See* deleting
- events
 - handler, 268–269
 - list, 299
 - listeners, 269–270
 - mouse, 268–269, 506–507
- Export Color Swatch dialog box, 129, 130
- Export dialog box, 425
- exporting, motion presets, 243
- exposure (camera), 486
- expressions, 317
- extend (overflow), 136
- extending
 - overview, 83–86
 - visible selections, 516–517
- eXtensible Markup Language (XML)
 - files
 - creating, 459
 - loading, 527
 - timed text in, 458–459
- extensions
 - Adobe AIR, 70
 - defined, 67
 - finding, 83–84
 - installing, 84–85
 - Kuler, 138–140
 - launching, 84–85
 - managing, 85–86
- external editors
 - editing images in, 199
 - editing sound in, 390
- external sound files, 378–381

extracting cue points, 448–450
Eye Dropper tool, 24

F

F4V files, 430–432

F4V (MainConcept H.264 Video)
 codec, 433

face-following, 415

Field Order option, 438

File class, 567–568

file formats

 AIFF Sound (*.aif, *.aiff), 362

 audio, 361–362

 importing, 362

 overview, 189–191

 setting video, 437

File Transfer Protocol (FTP) tab,
 441–442

fileLoading function, 596

files/folders

 ActionScript, 59

 audio, 66

 bitmap, 190

 choosing types before conversion,
 429

 converting

 AVI to F4V, 430–432

 with default options, 429–432

 video files to Flash compatible,
 395

 creating

 ActionScript file for AIR

 application, 558–560

 Flash files for AIR application,
 556–558

 layer, 181–182

 library, 172–173

 XML, 459

 downloading AVI, 395

 embedding video in Flash, 395–399

 Flash File

 ActionScript, 69, 2.0, 3.0

 Adobe AIR, 69–70

 Mobile, 70

 Flash Project, 70

 Flash Slide Presentation, 70

 GIF image, 190

 graphic vs. SWF, 526

 JPEG image, 190

 loading

 external sound, 378–381

 XML, 527

 MacPaint image, 190

 PNG, 190

 publishing

 AIR, 560–562

 Flash, 599–613

 setting up AIR, 568–569

 storing for progressive downloads,
 405

 TGA image, 90

 TIFF image, 191

 video, 66, 395

 XML, 458–459, 527

fill

 bitmap, 201–202

 color, 126–127

 defined, 124

Fill Color tool, 24

film

 clip

 changing ActionScript, 39

 debugging, 350–351

 properties, 39–40

 scripts, 271–272

 Timelines, 276–281

 debugging, 579–584

 iMovie, 422–425

 organizing, 587–588

 previewing, 587–588

 testing, 53, 577–579

filters

 Gaussian Blur, 436

 setting video, 436–437

Final Cut Pro video editor, 425

Find and Replace

 Find and Replace dialog box, 156

 using, 156–157

Find Source dialog box, 199

finding

 coordinates, 538–539

 extensions, 83–84

fine-tuning

 Flash projects, 585–588

 motion tween animations, 245

 video settings, 435–442

Flash

- applications, converting to AIR, 565–566
 - customizing workspace, 25–32
 - documents
 - creating, 66–76
 - publishing in other formats, 608–613
 - Exchange, 83
 - File
 - ActionScript, 2.0, 3.0, 69
 - Adobe AIR, 69–70
 - Mobile, 70
 - files, creating for AIR application, 556–558
 - graphics
 - bitmap, 91–93
 - buttons, 38–39
 - color, 36–37
 - converting bitmaps to vector, 526–527
 - converting text to, 151
 - elements, 538
 - files, 526
 - raster, 91–93
 - settings, 605–608
 - symbols, 38, 160
 - interactivity, 13–15
 - Media Development Server 3, 464
 - Media Interactive Server 3, 464
 - Media Live Encoder 2.5 download, 417
 - Media Streaming Server 3, 464
 - movie integration with HTML
 - documents, 613–614
 - new features, 10–11
 - new tools, 11–12
 - pages, organizing, 533–543
 - Project, 70
 - projector, publishing, 601
 - publishing, 599–613
 - Slide Presentation, 70
 - Support Center resource, 87
 - using help, 78–79
 - workspace, 15–24
- ## Flash Animation
- Bind tool, 232
 - Classic Tween option, 223
 - creating
 - animated backgrounds, 216–217
 - frame-by-frame animation, 217
 - Inverse Kinematics (IK)
 - animation, 227–232
 - motion tween animation, 218–220
 - shape tween animation, 220–222
 - frame-by-frame, 41–42
 - Inverse Kinematics, 44–45
 - Motion tween, 42–43
 - overview, 41
 - reversing animation, 222–2223
 - Shape Tween, 43–44
 - simulating 3D animation, 223–226
 - Spray Brush tool, 226–227
 - 3D Rotation tool, 224–225
 - 3D Translation tool, 225–226
- ## Flash components
- adding
 - CHANGE choice, 515–516
 - CheckBox components, 519–520
 - RadioButton components, 520–521
 - CheckBox component, 517–523
 - converting bitmaps to vector
 - graphics, 526–527
 - creating
 - calculator application, 512–515
 - interface with, 523–525
 - extending visible selections, 516–517
 - graphic vs. SWF files, 526
 - Label component, 512–517
 - List component, 512–517
 - loading
 - components, 525–527
 - text and XML files, 527
 - overview, 511–512
 - RadioButton component, 517–523
 - reading results, 518–519
 - settings, 525
 - UILoader, 525–527
 - Web site creation example, 528–532
- ## Flash Graphics. *See also* graphics
- color, 36–37
 - creating with drawing tools, 34–35
 - instances, 37–41
 - overview, 33
 - symbols, 37–41
 - Text tool, 35–36
- ## Flash Media Server
- configuring connection, 468–469
 - connecting to, 467–468

- creating universal chat application, 477–484
- downloading, 465–467
- installing, 465–467
- making live audio/video receiver, 469–477
- overview, 410–411
- streaming
 - compared with broadcasting, 463–464
 - media with, 464–469
 - types, 464–465
- flash video, 14
- flash.display package, 312
- flash.events package, 312
- flash.media package, 312
- flash.net package, 312
- flash.text package, 312
- fl.controls package, 312
- floating panels, 26
- floating point, 307
- FLV (On2 VP6) codec, 433
- FLV (Sorenson Spark) codec, 433
- flying text, creating, 235–239
- folders/files
 - ActionScript, 59
 - audio, 66
 - bitmap, 190
 - choosing types before conversion, 429
 - converting
 - AVI to F4V, 430–432
 - with default options, 429–432
 - video files to Flash compatible, 395
 - creating
 - ActionScript file for AIR application, 558–560
 - Flash files for AIR application, 556–558
 - layer, 181–182
 - library, 172–173
 - XML, 459
 - downloading AVI, 395
 - embedding video in Flash, 395–399
 - Flash File
 - ActionScript, 69, 2.0, 3.0
 - Adobe AIR, 69–70
 - Mobile, 70
 - Flash Project, 70
 - Flash Slide Presentation, 70
 - GIF image, 190
 - graphic vs. SWF, 526
 - JPEG image, 190
 - loading
 - external sound, 378–381
 - XML, 527
 - MacPaint image, 190
 - PNG, 190
 - publishing
 - AIR, 560–562
 - Flash, 599–613
 - setting up AIR, 568–569
 - storing for progressive downloads, 405
 - TGA image, 90
 - TIFF image, 191
 - video, 66, 395
 - XML, 458–459, 527
- font
 - considerations, 150–151
 - Find and Replace, 157
 - for each...in loop, 332–334
 - for loop, 329–330
 - forEach() method, 347–349
 - for...in loop, 331–332, 340
 - formatting
 - buttons, 50–52
 - text, 145–149
 - TextField class with TextFormat class, 543–544
 - forNext() method, 348–349
 - fps (frames per second), 415
 - frame-by-frame animation
 - creating, 217
 - editing, 261–263
 - overview, 41–42
 - Frame Rate (frames per second [fps]) option, 438
 - frames. *See also* blank keyframes; keyframes
 - adding, 209–210
 - converting keyframes to, 213
 - copying, 212–213
 - creating, 209–212
 - deleting, 213
 - editing, 212–213
 - editing multiple, 261–263
 - moving, 213
 - overview, 209
 - rate, 70–72
 - selecting, 212

frames (*continued*)
 span, 209
 types, 208–209
frames per second (FPS), 415
Free Transform tool
 overview, 23
 using, 117–119
frequency, 363
FTP (File Transfer Protocol) tab,
 441–442
functions
 for buttons, 270–271
 constructor, 284
 creating construction, 473
 defined, 270
 fileLoading, 596
 Timeline, 49–53

G

GarageBand Web site, 369
Gaussian Blur filter, 436
getMeta() handler, 475
GIF image files, 190
gradient, rotate, 136
Gradient option, 36–37
Gradient Transform tool, 23
graphic programming
 graphics property, 352
 image creation, 353–355
 Shape class, 351–355
 triangle, 355–358
GraphicPlay class, 353–355
graphics
 bitmap, 91–93
 buttons, 38–39
 color, 36–37
 converting
 bitmaps to vector, 526–527
 text to, 151
 elements, 538
 files, 526
 raster, 91–93
 settings, 605–608
 symbols, 38, 160
greater than (>) operator, 316
greater than or equal to (>=)
 operator, 316

grid
 organizing with, 186–187
 overview, 538
Grid dialog box, 186–187
groups, creating, 122
guides
 creating, 185–186
 editing, 185–186
 locking, 185
 moving, 185
 removing, 186
Guides dialog box, 185–186

H

H position, 117
Hand tool, 24
handlers, getMeta(), 475
hardware, recording, 364–367
Header TextField, 537
help
 Actions panel, 58
 ActionScript, 79–80
 using, 78–79
hexadecimal values, 124
hiding, layers, 183
hinting, code, 312
horizontal (stroke), 108
hot shoe, 487
HSB color, 124
HTML (Hypertext Markup Language)
 documents, 613–614
 settings, 605–608
HTTP (Hypertext Transfer Protocol),
 410
hyperlinks, 143
Hypertext Markup Language (HTML)
 documents, 613–614
 settings, 605–608
Hypertext Transfer Protocol (HTTP),
 410

I

icons
 Edit Scene, 18
 Edit Symbol, 18
 used in this book, 5

- identifiers, 307
- IEEE Webcams, 416
- if statement, 322–323
- IK (Inverse Kinematics) animation
 - Bind tool, 232
 - creating, 227–232
 - overview, 10, 44–45
- Illustrator (Adobe), 35
- images
 - editing, 198–201
 - editing in external editors, 199
 - editing properties, 199–201
 - graphic, 353–355
 - importing sequences, 193–195
 - preparing for Flash, 191–193
 - resolution, 191
 - tips, 66
- iMovie
 - overview, 422
 - recording video in, 422–425
- Import Color Swatch dialog box, 128
- Import dialog box, 193, 195–196, 372
- Import to Library dialog box, 371–372
- import statement, 310–311
- Import Video dialog box, 396, 401–403
- importing
 - audio, 371–373
 - file formats, 362
 - image sequences, 193–195
 - motion presets, 243
 - Photoshop documents with layers, 195–196
 - symbols from Flash documents, 176–178
 - types, 310–312
 - video for progressive downloads, 401–403
- increment (++) operator, 316
- indices, 356
- inequality (!=) operator, 316
- Info dialog box, 121
- Info panel, 120–121
- Ink Bottle tool
 - changing colors, 137
 - overview, 24
- ink (stroke), 108
- input text, 35
- input text fields, 150–151
- Installation Progress dialog box, 82
- installing
 - AIR application, 562–565
 - extensions, 84–85
 - Flash Media Server, 465–467
 - updates, 82
- instances. *See also* symbols
 - defined, 268
 - names, 296
 - NetConnection, 475
 - overview, 37–38, 159–160, 308
- instantiate, 314
- int (integer), 307
- integrating, Flash movies with HTML
 - documents, 613–614
- interactive buttons, 507–509
- interface, creating with Flash
 - components, 523–525
- Internet resources
 - Adobe
 - AIR, 555
 - AIR extension, 70
 - Audition, 367
 - Media Player, 417
 - Premiere Pro, 425
 - antonioswinterhaven.com, 14–15
 - Audacity, 370
 - Blue Snowball, 365
 - Blue Snowflake, 367
 - book companion, 4, 275, 287, 378, 395, 443, 471
 - dasdesigns.net/demo, 13–14
 - Final Cut Pro, 425
 - Flash Media Live Encoder, 2.5, 417
 - GarageBand, 369
 - Macintosh installation of Flash
 - Media Server, 465
 - MP3 format plug-ins, 370
 - phoenixfl.com, 12–13
 - pixelicious, 367
 - Sony
 - ACID Music Studio, 369
 - company, 370
 - Sound Forge, 368–369
 - Vegas Pro, 425, 493
 - YouTube, 393
 - Zoom H2, 364–365
- interviews, conducting, 491

inventories, making, 470–471
Inverse Kinematics (IK) animation
 Bind tool, 232
 creating, 227–232
 overview, 10, 44–45
invisible buttons, 499–500
iteration, 329

J

JPEG image files, 190

K

keyboard shortcuts
 changing, 28–30
 Keyboard Shortcuts dialog box,
 29–30
keyframe interval camera setting,
 479
keyframes. *See also* blank keyframes;
 frames
 adding, 209–210
 adding multiple, 211
 clearing, 213
 converting to frames, 213
 creating, 209–212
 defined, 207
 moving, 213
 nonroving, 253–254
 overview, 209
 roving, 253–254
Krug, Steve, *Don't Make Me Think*,
 517
Kuler (Adobe), 10
Kuler Extension, 138–140

L

Label component
 adding CHANGE choice, 515–516
 creating calculator application,
 512–515
 extending visible selections,
 516–517
 setting text style for, 545–547
Lasso tool
 overview, 23
 use of, 115

latency, 441
launching
 captions, 459–462
 extensions, 84–85
Layer Properties dialog box, 183–184
layers
 creating
 layer folders, 181–182
 new, 180–181
 editing
 layer properties, 183–184
 overview, 182–183
 hiding, 183
 importing Photoshop documents
 with, 195–196
 locking, 183
 overview, 179–180
 selecting, 182
 unlocking, 183
layout
 Flash page, 535
 organizing for ActionScript, 538
LCD monitor (camera), 486
lead-in time, 487
lead-out time, 487
lens, Webcam, 414
less than or equal to (<=) operator,
 316
Level option, 439
library
 buttons, 505–506
 components, 308–309
 document, 374
 folders, 172–173
 symbols, 40–41
light sensitivity, Webcam, 414
Line tool, 23
linear gradient, 133
lines, creating, 103–104
List component
 adding CHANGE choice, 515–516
 adding selections to, 548–551
 creating calculator application,
 512–515
 extending visible selections,
 516–517
 overview, 536
list data, 200–201
list events, 299
list item, 299

- lists
 - choosing from, 299
 - creating project, 66
 - display, 288
- live receivers
 - adding
 - player controls, 475–476
 - worker methods, 474–475
 - catching connection and metadata, 475
 - creating
 - constructor function, 473
 - inventories, 470–471
 - receiver, 471
 - overview, 469
 - setting up application, 471–473
 - testing player, 476–477
- loading
 - external sound files with
 - ActionScript, 378–381
 - Flash components, 525–527
 - soundtracks with ActionScript, 381–383
 - text, 527
 - XML files, 527
- Loading an External Movie with a Sound File script, 382–383
- locking
 - guides, 185
 - layers, 183
- logical AND (&&) operator, 317
- logical AND assignment (&&=) operator, 317
- logical comparisons, 317–320
- logical NOT (!) operator, 317
- logical OR (||) operator, 317
- logical OR assignment (||=) operator, 317
- Logitech Orbit, 421
- Logitech QuickCam Pro 9000 camera, 414–415
- loop variable value, 329–330
- loops
 - do..while, 334–336
 - for, 329–330
 - for each..in, 332–334
 - for..in, 331–332, 340
 - overview, 329
 - while, 334–336

M

- Macintosh
 - Adobe Premiere Pro video editor, 425
 - Final Cut Pro video editor, 425
 - Flash Media Server installation, 465
 - iMovie, 422–425
 - PCT image files, 190
- MacPaint Image files, 190
- Magnification drop-down menu, 18
- making. *See* creating
- Manage Workspace dialog box, 28
- managing
 - bandwidth, 433–434
 - extensions, 85–86
 - metadata, 451–453
 - motion presets, 243
 - postproduction before video
 - conversion, 428–429
 - Timeline, 213
 - workspace, 28
- maps, adding, 529–530
- media, streaming, 464, 464–469
- Media Player (Adobe), 417
- megapixels, 414
- menu
 - bar, 16–17
 - Magnification drop-down, 18
 - navigation, 502–505
- metadata
 - catching, 475
 - creating applications to find in
 - video, 451–453
 - defined, 445, 471
 - managing, 451–453
- methods
 - addChild(), 355–358
 - adding worker, 474–475
 - addMedia, 474–475
 - addUI, 474–475
 - checkConnect(), 475
 - drawTriangles(), 355–358
 - forEach(), 347–348
 - forNext(), 348–349
 - onCue, 457
 - pop(), 339–340
 - push, 339

- methods (*continued*)
 - `sort()`, 341
 - `startDrag()`, 350–351
 - `stopDrag()`, 350–351
 - microphone, built-in Webcam, 415
 - mind-mapping technique, 64
 - miter (stroke), 108
 - mixed-code-and-symbol approach, 296–298
 - mixing, swatch of color, 131–133
 - modes
 - camera setting, 478–479
 - Eraser, 113
 - Object Drawing, 104
 - painting, 109–110
 - symbol-editing, 169
 - modifiers, access, 312–313
 - modifying
 - AIR application, 573
 - with Free Transform tool, 117–119
 - groups, 122
 - objects in Property Inspector, 247–248
 - point by point, 115
 - Property inspector, 116–117
 - selecting objects, 114–115
 - shapes, 97, 104–106
 - symbol instance properties, 171–172
 - with tools, 116
 - modulo (%) operator, 316
 - modulo/assign (%=) operator, 316
 - monochromatic, 138
 - monotonous, 136
 - motion
 - copying with ActionScript, 255–257
 - copying with Copy Motion command, 254–255
 - paths, 244–245
 - Motion Editor
 - creating motion tween animations with, 249–252
 - motion tween animation, 220
 - overview, 11, 21
 - motion presets
 - creating, 242–243
 - managing, 243
 - overview, 241–242
 - using, 242
 - motion tween animations
 - changing timing of, 245
 - creating, 218–220
 - editing
 - overview, 245–254
 - in Property Inspector, 245–248
 - fine-tuning, 245
 - Motion Editor, 249–252
 - nonroving/roving keyframes, 253–254
 - overview, 11, 42–43
 - mouse event
 - CLICK, 506
 - defined, 506
 - DOUBLE_CLICK, 506
 - MOUSE_OUT, 507
 - MOUSE_OVER, 507
 - overview, 268–269
 - Movie Clip symbol, 160
 - Movie Explorer, 585–587
 - Movie Explorer settings dialog box, 586–587
 - MovieClip class, 288–292
 - movies
 - clip
 - changing ActionScript, 39
 - debugging, 350–351
 - properties, 39–40
 - scripts, 271–272
 - Timelines, 276–281
 - debugging, 579–584
 - iMovie, 422–425
 - organizing, 587–588
 - previewing, 579
 - testing, 53, 577–579
 - moving
 - frames, 213
 - guides, 185
 - keyframes, 213
 - MP3 (*.mp3) format, 362
 - multiplication (*) operator, 316
 - multiply/assign (*=) operator, 316
 - multistate buttons, 498–499
-
- N**
-
- navigation menu, 502–505
 - NetConnection instance, 475

New Document dialog box, 68–70, 378–379
 New Symbol dialog box, 500–502, 593–594, 596–598
 No Color tool, 24
 non-numeric ID for vector elements, 345–347
 nonroving keyframes, 253–254
 nonrunning code, 296
 normal (stroke), 108
 Number (real number), 307
 Nyquist, Harry, 363

O

object character, 313
 Object Drawing button, 109
 Object Drawing mode, using basic shape tools, 104
 objects
 camera, 478
 compared with constants and variable, 309–310
 converting to symbols, 161–163
 displaying, 183
 modifying in Property Inspector, 247–248
 placing on Stage, 539–543
 size, 53
 transporting, 53–55
 onCue method, 457
 Onion Skins option, 261
 online resources, 86–87
 open path, 112
 open socket technology, 464
 operators, 315–320
 optimizing
 documents, 588
 sound for projects, 385–387
 options
 Advanced, 172
 Alpha, 172
 Brightness, 171
 Field Order, 438
 Frame Rate (frames per second [fps]), 438
 Gradient, 36–37
 Level, 439
 Onion Skin, 261

Pixel Aspect Ratio, 438
 Profile, 438–439
 Solid Color, 36
 Tint, 171
 organization of this book, 2–4
 organizing
 Flash movies, 587–588
 Flash pages, 533–543
 with the grid, 186–187
 with guides, 185–186
 with layers, 179–184
 layout for ActionScript, 538
 projects, 179–187
 with rulers, 185
 tasks, 55–56
 oval
 creating, 94–95
 tool, 98–99
 unique shapes, 100–103
 overtrack, 415

P

<p> tag, 457, 458–459
 package statement, 284–285
 paint
 behind, 110
 with Brush tool, 109–110
 fills, 109
 inside, 110
 normal, 109
 selection, 110
 with Spray Brush tool, 110–111
 Paint Bucket tool
 changing color, 138
 overview, 24
 panels
 Actions, 57–58
 Align, 121–122
 color, 131–133
 docking floating, 26
 Info, 120–121
 Kuler, 138–140
 overview, 19, 21–22
 resizing, 26
 Swatches, 102, 125–129
 Tools, 22–26
 Transform, 119–120
 unlocking, 26

- panning video, 488
- paragraph text, 148–149
- parameter, 270
- paths
 - closed, 112
 - creating with Pen tool, 111–112
 - motion, 244–245
 - open, 112
- Pen tool
 - creating paths, 111–112
 - overview, 23, 35
- Pencil tool
 - drawing with, 107–109
 - overview, 24, 34–35
- Photoshop documents
 - importing with layers, 195–196
 - overview, 190
- pipe, 317
- pixel, 92
- Pixel Aspect Ratio option, 438
- placing objects on Stage, 539–543
- planning
 - determining scope of project, 65
 - making lists, 66
 - mapping projects, 64–65
 - overview, 63–64
- player
 - controls, 405, 407–409, 475–476
 - testing, 476–477
 - video, 445–448
- PNG files, 190
- point by point, 115
- polygon, 100
- Polystar
 - tool, 23, 100
 - unique shapes, 100–103
- `pop()` method, 339–340
- postproduction, 428
- preferences
 - setting Flash, 31–32
 - updating, 81–82
- Preferences dialog box
 - frames, 209–213
 - setting Flash preferences, 31–32
- preloader
 - adding ActionScript, 594–596
 - creating, 592–598
 - displaying percentage of file
 - loaded, 596–598
- Premiere Pro video editor (Adobe), 425
- preparing
 - files and folders for progressive downloads, 400
 - images for Flash, 191–193
- previewing
 - film, 587–588
 - movies, 579
- Primitive Oval tool, 93
- Primitive Rectangle shape, 95–97
- private access modifiers, 313
- `private` statement, 291
- Profile option, 438–439
- programming, graphic, 351–358
- progressive downloading
 - changing videos, 405–407
 - creating, 400
 - customizing video, 401–403
 - importing video, 401–403
 - overview, 399
 - play controls, 405, 407–409
 - preparing files and folders, 400
 - resizing video, 403–404
 - storing files, 405
- project example
 - adding
 - maps, 529–530
 - site components, 528
 - text, 528–529
 - finishing, 530–532
 - overview, 528
- projector
 - defined, 599
 - publishing Flash, 601
- projects
 - bandwidth, 589–598
 - button library, 505–506
 - creating
 - ActionScript code for interactive buttons, 507–509
 - buttons, 497–505
 - Flash documents, 66–76
 - debugging movies, 579–584
 - fine-tuning, 585–588
 - optimizing sound for, 385–387
 - organizing, 179–187
 - overview, 63
 - planning, 63–66
 - previewing movies, 579

publishing, 599–614
 testing movies, 577–579
 using ActionScript to make buttons
 functional, 506–507
 using sound in, 373–376

properties
 changing movie clip, 39–40
 class, 306
 cue point, 450
 desktopDirectory, 567–568
 documentsDirectory, 567–568
 editing image, 199–201
 editing layer, 183–184
 graphics, 352
 modifying symbol instance,
 171–172
 rotation, 289
 rowCount, 516–517
 userDirectory, 567–568

Property Inspector
 editing motion tween animations,
 245–248
 modifying shapes with, 116–117
 motion tween animation, 220
 overview, 19

protected access modifiers, 313
 public access modifiers, 313
 public statement, 291

Publish Settings dialog box
 publishing Flash documents in
 other formats, 609–613
 specifying HTML settings, 605–608
 specifying publish settings,
 600–601
 specifying SWF settings, 601–605

publishing
 AIR file, 560–562
 Flash documents in other formats,
 608–613
 Flash file, 599–613
 Flash projector, 601

PubPriv class, 314–315
 push() method, 339



quality camera setting, 479

R

radial gradient, 133

RadioButton
 adding components, 520–521
 overview, 517–518
 reading results, 518–519

raster graphics
 defined, 91
 overview, 92–93

reading results with CheckBox and
 RadioButton, 518–519

Real Time Messaging Protocol
 (RTMP), 410, 464

rearranging workspace, 26

receivers (live)
 adding
 player controls, 475–476
 worker methods, 474–475
 catching, connection and
 metadata, 475
 creating
 constructor function, 473
 inventories, 470–471
 receiver, 471
 overview, 469
 setting up application, 471–473
 testing player, 476–477

recording
 with Adobe Flash Media Live
 Encoder, 419–421
 video in iMovie, 422–425

recording hardware
 Blue Snowball, 365–366
 Blue Snowflake, 366–367
 Zoom H2, 364–365

rectangle
 creating, 95–97
 drawing, 352
 tool, 99
 unique shapes, 100–103

Rectangle Primitive tool, 23

reflect (overflow), 136

removing
 frames, 213
 guides, 186
 motion presets, 243
 swatches, 128
 workspace, 28

- renaming
 - motion presets, 243
 - symbols, 175
 - workspace, 28
- rendering for Web, 494
- replace, using, 156–157
- replace colors, 129
- resizing
 - panels, 26
 - text field, 152
 - video
 - for progressive downloads, 403–404
 - settings, 437–439
- resolution
 - image, 191
 - Webcam, 414
- resources
 - list of, 86–87
 - online, 86–87
 - video creation, 416–426
- retrieving data from arrays, 339–340
- return, 270
- reversing animation, 222–223
- RGB color model, 123–124
- rotate gradient, 136
- rotation property, 289
- round (stroke), 108
- roving keyframes, 253–254
- rowCount property, 516–517
- RTMP (Real Time Messaging Protocol), 410, 464
- rulers, 185
- running Flash spell checker, 154–155

S

- sample
 - arrays, 341–344
 - vector script, 345–347
- Save As Preset dialog box, 243
- saving
 - custom workspace, 26–27
 - motion presets, 243
- scene composition, 486, 489–490
- Script Assist, 58
- Script Navigator, 57
- scripts
 - button, 268
 - Loading an External Movie with a Sound File, 382–383
 - movie clip, 271–272
 - Silencing the Sound, 383
- scrubbing, 207
- scrubby sliders, 10
- searches, 79
- Select Extension to Install dialog box, 85
- Select External Editor dialog box, 390
- Select Skin dialog box, 407–408
- selecting
 - frames, 212
 - layers, 182
- Selection tool
 - overview, 23
 - using, 229–230
- sending video/audio, 478
- separating static and dynamic elements, 534–535
- server-side applications, 479–480
- setting(s)
 - access, 312–315
 - audio, 440–441
 - bitrate, 439–440
 - breakpoints, 580
 - camera, 478–479
 - changing basic camera, 478–479
 - document
 - background, 70–72
 - color, 70–72
 - frame rate, 70–72
 - size, 70–82
 - fine-tuning video, 435–442
- Flash
 - components, 525
 - preferences, 31–32
- HTML, 605–608
- specifying
 - HTML, 605–608
 - publish, 600–601
 - SWF, 601–605
- text style for Label component, 545–547
- video
 - Advanced Settings option, 440
 - Audio tab, 440–441

- Bitrate Settings option, 439–440
- filters, 436–437
- format, 437
- Others tab, 441–442
- Resize Video, 437–439
- video, 437
- setup
 - AIR file, 568–569
 - components, 524
 - Flash spell check, 153–154
 - live receiver application, 471–473
- shades, 139
- Shape class, 351–355
- shape tween animations
 - building, 220–222
 - editing, 258–260
 - overview, 43–44
- shapes
 - basic tools, 104
 - lines, 103–104
 - modifying, 97, 104–106
 - Oval tool, 98–99
 - Polystar tool, 100
 - Primitive Oval, 93–95
 - Primitive Rectangle, 95–97
 - Rectangle tool, 93, 99
 - unique, 100–103
- Sheffer stroke, 317
- Show Details dialog box, 82
- Silencing the Sound script, 383
- simulating 3D animation, 223–226
- size
 - object, 53
 - setting document, 70–72
- smart quotes, 307
- smart variables, 306
- smooth (stroke), 108
- software
 - sound-editing, 367–370
 - Webcam, 415, 421–422
- Solid Color option, 36
- Sony ACID Music Studio, 369–370
- Sony Sound Forge, 368–369
- Sony Web site, 370
- sort () method, 341
- sorting, with arrays, 341
- sound
 - adding
 - to buttons, 376–377
 - from document library, 374
 - effects, 375–376
 - editing
 - in external editors, 390
 - files, 385–390
 - in Flash, 388–389
 - Find and Replace, 157
 - library, 377–378
 - loading external files with
 - ActionScript, 378–381
 - optimizing for projects, 385–387
 - stereophonic, 363
 - synching, 374–375
 - using in projects, 373–376
- Sound Designer 2 (*.sd2) format, 362
- Sound Document (*.asnd) format (Adobe), 362
- sound-editing software
 - Adobe Audition, 367–368
 - Sony ACID Music Studio, 369–370
 - Sony Sound Forge, 368–369
- Sound Properties dialog box, 385–387
- Sound Settings dialog box, 603–605
- SoundPlayer ActionScript code, 379–380
- soundtracks, loading with
 - ActionScript, 381–383
- specifying
 - HTML settings, 605–608
 - publish settings, 600–601
 - SWF settings, 601–605
- spell-checking
 - running Flash, 154–155
 - setting up Flash, 153–154
 - text field, 152–153
- Spelling Setup dialog box, 153
- Spray Brush tool
 - animating with, 226–227
 - overview, 12, 24
 - using, 110–111
- spraying symbols, 166–167
- square (stroke), 108
- Stage
 - overview, 19
 - placing objects on, 539–543
 - typing on, 308
 - using components with class
 - references, 301–304
- startDrag () method, 350–351

- statements
 - access, 291
 - addChild (objName), 288–289
 - addChildAt (objName, index), 289
 - conditional, 321–329
 - defined, 270
 - if, 322–323
 - import, 310–311
 - package, 284–285
 - private, 291
 - public, 291
 - switch, 300–301, 325–329
 - ternary, 518
 - trace(), 287–288
- static elements, separating from
 - dynamic elements, 534–535
- static text
 - creating, 142–143
 - fields, 150
 - overview, 35
- stereophonic sound, 363
- stopDrag() method, 350–351
- storing files for progressive
 - downloads, 405
- storyboarding, 64
- straight (stroke), 108
- streaming media
 - compared with broadcasting, 463–464
 - with Flash Media Server, 410–411, 464–469
 - HTTP and RTMP, 410
 - overview, 409, 464
- strict equality (===) operator, 316
- strict inequality (!==) operator, 316
- string, 307
- stroke
 - color, 125–126
 - defined, 124
 - scale, 108
- Stroke Color tool, 24
- Stroke Style dialog box, 108
- structure, basic ActionScript, 306–315
- styling
 - button components, 547–548
 - code, 543–554
- Subselection tool
 - modifying with, 115
 - overview, 23
- subtract/assign (=-) operator, 316
- subtraction (-) operator, 316
- Successful Time Management For Dummies* (Zeller), 239
- Sun Audio (*.au) format, 362
- Swap Bitmap dialog box, 203
- Swap Colors tool, 24
- Swap Symbol dialog box, 166–167, 170, 226–227
- swapping
 - bitmaps, 202–203
 - symbols, 170
- Swatches panel
 - fill color, 126–127
 - overview, 127–129
 - selecting from, 102
 - stroke color, 125
- SWF
 - files compared with graphic files, 526
 - settings, 601–605
- switch statement, 300–301, 325–329
- symbol-editing mode, 169
- symbols
 - button, 160
 - converting objects to, 161–163
 - creating, 160–167
 - Document Library, 172–178
 - duplicating, 174–175
 - editing
 - in another window, 169–170
 - in place, 168–169
 - Find and Replace, 157
 - graphics, 38, 160
 - library, 40–41
 - modifying instance properties, 171–172
 - Movie Clip, 160
 - overview, 37–38, 159–160
 - renaming, 175
 - spraying, 166–167
 - swapping, 170
 - types, 160
 - vertical bar, 317
- synching sound, 374–375
- System 7 Sounds format, 362

T

tags

- <p>, 457–459
- <tt>, 459

Target Bitrate (Mbps) slider, 439

tasks, organizing, 55–56

techniques

- advanced animation
 - copying motion, 254–257
 - editing motion tween animations, 245–254
 - motion paths, 244–245
 - multiple frames, 261–263
 - Onion Skins, 261
 - presets, 241–243
 - shape tween animations, 258–260
- mind-mapping, 64

templates

- creating documents from, 68
- Timeline, 284–285

ternary statements, 518

TestBench class, 313–314, 315

testing

- AIR application, 562–565
- chat application, 483–484
- classes, 315
- movies, 53, 577–579
- player, 476–477
- video, 425–426

text

- adding
 - hyperlinks, 143
 - overview, 528–529
 - to TextArea component, 551–554
- animations
 - creating flying text, 235–239
 - creating typewriter text, 233–235
- converting to graphics, 151
- creating
 - flying, 235–239
 - overview, 149–151
 - typewriter, 233–235
- dynamic, 35–36, 144–145, 150–151
- editing, 152
- fields, (Timeline), 292–295
- Find and Replace, 156
- flying, 235–239
- input, 35
- labels, 537
- loading, 527

- paragraph, 148–149
- resizing field, 152
- specifying character parameters, 145–148
- spell-checking, 152–153
- timed, 458–459
- types, 35–36
- typewriter, 233–235

Text tool

- adding hyperlink, 143
- creating input text, 144
- dynamic text, 144–145
- overview, 23, 35–36
- static text, 142–143

TextArea component

- adding text to, 551–554
- overview, 536–537

TextField class, 543–544

TextFormat class, 543–544

TGA Image files, 190

3D animation simulations, 223–226

3D Rotation tool

- creating animations, 224–225
- overview, 11, 23

3D Translation tool

- creating animations, 225–226
- overview, 11, 23

TIFF Image files, 191

timed text, 458–459

Timeline. *See also* ActionScript 3.0

to ActionScript file, 59–61

adding

- blank keyframes, 211–212
- frames, 209–210
- keyframes, 210, 211

anatomy, 208

buttons, 292–295

class, 287–288

clip code, 286

code, 56–59

code and design, 295–298

comments, 286

controlling

- movie clip, 276–281
- overview, 48, 273–275

copying frames, 212–213

creating

- frames, 209–212
- functions with ActionScript, 49–53

editing frames, 212–213

- Timeline (*continued*)
 - frames, 208–213
 - instances, 296–298
 - managing, 213
 - overview, 20, 207–208
 - selecting frames, 212
 - templates, 284–285
 - text fields, 292–295
 - User Interface (UI) component
 - classes, 299–304
 - working with, 49
- Tint option, 171
- tips
 - camera, 485–487
 - image, 66
 - project planning, 66
- Tool Settings dialog box, 100
- Toolbox, Actions panel, 57
- tools
 - Add Anchor Point, 116
 - basic, 104
 - Bind, 12, 24, 232
 - Bones, 12, 24, 227–229
 - Brush, 24, 34–35, 109–110
 - Convert Anchor Point, 116
 - Deco, 11, 24
 - Default Colors, 24
 - Delete Point, 116
 - Eraser, 24, 113–114
 - Eye Dropper, 24
 - Fill Color, 24
 - Free Transform tool, 23, 117–119
 - Gradient Transform, 23
 - Hand, 24
 - Ink Bottle tool, 24, 137
 - Lasso, 23, 115
 - Line, 23
 - new in CS4, 11–12
 - No Color, 24
 - Oval, 98–99
 - Paint Bucket, 24, 138
 - Pen, 23, 35, 111–112
 - Pencil, 24, 34–35, 107–109
 - Polystar, 23, 100
 - Primitive Oval, 93, 98–99
 - Rectangle, 23, 93, 99
 - Selection, 23, 229–230
 - Spray Brush, 12, 24, 110–111, 226–227
 - Stroke Color, 24
 - Subselection, 23, 115
 - Swap Colors, 24
 - Text, 23, 35–36, 141–145
 - 3D Rotation, 11, 23, 224–225
 - 3D Translation, 11, 23, 225–226
 - Transform Gradient, 136–137
 - Zoom, 24
- Tools panel
 - customizing, 25–26
 - features, 23–24
 - overview, 22
- top-level classes, 310
- Trace Bitmap dialog box, 197–198, 526
- `trace()` statement, 287–288
- tracing bitmaps, 196–198
- tracking elements, 525
- Training (Adobe), 87
- Transform Gradient tool, 136–137
- Transform panel, 119–120
- transitions, video, 493
- transporting objects, 53–55
- triad, 138
- triangle, 355–358
- trimming video, 434–435
- tripod, 488–489
- `<tt>` tag, 459
- types
 - defined, 306, 307
 - importing, 310–312
- typewriter text, 233–235
- typing on Stage, 308

U

-
- UI (User Interface)
 - component classes
 - applying dynamic text style to, 544–547
 - choosing from lists, 299
 - list data, 300–301
 - list events, 299
 - overview, 299
 - using components on Stage, 301–304
 - creating buttons, 308–309
 - overview, 511

ULoader
 components, 536
 converting bitmaps to vector
 graphics, 526–527
 graphic files compared with SWF
 files, 526
 loading text and XML files, 527
 uint unsigned integer, 307
 universal chat application
 changing basic camera settings,
 478–479
 creating
 camera object, 478
 chat application, 480–483
 server-side application, 479–480
 overview, 477
 sending video and audio, 478
 testing application, 483–484
 unlocking
 layers, 183
 panels, 26
 unreal numbers, 307
 updating, 80–82
 URLoader class, 527
 URLRequestDataFormat class, 527
 URLRequest class, 527
 USB Webcams, 416
 User Interface (UI)
 component classes
 applying dynamic text style to,
 544–547
 choosing from lists, 299
 list data, 300–301
 list events, 299
 overview, 299
 using components on Stage,
 301–304
 creating buttons, 308–309
 overview, 511
 userDirectory property, 567–568



values

hexadecimal, 124
 loop variable, 329–330
 of variables, 306–307

variables
 compared with objects and
 constants, 309–310
 defined, 306
 smart, 306
 type, 306
 value of, 306–307
 vector elements, 345, 347
 vector graphics
 converting bitmaps to, 526–527
 defined, 91
 overview, 92
 vector script, sample, 345–347
 vectors
 defined, 345
 dragging movie clips, 350–351
 forEach() method, 347–349
 non-numeric ID, 345–347
 overview, 345
 parameters, 355
 Vegas Pro video editor, 425, 493
 vertical bar symbol, 317
 vertical (stroke), 108
 vertices, 356
 video
 ActionScript cue points, 453–458
 adding cue points, 442–444
 camera
 choosing, 416
 compared with Webcam, 413–416
 tips, 485–487
 captions
 creating video with, 460–462
 launching, 459–462
 overview, 458
 timed text in XML file, 458–459
 changing for progressive
 downloads, 405–407
 choosing
 compression codec, 433
 file types for conversion, 429
 composing scenes, 489–490
 converting files with default
 options, 429–432
 creating
 applications to find metadata in,
 451–453
 with captions, 460–462
 resources, 416–426
 credits, 493–494

video (*continued*)

- cue points, 448–450
- customizing
 - conversions, 433–434
 - for progressive downloads, 401–403
- directing tips, 490–491
- editing
 - applications, 492–493
 - DV for Web, 491–494
- editors, 425
- embedding
 - in Flash files, 395–399
 - overview, 394–399
- files
 - converting to Flash compatible files, 395
 - tips, 66
- Find and Replace, 157
- fine-tuning settings, 435–442
- flash, 14
- importing for progressive downloads, 401–403
- making video player, 445–448
- managing
 - bandwidth, 433–434
 - metadata, 451–453
 - postproduction before conversion, 428–429
- panning, 488
- play controls, 405, 407–409
- player
 - creating, 446–448
 - overview, 445–446
- progressive downloading, 399–409
- recording in iMovie, 422–425
- resizing for progressive downloads, 403–404
- sending, 478
- settings, 437
- streaming, 409–411
- testing, 425–426
- transitions, 493
- trimming, 434–435
- tripods, 488–489
- Web, 393–394
- zooming, 488
- volume (camera), 487

W

- W position, 117
- WAV (*.wav) format, 361
- Web
 - editing DV for, 491–494
 - rendering for, 494
 - server
 - defined, 410
 - progressive downloading from, 399–409
 - video, 393–394
- Web audio
 - bit depths, 362–364
 - data rates, 362–364
 - file tips, 66
 - formats, 361–362
 - importing, 371–373
 - recording hardware, 364–367
 - sample rates, 362–364
 - sending, 478
 - settings, 440–441
 - sound-editing software, 367–370
- Web-safe colors, 127
- Web sites
 - adding components, 528
 - Adobe AIR, 555
 - Adobe AIR extension, 70
 - Adobe Audition, 367
 - Adobe Media Player, 417
 - Adobe Premiere Pro, 425
 - antonioswinterhaven.com, 14–15
 - Audacity, 370
 - Blue Snowball, 365
 - Blue Snowflake, 367
 - book companion, 4, 275, 287, 378, 395, 443, 471
 - dasdesigns.net/demo, 13–14
 - Final Cut Pro, 425
 - Flash Media Live Encoder 2.5, 417
 - GarageBand, 369
 - Macintosh installation of Flash Media Server, 465
 - MP3 format plug-ins, 370
 - phoenixfl.com, 12–13
 - pixelicious, 367
 - Sony, 370
 - Sony ACID Music Studio, 369
 - Sony Sound Forge, 368–369

Vegas Pro, 425, 493
 YouTube, 393
 Zoom H2, 364–365
 Webcams
 bandwidth, 415
 choosing, 414–415
 IEEE compared with USB, 416
 software, 421–422
 Welcome screen, 67
 while loop, 334–336
 Windows
 Adobe Flash Media Live Encoder,
 419–421
 Adobe Premiere Pro video editor,
 425
 Media Player, 394
 Movie Maker, 417–418
 Vegas Pro video editor, 425
 worker methods, 474–475
 workspace
 customizing, 25–32
 deleting, 28
 display bar, 18
 document library, 19–20
 managing, 28
 menu bar, 16–17
 Motion Editor, 21
 overview, 15–16
 panels, 19, 21–24
 Property inspector, 19

rearranging, 26
 renaming, 28
 saving custom, 26–27
 Stage, 19
 Timeline, 20
 Tools panel, 22–24

X

X (position), 117
 XML (eXtensible markup language)
 files
 creating, 459
 loading, 527
 timed text in, 458–459

Y

Y (position), 117
 YouTube Web site, 393

Z

Zeller, Dirk, *Successful Time
 Management For Dummies*, 239
 Zoom H2, 364–365
 Zoom tool, 24
 zooming video, 488

