

INDEX

A

Absolute location, 11
Accessibility, 309–312
Adjacency, 335
 binary, 338
Alpha index, 309, 313, 320–321
Alternate hypothesis, 143
Angle of rotation, 203
Arc, 280, 283–284
ArcGIS, 28, 419–429
Arithmetic mean, 52–54, 188
Attribute:
 data table, 30
 field, 30
 item, 30
Attribute data, 12, 46, 183
Avenue scripts, 28
Average, 188

B

Bar graph, 50, 69–71
Bimodal distribution, 48
Binary adjacency, 338
Binary connectivity matrix, 336–339

Binary matrix, 305, 336
Binary nominal scale, 14, 97–100
Binomial distribution, 131–133
Bivariate, 93–126
Bivariate regression, 109–111, 119
Bivariate spatial autocorrelation, 334, 350, 405–409
Bivariate statistics, 46
Boundary adjustment, nearest neighbor statistic, 248–249
Boundary effect, 220

C

Cartographic abstraction, 280–281
Cartographic data, 12, 183
Center:
 mean, 189–192
 median, 189, 195–197
Central limit theorem, 141–143
Central place theory, 219, 222
Central tendency, 47–56, 93

Centrographic measures, 183,
 186–215, 218, 328
 spatial mean (mean center),
 189–195
 spatial median (median center),
 189, 195–197
 standard deviational ellipse,
 189, 203–208
 standard distance, 189, 198–
 203
 Centroid distance, 341–343
 Chain, 280, 283–284
 Chaos theory, 10
 Chi-square statistics, 100–103,
 172–175
 Circuit, 308–309
 Circular variance, 299–302
 Classical statistics, 1–2, 9–11,
 13, 45–46, 183
 Classification method, quantile,
 22
 Clustering:
 directional, 93
 high/low, 422
 Coefficient of determination,
 111–112, 169
 Coefficient of variation, 65
 Cold spots, 377
 Combination, 130
 Complete spatial randomness
 (CSR), 248
 Concentration, 93
 Confidence interval, 142–143
 Confidence level, 142, 144
 Connectivity, 304–312
 Connectivity matrix, 304–306,
 310, 313
 binary, 336–339
 Contingency table, 97–98
 Correlation, 9, 93–108, 164–165,
 172–176
 direct or positive, 94
 direction, 93–94
 interval/ratio scale, 105–108,
 117, 368–369. *See also*
 Pearson's coefficient

 inverse or negative, 94
 nominal scale, 97–103
 binary, 97–100. *See also* Phi
 coefficient
 polychotomous, 100–103.
 See also Chi-square
 ordinal scale, 103–105, 175–
 176. *See also* Spearman's
 rank coefficient
 phi coefficient, 97–100
 strength, 93–94
 Correlation coefficients,
 significance testing, 164–
 165, 172–176
 Covariance, 106, 368
 Critical region(s), 145
 Critical value(s), 145

D

D statistics, 176–178, 224, 226–
 229
 Data model, 30
 Data, feature, 12
 Degrees of freedom, 144
 Dependence, 93, 108
 Dependent variable, 110
 Descriptive statistics, 1, 4, 66–68,
 75, 87–88
 Diameter, network, 311
 Difference between a mean and a
 fixed value, 163
 Difference in means, 153–157
 large sample size, 156–157
 small sample size, 153–156
 Difference in variances, 147–149,
 151–152
 Dip-in, 271–275
 Direction, 286–287, 291
 Directional mean, 294–299, 302–
 303
 Directional statistics, 289, 294–
 303
 Dispersion, 56–65, 93

Distance decay, 335, 343
 parameter, 263
 Distance:
 centroid, 341–343
 euclidean, 341
 great circle, 285, 341
 linear, 284–285
 Minkowskian, 341
 Distribution:
 bimodal, 48
 D, 227–229
 F (ratio), 147–149
 frequency, 69, 130
 multimodal, 49
 normal, 62, 69, 136–140
 Poisson, 133–136, 229–232
 Student's t, 153–156, 164, 168
 Donnelly's correction, 249–252

E

Edge, 306, 313
 Edge effect, 220
 Effect:
 boundary, 220, 255
 edge, 220
 scale, 8, 84
 zoning, 8, 84
 EMAP, 271–275
 Environmental Protection Agency,
 US (EPA), 271–275, 277–
 279
 Error:
 model specification, 112
 sampling, 61, 127
 Type-I, 146, 227
 Type-II, 146
 Euclidean distance, 341
 Exploratory spatial data analysis
 (ESDA), 424

F

F-distribution (ratio), 147–149
 Feature data, 12, 183

First law of geography, 10, 260–
 261, 263, 333, 341, 405
 First moment statistics, 54, 69
 First-order neighbors, 335
 Fourth moment statistics, 69
 Free sampling, 265, 355–361
 Frequency:
 charting, 79, 115–122
 generate, 78
 Frequency charts, 79
 Frequency distribution, 69, 130
 Frequency matrix, 97–98

G

Gamma index, 307–308, 313,
 320–321
 Geary's ratio, 261–270, 333, 349,
 367, 373–376, 422–423
 General G statistic, 333, 350,
 376–382, 422
 Geographical extent, 220
 Geographical scale, 25–28, 219
 Geometric mean, 54–55
 Geostatistics, 2, 267
 Global measures, spatial
 autocorrelation, 333, 350,
 383–387
 Great circle distance, 285, 341
 Grouped mean, 55–56, 84, 89–
 90, 188
 G-statistics:
 general, 333, 376–382
 local, 393–395

H

Higher moment statistics, 69–74
 Higher-order neighbor, 335
 Higher-order neighbor statistics,
 238, 246–248
 Histogram, 50, 69–71
 Hot spots, 377, 427

Hypothesis, 2
 alternate, 143
 null, 143
 testing, 143–146

I

Independence assumption, 2, 333
 Independent variable, 110
 Inference, 4
 Inferential statistics, 1, 10
 Intercept, 110
 Interval/ratio scale, 15–16
 correlation, 105–108, 117,
 368–369

J

Joint count statistics, 333, 349,
 353–367, 409–414
 free sampling, 355–361
 nonfree sampling, 361–363
 normality sampling, 355–361
 randomization sampling, 361–
 363

K

K statistics, 253
 Kendall's tau, 103
 K-function, 185, 219, 253–260
 Kolmogorov-Smirnov test, 176–
 178, 224, 226–229
 Kriging, 267
 K-S D statistics, 176–178, 224,
 226–229
 Kurtosis, 69–74, 82, 93, 266,
 372, 376
 leptokurtic, 74
 platykurtic, 74

L

Leptokurtic, 74
 Level of significance, 142–144

Likelihood, 354
 Linear distance, 284–285
 Linear features:
 direction, 286–287
 length, 284–286
 orientation, 286–287
 Link, 306, 309–312
 Local G-statistics, 334, 393–395,
 402–403, 422, 427–428
 Local indicators of spatial
 association (LISA), 334,
 388–393, 400–402, 424
 Location:
 absolute, 11
 relative, 11

M

Map:
 projection, 25, 27–28, 220
 distortion, 27–28, 220–221
 scale, 25–27
 Mathematical notation, 22, 24–25
 Maximum, 57–58, 68
 Mean, 52–56, 93, 188
 arithmetic, 52–54, 188
 directional, 294–299, 302–303
 geometric, 54–55
 grouped or weighted, 55–56,
 84, 89–90, 188
 population, 53
 sample, 53
 spatial, 189–192
 weighted, 55–56, 84, 89–90,
 188
 weighted center, 192–195
 Mean center, 189–192
 weighted, 192–195
 Mean deviation, 58–60
 Median, 50–52, 188
 spatial, 189, 195–197
 Median center, 189, 195–197
 Minimum, 57–58, 68
 Minkowskian distance, 341

Modal value, 48
 Mode, 48–50
 Model:
 multivariate regression, 112
 spatial average, 396
 Modifiable areal unit problems
 (maup), 7–9, 84–90, 260
 Moment statistics:
 first, 54, 69
 fourth, 69
 higher, 69–74
 second, 54, 69
 third, 69
 Moran scatterplot, 334, 395–399,
 403–405
 Moran's index, 261–267, 333,
 349, 367–373, 422–424
 Multimodal distribution, 49
 Multivariate regression model,
 112
 Multivariate statistics, 46

N

Nearest distance, 343–345, 419–
 422
 Nearest neighbor analysis, 219,
 238–253, 419–422
 Nearest neighbor statistics,
 boundary adjustment,
 248–249
 Neighborhood, 335–336
 queen's case, 335–336
 rook's case, 335–336
 Neighbors:
 first-order, 335
 higher-order, 335
 second-order, 335
 Network analysis, 304–314
 Network(s), 280–283
 accessibility, 309–312
 alpha index, 309, 313, 320–
 321
 circuit, 308–309
 connectivity, 304–306, 313

 connectivity matrix, 304–306,
 310, 313
 diameter, 311
 edge, 306, 313
 features, 267
 gamma index, 308–308, 313,
 320–321
 link, 306, 309–312
 maximally connected, 307
 minimally connected, 307–308
 Nominal scale, 13–14
 binary, 14, 97–100
 correlation, 97–103
 polychotomous, 14, 100–103
 Nonfree sampling, 265, 355,
 362–366
 Nonparametric statistics, 46, 172–
 178
 Normal distribution, 62, 69, 136–
 140
 Normality sampling, 265, 355–
 361
 Notation, mathematical, 22, 24–
 25
 Null hypothesis, 143

O

Observation(s), 3, 47, 128, 334
 One-tail test, 147
 Ordered neighbor analysis, 237–
 253, 260
 higher-order, 238, 246–248
 second-order, 238, 246–248
 Ordinal scale, 14–15
 correlation, 103–105, 175–176
 strong order, 14
 weak order, 14
 Orientation, 286–287
 Outliers, 50

P

Parameter(s), 3, 127

Parametric statistics, 46
 Pearson's product moment
 correlation coefficient,
 105–108, 117, 368–369
 significance test, 166–167
 Percentiles, 57–58, 93
 Permutation, 129
 Phi coefficient, 97–100
 Planar graph topology, 307–308
 Platykurtic, 74
 Point distributions:
 central tendency, 187–197
 dispersion, 197–203
 orientation, 197–198
 Point pattern, 183
 Point pattern:
 first-order properties, 253
 second-order properties, 253
 Poisson distribution, 133–136,
 229–232
 Polychotomous statistics, 100
 Population, 3, 53
 mean, 53
 standard deviation, 60–63, 198
 Probability distribution, 130–143
 binomial, 131–133
 concept, 128–130
 continuous, 130
 D, 227–229
 discrete, 130
 F, 147–149
 function, 130–140
 normal, 62, 69, 136–140
 Poisson, 133–136, 229–232
 student's *t*, 153–156, 164, 168
 Process:
 random, 2
 systematic, 2
 Projection, 25, 27–28, 220
 Pythagorean theorem, 284–286

Q

Quadrat, 222
 Quadrat analysis, 219, 221–226,
 235–239, 260

Quadrat(s), 6
 random, 225
 size, 224
 systematic, 225
 Quantile, 22
 Queen's case neighborhood, 335

R

R statistics, 238–246
 Randomization sampling, 265,
 355, 362–366
 Random numbers, 30
 Random quadrat, 225
 Random sample, 128
 Random variable, 128–129
 Range, 57–58, 68
 Ratio scale, 14, 15–16
 correlation, 105–108, 117,
 368–369
 Region(s) of acceptance, 145
 Regression, 93, 108–115, 168–
 172
 bivariate, 109–111, 119
 dependent variable, 110
 independent variable, 110
 intercept, 110
 multivariate, 112
 residuals, 110, 414
 simple linear, 108–115
 slope, 110
 total variance, 112
 variance, 111
 Relative location, 11
 Residuals, 110, 414
 Rook's case neighborhood, 335
 Root mean square deviation, 61
 Row-standardized matrix, 339–
 341

S

Sample, 3, 53, 128
 effective size, 10, 333
 mean, 53

- random, 128
- size, 3, 10
- space, 128–129
- standard deviation, 60–63, 198
- Sampling:
 - error, 61, 127
 - free, 265, 355–361
 - nonfree, 265, 355, 362–366
 - normality, 265, 355–361
 - random, 4–6, 30–41
 - randomization, 265, 355, 362–366
 - with replacement, 355
 - without replacement, 355
 - spatial, 5–6, 35–41
 - stratified, 5
 - systematic, 4–6, 35–41
- Scale effect, 8, 84
- Scale:
 - geographical, 25–28, 219
 - interval, 15–16
 - map, 25–27
 - measurements, 13–22
 - nominal, 13–14
 - ordinal, 14–15
 - stronger order, 14
 - weak order, 14
 - ratio, 15–16
- Scales of measurement, 13–22
- Scatter diagram, 95–96
- Scatterplot, 95–96, 119–120
- Second moment statistics, 54, 69
- Second-order neighbors, 335
- Second-order neighbor statistics, 238, 246–248
- Significance level, 142–144
- Significance test:
 - chi-square statistics, 172–175
 - coefficient of determination, 169
 - difference between a mean and a fixed value, 163
 - difference in means, 153–157
 - large sample size, 156–157
 - small sample size, 153–156
 - difference in variance, 147–149, 151–152
 - Kolmogorov-Smirnov, 176–178
 - nearest neighbor statistic, 243–246
 - one-tail, 147
 - Pearson's product moment correlation coefficient, 164, 166–167
 - regression parameters, 168–172
 - regression slope, 168–172
 - spatial autocorrelation significance, 264–267
 - Spearman's rank correlation coefficient, 175–176
 - two-tail, 147, 155
 - variance-mean, 232–235
- Simple linear regression, 108–115
- Sinuosity, 291, 300, 316–319
- Skewness, 69–74, 82
- Slope, 110
- Sparse matrix, 339
- Spatial association, 377
 - local indicators (LISA), 334, 388–393, 400–402, 424
- Spatial autocorrelation, 9–10, 45, 183, 185, 219, 330–334, 349–414
 - bivariate, 334, 350, 405–409
 - Geary's ratio, 261–270, 333, 349, 367, 373–376, 422
 - general G-statistic, 333, 350, 376–382, 422
 - global measures, 333, 350, 383–387
 - joint count statistics, 333, 349, 353–367, 409–414
 - local G-statistic, 334, 393–395, 402–403, 425–427
 - local measures, 334, 350
 - local moran's i, 424–426
 - Moran's index, 261–267, 333, 349, 367–373, 422–424
 - residuals, 414

- Spatial autocorrelation
 - (*Continued*)
 - points, 219, 260–275
 - positive/negative, 353
 - strength, 332
 - test, 264–267
- Spatial autocorrelation indices,
 - 261–263, 349
 - expected value, 264
- Spatial average model, 396
- Spatial data, 12, 183
- Spatial dependency, 330–334,
 - 414. *See also* Spatial autocorrelation
- Spatial heterogeneity, 350
- Spatial homogeneity, 350
- Spatial interpolation, 267
- Spatial mean, 189–192
- Spatial mean, weighted, 192–195
- Spatial median, 189, 195–197
- Spatial pattern, 327
- Spatial process, 327
- Spatial statistics, 2, 183, 327–328
- Spatial weights matrix, 305, 334–349
 - binary connectivity matrix, 336–339
 - centroid distances, 341–343
 - nearest distances, 343–345
 - sparse, 339
 - stochastic/row-standardized, 339–341
- Spearman's rank correlation
 - coefficient, 103–105, 175–176
 - significance test, 175–176
- Standard deviation, 60–63, 93, 198
- Standard deviation:
 - population, 60–63, 198
 - sample, 60–63, 198
 - weighted, 63–65, 84, 89–90
- Standard deviational ellipse, 189, 203–208
- Standard distance, 189, 198–203
 - weighted, 199
- Standard distance circle, 199–203
- Standard error, 141, 243–247, 249
- Standard normal distribution, 138–140
- Standardized score, 360–361
- Stationary, 147
- Statistical tests, 127
- Statistics, 1, 3
 - bivariate, 46
 - chi-square, 100–103, 172–173
 - classical, 1–2, 9–11, 13, 45–46, 183
 - descriptive, 1, 46, 66–68, 75, 87–88
 - directional, 289, 294–303
 - general G, 376–382, 422
 - higher-order neighbor, 238, 246–248
 - inferential, 1, 10
 - K, 253
 - K-S D, 176–178, 227–229
 - linear features, 290–294
 - directional, 291
 - length, 290
 - sinuosity, 291–302
 - multivariate, 46
 - nearest neighbor, 238–246
 - nonparametric, 46, 146, 172–178
 - parametric, 46, 146–149, 87–88
 - polychotomous, 100
 - R, 238–246
 - second-order neighbor, 238, 246–248
 - spatial, 2, 183, 327–328
 - spatial autocorrelation, 349
 - Student's t, 153–156, 164, 168
 - univariate, 46–47, 81–84, 87–88
- Stochastic weights matrix, 339–341

Student's t-statistics, 153–156,
164, 168
Systematic quadrat, 225

T

Third moment statistics, 69
Topological relationship, 281
Topology, 304–306
 planar graph, 307
Toxic Release Inventory (TRI),
 216–217
Trajectories, 281
Trend analysis, 108–115, 115–
 122
Triangular lattice, 222
Two-tail test, 147, 155
Type-I error, 146, 227
Type-II error, 146

U

Uniform pattern, 222, 226
Univariate statistics, 46–47, 81–
 84, 87–88
Urban sprawl, 409–414

UTM coordinates, 316

V

Variable, 46
Variance, 60–63, 68, 89–90, 93
 circular, 299–303
 regression, 111
 weighted, 63–65, 84, 89–90
Variance-mean ratio test, 232–
 235
Vector(s), 280–283, 294
Visual Basics for Applications
 (VBA), 28

W

Weighted mean, 55–56, 84, 89–
 90, 188
Weighted variance, 63–65, 84,
 89–90

Z

Zoning effect, 8, 84, 115–122
Z-scores, 137–138, 360–361
Z-values, 137–138

