

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- "A disk read error occurred" message, 108
- A Network Printer option, 70
- About Internet Explorer option, 372
- About Microsoft Outlook Express option, 380
- "Access is denied" message, 58, 59
- access tokens
 - defined, 552
 - permissions for, 58
- accessibility features, 149
 - defined, 552
 - function of, 152
- accessibility options, 149
 - defined, 552
 - in Internet Explorer, 326
 - tools and options for, 151–152, 151
- Accessibility Options dialog box, 151–152, 151
- Accessibility Wizard, 152
- account policies, 156
- accounts
 - email. *See* Outlook application; Outlook Express
 - local user accounts, 158–160
 - troubleshooting, 162
 - viewing and creating, 160–163, 161–163
 - newsgroup, 330, 330
- ACPI (Advanced Configuration and Power Interface), 99, 116
 - compliance with, 120–121, 121
 - defined, 552
 - power schemes in, 116–118, 117
 - setup option for, 17
 - standby vs. hibernate, 118–119, 119
 - troubleshooting, 119–120
- ACPI Multiprocessor PC type, 18
- ACPI Uniprocessor PC type, 18
- acronyms, 411
- activation
 - Microsoft Office, 297–298
 - operating system, 20
- Activation Wizard, 297
- Active Directory
 - defined, 552
 - in logons, 168
 - for network printers, 71
 - for updates, 535
- active partitions
 - defined, 552
 - description, 11
 - in multiboot installation, 32
 - setting, 104, 104
- adapter cards, 477–478, 477
- Add option
 - for Internet Explorer toolbars, 434
 - for Outlook Express toolbars, 439
- Add a New Email Account option, 309
- Add an Imaging Device option, 501
- Add Digital Signature to This Message option, 317
- Add New Identity option, 436
- Add or Remove Programs applet
 - for Microsoft Office, 301–302
 - for uninstalling Windows XP, 31
- Add Printer Driver Wizard, 75
- Add Printer Wizard
 - for local printers, 68–69, 69, 494–499, 494–499
 - for network printers, 70, 70
- Add to Dictionary option, 413
- Add to Favorites option, 370
- Adding a Printer option, 494
- Address Resolution Protocol (ARP)
 - defined, 552
 - for name resolution, 469–470, 469
 - for NetBIOS names, 247
- addresses, IP. *See* IP addresses
- ADMIN\$ share, 63
- Administrative Options option, 152
- administrative shares, 63, 63
- Administrator account, 160
- Administrators group, 164, 523
- Advanced Appearance dialog box, 448, 448
- Advanced Configuration and Power Interface. *See* ACPI (Advanced Configuration and Power Interface)
- Advanced Dial-Up dialog box, 487, 487
- Advanced option
 - for LAN settings, 480
 - for security, 536
- Advanced Security options, 56
- Advanced Security Settings dialog box
 - for Effective Permissions tool, 51
 - for permission inheritance, 53, 53
- Advanced tab
 - Content Advisor, 266
 - Customize Start Menu, 441, 442
 - for firewalls, 235, 235, 239, 240
 - Internet Explorer, 268, 326
 - for multiboot installation, 32
 - POP3 accounts, 311, 311
 - Power Options Properties, 118
 - print spoolers, 76
- Advanced TCP/IP Settings dialog box
 - for DNS, 253, 253, 476, 476
 - for VPN connections, 262, 262
 - for WINS, 249–250, 249–250, 473–474, 473–474
- Alarms tab, 117
- /all option, ipconfig, 241, 241, 254
- All Programs menu, 386, 386
- Allow Duplicates to Be Created option, 430
- Allow permissions
 - effective, 65–66
 - for printers, 71

568 Allow This Number of Users setting – Available Toolbar Buttons option

- Allow This Number of Users setting, 62
- Allow Users to Connect Remotely to This Computer option, 270
- Alternate Configuration tab, 237, 237
- Always Hide option, 442
- Always Show option, 443
- Always Suggest Corrections option, 411
- Always Trust E-mail from My Contacts option, 420
- anchoring toolbars, 405–406, 406
- ANDing process
 - defined, 552
 - in network adapter configuration, 478
- answer files
 - defined, 552
 - sections of, 23–24, 24
- antivirus software, 522, 526
- APIPA (Automatic Private IP Address)
 - defined, 553
 - recognizing, 237, 241
- Appearance setting, 112
- Appearance tab
 - for Desktop, 147
 - for fonts, 447–448, 447
- Application Compatibility Mode, 332, 334–335, 335
- application customization, 401–403
 - case study, 452–453
 - exam essentials, 454–455
 - Internet Explorer, 432–435, 433–435
 - Microsoft Office, 403
 - AutoCorrect, 412–416, 413–416
 - Outlook. *See* Outlook application
 - Outlook Express, 435–439, 436–437, 439
 - spelling and grammar checkers, 409–412, 410
 - toolbars, 403–409, 403–409
 - Word, 353–355, 353–355
 - operating system, 439
 - folders, 449–452, 450–451
 - fonts, 447–449, 447–449
 - regional settings, 445, 446
 - Start menu, 440–441, 440–442
 - Taskbar, 442–443, 443
 - themes, 444, 444–445
 - review questions, 456–462
 - summary, 453–454
- Application Recovery tool, 303, 303
- applications, 291–292
 - configuring
 - Application Compatibility Mode, 334–335, 335
 - case study, 337–338
 - compatibility of, 332
 - exam essentials, 340–341
 - multiuser and multiboot, 336–337
 - NTVDM for, 333
 - Program Compatibility Wizard, 334–335, 335
 - review questions, 342–350
 - summary, 339–340
 - support for, 332
 - WOW for, 333, 334
 - connectivity for. *See* connectivity
 - customizing. *See* application customization
 - Internet Explorer. *See* Internet Explorer browser
 - Microsoft Office. *See* Microsoft Office
 - Outlook Express. *See* Outlook Express
 - security for. *See* security
 - in Task Manager, 170
- Applications tab, 170
- Apply These Settings to All Folders Now option, 428
- Approved Sites tab, 266
- archiving Outlook data, 427–428, 428
- ARP (Address Resolution Protocol)
 - defined, 552
 - for name resolution, 469–470, 469
 - for NetBIOS names, 247
- ASR (Automated System Recovery), 211
 - defined, 552
 - preparing for, 211–215, 211–215
 - using, 215–216, 215
- attended operating system installation, 6
 - activation in, 20
 - BIOS preparation for, 10
 - compatibility checks for, 7–10, 8–9
 - defined, 552
 - driver updates in, 10
 - hard disk preparation for, 10–15, 12–13
 - hardware requirements for, 6
 - log files in, 22
 - network components in, 16
 - options for, 17–20
 - Setup Wizard for, 15–16
 - tips for, 23
 - upgrade switches for, 17
 - Windows Update for, 18, 21–22, 21
- attrib command, 206
- auditing process, 552
- authentication
 - defined, 553
 - in logons, 168
- Auto-Hide the Taskbar option, 385
- AutoArchive tool, 427–428, 428
- AutoComplete Settings dialog box, 324, 324
- AutoCorrect feature
 - configuring, 412–416, 413–416
 - defined, 553
- automated installation for Microsoft Office, 294
- Automated System Recovery (ASR), 211
 - defined, 552
 - preparing for, 211–215, 211–215
 - using, 215–216, 215
- Automated System Recovery Wizard, 213, 213
- Automatic Caching of Documents option, 81
- Automatic Caching of Programs and Documents option, 81
- Automatic Port Detection option, 502
- Automatic Private IP Address (APIPA)
 - defined, 553
 - recognizing, 237, 241
- Automatic Reset option, 152
- Automatic Updates tab, 21, 21
- Automatically Detect and Install My Plug and Play Printer option, 69, 495
- Automatically Detect Settings option, 480
- Automatically Download the Updates option, 22
- Automatically Synchronize the Offline Files When I Log On and Log Off My Computer option, 81
- AutoRecover feature, 304, 304
- Available Toolbar Buttons option, 434, 438

B

Background setting, 112
 Backup Operators group, 164
 Backup or Restore Wizard, 211, 212
 backups
 for ASR, 211–215, 211–215
 for Outlook Express data files, 329, 329
 backward compatibility, 332
 baselines, 169
 /Basevideo boot option, 190
 basic disks, 100–105, 101–105
 defined, 553
 dynamic disks from, 106–107, 106–107
 batch command, 206
 BIOS (basic input/output system)
 in boot sequence, 166
 defined, 553
 preparing, 10
 Block option, 128–129
 Block Sender option, 378
 Blocked Senders tab, 421, 423
 blue i in Device Manager, 125
 blue screens of death, 108–109
 boot.ini file
 in boot phase, 189–191
 in multiboot installation, 32
 on system partitions, 11
 boot initialization, 189
 boot loader, 189
 boot partitions, 11
 defined, 553
 replacing, 109
 boot phase, 166, 189
 boot initialization in, 189
 configuration selection in, 191
 hardware detection in, 191
 operating system selection in, 189–191, 190
 boot sector, repairing, 208–210
 boot sequence, 166–167, 189
 boot phase. *See* boot phase
 defined, 553
 kernel initialization phase, 191–194
 kernel load phase, 191
 logon phase, 195, 195
 bootcfg command, 206
 booting to MS-DOS boot disks, 102–105, 102–105
 /Bootlog boot option, 190
 Bootsect.dos file, 11
 bootstrap files, 11
 bottlenecks, 169
 Browsing settings in Internet Explorer, 326
 buffer overrun attacks, 520
 burnout, 112
 bus-mastering cards, 170
 Bypass Proxy Server for Local Addresses option, 480

C

-c option in nbstat, 256
 C\$ share, 63

cached credentials
 defined, 553
 in logons, 168
 caches
 ARP, 469, 469
 file, 79, 81–82, 82
 website passwords, 432–433, 433
 cameras, 499–503, 500–503
 CAs (certificate authorities)
 defined, 554
 in Internet Explorer, 323–324
 case studies
 application
 configuring, 337–338
 customizing, 452–453
 connectivity, 503–504
 hardware devices and drivers, 130–132
 operating system installation, 33–35
 recovery, 216–218, 216–218
 remote connections, 274–276
 security, 538–539
 shared resources, 83–84
 usability, 390–391
 users, 174
 Category view in Control Panel, 149, 150
 cathode ray tube (CRT) monitors, 111, 553
 cd command, 206
 CDs
 for driver updates, 124
 for hard disk preparation, 14
 Microsoft Office installation from, 295–297, 295–296
 for system compatibility checks, 7
 central processing units (CPUs), 169
 certificate authorities (CAs)
 defined, 554
 in Internet Explorer, 323–324
 certificates
 defined, 553
 in Internet Explorer, 266, 323–324
 in Outlook, 314–317, 315–317
 Change permission, 61
 Change the Way Users Log On or Off option, 79
 Changed file state, 83
 chdir command, 207
 Check Document/Recheck Document option, 412
 Check for Updates option, 532
 Check Grammar As You Type option, 411
 Check Grammar with Spelling option, 412
 Check My System Automatically option, 28
 Check Spelling As You Type option, 411
 Check System Compatibility option, 28
 Check the Web for Updates and Additional Downloads
 option, 361
 /checkupgradeonly switch, 17
 chkdsk command, 207
 Choose Advanced Customization of Applications
 option, 358
 classic file sharing, 60–61, 60
 Classic Start menu, 383, 383
 Classic view in Control Panel, 149, 150
 Client for Microsoft Networks, 229
 clients
 LAN settings, 479–480

570 clone control sets – Customize dialog box

- for offline files, 79–81, 80
 - printer processes, 74
 - remote access server configuration for, 483–484
 - configuring, 484–487, 484–487
 - VPN, 488–490, 488–490
- clone control sets, 167
- Close option, 369
- cls command, 207
- /cmd switch, 17
- /cmdcons switch, 17
- Collapse option, 378
- Color Depth setting, 112
- Columns option, 377
- Combine option, 379
- command prompt, safe mode with, 202, 202–203
- Commands tab
 - for toolbars, 408
 - for Word, 355, 355
- Compaq SystemPro Multiprocessor or 100%
 - Compatible type, 18
- compatibility
 - of applications, 332
 - of drivers, 124
 - in operating system installation, 7–10, 8–9
- Compatible with Windows XP category, 8, 9
- Complete installation for Microsoft Office, 294
- compression, file, 12, 12
- computer IDs in IP addresses, 231
- Computer Management Console, 518
- Computer Name and Administrator Password dialog
 - box, 19
- computer names, 467, 554
- computer resources, performance of, 169–170
- computers, logons to, 168
- configuration selection boot phase, 191
- Connect to A Private Network through the Internet
 - option, 488
- Connect to the Network at My Workplace option, 258, 261
- Connections tab, 267–268, 268
 - for dial-up, 484, 484
 - for Internet Explorer, 267–268, 268
 - for LAN settings, 480, 481
 - for VPN connections, 488
- connectivity, 463–465
 - case study, 503–504
 - exam essentials, 506
 - firewall configuration, 490–491
 - ipconfig for, 241–242, 241–242
 - LAN configuration, 479
 - client settings, 479–480
 - Internet Explorer settings for, 480–482, 481–483
 - name resolution. *See* name resolution
 - network adapter configuration, 477–478, 477
 - pathing for, 246, 246
 - ping for, 242–244, 243–244
 - printers, 77–78, 491–493, 492–493
 - adding, 494–499, 494–499
 - managing, 493–494
 - remote access server, 483–484
 - configuring, 484–487, 484–487
 - VPN, 488–490, 488–490
 - review questions, 507–513
 - summary, 504–506
 - troubleshooting, 240
- Content Advisor
 - configuring, 266, 267, 322–323, 322
 - defined, 554
- Content tab, 266, 267, 322–325, 322
- content zones, 264–265, 265
- Contents and Index option
 - in Internet Explorer, 372
 - in Outlook Express, 379
- Control Panel options, 149, 150
- control sets
 - in boot sequence, 166–167
 - creating, 196–197
 - current, 195–196, 196
 - defined, 554
- CONVERT command, 50
- converting
 - basic disks to dynamic, 106–107, 106–107
 - FAT file system to NTFS, 50
- cookies
 - defined, 554
 - Internet Explorer, 263, 265–266, 325, 325
- copy command, 207
- Copy option
 - Internet Explorer, 369
 - Outlook Express, 376
- Copy to Folder option, 376
- /copydir switch, 17
- copying files and folders, permissions in, 55
- corrupt files
 - in Microsoft Office, 306
 - PST, 318–320, 319–320, 431–432, 432
- CPUs (central processing units), 169
- Create a New Account option, 162
- Create A New Connection option, 258
- Create a New Port option, 78, 496
- Create a Shortcut to Offline Files Folder on My
 - Desktop option, 81
- Create Folder option, 433
- Create Microsoft Personal Folders dialog box, 419, 419
- Create Rule from Message option, 378
- Create Shortcut Wizard, 146, 386–388, 387–388
- creator owners, 58, 554
- credentials in logons, 168
- critical updates, 299, 526, 528
- CRT (cathode ray tube) monitors, 111, 553
- Currency option, 445
- current controls set, 195–196, 196
- Current Toolbar Buttons option
 - for Internet Explorer toolbars, 434
 - for Outlook Express toolbars, 439
- Current View option, 377
- Cursor Options option, 152
- Custom Dictionaries dialog box, 411, 415–416, 415
- Custom installation for Microsoft Office, 294
- Custom Notifications dialog box, 443, 443
- Custom Settings option, 16
- customer representatives, 22
- Customize dialog box
 - for commands, 355, 355
 - for menus, 355, 355
 - for toolbars, 354, 354, 407–409, 408

Customize Regional Options dialog box – Domain Name System (DNS) servers 571

Customize Regional Options dialog box, 445, 446
 Customize Start Menu dialog box
 Advanced tab, 441, 442
 General tab, 440–441, 441
 Customize This Folder option, 450
 Customize Toolbar dialog box, 434–435, 435,
 438–439, 439
 Cut option, 369

D

Data-Link layer
 defined, 554
 MAC addresses in, 465
 data recovery field (DRF), 554
 Date and Time Settings dialog box, 19
 Date option for regional settings, 445
 Decode option, 379
 decryption, 554
 default control sets, 196
 default gateways
 defined, 554
 in LAN clients, 479
 in network adapter configuration, 478
 with VPNs, 262
 default newsgroup readers, 331, 331
 del command, 206
 delete command, 206
 Delete option
 for favorites, 433
 in Outlook Express, 376
 Deleted file state, 83
 deleted files and folders, recovering, 305
 Deleted Items folder, 417
 deleting
 local printers, 69
 network printers, 71
 partitions, 15, 105, 105
 toolbars, 407
 demodulators, 122
 Deny permissions
 effective, 65–66
 for printers, 71–72
 working with, 53–54
 Deny Read permission, 54
 Deploy.cab file, 26
 deploying updates, 535
 Designed for Windows XP category, 8, 9
 Desktop, 145
 settings, 146–147, 147
 shortcuts on, 146, 385–388, 386–388
 "Destination host unreachable" message, 255
 Detect and Repair Errors in My Office Installation
 option, 302
 device drivers. *See* drivers
 Device Manager
 for ACPI, 121
 for drivers, 124–128, 126
 for profiles, 123
 devices. *See* hardware devices
 DHCP (Dynamic Host Configuration Protocol) servers
 defined, 555
 for IP addresses, 236–237
 for RIS, 27
 in Typical settings, 16
 dial-up connections, 257, 483–484
 configuring, 484–487, 484–487
 defined, 554
 Internet Explorer, 267
 troubleshooting, 258–259, 258–259
 VPN, 488–490, 488–490
 Dial-up to Private Network option, 484
 dictionaries, 412–416, 413–416
 digital certificates
 defined, 553
 in Internet Explorer, 266, 323–324
 in Outlook, 314–317, 315–317
 digital signatures
 defined, 554
 for drivers, 127–130
 Digital Signatures option, 537
 dir command, 206
 directories, installation, 23
 DirectX, 114–116, 115
 DirectX Diagnostic Tool, 115–116, 115
 DirectX Files tab, 115
 disable command, 206
 disappearing icons, 367
 Disk 0
 active partition on, 11
 defined, 555
 Disk Management tool
 for administrative shares, 63, 63
 for dynamic disks, 106–107, 106–107, 109–110
 diskpart command, 207
 disks. *See* hard disks
 display devices, 99, 111
 accessibility options for, 152
 defined, 555
 DirectX for, 114–116, 115
 settings, 112–113, 113
 troubleshooting, 113–114, 114
 types, 111–112
 VGA mode, 113–114, 114
 Display Properties dialog box
 for Desktop, 147, 147
 for fonts, 447–449, 447
 for themes, 444, 444
 for VGA mode, 113–114, 113–114
 DNS (Domain Name System) servers, 230
 defined, 555
 for hostnames, 251, 253, 253
 for name resolution, 474–476, 475–476
 in Typical settings, 16
 DNS tab, 476, 476
 Do Not Duplicate Items option, 430
 Do Not Import Duplicate Items option, 430
 Do Not Share This Printer option, 497
 Do Not Use This Device in This Profile option, 123
 Document Recovery task pane, 304
 dollar signs (\$) for administrative shares, 63
 Domain accounts, 160
 domain controllers in logons, 168
 Domain Name System (DNS) servers, 230
 defined, 555

572 domains – File and Settings Transfer Wizard

- for hostnames, 251, 253, 253
- for name resolution, 474–476, 475–476
- in Typical settings, 16
- domains
 - firewalls for, 490
 - logons to, 168
 - permissions for, 517
 - security in, 158
- DOS-based applications, 333
- dots per inch (DPI) standard, 448–449, 449
- Download the Updates Automatically and Notify Me When They Are Ready to Be Installed option, 21
- DRF (data recovery field), 554
- drive letters, 110, 110
- Driver tab, 126
- drivers
 - in boot sequence, 167
 - defined, 555
 - in kernel load phase, 193
 - printer, 69, 71, 73, 75
 - rolling back, 126, 128, 128
 - signing, 127–130
 - updating, 10, 124–127, 126–127
- Drivers tab for printers, 73, 73
 - local, 69
 - network, 71
- dual-boot configuration, 191
- During AutoArchive option, 428
- dynamic disks
 - configuring, 107–108
 - converting basic disks to, 106–107, 106–107
 - defined, 555
 - errors on, 109
- Dynamic Host Configuration Protocol (DHCP) servers
 - defined, 555
 - for IP addresses, 236–237
 - for RIS, 27
 - in Typical settings, 16

E

- Edit menu
 - in Internet Explorer, 369, 369
 - in Outlook Express, 375–376, 376
- Edit option in Internet Explorer, 368
- effective permissions, 50–52, 51–52
- with NTFS and shares, 65–67, 67
- for shared folders, 59
- Effective Permissions tool, 50–52, 51–52, 54, 555
- EFS (Encrypting File System), 156, 555
- email. *See* Outlook application; Outlook Express
- Email Accounts dialog box, 310, 310
- Empty 'Deleted Items' Folder option, 376
- enable command, 207
- Enable Offline Files option, 80
- Encoding option
 - in Internet Explorer, 370
 - in Outlook Express, 377
- Encrypting File System (EFS), 156, 555
- encryption
 - defined, 555
 - for digital certificates, 315
 - NTFS file system for, 12, 12
 - vs. permissions, 58–59, 59

- end point IDs, 231
- End-User License Agreement for Microsoft Software page, 533, 533
- English version, 154
- environment. *See* users and user environment
- "Error loading operating system" message, 108
- error messages
 - defined, 555
 - in Internet Explorer, 373
 - in Microsoft Office, 361–366, 363–366
 - for operating system, 388–390, 389–390
 - in Outlook Express, 380
 - startup, 108–109
- Ethernet communication, 465, 555
- evaluation software, 32
- exam essentials
 - applications
 - configuring, 340–341
 - customizing, 454–455
 - connectivity, 506
 - hardware devices and drivers, 133–134
 - operating system installation, 36
 - recovery, 219
 - remote connections, 278–279
 - security, 540
 - shared resources, 86
 - usability, 392
 - users, 176
- Exceptions tab, 238, 239
- Exchange mailbox configuration, 313–314, 314
- executable patches, 535
- exit command, 207
- Exit option, 375
- Exit and Log Off Identity option, 375
- expand command, 207
- Expand option, 378
- explicit denies, 54
- Explorer Bar option, 369
- Export option, 368
- Export to A File option, 431
- Export to File option, 420–421
- export tools in Outlook Express, 438
- exporting Outlook data, 429–431, 429–431
- extended partitions
 - on basic disks, 100–101
 - deleting, 105, 105
- extranets, 555

F

- failure recovery. *See* recovery
- FAST (Files and Settings Transfer) Wizard, 29–30, 30
- Fast User Switching, 153
 - defined, 555
 - with offline files, 79, 80
 - tools for, 161
- FAT file system, 13, 50
- favorites in Internet Explorer, 370–371, 371, 433–434, 434
- Favorites menu, 370–371, 371
- fdisk tool, 14
 - for basic disks, 102–105, 102–105
 - defined, 556
- File and Settings Transfer Wizard, 556

File Copy step in operating system installation, 15
 File Encryption Options for This Document settings, 536
 File menu
 in Internet Explorer, 367–369, 368
 in Outlook Express, 374–375, 375
 File Sharing Options for This Document settings, 536–537
 File Signature Verification Wizard, 129–130, 130, 556
 file systems
 defined, 556
 in hard disk preparation, 12–15, 12–13
 files, 46–47
 log, 22, 362
 offline
 settings for, 79–82, 80, 82
 synchronization of, 82–83
 ownership of, 58
 permissions for. *See* permissions
 recovering, 303–307, 303–304
 Files and Settings Transfer (FAST) Wizard, 29–30, 30
 FilterKeys option, 151
 filters, email, 417, 419–421, 420–423
 Find option, 376
 Find (on This Page) option, 369
 firewalls
 blocking by, 490–491
 defined, 556
 Internet Connection Firewall, 235–236, 235–236
 Windows Firewall, 237–240, 238–240
 FireWire devices, 122
 fixboot utility
 for boot partition, 109
 for boot sectors, 210
 in Recovery Console, 206
 fixed storage devices, 100
 basic disks, 100–105, 101–105
 defined, 556
 drive letters for, 110, 110
 dynamic disks
 configuring, 107–108
 converting basic disks to, 106–108, 106–107
 troubleshooting, 108–110, 110
 fixmbr utility
 for boot sectors, 210
 for master boot record, 109
 in Recovery Console, 206
 Flag Message option, 379
 flapping connections, 246
 flash process
 for BIOS updates, 10
 defined, 556
 flat name spaces, 467
 flat-panel monitors, 111, 556
 Folder option in Outlook Express, 374
 Folder Options dialog box
 for file sharing, 50
 for offline files, 80, 80
 folders, 46–47
 customizing, 449–452, 450–451
 ownership of, 58
 permissions for. *See* permissions
 personal, 417–419, 418–419
 print spooler, 76
 recovering, 303–307, 303–304
 shared. *See* shared resources

fonts
 appearance of, 447–448, 447–448
 size of, 448–449, 449
 For Netscape Users option, 372
 Foreign status, 109
 format tool, 14
 defined, 556
 in Recovery Console, 206
 formatting
 defined, 556
 hard disks, 12–15, 12–13
 Forward option, 378
 Forward as Attachment option, 378
 Found New Hardware Wizard, 70
 FQDNs (fully qualified domain names), 255
 free evaluation software, 32
 Full Control permission
 for files, 48
 for folders, 49, 61
 Full Screen option, 370
 fully qualified domain names (FQDNs), 255
 FunLove virus, 525

G

gateways
 in LAN clients, 479
 in network adapter configuration, 478
 with VPNs, 262
 GDI (graphics device interface) for printers, 74
 General accessibility options, 152
 General tab
 for Content Advisor, 266
 for Customizing the Start Menu, 440–441, 441
 for encryption, 59
 for fonts, 449
 for Internet Explorer, 263–264, 264
 for printing test pages, 78
 for Windows Firewall, 238, 238
 Getting Ready screen, 482, 483
 GINA (Graphical Identification and Authentication), 167
 Go To option, 369
 Go to Folder option, 378
 gpresult tool, 158–159, 159, 556
 grammar checkers, 409–412, 410
 Graphical Identification and Authentication (GINA), 167
 graphical user interfaces (GUIs), 99, 556
 graphics device interface (GDI) for printers, 74
 Group Policy, 158
 for Microsoft Office, 298
 for updates, 535
 Group Similar Taskbar Buttons option, 385
 groups, 164
 permissions for, 517–520, 517–520
 troubleshooting, 165
 viewing and creating, 164–165
 Guest account, 60, 160
 Guests group, 164
 GUI Mode step in operating system installation, 16
 GUIs (graphical user interfaces), 99, 556

574 HAL (Hardware Abstraction Layer) – Import/Export option

H

-
- HAL (Hardware Abstraction Layer), 166
 - hal.dll file, 191, 192
 - hard disks, 10
 - basic disks, 100–105, 101–105
 - dynamic disks
 - configuring, 107–108
 - converting basic disks to, 106–108, 106–107
 - file systems on, 12–15, 12–13
 - for Hibernate feature, 118
 - in operating system installation, 6
 - partitions on, 10–11
 - performance of, 169–170
 - tools for, 14
 - Hardware Abstraction Layer (HAL), 166
 - Hardware Compatibility List (HCL), 8, 9, 191
 - hardware devices, 97–100
 - ACPI, 116
 - compliance with, 120–121, 121
 - power schemes, 116–118, 117
 - standby vs. hibernate, 118–119, 119
 - troubleshooting, 119–120
 - in boot phase, 191
 - case study, 130–132
 - compatibility checks, 7–10, 8–9
 - display
 - DirectX for, 114–116, 115
 - settings, 112–113, 113
 - troubleshooting, 113–114, 114
 - types, 111–112
 - VGA mode, 113–114, 114
 - drivers for. *See* drivers
 - exam essentials, 133–134
 - I/O, 120–121
 - hardware profiles for, 122–123, 123
 - troubleshooting, 124
 - types of, 121–122
 - requirements, 6
 - review questions, 135–142
 - storage. *See* storage devices
 - summary, 132–133
 - hardware key, 193–194, 193–194
 - Hardware Profile/Configuration Recovery menu
 - screen, 123
 - hardware profiles
 - defined, 556
 - for I/O devices, 122–123, 123
 - Hardware tab
 - for ACPI, 121
 - for driver updates, 126
 - for profiles, 123
 - Hardware Update Wizard, 127
 - HCL (Hardware Compatibility List), 8, 9, 191
 - Help and Support tools
 - defined, 557
 - for Microsoft Office, 362–364, 363
 - for operating system, 389, 389
 - for performance, 170, 171
 - for Remote Assistance, 272
 - help command in Recovery Console, 206
 - Help menu
 - in Internet Explorer, 372–373, 373
 - in Outlook Express, 379–380, 380
 - Help Services Group, 164
 - Hibernate feature, 118–119, 119
 - Hibernate tab, 118
 - Hide Grammatical Errors in This Document option, 411–412
 - Hide Inactive Icons option, 442
 - Hide Spelling Errors in This Document option, 411
 - Hide When Inactive option, 442
 - High Contrast option, 152
 - High security level, 537
 - history in Internet Explorer, 263–264
 - History tool, 264
 - HKEY_LOCAL_MACHINE Registry key, 166, 193–194
 - home page in Internet Explorer, 263
 - host IDs in IP addresses, 231
 - host-network VPN connections, 260
 - hostname command, 468
 - hostnames
 - defined, 557
 - in name resolution, 251–253, 252–253
 - viewing, 468, 468
 - hosts, 557
 - Hosts file, 230, 471, 557
 - Hotmail accounts, 312
 - HTTP mail accounts, 312–313, 313, 326
 - hubs, 111, 479, 557
-
- I**
 - I/O (input/output) devices, 99–100, 120–121
 - defined, 557
 - hardware profiles for, 122–123, 123
 - troubleshooting, 124
 - types of, 121–122
 - ICF (Internet Connection Firewall), 235–236, 235–236, 557
 - ICMP (Internet Control Message Protocol), 242, 557
 - Icon Options option
 - for Internet Explorer toolbars, 435
 - for Outlook Express toolbars, 439
 - icons
 - in Classic and Category view, 149, 150
 - disappearing, 367
 - for folders, 451, 451
 - Quick Launch, 384
 - identities
 - defined, 557
 - in Outlook Express, 435–437, 436–437
 - Identities option, 375
 - IEEE 1394 devices, 122, 557
 - Ignore option for driver signing, 128–129
 - Ignore Conversation option, 379
 - Ignore Internet and File Addresses option, 411
 - Ignore Words in UPPERCASE option, 411
 - Ignore Words with Numbers option, 411
 - imaging devices, 499–503, 500–503
 - IMAP (Internet Message Protocol)
 - defined, 557
 - mailbox configuration for, 312
 - implicit denies, 54
 - Import and Export Wizard, 429–431, 429, 431, 438
 - Import option, 368
 - Import/Export option, 375

- Import from Another Program or File option, 429
- Import from File option, 420–421
- import tools in Outlook Express, 438
- importing Outlook data, 429–431, 429–431
- Inbox Repair Tool dialog box, 319, 319, 431–432, 432
- Infrared Data Association (IrDA) standards, 122
- Infrared (IR) devices, 122, 557
- Inherit from Parent the Permissions Entries That Apply option, 54
- inheriting permissions and rights, 53–54, 53–54, 160
- input/output (I/O) devices, 99–100, 120–121
 - defined, 557
 - hardware profiles for, 122–123, 123
 - troubleshooting, 124
 - types of, 121–122
- Install Printer Software screen, 497
- installation, operating system. *See* operating system installation
- Installation Result page, 534, 534
- Installed on First Use option, 296
- Integrated Services Digital Network (ISDN)
 - connections, 257
- Intermediate CAs, 323–324
- Internet, Remote Desktop over, 271
- Internet Accounts dialog box
 - for newsgroups, 330
 - for Outlook Express, 327
- Internet Connection Firewall (ICF), 235–236, 235–236, 557
- Internet Connection Wizard
 - for newsgroups, 330, 330
 - for Outlook Express, 327, 327
- Internet Content Rating Association, 266
- Internet Control Message Protocol (ICMP), 242, 557
- Internet Email Settings (HTTP) screen, 313
- Internet Explorer browser, 230, 263, 320–321, 366, 432
 - Advanced tab, 268, 326
 - Connections tab, 267–268, 268, 480, 481, 488
 - Content tab, 266, 267, 322–325, 322
 - Edit menu, 369, 369
 - error messages in, 373
 - favorites in, 433–434, 434
 - Favorites menu, 370–371, 371
 - File menu, 367–369, 368
 - General tab, 263–264, 264
 - Help menu, 372–373, 373
 - LAN settings for, 480–482, 481–483
 - Privacy tab, 265–266, 325, 325
 - Programs tab, 268, 321, 321
 - saving website passwords, 432, 433
 - Security tab, 264–265, 265
 - toolbars in, 434–435, 435
 - Tools menu, 371–372, 372
 - View menu, 369–370, 370
- Internet Message Protocol (IMAP)
 - defined, 557
 - mailbox configuration for, 312
- Internet Options dialog box, 263
 - Advanced tab, 268, 326
 - Connections tab, 267–268, 268, 480, 481, 488
 - Content tab, 266, 267, 322–325, 322
 - General tab, 263–264, 264
 - Privacy tab, 265–266, 325, 325
 - Programs tab, 268, 321, 321
 - Security tab, 264–265, 265
 - Internet Protocol addresses. *See* IP addresses
 - Internet Protocol (TCP/IP) Properties dialog box
 - for DNS, 253, 475, 475
 - for IP addresses, 233, 233
 - for VPNs, 262
 - for WINS, 249–250, 473, 473
 - Internet service providers (ISPs)
 - defined, 557
 - in Typical settings, 16
 - Internet zone, 264
 - intranets, 271, 271
 - "Invalid partition table" message, 108
 - invitations in Remote Assistance, 272–273
 - "IP addresses, 229"
 - configuring
 - automatic, 232, 234, 234
 - manual, 232–233, 233
 - defined, 557
 - firewalls for, 490
 - from hostnames, 251
 - ipconfig for, 241–242, 241–242
 - in LAN clients, 479
 - for network adapter, 477–478
 - parts of, 231–232
 - troubleshooting, 236–237, 237
 - in Typical settings, 16
 - IP security policies, 156
 - IPC\$ share, 63
 - ipconfig tool
 - defined, 557
 - for IP addresses, 241–242, 241–242, 467, 467
 - for MAC addresses, 466, 466
 - for name resolution, 253
 - for network adapter configuration, 477, 477
 - IPX addresses, 466
 - IR (Infrared) devices, 122, 557
 - IrDA (Infrared Data Association) standards, 122
 - Is Part of a Workgroup option, 20
 - ISDN (Integrated Services Digital Network)
 - connections, 257
 - ISPs (Internet service providers)
 - defined, 557
 - in Typical settings, 16
 - issuing CAs, 557

J

- Junk E-mail Options dialog box, 417, 419–421, 420–423
- junk email, 417, 419–421, 420–423, 558

K

- Keep My Computer Up To Date option, 21
- Keep the Taskbar on Top of Other Windows option, 385
- kernel load phase, 166, 191
 - hardware key in, 193–194, 193–194
 - kernel initialization in, 166–167, 191, 192
 - service configuration in, 194

576 keyboard accessibility options – Mark All Read option

keyboard accessibility options, 151

keys

- in answer files, 24
- defined, 558
- in UDFs, 25–26

Knowledge Base

- for Internet Explorer, 373
- for Microsoft Office, 362–366, 363–366
- for operating system, 389
- for Outlook Express, 380

L

Language content rating, 322

language versions, 154–155

LANs, 479

- client settings, 479–480
- Internet Explorer settings, 268, 480–482, 481–483

laptop computer power management, 116, 120

Last Known Good Configuration

- control sets in, 167, 195–197, 196
- defined, 558
- in service configuration, 194
- working with, 197

Last Known Good control set, 167, 196–197

Layout option, 377

Leave a Copy of Messages on the Server option, 311

license agreements

- for Microsoft Office, 357, 357
- in operating system installation, 22
- for updates, 533, 533

List Folder Contents permission, 48

Lists of Favorites option, 371

listsvc command, 207

LKG (Last Known Good Configuration) control set, 167, 196–197

LMHOSTS files

- contents of, 470, 470
- defined, 558
- in name resolution, 230, 247–249, 247, 249

Loadstate section in USMT, 29, 558

Local Area Network (LAN) settings dialog box, 481, 481

local area networks (LANs), 479

- client settings, 479–480
- Internet Explorer settings, 268, 480–482, 481–483

Local Intranet zone, 265

Local or Network Printer screen, 495, 495

local policies, 156

Local Printer Attached to This Computer option, 69, 495

local printers

- adding, 68–69, 68–69, 494–499, 494–499
- defined, 558
- removing, 69

Local Security Authority (lsass.exe)

- in boot sequence, 167, 195, 195
- defined, 558

local security policy settings, 156–157, 157

local user accounts, 158–160

- troubleshooting, 162
- viewing and creating, 160–163, 161–163

Local User Accounts and Groups tool, 160–163, 163, 558

Local Users and Groups tool, 164–165, 518, 518

Localization

- defined, 558
- options for, 154–155

Localized versions, 154

locally attached devices

printers

- adding, 494–499, 494–499
- managing, 493–494
- Printers and Faxes tool for, 491, 492
- scanners and cameras, 499–503, 500–503

Location and Comment screen, 498, 498

Lock the Taskbar option, 384

log files

- defined, 558
- for Microsoft Office, 362
- in operating system installation, 22

logical partitions, 104, 104

logon command, 207

logon phase in boot process, 167, 195, 195

logons to computers and domains, 168

loopback tests, 244–245, 244

low-level device drivers, 167

low-level formatting, 10, 558

Low security level, 537

LSA (Local Security Authority)

- in boot sequence, 167, 195, 195
- defined, 558

M

MAC (Media Access Control) addresses, 229

- defined, 559
- in name resolution, 465–466, 466
- on network interface cards, 247

Macro Security options, 537

macros, 521–522

Magnifier feature, 152

mail. *See* Outlook application; Outlook Express

Mail and News option, 371

Mail Setup dialog box, 314, 314

mailbox configuration in Outlook

- for Exchange, 313–314, 314
- for HTTP, 312–313, 313
- for IMAP, 312
- for POP3, 309–311, 310–311
- for profiles, 307–309, 308–309
- troubleshooting, 317–318

Maintenance Mode Options dialog box, 301–302

Maintenance tab, 329, 329

Make Hidden Markup Visible When Opening or Saving option, 537

Make This Computer a Member of the Following Domain option, 20

malware, 199

Manage Documents permission, 71

Manage Identities dialog box, 437, 441

Manage Printers permission, 72

Manual caching of documents, 81

map command, 207

Mark All Read option, 376

- Mark as Read option, 376
 - Mark as Unread option, 376
 - Mark Conversation as Read option, 376
 - master boot record (MBR)
 - in boot process, 166, 189
 - replacing, 109
 - viruses in, 524
 - Maximum Allowed option, 62
 - md command, 207
 - Media Access Control (MAC) addresses, 229
 - defined, 559
 - in name resolution, 465–466, 466
 - on network interface cards, 247
 - Medium security level, 537
 - memory
 - for Hibernate feature, 118
 - in performance, 169
 - requirements, 6
 - Message menu, 378–379, 379
 - messages, error
 - in Internet Explorer, 373
 - in Microsoft Office, 361–366, 363–366
 - for operating system, 388–390, 389–390
 - in Outlook Express, 380
 - startup, 108–109
 - Messenger option, 371
 - Microsoft clients, 559
 - Microsoft Developer Network (MSDN) library, 302
 - Microsoft DirectX, 114–116, 115
 - Microsoft Office
 - acquiring, 293
 - activating, 297–298
 - components
 - adding and removing, 300–302
 - repairing, 302–303
 - customizing. *See* Microsoft Office customization
 - defined, 559
 - disk space requirements, 294
 - error messages for, 361–366, 363–366
 - file recovery in, 303–307, 303–304
 - installing
 - customized, 356–361, 356–361
 - methods, 294
 - typical, 295–297, 295–296
 - Outlook. *See* Outlook application
 - troubleshooting, 298
 - updates for, 299–300, 299–300
 - Microsoft Office customization, 403
 - AutoCorrect, 412–416, 413–416
 - Outlook. *See* Outlook application
 - spelling and grammar checkers, 409–412, 410
 - toolbars, 403–409, 403–409
 - Word, 353–355, 353–355
 - Microsoft on the Web option, 379
 - Microsoft VM settings, 326
 - Microsoft Windows Installer, 302, 559
 - Minimal installation for Microsoft Office, 294
 - Minimal Registry key, 198
 - mirrored volumes, 108, 559
 - Missing/Offline status, 109
 - "Missing operating system" message, 108
 - mkdir command, 206
 - Modem Properties dialog box, 259, 259
 - modems, 122
 - defined, 559
 - for dial-up connections, 257, 259, 259
 - Modify permission
 - for files, 48
 - for folders, 49
 - modulators, 122
 - monitors, 111
 - more command, 206
 - More Help tab, 115
 - mouse
 - accessibility options for, 152
 - settings for, 152, 153
 - MouseKeys option, 152
 - Move Down option
 - for Internet Explorer toolbars, 434
 - for Outlook Express toolbars, 439
 - Move Messages from Someone to a Folder option, 424
 - Move to Folder option
 - for favorites, 433
 - in Outlook Express, 376
 - Move Up option
 - for Internet Explorer toolbars, 434
 - for Outlook Express toolbars, 439
 - moving files and folders, permissions in, 55
 - MPS Multiprocessor PC type, 18
 - MPS Uniprocessor PC type, 18
 - MS-DOS boot disks, booting to, 102–105, 102–105
 - msconfig file, 190, 190
 - MSDN (Microsoft Developer Network) library, 302
 - msinfo32.exe, 115
 - MUI (Multilanguage User Interface), 154, 559
 - multiboot installations, 31–32
 - in applications, 336–337
 - boot partitions for, 11
 - defined, 559
 - Multilanguage User Interface (MUI), 154, 559
 - Multimedia settings, 326
 - multimonitor support, 111
 - multiple languages and locations, 154–155
 - multiuser configuration, 336–337
 - My Network Places tool, 60, 60, 65
 - My Outgoing Server (SMTP) Requires Authentication option, 310
-
- N**
- n option in nbtstat, 256
 - name resolution, 230, 247, 465
 - ARP, 469–470, 469
 - defined, 559
 - DNS, 474–476, 475–476
 - hostnames, 251–253, 252–253, 468, 468
 - Hosts file, 471
 - ipconfig for, 253
 - LMHOSTS files, 247–249, 247, 249, 470, 470
 - MAC addresses in, 465–466, 466
 - nbtstat for, 256
 - net commands for, 256
 - NetBIOS names, 247, 467, 468
 - nslookup for, 255, 255
 - ping for, 253–254

578 Name Your Printer screen – ntoskrnl.exe file

- protocol addresses in, 466–467, 467
- WINS, 248, 250, 250, 471–474, 472–474
- Name Your Printer screen, 497, 497
- names
 - user accounts, 163
 - volumes, 106
- Narrator feature, 152
- NAT (Network Address Translation)
 - defined, 560
 - with Remote Assistance, 273
- nbtstat command
 - defined, 559
 - for name resolution, 256, 467, 468
- net commands
 - defined, 560
 - for name resolution, 256
 - in Recovery Console, 207
- NetBIOS names
 - defined, 559
 - for name resolution, 247, 467, 468
- Network Address Translation (NAT)
 - defined, 560
 - with Remote Assistance, 273
- network components in operating system installation, 16
- Network Configuration Operators group, 164
- Network Connection Type screen, 482, 482
- Network Connections tool, 256
 - for dial-up connections, 257–258, 487, 487
 - for DNS, 475
 - for firewalls, 235
 - for IP addresses, 233–234
 - for VPN connections, 260–261, 490, 490
 - for WINS, 472
- network IDs in IP addresses, 231–232
- network interface cards, 170
 - configuring, 477–478, 477
 - MAC addresses in, 247
- Network News Transfer Protocol (NNTP) servers, 328
- network printers
 - defined, 560
 - installing, 70–71, 70
- network protocols and services, 227–230
 - name resolution. *See* name resolution
 - remote connections. *See* remote connections
 - TCP/IP. *See* TCP/IP (Transmission Control Protocol/Internet Protocol)
- network security policy settings, 158–159, 159
- Network Settings dialog box, 19
- network shares, 64–65, 64–65
- network subsystem performance, 170
- network-to-network VPN connections, 260
- networking
 - safe mode with, 200–201, 201
 - in Task Manager, 171
- Networking tab, 171
- networks, viruses on, 525
- New Connection Wizard, 482, 482–483
 - for dial-up connections, 257–258, 258, 484–485, 484–485
 - for VPN connections, 261, 261, 488–489, 488–489
- New Connections tool
 - for dial-up connections, 486, 486
 - for VPN connections, 489
- New Log Settings dialog box, 173
- New option
 - for identities, 437
 - in Internet Explorer, 368
 - in Outlook Express, 374
- New Message option, 378
- New Message Using option, 378
- New Outlook Data File dialog box, 418, 418
- New Rule option, 423
- New User dialog box, 163, 163
- newsgroups, 328
 - accounts for, 330, 330
 - default readers for, 331, 331
 - troubleshooting, 332
- Next option, 378
- NNTP (Network News Transfer Protocol) servers, 328
- No Automatic Filtering tab, 419–420
- node IDs in IP addresses, 231–232
- /Noguiboot option, 190
- Not Available option, 296
- Not Changed file state, 83
- Not Initialized state, 110
- notification area, 385
- Notification option, 152
- notification rules in Outlook, 422
- Notify Me Before Downloading Any Updates and Notify Me Again Before Installing Them option, 21
- nslookup tool
 - defined, 560
 - for name resolution, 255, 255
- NT Loader (NTLDR)
 - in boot sequence, 166, 189, 191, 192
 - for drivers, 193
 - error messages for, 108
 - on system partitions, 11
- ntbackup program, 211
- Ntbootdd.sys file, 11
- ntdetect.com file
 - in boot sequence, 167
 - on system partitions, 11
- NTFS file system
 - characteristics of, 12–14, 12–13
 - permissions in
 - access token generation, 58
 - for copied and moved files and folders, 55
 - Deny, 53–54
 - effective, 50–52, 51–52
 - vs. encrypted files, 58–59, 59
 - file, 47–48
 - folder, 48–49
 - inheriting, 53–54, 53–54
 - ownership of files and folders, 58
 - special, 55–57
 - verifying, 49–50, 49–50
- NTLDR (NT Loader)
 - in boot sequence, 166, 189, 191, 192
 - for drivers, 193
 - error messages for, 108
 - on system partitions, 11
- "NTLDR is compressed" message, 108
- "NTLDR is missing" message, 108
- ntoskrnl.exe file, 191, 192

NTVDM (NT Virtual DOS Machine), 332–333, 566
 Nudity content rating, 322
 Numbers option for regional settings, 445

O

- Obtain an IP Address Automatically option, 234
- Obtain DNS Server Address Automatically option, 475
- octets in IP addresses, 231–232
- OEMs (original equipment manufacturers), 293, 560
- Office 2003 Proofing Tools, 560
- Office applications. *See* Microsoft Office
- Office Setup program, 295–297, 356–361, 356–361
- Office Update, 299, 531–535, 531–534
- Offline Files feature, 46
 - defined, 560
 - settings for, 79–82, 80, 82
 - synchronization in, 82–83
- Offline Files tab, 80, 80
- On-Screen Keyboard feature, 152
- Online (Errors) status, 110
- Online Support option, 372
- Open option
 - in Internet Explorer, 368
 - in Outlook Express, 374
- operating system, 381
 - customizing, 439
 - folders, 449–452, 450–451
 - fonts, 447–449, 447–449
 - regional settings, 445, 446
 - Start menu, 440–441, 440–442
 - Taskbar, 442–443, 443
 - themes, 444, 444–445
 - Desktop shortcuts, 385–388, 386–388
 - error messages for, 388–390, 389–390
 - installing. *See* operating system installation
 - selection of
 - in boot phase, 189–191, 190
 - in multiboot installation, 32
 - Start menu, 381–383, 382–383
 - Taskbar, 384–385, 384–385
- operating system installation, 3–4
 - attended, 6
 - activation in, 20
 - BIOS preparation for, 10
 - compatibility checks for, 7–10, 8–9
 - driver updates in, 10
 - hard disk preparation in, 10–15, 12–13
 - hardware requirements for, 6
 - log files in, 22
 - network components in, 16
 - options for, 17–20
 - Setup Wizard for, 15–16
 - tips for, 23
 - upgrade switches for, 17
 - Windows Update, 18, 21–22, 21
 - case study, 33–35
 - exam essentials, 36
 - multiboot, 31–32
 - overview, 5–6
 - review questions, 37–44
 - summary, 35–36
 - unattended, 23
 - answer files in, 23–24, 24
 - Remote Installation Services for, 26–27
 - uniqueness database files for, 24–26, 25
 - uninstalling, 30–31
 - upgrade, 27–28
 - Files and Settings Transfer Wizard for, 29–30, 30
 - switches for, 17
 - Upgrade Advisor for, 28
 - User State Migration Tool for, 29
- optional updates, 299
- Options dialog box
 - for digital certificates, 315, 315
 - for newsgroup readers, 331, 331
 - for Outlook Express, 329, 329
 - for security, 535–537, 536
 - for spelling and grammar checkers, 410–412, 410
- Options tab
 - in Outlook, 419–420, 420
 - in Word, 355, 355
- organization rules, 422
- Organize Favorites dialog box, 433–434, 434
- Organize Favorites option, 371
- original equipment manufacturers (OEMs), 293, 560
- OST files, repairing, 318
- Outlook application, 307, 417
 - customizing
 - archiving data in, 427–428, 428
 - importing and exporting data in, 429–431, 429–431
 - junk email filters in, 417, 419–421, 420–423
 - personal folders in, 417–419, 418–419
 - rules in, 422–427, 423–427
 - digital certificates in, 314–317, 315–317
 - mailbox configuration for
 - for Exchange, 313–314, 314
 - for HTTP, 312–313, 313
 - for IMAP, 312
 - for POP3, 309–311, 310–311
 - for profiles, 307–309, 308–309
 - troubleshooting, 317–318
 - profiles in, 307–309, 308–309
 - PST file repair in, 318–320, 319–320, 431–432, 432
- Outlook Express, 326
 - defined, 560
 - Edit menu, 375–376, 376
 - email accounts in, 327–329, 327, 329
 - error messages for, 380
 - File menu, 374–375, 375
 - Help menu, 379–380, 380
 - identities in, 435–437, 436–437
 - import and export tools in, 438
 - Message menu, 378–379, 379
 - for newsgroups, 328–332
 - toolbars in, 438–439, 439
 - Tools menu, 378
 - View menu, 377–378, 377
- overrun attacks, 520
- overwritten file recovery, 306
- Owner tab, 58
- ownership of files and folders, 58

580 packets – Printer Sharing screen

P

- packets
 - defined, 560
 - ICMP, 242
 - MAC addresses for, 465
 - UDP, 231
- page files, 169, 560
- page separators, 75
- Page Setup option, 368
- paging, 169, 560
- parallel communication, 122, 560
- parallel devices, 122
- parent folders
 - defined, 560
 - permission inheritance in, 53
- parity data, 108, 560
- Partition Magic program, 101
- partitions, 10–11
 - active, 11, 32
 - on basic disks, 100–101
 - boot, 11, 109
 - defined, 561
 - deleting, 15, 105, 105
 - fdisk for, 102–105, 102–105
 - in multiboot installation, 32
 - system, 11
- Password to Modify option, 536
- Password to Open option, 536
- passwords
 - for Content Advisor, 322
 - for dial-up connections, 257
 - for identities, 436
 - for POP3 accounts, 310
 - for user accounts, 163
 - for websites, 432–433, 433
- Paste option, 369
- patches
 - Office Update, 531–535, 531–534
 - Windows Update, 526–531, 527–531
- pathing tool, 246, 246
- People or Distribution List link, 424
- performance, system, 168–169
 - computer resources for, 169–170
 - Help and Support tools for, 170, 171
 - Task Manager for, 170–171, 172
 - Windows Performance tool for, 171–173, 172
- Performance Logs and Alerts, 171–173
- Performance tab, 171
- Permanently Delete Suspected Junk E-Mail Instead of Moving It to the Junk E-mail Folder option, 420
- permissions, 517–521, 517–520
 - access token generation, 58
 - for copied and moved files and folders, 55
 - defined, 561
 - Deny, 53–54
 - effective, 50–52, 51–52
 - vs. encrypted files, 58–59, 59
 - file, 47–50
 - folders, 48–50
 - for groups, 164
 - inheriting, 53–54, 53–54
 - with NTFS and shares, 65–67, 67
 - ownership of files and folders, 58
 - for printers, 71–73, 72
 - Remote Desktop, 269–270
 - setting up, 66
 - for shared folders, 61–62, 62
 - special, 55–57
 - verifying, 49–50, 49–50
- Personal certificates, 323
- personal folders, 417–419, 418–419
- Personal Information section in Internet Explorer, 266, 324
- Personalize Your Software dialog box, 19
- Phone Number to Dial screen, 485, 485
- phrases, firewalls for, 491
- physical disabilities, Internet Explorer settings for, 326
- Pick Updates to Install page, 528, 528
- PIFs (program information files), 333
- ping tool
 - for connectivity, 242–244, 243–244
 - for loopback tests, 244–245, 244
 - for name resolution, 253–254
- PKCS (Public-Key Cryptography Standards), 323
- PKI (Public Key Infrastructure), 561
- Please Confirm Your Selection page, 533, 533
- Plug-and-Play, 10, 561
- PNPlug.txt file, 22
- pointing device settings, 152, 153
- POP3 (Post Office Protocol) accounts
 - configuring, 309–311, 310–311
 - defined, 561
 - in Outlook Express, 327–328, 327
- ports, firewalls for, 491
- power management. *See* ACPI (Advanced Configuration and Power Interface)
- Power Meter tab, 117
- power-on self-test (POST), 166
- Power Options Properties dialog box, 116–118, 117
- power schemes
 - ACPI, 116–118, 117
 - defined, 561
- Power Schemes tab, 117, 117, 119
- Power Users group, 164
- powered hubs, 111
- pre-boot phase, 166
- Previous Message option, 378
- Previous Versions tab, 305–306
- primary partitions
 - on basic disks, 100–101
 - creating, 104
 - deleting, 105, 105
- print devices, 46, 561
- print jobs, 68
 - defined, 561
 - redirecting, 78–79
- Print option
 - in Internet Explorer, 368
 - in Outlook Express, 375
- Print permission, 71
- Print Preview option, 368
- print spooler service, 76–77, 76–77
- Print Test Page option, 78
- Print Test Page screen, 498, 498
- Printer Attached to Another Computer option, 70
- Printer Sharing screen, 497, 497

printers, 46, 67–68
 adding, 68–69, 68–69, 494–499, 494–499
 defined, 561
 drivers for, 69, 71, 73, 561
 local, 68–69, 68–69
 managing, 493–494
 network, 70–71, 70
 permissions for, 71–73, 72, 561
 Printers and Faxes tool for, 491, 492
 removing, 69
 troubleshooting, 73–74, 74
 client processes, 74
 connectivity, 77–78
 drivers, 75
 print spoolers, 76–77, 76–77
 printer processes, 75
 redirecting print jobs, 78–79
 Spooler processes, 75
 Printers and Faxes tool, 491, 492
 for local printers, 68–69, 68
 for permissions, 72
 for print spoolers, 76
 for redirecting print jobs, 78
 for test pages, 78
 Printing settings, 326
 Prior Trusted Sources tab, 537
 Privacy Options settings, 537
 Privacy Report option, 370
 Privacy tab, 265–266, 325, 325
 private keys, 561
 Processes tab, 170
 processors
 performance of, 169
 requirements, 6
 Product Key screen, 295, 297, 356, 356
 Product Support Centers
 for Internet Explorer, 373
 for operating system, 390, 390
 for Outlook Express, 380
 Profile Assistant, 324–325
 profiles
 defined, 561
 for Exchange accounts, 314
 for I/O devices, 122–123, 123
 for Internet Explorer, 324–325
 for Outlook, 307–309, 308–309
 Program Compatibility Wizard, 332, 334–335, 335
 program information files (PIFs), 333
 Programs option, 441
 Programs tab, 268, 321, 321
 Prompt Before AutoArchive Runs option, 428
 proofing tools
 AutoCorrect, 412–416, 413–416
 spelling and grammar checkers, 409–412, 410
 Properties dialog box
 for DNS, 253, 475
 for encryption, 59
 for firewalls, 235
 for folders, 450
 for LMHOSTS, 249
 for printers, 72
 for shared folders, 60, 62
 for users, 165
 for VPNs, 262
 for WINS, 250, 472

Properties option
 in Internet Explorer, 368
 in Outlook Express, 375
 Protect Document option, 537
 Protect My Computer and Network option, 236
 protocols
 firewalls for, 490
 in name resolution, 466–467, 467
 network, 227–230
 PST files, repairing, 318–320, 319–320, 431–432, 432
 public key cryptography, 561
 Public-Key Cryptography Standards (PKCS), 323
 Public Key Infrastructure (PKI), 561
 public key policies, 156
 public keys, 561
 PXE-enabled network interface cards, 27

Q

Quick Launch icons, 384

R

-R option in nbtstat, 256
 radio frequency (RF) wireless devices, 122, 562
 RAID (Redundant Array of Inexpensive Disks), 108
 RAID-5 volumes, 108, 562
 RAM
 for Hibernate feature, 118
 in performance, 169
 requirements, 6
 Ratings tab, 266
 rd command, 207
 RDP (Remote Desktop Protocol), 269
 Read permission
 for files, 48
 for folders, 48, 61
 Read and Execute permission
 for files, 48
 for folders, 48
 Read Attributes permission, 56
 Read Data permission, 55
 Read Extended Attributes permission, 56
 Read Me option, 379
 Read-Only Recommended option, 536
 readability statistics, 412
 Recent Documents option, 441
 Recheck Document option, 412
 recovery, 187–188
 Automated System Recovery for, 211
 preparing for, 211–215, 211–215
 using, 215–216, 215
 boot process in, 189
 boot phase, 189–191, 190
 kernel initialization phase, 191–194
 kernel load phase, 191
 logon phase, 195, 195
 case study, 216–218, 216–218
 corrupt PST files, 318–320, 319–320, 431–432, 432
 exam essentials, 219
 Last Known Good Configuration for, 195–197, 196

582 recovery agents – Routing and Remote Access Services (RRAS)

- Microsoft Office files, 303–307, 303–304
- Recovery Console for. *See* Recovery Console
- review questions, 220–226
- safe mode, 198–200
 - with command prompt, 202, 202–203
 - with networking, 200–201, 201
- summary, 219
- from viruses, 524
- recovery agents, 562
- Recovery Console
 - for boot sector repairs, 208–210
 - commands in, 206–207
 - defined, 562
 - for fixed storage devices, 109
 - installing, 204–205, 204–205
- red X in Device Manager, 125
- redirecting print jobs, 78–79
- Redundant Array of Inexpensive Disks (RAID), 108, 562
- Refresh option
 - in Internet Explorer, 369
 - in Outlook Express, 378
- Refresh Rate setting, 112
- Regional and Language Options, 155, 445, 446, 562
- regional settings
 - customizing, 155, 445, 446
 - defined, 562
- /registerdns option, 254
- registration vs. activation, 20
- Registry
 - access to, 521
 - for application access, 517
 - for safe mode, 198, 199
- Reinstall or Repair Office Installation dialog box, 302
- /release option, 254
- remote access server for clients, 483–484
 - configuring, 484–487, 484–487
 - VPN, 488–490, 488–490
- Remote Assistance, 271–273, 272–274, 562
- remote connections, 230, 256
 - case study, 274–276
 - defined, 562
 - dial-up, 257–259, 258–259
 - exam essentials, 278–279
 - Internet Explorer, 263–268, 264–265, 267–268
 - Remote Assistance for, 271–273, 272–274
 - Remote Desktop tool for, 269–271, 270–271
 - review questions, 280–287
 - summary, 277–278
 - VPN, 260–262, 261–262
- Remote Desktop Protocol (RDP), 269
- Remote Desktop tool, 269–271, 270–271, 562
- Remote Desktop Users group, 164
- Remote Installation Server (RIS), 562
- Remote Installation Services (RIS), 26–27
- removable storage devices, 111, 562
- Remove option
 - for identities, 437
 - for Internet Explorer toolbars, 434
 - for Outlook Express toolbars, 439
- Remove Personal Information from File Properties on
 - Save option, 537
- removing
 - local printers, 69
 - network printers, 71
 - partitions, 15, 105, 105
 - toolbars, 407
- ren command, 207
- rename command, 207
- Rename option, 433
- /renew option, 242, 242, 254
- repairing
 - boot sector, 208–210
 - Office components, 302–303
 - PST files, 318–320, 319–320, 431–432, 432
- Replace Duplicates with Items Imported option, 430
- replacing
 - boot partitions, 109
 - master boot record, 109
- Replicator group, 164
- Reply to All option, 378
- Reply to Group option, 378
- Reply to Sender option, 378
- "Request timed out" message, 255
- requirements
 - Microsoft Office installation, 294
 - operating system installation, 6
- Reset option
 - for Internet Explorer toolbars, 434
 - for Outlook Express toolbars, 439
- resolution
 - monitor, 6
 - name. *See* name resolution
- resource access, 45–46
 - files and folders. *See* files; folders
 - printers. *See* printers
- restarting print spooler service, 77, 77
- Restore My Start Menu Shortcuts option, 302
- Restricted Sites zone, 265
- Resultant Set of Policy (RSOP), 158, 562
- Retention Policy option, 428
- Review and Install Updates option, 125, 528
- review questions
 - applications
 - configuring, 342–350
 - customizing, 456–462
 - connectivity, 507–513
 - hardware devices and drivers, 135–142
 - operating system installation, 37–44
 - recovery, 220–226
 - remote connections, 280–287
 - security, 541–549
 - shared resources, 87–95
 - usability, 393–399
 - users, 177–185
- RF (radio frequency) wireless devices, 122, 562
- rights, 58, 160. *See also* permissions
- RIS (Remote Installation Server), 562
- RIS (Remote Installation Services), 26–27
- rmdir command, 207
- Roll Back Driver feature, 562
- rolling back drivers, 126, 128, 128
- Root CAs, 323–324
- routers
 - defined, 562
 - for packet movement, 466
 - for printers, 75
- Routing and Remote Access Services (RRAS), 562

RSOP (Resultant Set of Policy), 158, 562
 rules in Outlook, 422–427, 423–427
 Rules Wizard, 423–426, 424–426
 Run All from My Computer option, 296
 Run AutoArchive Every __ Days option, 428
 Run from My Computer option, 296
 Run Rules Now dialog box, 427, 427

S

/S switch, 17
 SACLs (system access control lists), 564
 Safe Lists Only, 420
 safe mode, 198–200
 with command prompt, 202, 202–203
 defined, 563
 with networking, 200–201, 201
 for uninstalling Windows XP, 31
 Safe Recipients tab, 421, 422
 Safe Senders tab, 420, 421
 /Safeboot option, 190
 SAM (Security Accounts Manager) database, 168
 Save option, 368
 Save As option
 in Internet Explorer, 368
 in Outlook Express, 374
 Save as Stationery option, 374
 Save Attachments option, 374
 saving website passwords, 432–433, 433
 Scan for Updates option, 125
 Scanner and Camera Installation Wizard, 501–502,
 501–502
 scanners, adding, 499–503, 500–503
 Scanners and Cameras tool, 499–503, 500–503
 scanost.exe tool, 318
 scanpst.exe tool, 318, 319, 432
 Scanstate section in USMT, 29, 563
 Screen Resolution setting, 112
 Screen Saver settings, 147
 Script Debugger option, 370
 SCSI (Small Computer System Interface) disks, 170
 Search settings in Internet Explorer, 326
 section titles in answer files, 24, 563
 sectors
 boot, 208–210
 size, 13
 Secure Sockets Layer (SSL)
 defined, 563
 for Internet Explorer, 266
 for server certificates, 323
 security, 515–516
 case study, 538–539
 digital certificates for
 in Internet Explorer, 266, 323–324
 in Outlook, 314–317, 315–317
 exam essentials, 540
 in Internet Explorer, 326
 local security policy settings, 156–157, 157
 network security policy settings, 158–159, 159
 NTFS file system for, 12–13, 13
 options for, 535–537, 536–537
 permissions for, 517–521, 517–520
 review questions, 541–549
 summary, 538–539
 updates for, 526
 Office Update, 531–535, 531–534
 Windows Update, 526–531, 527–531
 viruses, 521–522
 effects of, 522–524
 preventing, 525–526
 recovering from, 524
 Security Accounts Manager (SAM) database, 168
 security identifiers (SIDs), 158–159
 Security Level options, 537, 537
 Security Logging options, 239
 Security Logging tab, 236, 236
 Security tab, 535–537, 536
 for Internet Explorer, 264–265, 265
 for permissions, 49–50, 49, 53, 53
 for printers, 72, 72
 for shared folders, 60
 Select a Printer Port screen, 495–496, 495–496
 Select a Transfer Method screen, 30, 30
 Select All option
 in Internet Explorer, 369
 in Outlook Express, 376
 Select an Icon Size for Programs option, 441
 Send option, 368
 Send Feedback option, 372
 Send To for shortcuts, 146
 separator pages, 75
 serial communication, 121, 563
 serial devices, 121
 SerialKey Devices option, 152
 Server certificates, 323
 Server Properties for printers, 73, 73
 Server Type dialog box, 309, 312
 service configuration in kernel load phase, 194
 SERVICES key, 193–194
 Session Manager in boot sequence, 167
 Session Manager Subsystem (SMSS), 194–195
 set command, 206
 Set Up My Connection Manually option, 482
 Settings dialog box
 for dial-up connections, 486, 486
 for VPN connections, 489
 settings section in answer files, 24
 Settings tab
 for display, 147
 for fonts, 449
 Setup dialog box, 297
 Setup.exe log file, 362
 Setup Manager Wizard, 23, 563
 Setup program, 15–16, 295–297, 356–361, 356–361
 Setupapi.log file, 22
 Setupapt.log file, 22
 Setupperr.log file, 22
 Setuplog.txt file, 22
 Sex content rating, 322
 Shadow Copy feature, 305–307
 Share Name option, 497
 share permissions, 563
 Share This Folder option, 62
 shared resources
 case study, 83–84
 exam essentials, 86
 folders, 46, 59

584 Sharing tab – system performance

- administrative shares in, 63, 63
- classic sharing, 60–61, 60
- defined, 563
- effective permissions for, 65–67, 67
- network shares for, 64–65, 64–65
- permissions for, 61–62, 62
- simple file sharing, 59–60, 60
- offline files
 - settings for, 79–82, 80, 82
 - synchronization in, 82–83
- permissions for. *See* permissions
- printers. *See* printers
- review questions, 87–95
- summary, 85
- Sharing tab, 82
- shortcuts, Desktop, 146, 385–388, 386–388
- Show All Connections option, 258
- Show on Start Menu option, 441
- Show Quick Launch option, 385
- Show Readability Statistics option, 412
- Show Related Links option, 372
- Show the Clock option, 385
- ShowSounds option, 151
- SIDs (security identifiers), 158–159
- signing drivers, 127–130
- simple file sharing, 59–60, 60, 563
- simple solutions, 167
- simple volumes, 107, 563
- single sign-on, 563
- site-to-site VPN connections, 260
- size
 - fonts, 448–449, 449
 - partitions, 13
 - toolbars, 406
- Small Computer System Interface (SCSI) disks, 170
- smart displays, 112
- SMS (Systems Management Server)
 - for Microsoft Office, 294, 298
 - for updates, 535
- SMSS (Session Manager Subsystem), 194–195
- software
 - compatibility checks for, 7–10, 8–9
 - evaluation, 32
 - restriction policies for, 156
- Software publisher certificates, 323
- Software Update Services (SUS), 563
- Sort By option, 377
- /SOS switch, 190, 193, 193
- sound accessibility options, 151
- SoundSentry option, 151
- Source option, 370
- sources for operating system installation, 18
- spanned volumes, 107, 563
- special permissions, 55–57, 563
- Spelling & Grammar tab, 410–412, 410, 414, 414
- spelling checkers, 409–412, 410
- Spooler processes, 75
- spoolers, print, 76–77, 76–77
- spyware, 199, 203
- SSL (Secure Sockets Layer)
 - defined, 563
 - for Internet Explorer, 266
 - for server certificates, 323
- Standard PC type, 18
- Standard PC with C-Step i486 type, 18
- Standard toolbar in Internet Explorer, 434
- Standby feature, 118
- Start menu, 381–383, 382–383, 440–441, 440–442
- Start Menu Items option, 441
- Start Menu settings, 148, 148, 441
- Start Menu tab, 383, 440, 440
- startup
 - errors in, 108–109, 563
 - system, 166–167
- Startup and Recovery Settings, 62
- Status Bar option, 369
- Status dialog box
 - for DNS, 475–476
 - for WINS, 472, 472
- StickyKeys option, 151
- stop errors, 15, 109, 563
- Stop option
 - in Internet Explorer, 369
 - in Outlook Express, 378
- storage devices, 99–100
 - basic disks, 100–105, 101–105
 - defined, 564
 - dynamic disks
 - configuring, 107–108
 - converting basic disks to, 106–107, 106–107
 - removable, 111
 - troubleshooting, 108–110, 110
- Store Random Number to Improve Merge Accuracy option, 537
- striped volumes, 107, 564
- subnet masks, 232
 - in LAN clients, 479
 - in network adapter configuration, 478
- subscribing to newsgroup accounts, 330, 330
- Suggest from Main Dictionary Only option, 411
- Summary page, 360, 360
- Support Centers
 - for Internet Explorer, 373
 - for operating system, 390, 390
 - for Outlook Express, 380
- SUS (Software Update Services), 563
- Switch Identity option, 375
- switches
 - defined, 564
 - hardware, 479
 - installation, 17
- symmetric processes, 564
- symptoms, virus, 523–524
- synchronization
 - defined, 564
 - of offline files, 82–83
- Synchronize option, 371
- /syspart switch, 17
- system access control lists (SACLs), 564
- System account, 160
- system compatibility checks, 7
- System Hibernates option, 117
- SYSTEM key, 193–194
- System Monitor, 171
- system partitions, 11, 564
- system performance, 168–169
 - computer resources for, 169–170
 - Help and Support tools for, 170, 171

Task Manager for, 170–171, 172
 Windows Performance tool for, 171–173, 172
 System Properties dialog box, 270, 270
 system services, loading, 194
 System Standby option, 117
 system startup, 166–167
 System tab, 115
 system32 folder, 11
 systemroot command, 206
 systemroot folder, 11, 564
 Systems Management Server (SMS)
 for Microsoft Office, 294, 298
 for updates, 535

T

tablet PCs, 112
 Take Ownership permission, 58, 564
 Task Manager
 defined, 564
 for performance, 170–171, 172
 for WOW, 333, 334
 Taskbar, 384, 384
 appearance of, 384–385, 385
 customizing, 147–148, 148, 442–443, 443
 notification area in, 385
 Taskbar and Start Menu Properties dialog box
 Start Menu tab, 440, 440
 Taskbar tab, 443, 443
 Taskbar tab, 443, 443
 TCP/IP (Transmission Control Protocol/Internet Protocol), 229–232, 466
 connectivity in, 240–242, 241–242
 defined, 564
 firewall configuration for Internet Connection Firewall, 235–236, 235–236
 Windows Firewall, 237–240, 238–240
 hostnames in, 468, 468
 IP addresses. *See* IP addresses
 troubleshooting, 236–237, 237
 /temp folder, 362
 /tempdrive switch, 17
 temporary Internet files, 263
 test environments, 32
 test print pages, 78
 text editors
 for answer files, 23
 defined, 564
 Text Mode step in operating system installation, 15
 Text Options option
 for Internet Explorer toolbars, 435
 for Outlook Express toolbars, 439
 Text Size option
 in Internet Explorer, 370
 in Outlook Express, 377
 themes
 customizing, 444, 444–445
 Desktop, 147
 Themes setting, 112
 This Computer Is Not Part of a Network option, 20
 thinking, 333
 Time option for regional settings, 445
 time-out value in multiboot installation, 32
 Tip of the Day option, 372
 ToggleKeys option, 151
 toolbars
 adding, 404–407, 404–407
 anchoring, 405–406, 406
 creating, 407–409, 407–409
 customizing, 149, 149, 403–409, 403–409
 in Internet Explorer browser, 434–435, 435
 in Outlook Express, 438–439, 439
 Toolbars option, 369
 Toolbars tab, 354, 354
 Tools menu
 in Internet Explorer, 371–372, 372
 in Outlook Express, 378
 Transmission Control Protocol/Internet Protocol. *See* TCP/IP (Transmission Control Protocol/Internet Protocol)
 Trojan horses, 522
 Trust Access to Visual Basic Project option, 537
 Trust All Installed Add-ins and Templates option, 537
 Trusted Publishers tab, 537
 Trusted Sites zone, 265
 Turn Off Hard Disks option, 117
 Turn Off Monitor option, 117
 type command, 206
 Typical installation for Microsoft Office, 294–297, 295–296
 Typical Settings option for operating system installation, 16

U

/udf switch, 17
 UDFs (uniqueness database files), 24–26, 25, 565
 UDP (User Datagram Protocol), 230–231
 unattend.bat file, 26
 /Unattend switch, 17
 unattend.txt file, 23–24, 24, 26
 unattend.udb file, 24–25, 25
 unattended operating system installation, 23
 answer files in, 23–24, 24
 defined, 565
 Remote Installation Services for, 26–27
 uniqueness database files for, 24–26, 25
 UNC (Universal Naming Convention), 64, 64
 Unicode enabled documents, 155, 565
 Uniform Resource Locator (URL) addresses, 230, 565
 uninstalling
 network printers, 71
 Windows XP, 30–31
 UniqueIDs section in UDFs, 24–25
 uniqueness database files (UDFs), 24–26, 25, 565
 Universal Naming Convention (UNC), 64, 64
 Universal Naming Convention (UNC) command, 71
 Universal Serial Bus (USB)
 defined, 565
 devices, 122
 ports, 111
 "Unknown host" message, 255
 Unreadable status, 110
 updates
 BIOS, 10
 drivers, 10, 124–127, 126–127

586 Upgrade Advisor – virtual private networks (VPNs)

- for Microsoft Office, 299–300, 299–300
- printer drivers, 75
- for security, 526
 - Office Update, 531–535, 531–534
 - Windows Update, 526–531, 527–531
- Upgrade Advisor, 28, 565
- upgrade installations
 - defined, 565
 - Microsoft Office, 294, 297
 - operating system, 27–28
 - Files and Settings Transfer Wizard for, 29–30, 30
 - switches for, 17
 - Upgrade Advisor for, 28
 - User State Migration Tool for, 29
- URL (Uniform Resource Locator) addresses, 230, 565
- usability issues, 351–353
 - case study, 390–391
 - exam essentials, 392
 - Internet Explorer, 366
 - Edit menu, 369, 369
 - error messages for, 373
 - Favorites menu, 370–371, 371
 - File menu, 367–369, 368
 - Help menu, 372–373, 373
 - Tools menu, 371–372, 372
 - View menu, 369–370, 370
 - Microsoft Office. *See* Microsoft Office
 - operating system, 381
 - Desktop shortcuts, 385–388, 386–388
 - error messages for, 388–390, 389–390
 - Start menu, 381–383, 382–383
 - Taskbar, 384–385, 384–385
 - Outlook Express, 374
 - Edit menu, 375–376, 376
 - error messages for, 380
 - File menu, 374–375, 375
 - Help menu, 379–380, 380
 - Message menu, 378–379, 379
 - Tools menu, 378
 - View menu, 377–378, 377
 - review questions, 393–399
 - summary, 391–392
- USB (Universal Serial Bus)
 - defined, 565
 - devices, 122
 - ports, 111
- Use a Proxy Server for Your LAN option, 480
- Use Automatic Configuration Script option, 480
- Use Same Settings as My Incoming Mail Server option, 310
- Use the CD I Got from an ISP option, 482
- Use the Following DNS Server Addresses option, 475
- Use the Following IP Address option, 233
- Use the Following Port option, 496
- Use This Folder Type as a Template drop-down list, 450
- Use This Identity When a Program Cannot Ask You to Choose an Identity option, 437
- Use This Identity When Starting a Program option, 437
- user accounts, 158–160
 - defined, 565
 - troubleshooting, 162
 - viewing and creating, 160–163, 161–163
- User Accounts tool, 79, 160–162, 161
- User Datagram Protocol (UDP), 230–231
- user state, 29
- User State Migration Tool (USMT), 29, 565
- usernames
 - for dial-up connections, 257
 - for POP3 accounts, 310
- users and user environment
 - accessibility features, 149, 152
 - accessibility options, 149, 151–152, 151
 - case study, 174
 - Control Panel options, 149, 150
 - Desktop settings, 146–147, 147
 - exam essentials, 176
 - Fast User Switching feature, 153
 - logon, 168
 - multiple languages and locations, 154–155
 - pointing device settings, 152, 153
 - review questions, 177–185
 - security for. *See* security
 - Start Menu settings, 148, 148
 - summary, 175
 - system performance, 168–169
 - computer resources for, 169–170
 - Help and Support tools for, 170, 171
 - Task Manager for, 170–171, 172
 - Windows Performance tool for, 171–173, 172
 - system startup, 166–167
 - Taskbar settings, 147–148, 148
 - toolbar settings, 149, 149
- Users group, 164
- Users tab, 171
- USMT (User State Migration Tool), 29, 565
- Utility Manager, 152

V

- validation in logons, 168
- values
 - in answer files, 24
 - defined, 565
 - in UDFS, 25–26
- verifying permissions, 49–50, 49–50
- Very High security level, 537
- VGA mode, 113–114, 114
- video drivers in safe mode with networking, 201, 201
- View Installation History option, 531
- View menu
 - in Internet Explorer, 369–370, 370
 - in Outlook Express, 377–378, 377
- View tab, 50
- View Workgroup Computers option, 67
- viewing
 - groups, 164–165
 - local user accounts, 160–163, 161–163
- Violence content rating, 322
- virtual DOS machine (NTVDM), 332–333, 566
- virtual private networks (VPNs)
 - configuring, 488–490, 488–490

connections in, 256, 260–262, 261–262
 defined, 565
 with Internet Explorer, 267

viruses, 521–522
 defined, 566
 effects of, 522–524
 preventing, 525–526
 recovering from, 524

volume license agreements, 22

Volume License editions, 102

volumes, 11
 defined, 566
 dynamic, 107–108
 names, 106

VPNs (virtual private networks)
 configuring, 488–490, 488–490
 connections in, 256, 260–262, 261–262
 defined, 565
 with Internet Explorer, 267

W

Warn option for driver signing, 128–129

Warn Before Printing, Saving or Sending a File That
 Contains Tracked Changes option, 537

Watch Conversation option, 379

web content zones, 264–265, 265

websites, saving passwords for, 432–433, 433

Welcome to Setup page, 15

Win16 on Win32 (WOW), 332–333, 334

Windows 9x operating systems, 566

Windows Backup program, 211

Windows Catalog, 8–10, 8–9

Windows Firewall configuration, 237–240, 238–240

Windows Installer log file, Microsoft Office, 362

Windows Internet Name Service (WINS)
 configuring, 248, 250, 250
 defined, 566
 for name resolution, 471–474, 472–474

Windows Logo Program, 8

Windows NT Virtual DOS Machine (NTVDM),
 332–333, 566

Windows Performance tool, 171–173, 172, 566

Windows Product Activation (WPA), 20, 566

Windows Update feature and website

accessing, 526–531, 527–531
 defined, 566
 for Microsoft Office, 361
 in operating system installation, 18, 21–22, 21
 for updating drivers, 124–125

Windows Update option, 371

Windows Welcome step, 16

Windows XP Licensing Agreement, 15

winipcfg tool, 466

winlogon.exe file, 195

WinLogon process, 167

Winnt.bat file, 26

Winnt.sif file, 26

WINS (Windows Internet Name Service)
 configuring, 248, 250, 250
 defined, 566
 for name resolution, 471–474, 472–474

WINS tab, 473–474, 474

wireless devices, 122

Word application
 customizing, 353–355, 353–355
 dictionaries in, 412–416, 413–416

words, firewalls for, 491

Work Offline option, 369, 375

Work Online option, 369

Workgroup or Computer Domain dialog box, 20

worms, 522

WOW (Win16 on Win32), 332–333, 334

WPA (Windows Product Activation), 20, 566

Write permission
 for files, 48
 for folders, 48

Writing Style and Settings, 412

Y

yellow exclamation points in Device Manager, 125

"You have not entered a valid product key" message,
 363

Your Product Key wizard screen, 19

Z

zones, Internet Explorer, 264–265, 265