

Index

A

- abbreviations
 - element symbols, 43–44, 48
 - metric prefixes, 20
 - for metric units of measurement, 20, 21, 22
 - for units of heat energy, 30
- Absolute scale. *See* Kelvin temperature scale
- absolute zero, 300
- acids and bases. *See also* neutralization reactions
 - acids defined, 98, 393, 394, 395, 411
 - Arrhenius concept of, 394, 411
 - bases defined, 98, 99, 393, 394, 395, 412
 - binary acids, 98
 - Bronsted-Lowry concept of, 395–397, 412
 - common acids and bases, 99, 393
 - conjugate acid-base pairs, 396–397, 413
 - hydrolysis with bases, 400
 - hydronium ions and acids, 394–395
 - monohydroxy versus dihydroxy bases, 400
 - monoprotic versus diprotic acids, 400
 - oxyacids, 98–99, 417
 - solutions as electrolytes, 394
 - strong versus weak acids, 399–400, 411
 - strong versus weak bases, 400–401, 412
- activation energy, 411
- actual yield of reactions, 209
- addition, significant figures in, 16–17
- alkali metals (Group IA)
 - cations formed by, 261
 - defined, 46, 411
 - ion charges, 89
 - ions of, 74
 - pseudo-noble gas cores, 241
 - in s-block of periodic table, 240
 - valence electrons, 240, 241
- alkaline earth metals (Group IIA)
 - cations formed by, 261
 - defined, 46, 411
 - ion charges, 89
 - ions of, 74
 - in s-block of periodic table, 240
 - valence electrons, 240
- amorphous solids, 349
- amount of substance, 19. *See also* moles
- amu. *See* atomic mass units
- anions. *See also* ions
 - defined, 49, 75, 411
 - displayed in periodic table, 85–86
 - formed by nonmetals, 261
 - in formulas for binary ionic compounds, 86
 - in Group VIIA nonmetals, 75
 - ionic radii, 247–248
 - in Lewis structures, 275
 - monatomic, 75, 85, 89
 - naming, 75, 89
 - oxyions, 93
 - polyatomic, 93
- aqueous solution (aq), 98, 411
- Arrhenius, Svante (chemist), 394
- Arrhenius concept of acids and bases, 394, 411
- atmosphere (atm), 296–297, 411
- atomic mass
 - atomic weights replaced by, 70
 - carbon-12 isotope as standard for, 70, 111
 - defined, 411
 - of forty most important elements (in amu), 109–110
 - mass number versus, 71
 - molar mass and, 111
 - molecular mass and, 116, 118
 - in periodic table, 71
 - of top forty elements, 109–110
 - weighted-average for, 70–71
- atomic mass units (amu)
 - atomic weights and, 70
 - carbon-12 isotope as standard for, 70, 111
 - defined, 64, 70, 411
 - dropped from periodic table, 71
 - of fundamental subatomic particles, 64
 - usage in this text, 109
 - weighted-average atomic mass calculation, 71
- atomic number
 - chemical properties and, 66
 - defined, 65, 221, 411
 - display with element symbol, 65
 - isotopes and, 68
 - in periodic table, 44, 65
- atomic orbitals. *See* orbitals
- atomic radii of atoms, 246–248
- atomic weights, 70. *See also* atomic mass; molar mass
- atoms. *See also* electrons; neutrons; protons
 - atomic radii, 246–248
 - in balanced equations, 160
 - Bohr model of hydrogen, 224–226
 - chemical properties and, 63
 - counting, 114–116, 124
 - Dalton's theory of, 63
 - defined, 48, 63
 - electronegativity of, 271–273, 331–333
 - free elements versus, 48
 - fundamental subatomic particles, 64
 - ionic radii, 247–248
 - ionization energy of, 248
 - ions versus, 75
 - isotopes, 68–70
 - kinetic-molecular theory (KMT) of gases, 319–320
 - mass number, 65
 - nuclear, 64–65
 - properties and the periodic table, 246–248
 - quantum mechanical model, 226
 - as structural units of elements and compounds, 52
 - word equations versus formula equations and, 157
- Aufbau principle, 234, 411
- autoionization of water, 411
- Avogadro, Amadeo (scientist), 110, 302
- Avogadro's law, 297, 302–304, 411. *See also* ideal gas law
- Avogadro's number, 110, 116, 411. *See also* moles

B

balanced equations
 balancing chemical equations, 160–164
 defined, 160, 412
 interpreting information in, 191–192
 Law of Conservation of Mass and, 160, 192
 limiting reactant determination, 204–207
 mass-to-mass conversions, 201–204
 mass-to-mole and mole-to-mass conversions, 197–200
 mole and, 177
 mole-to-mole conversions, 193–197
 solution stoichiometry, 370–373
 volumes of gases in, 316–317

barometer, 296

base units of the metric system, 19

bases. *See* acids and bases; neutralization reactions

binary acids, 98

binary compounds
 defined, 412
 ionic, 85–92
 molecular, 52–54
 naming, 52–54, 88–91

binary ionic compounds
 defined, 85
 naming multiple-cation metal compounds, 91
 naming single-cation metal compounds, 88–90
 writing formulas for, 86–87

Bohr, Niels (physicist), hydrogen atom model of, 221–226

boiling point elevation constant, 376

boiling points
 intermolecular forces and, 346–348
 normal boiling point, 345, 346, 347
 solutions and elevation of, 373, 376–377, 412

bond angle, 279, 412

bond length, 279, 412

bonding pairs, 274, 412

bonds, 259, 412. *See also* covalent bonds; ionic bonds

Boyle, Robert (chemist), 298

Boyle's law, 297, 298–300, 412. *See also* combined gas law; ideal gas law

bright-line spectrum
 Bohr model of hydrogen and, 224–226
 defined, 223
 of hydrogen, 223–224, 225
 quantum jumps and, 225
 unique for each element, 226

Bronsted, Johannes (chemist), 395

Bronsted-Lowry concept of acids and bases, 395–397, 412

buffer, 412

C

calculations. *See also* conversions; scientific notation
 with Avogadro's law, 303
 boiling-point elevation, 376–377
 with Boyle's law, 298–299
 with Charles' law, 301
 with combined gas law, 305–307
 concentration of a solution, 362–367
 counting atoms, 114–116, 124
 counting molecules, 123–124

with Dalton's law of partial pressures, 312–314
 dilution of molar solutions, 367–368
 empirical formulas, 143–145
 formula mass, 119
 freezing-point depression, 374–375
 gas volume-related, 298–299, 301, 303
 with ideal gas law, 308–310
 limiting reactant determination, 204–207
 molar mass, 112
 mole of an element, 111–112
 molecular formulas, 146
 molecular mass, 116
 for moles and volumes of gases, 315–316
 number of neutrons in nucleus, 221
 osmotic pressure, 378–379
 percent composition, 135–139
 percent water in a hydrate, 139–141
 percent yield of reactions, 209–211
 pressure of a gas, 296
 significant figures in, 16–18
 solution stoichiometry, 370–373
 stoichiometric, 191, 315–319, 370–373
 for volumes of gases in balanced equations, 316–317
 weighted-average atomic masses, 71

calculators, significant figures and, 18

calories, 30

catalyst, 159, 191, 412

cations. *See also* ions
 defined, 49, 74, 412
 displayed in periodic table, 85
 formed by metals, 261
 in formulas for binary ionic compounds, 86
 ionic radii, 247–248
 in Lewis structures, 275
 monatomic, 75, 85
 multiple-cation metals, 88
 names for main-group element ions, 88–89
 naming multiple-cation metal compounds, 90–92
 naming multiple-cation metal ions, 90–91
 naming single-cation metal compounds, 88–90
 polyatomic, 93
 single-cation metals, 88

Celsius temperature scale, 28–29, 297, 412

centimeter, 20, 21

central atom for skeleton structure, 274–275

charge. *See* electrical charges

Charles, Jacques (chemist), 300

Charles' law, 297, 300–302, 412. *See also* combined gas law; ideal gas law

chemical changes, 41, 412. *See also* chemical reactions

chemical equations. *See also* balanced equations;
 chemical reactions
 balancing, 160–164
 coefficients in, 160–162
 for decomposition reactions, 166
 defined, 157, 412
 for double-replacement reactions, 167–169
 gases and, 315–317
 limiting reactant determination, 204–207
 mass-to-mass conversions, 201–204
 mass-to-mole and mole-to-mass conversions, 197–200
 mole-to-mole conversions, 193–197
 predicting reactants and products in replacement equations, 173–174
 products, 157, 417

- reactants, 157, 417
- for single-replacement reactions, 166–167
- symbols used in, 158, 168
- for synthesis reactions, 165
- word equations versus formula equations, 157–158
- writing, 157–160
- chemical equilibrium, 412
- chemical formulas
 - for binary ionic compounds, 86–88
 - converting empirical formulas to molecular formulas, 142–143
 - defined, 51, 412
 - empirical, 135, 141–145
 - formula mass, 118, 119–122
 - formula units, 51, 52, 86, 119
 - for ionic compounds with polyatomic ions, 94–95
 - molecular, 51
 - naming molecular compounds, 52–55
 - pronouncing, 51
 - writing from compound names, 54
- chemical kinetics, 412
- chemical nomenclature, 412. *See also* names
- chemical properties. *See also* properties
 - atomic number versus mass number and, 66
 - atoms and, 63
 - defined, 41, 413
 - electronic configuration and, 221
 - periodic table and atom properties, 246–248
 - periodic table columns and, 44
- chemical reactions. *See also* chemical equations
 - actual yield, 209
 - chemical changes, 41, 412
 - classes of, 165
 - decomposition, 166, 177, 413
 - defined, 41, 157
 - double-replacement, 167–169, 174, 413
 - endothermic (absorbing heat), 177, 178, 179, 414
 - exothermic (producing heat), 178–179, 413
 - limiting reactant, 204–207, 415
 - moles and volumes of gases, 315–316
 - oxidation-reduction, 169–170
 - percent yield, 209–211, 417
 - single-replacement, 166–167, 169, 173–174, 418
 - synthesis (combination), 165, 413
 - theoretical yield, 209
- chemical separation, 55
- Classical system, 90–91
- coefficients in chemical equations
 - choosing, 160–162
 - fractional, 161
 - gases and, 316–317
 - mole-to-mole conversions and, 193–197
 - overview, 160
- colligative properties of solutions
 - boiling-point elevation, 373, 376–377
 - concentration of solute particles and, 373, 374
 - defined, 373
 - freezing-point depression, 373, 374–375
 - osmotic pressure, 373, 379–380
 - overview, 373
 - vapor-pressure depression, 373
- combination (synthesis) reactions, 165, 413
- combined gas law, 305–306
- combustion reactions, 179, 413
- compound-compound combination reactions, 165
- compounds. *See also* ionic compounds
 - binary, 52–54, 85–92, 412
 - chemical separation of, 55
 - counting atoms, 124
 - counting molecules, 123–124
 - covalent, 259, 265–271, 274–279
 - defined, 40, 413
 - elements and mixtures compared to, 55
 - formula mass, 118, 119–122
 - ionic versus covalent, 259
 - Law of Definite Composition, 49, 63, 415
 - Law of Multiple Proportions, 49, 63
 - mass-to-mole and mole-to-mass conversions, 122–123, 197–200
 - molar mass of, 118–122
 - molecular, 49, 52–55, 357, 416
 - molecular mass of, 118–122
 - molecular versus ionic, 49
 - mole-to-mole conversions, 193–197
 - percent composition, 135–139
 - structural units of, 52
- concentrated solutions, 362
- concentrated versus strong acids or bases, 401
- concentration of a solution
 - boiling-point elevation and, 376–377
 - colligative properties and, 373, 374
 - concentration defined, 413
 - defined, 361
 - dilute versus concentrated, 362
 - dilution of molar solutions, 367–368
 - freezing-point depression and, 374–375
 - mass/mass percent concentrations, 362–363
 - mass/volume percent concentrations, 363–364
 - molarity concentrations, 366–368
 - osmotic pressure and, 378
 - size of sample and, 362
 - supersaturated, 362
 - unsaturated versus saturated, 362
- condensation
 - defined, 339
 - deposition, 339, 340
 - equilibrium with vaporization, 344–345
 - molar heat of, 341
 - paired with vaporization, 340
- condensed ground-state configuration, 236–237
- conductivity, 349, 350
- conjugate acid-base pairs, 396–397, 413
- Conservation of Energy, Law of, 30, 415
- Conservation of Mass, Law of, 160, 192, 415
- constants
 - boiling point elevation constant, 376
 - freezing point depression constant, 375
 - ideal gas law constant (R), 307, 414
- conversion factors
 - for counting atoms, 114–116
 - defined, 22, 413
 - densities as, 27
 - for English-metric conversions, 24–25
 - for mass-to-mole and mole-to-mass conversions, 113, 114, 122–123
 - for metric-metric conversions, 22–23
 - for units of pressure, 296, 297
- conversions
 - empirical formula to molecular formula, 142–143
 - English-metric, 21, 24–26
 - Joule-calorie, 30

conversions (*continued*)
 mass-density, 27
 mass-to-mass, 201–204
 mass-to-mole and mole-to-mass, 113–114,
 122–123, 197–200
 metric-metric, 22–24
 mole-to-mole, balanced equations and, 193–197
 significant figures and, 23, 27
 between temperature scales, 28–30, 297
 between units of pressure, 296–297
 coordinate covalent bonds, 269
 covalent bonds. *See also* covalent compounds
 bond angle, 279, 412
 bond length, 279, 412
 coordinate, 269
 defined, 265, 413
 directional property of, 279
 double bond, 267, 413
 in hydrogen molecules, 265–266
 as intramolecular forces, 331
 ionic bonds versus, 265, 272
 Lewis structures for, 274–277, 278–279
 nonpolar, 271, 272
 polar, 271, 272–273
 single bond, 266–267, 418
 spin of electrons and, 265
 strength of, 267
 triple bond, 267, 418
 covalent compounds
 covalent bonding, 265–271
 defined, 259, 265
 familiar compounds, 267–268
 guidelines for formation of, 269
 ionic compounds versus, 259
 Lewis structures for, 274–277, 278–279
 polar versus nonpolar covalent bonds, 271
 covalent-network solids, 350, 351
 crystal lattice, 260
 crystalline solids
 classes of, 349–351
 covalent-network, 350, 351
 defined, 349
 ionic, 349, 350, 351
 ionic bonding in, 259–260, 263
 ions and, 49
 metallic, 349, 350, 351
 molecular, 349, 350, 351
 properties, 349
 customized full-length exam, 419–425

D

D (Debye), 333
 Dalton, John (scientist)
 about, 63
 law of partial pressures, 312–315
 theory of atoms, 63
 theory of relative atomic weights, 70
 d-block of periodic table, 240
 Debye (D), 333
 decimal point
 in scientific notation, 11–12
 significant figures and, 13–14
 decomposition reactions, 166, 177, 413
 Definite Composition, Law of, 49, 63, 415
 delocalized electrons in Lewis structures, 276

density, 26–27, 413
 deposition, 339, 340. *See also* condensation
 diatomic elements, 48, 116, 266–267
 diatomic molecule, 413
 dihydroxy bases, 400
 dilute solutions
 defined, 362
 dilution of molar solutions, 367–368
 dilute versus weak acids or bases, 401
 dilution equation, 367–368
 dipole, electric, 271, 332
 dipole moment, 333
 dipole-dipole forces. *See also* hydrogen bonding
 compared to other intermolecular forces, 336–337
 defined, 334, 413
 diprotic acids, 400
 division, significant figures in, 16–17
 d-orbitals, 230
 double covalent bond, 267, 413
 double-replacement reactions, 167–169, 174, 413
 ductile metallic solids, 349

E

electric dipole, 271, 332
 electrical charges
 in binary ionic compounds, 86–87
 of cations versus anions, 49
 in crystalline solids, 49
 electrically neutral atoms, 65
 inverse-square behavior, 64
 of ions, 49, 73–75
 of monatomic anions, 89
 of multiple-cation metals, 88
 overview, 64
 of polyatomic ions, 93
 of single-cation metal ions, 89
 of subatomic particles, 64
 electrical conductivity, 349, 350
 electrolytes
 common, in water, 374
 concentration of solute particles and, 374
 defined, 357, 374, 413
 solutions of acids and bases as, 394
 strong versus weak, 398
 electromagnetic radiation, 222. *See also* light energy
 electromagnetic spectrum
 Bohr model of hydrogen and, 224–226
 bright-line spectrum, 223–226
 defined, 222–223
 electron-dot formulas. *See* Lewis structures
 electronegativity of atoms
 defined, 271, 272, 414
 in nonmetals versus metals, 331
 nonpolar covalent bonds and, 272
 polar covalent bonds and, 272–273, 331–332
 polar versus nonpolar molecules and, 332–333
 electronic configuration
 Bohr model of hydrogen, 224–226
 chemical properties and, 221
 condensed ground state, 236–237
 defined, 221, 234, 414
 excited state, 224, 234
 ground state, 224, 234–237, 414
 Hund's rule, 231, 414

- orbitals, 226, 227, 228–232
 - Pauli principle, 231, 417
 - periodic table and, 239–246
 - principal quantum number, 224, 234, 417
 - quantized states, 221
 - quantum jumps, 221, 224–225
 - quantum mechanical model, 226, 227–231
 - subshells, 228–231
 - Uncertainty Principle of Heisenberg and, 226
 - valence electrons, 240–243
 - electronic structure, 221, 414
 - electrons
 - atomic number and, 221
 - in Bohr model of hydrogen, 224–226
 - chemical properties and, 66, 221
 - cloud of, surround nucleus, 64–65
 - defined, 413
 - electrical charge of, 64
 - in electrically neutral atoms, 65
 - Hund's rule, 231, 414
 - loss or gain by atoms, 73–77
 - mass of, 64, 65
 - maximum per orbital, 228, 231
 - octet rule, 261, 269, 416
 - oxidation-reduction reactions and, 169–170
 - particle-wave duality of, 221, 226
 - Pauli principle, 231, 417
 - principal quantum number, 224, 234, 417
 - quantum jumps, 221, 224–225
 - quantum mechanical model, 226, 227–231
 - sharing to form covalent bonds, 265–269
 - spin, 231–232, 265
 - Uncertainty Principle of Heisenberg and, 226
 - valence electrons, 240–243
 - element-compound combination reactions, 165
 - element-element combination reactions, 165
 - elements. *See also* periodic table
 - atomic mass of, 70–73
 - atomic number identifying, 65
 - atoms of, 48
 - bright-line spectrum unique for, 226
 - compounds and mixtures compared to, 55
 - counting atoms, 114–116
 - defined, 40, 414
 - diatomic, 48, 116
 - electronegativity of, 271–273, 331–333
 - forty most important, 43, 109–110
 - free elements versus atoms, 48
 - ground-state configuration, 236
 - ionization energy of, 248
 - ions, 49, 73–76
 - isotopes, 68–70
 - mass-to-mole and mole-to-mass conversions, 113–114
 - molar mass of, 112
 - mole of, 111–112
 - name changes in binary compounds, 52–54
 - percent composition of compounds, 135–139
 - periodic table of, 44–47
 - structural units of, 52
 - symbols for, 43–44, 48
 - top ten in earth's crust, 43
 - emission spectrum. *See* bright-line spectrum
 - empirical formula mass, 142
 - empirical formulas
 - calculating, 143–145
 - converting to molecular formulas, 142–143
 - defined, 135, 141, 414
 - ionic compounds and, 141
 - molecular formulas versus, 141–142, 145
 - endings of names
 - for binary acids, 98
 - for binary compounds, 52–53, 96
 - in Classical system, 90–91
 - for ions, 75, 89
 - for oxyions, 93
 - endothermic reactions, 177, 178, 179, 414
 - energy. *See also* heat energy
 - forms of, 30
 - kinetic versus potential, 30
 - Law of Conservation of Energy, 30, 415
 - light energy, 221, 222, 225
 - English-metric conversions, 21, 24–26
 - enthalpy in exothermic reactions, 178
 - equations. *See* chemical equations
 - equilibrium, 344–345, 412
 - evaporation. *See* vapor pressure of liquids; vaporization
 - exams
 - full-length exam, 419–425
 - pretest, 1–10
 - exchange reactions. *See* double-replacement reactions
 - excited state electronic configuration, 224, 234
 - exothermic reactions, 178–179, 413
 - exponents. *See* powers of 10
- ## F
- Fahrenheit temperature scale, 28–29, 414
 - f-block of periodic table, 240
 - f-orbitals, 231
 - formula equations, 157–158, 168, 402. *See also* chemical equations
 - formula mass. *See also* molecular mass
 - defined, 118, 119
 - molar mass and, 119–120, 122
 - formula units
 - for compounds, 119
 - defined, 51, 414
 - for ionic compounds, 123
 - for ions, 86
 - mole and, 119
 - as structural units of elements and compounds, 52
 - formulas. *See* chemical formulas
 - freezing
 - defined, 339
 - molar heat of, 340–341
 - normal freezing point, 345
 - paired with melting or fusion, 340
 - solutions and freezing-point depression, 373, 374–375, 414
 - freezing point depression constant, 375
 - frequency, 222–223
 - full-length exam, 419–425
 - fusion or melting, 339, 340–341
- ## G
- gas constant (R), 307, 414
 - gases
 - Avogadro's law, 297, 302–304, 411
 - Boyle's law, 297, 298–300, 412
 - Charles' law, 297, 300–302, 412

gases (*continued*)

- combined gas law, 305–306
 - Dalton's law of partial pressures, 312–315, 413
 - defined, 39
 - as double-replacement reaction product, 168
 - ideal gas law, 307–310, 415
 - kinetic-molecular theory (KMT), 319–320
 - moles and volumes of, 315–316
 - percent composition of atmosphere, 295
 - phase changes for, 339
 - pressure, 295, 296–297
 - properties, 295
 - standard pressure, 296
 - standard temperature, 297
 - standard temperature and pressure (STP), 303
 - stoichiometric calculations, 315–319
 - temperature, 297
 - volumes in balanced equations, 316–317
- glossary, 411–418
- ground-state configuration
- Aufbau principle, 234, 411
 - build-up process for determining, 234–236
 - defined, 224, 234, 414
 - excited state versus, 234
 - for inner-transition metals, 237
 - rules for, 234
 - for transition metals, 237
- Group IA metals. *See* alkali metals
- Group IIA metals. *See* alkaline earth metals
- Group IIIA metals
- cations formed by, 261
 - valence electrons, 240
- Group VA nonmetals
- anions formed by, 261
 - valence electrons, 242
- Group VIA nonmetals
- anions formed by, 261
 - covalent compounds formed by, 267
- Group VIIA nonmetals. *See* halogens
- Group VIIIA. *See* noble gases
- Groups IB through VIII B. *See* transition metals
- groups in periodic table. *See also specific groups*
- atomic radii and, 246–247, 248
 - defined, 46, 414
 - ionization energy and, 248
 - main groups, 46
 - metals versus nonmetals in, 46

H

- half-reactions, 169
- halogens (Group VIIA)
- anions formed by, 261
 - covalent bond in molecules, 266
 - defined, 46, 414
 - ions, 75
 - ions of, 74
 - London dispersion forces and, 335
 - single-replacement reactions, 167
 - valence electrons, 240, 241, 242
- heat energy. *See also* temperature
- combustion reactions, 179
 - endothermic reactions, 177, 178, 179, 414
 - exothermic reactions, 178–179, 413
 - molar heat of fusion and vaporization, 340–341

- phase changes and, 339–341
 - specific heat (S.H.) of substances, 31
 - temperature as measure of, 28
 - units of measurement for, 30–32
- Heisenberg Uncertainty Principle, 226
- heterogeneous mixtures, 40, 55, 414
- homogeneous mixtures. *See also* solutions
- defined, 40, 55, 414
 - gases and, 295
 - solutions as, 40, 55, 357
- Hund's rule, 231, 414
- hydrates, 100, 139–141, 414
- hydrogen
- atomic mass of, 71
 - Bohr model of atom, 224–226
 - bright-line spectrum of, 223–224, 225
 - common bonding patterns, 268
 - covalent bond in molecules, 265–266
 - dissolved in water, symbolizing, 98
 - ground-state configuration, 235
 - hydronium ions of, 394–395, 415
 - quantum mechanical model of atom, 226
 - single-replacement reactions, 167
- hydrogen bonding
- compared to other intermolecular forces, 336–337
 - defined, 334, 415
 - overview, 335–336
 - as a special dipole-dipole force, 334
 - strength of, 335, 336
- hydrolysis, 400
- hydronium ions, 394–395, 415
- hypertonic solution, 379
- hypotonic solution, 379

I

- ideal gas law, 307–310
- ideal gas law constant (R), 307, 414
- immiscible versus miscible liquids, 357
- incompressibility
- of liquids, 343
 - of solids, 349
- indicator, 415
- inner-transition metals, 46, 237, 240
- instantaneous dipoles, 334, 335
- intermolecular forces
- comparing, 336–337
 - defined, 331, 415
 - dipole-dipole forces, 334, 413
 - hydrogen bonding, 334, 335–336
 - London dispersion forces, 334, 335, 415
 - overview, 337
 - properties of liquids and, 343, 344, 346–348
 - strength of, 337
 - as van der Waals forces, 334
- International System of Units (SI), 11, 19, 297. *See also* metric system; units of measurement
- International Union of Pure and Applied Chemistry (IUPAC), 88
- intramolecular forces, 331. *See also* covalent bonds; ionic bonds
- inverse-square behavior, 64
- ionic bonds. *See also* ionic compounds
- covalent bonds versus, 265, 272
 - crystal lattice formed by, 260

in crystalline solids, 259–260, 263
defined, 259, 415
as intramolecular forces, 331
in sodium chloride, 259–260

ionic compounds. *See also* ions
aluminum oxide example, 262
bases, 99
binary, 85–92
common names for, 88
counting molecules, 123–124
covalent compounds versus, 259
crystalline solids and, 49
defined, 49, 259, 415
empirical formulas and, 141
formula units for, 123
guidelines for formation of, 261
ionic bonding, 259–263
magnesium fluoride example, 262
magnesium sulfide example, 262
main-group elements and, 262–263
molecular compounds versus, 49
monatomic ions and, 262–263
with polyatomic ions, 94–97
polyatomic ions and, 263
predicting solubility of, 360
properties, 49
salts, 169
as solutes, 357
transition metals and, 263

ionic equations, 402–403, 415

ionic radii, 247–248

ionic solids, 349, 350, 351

ionization, 415

ionization energy, 248, 415

ions. *See also* anions; cations; ionic compounds
atoms versus, 75
attraction forming ionic bonds, 259
Classical system for naming, 90–91
crystalline solids and, 49
defined, 49, 73, 415
displayed in periodic table, 85–86
electrolytes (in solution), 357
of Group IA metals, 74
of Group IIA metals, 74
of Group VIIA nonmetals, 74
ionic radii, 247–248
of main-group elements, 86
monatomic, 75, 85, 89
multiple-cation metals, 88, 90–92
names for main-group elements, 88–89
octet rule, 261, 269
polyatomic, 92–97
single-cation metals, 88–90
Stock system for naming, 90–91

isotonic solutions, 379

isotopes, 68–69, 70, 415

IUPAC (International Union of Pure and Applied Chemistry), 88

J

Joules, 30, 31, 415

K

Kelvin, Lord (William Thomson, a physicist), 300

Kelvin temperature scale, 28–29, 297, 300, 415

kilopascal (kPa), 296

kinetic energy, 30, 415

kinetic-molecular theory (KMT), 319–320, 415

kPa (kilopascal), 296

L

laws. *See also* principles; rules and guidelines; theories
Avogadro's law, 297, 302–304, 411
Boyle's law, 297, 298–300, 412
Charles' law, 297, 300–302, 412
combined gas law, 305–306
Dalton's law of partial pressures, 312–315, 413
ideal gas law, 307–310, 415
Law of Conservation of Energy, 30, 415
Law of Conservation of Mass, 160, 192, 415
Law of Definite Composition, 49, 63, 415
Law of Multiple Proportions, 49, 63

Le Chatellier's principle, 415

length
base unit for, 19
bond length, 279, 412
English-metric comparisons, 21
metric units of, 19–20
wavelength, 222–223

Lewis structures
anions in, 275
applying VSEPR theory to, 280–283
bonding pairs in, 274, 412
cations in, 275
central atom for, 274–275
defined, 274, 415
delocalized electrons in, 276
limitations of, 278–279
nonbonding electron pairs in, 275, 416
octet rule and, 277
resonance and, 276
sequence for deriving, 274–277
skeleton structure for, 274–275

Lewis symbols, 242–243, 415

light energy, 221, 222, 225

"like dissolves like" rule for solubility, 358

limiting reactant, 204–207, 415

liquids. *See also* solutions
boiling points, 345, 346–347
defined, 39, 343
density expressions for, 26
as incompressible, 343
intermolecular forces and, 336
intermolecular forces and properties of, 343, 344, 346–348
miscible versus immiscible, 357
molar heat of vaporization, 340–341
normal boiling point, 345, 346, 347
normal freezing point, 345
phase changes for, 339
polar versus nonpolar, solubility and, 358–359
surface tension, 343–344
vapor pressure, 344–346
viscosity, 343, 347
volatile, 346

liter, 21
London dispersion forces
 compared to other intermolecular forces, 336–337
 defined, 334, 415
 overview, 335
Lowry, Thomas (chemist), 395

M

main-group elements
 atomic radii, 246–247
 cations formed by, 261
 defined, 46, 416
 ion names, 88–89
 ionic compound formation and, 262–263
 ionic radii, 247–248
 ionization energy, 248
 ions of elements, 86
 Lewis symbols for, 242–243
 as s- and p-blocks, 240
 single-cation metals, 88
 valence electrons, 240–242
malleable metallic solids, 349
mass. *See also* atomic mass; atomic mass units (amu);
 molar mass
 base unit for, 19, 21
 calculating from percent composition, 136–137
 counting atoms, 114–116, 124
 counting molecules, 123–124
 defined, 416
 density-mass conversion, 27
 empirical formula calculation from, 145
 English-metric comparisons, 21
 of fundamental subatomic particles, 64
 Law of Conservation of Mass, 160, 192, 415
 mass-to-mass conversions, 201–204
 mass-to-mole and mole-to-mass conversions,
 113–114, 122–123, 197–200
 matter definition and, 39
 metric units of, 21
 molecular mass, 116
 in nuclear atom, 64–65
mass number
 atomic mass versus, 71
 chemical properties and, 66
 defined, 65, 221
 display with element symbol, 65
 isotopes and, 68
mass spectrometer, 70
mass/mass percent concentrations, 362–363
mass/volume percent concentrations, 363–364
matter. *See also* gases; liquids; solids
 defined, 39
 elements versus compounds, 40
 homogeneous versus heterogeneous mixtures, 40
 pure substances versus mixtures, 40
 states of, 39, 418
measurement. *See also* units of measurement
 importance to science, 11
 scientific notation for, 11–13
 significant figures in, 13–19
 of viscosity, 343
melting or fusion, 339, 340–341
metallic bonding, 350
metallic solids, 349, 350, 351
metalloids, 46, 416
metals. *See also* alkali metals (Group IA); alkaline earth
 metals (Group IIA); transition metals
 in binary ionic compounds, 85
 cations formed by, 261
 defined, 46, 416
 electronegativity and, 331
 Group IIIA, 240, 261
 inner-transition metals, 46, 237, 240
 in ionic compounds, 49
 ions of Groups IA and IIA, 74
 ions of main-group elements, 86
 metallic solids, 349, 350, 351
 metalloids, 46, 416
 multiple-cation metals, 88, 90–92
 naming multiple-cation metal compounds, 90–91
 naming single-cation metal compounds, 88–90
 single-cation metals, 88–90
 single-replacement reactions, 167
meter, 19, 20
metric system
 base units, 19
 density expressed in, 26
 English-metric conversions, 24–26
 International System of Units (SI) and, 11, 19
 metric-metric conversions, 22–24
 prefixes, 20
 units of length, 19–21
 units of mass, 21
 units of volume, 21–22
miscible versus immiscible liquids, 357
mixtures
 Dalton's law of partial pressures for gases, 312–315,
 413
 defined, 40, 55, 416
 elements and compounds compared to, 55
 gases and, 295
 homogeneous versus heterogeneous, 40, 55
 physical separation of, 55
mmHg
 converting to and from other units of pressure,
 296–297
 defined, 296, 416, 418
 freezing points of liquids and, 345
 as unit of pressure, 296
 vapor pressure of liquids and, 345
molality of solutions
 boiling-point elevation and, 376–377
 defined, 374
 freezing-point depression and, 374–375
molar heat, 340–341
molar mass. *See also* atomic weights; moles
 of compounds, 118–122
 counting atoms in molecules, 124
 defined, 110–111, 118, 416
 determining, 112–113
 of an element, 112
 formula mass and, 119–120, 122
 mass-to-mole and mole-to-mass conversions,
 113–114, 122–123, 197–200
 mole of an element and, 110–112, 113
 percent composition calculation using, 136–138
molar volume of a gas, 416
molarity concentrations
 defined, 416
 dilution of molar solutions, 367–368
 overview, 366–367

- mole ratio, 204, 416
- molecular compounds
- binary, 52–54
 - defined, 49, 52, 416
 - ionic compounds versus, 49
 - naming, 52–55
 - properties, 49
 - as solutes, 357
- molecular formulas
- calculating, 146
 - converting empirical formulas to, 142–143
 - defined, 51, 141, 416
 - empirical formulas versus, 141–142, 145
- molecular mass. *See also* formula mass
- of compounds, 118–122
 - defined, 116, 416
 - of diatomic elements, 116
 - empirical formula mass versus, 142
 - molecular formula calculation and, 146
 - unit of measurement for, 118
- molecular solids, 349, 350, 351
- molecules
- counting atoms, 124
 - counting in compounds, 123–124
 - defined, 48, 416
 - diatomic, 266–267
 - dipole moment of, 333
 - kinetic-molecular theory (KMT) of gases, 319–320
 - Lewis structures for, 274–277, 278–279
 - mole of, 116
 - molecular mass of, 116, 118
 - planar, 279, 280
 - polar versus nonpolar, 332–333
 - as structural units of elements and compounds, 52
 - tetrahedral, 279–280
 - three-dimensional shapes of, 278–283, 332–333, 343
- moles. *See also* molar mass
- atomic mass and, 111
 - Avogadro's law, 297, 302–304, 411
 - Avogadro's number, 110, 116, 411
 - balanced equations and, 177
 - as base unit of amount of substance, 19
 - calculating gas volume for change in moles, 303
 - calculating number of moles for change in gas volume, 303
 - of compounds, 118
 - constant for Boyle's law, 298
 - constant for Charles' law, 300
 - counting atoms, 114–116
 - counting molecules, 123–124
 - defined, 110, 416
 - diatomic elements and, 116
 - of an element, 111–112
 - formula units and, 119
 - ideal gas law, 307–310, 415
 - mass-to-mole and mole-to-mass conversions, 113–114, 122–123, 197–200
 - molar mass and, 110–112, 113
 - of molecules, 116
 - mole-to-mole conversions, 193–197
 - volumes of gases and, 315–316
- monatomic ions
- defined, 75
 - displayed in periodic table, 85
 - ionic compound formation and, 262–263
 - names for, 88–89
- monohydroxy bases, 400
- monoprotic acids, 400
- Multiple Proportions, Law of, 49, 63
- multiple-cation metals and compounds, 88, 90–92
- multiplication, significant figures in, 16–17
- ## N
- names. *See also* endings of names; prefixes
- binary acids, 98
 - chemical nomenclature, 412
 - Classical system for naming multiple-cation metal ions, 90–91
 - compounds involving multiple-cation metals, 91
 - compounds involving single-cation metals, 88–90
 - 40 most important elements, 43
 - hydrates, 100
 - hydrogen atom dissolved in water, 98
 - ionic compounds with polyatomic ions, 96–97
 - ions (in general), 74, 75
 - Latin, for some element symbols, 44
 - molecular compounds, 52–55
 - monatomic ions, 89
 - oxyacids, 99
 - oxyions, 93
 - pronouncing chemical formulas, 51
 - Stock system for naming multiple-cation metal ions, 90–91
 - systematic names, 88
 - top 10 elements in earth's crust, 43
- natural abundance of isotopes, 68
- negative ions. *See* anions
- net-ionic equations, 403, 416
- neutralization reactions
- Arrhenius concept of, 394, 411
 - Bronsted-Lowry concept of, 395, 412
 - defined, 169, 393, 394, 395, 416
 - as exothermic, 178
 - formula equations for, 402
 - ionic equations for, 402–403
 - net-ionic equations for, 403, 416
 - salt and water as products of, 169, 394, 402
- neutrons
- defined, 416
 - determining number in an atom, 65–66
 - electrical charge of, 64
 - mass number and, 221
 - mass of, 64
 - in nucleus of atoms, 65, 221
- noble gases (Group VIIIA)
- alkali metal ions and, 241
 - defined, 46, 416
 - octet rule and, 261
 - pseudo-noble gas cores, 241
 - unique chemical stability of, 242
- nomenclature. *See* names
- nonbonding electron pairs, 275, 416
- nonelectrolytes
- common, in water, 374
 - concentration of solute particles and, 374
 - defined, 357, 374, 416
- nonmetals
- anions formed by, 261
 - in binary ionic compounds, 85
 - covalent compounds composed of, 269
 - defined, 46

nonmetals (*continued*)
diatomic elements, 48
electronegativity and, 331
halogens, 46
in ionic compounds, 49
ionization energy, 248
ions of Group VIIA elements, 74
ions of main-group elements, 86
metalloids, 46
in molecular compounds, 49
noble gases, 46

nonpolar covalent bonds
defined, 271
electronegativity and, 272, 332–333

nonpolar molecules
electronegativity and, 332–333
as nonpolar species, 358
solubility and, 358–359

normal boiling point, 345, 346, 347
normal freezing point, 345

nucleus
atomic number and, 65, 221
calculating number of neutrons in, 221
defined, 64, 416
mass number and, 65, 221
mass of, 65

numbers. *See also* atomic number; mass number; units of measurement
Avogadro's number, 110, 116, 411
for periodic table columns (groups), 46
for periodic table rows (periods), 46
principal quantum number, 224, 234, 417
rounding off, 15
scientific notation for, 11–12
significant figures, 13–19
in Stock system for naming compounds, 90–91

O

octet rule
covalent bonds and, 269
defined, 261, 416
Lewis structures and, 277

orbitals
covalent bonds and, 265
defined, 226, 227, 228, 411, 416
d-orbitals, 230
electron spin and, 231–232
f-orbitals, 231
Hund's rule, 231, 414
maximum electrons per orbital, 228, 231
Pauli principle, 231, 417
p-orbitals, 229
s-orbitals, 229
subshells and, 228–232
symbols indicating number of electrons in subshells, 231

osmosis
chemistry of living things and, 379
defined, 378, 417

osmotic pressure
calculating for a solution, 378–379
chemistry of living things and, 379
defined, 373, 417
isotonic versus hypertonic versus hypotonic solutions, 379

oxidation, 169, 417
oxidation-reduction reactions
defined, 169
electron transfer in, 169–170
half-reactions, 169
oxidation defined, 169, 417
oxidizing agent, 170
as redox reactions, 169
reducing agent, 170
reduction defined, 169
single-replacement in, 169
oxidizing agent, 170
oxyacids, 98–99, 417
oxyions, 93

P

paired electrons, 243, 417
partial charge, 332, 417
partial pressures, Dalton's law of, 312–315, 413
particles, electrons as, 221
Pascal (unit of pressure), 296
Pauli principle, 231, 417
p-block of periodic table, 240
percent composition
calculating, 135–139
defined, 135, 417
empirical formula calculation from, 143–145
empirical versus molecular formulas and, 145
molecular formula calculation and, 146
percent natural abundance of isotopes, 68
percent water in a hydrate, 139–141
percent yield of reactions, 209–211, 417
periodic table
alkali metals, 46
alkaline earth metals, 46
amu dropped from, 71
atomic mass in, 71
atomic numbers in, 44, 65
columns of, 44, 46
d-block, 240
defined, 44
electronic configuration and, 239–246
f-block, 240
groups or families in, 46, 414
halogens, 46
illustrated, 45
inner-transition metals, 46, 237, 240
ions displayed in, 85–86
main groups, 46, 240
metalloids in, 46
metals versus nonmetals in, 46
noble gases, 46
p-block, 240
periods in, 46
properties of atoms and, 246–248
s-block, 240
transition metals, 46, 240
periods
atomic radii and, 246–247, 248
defined, 46, 417
ionization energy and, 248
periodic table rows as, 46
pH, 417
pH scale, 417

- phase changes
condensation, 339, 340
as constant temperature processes, 339
defined, 339
deposition, 339, 340
freezing, 339, 340
for gases, 339
for liquids, 339
melting or fusion, 339, 340–341
pairing between opposing changes, 340
for solids, 339
sublimation, 339, 340
vaporization, 339, 340–341
- phases
defined, 339
of heterogeneous mixtures, 40
- photosynthesis, as endothermic, 178
- physical changes, 41
- physical properties
defined, 41, 417
molecular versus ionic compounds and, 49
- physical separation, 55
- planar molecules, 279, 280
- polar covalent bonds
defined, 271, 417
electronegativity difference and, 272–273, 331–332
- polar molecules
defined, 417
dipole-dipole forces between, 334, 413
electronegativity and, 332–333
as polar species, 358
- polar species, solubility and, 358–359
- polyatomic ions
common ions, 92–93
defined, 92, 417
electrical charges, 93
ionic compound formation and, 263
ionic compound formulas, 94–95
names for, 93
naming ionic compounds, 96–97
oxyions, 93
- p-orbitals, 229
- positive ions. *See* cations
- potential energy, 30, 417
- powers of 10
defined, 11
metric prefixes using, 20
for metric units of length, 19, 20
for metric units of mass, 21
for metric units of volume, 22
negative numbers for, 11–12
in scientific notation, 11–12
zero power, 12
- precipitates, 168
- prefixes
for binary acids, 98
in binary compound names, 53
for diatomic elements, 48
for free elements, 48
metric system, 20
for oxyions, 93
- pressure. *See also* vapor pressure of liquids
Boyle's law, 297, 298–300, 412
calculating gas volume for change in pressure, 298
calculating new pressure for change in gas volume, 298–299
combined gas law, 305–306
constant for Avogadro's law, 302
constant for Charles' law, 300
Dalton's law of partial pressures, 312–315, 413
of a gas, defined, 296
ideal gas law, 307–310, 415
ideal versus real gases and, 319
liquids as incompressible, 343
normal freezing point and, 345
partial, defined, 312
as property of gases, 295, 296–297
solids as incompressible, 349
standard pressure for gases, 296
standard temperature and pressure (STP) for gases, 303
vapor pressure of water at four temperatures, 313
- pretest, 1–10
- principal quantum number, 224, 234, 417
- principal shells, 227–228, 230
- principles. *See also* laws; rules and guidelines; theories
Le Chatelier's principle, 415
Pauli principle, 231, 417
Uncertainty Principle of Heisenberg, 226
- products in chemical equations
of decomposition reactions, 166
defined, 157, 417
of double-replacement reactions, 167–169
of oxidation-reduction reactions, 169–170
predicting in replacement equations, 173–174
of single-replacement reactions, 166–167
of synthesis reactions, 165
- pronouncing chemical formulas, 51
- properties. *See also* chemical properties
chemical changes, 41
defined, 41, 417
of gases, 295
of liquids, intermolecular forces and, 343, 344, 346–348
molecular versus ionic compounds and, 49
periodic table columns and, 44
physical changes, 41
physical versus chemical, 41
of solutions, 373–381
- protons
atomic number and, 65, 221
conjugate acid-base pairs and, 396–397, 413
defined, 417
electrical charge of, 64
mass number and, 65, 221
mass of, 64
neutralization reactions and, 395
in nucleus of atoms, 65
- pseudo-noble gas cores, 241
- pure substances, 40, 418. *See also* compounds; elements

Q

- quantized states, 221
- quantum jumps
in Bohr model of hydrogen, 224–225
bright-line spectrum and, 225
defined, 221
light energy emitted by, 221, 225

quantum mechanical model. *See also* electronic configuration
 described, 226
 hierarchy in, 228
 orbitals, 226, 227, 228–232
 principal shells, 227–228, 230
 subshells, 228–231
 quantum mechanics, 221

R

R (ideal gas law constant), 307, 414
 radioactive isotopes, 69
 reactants in chemical equations
 decomposition reactions, 166
 defined, 157, 417
 double-replacement reactions, 167–169
 limiting reactant, 204–207, 415
 oxidation-reduction reactions, 169–170
 predicting in replacement equations, 173–174
 single-replacement reactions, 166–167
 synthesis reactions, 165
 reactions. *See* chemical reactions
 reducing agent, 170
 reduction (redox reactions), 169, 417. *See also*
 oxidation-reduction reactions
 replacement equations
 double-replacement reactions, 167–169, 174, 413
 single-replacement reactions, 166–167, 169,
 173–174, 418
 resonance, 276, 418
 rounding off numbers, rules for, 15
 rules and guidelines. *See also* laws; principles; theories
 binary ionic compound formulas, 86
 choosing central atom for skeleton structure,
 274–275
 covalent compound formation, 269
 ground-state configuration, 234
 Hund's rule, 231, 414
 ionic compound formation, 261
 Lewis symbols, 242–243
 “like dissolves like” rule for solubility, 358
 naming molecular binary compounds, 52–53
 naming single-cation metal compounds, 89
 octet rule, 261, 269, 416
 rounding off numbers, 15
 significant figures, 13–14
 solubility rules, 360
 systematic names, 89, 90–91
 VSEPR theory, 280–283

S

salts
 defined, 169, 418
 as neutralization reaction products, 169, 394, 402
 saturated solutions, 362
 s-block of periodic table, 240
 scientific notation
 for large numbers, 11
 for numbers between 1 and 10, 12
 significant figures in, 13–19
 for small numbers, 11–12

semipermeable membrane, 378
 separation, 55
 S.H. (specific heat) of substances, 31
 shapes of molecules
 bond angle and, 279–280
 bond length and, 279–280
 Lewis structure limitations for, 278–279
 planar molecules, 279, 280
 polar molecules and, 332–333
 viscosity and, 343
 VSEPR theory for predicting, 280–283
 SI (International System of Units), 11, 19, 297. *See also*
 metric system; units of measurement
 significant figures
 in calculations, 16–17
 calculators and, 18
 conversions and, 23, 27
 defined, 13, 418
 metric-metric conversions and, 23
 rounding off numbers for, 15
 rules for counting, 13–14
 zero and, 13–14
 simple formulas. *See* empirical formulas
 single covalent bond, 266–267, 418
 single-cation metals and compounds, 88–90
 single-replacement reactions, 166–167, 169, 173–174,
 418
 skeleton structure, 274–275
 solids
 amorphous, 349
 covalent-network, 350, 351
 crystalline, 49, 259–260, 263, 349–351
 defined, 39, 349
 density expressions for, 26
 as incompressible, 349
 intermolecular forces and, 336
 ionic, 349, 350, 351
 metallic, 349, 350, 351
 molar heat of fusion, 340–341
 molecular, 349, 350, 351
 phase changes for, 339
 pure substances versus mixtures, 349
 solubility
 defined, 358
 factors affecting, 358–360
 “like dissolves like” rule for, 358
 polar versus nonpolar species and, 358–359
 predicting for ionic compounds, 360
 solubility rules, 360
 solvents and, 358
 solutes
 defined, 357, 418
 electrolytes versus nonelectrolytes, 357, 374
 of ionic compounds, 357
 of molecular substances, 357
 smallest state of subdivision in solutions, 357
 unit of mass for, 362
 solutions. *See also* concentration of a solution
 aqueous, 411
 boiling-point elevation and, 373, 376–377
 colligative properties, 373–381
 concentration, 362–370
 defined, 357, 418
 double-replacement reactions and, 167
 electrolytes, 357, 374

- freezing-point depression and, 373, 374–375
as homogeneous mixtures, 40, 55, 357
isotonic versus hypertonic versus hypotonic, 379
of miscible liquids, 357
molality, 374
nonelectrolytes, 357, 374
osmotic pressure and, 373, 379–380
solubility, 358–360
solutes, 357
solvent, 357
stoichiometry, 370–373
unit of mass for, 362
units of molarity for, 362
vapor-pressure depression and, 373
- solvents
defined, 357, 418
solubility and, 358
- s-orbitals, 229
- specific heat (S.H.) of substances, 31, 418
- spin of electrons, 231–232, 265
- standard pressure for gases, 296
- standard temperature and pressure (STP) for gases, 303, 418
- standard temperature for gases, 297
- state of matter, 39, 418
- stock number in nomenclature, 418
- Stock system, 90–91
- stoichiometric calculations
defined, 191
for moles and volumes of gases, 315–316
for solutions, 370–373
for volumes of gases in balanced equations, 316–317
- stoichiometric coefficients, 418
- stoichiometry, 191, 370, 418
- STP (standard temperature and pressure) for gases, 303, 418
- strength of covalent bonds, 267
- strong acids, 399, 411
- strong bases, 400, 412
- strong electrolytes, 398
- strong versus concentrated acids or bases, 401
- subatomic particles, 64. *See also specific particles*
- sublimation, 339, 340
- subshells
defined, 228, 418
ground-state configuration, 224, 234–236
orbitals and, 228–232
symbols indicating number of electrons in, 231
- substances, 40, 418. *See also compounds; elements*
- subtraction, significant figures in, 16–17
- supersaturated solutions, 362
- surface tension of liquids, 343–344, 347
- symbols
in chemical equations, 158, 168
for electrons in subshells, 231
for elements, 43–44, 48
for endothermic reactions, 177
Lewis symbols, 242–243, 415
- synthesis (combination) reactions, 165, 413
- systematic names, 88, 89, 90–91
- Système International (SI) (International System of Units), 11, 19, 297. *See also metric system; units of measurement*
- temperature. *See also heat energy*
base unit for, 19
calculating gas volume for change in temperature, 301
calculating new temperature for change in gas volume, 301
Celsius scale, 28–29, 412
Charles' law, 297, 300–302, 412
combined gas law, 305–306
constant for Avogadro's law, 302
constant for Boyle's law, 298
conversions between scales, 28–30, 297
defined, 28, 418
Fahrenheit scale, 28–29, 414
formula for Joules required for change in, 31
ideal gas law, 307–310, 415
ideal versus real gases and, 319
Kelvin scale, 28–29, 297, 300, 415
phase changes and, 339
standard temperature and pressure (STP) for gases, 303
standard temperature for gases, 297
vapor pressure of liquids and, 313, 345, 346
- tests
full-length exam, 419–425
pretest, 1–10
- tetrahedral molecules, 279–280
- theoretical yield of reactions, 209
- theories. *See also laws; principles; rules and guidelines*
Dalton's theory of atoms, 63
Dalton's theory of relative atomic weights, 70
kinetic-molecular theory (KMT), 319–320
VSEPR (Valence Shell Electron Pair Repulsion) theory, 280–283
- Thomson, William (Lord Kelvin, a physicist), 300
- three-dimensional shapes of molecules. *See shapes of molecules*
- time, base unit for, 19
- titration, 418
- torr. *See mmHg*
- Torricelli (barometer inventor), 296
- transition metals
as d-block of periodic table, 240
defined, 46, 418
ground-state configuration, 237
ionic compound formation and, 263
as multiple-cation metals, 88
valence electrons, 242
- triple covalent bond, 267, 418
- U**
- Uncertainty Principle of Heisenberg, 226
- units of measurement
for amount of substance, 110
for density, 26
for dipole moment, 333
English-metric conversions, 21, 24–26
for heat energy, 30–32
International System of Units (SI), 11, 19
for length, 19–21

units of measurement (*continued*)

- for mass, 21
- metric system, 19–28
- metric-metric conversions, 22–24
- for molality, 374
- for molarity, 366
- for molecular mass, 118
- for pressure, 296
- for solutions, 362, 366
- for temperature, 28–29
- for volume, 21–22
- unsaturated solutions, 362

V

- valence electrons. *See also* covalent bonds; covalent compounds
 - defined, 240, 418
 - in Lewis structures, 275
 - Lewis symbols for, 242–243, 415
 - of main-group elements, 240–242
 - octet rule, 261, 269, 416
- Valence Shell Electron Pair Repulsion theory. *See* VSEPR (Valence Shell Electron Pair Repulsion) theory
- van der Waals, Johannes (scientist), 334
- van der Waals forces, 334. *See also* intermolecular forces
- vapor pressure of liquids. *See also* vaporization
 - atmospheric pressure and, 345
 - defined, 344
 - equilibrium and, 344–345, 346
 - intermolecular forces and, 346, 347–348
 - normal boiling point and, 345, 346
 - solutions and depression of, 373
 - temperature and, 345, 346
 - volatility and, 346
 - of water at four temperatures, 313
- vaporization. *See also* vapor pressure of liquids
 - defined, 339
 - equilibrium with condensation, 344–345
 - molar heat of, 340–341
 - paired with condensation, 340
- vesper theory. *See* VSEPR (Valence Shell Electron Pair Repulsion) theory
- viscosity of liquids, 343, 347
- volatile liquids, 346
- volume
 - Avogadro's law, 297, 302–304, 411
 - Boyle's law, 297, 298–300, 412
 - calculations involving gases, 298–299, 301, 303
 - Charles' law, 297, 300–302, 412
 - combined gas law, 305–306
 - defined, 21, 418
 - derived base unit of, 21
 - of gases in balanced equations, 316–317

- ideal gas law, 307–310, 415
- matter definition and, 39
- metric units of, 21–22
- moles and volumes of gases, 315–316
- properties of gases and, 295
- VSEPR (Valence Shell Electron Pair Repulsion) theory
 - applying to molecule or polyatomic ion, 280–283
 - arrangements of electron domains, 281
 - comparing electron domain geometry with molecular shapes, 282
 - defined, 418
 - overview, 280

W

- water
 - common electrolytes and nonelectrolytes in, 374
 - as covalent compound, 267
 - density of, 26
 - as double-replacement reaction product, 168–169
 - hydrogen bonding in, 336
 - hydrolysis, 400
 - as hypotonic to all solutions, 379
 - Lewis structure for, 274, 278–279
 - as neutralization reaction product, 169, 394, 402
 - percent in a hydrate, 139–141
 - as planar molecule, 279
 - as polar species, 358
 - solubility rules, 360
 - temperature scales and, 28
 - vapor pressure of water at four temperatures, 313
- wavelength, 222–223
- waves, electrons as, 221, 226
- weak acids, 399, 411
- weak bases, 400–401, 412
- weak electrolytes, 398, 418
- weak versus dilute acids or bases, 401
- weighted-average atomic masses, 70, 71
- word equations, 157–158. *See also* chemical equations writing
 - binary ionic compound formulas, 86–87
 - chemical equations, 157–160
 - chemical formulas from compound names, 54
 - completing chemical equations, 173–174
 - condensed ground-state configuration, 236–237
 - ground-state configurations, 234–237
 - Lewis symbols, 242–243

Z

- zero
 - as power of 10, 12
 - significant figures and, 13–14