

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

Accelerated Graphics Port (AGP), 276
 installing devices for, 28
 slots for, 8, 8, 108, 108
 accessing shared resources, 265–266, 266
 active heat sinks, 17
 active hubs, 157
 active matrix LCDs, 21
 active partitions, 184–185
 active terminations, 45, 276
 adapter cards, 21, 257, 276
 address bus, 107, 276
 addressing, TCP/IP, 260–261
 ADSL (asynchronous DSL), 160, 271, 276
 AGP (Accelerated Graphics Port), 276
 installing devices for, 28
 slots for, 8, 8, 108, 108
 all-black printer pages, 135–136
 allocation units, 187
 alternative boot modes, 216–218
 antistatic bags, 89
 antistatic wrist straps, 88–89, 89, 276
 APIs (application programming interfaces), 57, 276
 AppleTalk networks, 154
 AppleTalk protocol, 153, 260
 application compatibility
 for upgrading, 211
 in Windows versions, 175
 Application log file, 238
 application programming interfaces (APIs), 57, 276
 applications, 276
 install problems, 250
 startup problems, 248–249
 Archive attribute, 190
 associations, 189–190
 asynchronous DSL (ADSL), 160, 271, 276
 AT commands, 69–71, 276
 AT motherboards, 105, 106
 ATAPI (ATA Packet Interface), 276
 ATTRIB command, 181, 191, 199
 attributes, 190–191, 276
 ATX motherboards, 106, 106
 AUTOEXEC.BAT file, 177, 214

B

back-side caches, 96
 Backup utility, 195
 Bad or Missing COMMAND.COM errors, 235
 bad video, 73
 batch files, 214, 276
 batteries, 15, 61
 disposing of, 92
 removing and replacing, 29
 Bayonet Neil Connector (BNC) connectors, 39, 277
 beep codes, 66, 276
 bias voltages, 125
 binary files, 190
 BIOS chips, 14, 276
 issues with, 75
 upgrades for, 55–56
 bit width of RAM, 104
 blank printer pages, 135
 blanks, 77
 BlueTooth standard, 157
 BNC (Bayonet Neil Connector) connectors, 39, 277
 Boot Disk utility, 237
 boot disks, 242, 277
 boot files, 277
 BOOT.INI file, 178, 215
 boot process
 alternative boot modes, 216–218
 CMOS settings for, 113–114
 errors in
 error messages and codes, 234–236
 exam essentials, 239
 GUI startup, 239
 user-modified settings, 236
 utilities for, 237–239, 238
 exam essentials, 223
 Windows 9x, 212–214
 Windows NT/2000/XP, 215–216
 booting
 from CDs, 206
 from disks, 206–207
 for network install share access, 207
 ROM for, 18
 to system restore points, 221–222, 221
 BOOTSECT.DOS file, 215
 bootstrapping, 178, 215
 bridges, 157

288 broadcasting – connectors

broadcasting, 157
 routers, 158
 browsers, 268–269, 268, 272, 277
 bubble-jet printers, 119
 buffers for DMA, 34
 bus topologies, 149, 149
 buses, 277
 CPU, 17–18
 in motherboards, 107–109, 108
 in upgrading PCs, 59

C

cable Internet, 160, 271
 cables, 39–40
 exam essentials, 40, 146
 hard drive, 54
 network, 142–146, 142, 144, 155
 printer, 244
 troubleshooting, 67–68
 cache on a stick (COAST), 110
 caches, CPUs, 17, 96–97, 277
 capacitors, 86, 277
 capacity of memory, 59
 cards, expansion
 dislodged, 76
 removing, 24, 25
 carriage motors, 132
 Carrier Sense Multiple Access with Collision
 Avoidance method, 156
 Carrier Sense Multiple Access with Collision
 Detection method, 156
 cases, 15–16
 closing, 28
 removing covers, 23, 24
 troubleshooting, 68
 Category cables, 143
 cathode ray tubes (CRTs)
 disposing of, 92
 for monitors, 20
 CD command, 182–183
 CDs and CD-ROM drives, 19
 booting from, 206
 read errors in Window installation, 209
 troubleshooting, 74
 Celeron processors, 98
 cells, DRAM, 102
 Central Processing Units. *See* CPUs (Central
 Processing Units)
 Centronics connectors, 39
 charging coronas, 121, 123, 124
 Check Disk utility, 195–196
 chip creep, 76
 chips, dislodged, 76
 chipsets, 110
 CHKDSK utility, 195
 circuit boards, disposing of, 92
 circular logging, 238, 277
 cleaning chemicals, disposing of, 92
 cleaning pads, 139
 cleaning step in laser printing process, 123, 123
 client/server networks, 147, 147
 clients, 148, 257–258, 277
 clock speed, 17
 clock ticks, 96
 clusters, 187
 CMD utility, 277
 CMOS battery, 277
 CMOS (Complementary Metallic Oxide
 Semiconductor) memory, 18, 277
 exam essentials, 114
 settings for, 111–114
 COAST (cache on a stick), 110
 coaxial cable, 143–144, 144, 277
 collapsing folders, 192
 color laser printers, 128
 COMMAND.COM file, 177, 214, 277
 command-line functions and utilities, 174
 command prompt, 179–180
 common commands, 181–183
 exam essentials, 184
 internal vs. external commands, 180
 syntax, 181, 181
 wildcards in, 180
 command prompt, 198, 277
 displaying, 179–180
 wildcards in, 180
 Command Prompt Only boot mode, 218
 COMMAND utility, 277
 communication types for printers, 128–129
 compatibility
 in upgrading, 211
 in Windows installation, 204–205
 in Windows versions, 175
 Complementary Metallic Oxide Semiconductor
 (CMOS) memory, 18, 277
 exam essentials, 114
 settings for, 111–114
 Compress attribute, 190
 Computer Management, 197
 computers
 disassembling, 22–26, 24–27
 recycling, 91–92
 conditioning step in laser printing process,
 123–124, 124
 CONFIG.SYS file, 177, 214
 CONFIGSAFE utility, 242
 conflicts, resource, 36, 248, 283
 connection types, Internet, 159–161, 270–271
 connectivity devices, networks, 157–158
 connectors
 exam essentials, 40

- for IDE devices, 13
- for peripherals, 37–40
- for power, 13, 13
- for SCSI devices, 44–45
- consumables, printer, 138–139
- continuous feed printers, 118
- controllers
 - for hard drives, 54
 - for printers, 120, 283
- cooling systems
 - troubleshooting, 68
 - upgrading, 56
- COPY command, 182
- corrupt drivers, 240
- CPUs (Central Processing Units), 10–11, 10, 16–18, 96
 - caches on, 96–97
 - CMOS settings for, 112
 - exam essentials, 101
 - manufacturers, 97–101
 - slots and sockets for, 10–11, 10, 109–110, 283
 - speed of, 17, 61, 96
 - troubleshooting, 67
 - upgrading, 55, 61
 - voltages for, 61, 97
- CRTs (cathode ray tubes)
 - disposing of, 92
 - for monitors, 20
- customers, dealing with, 242–243

D

- daisy-chaining, 46
- date, CMOS memory for, 111
- DB connectors, 38
- DC power supplies (DCPSs), 122, 277
- DDR (Double Data Rate) SDRAM memory, 102–103, 278
- Debugging Mode, 218
- defaults, CMOS memory, 111
- defining problems, 78
- DEFRAG command, 182
- defragmentation, 228, 229, 278
- Degauss feature, 73, 278
- DEL command, 183
- deleting objects, 193
- DELTREE command, 183
- demineralized water, 85, 278
- denatured isopropyl alcohol, 85, 278
- depends on password access, 264
- Desktop, 171
- developing rollers, 125
- developing step in laser printing process, 125, 125
- device access, OSs for, 168–169
- device drivers. *See* drivers
- Device Manager, 196, 224–225, 224–225, 242, 278
- Device Referenced in SYSTEM.INI, WIN.INI, Registry Is Not Found errors, 236
- Device/Service Has Failed to Start errors, 236
- DHCP (Dynamic Host Configuration Protocol) servers, 153, 260
- diagnosing problems. *See* troubleshooting
- dial-up connections, 159, 278
- Dial-Up Networking (DUN), 270–271
- digital cameras, 51
- Digital Subscriber Line (DSL), 160, 271, 278
- DIMMs (Dual Inline Memory Modules), 9, 103, 104, 278
- DIN connectors, 39
- DIP (Dual Inline Package) memory, 103
- DIP switches, 15, 15, 281
- DIR command, 181
- direct memory access (DMA), 34, 278
- Direct Rambus memory, 102–103, 278
- disassembling computers, 22
 - case cover, 23, 24
 - disk drives, 26, 26
 - expansion cards, 24, 25
 - input devices, 23
 - memory, 26
 - motherboard, 26, 27
 - portable systems, 30
 - power supplies, 25, 25
 - prerequisites, 23
 - work area for, 23
- Disk Administrator/Disk Management, 186, 186
- Disk Cleanup utility, 196, 229, 229
- Disk Defragmenter (DEFRAG), 194
- disk drives, 18–19
 - booting from, 206–207
 - CMOS settings for, 113
 - defragmenting, 228, 229
 - formatting, 187–188
 - installing, 28, 42–43, 43
 - interfaces for, 13
 - managing, 167–168, 168, 194–196
 - mapping, 265–266, 266
 - for optimizing, 53–54
 - in portable systems, 30
 - removable, 73
 - removing, 26, 26
 - troubleshooting, 68–69
 - in Windows installation, 205–206
- disk mirroring, 42
- disk operating system (DOS), 214
- disk striping, 42
- dislodged chips and cards, 76
- display systems
 - monitors and LCDs in, 20–21, 20
 - troubleshooting, 72–73
- disposing of computer parts, 92–93
- DMA (direct memory access), 34, 278

290 docking stations – EXTRACT utility

docking stations, 31, 278
 Documents submenu, 173
 DOS (disk operating system), 214
 DOS shell, 214
 dot-matrix printers, 118–119, 131–132
 dot pitch, 20
 Double Data Rate (DDR) SDRAM memory, 102–103, 278
 Dr. Watson utility, 237, 241, 278
 DRAM (Dynamic Random Access Memory), 18, 102–103, 278
 drive imaging, 207
 drivers, 278
 for legacy devices, 58
 NIC, 155
 printer, 130, 138, 244–245
 signed and unsigned, 227
 in Windows installation, 208
 drives. *See* disk drives
 drums, 120
 DSL (Digital Subscriber Line), 160, 271, 278
 dual-boot support, 205
 Dual Inline Memory Modules (DIMMs), 9, 103, 104, 278
 Dual Inline Package (DIP) memory, 103
 dual pipelining, 97
 DUN (Dial-Up Networking), 270–271
 DVD-ROM drives, 19, 74
 dye sublimation printers, 128
 Dynamic Host Configuration Protocol (DHCP) servers, 153, 260
 Dynamic Random Access Memory (DRAM), 18, 102–103, 278

E

e-mail, 269–270
 ECHO command, 183
 ECPs (Enhanced Communication Ports), 278
 EDIT command, 182, 199
 EDO (Extended Data Out) memory, 102, 279
 EEPROM (Electrically Erasable Programmable Read-Only Memory), 279
 electrical fires, 86
 electron guns, 20
 electrophotographic (EP) printers, 119
 electrostatic discharge (ESD), 88–90, 89–90, 279
 emergency repair disks (ERDs), 219–221, 279
 EMM386.EXE file, 177, 214
 Enable VGA Mode, 218
 Encrypt attribute, 191
 Enhanced Communication Ports (ECPs), 278
 Enhanced Parallel Ports (EPPs), 279
 environmental issues, 76–77, 91–93, 139
 EP (electrophotographic) printers, 119
 EPPs (Enhanced Parallel Ports), 279
 ERDs (emergency repair disks), 219–221, 279
 Error in CONFIG.SYS Line XX errors, 236
 error messages and codes in boot sequence, 234–236
 ESD (electrostatic discharge), 88–90, 89–90, 279
 Ethernet networks, 153–154
 Event Viewer, 198, 237, 238, 242
 exam essentials
 boot process, 223, 239
 cables, 40, 146
 CMOS memory, 114
 command-line functions and utilities, 184
 CPUs, 101
 device installation, 228
 environmental protection, 93
 field-replaceable modules, 28–29, 31
 IDE devices, 44
 Internet, 161–162, 273
 motherboards, 110–111
 networks, 158–159, 267
 operating systems, 176
 optimizing, 57, 230
 partitions, filesystems, and file management, 193
 peripheral devices, 52
 portables, 31
 ports and connectors, 40
 preventive maintenance, 85–86
 printers, 129, 139–140
 RAM, 105
 safety, 90–91
 SCSI devices, 49
 system files, 179
 system modules, 21
 system resource assignments, 37
 troubleshooting, 77, 81–82, 243–244, 252
 upgrading, 62, 211–212
 utilities, 200
 Windows installation, 209–210
 expanding folders, 192
 expansion buses, 107, 279
 expansion cards
 dislodged, 76
 removing, 24, 25
 expansion slots, 8, 8, 109
 Extended Data Out (EDO) memory, 102, 279
 extended memory, 169, 279
 extended partitions, 184–185
 extensions, 189–190, 279
 external commands, 180, 279
 external CPU speed, 17, 96, 279
 external data buses, 107, 279
 external modems, 50, 279
 external SCSI devices, 47–48, 47–48
 extinguishing electrical fires, 86
 EXTRACT utility, 199–200

F

Fast Page Mode (FPM) memory, 102, 280
 Fast SCSI-2, 45
 FAT (File Allocation Table) filesystem, 187
 FAT16 filesystem, 187
 FAT32 filesystem, 187
 FDISK (Fixed Disk) utility, 182, 185–186, 185, 194
 fiber optic cable, 144–145, 144, 279
 field-replaceable modules, 22

- disassembling computer, 22–26, 24–27
- exam essentials, 28–29, 31
- inspecting computer, 27
- for portable systems, 29–31
- replacement and reassembly, 27–28

 File Allocation Table (FAT) filesystem, 187
 file servers, 148
 File Transfer Protocol (FTP), 269, 280
 files and filesystems, 167, 187–188, 279

- attributes for, 190–191
- exam essentials, 193
- managing, 167–168, 168, 191–193, 192, 199–200
- names for, 189–190
- permissions for, 191
- sharing, 262–266, 263
- system, 176–179
- in Windows installation, 205

 Find submenu, 173
 fires, 86
 firewalls, 272
 FireWire ports, 109
 FireWire printers, 129
 firmware

- printer, 130
- in upgrading PCs, 59–60

 Fixed Disk (FDISK) utility, 182, 185–186, 185, 194
 flash BIOS replacement, 55–56
 flash updates, 279
 floppy drives and connectors, 13, 18–19, 73, 113
 folders

- managing, 191–193, 192
- sharing, 263–265, 263

 form factors, 12–15, 12–14, 105–107, 106, 279
 FORMAT command, 182, 196
 formatter boards, 138, 280
 formatting, 187–188, 280
 FPM (Fast Page Mode) memory, 102, 280
 front-side caches, 96
 FTP (File Transfer Protocol), 269, 280
 fuel cells, 61
 full access, 264
 fusing assemblies, 122, 122
 fusing step in laser printing process, 126–127, 126

G

garbage printer pages, 138
 gateways, 158, 260
 GDI in boot process, 213
 ghosting, 137–138, 280
 GPFs (General Protection Faults), 246, 280
 GUI startup problems, 239

H

hardware, 248

- compatibility of, 211
- managing, 223–227, 224–226
- printer problems, 244
- in Windows installation, 209

 Hayes commands, 69–71
 HCL (Hardware Compatibility List), 280
 HDD auto detection, 113
 heat sinks, 17
 Help command, 173
 help for troubleshooting, 80
 Hibernate option, 174
 Hidden attribute, 190
 High-Voltage Differential (HVD) technology, 280
 high-voltage power supplies (HVPSs), 122, 280
 HIMEM.SYS file, 177, 214, 280
 HIMEM.SYS Not Loaded, or Missing or Corrupt
 HIMEM.SYS errors, 235
 host addresses, 153, 260
 hot plugging, 30
 hot-swapping, 30
 HTTP protocol, 269
 HTTPS protocol, 269
 hub chipsets, 110
 hubs, 157, 280

- installing, 51
- in star topologies, 149

 humidity, 90
 HVD (High-Voltage Differential) technology, 280
 HVPSs (high-voltage power supplies), 122, 280
 hybrid topologies, 152
 hyperthreading technology, 99

I

I/O

- OSs for, 169
- troubleshooting ports, 67–68

 I/O addresses, 34
 IDE devices, 40–41

- connectors for, 13
- exam essentials, 44
- installing and configuring, 42–43, 43

292 IDs, SCSI devices – Last Known Good Configuration

- on-motherboard interfaces, 110
 - pros and cons, 41–42
 - RAID, 42
 - IDs, SCSI devices, 45
 - IEEE 1394 ports, 109
 - IEEE 1394 printers, 129
 - illegal operations, 246–247
 - image smudging, 137, 280
 - IMAP (Internet Mail Application Protocol), 270
 - impact printers, 118
 - Inaccessible Boot Device errors, 235
 - Index attribute, 190
 - Industry Standard Architecture (ISA) bus, 280
 - installing devices for, 28
 - slots for, 8, 107
 - infrared devices
 - installing, 51
 - printers, 129
 - ink, problems with, 139
 - ink cartridges, disposing of, 92
 - ink-jet printers, 119, 119, 133–134
 - inoculating computers, 251, 280
 - input devices
 - attaching, 28
 - removing, 23
 - input/output (I/O)
 - OSs for, 169
 - troubleshooting ports, 67–68
 - installation type, 205
 - installing and configuring
 - applications, 250
 - browsers, 272
 - exam essentials, 228
 - hardware management, 223–227, 224–226
 - IDE devices, 42–43, 43
 - peripheral devices, 50–52
 - permissions in, 227
 - SCSI devices, 46–49, 47–48
 - signed and unsigned drivers for, 227
 - Windows. *See* Windows
 - instruction sets, 61
 - Integrated Services Digital Network (ISDN), 159–160
 - integrated system boards, 7
 - Intel clones, 100–101
 - Intel processors, 97–100
 - intelligent hubs, 157
 - interfaces
 - disk drives, 13
 - printers, 128–129
 - internal commands, 180, 280
 - internal CPU speed, 17, 96, 280
 - internal modems, 50, 280
 - internal SCSI devices, 46–49, 47–48
 - Internet, 267
 - concepts and terminology, 268
 - connection types, 159, 270–271
 - cable, 160
 - dial-up, 159
 - DSL, 160
 - exam essentials, 161
 - ISDN, 159–160
 - satellite, 160
 - wireless, 161
 - e-mail, 269–270
 - exam essentials, 273
 - FTP, 269
 - Telnet, 269–270
 - Web browsers, 268–269, 268
 - Internet Mail Application Protocol (IMAP), 270
 - Internet Packet Exchange/Sequenced Packet Exchange (IPX/SPX), 153, 259
 - Internet Service Providers (ISPs), 268, 281
 - interrupt request (IRQ) lines, 32–33, 280
 - Invalid Boot Disk errors, 235
 - invalid working directories, 247–248, 247
 - IO.SYS file, 176, 213–214
 - IP addresses, 260–261
 - IPCONFIG utility, 261, 262, 280
 - IPX/SPX (Internet Packet Exchange/Sequenced Packet Exchange), 153, 259
 - IRQ (interrupt request) lines, 32–33, 280
 - ISA (Industry Standard Architecture) bus, 280
 - installing devices for, 28
 - slots for, 8, 107
 - ISDN (Integrated Services Digital Network), 159–160, 270–271, 281
 - ISPs (Internet Service Providers), 268, 281
-
- J**
- Jaz drives, 19
 - jumpers, 15, 15, 281
-
- K**
- keyboard connectors, 14
 - keyboard problems, 72
-
- L**
- L1 caches, 17, 96, 281
 - L2 caches, 96, 281
 - L3 caches, 97
 - LANs (local area networks), 146, 271
 - laser printers, 119–120
 - parts of, 120–122, 120–122
 - printing process, 123–127, 123–127
 - problems in, 134–139, 136
 - laser scanning assemblies, 121, 121
 - Last Known Good Configuration, 218

LBA (Logical Block Addressing), 59, 281
 LCD (Liquid Crystal Display) technology, 20–21
 LED printers, 127
 legacy buses, 109
 legacy devices, 224, 281
 drivers for, 58
 printers, 128
 Level 1 caches, 17, 96, 281
 Level 2 caches, 96, 281
 Level 3 caches, 97
 line printers, 118
 LIon (Lithium Ion) batteries, 61
 Liquid Crystal Display (LCD) technology, 20–21
 loading problems, 248–249
 local area networks (LANs), 146, 271
 lockups, 248
 Log Off option, 174
 Logged boot mode, 217
 Logical Block Addressing (LBA), 59, 281
 logical drives, 185, 281
 logical partitions, 184
 logical topologies, 148
 logon problems, 249–250, 249
 long filenames, 190
 low print quality, 131–132
 LVD (Low-Voltage Differential) technology, 281

M

MAC (media access control) addresses, 155
 main motors, 132
 manageable hubs, 158
 manual device installation, 227
 manuals, 241
 mapping drives, 265–266, 266
 master boot record (MBR), 213
 master drives, 42–43, 43, 281
 Material Safety Data Sheets (MSDSs), 91, 281
 MAUs (multistation access units), 154
 MBR (master boot record), 213
 MD command, 182
 media access control (MAC) addresses, 155
 media access methods, 155–156
 MEM command, 182
 memory, 18
 CMOS settings for, 112
 exam essentials, 105
 managing, 169, 281
 for optimizing, 53
 package types, 103–104, 103–104
 parity and non-parity, 104
 in PC upgrades, 59
 physical, 101–103
 for portables, 30
 printer errors, 131

RAM banks and bit width in, 104
 removing, 26
 slots for, 9, 9, 109, 281
 video, 105
 memory addresses, 33, 281
 mesh topologies, 151, 151
 MicroDIMMs, 104
 Mini-DIN connectors, 39
 mirroring, 42
 Missing NTLDR errors, 235
 modems
 DUN for, 270–271
 installing, 50
 troubleshooting, 69–71
 monitors, 20, 20
 installing, 50
 safety of, 87–88
 motherboards, 6, 6, 285
 adapter cards, 21
 buses, 107–109, 108
 cases, 15–16
 chipsets on, 110
 components, 7, 7
 CPUs for, 10–11, 10, 16–18, 61
 exam essentials, 110–111
 expansion slots, 8, 8
 form factors, 12–15, 12–14, 105–107, 106
 installing, 27–28
 integrated components, 7
 jumpers and DIP switches, 15, 15
 memory, 18
 memory slots, 9, 9, 109
 on-board caches, 110
 on-board interfaces, 110
 power supplies, 16, 16
 processor sockets, 109–110
 removing, 26, 27
 troubleshooting, 67
 mouse connectors, 14
 mouse problems, 72
 MSCONFIG (System Configuration Editor), 197
 MSD utility, 242, 281
 MSDOS.SYS file, 176, 214
 MSDSs (Material Safety Data Sheets), 91, 281
 multiple files, selecting, 192
 multistation access units (MAUs), 154
 My Computer, 168
 My Network Places, 168

N

names, file, 189–190
 NetBEUI/NetBIOS protocol, 153, 259
 network addresses, 153, 260
 network install share access, 207

294 network interface cards (NICs) – parallel cables

network interface cards (NICs), 154–155, 281
 logon problems, 249–250, 249
 optimizing, 56
 troubleshooting, 74–75

Network Neighborhood, 168

networks and networking, 142, 256–257
 architectures, 153–154
 cables, 142–146, 142, 144, 155
 clients for, 258
 components for, 257–261, 262
 connection problems, 250
 connectivity devices, 157–158
 exam essentials, 158–159, 267
 Internet. *See* Internet
 LANs vs. WANs, 146
 logon problems, 249–250, 249
 media access methods, 155–156
 NICs for, 154–155
 printers for, 129
 protocols for, 152–153, 257–262, 262, 283
 review questions, 161–162, 273
 sharing on
 print services, 266–267
 resources, 262–266, 263
 topologies for, 148–152, 149–151
 types of, 147–148, 147, 258
 in Windows installation, 205
 wireless, 156–157

NiCad (nickel cadmium) batteries, 61

nickel-metal hydride (NiMH) batteries, 61

NICs (network interface cards), 154–155, 281
 logon problems, 249–250, 249
 optimizing, 56
 troubleshooting, 74–75

NiMH (nickel-metal hydride) batteries, 61

NLX motherboards, 107

No Operating System errors, 235

no video, troubleshooting, 72–73

non-impact printers, 118

non-parity RAM, 104

Normal boot mode, 217

north/south bridge chipsets, 110

notebook computers
 batteries for, 29, 61, 92
 disassembling, 30
 exam essentials, 31
 field-replaceable modules in, 29–31
 troubleshooting, 75–76

notification area, 171, 281

NSLOOKUP utility, 261

NTBOOTDD.SYS file, 178, 215

NTDETECT.COM file, 178, 215

NTFS4 filesystem, 188

NTLDR file, 178, 215, 282

NWLink protocol, 259

O

objects, 193

off board interfaces, 13

on-board caches, 110

on-board floppy and IDE connectors, 13

on-board interfaces, 110

opening files, 193

operating systems (OSs), 282
 command-line in, 174, 179–184, 181
 exam essentials, 176
 file permissions, 191
 filesystems, 188–191
 folder and file management, 191–193, 192
 installing. *See* Windows
 major components of, 169–174, 170
 major functions of, 166–169, 168
 optimizing. *See* optimizing
 partition management, 184–188, 185–186
 review questions, 201
 system files, 176–179
 upgrading, 210–212, 286
 utilities for, 194–200
 Windows versions, 174–175

optical drives, 19

optimizing, 52
 BIOS upgrades for, 55
 cooling system, 56
 CPU upgrades for, 55
 disk subsystem for, 53–54
 exam essentials, 57
 flash BIOS replacement, 55–56
 memory for, 53
 NICs, 56
 operating system
 Disk Cleanup, 229, 229
 disk defragmentation, 228, 229
 exam essentials, 230
 system performance options, 230
 virtual memory management, 228
 video cards for, 57

OSs. *See* operating systems (OSs)

P

page description languages (PDLs), 130, 282

page printers, 118–119, 134–139, 136

paging files, 169, 282

paper jams, 132, 138
 ink-jet printers, 133–134
 laser printers, 134–135

paper transport assemblies, 121, 121, 282

parallel buses, 109

parallel cables, 38, 282

- parallel ports and connectors, 38
- parallel printers, 128
- parity, memory, 104, 112
- part replacement and reassembly, 27–28
- partitions, 184–185, 282
 - Disk Administrator/Disk Management for, 186, 186
 - exam essentials, 193
 - FDISK for, 185–186, 185
- passive heat sinks, 17
- passive hubs, 157
- passive matrix LCDs, 21
- passive terminators, 45, 282
- passwords, CMOS memory settings for, 113
- paths
 - search, 180, 188
 - UNC, 265–266, 266
- PC Cards, 29–30, 61–62, 282
- PCI (Peripheral Component Interconnect) bus, 8, 8, 28, 107, 108, 282
- PCI (Peripheral Connect Interface), 282
- PCMCIA cards, 29–30, 61–62, 282
- PDA's, 51
- PDLs (page description languages), 130, 282
- peer-to-peer networks, 147, 147
- Pentium processors, 97
- Pentium II processors, 98
- Pentium III processors, 98
- Pentium 4 processors, 99
- Pentium Pro processors, 97–98
- Peripheral Component Interconnect (PCI) bus, 8, 8, 28, 107, 108, 282
- Peripheral Connect Interface (PCI), 282
- peripheral devices, 49
 - CMOS settings for, 112
 - exam essentials, 52
 - installing and configuring, 50–52
 - ports and connectors for, 14, 14, 37–40
- permissions, 191, 227
- phosphors, 20
- physical RAM, 101–103
- physical topologies, 148
 - ring, 150
 - star, 149
- piezoelectric printers, 119
- PING command, 183, 261
- pipelining, 97–98
- Plug and Play (PnP) standard, 224, 227, 248, 282
- Point-to-Point Protocol (PPP), 282
- polling networks, 156
- POP (Post Office Protocol), 270
- port addresses, 34
- port replicators, 31, 282
- portable systems
 - batteries for, 29, 61, 92
 - disassembling, 30
 - exam essentials, 31
 - field-replaceable modules in, 29–31
 - troubleshooting, 75–76
- ports, 38
 - CMOS settings for, 112
 - exam essentials, 40
 - for peripheral devices, 14, 14, 37–40
 - troubleshooting, 67–68
- POST (power on self-test), 66–67, 282
- POST cards, 282
- Post Office Protocol (POP), 270
- power connectors, 13, 13
- power management settings, 112
- power on self-test (POST), 66–67, 282
- power supplies, 16, 16
 - installing, 28
 - removing, 25, 25
 - safety with, 86–87
 - troubleshooting, 75
 - in upgrades, 60
- PPP (Point-to-Point Protocol), 282
- preventive maintenance
 - exam essentials, 85–86
 - performing, 84–85
 - review questions, 93–94
- primary coronas, 121, 123, 124
- primary partitions, 184–185
- print servers, 148
- printers, 118
 - controllers for, 120, 283
 - dot-matrix, 118–119, 131–132
 - drivers for, 283
 - environmental issues for, 139
 - exam essentials, 129
 - ink-jet, 119, 119, 133–134
 - installing, 51
 - interfaces for, 128–129
 - laser, 119–120
 - parts of, 120–122, 120–122
 - printing process, 123–127, 123–127
 - problems in, 134–139, 136
 - LED, 127
 - other technologies, 128
 - safety of, 87
 - sharing, 266–267
 - troubleshooting, 129–130, 244–246, 245
 - consumables, 138–139
 - dot-matrix printers, 131–132
 - driver issues, 130
 - exam essentials, 139–140
 - firmware updates, 130
 - ink-jet printers, 133–134
 - laser and page printers, 134–139, 136
 - memory errors, 131
 - review questions, 140
- processors. *See* CPUs (Central Processing Units)

296 Programs submenu – SE (Single-Ended) SCSI

Programs submenu, 172
 protocols, network, 152–153, 257–261, 262, 283
 proxy servers, 272, 283
 PS/2 connectors, 39

Q

quad pipelining, 98

R

RAID (Redundant Array of Inexpensive Drives), 283
 IDE devices, 42
 SCSI devices, 49
 RAM. *See* memory
 RAM banks, 104
 RD command, 182–183
 RDRAM (Rambus Dynamic RAM), 9
 read-only access, 264
 Read Only attribute, 190
 Read-Only Memory (ROM), 18
 Real mode, 283
 rebooting computer, 79
 recent changes in troubleshooting, 243
 Recovery CDs, 242
 Recovery Console, 222
 recycling computers, 91–92
 Redundant Array of Inexpensive Drives (RAID), 283
 IDE devices, 42
 SCSI devices, 49
 refresh rate, 20
 refreshing RAM, 102
 registration information, 197
 Registry, 178, 283
 Registry Editor (REGEDIT and REGEDT32), 197
 Registry Scanner (SCANREG), 198
 relative humidity, 90
 removable disk drive problems, 73
 REN command, 183
 repeaters, 157
 repetitive small marks or defects with laser printers, 136, 136
 requirements
 for upgrading, 211
 in Windows installation, 204–205
 resources, 148
 conflicts in, 36, 248, 283
 sharing, 262–266, 263
 system. *See* system resource assignments
 Restart option, 173
 Restart the Computer in MS-DOS Mode option, 174
 restoring data files, 209
 review questions
 motherboards, CPUs, and memory, 114–115
 networks, 161–162, 273
 operating systems, 201
 preventive maintenance, 93–94
 printer problems, 140
 system modules, 62–63
 troubleshooting, 81–82, 253–254
 Windows installation, configuration, and upgrading, 230–231
 RG cable, 144
 ribbon connectors, 39
 ribbon problems, 139
 RIMMs, 9, 102–104
 ring topologies, 150–151, 150, 283
 riser boards, 16, 107, 283
 RJ connectors, 38
 RJ-11 connectors, 283
 RJ-45 connectors, 283
 ROM (Read-Only Memory), 18
 routers, 51, 151, 158, 283
 Run Command, 173

S

Safe Mode, 217, 240–241, 284
 Safe Mode with Command Prompt boot mode, 218, 241
 Safe Mode With Network Support boot mode, 217, 241
 safety measures, 86
 electrostatic discharge, 88–90, 89–90
 exam essentials, 90–91
 preventing harm to humans, 86–88
 SAM file, 178
 satellite Internet, 161, 271
 ScanDisk utility, 182, 195, 209
 SCANREG (Registry Scanner), 182, 198
 SCSI (small computer systems interface) devices, 44
 addresses in, 45
 connectors for, 44–45
 exam essentials, 49
 IDs and termination, 45
 installing and configuring, 46–49, 47–48
 on-motherboard interfaces, 110
 printers, 129
 RAID, 49
 SCSI-1, 45, 284
 SCSI-2, 45, 284
 SCSI-3, 284
 types of, 45–46
 SDRAM (Synchronous DRAM) memory, 102, 285
 SDSL (synchronous DSL), 160, 271, 284
 SE (Single-Ended) SCSI, 284

- search paths, 180, 188
- Search submenu, 173
- SECC (Single Edge Contact Cartridge), 10
- security, 175, 264–265
- SECURITY file, 178
- Security log file, 238
- selecting files, 192
- serial buses, 109
- serial cables, 38, 284
- serial ports and connectors, 38
- serial printers, 128
- servers, 147–148
- service information sources, 80, 284
- Service Packs, 211, 284
- services, 257, 284
- SET command, 183
- Settings submenu, 173
- setup defaults, CMOS memory, 111
- setup utilities in Windows installation, 207–208
- SETVER command, 182
- share levels, 265
- share names, 266
- sharing on networks, 284
 - print services, 266–267
 - resources, 262–266, 263
- sheet fed printers, 118
- shell programs, 213–214
- shielded twisted pair (STP) cable, 143, 285
- short filenames, 190
- Shut Down Command, 173–174
- signed drivers, 227, 284
- SIMMs (Single Inline Memory Modules), 9, 103, 103, 284
- Simple Mail Transport Protocol (SMTP), 270
- Single Edge Contact Cartridge (SECC), 10
- Single-Ended (SE) SCSI, 284
- Single Inline Memory Modules (SIMMs), 9, 103, 103, 284
- size of memory, 59
- slave drives, 42–43, 43, 284
- slots, 8, 8, 108–109
- small computer systems interface. *See* SCSI (small computer systems interface) devices
- Small Outline DIMMs (SoDIMMs), 9, 104
- SMTP (Simple Mail Transport Protocol), 270
- social side of troubleshooting, 79, 284
- sockets, 11, 109–110
- SoDIMMs (Small Outline DIMMs), 9, 104
- SOFTWARE file, 178
- software modems, 69
- sound card problems, 74
- specialized video cards, 57
- speed
 - of CPUs, 17, 61, 96
 - of memory, 59
- spooling, stalled, 246
- SPPs (Standard Printer Ports), 284
- SRAM (Static Random Access Memory), 18, 102, 284
- SSL protocol, 269
- Stand By option, 174
- stand-offs, 26, 284
- Standard Printer Ports (SPPs), 284
- star topologies, 149–150, 150, 284
- Start menu, 172–174
- startup disks, 218–219, 240, 285
- startup files, 214
- startup modes, 240–241
- startup problems in applications, 248–249
- startup utilities for upgrading, 210
- static addressing, 260
- static eliminator strips, 135
- static mats, 89–90, 90
- Static Random Access Memory (SRAM), 18, 102, 284
- Step-By-Step Confirmation boot mode, 218, 241
- stepper motor problems, 132
- sticks of RAM, 103
- storage devices, 18–19
- STP (shielded twisted pair) cable, 143, 285
- striping, 42
- stub cables, 47
- subnet masks, 153, 260
- superscalar architecture, 97
- surge suppressors, 51–52
- swap files, 169
- switches, 158, 285
- symptoms in troubleshooting, 242–243
- Synchronous DRAM (SDRAM) memory, 102, 285
- synchronous DSL (SDSL), 160, 271, 284
- syntax, command-line, 181, 181
- SYSEDIT (System Editor), 197–198
- System attribute, 190
- system boards. *See* motherboards
- system bus, 107
- System Configuration Editor (MSCONFIG), 197
- SYSTEM.DAT file, 177
- System Editor (SYSEDIT), 197–198
- SYSTEM file, 178
- system files, 178, 215, 285
 - exam essentials, 179
 - Windows 9x, 176–177
 - Windows 2000, 178
 - in Windows versions, 175
- SYSTEM.INI file, 176, 214
- system limitations, 59–60
- system lockups, 248
- System log file, 238
- system modules
 - exam essentials, 21

298 system performance options – upgrading PCs

motherboards. *See* motherboards
 review questions, 62–63
 system performance options, 230
 system resource assignments, 31
 available resources, 35, 35–36
 direct memory access, 34
 exam essentials, 37
 I/O addresses, 34
 interrupt request lines, 32–33
 manual assignments, 36, 37
 memory addresses, 33
 system restore points, 221–222, 221
 System Tray, 171
 system utilities, 196–198

T

tape backup devices, 19
 Task Manager, 198, 241
 Taskbar, 171–172
 TCP/IP (Transmission Control Protocol/Internet Protocol), 152–153, 260–261, 262
 Telnet, 269–270
 terminal adapters, 50–51, 285
 Terminate and Stay Resident (TSR) programs, 250, 285
 terminating resistor packs, 45
 termination, device, 45, 285
 text files, 190
 thermal printers, 119, 128
 thin clients, 148
 time, CMOS memory for, 111
 token passing, 156
 Token Ring networks, 154
 toner cartridges, 120, 120, 285
 disposing of, 92
 problems with, 139
 topologies, network, 148–152, 149–151
 tower cases, 15
 TRACERT utility, 261
 training materials, 241
 transfer corona, 122, 122, 285
 transferring step in laser printing process, 125–126, 126
 Transmission Control Protocol/Internet Protocol (TCP/IP), 152–153, 260–261, 262
 transmission speed, 38
 transparencies, 139
 troubleshooting, 66, 285
 BIOS issues, 75
 boot sequence errors, 234–239, 238
 case issues, 68
 CD-ROM and DVD Issues, 74
 common problems, 246–250, 247, 249
 cooling issues, 68
 dealing with customers, 242–243
 display system problems, 72–73
 exam essentials, 77, 81–82, 243–244, 252
 hard disk system problems, 68–69
 I/O ports and cables, 67–68
 keyboard and mouse problems, 72
 miscellaneous problems, 76–77
 modem problems, 69–71
 motherboard and CPU problems, 67
 NICs, 74–75
 notebook PCs, 75–76
 POST routines for, 66–67
 power supply problems, 75
 printers. *See* printers
 procedures, 78–81
 removable disk drive problems, 73
 resources for, 241
 review questions, 71, 253–254
 setup problems, 209
 sound card problems, 74
 startup disks for, 240
 startup modes for, 240–241
 tools and utilities for, 241–242
 viruses, 251–252
 TSR (Terminate and Stay Resident) programs, 250, 285
 twisted-pair cable, 142–143, 142
 Type 1 cables, 143
 TYPE command, 183

U

UltraDMA mode, 285
 UMBs (upper memory blocks), 214
 UNC (Universal Naming Convention), 265–266, 266
 undocking portables, 31
 uninterruptible power supplies (UPSs), 51–52
 Universal Serial Bus (USB), 109, 286
 connectors, 39
 printers, 128
 unshielded twisted-pair (UTP) cable, 143, 286
 unsigned drivers, 227
 updates, 211, 286
 upgrade paths, 210
 Upgrade Wizard, 286
 upgrading PCs, 57
 bus types and characteristics in, 58
 CPUs for, 55, 61
 drivers for legacy devices, 58
 exam essentials, 62

- memory capacity and characteristics in, 59
- notebook batteries, 61
- operating systems, 210–212, 286
- PCMCIA cards for, 61–62
- power supplies in, 60
- system limitations in, 59–60
- upper memory, 214
- upper memory blocks (UMBs), 214
- UPSs (uninterruptible power supplies), 51–52
- USB (Universal Serial Bus), 109, 286
 - connectors, 39
 - printers, 128
- USER.DAT file, 177
- user errors, 78–79
- user interfaces in Windows versions, 175
- user-modified setting errors, 236
- utilities
 - for boot sequence errors, 237–239, 238
 - disk management, 194–196
 - exam essentials, 200
 - file management, 199–200
 - system, 196–198
 - TCP/IP, 261, 262
 - in Windows versions, 175
- UTP (unshielded twisted-pair) cable, 143, 286

V

- VER command, 181
- versions, Windows, 174–175
- vertical black lines on printer page, 136–137
- vertical white lines on printer page, 137
- video cards, specialized, 57
- video RAM (VRAM), 105
- view types, 193
- virtual machines, 169, 286
- virtual memory, 169, 228, 286
- viruses and virus types, 113, 251–252, 286
- voltage regulator modules (VRMs), 97, 286
- voltages for CPUs, 61, 97
- VRAM (video RAM), 105
- VRMs (voltage regulator modules), 97, 286
- VxD drivers, 286

W

- WANs (wide area networks), 146
- Web browsers, 268–269, 268
- Web resources, 241
- wide area networks (WANs), 146
- Wide SCSI-2, 45
- wildcards, 180, 286

- WIN.COM file, 177, 213–214
- WIN.INI file, 176, 214
- Windows
 - command-line interface within, 174
 - installing, 204
 - compatibility and requirements, 204–205
 - device driver configuration, 208
 - disk preparation order, 205–206
 - exam essentials, 209–210
 - installation methods, 206–207
 - installation options, 205
 - restoring data files, 209
 - review questions, 230–231
 - setup utilities, 207–208
 - troubleshooting setup problems, 209
 - printing problems in, 244–245
 - versions, 174–175
- Windows 9x
 - boot process in, 212–214
 - installing, 207–208
 - security in, 264
 - startup disks, 218–219
 - system files, 176–177
- Windows components, 211, 286
- Windows Explorer, 167, 168, 191, 192, 200
- Windows NT/2000/XP
 - boot process in, 215–216
 - emergency repair disks in, 219–221
 - firewall protection under, 272
 - installing, 208
 - Registry, 178
 - security in, 264–265
 - system files in, 178
- Windows protection errors, 236, 246
- WINIPCFG utility, 261, 280
- Winmodems, 69
- WinMSD utility, 242
- wireless access points, 51
- wireless Internet connectivity, 161, 271
- wireless networks, 156–157
- wireless printers, 129
- work area for disassembling computer, 23
- working directories, 247–248, 247, 286
- writing step in laser printing process, 124, 124

X

- XCOPY command, 182

Z

- Zip drives, 19