

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

accidental errors in data updates, point-in-time restore
to correct, 130
ad hoc query, 29
Add Counters dialog box, 289
Add Table dialog box, 27
agent, 240. *See also* SQL Server Agent
Alert view in System Monitor, 285
alerts, 240
 creating, 258–263
 SQL Server performance alert, 293–296
 in System Monitor, 290–293
 for log shipping, 145
 testing, 262–263
 Windows Management Instrumentation (WMI)
 events, 297–300
Allow Nulls option for field, 20
ALTER LOGIN command, alert for, 297
Alter permission, 91
anonymous connections, for pull subscriptions, 167
Application log, in Event Viewer, 42
application role
 activating, 89
 creating, 86–89
archiving historical data, database snapshot for, 153
area code, view for table subset based on, 27
article in replication, 162
Article Properties dialog box, 187, 201, 217
auditing database, snapshot replication for, 166
authentication mode, 64
automating administrative tasks, 240
 basic process, 241
autonomy in replication, 162

B

B-tree (binary-tree) structure, 51
backup devices
 creating, 104–108
 temporary or permanent, 106
Backup dialog box, 109, 113, 114
 Append to the Existing Backup Set, 114
 for filegroup, 123
 for transaction log, 117, 117
backups
 creating, for log shipping, 147
 for database mirroring, 138
 differential, 112–114
 filegroup, 118–124
 full, 108–112
 when reverting from snapshot, 159

 for log shipping, 145
 point-in-time restore, 130–134
 restoring database, 125–129
 Transact-SQL script for, 256
 of transaction log files, 115–118
 for mirroring, 138
 verifying, 111, 118, 124
bandwidth, transactional replication and, 170
baseline backup, 108
Blank template for Profiler trace, 302
blocks
 identifying and rectifying cause, 315–318
 simulating, 318
Broker event class, 302
BuiltinAdministrators, 72
Bulk-Logged recovery model, 103
bulk update locks, 316
bulkadmin server role, 72

C

C\$ share, 177
central publisher/central distributor topology design,
 171, 171–172
central subscriber/multiple publishers topology design,
 173, 173
certificate, self-signed, generating from SQL Server, 97
change control program, 297
changes in database, differential backup for, 112–114
checkpoint in log, 105
clearing transaction log files, 115
CLR functions, 48
clustered index
 design and creation, 50–54
 in Object Explorer, 55
column-level tracking for conflict resolution, 230
composite primary key, 173
computer, requirements for replication, 177
Configure Database Mirroring Security Wizard,
 140–142
 Choose Servers to Configure screen, 141
 Include Witness Server screen, 140
 Mirror Server Instance screen, 141, 142
 Principal Server Instance screen, 141
 Server Accounts screen, 142, 142
Configure Distribution Wizard
 Complete the Wizard screen, 182
 Distribution Database screen, 180
 Distributor screen, 179
 Publishers screen, 181, 181
 Snapshot Folder screen, 180
 SQL Server Agent Start, 179
 Wizard Actions screen, 181

326 Configure Replicator Alerts dialog box – Distribution Agent Security dialog box

- Configure Replicator Alerts dialog box, 236
 - conflict resolution in merge replication, 229–233
 - creating conflict, 231–232
 - levels, 230
 - conflicts, in merge replication, 166
 - Connect to Database Engine dialog box, Connection Properties tab, 100
 - connection to SQL Server
 - encrypted, configuring, 96–100
 - trusted or nontrusted, 65
 - constraints, 23–26
 - Control permission, 91
 - convergence, 166
 - Copy Database Wizard, 274–281
 - Complete the Wizard screen, 280
 - Configure Destination Database screen, 278
 - Configure the Package screen, 279
 - Schedule the Package screen, 279
 - Select a Destination Server screen, 276
 - Select a Source Server screen, 276
 - Select Database Objects screen, 278
 - Select Databases screen, 277
 - Select the Transfer Method screen, 277
 - welcome screen, 275
 - copy job, for log shipping, 145
 - counters, 285
 - alerts for, 260
 - CPU (central processing unit), SQL Server requirements for, 3
 - CREATE DATABASE statement, 254
 - for snapshot, 155–156
 - CREATE FUNCTION statement, 50
 - Create permission, 91
 - CREATE TABLE command, alert for, 297
 - CREATE TRIGGER statement
 - FOR DELETE, 38
 - FOR INSERT, 35
 - INSTEAD OF, 45
 - FOR UPDATE, 41
 - CREATE VIEW statement, 44
 - Cursor event class, 301
 - custom database roles, 81–85
 - Customers table
 - creating, 21, 21–22
 - fields for, 19
-
- D**
- Data Definition Language (DDL) triggers, 33
 - data entry, constraints on, 23–26
 - data files, guidelines for location, 14
 - Data Manipulation Language (DML) triggers, 32
 - data page, fill factor, 52
 - database. *See also* tables
 - automating creation and backup, 253–257
 - Copy Database Wizard for moving or copying, 274–281
 - copy for mirroring, 136
 - design and creation, 13–17
 - displaying in SQL Server Management Studio, 17, 17
 - labels for mirrored, 143, 144
 - selecting for integrity checks, 266
 - user access to, 75–77
 - Database Engine Tuning Advisor, 310–315, 311
 - to create workload, 307–309
 - Index Recommendations, 313
 - Database event class, 301
 - Database Mail Configuration Wizard, 243–245
 - Configure System Parameters screen, 245
 - Manage Profile Security screen, 245
 - New Profile screen, 243, 244
 - Select Configuration Task screen, 243
 - Database Mail, configuring, 241–247
 - database maintenance plan, 263–273
 - database mirroring, 135–143
 - Database Properties dialog box, 149
 - Database properties sheet, General tab, 15
 - Database Role - New dialog box, 83, 84
 - database roles, 77
 - custom, 81–85
 - database snapshot, 153, 153–157
 - limitations, 158
 - reverting from, 157–161
 - database user mapping, 75–77
 - assigning to fixed server roles, 77–81
 - db_accessadmin database role, 78
 - db_backupoperator database role, 78
 - dbcreator server role, 72
 - db_datareader database role, 78
 - db_datawriter database role, 78
 - db_ddladmin database role, 78
 - db_denydatareader database role, 78
 - db_denydatawriter database role, 78
 - db_owner database role, 78
 - DBP user mapping, 75
 - db_securityadmin database role, 78
 - DDL (Data Definition Language) triggers, 33
 - deadlocks, 316, 316–317
 - Dedicated Administrator Connection (DAC), 319–323
 - connecting to, and running query, 321
 - limitations, 319
 - uses for, 320
 - default instance
 - configuring as distribution server, 178–182
 - default, 7
 - installing, 2–9
 - Delete permission, 92
 - DELETE statement, and triggers, 33
 - DELETE trigger, 36–39
 - deleted logical table, 36, 37, 40
 - Deny state for permission, 92
 - Deprecation event class, 302
 - Developer Edition of SQL Server 2005, requirements, 3–4
 - differential backups, 112–114
 - in Database Maintenance Plan, 270
 - disk drive, SQL Server requirements for, 3
 - diskadmin server role, 72
 - Distributed Transaction Coordinator (DTC), 162
 - distributed transactions, 164
 - distribution agent, 168, 183
 - security for, 194
 - for snapshot replication, 197
 - Distribution Agent Security dialog box, 208

distribution server, configuring default instance as, 178–182
 Distribution working folder, enabling access to, 177
 distributor in replication, 162
 Distributor Properties dialog box, 183
 DML (Data Manipulation Language) triggers, 32
 domain account, for SQL Server agents, 241
 downed database, simulating, 126–127
 downloading trial version of Enterprise Edition, 3
 downtime, avoiding, 102
 DTC (Distributed Transaction Coordinator), 162

E

e-mail
 Database Mail to send, 241
 for notification of job completion, 257
 encrypted connections, configuring, 96–100
 encryption, drawbacks, 97
 end user license agreement (EULA), 4, 11
 Enterprise Edition of SQL Server 2005, 3
 requirements, 3–4
 error correction in jobs, 252
 error messages, 240. *See also* alerts
 errors
 alerts for, 258–263
 correcting for SQL Server install, 5
 severity levels, 259–260
 Errors and Warnings event class, 301
 EULA (end user license agreement), 4, 11
 event classes, in Profiler, 301
 Event Viewer
 to view alerts, 292–293, 293
 to view Application log, 42
 events, in Profiler, 301
 exclusive locks, 316
 Execute permission, 92
 execution plan, 29
 Expression text box, for constraints, 25, 25

F

fail-safe operator, 248
 failover, automatic or manual, 136
 fields
 for Customers table, 19
 for Orders table, 19
 for Products table, 18–19
 filegroup backups, 118–124
 filegroups, 119
 adding table to, 121–122
 files, restricting growth, 16
 fill factor, 52, 267
 fixed server roles, 77
 assigning logins to, 71–74
 flushing transaction log entries, 135
 frozen SQL Server, 319
 full backups, 108–112
 in Database Maintenance Plan, 269
 when reverting from snapshot, 159
 Full recovery model, 103

Full Text event class, 302
 full-text index, 58–64
 Full-Text Indexing Wizard, 61–63
 Define Population Schedules (Optional), 63
 Select a Catalog, 62
 Select an Index, 61
 Select Change Tracking, 62
 Select Table Columns, 61
 functions, 47
 user-defined, 47–50

G

GO statement, 50
 Grant state for permission, 92
 Graph view in System Monitor, 285, 289
 group accounts, creating, 66
 guest user mapping, 75

H

hard drives, SQL Server requirements for, 4
 hardening, 135
 heap, 52
 high-availability mode, witness server for, 136
 historical data, archiving, database snapshot for, 153
 history, 268
 horizontal partitioning, 162, 213

I

Identity Specification, 20
 Impersonate permission, 91
 indexes
 clustered
 design and creation, 50–54
 in Object Explorer, 55
 and filegroup backup, 119, 119
 full-text, 58–64
 nonclustered, 54–58
 searching table with, 55
 workload file compared with, 310
 initializing transactional publication subscription, 195
 Insert permission, 91
 INSERT statement
 INSTEAD OF trigger to modify, 43–47
 for queued updating, 167
 and triggers, 32
 INSERT trigger, 32–36
 inserted table, 33, 37, 40
 inserting data in table, impact of index on location, 55–56
 installing
 default instance, 2–9
 second instance, 10–13
 instance, default, 7
 configuring as distribution server, 178–182
 installing, 2–9
 instance Properties dialog box, Flags tab, 98
 instancing, 10

328 INSTEAD OF trigger – MSmerge_contents table

INSTEAD OF trigger, 43–47
 integrity checks, 266
 intent locks, 316
 intermediate-level pages of index, 51
 ItemOrderCount function, 50, 51

J

jobs for automating tasks, 240
 creating, 251–258
 JOIN statement, 230

K

Key Distribution Center (KDC), 64
 KILL command, 317, 318
 killing process, 72

L

latency in replication, 162
 for snapshot replication, 197
 leaf pages of index, 51
 for nonclustered index, 54
 Linux users, creating Standard logins for, 68–71
 Locate Backup File dialog box, 139
 locks, 315–318
 Locks event class, 301
 log buffer, 135
 log files, guidelines for location, 14
 log sequence number (LSN), 105
 log shipping, 144–152
 configuring, 149–151
 disabling, 185, 199, 214–215
 testing, 151–152
 uses for, 145
 Log view in System Monitor, 285
 logical record-level tracking for conflict resolution, 230
 login
 assigning to fixed server roles, 71–74
 information for e-mail server, 244
 Standard, 68–71
 Windows, 64–68
 Login - New dialog box, 67
 for Standard login, 70
 logreader agent, 167–168, 183

M

Macintosh users
 creating Standard logins for, 68–71
 Mixed mode authentication for, 65
 mail profile, configuring SQL Server Agent to use, 246
 mailhost database, 242
 configuring, 243–245
 Maintenance Plan Wizard, 263
 Complete the Wizard screen, 272

 Define Back Up Database (Differential) Task screen, 270
 Define Back Up Database (Full) Task screen, 269
 Define Back Up Database (Transaction Log) Task screen, 270
 Define Database Check Integrity Task screen, 266
 Define History Cleanup Task screen, 268, 269
 Define Rebuild Index Task screen, 267, 268
 Define Reorganize Index Task screen, 267
 Define Shrink Database Task screen, 267
 Define Update Statistics Task screen, 268
 Select a Target Server screen, 265, 265
 Select Maintenance Task Order screen, 266
 Select Maintenance Tasks screen, 265
 Select Plan Properties screen, 271
 Select Report Options screen, 272
 welcome screen, 264
 malicious changes to data, point-in-time restore to correct, 130
 master server, for multiserver jobs, 252
 memory, SQL Server requirements for, 3
 Memory:Available Bytes counter, 286
 Memory:Committed Bytes counter, 286
 Memory:Pages/Sec counter, 286, 291
 merge agent, 168
 location for, 212
 Merge Agent Security dialog box, 225
 merge replication, 163, 166
 conflict resolution, 229–233
 creating conflict, 231–232
 levels, 230
 creating publication, 212–222
 process, 213
 pull subscriptions, verifying, 228–229
 subscribing to publication, 222–229
 microprocessor, SQL Server requirements for, 3
 Microsoft Distributed Transaction Coordinator (DTC), 162
 Microsoft SQL Server 2005 Setup Wizard
 Authentication Mode, 8, 8
 Collation Settings, 8, 8
 Components to Install, 6, 6
 Error and Usage Report Settings, 9, 9
 Feature Selection, 6, 6
 Installing Prerequisites, 5, 5
 Instance Name, 7, 7, 12, 12
 Service Account, 7, 7
 System Configuration Check, 5, 5
 mirroring database, 135–143
 labels for, 143, 144
 Mixed mode for authentication, 64, 65
 modified page, restoring original from snapshot, 157
 monitor server, in log shipping, 145
 monitoring
 replication, 233–237
 vs. troubleshooting, 284
 MOVE...TO option for database recovery, 125
 moving database, with Copy Database Wizard, 274–281
 msftesq (SQL Server FullText Search service), 59
 MSmerge_conflicts_info table, 230
 MSmerge_contents table, 213, 229

multiple publishers/multiple subscribers topology design, 174, 174
 multiserver jobs, 252

N

named instance, 10
 nesting database roles, 82
 Net Send message, 247, 248
 Messenger service for, 261
 for SQL Server performance alert, 296, 296
 for WMI alert, 300
 Network Segment: %Network Utilization counter, 285, 286
 New Alert dialog box, 261, 262
 for SQL Server performance alert, 295
 for WMI alert, 298, 298, 299
 New Constraint dialog box, 24
 New Database Mail Account dialog box, 244
 New Index dialog box, 54
 New Job dialog box
 General page, 254
 Notifications page, 257, 257
 New Job Schedule dialog box, 209, 209, 226, 271
 New Operator dialog box, General tab, 249
 New Publication Wizard for merge publication, 215–221
 Agent Security screen, 219, 219, 220
 Articles Issues screen, 218
 Articles screen, 217
 Complete the Wizard screen, 221
 Filter Table Rows screen, 218
 Publication Database screen, 215
 Publication Type screen, 216
 Snapshot Agent screen, 219
 Subscriber Types screen, 216
 Wizard Actions screen, 219, 220
 New Publication Wizard for snapshot replication, 200–204
 Agent Security screen, 203
 Articles screen, 201
 Complete the Wizard screen, 204
 Filter Table Rows screen, 202
 Publication Database screen, 200
 Publication Type screen, 200
 Snapshot Agent screen, 202
 Wizard Actions screen, 204
 New Publication Wizard for transactional replication, 185–190
 Agent Security screen, 189
 Articles screen, 186, 187
 Complete the Wizard screen, 190
 Filter Table Rows screen, 188
 Publication Database screen, 186
 Publication Type screen, 186
 Snapshot Agent screen, 188
 Wizard Actions screen, 190
 New Subscription Wizard for merge publication, 223–227
 Complete the Wizard screen, 227
 Initialize Subscriptions screen, 226
 Merge Agent Location screen, 224
 Merge Agent Security screen, 225
 Publication screen, 224
 Subscribers screen, 224
 Subscription type, 227
 Synchronization Schedule screen, 226
 Wizard Actions screen, 227
 New Subscription Wizard for snapshot replication, 207–210
 Complete the Wizard screen, 210
 Distribution Agent Location screen, 207
 Distribution Agent Security screen, 209
 Initialize Subscriptions screen, 210
 Publication screen, 207
 Synchronization Schedule screen, 209
 Wizard Actions screen, 210
 New Subscription Wizard for transactional replication, 193–196
 Complete the Wizard screen, 196
 Distribution Agent Location screen, 193, 193
 Distribution Agent Security, 194
 Publication screen, 193
 Subscribers screen, 193
 Wizard Actions screen, 195
 nonclustered index, 54–58
 searching table with, 55
 nontrusted connection to SQL Server, 65
 NORECOVERY option, 125
 for log shipping secondary server, 144
 Novell users, Mixed mode authentication for, 65
 null bitmap, 15

O

Object Explorer, clustered index in, 55
 object permissions, 91
 objects, 285
 Objects event class, 301
 off-hours, scheduling task to run in, 263
 OLEDB event class, 302
 online analytical processing (OLAP) servers, snapshot replication for, 165
 online backups, 105
 operating system, SQL Server requirements for, 4
 operators, 240
 creating, 247–251
 Orders table
 adding data to, 49
 creating, 22, 22
 fields in, 19
 overselling product, UPDATE trigger to prevent, 40–42

P

page, calculating number of rows in, 15
 page split, 52
 pagers, e-mail to, 249
 parameters, for custom error messages, 259
 partners, in database mirroring, 136

330 password – row-level tracking for conflict resolution

password, for service account, 8

performance

- automatic failover and, 136
- encryption and, 97
- of queries, troubleshooting, 307
- stored procedure and, 29

performance counters, 285

- alerts for, 260

Performance event class, 301

permanent backup devices, 106

permissions

- for application role, 87–88
- assigning, 89–96
 - details, 93–96
- for data access control, 32

PhysicalDisk:% Disk Time counter, 286

point-in-time restore, 130–134

- snapshot for, 157

Point in Time Restore dialog box, 133, 133

prerequisites, verifying, 2–9

primary server, in log shipping, 144

principal, in database mirroring, 136

priority, for subscription, 230

processadmin server role, 72

Processor:% Processor Time counter, 286

- alert based on, 291–292

processor, SQL Server requirements for, 3

product key, 6

Products table

- creating, 20, 20–21
- fields for, 18–19

Profiler, 300–306, 306

- creating workload in, 307–309

Progress Report event class, 302

Public group, 78

publication in replication, 162

- creating merge, 212–222
- removing queued updating, 167
- for snapshot replication, 197–205
 - subscribing to, 206–212
 - verifying, 205
- transactional replication subscription, 192–197

publisher in replication, 162

pull subscriptions, 167

- for merge publication, 223–229
 - verifying, 228–229
- for snapshot replication, 197, 207–210
- to transactional publication, 193–196

push subscriptions, 167

- for snapshot replication, 197

Q

query

- opening new in Management Studio, 131
- running through Dedicated Administrator Connection, 321

queue reader agent, 168

queued updating, 166–168

R

RAISERROR() command, 33, 40, 259

- viewing event written by, 42, 42

read-only data, in transactional replication, 164

READONLY filegroup, 119

READWRITE filegroup, 119

records, creating to ship to second instance, 152

recovery model, selecting and setting, 102–104

RECOVERY option, 125

References permission, 92

referential integrity, for central subscriber/multiple publishers, 173

remote distribution topology design, 172, 172

REPLACE option for database recovery, 125

replication

- choosing type, 161–170
- configuring, 177–182
- distributed transactions, 164
- distribution types, 163
- merge, 166
- merge publication, 212–222
- monitoring, 233–237
- publisher/subscriber metaphor for, 162
- queued updating, 166–168
- reasons for, 161–162
- running manually, 211
- server role for, 72
- snapshot, 165
 - with immediate updating subscribers, 165–166
- topology design, 171–177
 - central publisher/central distributor, 171, 171–172
 - central subscriber/multiple publishers, 173, 173
 - choosing, 175–177
 - multiple publishers/multiple subscribers, 174, 174
 - remote distribution, 172, 172
 - transactional, 164
 - with immediate updating subscribers, 164–165

replication agents, 167–168

- selecting location for, 224

Replication Conflict Viewer, 232, 232

Replication Monitor utility, 233–237

- configuring replication properties, 234–236
- Publications tab, 234

Report view in System Monitor, 285, 290

Restore Database dialog box, 127

RESTORE DATABASE statement, 160

restore job, for log shipping, 145

restore statement, STOPAT clause, 130

restoring database from backup, 125–129

- for log shipping, 147–148
- for mirroring, 139
- point-in-time restore, 130–134

RETURN statement, 48

Revoke state for permission, 92

root page of index, 51

row-level tracking for conflict resolution, 230

S

- Sales database, viewing tables in, 23
- scalar function, 48
- Scans event class, 301
- schedule
 - for automatically repopulating full-text index, 63
 - for jobs, 252
 - for transactional publication synchronization, 195
- schema locks, 316
- scripting languages, for automating jobs, 252
- Secondary Database Settings dialog box
 - Copy Files tab, 150
 - Initialize Secondary Database tab, 150
 - Restore Transaction Log tab, 151
- secondary server, in log shipping, 144
- securables, 89–90
- Secure Sockets Layer (SSL) encryption, 97
- security
 - for distribution agent, 194
 - for replication, 181
- Security Audit event class, 301
- securityadmin server role, 72
- Select Backup Destination dialog box, 138
- Select Conflict Table dialog box, 232, 232
- Select Files and Filegroups dialog box, 123
- Select permission, 91
- SELECT query, for full-text search, 59
- self-signed certificate, generating from SQL Server, 97
- Server event class, 301
- server, in log shipping, 144
- serveradmin role, 71
- service account
 - account information for, 7
 - creating, 4
 - password for, 8
- Service Broker queue, 241–242
- Sessions event class, 301
- setup. *See* Microsoft SQL Server 2005 Setup Wizard
- setupadmin server role, 72
- shared locks, 315
- Simple recovery model, 102
- simulating
 - blocks, 318
 - downed database, 126–127
- SMTP mail server, 242
- snapshot. *See also* database snapshot
- snapshot agent, 168, 212
- Snapshot Agent Security dialog box, 189, 203, 219
- snapshot folder, specifying, 180
- snapshot replication, 163, 165, 198
 - creating publication, 197–205
 - with immediate updating subscribers, 165–166
 - verifying, 211
- SP_Counts template for Profiler trace, 302
- Specify Backup dialog box, 128, 128
- sp_lock stored procedure, 317
- sp_repldone system stored procedure, 183
- sp_setapprole stored procedure, 89
- SQL Server
 - generating self-signed certificate from, 97
 - stopping, 127
- SQL Server 2005 Service Pack 1, for database mirroring, 137
- SQL Server Agent, 189, 194, 240
 - configuring, 241
 - to use mail profile, 246
 - Windows domain account for, 177
- SQL Server Configuration Manager
 - second instance in, 13, 13
 - SQL Server 2005 Network Configuration, 98
 - to view running services, 9, 10
- SQL Server FullText Search service (msftesq), 59
- SQL Server Integration Services (SSIS), 264
- SQL Server Management Studio
 - to add filegroup to database, 120–122, 121, 122
 - Alerts, 237
 - All Subscriptions tab, 235
 - Common Jobs tab, 235
 - connecting to DAC, 321–322
 - displaying database, 17, 17
 - to launch Replication Monitor, 234
 - Object Explorer, 104, 104
 - Backup Devices, 107, 107, 108
 - opening new query in, 131
 - starting, 15
 - Subscriptions Watch List tab, 234
 - Tracer Tokens tab, 235
 - for verifying transactional publication, 191
- SQL Server performance alert, 293–296
- SQL Server query window, to enter data in table, 34
- Sqlcmd command, 321
- SQLiMail90.exe, 241
- SQLServer:Buffer Manager: Buffer Cache Hit Ratio counter, 287
- SQLServer:Buffer Manager: Page Reads/Sec counter, 287
- SQLServer:Buffer Manager: Page Writes/Sec counter, 287
- SQLServer:General Statistics: User Connections counter, 287
- SQLServer:Memory Manager: Total Server Memory (KB) counter, 287
- SQLServer:SQL Statistics: SQL Compilations/Sec counter, 287
- SSIS (SQL Server Integration Services), 264
- Standard Edition of SQL Server 2005, requirements, 3–4
- Standard login, creating, 68–71
- Standard template for Profiler trace, 302
- STANDBY option
 - for log shipping secondary server, 144
- Start menu
 - All Programs ➤ Administrative Tools
 - Computer Management, 66
 - Performance, 288
 - All Programs ➤ Microsoft SQL Server 2005
 - Configuration Tools ➤ SQL Server Configuration Manager, 9, 13

332 statement permissions – UPDATE trigger

- Management Studio, 15
 - Performance Tools ➤ Database Engine Tuning Advisor, 311
 - Performance Tools ➤ Profiler, 308
 - statement permissions, 91
 - STOPAT clause in restore statement, 130
 - stopping SQL Server, 127
 - stored procedure
 - advantage of, 29
 - design and creation, 29–31
 - efficiency in updating, 30
 - testing, 31, 32
 - Stored Procedures event class, 301
 - subscriber in replication, 162
 - permissions, 212
 - push or pull, 167
 - snapshot replication with immediate updating, 165–166
 - transactional replication with immediate updating, 164–165
 - subscribing
 - to merge publication, 222–229
 - to snapshot replication, 206–212
 - to transactional publication, 192–197
 - synchronization schedule
 - for pull subscriptions to merge publication, 225
 - for transactional publication, 195
 - sysadmin fixed server role, 177
 - sysadmin server role, 71
 - sysdatabases system table, 91
 - sys.dm_exec_requests system view, 317, 318
 - System Monitor (Windows), 285–290, 289
 - common counters, 286–287
 - creating alert, 290–293
-
- T**
- table-valued function, 48
 - tables
 - adding to file group, 121–122
 - calculating size, 15
 - creating, 20, 20–21
 - data entry, 34
 - design and creation, 17–23
 - and filegroup backup, 119, 119
 - viewing, 23
 - tail of log, backup of, 132
 - Take Ownership permission, 91
 - target servers, for multiserver jobs, 252
 - TCP port 1433, 319
 - TCP port 1434, 319
 - templates, for Profiler trace, 302
 - temporary backup devices, 106
 - testing
 - alerts, 262–263
 - constraint, 26
 - log shipping, 151–152
 - triggers, 35, 36, 38–39
 - Ticket Granting Ticket (TGT), 64
 - topology design for replication, 171–177
 - central publisher/central distributor, 171, 171–172
 - central subscriber/multiple publishers, 173, 173
 - choosing, 175–177
 - multiple publishers/multiple subscribers, 174, 174
 - remote distribution, 172, 172
 - trace in Profiler, 300–306
 - Trace Properties dialog box, 304, 304, 308, 308
 - trace templates, 302–303
 - tracer token, 235
 - Transact-SQL script, to backup database, 256
 - transaction log files, 13
 - alert for full, 260, 293–296
 - backups, 115–118
 - in Database Maintenance Plan, 270
 - for log shipping, 147
 - checkpoint in, 105
 - log shipping, 144–152
 - and online backups, 105
 - for point-in-time restore, 131
 - problems from full, 116
 - RAID array for, 14
 - and simple recovery, 102
 - time stamps, 130
 - transaction safety, 136
 - transactional consistency in replication, 163
 - transactional replication, 163, 164
 - creating publication, 182–189, 184
 - with immediate updating subscribers, 164–165
 - for remote distribution, 172
 - subscribing to publication, 192–197
 - Transactions event class, 301
 - transformable subscriptions, and queued updating, 167
 - trial version of Enterprise Edition, downloading, 3
 - trigger table, 33
 - triggers
 - DELETE, 36–39
 - INSERT, 32–36
 - INSTEAD OF, 43–47
 - testing, 35, 36
 - UPDATE, 39–42
 - trust relationships, for replication, 177
 - trusted connection to SQL Server, 65
 - TSQL event class, 301
 - TSQL template for Profiler trace, 302
 - TSQL_Duration template for Profiler trace, 302
 - TSQL_Grouped template for Profiler trace, 302
 - TSQL_Replay template for Profiler trace, 303
 - TSQL_SPs template for Profiler trace, 303
 - Tuning template
 - for Profiler trace, 303
 - for workload creation, 307
 - two-phase commit (2PC), 162
-
- U**
- uniqueidentifier column, in replicated table, 218
 - Unix users, Mixed mode authentication for, 65
 - update locks, 316
 - Update permission, 92
 - UPDATE statement, and triggers, 32
 - UPDATE trigger, 39–42

user accounts
 assigning permissions to, 89–96
 creating, 66
 for service, 4
 creating Windows login for, 67–68
 User Configurable event class, 302
 user-defined errors, 259
 user-defined functions, 47–50
 users, access to database, 75–77

V

variable length columns, space required for, 15
verifying
 backups, 111, 118
 prerequisites, 2–9
 pull subscriptions for merge publication, 228–229
 snapshot replication, 211
 snapshot replication publication, 205
vertical partitioning, 162, 213
very large databases (VLDBs), 118
victim, deadlocks and, 316
View Definition permission, 91
view designer, opening, 27

views
 creating, 44
 design and creation, 26–28
 limitation for data update, 43
 for table subset based on area code, 27
VLDBs (very large databases), 118


W

Windows Authentication mode, 64–65
Windows domain account, for SQL Server agents, 177
Windows Event log, writing error to, 33
Windows login, creating, 64–68
Windows Management Instrumentation (WMI) events,
 alert based on, 260, 297–300
Windows System Monitor, 285–290
 creating alert, 290–293
witness server, 136
workload, creating in Profiler, 307–309


Z

ZIP codes, constraint to restrict entry, 24–25


From book smarts to Street Smarts.




ISBN10: 0-470-08348-4
ISBN13: 978-0-470-08348-2 • US \$29.99
November 2006




ISBN10: 0-470-08458-8
ISBN13: 978-0-470-08458-8 • US \$29.99
December 2006



ISBN10: 0-470-08349-2
ISBN13: 978-0-470-08349-9 • US \$29.99
November 2006



ISBN10: 0-470-04724-0
ISBN13: 978-0-470-04724-8 • US \$29.99
August 2006



ISBN10: 0-470-10258-6
ISBN13: 978-0-470-10258-9 • US \$29.99
February 2007

Hit the ground running with the street-smart training you'll find in the new *Street Smarts* series from Sybex. These practical books organize key information around the actual day-to-day tasks and scenarios you'll face in the field—then teach you the hands-on skills you need to complete those tasks. And because the exercises in each book are based upon exam objectives from leading technology certifications, you can also use each *Street Smarts* as a lab manual for certification prep.

Visit www.sybex.com

Wiley, the Wiley logo, and the Sybex logo are registered trademarks of John Wiley & Sons, Inc. and/or its affiliates.