

Index

• A •

<a> and HTML elements, 75, 88, 343
A List Apart Web site, 367
absolute hyperlinks, 75
Access Board (U.S. government agency), 308
accessibility
 Accessibility Report, 309–310
 alternate text for pictures, 113–114, BC10
 guidelines, 308–309
 Web Accessibility Checker, 307, 309–310
activating task panes, 16
active color for hyperlinks, 80
adding. *See also* inserting
 existing files to a Web site, 22–24
 rows/columns to table layouts, 283–284
 Web pages, 30–32
add-ins, 367–368
<address> and </address> HTML elements, 61
addresses, 61
Adobe Photoshop/Photoshop Elements, 108
aligning
 contents of cells in tables, 274
 paragraphs, 63
 tables, 268
 text, 63
alternate text for pictures, 113–114, BC10
anchors, 75
animation, 361
Apply Styles task pane, 14, 177–178
applying style rules, 194
ASP.NET, 21, 136–137
ASP.NET 2 For Dummies (Hatfield), 137
ASP.NET 2.0 Everyday Apps For Dummies (Lowe), 137
assembling a team, BC3

attaching

 Dynamic Web Template (DWT) to a Web page, 293–297
 style sheet to style sheet, 236–237
 style sheet to Web pages, 229–231, 233–235
attributes of HTML elements, 342
audience, BC1–BC2
autofitting contents of tables, 274

• B •

 (bold) HTML element, 52
backgrounds
 background images, 131–133, 276
 table layouts, 284–285
backing up Web sites, 330–332
behaviors
 defined, 100
 Swap Image, 98–100
Behaviors task pane, 100
bevel effect for pictures, 123
block-level HTML elements, 341, 343
<blockquote> and </blockquote> HTML elements, 62
blogs, publicizing Web sites with, 316
<body> HTML element, 340, 343
bold text, 50–52
bookmarks
 code bookmarks, 353–354
 creating, 86–87
 defined, 86
 deleting, 88
 flag icons, 87
 hyperlinks, 87–88
 inserting, 86–87
 removing, 88
 text, 87
borders
 cells (tables), 271–273
 CSS box model, 208–214

- borders (*continued*)
 - pictures, 130–131
 - table layouts, 284–285
 - tables, 271–273
 - text, 64–66
 - box model, 198–199, 208–214
 - Briggs, Owen (*Cascading Style Sheets: Separating Content from Presentation*, Second Edition), 261
 - brightness for pictures, 123
 - bringing pictures forward, 122
 - broken hyperlinks, 81–85, 307
 - Broken Hyperlinks report, 322
 - Brothercake’s Ultimate Drop Down Menu, 98, 362
 - browsers
 - alternative text for pictures, 113
 - browser list, 37–39
 - current statistics, 108
 - doctype, BC8–BC9
 - pop-up windows, 78–79
 - previewing Web pages, 34–39, 307
 - style rules, 56–57
 - title bar, 29
 - browser-safe color palette, 107
 - Building a Web Site For Dummies*, 2nd Edition (Crowder), 361
 - bulleted lists, 67–68
 - Burmeister, Mary (*HTML 4 For Dummies*), 162, 312, 338–339
 - buttons
 - interactive buttons, 94–99
 - Reset button, 153
 - Submit button, 150–153
- C ●
- Cascading Style Sheets. *See* CSS; styles
 - Cascading Style Sheets: Separating Content from Presentation*, Second Edition (Briggs), 261
 - cell padding, 269–270
 - cell spacing, 270
 - cells (tables)
 - aligning contents of, 274
 - background images, 276
 - borders, 271–273
 - colors, 275
 - deleting, 274
 - dimensions, 276–278
 - inserting, 275
 - inserting blank space inside or between, 269–270
 - merging, 274
 - selecting, 266
 - splitting, 275
 - changing dimensions of tables, 266–268
 - character spacing, 60, 62–63
 - check boxes, 143–144
 - check-in/check-out for documents, 324
 - checking spelling, 46, 307
 - class-based style rules, 168–169
 - clearing style rules, 185–186
 - “Click here” phrase, 75
 - clickitis, 108
 - clip art, 105
 - Clipboard, 48
 - closing
 - Expression Web, 25
 - task panes, 16
 - Web pages, 34
 - Web sites, 25
 - closing tags, 338, 342
 - code. *See also* HTML
 - comments, 355–356
 - Compatibility Checker, 307, 311–313
 - formatting, 354–355
 - optimizing, 314, 355
 - code bookmarks, 353–354
 - code snippets, 352–353
 - Code view, 13–14, 345–346
 - Code View toolbar, 350–352
 - collaboration features, 324
 - colors
 - browser-safe, 107
 - cells (tables), 275
 - CSS, 169
 - dithering, 107
 - hexadecimal numbers, 59–60, 169
 - hyperlinks, 79–81
 - pictures, 107, 123
 - text, 58–60
 - Web-safe palette, 107
 - columns (tables)
 - autofitting contents of, 274
 - dimensions, 276–278

- distributing evenly, 274, 278
- inserting, 274
- selecting, 266
- combining task panes, 15–16
- comments
 - in external style sheets, 240–241
 - in HTML code, 355–356
- Common toolbar, 9, 11, 45–46
- Compatibility Checker, 307, 311–313, BC9–BC10
- confirmation page for forms, 157
- content. *See also* text
 - CSS box model, 208–214
 - editable regions, 288, 291–292
 - fixed content, 288
 - HTML elements, 342
 - proofreading, 308
 - table layouts, 284
 - W3C Web Content Accessibility Guidelines (WCAG), 308–309
- contrast for pictures, 123
- converting
 - table into table layout, 281
 - table to text, 278
 - text to table, 263–264
- copying
 - navigation bars, 93
 - style properties to a new style rule, 193
- copyright law, 110, 361
- Corel Paint Shop Pro, 108
- creating
 - bookmarks, 86–87
 - code snippets, 352–353
 - Dynamic Web Template (DWT), 289–290
 - forms, 137–139
 - hyperlinks, 72–75
 - Personal Web Package, 333–334
 - style rules, 187–192
 - style sheets, 228–229
 - subsites, 327–329
 - table layouts, 278–280
 - tables, 262
 - templates, 40–42
 - Web pages, 27–33, 298
 - Web sites, 9, 16–20
- cropping pictures, 121–122
- Crowder, David (*Building a Web Site For Dummies*, 2nd Edition), 361
- CSS. *See also* style rules
 - Apply Styles task pane, 14, 177–178
 - colors, 169
 - CSS Properties task pane, 14, 180–181
 - external styles, 173–175
 - how it works, 164–167
 - hyperlinks, 74
 - importance of simplicity, 70
 - inline styles, 175–177
 - internal (embedded) styles, 171–173
 - Manage Styles task pane, 14, 178–179
 - pseudo classes, 170
 - removing class or an ID from a page element, 186
 - removing styles, 185–186
 - renaming class-based styles, 184–185
 - selectors, 167–170
 - shift toward, 259–260
 - Style Application toolbar, 183
 - Style toolbar, 181–182
 - tables, 261
 - templates, 209
 - tutorials, 366
 - uses of, 162–163
 - validation, BC10
- CSS Errors report, 241–244
- CSS Play Web site, 367
- CSS Pocket Reference*, 2nd Edition (O’Reilly Media, Inc.), 162
- CSS positioning
 - advantages of, 197–198
 - box model, 198–199, 208–214
 - div tags, 198–207
 - document flow, 199, 214–225
 - pictures, 127–129
 - versus table layouts, 260–261
 - tips and tricks, 225–226
- CSS properties
 - `display: inline`, 221
 - `float`, 221–225
 - `padding`, 270
 - `position: absolute`, 225
- CSS Properties task pane, 239
- CSS report, 307
- CSS tutorials, 162, 198, 224
- CSS Usage report, 244–245
- CSS Vault Web site, 369

CSS *Web Design For Dummies*

(Mansfield), 162

CSS Zen Garden Web site, 163–164, 370

customizing toolbars, 11–12

• D •

data tables. *See* tables

`<dd>` and `</dd>` HTML elements, 62

dedicated Web server, 306

defaults

default color for hyperlinks, 80

style rules, 238

defined term/definition, 62

deleting. *See also* removing

bookmarks, 88

cells (tables), 274

code bookmarks, 353–354

comments, 241, 356

files, 329–330

folders, 329–330

hyperlinks, 85

pictures, 124

style rules, 195–196

table layouts, 285

tables, 278

Web sites, 24–25

dependencies, 333–334

deprecated tags, 311

Design view, 13, 345

designing

forms, 141

Web sites, BC1–BC5

destination (hyperlinks)

defined, 72–73

editing, 77–78

pop-up windows, 78–79

detaching

Dynamic Web Template (DWT) from
pages, 301

style sheets from pages, 235–236

DHTML (Dynamic HTML), 100

DHTML tutorial, 100

dimensions

cells (tables), 276–278

columns (tables), 276–278

pictures, 118–119

rows (tables), 276–278

table layouts, 281–283

tables, 266–268

`display: inline` CSS property, 221

distributing rows/columns evenly, 274, 278

dithering, 107

`<div>` HTML element

CSS positioning, 198–207

defined, 343

doctype (document type declaration),

339, 341, BC8–BC9

document check-in/check-out, 324

document flow, 199, 214–225

Download.com Web site, 369

drawing table layouts, 275, 280–281

drop-down boxes, 147–150

drop-down menus, 362

`<dt>` and `</dt>` HTML elements, 62

Dynamic HTML (DHTML), 100

Dynamic Web Template (DWT)

attaching to pages, 293–297

benefits of using, 288–289

creating, 289–290

creating pages from, 298

defined, 19–20

detaching pages from, 301

editable regions, 288, 291–292

fixed content, 288

naming, 290

opening, 299

versus regular templates, 288

saving, 290, 292–293

swapping, 299–300

unique content, 288

updating, 298–299

updating sites with, 298

• E •

e-commerce, 362

editable regions, 288, 291–292

editing

comments, 356

HTML elements, 348–350

hyperlinks, 77–78

pictures, 116–118

style rules, 194–195, 238

editing window, 9, 12–14

element-based style rules, 167–168

elements

`<a>` and ``, 75, 88, 343
`<address>` and `</address>`, 61
attributes, 342
`` (bold), 52
block-level, 341, 343
`<blockquote>` and `</blockquote>`, 62
`<body>`, 340, 343
closing tags, 338, 342
Code View toolbar, 350–352
content, 342
`<dd>` and `</dd>`, 62
defined, 338, 340–342
deprecated tags, 311
`<div>`, 198–207, 343
`<dt>` and `</dt>`, 62
editing, 348–350
`` (emphasis), 51–52, 344
finding, 46, 353
`<form>` and `</form>`, 139
format of, 342
`<head>`, 340
`<h1>` and `</h1>` through `<h6>` and
`</h6>`, 61, 67, 343
`<html>`, 339
`<i>` (italic), 52
``, 76, 344, BC10
inline, 341, 343–344
IntelliSense, 350
`` and ``, 69, 343
nesting, 339
`` and ``, 61, 343
opening tags, 338, 342
`<p>` and `</p>`, 51, 61, 343
`<pre>` and `</pre>`, 61
Quick Tag Editor, 348–349
Quick Tag Selector bar, 14, 51–52, 346–348
replacing, 46, 353, BC9
`` and ``, 56, 59–60
``, 51–52, 343
`<td>` and `</td>`, 265
`<title>` and `</title>`, 340
`<tr>` and `</tr>`, 265
`` and ``, 61, 343
values, 342
`` (emphasis) HTML element, 51–52,
344
em measurement value, 211
e-mail addresses, 76–77

e-mail signature, 316
embedded (internal) styles, 171–173
entering text, 47
excluding unfinished pages from
publishing, 313
exporting Personal Web Package, 333–334
external hyperlinks, 71, 75
external style sheets
attaching to external style sheets, 236–237
attaching to pages, 229–231, 233–235
comments, 240–241
creating, 228–229
defined, 227
detaching from pages, 235–236
formatting style sheet, 249–257
layout style sheet, 248–249
moving style rules to, 173–175, 231–233
Organization 4 template, 246–248

● **F** ●

favorite places, 361
fields (forms)
check boxes, 143–144
defined, 135
drop-down boxes, 147–150
field names, 136, 138
field values, 136, 138
group boxes, 145
inserting, 137–139
option buttons, 145–147
radio buttons, 145–147
required fields, 141
tab order, 140
text areas, 142–143
text boxes, 139–142
file size, 306
File Transfer Protocol (FTP), 313
filename extension, 28
files
deleting, 329–330
dependencies, 333–334
renaming, 325
financial transactions, 362
finding
HTML elements, 46, 353
text, 46
fixed content, 288

- fixed-width fonts, 50
 - fixed-width layout, 217–220
 - fixing broken hyperlinks, 84–85
 - flag icons, 87
 - Flash animation, 361
 - flipping pictures, 122
 - float CSS property, 221–225
 - Floatorial by Max Design, 224
 - Folder List task pane, 30–32
 - folders
 - deleting, 329–330
 - My Web Sites folder, 9, 17
 - renaming, 325
 - subfolders, 31
 - _vti_cnf folder, 323
 - _vti_pvt folder, 323
 - Folders view, 320–321
 - font families, 53–56
 - fonts, 49–56
 - <form> and </form> HTML elements, 139
 - format of HTML elements, 342
 - Format Painter, 49
 - formatting
 - code, 354–355
 - hyperlinks, 74
 - interactive button text, 95–96
 - tables, 275
 - text, 45–46, 49–52
 - formatting style sheet, 249–257
 - Formatting toolbar, 46
 - forms
 - ASP.NET, 136–137
 - check boxes, 143–144
 - confirmation page, 157
 - creating, 137–139
 - designing, 141
 - drop-down boxes, 147–150
 - field names, 136, 138
 - field values, 136, 138
 - fields, 135, 137–139
 - form area, 138
 - form handlers, 136–137, 153–157
 - form results, 136
 - FrontPage Server Extensions, 137
 - group boxes, 145
 - JavaScript, 137
 - option buttons, 145–147
 - previewing, 139
 - radio buttons, 145–147
 - required fields, 141
 - Reset button, 153
 - security, 136
 - Submit button, 150–153
 - tab order of form fields, 140
 - testing, 158
 - text areas, 142–143
 - text boxes, 139–142
 - validating, 137
 - Free Graphics picture collection, 110
 - FrontPage, 362–363
 - FrontPage Server Extensions, 137, 306
 - FTP (File Transfer Protocol), 313
- G •
- GIF format, 106–107, 120–121
 - Google
 - AdSense program, 362
 - Google Free WebSearch and SiteSearch, 360
 - Google Video, 361
 - publicizing your site with, 316
 - graphics. *See* images; pictures
 - group boxes, 145
 - grouping task panes, 15–16
 - guidelines for accessibility, 308
- H •
- Hatfield, Bill (*ASP.NET 2 For Dummies*), 137
 - <head> HTML element, 340
 - headings, 61, 66–67
 - Help, 12, 21
 - hexadecimal numbers for colors, 59–60, 169
 - Holzschlag, Molly E., *The Zen of CSS Design: Visual Enlightenment for the Web (Voices That Matter)*, 370
 - home page, renaming, 326
 - <h1> and </h1> through <h6> and </h6>
 - HTML elements, 61, 67, 343
 - hosting services, 8, 305–307, BC3
 - hotspots
 - image maps, 100–103
 - pictures, 123
 - hover color for hyperlinks, 80
 - HTML. *See also* code
 - comments, 355–356
 - doctype (document type declaration), 339, 341, BC8–BC9

- importance of knowing, 338
- structure of pages, 339–340
- tutorials, 338, 366
- validating, 368, BC10
- well-formed documents, 344–345
- XHTML, 338
- XHTML Transitional, BC8–BC9
- HTML elements
 - `<a>` and ``, 75, 88, 343
 - `<address>` and `</address>`, 61
 - attributes, 342
 - `` (bold), 52
 - block-level, 341, 343
 - `<blockquote>` and `</blockquote>`, 62
 - `<body>`, 340, 343
 - closing tags, 338, 342
 - Code View toolbar, 350–352
 - content, 342
 - `<dd>` and `</dd>`, 62
 - defined, 338, 340–342
 - deprecated tags, 311
 - `<div>`, 198–207, 343
 - `<dt>` and `</dt>`, 62
 - editing, 348–350
 - `` (emphasis), 51–52, 344
 - finding, 46, 353
 - `<form>` and `</form>`, 139
 - format of, 342
 - `<head>`, 340
 - `<h1>` and `</h1>` through `<h6>` and `</h6>`, 61, 67, 343
 - `<html>`, 339
 - `<i>` (italic), 52
 - ``, 76, 344, BC10
 - inline, 341, 343–344
 - IntelliSense, 350
 - `` and ``, 69, 343
 - nesting, 339
 - `` and ``, 61, 343
 - opening tags, 338, 342
 - `<p>` and `</p>`, 51, 61, 343
 - `<pre>` and `</pre>`, 61
 - Quick Tag Editor, 348–349
 - Quick Tag Selector bar, 14, 51–52, 346–348
 - replacing, 46, 353, BC9
 - `` and ``, 56, 59–60
 - ``, 51–52, 343
 - `<td>` and `</td>`, 265
 - `<title>` and `</title>`, 340
 - `<tr>` and `</tr>`, 265
 - `` and ``, 61, 343
 - values, 342
- HTML 4 For Dummies* (Tittel and Burmeister), 162, 312, 338–339
- `<html>` HTML element, 339
- HTML pages. *See* Web pages
- HTML report, 310, 312
- HTML tags. *See* HTML elements
- HTML Tidy tool, BC9
- hyperlinks
 - absolute, 75
 - anchors, 75
 - bookmarks, 87–88
 - broken hyperlinks, 81–85, 307
 - “Click here” phrase, 75
 - colors, 79–81
 - creating, 72–75
 - defined, 7, 71
 - deleting, 85
 - destination, 72–73, 77–79
 - editing, 77–78
 - e-mail addresses, 76–77
 - external, 71, 75
 - fixing broken hyperlinks, 84–85
 - formatting, 74
 - image maps, 100–104
 - images, 74, 76
 - incoming hyperlinks, 323
 - inserting, 72–75
 - interactive buttons, 94–99
 - internal, 71
 - outgoing hyperlinks, 323
 - pop-up windows, 78–79
 - relative, 75–76
 - removing, 85
 - ScreenTips, 77–78
 - source, 72
 - states, 80
 - styles, 74
 - text, 77–78
 - unlinking, 85
 - URLs, 73
 - verifying, 82–84
- Hyperlinks report, 83
- Hyperlinks view, 322–324

• I •

`<i>` (italic) HTML element, 52
 ID-based style rules, 170
 image maps, 100–104
 images. *See also* pictures
 hyperlinks, 74, 76
 interactive buttons, 97–99
 text, 53
`` HTML element, 76, 344, BC10
 importing
 Personal Web Package, 335
 pictures, 110–111
 incoming hyperlinks, 323
 indentation of text/paragraphs, 63–64
 inline HTML elements, 341, 343–344
 inline styles, 175–177
 inserting. *See also* adding
 blank space inside or between table cells,
 269–270
 bookmarks, 86–87
 cells (tables), 275
 code bookmarks, 354
 columns (tables), 274
 comments, 240–241, 355–356
 form fields, 137–139
 hyperlinks, 72–75
 pictures, 109–115
 rows (tables), 274
 tables, 262
 text, 47
 IntelliSense, 239–240, 350
 interactive buttons, 94–99
 interactive forms. *See* forms
 internal (embedded) styles, 171–173
 internal hyperlinks, 71
 intranet, 8, 305
 ISP (Internet Service Provider), 8
 iStockphoto Web site, 369
 italic text, 50–52

• J •

JAlbum photo-archiving Web site, 126
 JavaScript
 Flash animation, 361
 forms, 137
 pop-up windows, 79
 stock scripts, 369

JavaScript For Dummies (Vander Veer),
 79, 137
 JPEG format, 106–107

• L •

layout style sheet, 248–249
 layout tables. *See* table layouts
 Layout Tables task pane, 279
 layouts
 CSS layouts, 209
 fixed-width, 217–220
 proportional-width, 217–221
 table layouts, 127, 259–261, 275, 278–285
 two-column, 221–225
`` and `` HTML elements, 69, 343
 line breaks, 61
 line spacing, 63
 links. *See* hyperlinks
 links bars, 90
 lists
 bulleted lists, 67–68
 navigation bars, 92–93
 nesting, 68–70
 numbered lists, 67–68
 ordered lists, 61, 68
 unordered lists, 61, 68
 load time, 106, 108–109, 124
 local copy, 316
 logos. *See* pictures
 Lopuck, Lisa (*Web Design For Dummies*),
 108, 169
 Lowe, Doug (*ASP.NET 2.0 Everyday Apps
 For Dummies*), 137

• M •

maintaining Web sites, 298, 317–318,
 BC8–BC10
 Manage Styles task pane, 14, 178–179
 Mansfield, Richard (*CSS Web Design For
 Dummies*), 162
 MapKit tool, 361
 MapQuest Web site, 360
 maps, 360–361
 margins
 CSS box model, 208–214
 pictures, 129–130
 markup language, 338. *See also* HTML

Markup Validation Service, 368

Max Design CSS tutorials, 162

measurement values

em, 211

percentages, 211

pixels, 211

menu bar, 9, 11–12

merging cells (tables), 274

metadata, 323

Meyer, Eric (CSS expert), 367

Microsoft

ASP.NET Developer Center, 21

Expression Web Web site, 366

FrontPage, 362–363

Picture Manager, 116

SharePoint, 324

SharePoint Designer 2007, 324

Update service, 9

modifying. *See* editing

monospace fonts, 50

moving

style rules to style sheets,

173–175, 231–233

task panes, 15

toolbars, 12

Web sites, 330–332

multilevel navigation, 98

My Web Sites folder, 9, 17

MyFonts Web site, 368

• N •

naming. *See also* renaming

Personal Web Package, 334

templates, 40

Web pages, 28

navigation bars

copying, 93

defined, 89

drop-down menus, 362

interactive buttons, 94–99

links bars, 90

lists, 92–93

multilevel navigation, 98

site maps, BC3

text-based, 89–92

 (nonbreaking space character), 265

nesting

HTML elements, 339

lists, 68–70

newsgroups, 310, 312, 316

nonbreaking space, 265

numbered lists, 67–68

• O •

Obermeier, Barbara (*Photoshop Elements For Dummies*), 169

 and HTML elements, 61, 343

Older Files report, 321

opening

Dynamic Web Template (DWT), 299

Expression Web, 8–9

Web pages, 33–34

Web sites, 21–22

opening tags, 338, 342

optimizing

code, 314, 355

pictures, 119

option buttons, 145–147

ordered lists, 61, 68

O'Reilly Media, Inc. (*CSS Pocket Reference*, 2nd Edition), 162

Organization 4 template, 246–248

organization templates, 19

organizing

picture files, 116

Web site files, 17

orphan (unlinked) pages, 307

outgoing hyperlinks, 323

• P •

<p> and </p> HTML elements, 51, 61, 343

padding

cell padding, 269–270

CSS box model, 208–214

padding CSS property, 270

Padova, Ted (*Photoshop Elements For Dummies*), 169

page title, 29, 340

pages. *See* Web pages

Paint Shop Pro (Corel), 108

- paragraphs
 - alignment, 62–63
 - borders, 64–66
 - character spacing, 62–63
 - defined, 61
 - indentation, 62–64
 - line spacing, 62–63
 - shading, 66
 - styles, 61–62
- parent Web site, 327
- pasting text, 48
- PayPal, 362
- percentage measurement value, 211
- personal templates, 19
- Personal Web Package
 - creating, 333–334
 - exporting, 333–334
 - importing, 335
 - naming, 334
 - uses of, 332
- photo galleries, 126
- photos. *See* pictures
- Photoshop (Adobe), 108
- Photoshop Elements (Adobe), 108
- Photoshop Elements For Dummies* (Obermeier and Padova), 169
- Picasa photo-archiving Web site, 126
- Picture Manager, 116
- pictures. *See also* images
 - alternate text, 113–114, BC10
 - background images, 131–133, 276
 - bevel effect, 123
 - borders, 130–131
 - brightness, 123
 - bringing forward, 122
 - clip art, 105
 - colors, 107, 123
 - contrast, 123
 - copyright law, 110
 - cropping, 121–122
 - CSS positioning, 127–129
 - deleting, 124
 - display dimensions, 118–119
 - editing, 116–118
 - flipping, 122
 - Free Graphics picture collection, 110
 - GIF format, 106–107, 120–121
 - hotspots, 123
 - importing, 110–111
 - inserting, 109–115
 - JPEG format, 106–107
 - load time, 106, 108–109, 124
 - margins, 129–130
 - optimizing, 119
 - organizing picture files, 116
 - photo galleries, 126
 - PNG format, 106–107
 - positioning, 127–129
 - preparing, 108
 - resampling, 119
 - restoring to original state, 123
 - rotating, 122
 - saving, 115
 - sending back, 122
 - sources of, 110
 - special effects, 122–123
 - stock photos, 369
 - Submit button, 151–153
 - table layout positioning, 127
 - tables, 264–265
 - thumbnails, 124–126
 - tiled background images, 131–133
 - transparent GIFs, 120
- Pictures toolbar, 112, 122
- pixels measurement value, 211
- Platial's MapKit tool, 361
- PNG format, 106–107
- pop-up windows, 78–79
- `position: absolute` CSS property, 225
- positioning with CSS
 - advantages of, 197–198
 - box model, 198–199, 208–214
 - `<div>` elements, 198–207
 - document flow, 199, 214–225
 - pictures, 127–129
 - versus table layouts, 260–261
 - tips and tricks, 225–226
- `<pre>` and `</pre>` HTML elements, 61
- preformatted paragraphs, 61
- preparing pictures, 108
- previewing
 - forms, 139
 - Web pages in browsers, 34–39, 307
- print advertising, for publicizing
 - Web sites, 317
- proofreading, 308
- properties. *See* CSS properties
- proportional fonts, 50

proportional-width layout, 217–221
 pseudo classes, 170
 publicizing Web sites, 316–317
 Publish Status report, 313
 publishing Web sites
 Compatibility Checker, 307, 311–313
 defined, 305
 excluding unfinished pages, 313
 file size, 306
 intranet, 8, 305
 local copy, 316
 proofreading, 308
 publishing address, 313–314
 step-by-step directions, 313–315
 testing process, 307
 Web Accessibility Checker, 307, 309–310
 Web server, 7–8, 305–307

• Q •

Quick Tag Editor, 348–349
 Quick Tag Selector bar, 14, 51–52, 346–348
 quotes, 62

• R •

radio buttons, 145–147
 relative hyperlinks, 75–76
 Remote Web Site view, 324
 removing. *See also* deleting
 bookmarks, 88
 class or an ID from a page element, 186
 hyperlinks, 85
 styles, 185–186
 text formatting, 49
 renaming
 class-based styles, 184–185
 files, 325
 folders, 325
 home page, 326
 Web sites, 326–327
 replacing
 HTML elements, 46, 353, BC9
 text, 46
 reports
 Accessibility Report, 309–310
 Broken Hyperlinks report, 322
 CSS Errors report, 241–244

CSS report, 307
 CSS Usage report, 244–245
 HTML report, 310, 312
 Hyperlinks report, 83
 Older Files report, 321
 Publish Status report, 313
 Site Summary report, 321
 Slow Pages report, 307, 321–322
 Style Sheet Links report, 246
 switching between, 321
 traffic reports, 318
 Unlinked Files report, 307, 322
 Reports view, 321–322
 required fields in forms, 141
 resampling pictures, 119
 Reset button, 153
 resetting task pane layout, 16
 resources. *See also* tutorials
 CSS Play Web site, 367
 CSS Vault Web site, 369
 CSS Zen Garden Web site, 163–164, 370
 Download.com Web site, 369
 Expression Web tutorial, 365
 iStockphoto Web site, 369
 A List Apart Web site, 367
 MapKit tool, 361
 MapQuest Web site, 360
 Markup Validation Service, 368
 Microsoft Expression Web Web site, 366
 MyFonts Web site, 368
 PayPal, 362
 Rollyo Web site, 360
 scripts, 369
 themed Web site templates, 368
 Ultimate Drop Down Menu (Brothercake),
 98, 362
 Webmonkey Web site, 366
 W3schools, 366
 XAKT Media, 367
 YouTube video-sharing Web site, 361
 restoring pictures to original state, 123
 Rollyo tool, 360
 rotating pictures, 122
 rows (tables)
 autofitting contents of, 274
 dimensions, 276–278
 distributing evenly, 274, 278
 inserting, 274
 selecting, 266

• S •

- sans serif fonts, 50
- saving
 - Dynamic Web Template (DWT), 290, 292–293
 - pictures, 115
 - Web pages, 28–30
 - Web sites, 17–18
- “scraper” programs, 76
- ScreenTips for hyperlinks, 77–78
- scripts, 369
- search bar, 360
- search engines, 316
- searchrolls, 360
- Section 508 standards for accessibility, 308–309
- security
 - forms, 136
 - “scraper” programs, 76
 - spammers, 136
- selecting parts of tables, 266
- selectors, 167–170
- sending pictures back, 122
- serif fonts, 50
- shading, 66
- shared Web server, 306
- SharePoint Designer 2007 (Microsoft), 324
- SharePoint (Microsoft), 324
- Shea, Dave, *The Zen of CSS Design: Visual Enlightenment for the Web (Voices That Matter)*, 370
- showing table layouts, 275
- site maps, BC3
- Site Summary report, 321
- sites. *See* Web sites
- Slow Pages report, 307, 321–322
- small business templates, 19
- small caps text, 50
- snippets, 352–353
- source (hyperlinks), 72
- sources of pictures, 110
- spacing
 - cell spacing, 270
 - character spacing, 60, 62–63
 - line spacing, 63
 - nonbreaking space, 265
- spammers, 136
- `` and `` HTML elements, 56, 59–60
- special effects for pictures, 122–123
- spell checking, 46, 307
- Split view, 14
- splitting cells (tables), 275
- Standard toolbar, 11
- starting
 - Expression Web, 8–9
 - Help, 12
- states of hyperlinks, 80
- statistics about browsers, operating systems, and monitors, 108
- status bar, 9, 16
- stock photos, 369
- stock scripts, 369
- strikethrough text, 50
- `` HTML element, 51–52, 343
- structure of HTML pages, 339–340
- Style Application toolbar, 183
- style rules
 - applying, 194
 - class-based, 168–169
 - clearing, 185–186
 - copying style properties to a new rule, 193
 - creating, 187–192
 - defaults, 238
 - defined, 56–57
 - deleting, 195–196
 - editing, 194–195, 238
 - element-based, 167–168
 - ID-based, 170
 - IntelliSense, 239–240
 - moving to style sheets, 173–175, 231–233
 - parts of, 168
- Style Sheet Links report, 246
- style sheets
 - attaching to pages, 229–231, 233–235
 - attaching to style sheets, 236–237
 - comments, 240–241
 - creating, 228–229
 - defined, 227
 - detaching from pages, 235–236
 - formatting style sheet, 249–257
 - layout style sheet, 248–249
 - moving style rules to, 173–175, 231–233
 - Organization 4 template, 246–248

Style toolbar, 181–182
styles. *See also* style rules
 Apply Styles task pane, 14, 177–178
 CSS Properties task pane, 180–181
 external styles, 173–175
 hyperlinks, 74
 importance of simplicity, 70
 inline styles, 175–177
 internal (embedded) styles, 171–173
 Manage Styles task pane, 14, 178–179
 removing, 185–186
 removing class or an ID from a page element, 186
 renaming class-based styles, 184–185
 Style Application toolbar, 183
 Style toolbar, 181–182
 tables, 261, 275
 templates, 209
subfolders, 31
Submit button, 151–153
Submit button for form processing, 150
subscript text, 50
subsites
 creating, 327–329
 defined, 327
 Folders view, 321
superscript text, 50
Swap Image behavior, 98–100
swapping Dynamic Web Template (DWT), 299–300
switching
 reports, 321
 views, 319

• T •

tab order of form fields, 140
table layouts
 adding rows/columns, 283–284
 backgrounds, 284–285
 borders, 284–285
 content, 284
 converting tables into table layouts, 281
 creating, 278–280
 versus CSS positioning, 260–261
 deleting, 285
 dimensions, 281–283
 drawing, 275, 280–281
 Layout Tables task pane, 279

 pictures, 127
 shift to CSS, 259–260
 showing, 275
tables. *See also* cells (tables); columns (tables); rows (tables)
 aligning, 268
 autofitting contents of, 274
 background images, 276
 borders, 271–273
 cell padding, 269–270
 cell spacing, 270
 converting into table layouts, 281
 converting table to text, 278
 converting text to table, 263–264
 creating, 262
 data entry, 264–265
 deleting, 278
 dimensions, 266–268
 distributing rows/columns evenly, 274, 278
 formatting, 275
 inserting, 262
 inserting blank space inside or between table cells, 269–270
 pictures, 264–265
 selecting entire table, 266
 selecting parts of tables, 266
 styles, 261, 275
 text, 263–265, 278
 wrapping text around, 269
Tables toolbar, 273–275
Tag Properties task pane, 14, 183
tags. *See* elements
target audience, BC1–BC2
task panes
 activating, 16
 Apply Styles task pane, 14, 177–178
 Behaviors task pane, 100
 closing, 16
 CSS Properties task pane, 14, 180–181, 239
 defined, 9, 14
 Folder List task pane, 14
 grouping, 15–16
 Layout Tables task pane, 279
 Manage Styles task pane, 14, 178–179
 moving, 15
 resetting layout, 16
 Tag Properties task pane, 14, 183
 Toolbox task pane, 14, 138–139

- <td> and </td> HTML elements, 265
- team
 - assembling, BC3
 - collaboration features, 324
- templates
 - benefits of using, 288–289
 - creating, 40–42
 - CSS layout templates, 209
 - Dynamic Web Template (DWT), 19–20, 288–301
 - fixed content, 288
 - naming, 40
 - Organization 4 template, 246–248
 - themed Web site templates, 368
 - unique content, 288
 - Web pages, 39–42
- testing
 - forms, 158
 - Web sites, 307
- text. *See also* content
 - addresses, 61
 - alignment, 63
 - blockquotes, 62
 - bold, 50–52
 - bookmarks, 87
 - borders, 64–66
 - character spacing, 60, 62–63
 - checking spelling, 307
 - colors, 58–60
 - Common toolbar, 45–46
 - converting table to text, 274
 - converting text to table, 263–264
 - defined term/definition, 62
 - entering, 47
 - finding, 46
 - font families, 53–56
 - fonts, 49–56
 - Format Painter, 49
 - formatting, 45–46, 49–52
 - Formatting toolbar, 46
 - headings, 61, 66–67
 - hyperlinks, 77–78
 - images, 53
 - indentation, 63–64
 - inserting, 47
 - italic, 50–52
 - line breaks, 61
 - line spacing, 63
 - lists, 61, 67–70
 - paragraphs, 61–64
 - pasting, 48
 - proofreading, 308
 - removing formatting, 49
 - replacing, 46
 - shading, 66
 - small caps, 50
 - spell checking, 46
 - strikethrough, 50
 - style rules, 56–57
 - subscript, 50
 - superscript, 50
 - tables, 263–265, 278
 - text size, 57–58
 - thesaurus, 46
 - underline, 50
 - wrapping around a table, 269
- text areas in forms, 142–143
- text boxes, 139–142
- text-based navigation, 89–92
- themed Web site templates, 368
- thesaurus, 46
- third-party extensions, 367–368
- thumbnails, 124–126
- tiled background images, 131–133
- <title> and </title> HTML elements, 340
- title bar (browsers), 29
- Tittel, Ed (*HTML 4 For Dummies*), 162, 312, 338–339
- toolbars
 - Code View toolbar, 350–352
 - Common toolbar, 9, 11, 45–46
 - customizing, 11–12
 - Formatting toolbar, 46
 - moving, 12
 - Pictures toolbar, 112, 122
 - Standard toolbar, 11
 - Style Application toolbar, 183
 - Style toolbar, 181–182
 - Tables toolbar, 273–275
 - viewing, 11
- Toolbox task pane, 14, 138–139
- tools
 - Compatibility Checker, 307, 311–313, BC9–BC10
 - HTML Tidy, BC9
 - MapKit, 361
 - Rollyo, 360

validators, BC10
 Web Accessibility Checker, 307, 309–310
 <tr> and </tr> HTML elements, 265
 traffic reports, 318
 transferring files, 313
 transparent GIFs, 120–121
 tutorials
 CSS, 162, 198, 224, 366
 DHTML, 100
 Expression Web, 365
 Floatorial by Max Design, 224
 HTML, 338, 366
 two-column layout, 221–225

• U •

 and HTML elements, 61, 343
 Ultimate Drop Down Menu (Brothercake),
 98, 362
 underline text, 50
 unique content, 288
 Unlinked Files report, 307, 322
 unlinked (orphan) pages, 307
 unlinking hyperlinks, 85
 unordered lists, 61, 68
 updates, 9
 updating Dynamic Web Template
 (DWT), 298–299
 updating Web sites, 298, 317–318,
 BC8–BC10
 URLs, 73
 U.S. Copyright Office, 361
 user-input forms. *See* forms
 users
 clickitis, 108
 target audience, BC1–BC2
 traffic reports, 318

• V •

validating
 CSS, BC10
 forms, 137
 HTML, 368, BC10
 values in HTML elements, 342
 Vander Veer, Emily A. (*JavaScript For
 Dummies*), 79, 137
 verifying hyperlinks, 82–84

video, 361
 viewing toolbars, 11
 views
 Code view, 13–14, 345–346
 Design view, 13, 345
 Folders view, 320–321
 Hyperlinks view, 322–324
 Remote Web Site view, 324
 Reports view, 321–322
 switching between, 319
 Web Site tab, 319–320
 visited color for hyperlinks, 80
 visitors
 clickitis, 108
 target audience, BC1–BC2
 traffic reports, 318
 _vti_cnf folder, 323
 _vti_pvt folder, 323

• W •

WaSP (Web Standards Project), 366
 Web Accessibility Checker, 307, 309–310
 Web browsers. *See* browsers
 Web components from FrontPage, 362–363
Web Design For Dummies (Lopuck),
 108, 169
 Web Design Group's CSS tutorials, 162
 Web hosting services, 8, 305–307, BC3
Web Marketing For Dummies
 (Zimmerman), 317
 Web pages
 adding, 30–32
 attaching Dynamic Web Template
 (DWT), 293–297
 attaching style sheets, 229–231, 233–235
 basing on Dynamic Web Template
 (DWT), 298
 closing, 34
 creating, 27–33, 298
 creating from Dynamic Web Template
 (DWT), 298
 detaching from Dynamic Web Template
 (DWT), 301
 detaching from style sheet, 235–236
 filename extension, 28
 naming, 28
 opening, 33–34

- Web pages (*continued*)
 - orphan (unlinked) pages, 307
 - page title, 29, 340
 - previewing in browsers, 34–39, 307
 - saving, 28–30
 - templates, 39–42
 - Web server, 7–8, 305–307
 - Web Site tab, 319–320
 - Web sites
 - adding existing files to, 22–24
 - backing up, 330–332
 - closing, 25
 - creating, 9, 16–20
 - deleting, 24–25
 - designing, BC1–BC5
 - maintaining, 298
 - moving, 330–332
 - opening, 21–22
 - organizing sites' files, 17
 - parent Web site, 327
 - publicizing, 316–317
 - publishing, 7–8, 305–316
 - renaming, 326–327
 - saving, 17–18
 - subsites, 321, 327–329
 - updating, 298
 - Web Standards Project (WaSP), 366
 - Webmonkey Web site, 366
 - Web-safe color palette, 107
 - well-formed documents, 344–345
 - Wikipedia, 21
 - Windows Clipboard, 48
 - word-of-mouth, for publicizing
 - Web sites, 317
 - workgroup features, 324
 - workspace, 10
 - World Wide Web Consortium (W3C), 113, 308, 366, 368
 - wrapping text around a table, 269
 - W3schools, 162, 366
 - WYSIWYG (What You See Is What You Get), 34
- X •
- XAKT Media, 367
 - XHTML, 338. *See also* HTML
 - XHTML Transitional, BC8–BC9
- Y •
- Yahoo!, 316
 - YouTube video-sharing Web site, 361
- Z •
- The Zen of CSS Design: Visual Enlightenment for the Web (Voices That Matter)*, (Shea and Holzschlag), 370
 - Zimmerman, Jan (*Web Marketing For Dummies*), 317