

INDEX

- Accelerated failure time models, 188
- Adjusted coefficient of determination, 10
 - calculation, 10
- Adjusted coefficient of variation, 7
 - definition, 7
- Airlines data, 112, 115, 117, 119, 121, 122, 124, 126, 127, 128, 206
 - fixed/random effects model, covariance matrices, 128
 - fixed time effects analysis, 121
 - using Proc GLM, 122
 - firm effects analysis, 124
 - using Proc GLM, 126
 - groupwise heteroscedasticity estimators, 209
 - HCCME estimators, 220
 - least squares residuals, 206
 - comparison, 207
 - likelihood ratio test, 206
 - LSDV estimation
 - using Proc GLM, 119
 - using Proc IML, 115
 - using Proc panel, 117
 - using OLS calculations, 117
 - mean of residuals, 127
 - pooled regression model, 112
 - summary statistics, 254
 - temporary SAS data set, 208
 - time series plot, 206
 - regression, dummy variables, 48
- Analysis of variance (ANOVA) techniques, 2, 5, 6, 12, 13, 45, 58
 - table, 12, 13, 58
- ARCH(1) model, 88
 - process, 89, 91
- ARCH(q) process, 89
 - unconditional variance, 89
- Arellano–Bond GMM estimator, 224
 - first-step estimator, 222
 - second-step estimator, 222
- Asymptotic covariance matrix, 65, 114, 234
- Asymptotic variance, 116
- Asymptotic variance-covariance matrix, 57
- Attrition models, 153
- Autocorrelation process, 93–96
 - detection, 96–101
 - Durbin–Watson test, 96
 - Lagrange multiplier test, 97
 - first-order, 96
 - occurrence, 93
 - ordinary least square (OLS) estimation problems, 94–95
 - parameters, 101, 102
 - FGLS estimation method, 101
 - GLS estimation method, 101
 - second-order, 96, 102, 104
- Autoregressive conditional heteroscedastic models (ARCH)
 - 44, 87–92
 - generalized ARCH models, 44, 89
 - process, 88, 91
 - testing effects, 90–92
- Autoregressive autocorrelation model (AR) 101–109
 - AR(2) model, residuals, 102–105, 108, 109
 - first-order autocorrelation model (AR1) 94
 - fitness procedure, 101
 - Proc autoreg, 101
 - SAS usage, 101
- Autoregressive moving average process, 88
- Bartlett test statistic, 207
 - variance comparison, 207

- BHHH methods, algorithm, 192
- Binary response models, 154
- Bootstrap estimation method, 262, 267
 - calculating standard errors, 264
 - cumulative distributions, plot diagram, 263
 - estimation technique, 262
 - in regression analysis, 265
 - in SAS, 264
 - lower/upper confidence limit, 263
 - OLS estimates, 271
 - Proc Univariate statements, 265
- Bootstrapped regression analysis, 267–269
 - gasoline consumption data, 269
 - residuals method, 266, 268
 - SAS, 267
- Breusch–Pagan Lagrange multiplier test, 76, 78–80, 129
 - credit card expenditure data, 80
- Central limit theorem, 5
- Ceteris paribus condition, 2
- Chi-square test, 191
 - distribution, 97, 207
 - table, 66
 - values, 189
- Chow test static, 40, 41, 42
 - by Proc model, 42
 - structural break in gasoline data, 42–43
 - p value, 40, 41
- Classical regression model, spherical disturbances assumption, 71
- Cobb–Douglas model, 34, 35, 37
 - production data, 35
 - regression analysis, 35, 37
 - SAS code, 35
- Coefficient of determination, 10, 14
 - calculation, 10
- Coefficient of variation, 13, 51
 - definition, 13
- Combined gasoline consumption data,
 - regression analysis, 41
- Complex panel data models, 116
 - autocorrelation violations, 116
 - dynamic panel data models, 116
 - heteroscedasticity violations, 116
- Conditional probabilities, 173
 - calculation, 173
- Confidence interval, 7–8, 18, 189
- Consumer price index (CPI), 9, 14
 - inflation rate, 14
- Cook’s D statistic, definition, 20
- Cook’s statistic, *See* Cook’s D statistic
- Correlation, 15, 16
 - b/w variables, 16
 - coefficients, 25
 - matrix, 26
 - nature of, 15
 - scatter plots, 15
- Covariance matrix, 95, 125, 128
 - construction, 95
 - diagonal elements, 125
- Cox’s proportional hazard models, 190
- CPI, *See* Consumer price index
- Credit card expenditure data, 203
 - ALPHA vs. likelihood value plot, 281
 - Breusch–Pagan Lagrange multiplier test, 279
 - FGLS estimators, 280
 - GLS estimator, 283
 - heteroscedasticity, 278
 - iterative FGLS estimators, 203
 - maximum likelihood estimations (MLEs) parameters, 284
 - regression analysis, 205
 - White’s test, 278
- Cross-equation correlation, 1, 140
- Cross-model covariance matrix, 140
 - diagonal elements of, 140
- Cumulative distribution function (CDF), 170
- Cumulative hazard rate function, 171
- CUSUM test, 41–45
 - critical values, 43
 - definition, 43
 - gasoline consumption data, 44, 45
 - plot, 45
 - procedure, 41
- Data matrix, 7, 10
- Data plotting, 15–16
- Data set, 47
- Data testing, 38
 - for structural breaks, 38
 - linear restriction hypothesis test, 38
- Davidson/MacKinnon’s estimator, 81
 - DM1 versions, 83
 - DM2 versions, 83
- Definite matrix, 53
- Degrees of freedom, 6, 13, 29, 65, 91
 - model, 10, 50
 - $n-k$, 29
- Dependent variable, 6, 18
 - predictions of, 18–21
- Determinants, 241
 - definition, 241
 - properties of, 241
- Direct marketing companies, 153
- Discrete choice models, 153
 - binary response models, 154
 - parameters interpretation, 155
 - shortcomings, 154
- Discrete random variable, 153
- Disturbance vector, 114
- Dummy variables, 45
 - estimators, 72, 113
 - in models, 45–51
 - model, 114
 - vector, 114
- Duration analysis, 169, 178
 - distribution functions, 178–186
 - exponential distribution, 179
 - lognormal distribution, 184
 - Weibull distribution, 179

- Durbin–Watson statistic test, 91, 96, 97, 101, 102
 - Box and Pierce’s test (B&P), 97
 - error sums of squares, 90
 - Ljung’s modification, 97
 - mean sums of squares, 90
 - serial correlation, 90
- Dynamic panel data models, 220
 - dynamic panel data estimation, 221
 - generalized methods of moments
 - estimation (GMM), 220
 - estimation technique, 221
 - with explanatory variables, 223
- Earning’s equation model, 47
 - data matrix, 47
 - dummy variable, 47
- Elasticity, 2
 - definition, 2
 - vs. marginal effect, 2
- Endogeneity, alternative hypothesis, 64
- Engle’s ARCH model, *See* ARCH(1) model
- Error sums of squares (SSE), 4, 78
- Explanatory variables, 2, 3, 24, 45, 54, 55, 70, 71, 75, 110, 111, 114, 118, 129
 - categories, 45
 - estimation, 71
 - feasible generalized least squares (FGLS)
 - estimators, 71
 - generalized least squares (GLS)
 - estimators, 71
 - measurement errors, 54, 55
 - revisited estimation, 80
 - types, 110
 - observed/controllable, 110
 - unobserved/uncontrollable, 110
- Exponential distribution, 179, 183
 - hazard function, 179, 183
 - probability density function, 179
 - survival function, 179, 183
- Extra variable model, 7
 - sums of squares of error, 7
- F -statistic value, 13, 25, 30, 64, 121
 - formula, 29, 34, 37, 39
 - critical value, 37
 - Proc IML use, 29
 - hypothesis tests, 13
- Failure times/censoring, 169–170
- Feasible generalized least squares (FGLS), 134
 - asymptotic covariance matrix, 134
 - cross-equation covariance, 140
 - estimation, 84, 87, 88
 - by credit card data, 87, 88
 - estimator, 86, 102, 232
 - cross-sectional correlation, 232
 - general procedure, 86
 - Proc Reg output, 86
 - SAS step, 86
 - standard errors, 233
- Grunfeld’s investment data set, 134, 135
- OLS residuals, 134
- Fitted/full model, 93
 - degree of autocorrelation, 93
 - residuals, 93
- Fixed effects model, 113–123
 - estimation methods, 113
 - between-group effects approach, 113
 - least squares dummy variable approach, 113
 - within-group effects approach, 113
 - Proc GLM, 118
- Frisch–Waugh theorem, 6, 114
- GARCH model, 89–91
 - effects, 91
 - principle, 90
 - unconditional variance, 90
- Gasoline consumption data, 38, 94, 98, 99, 100, 101, 103, 104, 105, 107, 108, 109
 - AR(1) model, 100
 - iterated FGLS estimates, 107
 - output, 100, 101
 - AR(2) model, 101, 104, 105
 - iterated FGLS estimates, 108
 - MLE estimates, 103, 105
 - output, 101
 - AR models, residuals comparison, 109
 - autocorrelation, 98, 99
 - Durbin–Watson statistics, 98
 - Proc Autoreg detecting method, 98, 99
 - full model residuals, 94
 - time series plot, 94
 - independent variables, 26
 - Proc Corr output, 26
 - model, 93
 - multicollinearity output, 25
 - OLS vs. AR(2) models, 109
 - residuals comparison, 109
 - reduced model residuals, 94
 - time series plot, 94
 - regression analysis, 39, 40
- Gauss–Markov theorem, 5
- Generalized least squares (GLS) estimation technique, 86, 133
 - estimator, 96
- Generalized methods of moments estimation (GMM), 148, 220
 - Arellano–Bond, 224
 - cigar.txt panel data, 222
 - dynamic panel data models, 220, 221
 - estimators, 150
 - 2SLS, 151
 - labor equation, 150
 - weight matrix, 151
 - White’s estimator, 151
 - explanatory variables, 223
 - optimal weight matrix, 221

- General linear hypothesis, 27, 28, 29
 - hypothetical model, 27
 - least squares estimator, 28
 - restriction equation, 27
 - SAS use, 29
 - testing, 33
 - Proc Reg output, 34
 - variance-covariance matrix, 28
- General panel data model, 111, 120
- GNP, *See* Gross national product
- Goldfeld–Quandt tests, 78
 - explanatory variable, 78
- Good fit model, 25
- Goodness-of-fit statistics, 6–7, 185
 - adjusted coefficient of determination, 6
 - assessment method, 185
 - Proc Lifereg, 185
 - coefficient of determination, 6
 - definition, 6
- Gross national product, 9
- Group-specific mean square errors, 207
- Groupwise heteroscedasticity estimator, 205, 209
 - airlines data analysis, 205
 - airlines data set, 208, 209
 - assumption for model, 208
 - Chi-squared distribution, 207
 - homoscedasticity assumption, 205
 - likelihood ratio test, 206
 - mean square error (MSE), 207
 - using Harvey’s multiplicative heteroscedasticity approach, 210
- Grunfeld data analysis, 136
 - using Proc Syslin SUR, 136–140
- Grunfeld data set, 134, 135, 228
 - FGLS estimator, 229
 - FGLS pooled estimators, 228
 - pooled OLS regression, 135
 - Proc Syslin SUR, 136
- Grunfeld investment model, 1
- Harvey’s multiplicative heteroscedasticity, 204, 208
 - MLE estimates, 204
 - single parameter, 204
 - model parameters estimation, 204
 - variance-covariance matrix, 205
- Hausman analysis, 65
 - by Proc IML, 65
 - consumption data, 65
- Hausman’s specification test, 61, 64–69, 128–130
 - by Proc model, 66–69
 - consumption data, 66
 - generation, 129
- Hausman–Taylor estimator, 210
 - coefficients estimates, 212
 - endogenous/exogenous variables, 210
 - for random effects model, 210
 - instrumental variables, 212
 - Proc IML, 218
 - Proc model output, 216–217
- PSID, 212
 - random effects and LSDV model, 212
 - standard errors, 218
 - steps, 211
 - wages equation, 219
- Hazard function, 170–178
 - definition, 170
- HCCME estimators, 82
 - credit card data, 82
 - OLS estimate of covariance matrix, 219
- Heteroscedasticity, 70, 71, 72, 74, 76, 78, 91
 - detection, 72, 74
 - formal hypothesis tests, 74–80
 - least squares residuals, 72
 - residual plots, 78
 - testing, 91
 - nominal exchange data, 91
 - variance-covariance matrix, 71
- Heteroscedastic variance, 22
 - funnel-shaped graph, 22
- Homoscedasticity, 80, 207
 - null hypothesis, 80, 207
- Human’s specification test, 151
 - exogenous/endogenous variable, 151
 - OLS/2SLS estimates, 152
 - Proc model procedure, 151
- Hypothesis testing, 7–8, 27, 28, 39
 - confidence intervals, 8
 - linear restrictions, 28
 - regression coefficient, 8
- Idempotent matrices, 243
 - definition, 243
 - econometrics, 243
- Identity matrix, 240
 - definition, 240
 - properties, 240
- Independent disturbances, 93
 - assumption, 93
- Independent regressions, 78
- Independent variables, *See* Explanatory variables
- Inflation rate, 14, 15
 - definition, 14
- Instrumental variables, 52, 55, 56
 - estimation of, 55–60
 - covariance matrix, 56
 - data matrix, 60
 - standard error, 58, 60
 - data matrix, 56
 - least squares model, 55
 - matrix, 56
 - exper*, 56
 - exper*², 56
 - motheduc*, 56
 - regression, 58
- Instrumental variables analysis, 58
 - Proc Syslin, 58
 - earning data, 58

- Insurance companies, 153
- Inverse matrix, 242
 - construction of, 242
 - definition, 242
 - Proc IML, 243
 - properties of, 242
- Investment equation model, 14, 17
 - complete data set, 14
 - correlation analysis, 17
- Investment equation regression analysis, 21
- Iterative FGLS estimation, 202
 - credit card expenditure data, 203
 - estimation process, steps, 203
 - estimators, 202
 - heteroscedasticity, 202
 - Joint distribution, 202
 - log-likelihood function, 203
 - maximum likelihood estimation, 202
 - OLS residuals, 202
 - two-step estimation process, 202
- Kaplan Meier method, 172
 - survival function, 176
 - bar graph, 176
- Kronecker products, 244
 - econometric data analysis, 244
 - FGLS estimation, 244
 - properties of, 244
- Lagrange multiplier test (LM), 79, 90, 97, 129, 192
 - ARCH(q) effects, 90
 - steps, 90
- Least squares dummy variable (LSDV) model, 113, 114, 116, 118
 - coefficient of determination, 118
 - disadvantage, 113
 - error degrees of freedom, 118
 - parameter estimation, 116
 - OLS, 116
 - root mean square, 118
- Least squares estimation method, 1, 4, 55, 96, 125
 - parameters, 96
 - FGLS, 96
 - iterated FGLS, 96
 - MLE, 96
- Least squares estimator, 4, 5, 24, 30, 39, 52, 53, 71, 80, 102
 - asymptotic normality, 5
 - consistency, 4
 - correlation, 24
 - instrumental variables estimator, 57
 - probability limits, 52
 - unrestricted, 39
 - variance, 24
- Least squares theory, 3–5
- Linear functions, derivatives, 247
- Linear model(s), 2, 6, 53, 70, 71, 89
 - assumptions, 2
 - conditional expectation, 53
 - disturbance vector, 70
 - symmetric matrix, 71
 - variance, 70
- Linear regression, 72
- Linear restriction hypothesis, 28
 - F statistic, 28
- Log-likelihood function, 203
 - credit card data set plot, 89, 204
 - values, 89
- Log-log model, 2
 - marginal effect, 2
- Lognormal distribution, 184, 185
 - cumulative density function, 184
 - hazard functions, 184, 185
 - bar graph, 185
 - probability density function, 184
 - survival functions, 184, 185
 - bar graph, 185
- Marginal effects, 2
- Matrix, 237
 - addition and subtraction operations, 238
 - definitions, 237
 - diagonal matrix, 238
 - identity matrix, 238
 - multiplication operations, 239
 - properties of, 245
 - rank, 245
 - definition, 245
 - full rank, 245
 - properties of, 245
 - scalar multiplication operations, 238
 - square matrix, 238
 - trace,
 - definition, 241
 - properties of, 242
 - transpose of, 240
- Matrix algebra, 239, 246
 - associative laws, 239
 - commutative laws of addition, 239
 - differential calculus, 246
 - Hessian matrix, 246
 - Jacobian matrix, 246
 - simple linear function derivatives, 246
 - distributive laws, 239
- Maximum likelihood estimation (MLE), 86, 206
 - multivariate value, 206
- Mean intervals, 20
 - for investment equation data, 18–19
 - prediction graphs, 18
 - Proc Reg output, 20
- Mean square error, 13, 28, 207, 211, 268
- Model of interest, 46
- Mroz2, *See* Temporary SAS data set
- Multicollinearity, 24–26
 - degree of correlation, 24
 - p values, 25
 - sets of statistics, 24

- Multiple linear regression model, 1, 3, 4
 - matrix form, 3
- Newton–Raphson method, 157–163, 192
 - algorithm, 157
 - for Logit model, 157–163
- Nonspherical disturbances, 70, 71
 - autocorrelation, 70
 - heteroscedasticity, 70
- Null hypothesis, 6, 8, 13, 29, 30, 32, 61, 62, 65, 80, 101, 128, 129
- Off-diagonal elements, 140
- Omitted variable model, 53
 - bias, 53
- Ordinary least squares (OLS) analysis, 58, 59, 72, 86, 149
 - earning data, 59
 - estimator, 4, 31, 33, 53, 56, 83, 102, 255, 256
 - consistency, 56
 - histogram of, 257–260
 - labor equation, 149
 - mean and standard deviation, 256
 - probability, 53
 - simulated type, 1 error rate, 256
 - estimation, 58, 82, 234
 - covariance matrix, 82
 - critical assumption, 142
 - equation-by-equation, 140
 - estimation techniques, 144
 - keynesian model, 143
 - problems, 142–144
 - standard errors, 82
 - structural equation, 144
 - model, 58, 97, 104, 154
 - of credit card expenses data, 72
 - regression statistics, 25
 - residuals, 75, 86
- Overidentifying restrictions testing, 63
 - in earning data, 63
- Panel data method, 110, 111
 - advantages, 110–111
 - definition, 110
 - overview, 110
- Panel data models, 111–112, 219, 224
 - autocorrelation, 224, 227
 - covariance matrices, robust estimation of, 219
 - FGLS methods estimators, 225
 - fixed effects, 111
 - GLS estimation, 225
 - heterogeneity, 224
 - homoscedastic disturbances, 219
 - ordinary least squares estimation method, 111
 - pooled regression, 111
 - PROC IML code, 226
 - random effects, 111
- Poisson regression, 163–165
 - estimation, 165–168
 - parameters interpretation, 165
- Pooled regression model, 112–113, 118
 - coefficient of determination, 113
 - expression equation, 113
 - parameters estimation, 112
 - OLS, 112
 - root mean square error, 113, 118
- Prais–Winsten Method, 234
 - transformations, 96
 - usage, 96
- Prediction intervals graphs, 21
 - Proc Reg output, 21
- Price index of gasoline (P_g), 38
- Probability distribution function, 171
- Probability of failure (PDF), 174
 - calculation, 174
- Probability plots, 22
- Probit and Logit models, 155
 - estimation/inference, 156
- Proc autoreg, 96, 102
 - CUSUMLB procedure, 44
 - CUSUMUB procedure, 44
 - usage, 102
 - reference guide, 91
- Proc Corr procedure, 16
 - general form, 16
- Proc GLM, 49, 121
 - airlines data regression, 49–50
 - data analysis, 49
 - dummy variables, 49
- Proc Gplot, 16, 20
 - confidence intervals, 20
- Proc IML analysis, 11, 47, 57, 114, 204, 248, 272
 - 1×1 matrices, 249
 - Anderson–estimator, 289
 - Arellano–Bond method, 224, 290
 - code computes, 286
 - concatenate matrices, 252
 - control statements, 252
 - CPI, 272
 - create row and column vectors, 237
 - creating matrices/vectors operations, 249
 - data analysis, 47, 57
 - data matrix, 57
 - determinants of matrices, 241
 - diag* command, 252
 - diagonal matrix, 251
 - DO-END statement, 253
 - DO iterative statement, 253
 - dynamic panel data, 287
 - econometric analysis, 251
 - elementary matrix operations, 250
 - addition/subtraction, 250
 - inverses, eigenvalues, and eigenvectors, 250
 - Kronecker products, 250
 - GMM calculations, 222
 - GNP and Invest time series, 272
 - groupwise heterogeneity, 286
 - Grunfeld’s data analysis, 229

- Hausman's specification test, 212, 276
- Hausman–Taylor's estimates, 218
- heteroscedasticity, 277
- identity matrix, 240
- IF-THEN/ELSE statement, 253
- Kronecker products calculation, 244
- linear equations, 248
- linear hypothesis, 275
- matrix-generating functions, 251
 - block diagonal matrices, 251
 - diagonal matrix, 251
 - identity matrix, 251
 - J matrix, 251
- matrix inverses, 243
- matrix multiplications, 239
- max(min) commands, 251
- of investment data, 11
- Proc IML code, 273
- restricted least squares estimator, 274
- robust variance-covariance matrices, 277
- SAS procedures, 212
- standard errors of estimator, 274
- statements, 30
- SUMMARY command, 253
- trace of a matrix, 242
- transpose matrix, 240
- VecDiag function, 252
- White's test, 277–278
- within-group mean residuals
 - estimates, 215
- Proc IML code, 226
 - FGLS estimator, 226
 - general linear hypothesis, 273
 - Kronecker product, 244
- Proc IML command, 65, 237
 - create row and column vectors, 237
 - identity matrix, 238
 - matrix multiplications, 239
 - trace of a matrix, 241
- Proc IML *diag* command, 252
 - diagonal matrix, 252
- Proc Import statement, 9
- Proc Life procedure, 173
- Proc Lifereg models, 178, 191
- Proc Lifetest analysis, 173, 175, 178
 - tabular presentation, 175
- Proc Lifetime, 177
- Proc model, 151, 215
 - HCCME option, 219
 - instrumental variable regression, 215
 - OLS/2SLS models, 151
 - procedure, 76
- Proc Panel, 81, 114, 116–118, 120, 121, 123, 125, 128–131, 212, 219–221
 - documentation, 81
 - procedure, 114
- Proc Plot procedure, 15
 - statements for, 15
- Proc Reg analysis, 12, 15, 32, 47, 62, 101, 151, 255
 - data analysis, 47
 - endogeneity, 62
 - investment equation data, 15
 - of investment data, 12
 - OLS estimates, 32
 - tableout option of, 255
 - t* test, 32
- Proc Reg module, 21
- Proc Reg statements, 268
 - OLS regression, 268
- Proc Syslin, 60, 151
 - earning data output, 60
 - procedure, 148
- Proc Univariate, 255
 - data, 213
 - histogram option, 255
 - module, 22
- Production data-translog model, 36
 - regression analysis, 36
- Quadratic form, derivative of, 247
- Quarterly investment data, 31, 33
 - Proc IML output, 31
 - Proc Reg output, 33
- Random effects model, 123–131, 210
 - estimation, 130–131
 - Hausman–Taylor estimator, 210
 - random disturbances, assumptions, 211
 - tabular presentation, 130
 - tests, 125–128
 - Hausman specification, 125
 - Lagrange multiplier (LM), 125
 - Wages data, 213
- Rank, 245
 - definition, 245
 - equivalence, 246
 - Proc IML, 245
 - properties of, 245
- Real _Invest
 - scatter plot, 18
 - vs. time plot, 17
 - vs. time trend, 18
 - vs. Real GNP plot, 16
- Real_GNP coefficient, 14
- RECID data, 172, 173, 175–177, 179, 180, 185, 186, 188, 190, 192
 - exponential distribution, 188
 - Kaplan Meier survival function plot, 176
 - lifetime hazard function plot, 179
 - lifetime survival function plot, 176, 177
 - normal distribution fit, 186, 192
 - Proc Lifetest analysis, 173
 - survival functions testing, 180–182
 - Weibull distribution fit, 190
- REG procedure model, 12, 15, 18, 25, 33–37, 39–41, 46, 48, 59, 62–64, 72, 85, 87, 88, 112, 135, 149, 160, 186, 188, 190, 192, 194, 195, 201, 205, 209, 214, 269, 270

- Regression analysis, 1, 3, 8, 9, 18, 24, 46, 78, 178, 205
 - assumptions, 3
 - objectives, 3, 18
 - by Proc IML, 9
 - data analysis, 10
 - data reading, 9
 - By Proc Reg, 12, 46
 - data analysis, 12
 - data interpretation, 12
 - earnings data, 46
 - credit card expenditure data, 205
 - parameters interpretation, 2
 - Proc Lifereg, 178
 - Proc Phreg, 178
 - residual analysis, 8
- Regression coefficient(s), 13, 18
- Regression model(s), 1, 14, 53, 61, 93, 187
 - adjusted R^2 value, 14
 - autocorrelation, 93
 - coefficient of determination (R^2), 14
 - Cox proportional hazard, 187
 - dependent variable, 1
 - endogeneity, 53
 - endogenous explanatory variable, 61
 - independent variable, 1
 - parametric, 187
 - testing overidentifying restrictions, 61
- Regression summary statistics, 79
 - credit card expenditure data, 79
- Residual analysis, 20–23
 - column, 19
 - Proc Reg, 20
 - residual graphs, 21
 - types of plots, 8
- Residual vector, definition, 4, 7
- Residuals, 21–23, 73, 92
 - GARCH model, 92
 - normal probability plot, 22, 23
 - standardized, definition, 20
 - vs. age plot, 73
 - vs. average expense plot, 73
 - vs. income plot, 74
 - vs. predicted response plot, 21
 - vs. predicted values plot, 23
 - vs. time plot, 22
- Response variable, 170
- Response vector, 10
- Restricted least squares estimator, 31–33
 - least squares estimator, 31
 - Proc IML output, 32
 - of variance-covariance matrix, 32
 - standard errors, 32
 - variance expression, 31
 - variance-covariance matrix, 31, 32
- Restricted model, *See* Cobb-Douglas model
- Robust estimators, 84
 - Proc IML output, 84
 - variance-covariance matrix, 84
- Root mean square error (RMSE), 19, 78, 87, 268
- Sargan's hypothesis test, 61
 - regression-based, 61
 - steps, 61–62
- SAS system, 79, 90, 267
 - bootstrapped regression analysis, 267–271
 - Breusch–Pagan test, 79
 - code usage, 120
 - data set, 9, 10, 65
 - data step statements, 217
 - IML program, 293
 - Log transformations, 267
 - Proc autoreg module, 90
 - Proc model statements, 40
 - program, 220
 - data simulation, 256
 - statements, 18, 66, 81, 256
 - test, 78
- Seemingly unrelated regression (SUR) models, 132, 133, 138, 139, 244
 - equations, 40
 - GLS estimator, 133
 - OLS model, 133
 - system, 58
- Semi-log model, 2, 47, 57
 - earnings model, 47
 - elasticity, 2
 - marginal effect, 2
- Serial correlation, 95
 - assumptions estimation, 95
- Simple linear regression model, 3, 54, 55
 - explanatory variable, 54
 - least squares estimation, 3
 - testing steps, 61
- Simple panel data models, 116
 - analyzing method, 116
 - Proc Panel, 116
 - Proc TSCSREG procedure, 116
- Simultaneous equation models, 142
 - Hausman's specification test, 151
 - identification problem, 145
 - endogenous variables, 147
 - exogenous variables, 147
 - structural equation parameters, 144–146
 - OLS estimation problems, 142–144
 - OLS regression, 148
 - Proc Syslin procedure, 148
 - reduced form equations, 144–145
 - two-stage least squares (2SLS) method, 147
 - Wage-price inflation equation, 142
- specification tests, 61
 - explanatory variables, 63
 - instrumental variables, 63
 - testing overidentifying restrictions, 61
 - weak instruments, 63
- Spherical disturbances, 70

- Standard error(s), 18, 86, 87
 - column, 14
 - definition, 8
- Strike data duration analysis, 196–200
- Subject-specific heterogeneity, 111, 113, 123
 - effects, 128, 129
- Sums of squares for error (SSE), 5, 7
- Sums of squares for regression (SSR), 5
- Survival function, 170–178
 - definition, 170
 - Kaplan Meier method, 172
 - life table method, 172
 - plot, 176
 - standard error, 172
- Temporary SAS data set, 9, 10, 61, 65, 90, 172, 186, 208
- Test statistic, 11, 28–30, 65, 66, 78, 79
 - Proc IML statements, 79
 - value, 14, 79
- Time series data, 93
- Translog model, 35, 36
- Transpose matrix, 240
 - definition, 240
 - properties, 240
- True population model, 54
 - OLS estimate, 54
 - probability limits, 54
- Two-stage least squares estimator (2SLS) analysis, 56, 62, 148
 - assumption of homoscedastic disturbances, 148
 - labor equation, 149
 - weight matrix, 151
- Two-way fixed effects model, 123
 - Proc GLM estimation method, 123
- Unbiased estimator, 5, 8, 33, 71, 266
- Unknown coefficients, 1, 2
- U.S. gasoline consumption (G), 38
 - time series plot, 38
- Variance, 5, 95
- Variance-covariance matrix, 95, 113
- Variance inflation factors (VIF), 24
 - values, 25
- Wage equation, 56, 64
 - regression equation, 64
- Wages data, 213
 - random effects model, 213
 - within-group effects model, 214
- Wald's chi-square test, 161, 192
 - values, 161, 188
- Weak instruments analysis, 64
 - in earning data, 64
- Weibull distribution, 179, 183, 184, 190
 - cumulative density function, 179
 - hazard functions, 183
 - probability density function, 179
 - survival function, 184
 - bar graph, 184
- Weighted least squares regression
 - methods, 84, 85
 - credit card expenditure data, 85
 - Proc Reg option, 84
 - SAS statements, 84
- White's estimator, 80, 81, 83, 148, 219, 220
 - Proc model statements, 81
 - HCCME option, 81
 - variance-covariance matrix, 80
- White's general test, 74–78
 - credit card expense data, 76–78
 - Proc IML programme, 74
 - test statistic value, 76
- Within-group model, 113, 120, 211, 212
 - disadvantages, 113
 - disturbance variances, 207, 208
 - GLS estimation, 207
 - merge data, 208
 - OLS model, 208
 - time-invariant disturbance, 211
 - residuals vector, 207, 215
 - root mean square, 120
- Wages data, 214

