

INDEX

- Accelerator mass spectrometry, 278
Acetabulol, 8
Acetophenone, 7, 9
N-Acetylgalactosamine, 365, 397, 437
N-Acetylglucosamine, 365, 397, 400, 437
N-Acetylneuraminic acid, 365, 397
Acylglycerols, 423
 analysis of, 430
Adenine, 454
Adenosine, 454
Affinity chromatography, 161
 coupling of with MS, 181
Aminopeptidase M
Atmospheric pressure chemical ionization, 46
 for coupling LC with MS, 171
Atmospheric pressure-MALDI, 43
Atmospheric pressure photoionization, 47
 for coupling LC with MS, 171
Atomic mass, 9
Average mass, 9

Bacterial identification, *see* Microorganisms
Benzonase, 458
Bile acids, 426
 analysis of, 440
Biomarkers of disease, 314, 514, 515
Blackbody-induced radiative dissociation,
 126

Calf spleen phosphodiesterase, 458, 472
Calibration, *see* Quantitative analysis
Calibration ions, 201, 551–554
Calorimetric detector, 106
Capillary electrophoresis, 175
 coupling of with MS, 174, 177
 principles of, 175
Capillary electrophoresis/mass spectrometry,
 174–181
Capillary electrochromatography, 177
Capillary gel electrophoresis, 176
Capillary isoelectric focusing, 173, 176
Capillary isotachopheresis, 177
Carbohydrates, *see* Oligosaccharides
Carboxypeptidase Y, 324
Cardiolipin, 426, 435
Ceramide, 426
CFG nomenclature for oligosaccharides, 399
Charge-exchange ionization, 128
Charge inversion reaction, 128
Charge-permutation reactions, 128, 253
Charge-remote fragmentation, 223, 429
Charge site-initiated fragmentation, 222
Charge-state distribution, 380
Chemical cross-linking, 391
Chemical ionization, 20–26
 atmospheric pressure-CI, 46

- Chemical ionization (*Continued*)
 charge exchange, 24
 negative-ion, 25
 reagent ions for, 23
- Chemotaxonomy, *see* Microorganisms
- Choline, 425
- Chromatofocusing, 297
- Chromatography properties, 155
 capacity factor, 156
 plate height and plate number, 157
 selectivity factor, 156
- α -Cleavage, 220, 245
- Clinical mass spectrometry, 513–517
 biomarkers of disease, 514, 515
 genetic disorders, 514
 hemoglobin variants, 515
- Collision-induced dissociation, 50, 124, 253
 for analysis of oligosaccharides, 412, 414, 415
 for disulfide-containing proteins, 350
 for sequencing oligonucleotides, 469
 for identification of phosphopeptides, 361
 for sequencing peptides, 326
- Collision ionization, 128
- Combinatorial libraries, 520–525
- Complementary base-pairs, 456
- Complex Carbohydrate Structure Database, 405
- Coupling of CE with MS, 177
 via CF-FAB interface, 180
 via ESI interface, 177
 via MALDI, 180
- Coupling of GC with MS, 159
- Coupling of ICP with MS, 269
- Coupling of LC with MS, 163
 via APCI interface, 171
 via APPI interface, 171
 via CF-FAB interface, 165
 via EI, 165
 via ESI interface, 168
 via MALDI, 172
 via moving-belt interface, 164
 via particle-beam interface, 167
 via thermospray interface, 166
- Cycloalkanes, 228, 240
- Cyclobutane, 228, 229
- Cyclobutylamine, 228
- Cyclodecane, 229
- Cyclohexanone, 229, 231
 EI spectrum of, 232
- Cyclohexene, 228
 EI spectrum of, 229
- Cycloreversion reaction, 228
- Cytosine, 454
- Cytidine, 454
- Database search and proteomics, 308
 databases, list of (table), 309
- Data-dependent acquisition, 154, 302, 445
- Data system, 7
- Desorption-ESI (DESI), 55
- Desorption/ionization on silicon (DIOS), 43
- Detectors, 7, 103–108
 calorimetric, 106
 electron multiplier, 104
 Faraday cup, 103
 focal-plane, 107
 multichannel array, 108
 multichannel plate, 107
 photomultiplier, 105
 postacceleration, 105
- 2D-gel electrophoresis, 296, 310
- Diels-Alder reaction, 228
- Differentiation of isomeric structures, 232
- Diketene, 228
- Disulfide bonds in proteins, 298, 345–352
 identification of, 348
 using CID, 350
 using ECD, 350
 using FAB, 348
- DNA, 290, 453
- Double-hydrogen rearrangement, 226
- Direct analysis in real time (DART), 56
- Direct insertion probe, 19
- Eicosanoids, 427
 analysis of, 441
- Electron-capture dissociation, 127
 for sequencing peptides, 324
 for disulfide-containing proteins, 350
 for identification of phosphopeptides, 362
 for analysis of glycoproteins, 369
- Electron ionization, 17–20
 advantages, 20
 for coupling GC with MS, 160
 for coupling LC with MS, 165
 for inorganic compounds, 263
 ionization efficiency, 18
 ion source (figure) 18
 limitations, 20
 sample introduction, 19
- Electron-transfer dissociation, 128, 324
 for identification of phosphopeptides, 362
- Electron-transfer reaction, 128
- Electrospray ionization, 10, 48–54
 desorption-ESI (DESI), 55
 for acylglycerols, 432

- for bacterial identification, 511
- for combinatorial libraries, 522, 524
- for coupling LC with MS, 168
- for conformational analysis, 380
- for fatty acids, 429
- for glycolipids, 437
- for HDX, 386
- for lipidomics, 442
- for mass measurement of macromolecules, 50
- for oligonucleotides, 459, 467, 469
- for phospholipids, 433
- for quantitative measurements, 493
- mechanism of, 52
- nanoelectrospray, 54
- Endo- β -*N*-acetyl-glucosaminidase F, for deglycosylation of proteins, 402
- Endo- β -*N*-acetyl-glucosaminidase H, for deglycosylation of proteins, 298, 402
- Endonucleases, 458
- Energy-resolved mass spectrometry, 132
- Enzyme kinetics, 501
 - monitoring of, 504–507
- Enzyme-substrate complex, 501
- Ethyl butanoate, EI spectrum of, 244
- Exonucleases, 458
- Extracted ion chromatogram, 154

- Faraday cup detector, 103
- Fast atom bombardment, 32–35
 - for acylglycerols, 432
 - for disulfide-containing proteins, 348
 - for fatty acids, 429
 - for phospholipids, 433
 - for glycolipids, 437
 - for sequencing peptides, 322
 - matrices for, 33
- Fast-flow LC, 162
- Fatty acids, 423
 - analysis of, 428
 - charge-remote fragmentation in, 429
 - derivatization of, 430
- Field desorption, 29
 - of crude oil distillate, 30
- Field-ion spectrometry, 102
- Field ionization, 28
- Field ionization kinetics, 254
- Focal-plane detectors, 107
- Forensic mass spectrometry, 517–520
 - analysis of controlled substances, 518
 - analysis of explosives, 519
 - analysis of glass and paints, 519
 - in bioterror defense, 520
- Fourier-transform ion-cyclotron resonance mass spectrometers, 94–98
 - performance characteristics, 98
 - principle of, 95
 - tandem mass spectrometry with, 138
- Fragment ions, list of, 217
- Fragmentation processes, 216
 - of alcohols, 240
 - of aldehydes and ketones, 242
 - of carboxylic acids, 242
 - of cyclic compounds, 227
 - of cycloalkanes, 229
 - of esters, 243
 - of ethers, 241
 - of halogen-containing compounds, 246
 - of hydrocarbons, 238
 - of nitrogen-containing compounds, 244
 - of sulfur-containing compounds, 246
- Free-flow electrophoresis, 295

- D*-Galactose, 365, 397
- Gamma-hydrogen rearrangement, 223. *See also* McLafferty rearrangement
- Gangliosides, 426
 - analysis of, 439
- Gas chromatography, 158
 - coupling of with MS, 159
 - principles of, 158
- Gas chromatography/mass spectrometry, 158–161
- Genomics, 292, 453
- Glow discharge ionization, 16, 267
- Glycerophosphocholine, 425, 433, 517
- Glycerophosphoethanolamine, 425, 433
- Glycerophosphoglycerol, 425
- Glycerophosphoinositol, 425
- Glycerophosphoserine, 425
- Glycerophospholipids, 425
- Glycolipids, 425
 - analysis of, 436
- Glycomes, 397
- Glycomic, 397
- Glycoproteins, 364–370
 - analysis of, 366
 - analysis of via ECD, 369
 - analysis of via ladder sequencing, 369
 - analysis of via marker ions, 368
 - analysis of via peptide mapping, 368
 - analysis of via precursor-ion scan, 368
 - analysis of via tandem MS, 369
 - release of glycans, 402
- N*-Glycosidase F, *see* PNGase F
- Glycosphingolipids, 401, 437, 439
- N*-Glycosylation, 365, 400
- O*-Glycosylation, 365, 400

- Guanine, 454
Guanosine, 454
- Hanes-Woolf plot, 502
Heat-of-formation, 251
Hemoglobin variants, 515
Hydrogen/deuterium exchange, 383–390
Hyphenated separation techniques, 151
 benefits of, 152
 GC/MS, 158
 LC/MS, 161
Hybrid tandem mass spectrometers, 138–143
 LIT-*oa*-TOF, 140
 magnetic sector-*oa*-TOF, 140
 quadrupole-*oa*-TOF, 139
 quadrupole-FT-ICR, 140
 LTQ-FT-ICR, 141
 LTQ-orbitrap, 142
- Imaging mass spectrometry, 507–510
 with MALDI, 507, 509
 with SIMS, 507, 508
Immobilized metal ion affinity chromatography, 355
Immonium ions, 319, 328
Immunodepletion columns, 295
Inductive (*i*)-cleavage, 222
Inductively coupled plasma mass spectrometry, 16, 268
 laser ablation-ICPMS, 273
 spectral interferences, 271
Inhibitors, of enzymes, 503
Infrared multiphoton dissociation, 126
 for identification of phosphopeptides, 363
 for sequencing oligonucleotides, 467
Inlet system, 6
In-source CID, 50
 for analysis of oligosaccharides, 414
 for sequencing oligonucleotides, 467
 for sequencing peptides, 322
 for identification of phosphopeptides, 358
Ion activation and dissociation, 123
 blackbody-induced radiative dissociation, 126
 collision-induced dissociation, 124
 electron-capture dissociation, 127
 infrared multiphoton dissociation, 126
 photodissociation, 126
 surface-induced dissociation, 125
 sustained off-resonance irradiation (SORI), 138
Ion-extraction chromatogram, 154
Ion mobility mass spectrometers, 101–103
 for protein conformational analysis, 391
Ion source, 6, 16
Ion-source decay MALDI
 for sequencing oligonucleotides, 467
 for sequencing peptides, 323
 for disulfide-containing proteins, 349, 351
Ionization
 electrospray ionization, 48–54
 fast atom bombardment, 32
 field ionization, 28
 field desorption, 29
 for gas-phase molecules, 17
 for condensed-phase molecules, 29, 45
 glow discharge ionization, 267
 laser desorption/ionization, 35
 matrix-assisted laser desorption/ionization, 35–44
 metastable atom bombardment, 28
 modes of, 15
 plasma desorption, 30
 spark-source ionization, 265
 thermal ionization, 264
 thermospray, 45
 why required, 15
Isoelectric focusing, 296
Isotope dilution mass spectrometry, 280
Isotopic abundances, 204, 543
Isotopic contributions of carbon atoms, 208
Isotopic masses, 9, 203, 543
Isotopic peaks, 203
Isotope ratio mass spectrometry, 275
IUPAC nomenclature for oligosaccharides, 399
[Ketene⁺ + ketene] cycloadduct, 122
Kinetic-energy release, 252
Ladder sequencing
 for sequencing peptides, 325
 for analysis of glycoproteins, 369
Laser ablation-ICPMS, 273
Laser desorption/ionization, 35, 263
Leukotrienes, 427, 441
Lineweaver-Burk plot, 502
Linked-field scans, 130
Lipidomes, 442
Lipidomes, shotgun, 444
Lipids, 423–447
Liquid chromatography, 161
 adsorption chromatography, 161
 affinity chromatography, 161
 coupling of with MS, 163
 fast-flow LC, 162
 ion-exchange chromatography, 161
 partition chromatography, 161
 principles of, 161

- size-exclusion chromatography, 161
- ultra-performance LC, 163
- Liquid chromatography/mass spectrometry, 161–174
 - coupling of LC with MS, 163
 - multi-dimensional LC/MS, 173
- Liquid secondary-ion mass spectrometry, *see* FAB
- Magnetic sector mass spectrometers, 70–75
 - double-focusing, 73, 129
 - electrostatic analyzer, 73
 - linked scans in, 131
 - Mattauch-Herzog geometry, 73
 - Nier-Johnson instrument, 74
 - performance characteristics, 74
 - principle of, 70
 - tandem mass spectrometry with, 129
- Manhattan Project, 4
- D*-Mannose, 365, 397
- MASCOT, 309
- Mass-analyzed ion kinetic energy spectroscopy, 131
- Mass analyzers, 6, 70–103
 - desirable features, 67
 - FT-ICR, 94
 - ion mobility, 101
 - magnetic sector, 70
 - orbitrap, 99
 - quadrupole, 75
 - quadrupole ion trap, 86
 - quadrupole linear ion trap, 92
 - rectilinear ion trap, 94
 - time-of-flight, 80
- Mass calibration standards, 201, 511
- Mass chromatogram, 154
- Mass spectrometry
 - history, 3
 - desirable features, 5
 - basic components, 6
 - basic principles, 5
 - general applications, 11
- Mass-to-charge ratio, 10, 17
- Material-enhanced MALDI, 45
- Matrix-assisted laser desorption/ionization, 35–44, 509
 - atmospheric pressure-MALDI, 43
 - for bacterial identification, 511
 - for combinatorial libraries, 522, 524
 - for conformational analysis, 380
 - for coupling LC with MS, 172
 - for disulfide-containing proteins, 349, 351
 - for imaging mass spectrometry, 509
 - for oligonucleotides, 461, 467, 474
 - for quantitative measurements, 493
 - for virus analysis, 513
 - material-enhanced MALDI, 45
 - matrices for, 38, 39 (table)
 - mechanism of ion formation, 37
 - of low-mass compounds, 42
 - sample preparation for, 41
- Mattauch-Herzog geometry instrument, 73, 266
- Maxam-Gilbert DNA sequencing, 474
- McLafferty rearrangement, 223, 233, 235, 236, 242, 243, 245
- “McLafferty + 1” rearrangement, 226, 243. *See also* Double-hydrogen rearrangement
- Metabolomics, 292, 517
- Metastable atom bombardment, 28
- Metastable ions, 8, 249, 250, 252
- 3-Methyl-2-butanone, 232
 - EI spectrum of, 233
- 3-methyl-2-pentanone, 233
 - EI spectrum of, 234
- 4-methyl-2-pentanone, 233
 - EI spectrum of, 234
- 5-Methyltridecane, EI spectrum of 239
- Micellar electrokinetic chromatography, 176, 181
- Michaelis-Menten theory, 501
- Microorganisms, 511–513
 - analysis of viruses, 513
 - bacterial identification, 511
 - chemotaxonomy, 511
- Molecular formula
 - from accurate mass, 201
 - from isotopic peaks, 203, 208
- Molecular ion, 7, 17
- Molecular mass, 9, 17
 - measurement, 198
 - measurement of glycoproteins, 366
 - measurement of oligonucleotides, 459
 - measurement of proteins, 297
 - measurement via ESI, 51, 200
 - measurement via MALDI, 200
 - measurement via peak-matching, 200
- Multichannel array detector, 108
- Multichannel plate detector, 107
- Multi-dimensional LC/MS, 173
 - separation of proteins, 297
- Multiphoton ionization, 27
 - resonance-enhanced, 27
- Multiple-reaction monitoring, 123, 487
- Multiply charged ions, 10, 50
- Multistage MS/MS, 90, 120, 137, 412
- NaBH₄-NaOH mixture for release of glycans, 402

- Nanoelectrospray, 54
- Negative ions, 17, 25, 48, 57
- Neutralization-reionization mass spectrometry, 128
- Neutral losses, list of, 212
- Neutral-loss scan, 123
for identification of phosphopeptides, 360
- Nitrogen rule, 211, 215
- Nominal mass, 9
- Normal phase HPLC, 162
- Nozzle-skimmer (NS) dissociation, 50, 467
- Nuclease *P1*, 458
- Nucleosides, 454, 457
- Nucleotides, 453, 457
- Oligonucleotides, 453–476
base composition of, 463
cleavage of, 458
fragmentation behavior of, 465
molecular mass determination, 459
via ESI-MS, 459
via MALDI-MS, 461
nomenclature of CID ions, 465
- Oligonucleotides, sequencing of, 464–476
gas-phase techniques, 465
via CID, 469
via in-source CID, 467
via ion-ion reactions, 470
via ion-source decay, 467
via IRMPD, 467
via post-source decay, 468
solution-phase techniques, 471
via chemical cleavage, 472
via ladder sequencing, 472
via Maxam-Gilbert protocol, 474
via Sanger method, 474
- Oligosaccharides, 366, 397–417
anomeric center, 398
CFG nomenclature, 399
Complex Carbohydrate Structure Database, 405
composition analysis by GC/MS, 403
composition analysis by mass measurement, 403
derivatization of, 402
derivatizing agents (table), 404
exoglycosidase degradation, 407
fragment ion nomenclature, 408
identification by precursor-ion scan, 403
IUPAC nomenclature, 399
linkage analysis by GC/MS, 403
linkage analysis by CID, 415
- Oligosaccharides, structure determination
by CID-MS, 414
by in-source CID, 414
by post-source decay 412
by sequential digestion, 406
by tandem MS, 408
via fragmentation of negative ions, 412
- Orbitrap mass spectrometers, 99–101
- Ortho-effect, 226, 235
- Ortho rearrangement, 226
- Overpressured-layer chromatography, 184
- Peak matching mode, 199
- Peak parking, 155
- Pee Dee Belemnite standard, 276
- 3-Pentanone, 232
EI spectrum of, 233
- Peptide mass fingerprinting, *see* Peptide mass mapping
- Peptide mass mapping, 298, 305, 358, 368
- Peptides, 316–330
fragmentation rules, 317
fragmentation nomenclature, 317
sequence determination, 316, 322
guidelines for, 327
via CID, 326
via, ECD, 324
via FAB, 322
via in-source CID, 322
via ion-source dissociation MALDI, 323
via ladder sequencing, 324
via post-source dissociation MALDI, 323
- 4-Phenylcyclohexene, 228
- Phosphatidylcholine, *see*
Glycerophosphocholine
- Phosphatidylethanolamine, *see*
Glycerophosphoethanolamine
- Phosphatidylglycerol, *see*
Glycerophosphoglycerol
- Phosphatidylinositol, *see*
Glycerophosphoinositol
- Phosphatidylserine, *see* Glycerophosphoserine
- Phosphoglycerides, *see* Glycerophospholipids
- Phosphodiesterase *I*, 458
- Phospholipids, 425
analysis of, 433
direct tissue analysis of, 436
- Phosphopeptides
fractionation of, 355
via IMAC, 182, 356
via chemical-tagging, 357
via antibodies, 357
identification of, 358
via peptide mass mapping, 358
via in-source CID, 358
via precursor-ion scan, 358

- via neutral-loss scan, 360
 - via CID, 361
 - via post-source decay, 362
 - via ECD and ETD, 362
 - via IRMPD, 363
- phosphatase treatment, 358
- Phosphoproteomics, 352–364
 - analysis of, 353
 - via ³²[P] labeling, 353
 - mass spectrometry protocol, 354
 - cleavage of, 355
- Phosphoproteomics, *see* Phosphoproteomics
- Photodissociation, 126
- Photoionization, 26–28
 - atmospheric pressure-PI, 47
- Photomultiplier, 105
- Piperidine, 230, 245
 - EI spectrum of, 230
- Planar chromatography/mass spectrometry, 183
- Plasma desorption, 30
- Plasmaspray ionization, 45
- PNGase F, for deglycosylation proteins, 298, 368, 369, 402
- Polymerase chain reaction, 316, 459, 474, 515
- Postacceleration detector, 105
- Post-source decay, 133
 - for analysis of oligosaccharides, 412
 - for phosphopeptides, 362
 - for sequencing oligonucleotides, 468
 - for sequencing peptides, 323
- Posttranslational modifications of proteins, 290, 343–370
 - selected examples (table), 344
- Precursor-ion scan, 122
 - for identification of phosphopeptides, 123, 358
 - for analysis of glycoproteins, 368
 - for identification of oligosaccharides, 403
- Product-ion scan, 122
- Prostaglandins, 427, 441
- Proteins, 289–316
 - chromatofocusing of, 297
 - deglycosylation of, 298,
 - 2D-gel electrophoresis of, 296
 - de novo sequencing, 316
 - folding-unfolding dynamics of, 385
 - free-flow electrophoresis of, 295
 - higher-order structures of, 290, 379–392
 - mass measurement of, 297
 - peptide mass mapping of, 298
 - purification of, 295
 - reduction-alkylation of, 299
 - sequence determination, 292
 - general protocol, 294
 - via cDNA sequencing, 293
 - via Edman sequencing, 293
 - subcellular fractionation of, 295
- Proteins, biomarker discovery, 314
- Proteins, cleavage of
 - of gel-separated proteins, 301
 - reagents for (table), 300
 - with *N*-Chloro- and *N*-bromosuccinimide, 300
 - with cyanogen bromide, 300
 - with proteolytic agents, 301
- Proteins, conformational analysis of, 379–392
 - charge-state distribution for, 380
 - chemical cross-linking, for, 391
 - folding-unfolding dynamics, 385
 - hydrogen/deuterium exchange for, 383
 - via CID, 390
 - via continuous-labeling technique, 387
 - via fragmentation MS, 389
 - via pulse-labeling technique, 388
 - via time-resolved ESI-MS, 387
- Proteome analysis, *see* Proteomics
- Proteomics, 292, 303–314
 - bottom-up, 304
 - database search and 308
 - quantitative, 310
 - shotgun, 307
 - top-down, 304
 - via accurate mass tags, 306
 - via MudPIT approach, 307, 315
 - via peptide mass fingerprinting, 305, 307
 - via peptide sequence tags, 306, 307
- Pulse-labeling technique, 388
- Pyrimidine, 454
- Purine, 454
- Quadrupole mass spectrometers, 75–80
 - performance characteristics, 79
 - principle of, 76
 - rf-only, 80
 - tandem mass spectrometry with, 132
- Quadrupole ion trap (QIT) mass spectrometers, 86–92
 - external ion injection, 91
 - mass-selective instability mode, 89
 - mass-selective stability mode, 90
 - resonance ion ejection, 90
 - performance characteristics, 79
 - principle of, 87
 - tandem mass spectrometry with, 136
- Quadrupole linear ion trap (LIT) mass spectrometers, 86–92
- Quantitative analysis 485–497
 - calibration methods, 488

- Quantitative analysis (*Continued*)
 external standard method, 488
 internal standard method, 488
 standard addition method, 489
 validation procedures, 491
 via GC/MS, 493
 via LC/MS, 493
 via LC/MS/MS, 494
 via MALDI-MS, 494
 via microchip-based ESI, 494
Quantitative proteomics, 310–314
 via AQUA approach, 314
 via 2D gel electrophoresis, 310
 via 2D-DIGE, 310
 via ICAT, 311
 via ¹⁸O-water labeling approach, 312
 via SILAC approach, 313
 via label-free approach, 313
 via iTRAQ reagents, 312
Quasi-equilibrium theory, 124, 247
- Radical cation, 15, 17, 24, 27, 33, 48
Radical site-initiated fragmentation,
 220
 in alkenes, 221
 in aromatic compounds, 221
 in ethers, 221
 in ketones, 221
 in alcohols, 221
 in amines, 221
RDX, 519
Rearrangement reactions, 223, 248
 double-hydrogen rearrangement, 226
 hydrogen rearrangement, 225
 McLafferty rearrangement, 223
 ortho rearrangement, 226
Reconstructed ion chromatogram, 154
Rectilinear ion trap, 94
Resolution, 67, 68
Resolving power, 68
Resonance electron capture, 25
Resonance ionization mass spectrometry, 16,
 274
Retro-Diels–Alder reaction, 228, 235
 in cyclohexene, 228
 in 4-phenylcyclohexene, 228
 in 1- and 2-tetralols, 235
Reverse phase HPLC, 162
Ribonomics, 453
Rings plus double bonds, 214, 215
RNA, 453
Rnase T1, 458
Rnase U2, 458
RRKM, 124, 247
Saha-Langmuir equation, 265
Sample introduction, 19
Sanger DNA sequencing, 474
Satellite ions, 8
SDS-PAGE, 294, 296, 298, 366
Secondary-ion mass spectrometry, 31, 263
 for imaging mass spectrometry, 508
Selected-ion monitoring, 486, 487, 505, 518
 chromatogram, 154
Selected-reaction monitoring, 123, 314, 358,
 486, 487, 518
SEQUEST, 309
Shotgun lipidomics, 444
Shotgun proteomics, 307
Sigma-bond (σ) cleavage, 219
Simple bond-cleavage reactions, 219
Snake venom phosphodiesterase, 458, 472
SMOW standard, 276
Spark-source ionization, 16, 265
Sphingomyelins, 426, 517
Sphingosine, 425
Steroids, 426
 analysis of, 440
Stevenson's rule, 219, 220
Stored waveform inverse Fourier transform
 (SWIFT), 97
Structurally diagnostic fragment ions, 216, 235,
 218 (table)
Supercritical-fluid chromatography/mass
 spectrometry, 183
Surface-enhanced laser desorption/ionization,
 44,
Surface-induced dissociation, 125
Sustained off-resonance irradiation (SORI),
 138
Tandem mass spectrometry, 119
 charge-permutation reactions, 128
 instruments, 129
 ion activation, 123
 linked-field scans, 130
 multiple-reaction monitoring, 123
 multistage MS, 120
 neutral-loss scan, 123
 precursor-ion scan, 122
 principles of, 119
 product-ion scan, 122
 scan modes, 121
 selected-reaction monitoring, 123
Tetradecane, EI spectrum of 239
Tetrahydropyran, 230
Thermal ionization, 16, 264
Thermospray, 45–46
 for coupling LC with MS, 166

- Thymidine, 454
- Thymine, 454
- Thin-layer chromatography/MS, 183
- Thomson, 10
- Thromboxanes, 427
- Time-of-flight (TOF) mass spectrometers,
 - 80–86
 - coupling LC with, 171
 - delayed extraction, 83
 - orthogonal acceleration TOF, 85
 - performance characteristics, 86
 - post-source decay, 133
 - principle of, 81
 - reflectron TOF, 84
 - tandem mass spectrometry with, 133
 - time-lag focusing, 83
- Total ion current (TIC) chromatogram, 154
- Transcriptomics, 292, 453
- Translational-energy spectroscopy, 130
- Triacylglycerols, 425, 517
- Unified atomic mass unit, 9
- Uracil, 455
- Vacuum system, 7
- Viruses, *see* Microorganisms
- Western blotting, 297

