

# Index

## A

### access

aisle accessways, exit-access, 163

egress requirements, 149

exits, egress components, 141

interior environment, 226

accessibility, 185–214. *See also* Americans with Disabilities Act (ADA) of 1990

accessible routes, 191

Americans with Disabilities Act (ADA) of 1990, 187

definitions, 188–189

design for, 186

dwelling units, 194–197

entrances, 192

existing buildings, 206–209, 374–377

historic buildings, 210

kitchen dimensions, 223

overview, 185

parking and passenger loading facilities, 193

scoping requirements, 190

signage, 205

special occupancies, 198–200

supplementary requirements, 211–214

toilet and bathing facilities, 201–202

accessible beds, accessibility, 211

### accessible route

accessibility, 191, 211

defined, 188

dwelling units, 194

accessory use areas, mixed use and occupancy, building heights and areas, 54

acoustical ceiling systems, interior finishes, 109

acoustics, interior environment, 222

additions, existing buildings, 370–371

adhered masonry veneer, wall covering installation, 256

advocacy groups, accessibility, 186

aggregate, defined, 314

### air leakage

commercial energy efficiency, 244

residential energy efficiency, 239

air movement, corridors, exit-access, 170

air transfer openings, fire-resistive construction, 93

### aisle(s)

egress requirements, 143

exit-access, 162–163

aisle accessways, exit-access, 163

alterations. *See* remodeling

alternative means and methods, criteria for, 11

alternative paths, egress, 139

Aluminum Association, 321

aluminum building materials, 321

American Concrete Institute (ACI), 314

American Iron and Steel Institute (AISI), 334

American Society for Testing and Materials (ASTM)

construction types, 57

fire-resistance ratings, 72–73

gypsum board and plaster, 359

materials classification, 108

sound transmission, 222

Type IV construction, 69

wood, 337

American Society of Heating, Refrigeration and

Air-Conditioning Engineers (ASHRAE), 243

Americans with Disabilities Act (ADA) of 1990.

*See also* accessibility

accessibility, 185, 186, 187, 197

egress, 140, 142

federal codes, 4

renovations, 7

- anchorage
    - concrete, 320
    - masonry, 324, 328–329
    - structural design, 282
  - anchored masonry veneer, wall covering
    - installation, 253
  - angle measurement, metric equivalencies, xiii
  - Appendix E, International Building Code (IBC), 211
  - applicability, energy efficiency concepts, 229
  - Architectural and Transportation Barriers
    - Compliance Board (ATBCB), 4
  - architectural components, earthquake loads, 299
  - architectural trim, exterior wall fire protection, 258
  - area measurement, metric equivalencies, xiii
  - Area Separation Rating, fire protection, 17
  - asphalt shingles, roof covering requirements, 264–265
  - assemblies, egress, 183
  - assembly group A
    - accessibility, 198–199, 204
    - automatic sprinkler systems, 116–117
    - occupancy groups, 20–22
    - standpipe systems, 127
  - atriums, special occupancy groups, 38–39
  - attic spaces
    - access, 226
    - plastic building materials, 361
    - roof assembly requirements, 262
    - ventilation, 217
  - audible alarms, fire-alarm and detection systems, 133
  - Authorities Having Jurisdiction (AHJ)
    - accessibility, 185
    - codes, 6
    - compliance, 9
    - construction documents, 281
    - energy efficiency, 232
    - intent and interpretation, 10, 12
    - occupancy groups, 30
    - technically infeasible definition, 189
  - automatic sprinkler systems, 116–122. *See also*
    - fire-protection systems
  - assembly group A, 116–117
  - code components, 17
  - educational group E, 118
  - escalators, 368
  - factory and industrial group F, 118
  - fire-resistive construction, concealed spaces, 94
  - high-hazard group H, 119
  - institutional group I, 119
  - life safety vs. property protection, 7
  - mercantile group M, 119
  - plastic building materials, 363
  - residential group R, 120
  - storage group S, 120–122
  - Type IV construction, 69
  - water tanks, roof assemblies, 276
- automatic teller machines, accessibility, 212
- B
- balconies
  - exit-access, 170–171
  - exterior wall fire protection, 259
- bar spacing, concrete, 318
- based frame, construction documents, 281
- basements
  - building area, 44, 45
  - dimensions, 224
- bathing facilities. *See also* toilets
  - accessibility, 201–202
  - historic buildings, 210
  - dimensions, 224
  - gypsum board and plaster, 359
  - plumbing, 365
  - portable, accessibility, 212
  - safety glazing, 355
  - ventilation, 219
- bed joints, masonry construction, 323
- bedrooms, dimensions, 224
- bend diameters, concrete, 318

- bitumen roofing, modified, built-up roofs, roof covering requirements, 272
- bonding, masonry, 327
- braced wall lines, wood building materials, 342–343
- bracing, wood building materials, 348
- building areas. *See* building heights and areas
- building codes, 1–8. *See also* International Building Code (IBC); Uniform Building Code; specific codes
  - accessibility, 185
  - code analysis, 18
  - components of, 16–17
  - define, ix
  - federal and national codes, 4
  - future trends, 8
  - history of, 1–2
  - intent and interpretation, 9–13
  - interactions among, 6
  - legal basis for, 7
  - life safety vs. property protection, 7
  - model codes, 3
  - performance vs. prescriptive codes, 8
  - specialized codes, 6
  - standard of care, 7
  - state and local codes, 5
  - use of, 14–15
- building configuration, earthquake loads, 292
- building heights and areas, 43–56
  - area code components, 16
  - area defined, 44
  - area modifications, 50–51
  - code components, 16
  - code use, 14–15
  - definitions, 44–45
  - exceptions, 48
  - limitations on, 46–47
  - mezzanines, 49
  - mixed use and occupancy, 53–54
  - modifications to, 50–51
  - overview, 43
  - special provisions, 55–56
  - unlimited-area buildings, 52
- building materials, 313–363. *See also* building systems; specific building materials
  - aluminum, 321
  - classification, 108
  - concrete, 314–320
    - cylinder tests, 315
    - definitions, 314
    - fire protection, 319
    - formwork, 316
    - joints, 316
    - plain concrete, 320
    - reinforcement, 317–319
    - strength and durability, 315
  - construction types, 59
  - exterior walls, 250, 258–259, 260
  - fire-resistances
    - calculated, 103–106
    - insulation, thermal- and sound, 96
  - fire walls, 78
  - glass and glazing, 352–357
    - overview, 352
    - safety glazing, 355–357
    - skylights and sloped glazing, 353–354
  - gypsum board and plaster
    - described, 358–360
    - fire-resistive construction, 96
  - masonry, 322–333
    - anchorage, 328–329
    - bonding, 327
    - construction practices, 323–324
    - defined, 322
    - empirical design, 326
    - fireplaces, 332–333
    - glass unit, 330–331
    - seismic design, 325
    - thickness, 326

## INDEX

---

- building materials (*continued*)
    - plastics, 361–363
    - roof assembly requirements, 262
    - steel, 334–335
    - ventilation, 216
    - wood, 336–351
      - braced wall lines, 342–343
      - bracing, 348
      - construction requirements, 338–339
      - cripple walls, 349
      - decay and termite protection, 340–341
      - dimensions, 336
      - floor joists, 344–345
      - foundations, 343
      - girders, 343
      - headers, 349
      - light-frame construction (conventional), 342
      - overview, 336
      - roof and ceiling framing, 350–351
      - standards and quality, 337
      - wall framing, 346–347
    - steel assemblies, 105
    - wood assemblies, 106
  - carports, motor-vehicle-related occupancy, 40
  - cast-in-place concrete, defined, 314
  - cast-in-place concrete piles, foundations, 310–311
  - cedar, eastern red, 337
  - ceiling finishes, 108–109
  - ceiling framing, wood building materials, 350–351
  - ceiling height
    - dimensions, 224
    - egress requirements, 142
  - Chicago, building codes, 2
  - cities, building codes, 2, 5
  - clay tiles, roof covering requirements, 266
  - climate. *See also* energy efficiency; weather
    - energy efficiency, 228, 232
    - masonry construction, 324
    - snow loads, structural design, 285
    - structural design, 280
  - code analysis, building codes, 18
  - Code of Hammurabi, 1, 2
  - cognitive impairment, disability definition, 186
  - columns, concrete, 317
  - combustible materials. *See also* fire protection
    - construction types, 59
    - exterior walls, 258–259
    - Type III construction type, 68
    - Types I and II construction types, 66
  - commercial compliance, energy efficiency concepts,
    - 229
  - commercial energy efficiency, 243–246
  - common-path-of-egress travel, exit-access, 161
  - communications. *See also* signage
    - accessibility, 212, 213
    - high-rise buildings, special occupancy groups,
      - 37
  - compliance
    - alternatives to, existing buildings, 379
    - energy efficiency concepts, 229
  - Building Officials and Code Administrators (BOCA),
    - 2, 5
  - building separations, code components, 17
  - building stories, code use, 14–15
  - building systems, 364–368. *See also* building materials; specific building systems
    - electrical, 364
    - elevators and conveying systems, 366–368
    - mechanical, 364
    - plumbing, 365
  - building thermal envelope, defined, 230
  - built-up roofs, roof covering requirements, 272
  - business group B, occupancy groups, 23
- C
- calculated fire-resistances. *See also* fire protection
    - concrete assemblies, 104
    - fire-resistive construction, 103–106

- computer, code searches, 10
- concealed spaces, fire-resistive construction, 94–95
- concrete, 314–320
  - cylinder tests, 315
  - definitions, 314
  - fire protection, 319
  - formwork, 316
  - joints, 316
  - plain concrete, 320
  - reinforcement, 317–319
  - strength and durability, 315
  - wood building materials, 340–341
- concrete assemblies, calculated fire-resistances, 104
- concrete tiles, roof covering requirements, 266
- conditioned space, defined, 230
- construction documents, structural design, 281
- construction joints, concrete, 316
- construction types, 57–70. *See also* fire-resistive construction
  - building heights and areas, 46–48
  - classification system, 58–59
  - code components, 16
  - code use, 14–15
  - combustible materials, 59
  - history of, 57
  - noncombustible materials, 59
  - passive fire protection, 60–61
  - plastic building materials, 362
  - roof assembly requirements, 263
  - Table 601, 62–64
  - Table 602, 65
  - Type I, 66–67
  - Type II, 66–67
  - Type III, 68
  - Type IV, 69
  - Type V, 70
  - water tanks, roof assemblies, 276
- Consumer Product Safety Commission (CPSC), 355
- contraction joints, concrete, 316
- control areas, high-hazard group H, 24
- controls
  - accessibility, 204
  - commercial energy efficiency, 246
  - residential energy efficiency, 241
- conventional light-frame construction, wood
  - building materials, 342
- conveying systems, building systems, 366–368
- cooling, degree-days, 230. *See also* heating
- cooling towers, roof assemblies, 276
- corbels, masonry construction, 324
- corridors
  - egress requirements, 148
  - exit-access, 168–170
  - open-ended, exit design, 179
- counters, accessibility, 204
- courtyards, interior environment, 221
- covered mall buildings, special occupancy groups, 33–35
- crawl spaces
  - access, 226
  - plastic building materials, 361
  - ventilation, 218
- cripple walls, wood building materials, 349
- cupolas, roof assemblies, 277
- curved stairs, egress requirements, 155
- customer-service facilities, accessibility, 204
- cylinder tests, concrete, 315
  
- D
- damp-proofing, soils and foundations, 305–306
- dead ends, exit-access, 170
- dead load(s)
  - defined, 280
  - structural design, 283
- decay, wood building materials, 340–341
- decks, accessibility, 194
- decorations, interior finishes, 111

- deflection, earthquake loads, 294
- deformed reinforcement, concrete, 318
- degree-days, defined, 230
- design, energy efficiency, 228
- design analysis, energy efficiency, 233
- design conditions, energy efficiency, 232
- detectable warnings, accessibility, 204
- dimensions. *See also* measurements
  - interior environment, 223–225
  - wood building materials, 336
- disability, definitions of, 186. *See also* accessibility;  
wheelchairs; specific disabilities
- discharge identification barrier, exit design, 174
- documentation, code interpretations, 13
- domes, roof assemblies, 277
- doors
  - egress requirements, 142, 148, 150, 151, 152
  - fire doors, fire-resistive construction, 92
- doorway requirements, exit-access, 164–165
- draft-stopping, fire-resistive construction, concealed spaces, 95
- drainage
  - roof assembly requirements, 262
  - soils and foundations, 305–306
- drains, roof assembly requirements, 262
- drift, P-delta effects and, earthquake loads, 296
- drift limits, earthquake loads, 294
- drinking fountains, accessibility, 202
- driven pile foundations, soils and foundations, 309
- ductile elements, defined, 280
- ducts
  - earthquake loads, 299
  - fire-resistive construction, 93
  - residential energy efficiency, 241
- durability, concrete, 315
- dwelling units
  - accessibility, 189, 194–197
  - dimensions, 223–225
  - energy efficiency concepts, 229
  - existing buildings, 377
  - lighting, 220
- dynamic analysis procedure, earthquake loads, 297
- E
- earthquake load. *See also* seismic design
  - defined, 280
  - structural design, 289–299
- eastern red cedar, 337
- edge protection. *See also* guards; handrails
  - detectable warnings, 204
  - ramps, egress requirements, 157
  - safety glazing, 356–357
- educational group E
  - automatic sprinkler systems, 118
  - occupancy groups, 23
- efficiency dwelling units, dimensions, 225. *See also*  
dwelling units
- egress, 137–184
  - alternative paths, 139
  - assemblies, 183
  - code components, 17
  - code interpretation documentation, 13
  - components, 140–141
  - concepts, 138
  - elevators, 366–367
  - emergency escape, 184
  - emergency power, 364
  - escalators, 368
  - exit-access, 160–170
    - aisle accessways, 163
    - aisles, 162–163
    - balconies, 170–171
    - common-path-of-egress travel, 161
    - corridors, 168–170
    - doorway requirements, 164–165
    - generally, 160–161
    - occupancy, 161, 164, 167, 168
    - travel distances, 166–167

- exit design, 171–179
  - components, 172
  - exit discharge, 171
  - exterior stairways, 178
  - horizontal exits, 176–177
  - open-ended corridors, 179
  - vertical enclosures, 172–175
- exit discharge, 180–182
- flow, 138
- high-rise buildings, special occupancy groups, 36
- means of egress, defined, 137, 138
- occupancy groups, 25–26
- overview, 137
- protection, 139
- refuge areas, 188
- requirements, 142–159
  - access, 149
  - ceiling height, 142
  - doors, gates and turnstiles, 150
  - elevation changes, 143
  - elevators, escalators and moving walks, 143
  - exit signs, 158
  - guards, 159
  - handrails, 142, 158–159
  - illumination, 149
  - landings, 151
  - locks and latches, 152
  - multiple occupancies, 147
  - number by combination, 145–147
  - occupant load, 144–147
  - panic hardware, 152
  - protruding objects, 142
  - ramps, 156–157
  - roof access, 156
  - stairs, 153–155
  - width of egress, 143, 148
- electrical power, commercial energy efficiency, 246.
  - See also* energy efficiency
- electrical systems
  - building systems, 364
  - earthquake loads, 299
- elevation changes, egress requirements, 143
- elevators, 203. *See also* escalators
  - building systems, 366–368
  - egress requirements, 143
  - emergency power, 364
  - existing buildings, 208, 376
- emergency escape
  - egress, 184
  - elevators, 366–367
  - escalators, 368
- emergency lighting
  - egress requirements, 149
  - electrical systems, 364
- emergency power, electrical systems, 364
- empirical design, masonry, 326
- enclosures, beneath stairs, egress requirements, 154–155
- energy analysis, defined, 230
- energy efficiency, 227–246
  - commercial, 243–246
  - concepts, 229
  - definitions, 230–231
  - design, 228
  - design analysis, 233
  - design conditions, 232
  - overview, 227
  - residential, 234–241
  - simulated performance alternative, 242
- engineering requirements, code components, 17
- entrances, accessibility, 192, 208
- envelope, exterior walls, 248
- equivalent lateral force procedure, earthquake
  - loads, 295
- escalators. *See also* elevators
  - accessibility, existing buildings, 208
  - building systems, 368

- escalators (*continued*)
    - egress requirements, 143
    - existing buildings, 376
  - essential facilities, structural design, 280
  - excavation, soils and foundations, 301
  - existing buildings, 369–378. *See also* historic
    - buildings; remodeling
    - accessibility, 206–209, 374–377
    - compliance alternatives, 379
    - definitions, 370
    - energy efficiency concepts, 229
    - fire escapes, 372
    - occupancy change, 373
    - overview, 369
  - exit-access, 160–170. *See also* egress
    - aisle accessways, 163
    - aisles, 162–163
    - balconies, 170–171
    - common-path-of-egress travel, 161
    - corridors, 168–170
    - doorway requirements, 164–165
    - exit discharge, 180
    - generally, 160–161
    - occupancy, 161, 164, 167, 168
    - travel distances, 166–167
  - exit design, 171–179. *See also* egress
    - components, 172
    - exit discharge, 171
    - exterior stairways, 178
    - horizontal exits, 176–177
    - open-ended corridors, 179
    - vertical enclosures, 172–175
  - exit discharge, 141. *See also* egress
    - egress, 180–182
    - exit design, 171
  - exits, egress components, 140–141. *See also*
    - egress
  - exit signs, egress requirements, 158. *See also*
    - egress
  - exposure category, wind speeds, 287
  - exterior stairways, exit design, 178
  - exterior walls, 247–260. *See also* interior walls;
    - walls
      - building area, 44
      - combustible materials, 258–259
      - envelope, 248
      - fire-resistive construction, 74–77
      - gypsum board and plaster, 360
      - materials, 250
      - metal composite materials, 260
      - overview, 247
      - performance requirements, 249
      - wall covering installation, 251–257
- F
- factory and industrial group F
    - automatic sprinkler systems, 118
    - occupancy groups, 23
  - fare machines, accessibility, 212
  - fasteners
    - gypsum board and plaster, 359
    - steel, 334–335
    - wood, 339
  - federal building codes, 4. *See also* building codes;
    - specific codes
  - Federal Fair Housing Act (FFHA), 4, 189, 194
  - felt, built-up roofs, 272
  - fill, soils and foundations, 301
  - fire-alarm and detection systems, 128–133. *See also* fire-protection systems
    - overview, 128
    - summary chart, 129–132
    - types of, 133
  - fire barriers, fire-resistive construction, 82
  - fire-blocking, exterior wall fire protection, 259
  - fire codes, specialized codes, 6
  - fire doors, fire-resistive construction, 92
  - fire escapes, existing buildings, 372

- fire exits, panic hardware, egress requirements, 152
- fire extinguishing systems, code components, 17
- fire partitions, fire-resistive construction, 86
- fireplaces, masonry, 332–333
- fire protection. *See also* combustible materials; fire-resistive construction
  - atriums, special occupancy groups, 39
  - code components, 17
  - concrete, 319
  - construction types, 60–70
  - elevators, 366–367
  - emergency power, 364
  - exterior walls, 258–259
  - fire-resistive construction, 71–106
  - high-rise buildings, special occupancy groups, 37
  - masonry fireplaces, 332–333
  - materials classification, 108
  - plastic building materials, 361–363
  - roof assembly requirements, 263
  - Table 601, 62–64
  - Table 602, 65
  - water tanks, roof assemblies, 276
- fire-protection systems, 113–136. *See also* fire-alarm and detection systems
  - alarm and detection systems
    - automatic sprinkler systems, 116–122
  - fire-alarm and detection systems, 128–133
  - overview, 113–115
  - smoke-control systems, 134–136
  - standpipe systems, 123–127
- fire-resistance ratings
  - exterior walls, 75
  - fire-resistive construction, 72–73
  - fire walls, 78
- fire-resistive construction, 71–106. *See also* construction types
  - calculated fire-resistances, 103–106
  - concrete assemblies, 104
  - steel assemblies, 105
  - wood assemblies, 106
- concealed spaces, 94–95
- ducts and air transfer openings, 93
- exterior walls, 74–77
- fire barriers, 82
- fire partitions, 86
- fire-resistance ratings, 72–73
- fire walls, 78–81
- joint systems, 89
- opening protectives, 92
- overview, 71
- penetrations, 88
- plaster, 96
- prescriptive fire-resistances, 97–102
  - floor and roof systems, 101–102
  - structural elements, 98
  - wall and partition assemblies, 99–100
- shafts and vertical exit enclosures, 83–85
- smoke barriers and smoke partitions, 87
- structural members, 90–91
- thermal- and sound-insulating materials, 96
- fires, history of, 2
- fire safety, life safety vs. property protection, 7
- fire walls, fire-resistive construction, 78–81
- flame spread, fire protection, code components, 17
- flashing. *See also* roof assemblies
  - masonry fireplaces, 332
  - roof assembly requirements, 262
  - roof covering requirements, 265
  - wall covering installation, 251
- flood load, structural design, 288
- floor area
  - code components, 16
  - code use, 14–15
- floor finishes, 110
- floor joists, wood building materials, 344–345
- floor plan, code interpretation documentation, 13

## INDEX

---

- floor sheathing, wood, 338
- floor systems
  - anchorage, masonry, 328
  - prescriptive fire-resistances, 101–102
- flow, egress, 138
- footings, soils and foundations, 303–304
- force measurement, metric equivalencies, xiii
- formwork, concrete, 316
- foundations. *See* soils and foundations
- furred ceilings, dimensions, 224
  
- G
- garages. *See also* motor-vehicle-related occupancy
  - accessibility, 193
  - automatic sprinkler systems, 120
  - building heights and areas, special provisions, 55–56
  - motor-vehicle-related occupancy, special occupancy groups, 40
- gates, egress requirements, 150
- girders, wood building materials, 343
- glass and glazing, 352–357
  - overview, 352
  - plastic building materials, 363
  - safety glazing, 355–357
  - skylights and sloped glazing, 353–354
- glass unit masonry, 330–331
- glass veneer, wall covering installation, 257
- grade plane
  - accessibility, 197
  - building area, 44, 45
- grading, soils and foundations, 301
- gross building area, building area, 44
- grouting, masonry, 322
- guards. *See also* edge protection; handrails
  - egress requirements, 159
  - loads, structural design, 284
  - ramps, egress requirements, 157
  - safety glazing, 356–357
- gutters, roof assembly requirements, 262
- gypsum board, plaster and, building materials, 358–360
  
- H
- Hammurabi, Code of, 1, 2
- handrails. *See also* edge protection; guards
  - egress requirements, 142, 158–159
  - loads, structural design, 284
- hardware
  - accessibility, 204
  - panic, egress requirements, 152
- headers
  - masonry, 327
  - wood building materials, 349
- head joints, masonry construction, 323
- hearing impairment
  - assembly areas, 198–199
  - disability definition, 186
  - signage, 205
  - telephones, 213
- heating. *See also* cooling
  - degree-days, 230
  - interior environment, 218
- heat measurement, metric equivalencies, xiii
- heavy timber (HT) construction, 69
- high-hazard group H
  - automatic sprinkler systems, 119
  - occupancy groups, 23–24
- high-rise buildings, special occupancy groups, 36–37
- historic buildings. *See also* existing buildings; remodeling
  - accessibility, 210
  - energy efficiency concepts, 229
  - occupancy change, 373
  - preservation, IEBC, 7
- horizontal assemblies, fire-resistive construction, 87
- horizontal continuity, fire walls, 78–79

- horizontal exits, exit design, 176–177
- horizontal shear distribution, earthquake loads, 296
- hot water systems, residential energy efficiency, 241
- housing. *See* dwelling units
- I
- illumination, egress requirements, 149. *See also* lighting
- incidental use areas, mixed use and occupancy, building heights and areas, 53
- industrial and factory group F, occupancy groups, 23
- inspections. *See* tests and inspections
- institutional group I
  - accessibility, 194
  - automatic sprinkler systems, 119
  - emergency escape, 184
  - special occupancy groups, 41
- insulation
  - residential energy efficiency, 237–238, 241
  - roof covering requirements, 274
  - ventilation, 217
- insurance companies, building codes, 2
- intent
  - energy efficiency concepts, 229
  - interpretation and, building codes, 9–13
- interior environment, 215–226
  - access, 226
  - dimensions, 223–225
  - historical perspective, 215
  - lighting, 220
  - public toilets, 226
  - sound transmission, 222
  - temperature control, 218
  - ventilation, 216–218, 219
  - yards and courts, 221
- interior finishes, 107–111
  - decorations and trim, 111
  - floor, 110
  - overview, 107
  - wall and ceiling, 108–109
- interior walls, loads, structural design, 284. *See also* exterior walls; walls
- International Building Code (IBC), 3, 8. *See also* building codes; specific codes
  - accessibility, 185
  - Appendix E, 211
  - construction types, 57
  - egress, 137, 138
- International Code Congress (ICC), 3, 364
- International Code Council, 3
- International Conference of Building Officials (ICBO)
  - Uniform Building Code, 2, 3
- International Energy Conservation Code (IECC), 227, 229, 230–231. *See also* energy efficiency
- International Existing Building Code (IEBC), 7
- International Fuel Gas Code, 364
- International Mechanical Code, 364
- International Residential Code (IRC), 3
- interpretation, intent and, building codes, 9–13
- isolation joints, concrete, 316
- J
- joints
  - concrete, 316
  - fire walls, 81
  - masonry construction, 323
- joint systems, fire-resistive construction, 89
- joists
  - floor anchorage, masonry, 328–329
  - steel, 334
  - wood building materials, 340–341, 344–345, 351
- K
- kitchens
  - accessibility, 202
  - dimensions, 223

## INDEX

---

- L
- laminated glass, defined, 352
- landings, egress requirements, 151, 157
- landscaped roofs, loads, structural design, 284
- latches, egress requirements, 152
- laundry equipment, accessibility, 212
- length measurement, metric equivalencies, xiii
- Life Safety Code, 6
- life safety codes, property protection codes vs.,
  - building codes, 7
- lifts
  - accessibility, 203
  - detectable warnings, accessibility, 204
  - existing buildings, 208, 376
- light-frame construction (conventional), wood
  - building materials, 342
- lighting
  - commercial energy efficiency, 246
  - egress requirements, 149
  - interior environment, 220
  - plastic building materials, 363
  - recessed, residential energy efficiency, 240
- light measurement, metric equivalencies, xiii
- light-transmitting plastics, 363
- liquid roofing, roof covering requirements, 274
- live loads
  - defined, 280
  - structural design, 283, 284
- living rooms, dimensions, 224
- load-bearing values, of soils, 302
- load-bearing walls
  - construction documents, 281
  - masonry, 326
  - wood, 346–347
- load combinations, structural design, 283
- loads. *See also* specific loads
  - defined, 280
  - glass and glazing, 352
  - structural design, 283–286
  - construction documents, 281
- local building codes, 5
- locks, egress requirements, 152
- M
- mailboxes, accessibility, 212
- maintenance, accessibility, existing buildings, 206
- masonry, 322–333
  - anchorage, 328–329
  - bonding, 327
  - construction practices, 323–324
  - defined, 322
  - empirical design, 326
  - fireplaces, 332–333
  - glass unit, 330–331
  - seismic design, 325
  - thickness, 326
  - wood building materials, 340–341
- masonry veneer
  - adhered, wall covering installation, 256
  - anchored, wall covering installation, 253
- materials. *See* building materials
- means of egress, defined, 137, 138. *See also* egress measurements, metric equivalencies, xiii. *See also*
  - dimensions
- mechanical building systems
  - described, 364
  - earthquake loads, 299
  - pipng, residential energy efficiency, 241
  - ventilation, residential energy efficiency, 241
- mercantile group M
  - accessible routes, 191
  - automatic sprinkler systems, 119
  - occupancy groups, 27
- metal composite materials, exterior walls, 260
- metal panels, roof covering requirements, 267
- metal shingles, roof covering requirements, 268
- metal veneer, wall covering installation, 256
- metric equivalencies, xiii

- mezzanines
    - accessible routes, 191
    - building heights and areas, 45, 49
  - mineral-coated roll roofing, roof covering requirements, 269
  - minimum design lateral force, earthquake loads, 294
  - minimum slope, roof assembly requirements, 262
  - mixed use and occupancy
    - building heights and areas, 53–54
    - code components, 17
    - energy efficiency concepts, 229
  - model codes, 3
  - modified bitumen roofing, built-up roofs, 272
  - moisture control. *See also* soils and foundations
    - commercial energy efficiency, 245
    - residential energy efficiency, 240
  - moment frame, construction documents, 281
  - motor-vehicle-related occupancy. *See also* garages
    - accessibility, 193
    - automatic sprinkler systems, 120
    - building heights and areas, special provisions, 55–56
    - special occupancy groups, 40–41
  - moving walks, egress requirements, 143
  - multiple buildings, exterior walls, fire-resistive construction, 75
  - multiple occupancies, egress requirements, 147
  - multistory, defined, 195
- N**
- nails, wood, 339. *See also* fasteners
  - National Board of Fire Underwriters, 2
  - national building codes, 4
  - National Electric Code, 6, 364
  - National Fire Protection Association (NFPA), 6
    - electrical systems, 364
    - escalators, 368
    - materials classification, 108
  - National Register of Historic Places, 373
  - natural ventilation, 219
  - noncombustible materials. *See also* combustible materials; fire protection
    - construction types, 59
    - fire walls, 78
    - Type III construction type, 68
  - nonductile elements, defined, 280
  - number by combination, egress requirements, 145–147
- O**
- occupancy change
    - accessibility, existing buildings, 206, 375
    - energy efficiency concepts, 229
    - existing buildings, 373
  - occupancy classification
    - code components, 16
    - code use, 14–15
    - occupancy groups, 20
  - occupancy groups, 19–30. *See also* special occupancy groups
    - assembly group A, 20–22
    - building heights and areas, 46–48
    - business group B, 23
    - classification, 20
    - control areas, 24
    - educational group E, 23
    - egress, 183
    - emergency escape, 184
    - exit-access, 161, 164, 167, 168
    - exit design, 176–177
    - factory and industrial group F, 23
    - high-hazard group H, 23–24
    - institutional group I, 25–26
    - mercantile group M, 27
    - mixed occupancy, building heights and areas, 54
    - plumbing, 365
    - residential group R, 28–29

## INDEX

---

- occupancy groups (*continued*)
  - special occupancy groups and, 32
  - storage group S, 30
  - structural design, 282, 283
  - utility and miscellaneous group U, 30
- Occupancy Separation Rating, fire protection, code components, 17
- occupant load
  - determination of, covered mall buildings, 33
  - egress requirements, 144–147
- open-ended corridors, exit design, 179
- opening protectives, fire-resistive construction, 92
- openings. *See also* penetrations; specific openings
  - access, 226
  - attic spaces, 217
  - exterior walls, 76
- operating mechanisms, accessibility, 204
- overturning, earthquake loads, 296
  
- P
- panic hardware, egress requirements, 152
- parapets
  - exterior walls, 77
  - masonry, 326
  - roof assembly requirements, 263
- parking facilities, accessibility, 193
- parking garages
  - building heights and areas, special provisions, 55–56
  - motor-vehicle-related occupancy, special occupancy groups, 40–41
- partitions
  - loads, structural design, 284
  - prescriptive fire-resistances, 99–100
- partition walls, masonry, 325
- passageways, exit design, 173, 175
- passenger loading facilities, accessibility, 193
- passive fire protection, construction types, 60–61
- patios, accessibility, 194
- P-delta effect, drift and, earthquake loads, 296
- penetrations. *See also* openings; specific penetrations
  - fire-resistive construction, 88
  - fire walls, 81
- penthouses, roof assemblies, 275
- performance codes, prescriptive codes vs., building codes, 8
- performance requirements
  - exterior walls, 249
  - roof assembly requirements, 263
- pier foundations, soils and foundations, 307–308, 312
- pile foundations, soils and foundations, 307–311
- plain concrete. *See also* concrete
  - conditions for use, 320
  - defined, 314
- plan irregularities, earthquake loads, 292
- plaster
  - fire-resistive construction, 96
  - gypsum board and, building materials, 358–360
- plastic building materials, 361–363
- platform lifts. *See* lifts
- plumbing, building systems, 365
- plumbing codes, 6, 365
- polyurethane foam roofing, roof covering requirements, 274
- Portland cement, concrete, 314. *See also* concrete
- precast concrete, defined, 314
- prescriptive codes, performance codes vs., building codes, 8
- prescriptive fire-resistances, 97–102
  - floor and roof systems, 101–102
  - structural elements, 98
  - wall and partition assemblies, 99–100
- primary function, defined, 370
- private garages, motor-vehicle-related occupancy,

- projections
  - egress requirements, 142
  - exterior walls, fire-resistive construction, 74
  - masonry construction, 324
- property protection codes, life safety codes vs., building codes, 7
- protection, egress, 139
- protruding objects, egress requirements, 142. *See also* projections
- public toilets. *See also* bathing facilities; toilets
  - interior environment, 226
  - plumbing, 365
- public way, defined, 141
  
- R
- rafters, wood building materials, 351
- rain load, structural design, 288
- ramps
  - accessibility, existing buildings, 208
  - egress requirements, 156–157
  - safety glazing, 357
- recessed lighting, residential energy efficiency, 240
- recreational facilities, accessibility, 204
- red cedar, eastern, 337
- redundancy, earthquake loads, 294
- redwood, 337
- refuge areas
  - egress, 188
  - signage, 205
- reinforced concrete. *See also* concrete
  - defined, 314
  - details of, 317–319
  - fire protection, 319
- remodeling. *See also* existing buildings; historic buildings
  - accessibility, existing buildings, 207–209
  - energy efficiency concepts, 229
  - existing buildings, 370–371
  - International Existing Building Code (IEBC), 7
  - reroofing, roof assemblies, 278
- repair garages, motor-vehicle-related occupancy, special occupancy groups, 41
- repairs, existing buildings, 370–371. *See also* existing buildings; historic buildings; remodeling
- reroofing, roof assemblies, 278
- residential building, defined, 230. *See also* dwelling units
- residential compliance, energy efficiency concepts, 229
- residential energy efficiency, 234–241
- residential group R
  - accessibility, 189, 195, 204
  - automatic sprinkler systems, 120
  - emergency escape, 184
  - occupancy groups, 28–29
- revolving doors, egress requirements, 150
- roll roofing, roof covering requirements, 269
- roof(s), stepped, fire walls, 81
- roof access, egress requirements, 156
- roof assemblies, 261–278
  - anchorage, structural design, 282
  - cooling towers, 276
  - covering requirements, 264–274
    - asphalt shingles, 264–265
    - built-up roofs, 272
    - metal panels, 267
    - metal shingles, 268
    - roll roofing and slate shingles, 269
    - single-ply roofing, 273
    - sprayed and liquid roofing, 274
    - tiles (clay or concrete), 266
    - wood shakes, 271
    - wood shingles, 270
- fire-resistances, prescriptive, 101–102
- general requirements, 262–263

- roof assemblies (*continued*)
  - loads, structural design, 284
  - overview, 261
  - penthouses, 275
  - reroofing, 278
  - skylights, glass and glazing, 353–354
  - snow loads, structural design, 285
  - tanks, 276
  - towers, spires, domes and cupolas, 277
- roof framing
  - gypsum board and plaster, 359
  - wood building materials, 350–351
- roof loads, structural design, 284
- roof sheathing, wood, 338
- room area, dimensions, 225
- room width, dimensions, 223
  
- S
- safety glazing, 355–357
- same services, defined, 199
- scoping requirements, accessibility, 186, 189, 190, 200, 204, 208–209
- screening, glass and glazing, 353–354
- seating, accessibility, 204
- seismic design. *See also* earthquake load
  - masonry, 322, 325
  - wood, 348
- Seismic Design Category, 289, 291
- seismic-force-resisting systems, 297
- seismic shear base, earthquake loads, 295
- Seismic Use Groups, earthquake loads, 291
- self-service storage facilities, accessibility, 200
- sensory impairment, disability definition, 186
- serviceability, structural design, 282
- service stations, motor-vehicle-related occupancy, 41
- shafts
  - code components, 17
  - vertical exit enclosures and, fire-resistive construction, 83–85
- shakes, wood, roof covering requirements, 271
- shear base, seismic, earthquake loads, 295
- shear walls
  - construction documents, 281
  - gypsum board and plaster, 359
  - masonry, 325
- shingles
  - asphalt, roof covering requirements, 264–265
  - metal, roof covering requirements, 268
  - slate, roof covering requirements, 269
  - wood, roof covering requirements, 270
- siding, vinyl, wall covering installation, 257
- signage. *See also* communications
  - accessibility, 205
  - exit design, 174
  - exit signs, 158
  - tactile, 214
- simulated performance alternative, energy efficiency, 242
- single-ply roofing, roof covering requirements, 273
- sinks, accessibility, 202
- site ground motion, earthquake loads, structural design, 290
- site plan
  - code interpretation documentation, 13
  - code use, 14–15
- skylights, glass and glazing, 353–354
- slab-type veneer, wall covering installation, 255
- slate shingles, roof covering requirements, 269
- sleeping units, accessibility, 194–197
- slope(s)
  - egress requirements, 143
  - minimum, roof assembly requirements, 262
- sloped glazing, glass and glazing, 353–354
- sloping ceilings, dimensions, 224
- sloping sites, building area, 45
- smoke barriers and smoke partitions, fire-resistive construction, 87
- smoke-control systems, 134–136

- smoke generation, fire protection, code components, 17
- smoke-proof enclosures, exit design, 175
- snow loads
  - defined, 280
  - structural design, 285
- soil lateral load, structural design, 288
- soils and foundations. *See also* moisture control
  - damp-proofing and waterproofing, 305–306
  - drainage, 305–306
  - excavation, grading and fill, 301
  - footings, 303–304
  - investigations, 301
  - load-bearing values, 302
  - pier foundations, 307, 312
  - pile foundations, 307–311
  - wood building materials, 340–341, 343
- solar heat gain, energy efficiency concepts, 229
- solar heat gain coefficient, defined, 231
- sound-insulating materials, fire-resistive
  - construction, 96
- sound transmission, interior environment, 222
- Southern Building Code Congress Standard Building Code, 2, 3
- special inspections, structural provisions, 300
- special occupancy groups, 31–42. *See also* occupancy groups
  - accessibility, 198–200, 211
  - atriums, 38–39
  - covered mall buildings, 33–35
  - high-rise buildings, 36–37
  - institutional groups I-2 and I-3, 41
  - motor-vehicle-related occupancy, 40–41
  - occupancy groups and, 32
  - overview, 31
- speed measurement, metric equivalencies, xiii
- spiral reinforcement, concrete, 317–318
- spiral stairs, egress requirements, 155
- spires, roof assemblies, 277
- sprayed roofing, roof covering requirements, 274
- sprinkler systems. *See* automatic sprinkler systems
- stair rails, egress requirements, 142
- stairways
  - accessibility, existing buildings, 208
  - egress requirements, 143, 148, 151, 153–155
  - emergency egress, 366
  - exit design, vertical enclosures, 172–175
  - fire escapes, existing buildings, 372
  - lighting, 220
  - safety glazing, 357
- standard of care, building codes, 7
- standard reference design, defined, 231
- standpipe systems, fire-protection systems, 123–127
- state building codes, 5. *See also* building codes; specific codes
- steel
  - aluminum compared, 321
  - building materials, 334–335
- steel assemblies, calculated fire-resistances, 105
- steel floors, anchorage, masonry, 329
- stepped roofs, fire walls, 81
- stirrups, concrete, 317
- stone veneer, wall covering installation, 254
- storage facilities
  - accessibility, 203
  - dimensions, 224
  - self-service, accessibility, 200
- storage group S, occupancy groups, 30
- story height, building area, 45
- strain, defined, 280
- strength, concrete, 315
- structural elements, prescriptive fire-resistances, 98
- structural members, fire-resistive construction, 90–91
- structural provisions, 279–312. *See also* soils and foundations
  - design, 280–299

- structural provisions (*continued*)
    - construction documents, 281
    - dead loads, 283
    - definitions, 280
    - earthquake loads, 289–299
    - flood load, 288
    - general requirements, 282
    - handrail and guard loads, 284
    - interior wall and partition loads, 284
    - life loads, 283
    - load combinations, 283
    - occupancy category, 282, 283
    - rain load, 288
    - roof loads, 284
    - serviceability, 282
    - snow loads, 285
    - soil lateral load, 288
    - wind loads, 286–287
  - overview, 279
  - soils and foundations, 301–312
  - tests and inspections, 300
  - structural stability, fire walls, 78
  - Structure Hour Rating, fire protection, code components, 17
  - studs, wood wall framing, 249, 346–347
  - suspended ceilings, earthquake loads, 299
- T
- Table 503
    - building heights and areas, 46–48
    - construction types, 58
  - Table 601
    - construction types, 58, 62–64
    - passive fire protection, construction types, 60
  - Table 602, construction types, 65
  - Table 1004.1.1, occupant load, egress requirements, 144
  - tactile signage, 214
  - tanks, roof assemblies, 276
  - technically infeasible
    - defined, 189
    - existing buildings, 370, 374–378
  - telephones, accessibility, 213. *See also*
    - communications
  - temperature control, interior environment, 218
  - tempered glass, defined, 352
  - termite protection, wood building materials, 340–341
  - terra-cotta veneer, wall covering installation, 255
  - tests and inspections, structural provisions, 300
  - thermal barriers, plastic building materials, 361
  - thermal conductance, defined, 231
  - thermal-insulating materials, fire-resistive construction, 96
  - thermal resistance, defined, 231
  - thermal transmittance, defined, 231
  - thickness
    - gypsum board and plaster, 359
    - masonry, 326
  - tiles, clay or concrete, roof covering requirements, 266
  - toilets. *See also* bathing facilities
    - accessibility, 201–202
    - historic buildings, 210
    - dimensions, 224
    - gypsum board and plaster, 359
    - plumbing, 365
    - portable, accessibility, 212
    - public
      - interior environment, 226
      - plumbing, 365
      - safety glazing, 355
      - ventilation, 219
  - towers, roof assemblies, 277
  - transient lodging, accessibility, 211
  - transit facilities, accessibility, 214
  - travel distances, exit-access, 166–167
  - treads, egress requirements, 155

- trim, interior finishes, 111
- turnstiles, egress requirements, 150
- Type A dwelling unit, accessibility, 189, 194, 200
- Type B dwelling unit, accessibility, 189, 191, 194, 196, 197, 200
- Type I construction type, 66–67
- Type II construction type, 66–67
- Type III construction type, 68
- Type IV construction type, 69
- Type V construction type, 70
  - fire walls, 78
  
- U
- under-floor ventilation, 218
- Uniform Building Code, 2, 5. *See also* building codes
  - construction types, 57
  - use of, 14–15
- unisex facilities, accessibility, 202
- United States Department of Commerce (DOC)
  - American Softwood Lumber Standard, 337
- United States Department of Housing and Urban Development (HUD), 4, 194
- United States Department of Justice, 4
- universal design concept, accessibility, 188
- unlimited-area buildings, building heights and areas, 52
- utility and miscellaneous group U, occupancy groups, 30
  
- V
- vapor retarders
  - energy efficiency, 245
  - ventilation, 218
- veneers
  - adhered masonry, wall covering installation, 256
  - anchored masonry, wall covering installation, 253
  - earthquake loads, 299
  - glass, wall covering installation, 257
  - metal, wall covering installation, 256
  - slab-type, wall covering installation, 255
  - stone, wall covering installation, 254
  - terra-cotta, wall covering installation, 255
  - wood, wall covering installation, 252
- ventilation
  - commercial energy efficiency, 245
  - elevators, 367
  - interior environment, 216–218
  - natural, 219
  - residential energy efficiency, 241
  - roof assembly requirements, 262
- vent shafts, building area, 44
- vertical continuity, fire walls, 80
- vertical distribution, of seismic forces, earthquake loads, 296
- vertical enclosures, 83–85, 172–175
- vertical exposure, exterior walls, 76
- vertical irregularities, earthquake loads, 293
- vinyl siding, wall covering installation, 257
- visual alarms, fire-alarm and detection systems, 133
- visual impairment
  - assembly areas, 198–199
  - detectable warnings, 204
  - disability definition, 186
  - signage, 205
- volume measurement, metric equivalencies, xiii
  
- W
- wall covering installation, exterior walls, 251–257
- wall finishes, 108–109
- wall framing
  - gypsum board and plaster, 359
  - wood building materials, 346–347
- walls. *See also* exterior walls; interior walls
  - anchorage, masonry, 329
  - construction documents, 281
  - gypsum board and plaster, 359
  - light-transmitting plastics, 363
  - loads, structural design, 284
  - prescriptive fire-resistances, 99–100

## INDEX

---

- water, masonry construction, 324
- waterproofing, soils and foundations, 305–306
- water tanks, roof assemblies, 276
- weather. *See also* climate; energy efficiency
  - gypsum board and plaster, 358, 359
  - masonry construction, 324
  - roof assembly requirements, 262, 263
  - structural design, 280
- weather protection
  - exterior walls, 249
  - roof assembly requirements, 262
- weight measurement, metric equivalencies, xiii
- wheelchairs. *See also* accessibility
  - accessibility, 186, 187, 188
  - assembly areas, 198–199
  - kitchen dimensions, 223
  - telephones, 213
  - toilet and bathing facilities, 201–202
- width of egress, egress requirements, 143, 148
- wind
  - masonry construction, 324
  - roof assembly requirements, 263
  - structural design, 287
- winding stairs, egress requirements, 155
- wind loads, structural design, 286–287
- windows
  - energy efficiency, 229, 232, 233, 239, 240
  - exterior walls, 76
  - opening protectives, fire-resistive construction,
- wired glass, defined, 352
- wood assemblies, calculated fire-resistances, 106
- wood building materials, 336–351
  - braced wall lines, 342–343
  - bracing, 348
  - construction requirements, 338–339
  - cripple walls, 349
  - decay and termite protection, 340–341
  - dimensions, 336
  - floor joists, 344–345
  - foundations, 343
  - girders, 343
  - gypsum board and plaster, 359
  - headers, 349
  - light-frame construction (conventional), 342
  - overview, 336
  - roof and ceiling framing, 350–351
  - standards and quality, 337
  - wall framing, 346–347
- wood floors, anchorage, masonry, 328
- wood shakes, roof covering requirements, 271
- wood shingles, roof covering requirements, 270
- wood veneer, wall covering installation, 252
- work surfaces, accessibility, 204
- wythes, masonry, 327

## Y

- yards, interior environment, 221



