

Index

- Address matching, *see* Geocoding
- Aerial photography, 138, 169, 203, 287, 289
- Aggregation, 211, 525
- Allocation grids
 - and cost distance, 469, 511–513
 - and direction, 510–513
 - and Euclidian distance, 468–469
- ArcCatalog
 - vs. ArcMap, 112
 - catalog tree, 38–40
 - connecting to a folder, 40
 - copying data, 46–50, 60
 - defined, 30
 - file extensions, 37, 297, 530
 - icons, 42–45
 - metadata, *see also* Metadata
 - tab, 44, 56, 61, 65, 71
 - toolbar, 42–45, 56, 65
 - preview tab, 42, 48, 53, 55, 56, 64, 67, 69, 70, 261, 549
 - refreshing (F5), 78, 195, 316, 268
 - setting options, 36–38
 - sorting records, 51–52, 53
 - starting, 33, 59
 - tables, 50–53
- Arcedit (ARCEdit), 34, 272–273, 331
- ArcEditor, 30, 35
- ArcGIS
 - ArcGIS Desktop
 - ArcInfo Workstation, 33, 34, 38, 209, 265, 269, 276, 331, 414
 - Arc, 34, 268–274
 - Arcedit (ARCEdit), 34, 272–273, 331
 - Arcplot (ARCPlot), 34, 270–274
 - Grid (GRID), *see* Grid, Raster(s)
 - ArcReader, 30
 - ArcView, 30, 35, 243
 - defined, 29–30
 - help, 76
 - ArcIMS, 29, 62
 - ArcSDE Gateway, 29
 - scalable product, 29–30
 - ArcGlobe, 297–298, 528–530, 543–545
- ArcIMS (Internet Map Server), 29, 62
- ArcMap
 - application window, sizing, 58
 - vs. ArcCatalog, 112
 - data view vs. layout view, 173–180
 - defined, 30, 34, 58
 - interface, 367
 - opening a new map, 130
 - placing data in, 58–59
 - starting, 33, 43
 - template, 174–177
 - terminology
 - data frame
 - adding data to, 181–191
 - defined, 173, 181–182
 - feature, 173
 - layer, 173
 - layout, 173
 - object, 173
 - toolbar, 110–112
 - Arcplot (ARCPlot), 34, 270–273
 - ArcScene, 153–154, 338, 528, 530–538
 - defined, 153
 - keyframes, 536–537
 - Navigation Tool, 532–533, 537
 - ArcSDE (Spatial Database Engine), 29, 119, 235–236
 - ArcToolbox, 260–263, 266–267
 - analysis tools, 410–447, 503, 550
 - conversion tools, 311, 316, 319, 481, 503
 - and creating attribute tables, 267–268
 - data management tools, 438, 440
 - defined, 30, 34
 - help, 267, 272
 - and hydrologic analysis, 471, 473, 474, 480
 - introduced, 251–254
 - project tool, 385, 395
 - and rasters, 457, 482, 484, 486, 487, 491–492, 497–498, 501–502
 - and shapefiles, 242
 - show /hide, 42–43
 - spatial analyst tools, 450, 501, 522
 - and transforming features, 318–319
- ArcView, 30, 35, 243
- Attribute tables
 - Arc (AAT), 219, 226–228, 230, 256, 261, 267
 - creating using ArcToolbox, 267–268
 - Feature (FAT), 226–227, 261, 457
 - Node (NAT), 227–230, 261, 267
 - opening, 58, 73
 - Point (PAT), 226–227, 257
 - Point (PAT) vs. Polygon (PAT), 257
 - Polygon (PAT), 220, 227–228, 230, 257, 267, 414, 419, 421
- Attribute values, 53, 72, 200, 218, 223, 231, 237, 378, 399, 407, 574
 - calculating, 385, 417, 444, 447, 576
 - described, 237
 - and dissolve, 443
 - and extract (EXTRACT), 411
- Attributes
 - adding, 303
 - coverage, 38, 222–239
 - defined, 23, 27
 - Digital raster graphics file (DRG), 133
 - and extraction, 410–411, 450, 498
 - Feature-ID (FID), 228–229
 - geodatabase, 239–243, 253–254
 - and geographics, 142–156
 - joining, 74, 343, 431, 516
 - and linear referencing, 570–571
 - and lines, 27
 - linked to features, 54
 - and metadata, 57, 70–73
 - ObjectID (OID), 276, 367
 - and overlay, 403, 407, 409, 420, 424, 426, 427
 - and polygons, 28, 421
 - selecting by, 368–370, 393, 396, 417, 420, 422, 491, 550–564, 574, 576–577
 - Shape_Area, 65, 69
 - Shape_Length, 65, 69, 276
 - and tics, 56, 318
 - and Triangulated Irregular Networks (TINs), 150
- Auto adjust, 322–323, 336

Index

- Bookmarks, set spatial, 132, 142
- Boolean operations, 423, 485–486
- Buffering, 403, 415, 493–494, 550
 - Buffer Wizard, 415–418
 - coverages, 413–414
 - and Editor, 335
 - with geodatabases, 427–429
 - INSIDE value, 414
 - lines and polygons, 404–405
 - Multiple Ring Buffer tool, 428–429, 434–438, 550
 - points, 404
- Build
 - vs. clean, 272–273
 - tool, 268
 - topology, 261, 268, 272, 304, 316
 - arc, 261
 - node, 261
 - polygon, 263
- Cartesian
 - coordinate system, 11–12, 15–16, 178, 265, 317, 482
 - convert files to, 395
 - coordinates, 53, 266
 - distance, 18, 461
 - grid lines, 215, 451
 - northings and eastings, 113, 332
 - plane, 13, 15–16, 247, 300, 457, 460, 464, 503
 - points, 72, 221, 265, 340
 - projection, 392
- CellTool, 483–487, 510
- Classifying (or categorizing) features and rasters, 144, 362, 378–383, 520
 - defined interval, 150, 378, 381
 - equal interval, 378–379, 381–382
 - histograms, 144, 154, 379, 381
 - manual, 378, 380
 - natural breaks, 144, 378, 382. *See also* Jenks method
 - number of classes, setting, 379, 381, 512
 - quantile, 378
 - showing class ranges using feature values, 382
 - standard deviation, 378, 381
- Clean (CLEAN), 256, 272–273, 279
- Clip, 328–329, 337, 410, 432, 436
- Color(s)
 - custom, 114, 121
 - ramps, 144, 150, 156, 379, 381, 483, 487, 520, 532
 - schemes, 135
- Computer
 - Binary Digits (BITS), 29, 133, 211, 213, 276, 310, 351–353, 357, 458, 546
 - Central Processing Unit (CPU), 353, 535
 - hardware, 5, 45, 88, 245, 351
 - memory, 23, 29, 45, 54, 88, 92, 113, 120, 210–211, 246, 290, 293–294, 351–352, 365, 449, 473, 478, 546, 574
 - software, 11, 27–30. *See also* ArcGIS
- Computer-aided design (CAD) files, 216, 218, 331
- Continuous data, 95–96, 214–217, 244, 291, 295, 500, 519
 - defined, 456
 - vs. discrete, 210, 212, 287, 354–357, 546
- Contour line files, 148–149
- Control points, 56, 218
 - adding, 322
 - deleting, 322
- Coordinate system(s), 11–19, 95, 169, 249, 529, 543. *See also* Projecting data
 - axes, 11, 213
 - bounding coordinates, 57, 62, 65, 67
 - Cartesian, 11–12, 15–16, 178, 265, 317, 482
 - geographic, 299–300
 - geographic vs. projected, 16, 299–300
 - and metadata, 65, 67–68, 415, 418
 - projected, 10, 15–16, 305, 310, 385, 392
 - northing and easting, 56
 - UTM and State Plane, 17–18
 - right-hand, 11
 - spherical, 12–13
- Copying and pasting, 39–40, 46
 - data in ArcCatalog, 42, 60
- Cost surface analysis, 464–468, 476, 508–509, 511–519
- Cost Weighted distance tool, 458, 508
- Coverage, 220–249
 - defined, 217, 220–222
 - tics and ticks, 56
 - topology, 227–230, 232–233
- Ctrl+Z, *see* Undo
- Data
 - adding to ArcCatalog, 42, 60
 - adding to ArcGlobe, 543–545
 - adding to ArcMap, 58–59, 130, 182–183
 - adding to model, 435
 - collection, 117, 287–291, 339–344
 - combining demographic and geographic, 388–397
 - display, 111
 - exporting, 301, 344, 395, 431
 - formats, 45–46, 165–166, 246–247, 288
 - previewing, 42, 48, 153, 174, 530
 - renaming in ArcCatalog, 78–79, 243
 - searching for, 44, 61–64, 66, 77
 - spatial
 - characteristics and examples of, 83–159
 - defined, 88–89
 - storage, 45–46, 235
 - paradigms, 45, 96–97, 212–217
- Database
 - American National Standards Institute (ANSI), 26
 - attribute, 27–28, 50, 53, 58, 74, 97, 123, 127, 222, 235, 239, 241
 - defined, 22
 - field or item (column), 23
 - key field, 25–27, 74, 343, 393, 430
 - general, 89–90
 - geographic, 27–28, 34, 50, 66, 74, 97, 99, 222, 239
 - management system (DBMS), 29, 235
 - products, compatible, 222
 - queries, 25–26, 422–423, 529, 556
 - record or tuple (row), 23
 - relational, 23–28, 34, 50, 53–54, 76, 154, 218, 220, 226, 235, 241
 - spatial, 83, 91–98
 - interpolation and extrapolation, 211
 - Structured Query Language (SQL), 26, 222, 235, 422–423, 432, 436–437, 445, 498, 577
- Data frame(s)
 - activating, 182–183
 - adding data to, 182–184
 - defined, 173, 181–182
 - graphic indicators, 184
 - inserting, 182
 - moving, 183
 - properties, 116, 182, 189–191, 301, 366, 385, 415, 560
 - vs. layer properties, 373, 375
 - renaming, 182
 - resizing, 183
 - selecting, 182
- Data view, 193–199, 202, 204
 - vs. layout view, 173–185
- Decimal degrees, 67, 332, 558
- Defined intervals, 150, 378, 381
- Delta X,Y, 326, 327, 331
- Descartes, René, 11, 461
- Digital
 - Elevation Model (DEM), 97, 119, 149, 532
 - defined, 144
 - orthophoto, 335
 - defined, 119, 138
 - Raster Graphics file (DRG)
 - Defined, 131, 134
- Digitizing, 285, 289, 292, 295, 326–337, 357
 - defined, 302
 - directly, 320–326
 - heads-up, 304, 320
 - and transforming, 303–320
- Dirichlet domains, 248, 503
- Discrete data, 96, 211, 214, 244, 452
 - defined, 452
 - representation and GIS, 357
 - symbols, 22, 83, 88, 89, 209, 478
 - vs. continuous data, 95, 210, 212, 287, 295, 354–357, 546
- Dissolve, 416, 441, 443–444, 447
- Earth
 - and coordinate systems, 12–21, 452
 - and flat planes, 83–84, 215, 470
 - and geocoding, 552
 - and Global Positioning Systems (GPS), 291–302, 328
 - shape of, 7, 14–15

- and three dimensions, 527, 529–530, 543–544
- Eccentricity, 442–447
- Edit(s)
 - saving, 309
 - sessions
 - starting, 306
 - stopping, 309, 315
 - sketches, 307, 324, 331–334, 338
- Editor, 304
 - fundamentals, 331–338
 - toolbar, 112, 306, 307–308, 313, 417, 429
- Elevation
 - contours, 97, 148–149, 509
 - Digital Elevation Models (DEMs), 97, 119, 144, 149, 532
 - Triangulated Irregular Networks (TINs), 119, 149–154, 213, 214, 217, 220, 235–236, 247–248, 500
 - Three-dimensional model, 529, 532–543
 - defined, 149
- Endpoints, 308
- Environment settings, 458, 488–489, 492
- Equal Interval Classification, 378–379, 381–382. *See also* Classifying (or categorizing) features and rasters
- Escape (Esc) key, 126, 180–181, 330, 391, 558
- Euclidian distance, 461–462, 464, 504
- Events, 574–577
- Expressions, 25, 277, 369–370, 374–377, 382–383, 385, 417, 419, 422–423, 432, 436, 437, 440, 444–445, 484, 486–487, 496, 498, 519, 523, 558, 577
- Extensions, ArcGIS, 77, 528
 - defined, 113
 - Network Analyst, 459, 563
 - Spatial Analyst, 113, 119, 144, 149, 481, 504, 528
 - 3-D Analyst, 113, 119, 144, 149, 150, 335, 528, 530, 539
- Extract (EXTRACT), 410–411, 421–423, 429, 432, 436, 440, 444–447, 450, 498. *See also* Attribute values, Extract (EXTRACT)
- Fast Facts File, 31
 - and important information, 32, 34, 47, 58, 60, 71, 119, 121, 124, 127, 267, 272, 305, 369, 428, 431
- Feature class, 62
 - create new, 68, 324, 326, 331, 336
- Feature Identifier (FID) field, 229
 - vs. OBJECTID, 276
- Feature(s), *see also* Lines; Points; Polygons
 - Attribute Table (FAT), 226–227, 261, 457
 - converting to graphics, 206
 - converting to rasters, 489–491
 - creating, 330
 - digitizing, 285, 289, 292, 295, 326–337, 357
 - dissolving, 416, 441, 443–444, 447
 - identifying, 142, 256, 416. *See also* Identifying features
 - selecting, 73, 124–125, 130, 142–143, 197, 262, 301, 324–325, 370–373, 385, 395–396. *See also* Selecting features
- Fields, *see also* Attributes; Records; Tables
 - adding, 326, 343, 385, 447, 576
 - calculating, 385, 417, 444, 447, 576. *See also* Calculating attribute values
 - described, 23, 48, 54
 - freezing, 53
 - hiding, 319
 - rearranging, 52–53, 281, 574
 - statistics for, 51
 - width of, 50
- File extensions, 122, 174, 227, 297
- Finding addresses, 556–560, 564. *See also* Geocoding
- Flat file, 388, 553
- Flow, *see also* Hydrologic analysis
 - accumulation, 470, 473–477, 523
 - direction, 472–474, 477, 521–525
 - length, 476
- Formula, 6, 165, 287, 299, 319, 360–362, 381, 391, 471, 486
- Full Extent, 54, 121, 137. *See also* Zooming
- Geocoding, 252, 552–561. *See also* Finding addresses
- Geodatabases, 217–220, 235–244, 251, 253–254, 257, 273–275. *See also* Shapefile
- converting, 310–312, 316–321
- development of, 59, 128–129
- topology, 278–280
- Geodesy, 10, 14, 17, 249
 - defined, 15
- Geographic Information Systems (GIS)
 - analysis, 349–399
 - copying, 46
 - data, 13, 16, 30, 86, 128, 147, 253, 449, 546. *See also* Global positioning system (GPS)
 - searching for, 61–64
 - storage models, 39, 45–46
 - defined, 4–5, 27–28, 34, 98
 - glossary, 76–77, 116
 - and mapmaking, 122, 163–164, 167–171, 173–207, 303
 - and products, 165–171
 - terminology, 76
 - uses, 99–108
- Geography Network, 286
- Geography toolbar, 53–55
- Geometry, 11, 219, 461, 538, 572
 - defined, 211
 - type, 311, 321, 326, 331, 336, 524
- Georeferencing, 321–324, 336
 - defined, 321
 - vs. spatial adjustment, 321
- GeoTIFF, 119, 131
- Global Positioning System (GPS), 21
 - file, 113
 - and GIS data collection, 118, 170, 291–295
 - Global Navigation Satellite System (GLONASS), 21
 - Navigation System Timing and Ranging Global Positioning System (NAVSTAR), 13, 21, 113, 291, 294, 295
 - receivers, 294–295
 - satellites, 293–294
 - and U.S. Department of Defense, 113, 295
- Glossary, GIS, 76, 116
- Graduated colors, 379, 382
- Graphics
 - drawing, 164–165, 202–207, 291, 303, 396, 433, 558
- Graphs, 199, 383
 - Graph Wizard, 200–202
- Graticules, 12–15, 215, 293, 300
- GRID, 34, 119, 144
 - zone, 220
- Guides (layout view), 189
- Help
 - Arc, 272
 - ArcGIS, 75–77, 254, 267, 330, 423
- Histograms, 144, 154, 379, 381, 506, 521
- Hydrologic analysis, 470–478. *See also* Flow
- Idealization, 211
- Identifying features, 53–54, 233, 326
- Identity, 410, 424–429
- Input Weight Raster, 475–476, 523
- Interpolation and extrapolation
 - defined, 211
- Intersect, 334, 410, 424–427
- Jenks method, 144, 382. *See also* Classifying (or categorizing) features and rasters, natural breaks
- Jet Operation Graphic (JOG), 299
- Joining tables, 74, 339, 343–344, 390–395, 428–432, 515–516
- Joins, spatial, 410, 424
- Labeling features, 127, 155, 261–263, 374, 376, 419, 422
- Label(s)
 - change fields, 382
 - expressions, 374–375, 382–383
 - and layer properties, 155, 158, 198, 261–262, 382, 419, 422
 - placing, 198
 - scale-dependent, 158
 - size, 158
 - symbolizing, 520
- Latitude and longitude, 10, 13–15, 27, 53, 56, 95–96, 169, 178–179, 211, 217, 249, 300–301, 354, 360, 388, 552–553, 562
- graticule, 12–15, 215, 293, 300

Index

- Layer(s), 112, 129
 - adding to a map, 116, 119, 305–306
 - attribute tables, *see* Attribute tables
 - clipping, 328–329, 337, 410, 432, 436
 - creating from selected features, 405, 416, 429
 - data frame, 181
 - defined, 173
 - draw order of, 131
 - files (.lyr), 192–195, 343–344
 - and data, 193
 - defined, 192
 - saving layers as, 533–534
 - grouping, 121
 - identify results window, 133, 298
 - intersecting, 334, 410, 424–427
 - overview window, 135–137
 - properties, 150, 394, 429, 524
 - and analysis, 566–568
 - changing, 374–377
 - and classification, 380
 - vs. data frame properties, 373, 375
 - and labels, 155, 158, 198, 261–262, 382, 419, 422
 - and symbology, 144, 155–156, 196–197, 379, 382–383, 483, 510, 520
 - renaming, 121, 128
 - selecting, 123, 130, 182
 - setting selectable, 373, 397
 - source, 321
 - transparency of, 334
 - turning on and off, 121
 - unioning, *see* Union
 - zooming, 121, 158, 313
- Layout(s)
 - adding text, 203
 - data frames in, 181–184
 - graphic indicators in, 184
 - grouping elements in, 183
 - guides in, 176, 189–190
 - legends in, 186–187
 - north arrows in, 180–181, 191
 - previewing and printing, 191
 - rotating elements in, 179, 181
 - scale bars in, 184–186
 - sizing elements in, 180, 183, 198
 - titles in, 175, 179–180
 - toolbar, 112, 174–175, 178–180, 185, 196, 206
 - view, 189, 193, 196–198, 200, 204, 206, 320, 383, 498
 - vs. data view, 173–187
- Least-cost path, 464–469, 510–514
- Legends, 121, 135, 139, 150, 158, 173, 176, 180, 183, 185–187, 190, 200, 376, 383, 495, 498, 508, 510, 512–54, 519–520
- Line(s), 27–28
 - as one-dimensional, 218
 - arcs, 219, 220–234
 - paths, 218
 - polylines, 219
 - rings, 219
 - segment, 20, 72, 211–213, 217–218, 221, 242, 333, 357, 462, 466, 539
- Linear Referencing, 570
- Logic, 25–26, 211, 217, 236, 243–244, 251, 351, 369, 410
- Magnification, 124, 138, 147, 178, 179
- Manual classification, *see* Classifying (or categorizing) features and rasters, manual
- Map(s)
 - charts, 199–202
 - exporting, 301, 343–344, 395
 - and GIS, 122, 163–164, 167–171, 173–207, 303
 - graphics, *see* Graphics
 - layouts, *see* Layouts
 - opening, 130
 - projections, 15–16, 249, 302. *See also* Coordinate systems; Projecting data
 - reports, 197–199
 - saving, 122
 - showing, 146, 505
 - and spatial data (paper vs. digital), 83–89, 163–170
 - styles, 196–197
 - templates, 174–178
 - tips, 146–152
- Measurement scales, 363–364
- Measuring distance, 125–126, 460
- Metadata, 56–58, 71, 77, 86, 167
 - and coordinate systems, 65, 67–68, 415, 418
 - defined, 44, 56
 - and searching for data, 60–64
 - toolbar, 44–45
- Microsoft Access, 235, 236, 244
- Model Builder, 411, 433–438, 446–447
- Multiple ring buffer tool, *see* Buffering
- mxr file, 122
- Natural breaks method, *see* Classifying (or categorizing) features and rasters, natural breaks; Jenks method
- Network Analyst, 253, 459, 562–569
 - and finding shortest route, 567
- NoData, 245, 452–455, 481–482, 486, 495–496, 504, 510, 513, 518, 523
- Nodes, *see also* Attribute tables
 - arc end, 224
 - arc-node nomenclature, 220–222
 - and coordinates, 257–260
 - and coverages, 220–233, 261–262, 265–268, 272–273
 - dangling, 225
 - defined, 218, 221
 - errors, potential, 226
 - normal or real, 225
 - pseudo, 225, 278
- Normalizing data, 382–383
- North arrows, *see* Layouts
- ObjectID (OID) field, *see* Attributes; Feature Identifier (FID) field
- Objects, 212, 236, 239, 241, 276
 - ArcObjects, 483
 - defined, 173
- Operational Navigation Chart (ONC), 299
- Outside polygon, 67, 228, 230, 233, 276–277, 414
- Overlays, 420, 550, 577. *See also* Intersect; Spatial analyst; Union
 - with coverages, 424–427
 - defined, 405
 - and extracting, 422
 - generating features by, 405–407
 - with geodatabases, 427–433
 - intersect and identity, 424
 - with line and point feature classes, 408–409
 - and spatial joins, 410–411
 - union, 435, 439
- Panning, 137, 178–180, 517–518
- Personal geodatabase feature class (PGDDBC), 62
 - making from a coverage, 68, 319–320
- Pixels, 93, 133, 135, 209, 224, 303, 307, 353
- Points, *see also* Attribute tables; Buffering; Cartesian; Features; Vertices
 - defined, 217
 - junctions, 218
 - labels, 218
 - lattice points, 218
 - multipoints, 218
 - nodes, 218
 - tics, 218
 - vertices, 218
 - zero-dimensional entities, 20, 51, 211, 217, 218, 221
- Polygon(s), *see also* Attribute tables; Features
 - areas and perimeters, 232, 263–264, 328
 - cells, 220
 - defined, 219–220
 - multipart, 237–238
 - making, 324–325
 - merging, 325–326
 - regions, 220
 - triangles, 220
 - as two-dimensional, 20, 217, 219–220, 223
 - zone, 220
- Precision, 65, 95–96, 311, 576
 - vs. accuracy, 358–360
 - double or extended, 24, 70, 217, 357
- Prime meridian, 552
- Printing
 - maps, 173, 176, 185
- Projecting data, 15, 16, 215, 302. *See also* Coordinate systems; Map(s), projections
 - on the fly, 116, 150, 248, 301, 385, 543

- Proximity
 and buffering, 403–405, 413, 428
 calculation, 459, 461, 464, 473, 476, 503
 determining, 397–399
 and GRIDs, 504–517
 Pythagoras, 460–462, 506
- Quantile classification, *see* Classifying (or categorizing) features and rasters
- Queries, 25–26, 216, 369–370, 410–411, 422–423, 498, 529, 556, 564, 574, 577.
See also Selecting, features, by attribute
- Raster(s)
 ASCII to Raster tool, 481–482
 calculator, arithmetic calculation, 485
 and coordinate space, 452
 creating, 491–492
 random, 486–487
 data, 130–149
 datasets, 236, 246–247, 451
 GRIDs, 504–514
 images, 170, 245, 528
 layout in computer, 245–247
 defined, 97
 editing, 471
 and excluding distances, 463
 facts, 451–452
 floating-point, 449, 452, 456–457, 486–487
 and GRID, 482, 488
 and integer values, 452–456
 processing, 449–450, 458, 470, 481, 488, 499
 and proximity calculation, 459
 vs. vector, 449, 453, 456–458, 478, 488, 491, 493
 zone, 220
 Reclassifying data, 495–496, 499, 513, 517–518
- Records. *See also* Fields; Tables
 clearing selected, 118, 325
 selecting, 197, 202, 368–370, 378, 411, 414, 416
 showing selected, 395, 575
 sorting, 51–52
- Reference layer, 135–137
- Refreshing a view
 in ArcCatalog, 75, 78, 195, 263, 268, 316
 in ArcMap, 176, 185, 330, 544
- Relating tables, *see* Joining tables
- Remote sensing, 11, 21
- Renaming, *see* Data; Layers
- Reports, 165, 167, 170–171, 197–199
- Rotate image, 180–181, 197, 309, 312, 322, 529, 532
- Saving layers as layer files (.lyr), *see* Layer files
- Scale, 14, 16, 84–86, 158, 169–170, 173, 179, 183, 292
 bars, 184–192
- Scale-dependency, *see* Labels
- Schema lock, 73. *See also* Write lock
- Scripts, 437–438
 Java, 438
 Python, 438
 Visual Basic, 437
- Selection method, 124–125, 390, 396, 422
- Selecting features, 73, 370
 by attribute, 124, 130, 142–143, 371, 395
 graphically, 124, 125, 197, 262, 301, 324–325
 interactively, 396
 by location, 371–373, 385, 396
- Selecting records, 197, 202, 378, 416
 by attributes, 369–370, 411
 by logic, 369
- Shape_Area field, 65, 69–70, 199–201, 238–239, 276, 367–370, 443
- Shape_Length field, 65, 69–70, 72–73, 197–198, 238239, 276, 367–369, 443, 551, 572, 576
- Shapefiles, 59, 129, 216–217, 219, 304, 388–390, 557
 adding line features to, 306–310
 converting to geodatabase feature class, 310–311
 defined, 241–243
- Shortest path, 464, 469, 514–515
- Sketch tool, 308, 324, 326–327, 331–335
- Snapping, 308, 331–334, *see also* Tolerance
 defined, 307
 environment, 307
- Snapshot, 135, 536
- Sorting records, *see* Records, sorting
- Spatial
 analysis, *see* Buffering; Intersect; Union;
 Spatial, analyst
 analyst, 450–451, 458–461, 486, 496–498, 507–521, 528
 and buffering, 493–495
 Euclidian distance, 461–462, 464, 504–506
 extension, 119, 144, 149, 297
 hydrologic analysis, 470–472
 toolbar, 111–113, 450, 457, 484, 489
 tools, 253, 450, 501, 521–523
 bookmarks, *see* Bookmarks
 data, *see* Data
 joins, 410, 424. *See also* Identity; Intersect; Union
 reference, 248–249, 305–310
 relationships, 280
- Standard Deviation, 51, 361–362. *See also* Classifying (or categorizing) features and rasters
- Standard toolbar, 39–42, 58–59, 62, 71, 74–75, 78, 119, 130, 136, 153, 158, 176, 179, 182, 251
- Statistics, 360–362, 365–367, 378–379, 450, 458, 500, 541
 mean or average, 360–361
- median, 361
 mode, 361
 range, 361
 standard deviation, 361–362
 in tables, 51, 154, 369
- Stream
 channels, 475–478, 523
 identities, 476–477
 orders, 471, 478–480, 521–523
 tool, 478
 Shreve method, *see* Strahler vs. Shreve
 Strahler method, 520
 Strahler vs. Shreve, 193, 471, 478–479, 523–524
- Storadigms, 216–217
- Structured Query Language (SQL), *see* Database
- Symbology, 111, 308, 365, 383
 change color, 155, 187, 375
 classification, 383, 495, 501–502, 512, 520, 532
 color ramp, 144, 483, 487
 stretched, 501–502, 510
 unique values, 193, 196, 200, 376, 382, 504, 519
- Table of contents
 ArcCatalog, *see* ArcCatalog, catalog tree
 ArcMap, 74–75, 111, 128, 176, 182–183, 185, 281, 336, 371, 380–381, 484–485
 display tab, 113, 121, 128–129, 195, 372
 selection tab, 128–129, 130, 372
 source tab, 128–129, 342, 372, 415, 497
 ArcScene, 534–536
- Tables, 25–26, 51, 75, 165, 173, 231, 236, 377, 431. *See also* Attribute tables; Fields; Records
 adding to ArcMap, 383
 finding values in, 52–53
 joining, 74, 339, 343–344, 390–395, 428–432, 515–516
 opening, 74
 relating, *see* joining
- Templates, *see* Map(s), templates
- Text file(s), 39, 390
 and coordinates, 312–315
 and coverages, 234, 258–261, 265–267
 and rasters, 481–484
- Thematic maps, 365, 376, 377
- Thiessen polygons, 248, 503
- Three-dimensional (3-D), 201, 527–529, 546
 Analyst, 30, 110, 119, 144, 150, 252
 and ArcScene, 530–543
 feature, 27
 create, 338
 space, 12
 vs. two-dimensional (2-D), 11, 16, 217
 viewing, 153
- Thumbnails in ArcCatalog, 44, 48, 55–57, 71–73, 77, 174

Index

- Tics, 218, 231, 237, 261, 304, 317–319
 - tics vs. ticks, 56
- Ticks, 379
 - tics vs. ticks, 56
- TIGER/Line Files, 118–119, 140–142, 548, 553–556
 - defined, 127–128
 - and Dual Independent Map Encoding (DIME) files, 553
 - obtaining, 388–390
 - and precision, 555
 - and zip codes, 560
- Time
 - continuous vs. discrete, 354–356
 - as dimension, 19–21, 211, 546–551
 - and GIS, 22, 214, 299–300, 527, 562–569
 - and GPS, 21, 294–295
- TINs. *See* (Triangulated Irregular Networks)
- Tolerance
 - cluster, 279, 316, 549
 - fuzzy, 419
 - snapping, 307–308, 324, 333
- Toolbars
 - Editor, *see* Editor, toolbar
 - Geography, *see* Geography toolbar
 - Layout, *see* Layout, toolbar
 - location, 44
 - Metadata, *see* Metadata, toolbar
 - Standard, *see* Standard toolbar
 - Tool Tips, 42, 111
 - Tools, *see* Tools, toolbar
- Tools, *see also* ArcToolbox
 - categories available, 252–253
 - finding, 254, 441
 - mapmaking, 187–191
 - toolbar, 73, 124–126
 - using many tools together, 515–522
- Topology, 77, 326–331, 548–550
 - build, *see* Build, topology
 - coverage, *see* Coverage, topology
 - definition, 211
 - and geodatabases, 235, 278–282
 - and shapefiles, 241–242
- Transparency, 524, 529
- Triangulated Irregular Networks (TINs), 45, 97, 119, 153–154, 213, 236, 247–248, 529
 - calculated on the fly, 150
 - defined, 149–150
- Two-and-a-half-dimensions (2.5-D), 538–539
- Undo button (Ctrl+Z), 180, 329, 330, 332, 335
- Union, 334, 410
 - (analysis), 432–433, 435–436, 439–440
 - (arc), 418–421
- Unique values, 156, 193, 196, 200, 216, 370, 393, 420, 432, 496, 504, 519, 558
- Units
 - display, 125, 140, 301
 - display vs. map, 116–117
 - map, 16, 140, 301, 307–308, 324, 333, 366, 373, 502
 - setting and changing, 114–116, 305
- U.S. Bureau of the Census
 - and data, 102, 127, 388, 390, 553, 560
- Value Attribute Table (VAT), 244, 452–456
- Vector data, 119–121, 128, 130, 152–153, 216–222, 235, 237, 243–244, 494–495, 498–499, 528, 570
 - defined, 213
 - processing
 - vs. raster, 449, 453, 456–458, 478, 488–489, 491, 493
- Vertices, 204–206, 217, 225, 248, 265–266, 304–308, 324, 332–333, 336, 338, 538, 549–550, 553. *See also* Points
 - defined, 218–222
 - in text file, 259
- Voronoi cells, 248, 503
- Watershed analysis, 520–525. *See also* Hydrologic analysis
- Web
 - and geographic data, 14, 17, 56, 76, 89, 159, 483, 486, 557
- Workspace, 269, 276, 414, 488
- Workstation, *see also* ArcGIS, ArcInfo
 - Workstation
 - generate command, 271–274
- Write lock, 263, 268, 305. *See also* Schema lock
- XY coordinates
 - adding, 229, 254
 - (arc) coverages, 257
 - (management) geodatabases, 254
- Zone(s), *see also* GRID; Raster
 - converting to regions, 497–498
- Zooming
 - in ArcCatalog, 44, 54, 297–299
 - in ArcMap, 132, 175, 178–187, 190, 313
 - in ArcScene, 532, 535–537, 544, 564
 - continuous, 435
 - to selected features, 371, 393, 396–397
 - set spatial bookmark, *see* Bookmark