

Index

a

- AAS (atomic absorption spectroscopy) 467
- abraision 56, 71, 101
 - transfer 148f.
- acceptors 50
- account manager 324
- accredited ingredients 320
- acetaminophen 274ff.
 - group assignment 275
- acicular, *see* needle-like
- acid value 356
- acidid treatment 407
- acoustic spectroscopy 106, 108
- active agents 63
- active ingredients (AI) 63, 66, 69, 83, 85, 272, 280f., 289f.
 - compound 290
 - pesticide 290
- activity coefficient
 - liquid phase 269ff.
- additives 3, 53ff.
- adhesion 149
 - energy 176
 - strength 172f., 178
 - tension 161
- ADI (acceptable daily intake) 456
- adjuvants 320
- adsorption processes 109, 144
- AE-PAD (anion-exchange pulsed amperometric detection) 613
- aerosil process, *see* flame hydrolysis process
- aerosol 97
- AFM (atomic force microscope) 29, 109
- agglomeration 10, 25, 51, 95, 97, 99, 101, 122f., 147ff.
 - dry 193
- kinetics 147, 172f., 177
 - process 123ff.
- aggregation 376
- agriculture products 148
- agrochemical industry 153, 291
- agrochemical liquid formulations 684
 - EC 664, 667, 669f., 673, 675
 - SC 664, 669, 671, 673, 675, 681
 - SE 664, 669, 671, 673, 675, 681
 - SL 664, 669
- agrochemical product 661
 - adjuvants 680
 - application and use 668, 679
 - biological performance 666
 - components 664f.
 - country-specific application techniques 663
 - country-specific crop varieties 663
 - country-specific registrations 663f.
 - crop protection 663
 - degradation behavior 678
 - ecotoxicology 678
 - efficacy requirements 663, 667, 677ff.
 - environmental impacts 666, 677
 - flammability 675
 - formulations 661, 664, 667, 672, 681
 - future requirements 665, 681
 - infestation 667
 - inner fluorine-treated container 675
 - manufacturing technologies 661, 672ff.
 - metabolism research 678
 - performance 664
 - physical properties 665
 - plant-protection products 661
 - protection of user and applicator 669
 - quality requirements 663f.
 - registration requirements 661, 663, 678f.
 - stability 665
 - storage 661, 665, 674
 - toxicological considerations 671, 675, 678
- agrochemical solid formulations 684
 - GR 664, 673f.
 - WG 664, 670, 673f., 681
 - WP 664, 667ff.

- alkyl ethylene oxides 65
- alumina 175
- amorphous state 98
- amphiphilic molecules 350, 368, 376, 379
- amylase 445
- amyloglucosidase 445
- amylopectin 397ff.
 - properties 398
- amyloplast 408
- amylose 397ff.
 - properties 398
- anisotropic 376
- antifouling paint 291
- antioxidant 539, 541, 556
 - BHA (butylated hydroxyanisol) 556
 - BHT (butylated hydroxytoluene) 556
 - EMQ (ethoxyquin) 556, 560
- aqueous solution 23f.
- aroma retention 138
- Arrhenius law 524
- ASA (acetylsalicylic acid), *see* Aspirin
- aspect ratio 52
- Aspirin
 - dosage range 571
 - examples 573ff.
 - formulation development phases 571ff.
 - formulation technology 569ff.
 - milestones 573
 - performance dimensions 570
 - pharmacokinetic properties 570
 - physiochemical properties 570
 - powder 574
 - product design 573ff.
 - product development 573ff.
 - toxicological properties 570
- atomizer 163
 - cup 138
 - disc 138
 - location 163
 - spray 172
 - vaned disc 138
 - wheels 138
- atomizing
 - air flow rate 165
 - gas flow rate 165f.
- ATR-FTIR (attenuated total reflectance Fourier transform infrared spectroscopy) 38
- attrition 149, 176
 - rate 159, 167f.
- b**
- ball mill 82f., 86
- BCF (Burton-Cabrera-Frank theory) 47
- benzoic acid 55f.
- benzophenone 55
- BET (Brunauer, Emmett, Teller) 466
 - isotherm 466
- BFDH (Bravais-Friedel-Donnay-Harker) 54
- bilayer
 - diffuse 23f.
 - electrical 23
 - Gouy-Chapman 23
 - Helmholtz 24
- binary system, *see* phase diagram
- binder 161, 251, 415
 - crystallizing 9
 - high viscous 9, 152
 - liquid 124f., 148, 170, 178, 181ff.
 - melting-type 648
 - reactive 121, 126
- bioavailability 98f., 254f., 523, 532
 - oral 527ff.
- bioconcentration factor (BCF) 273
- biodiesel 341ff.
- bioequivalence studies 531
- biomagnification 273
- biomass 344ff.
- Biopharmaceutics Classification System (BCS) 527, 531ff.
 - compounds 533
- substances 531ff.
- biopolymers 215, 218, 235f., 395, 408, 622f.
- biotechnology 117, 662
- birth and spread model 47
- BJH (Barett, Joyner, Halenda) 467
- bleeding 645, 654
- blending 153
- blue-ocean markets 3
- bond cleavage 488
 - complex formation 488
 - heterolytic 488
 - homolytic 488
- bonding
 - covalent 7, 50
 - hydrogen 7, 50
 - mechanism 9, 147, 149, 152
- boundary layer 46
- Brancroft rule 380
- breakage 148f., 185f.
- breeding
 - collision 42f.
 - initial 42
- bridges
 - liquid 10ff.
 - sinter 10
 - solid 10
- bridging liquids
 - capillary 11
 - funicular 11
 - pendular 11

- briquetting 194, 199 ff.
- BRIX 445
- BSE (bovine spongiform encephalopathy) 548
- builder 654 f.
- building unit 54
- business-to-business industry 322
- bulk
 - chemicals 2
 - density 143, 193, 195, 199
 - flow 143
- buoyancy 643
- burkeite 656
- c**
- caffeine, *see* coffee-based beverages
- caking 101, 163, 645
- calcination 500, 503
- calendering 252 ff.
- calorific value 456
- CAMD (computer aided molecular/mixture design) 260, 284, 292
 - Pro 285
- capillarity 9 ff.
- capillary 150 f.
 - condensation 18, 21
 - pressure 11 ff.
- capping 193 f.
- carboxylic acids, *see* fatty acids
- β-carotene 539 ff.
- carotenoid 84 f., 539 ff.
 - astaxanthin 541, 559 f.
 - bioavailability 542, 549, 553 f., 559 f., 564 f.
 - canthaxanthin 541, 544 ff.
 - chemical structure 540
 - coloration 549, 559, 562 ff.
 - commercial cost position 550
 - customer requirements 547
 - dispersions 552 ff.
 - emulsions 552 ff.
 - granulation 552 f.
 - health indication 561
 - industrial application fields 542 f., 544 ff.
 - lycopene 541, 544, 546
 - perception 547
 - powders 552 ff.
 - protective colloids 557 f.
 - raw materials 550, 555
 - spray-drying 553 f.
 - stability requirements 547 ff.
 - synthesis 541
 - tableting 547, 554
 - technological possibilities 550
 - zeaxanthin 541, 544 ff.
- carotenoid product
 - development process 565
 - forms 539, 542 ff.
 - formulations 539, 542 ff.
 - legal requirements 545 f.
 - pigmentation 559 f.
- carotenoid suspensions
 - oil-based 551, 556, 560 ff.
 - water-based 551 f., 563 f.
- carrageenan 619 f.
- cashflow 321
- casting method 390
- catalytic reactor 486, 490, 509 ff.
- catalytic sites 489
- catalytically active
 - substance 485 f.
 - surface area 514
- catalyst 101, 374, 485
 - acid 489
 - active compounds 488, 502, 513
 - activity 504, 506 ff.
 - basic 489
 - bond cleavage 488
 - bulk 487
 - carrier 486, 493, 497, 502, 513
 - characteristic length 514
 - coated 487, 502
 - compaction 498 ff.
 - costs 513, 516
 - design criteria 504, 513
 - diffusion resistance 506, 510
 - effective diffusivity 514
 - examples 516 ff.
 - fibers 494
 - extrudates 491, 493, 499 f.
 - gauzes 494
 - geometry 490, 504, 515
 - granulation 499 ff.
 - heterogeneous 485 f.
 - inorganic 488
 - irregularly shaped 490
 - manufacture 496 ff.
 - monolythic 492, 492, 513
 - particle 497, 501, 507, 511 f.
 - pellets 491, 498
 - polymer 489
 - porous 505
 - powder 490, 514
 - preparation 496, 502
 - regularly shaped 491
 - selectivity 506 ff.
 - shaping 497 f., 501
 - spray drying 500 f.
 - supported 487, 502

- tableted 492
- Ziegler-Natta 488
- catemers 50
- cavitation zone 81
- cavity 51, 109
- CBA (cellulose acetate butyrate) 283 ff.
- CEFIC (European Chemical Manufacturers Association) 679
- cell culture 84
- cement 98
- centrifuge 28
- cereals
 - diploid 400
 - hexaploid 400
- CFD (computational fluid dynamic), *see* extrusion simulation
- chain
 - branched 352, 357
 - hydrocarbon 357
 - hydroxylated 352
 - length 355
 - long 356
 - straight 357
- chemical forces 7
- chemical modifications 49
- chemical product design 1
- chromophore
 - building block 692
 - system 692
 - unit 694
- clear point 363
- cloud point 363
- clusters 41 f.
- CMC (cboxymethylcellulose) 160, 166 f., 171 ff.
- coagulation 114, 384
- coalescence 65 ff.
 - probability 78
 - rate 78 ff.
- coating 148 f., 161, 166, 253
- coffee-based beverages
 - acid figure (AF) 608
 - agglomeration 604, 607
 - antioxidative activity 591 f.
 - Arabica 586, 594 f., 608, 612
 - aroma incorporation 599
 - aroma recovery 597 ff.
 - aroma release 607
 - caffeine 590 ff.
 - canned coffee beverages 610
 - coatings 609
 - composition 608 f.
 - consumer-oriented product design 583 f., 594
 - consumption 584
 - creamers 588, 592 f., 598
 - dairy powder 592 f.
 - extrusion 605 f.
 - flocculation 610
 - freeze-drying 599 ff.
 - granules 600
 - green coffee 584, 587 f., 594
 - health aspects 590 ff.
 - home consumption 606
 - HTST (high temperature, short time) 595
 - in-jar oxygen content 611
 - instant-coffee 598, 607, 611
 - inulin 591
 - liquid extract 610
 - LTLT (low temperature, long time) 595
 - mean price 585
 - milk/coffee interactions 608
 - milk components 588, 593
 - mold freeze drying 605
 - nondairy powder 592 f.
 - quality 601
 - packaging 610
 - product adulteration 612
 - product design 583, 585, 592
 - production process 593 ff.
 - raw materials 587
 - reconstitution 606
 - roasting 594 f.
 - Robusta 586, 612
 - soluble coffee 586 ff.
 - spray-drying 586, 592, 599 ff.
 - technical aspects 592 ff.
 - texturation 599 ff.
 - toxicity 590 f.
 - vending machine 606
 - volatile aroma reincorporation 598 ff.
 - volatile compound recovery 597 ff.
 - whitener 589, 593, 609
- coffee-free beverages 589
 - barley 598
 - chicory 589, 598
 - figs 598
 - health aspects 590
 - malt 589, 598
 - rye 598
 - surrogates extracts 598 f.
- coherent network 385
- coherent phases 385
- cohesion 149, 156
- collagen 421
 - amino acid compositions 422 f.
 - anchoring fibril 422
 - basement membrane 422
 - bean temperature 595 f.

- biosynthesis 423f.
 - fibril-associated 422
 - fibrillar 422, 427
 - membrane associated 422
 - molecule processing 426
 - multi-plexious 422
 - off-flavor 596
 - polymorphism 422
 - post-translational modifications 426
 - procollagen molecule 424f.
 - short-chain 422
 - structure 422f.
 - types 422, 427
 - colloid 379
 - liquid 384
 - mill 69f.
 - color 57, 63, 66, 98
 - coloration of food 541f., 544ff.
 - combinatorial term 270
 - comminution 103
 - equipment 102f.
 - experiment 102
 - process 98, 101ff.
 - commitment to action 301
 - commodity business 2
 - compact 193
 - compaction
 - equipment 194
 - process 127, 193ff.
 - complex 51
 - compressibility 202, 208
 - compression 248f., 390
 - condensation 96, 98
 - conductivity 38, 103, 108
 - conductor 9, 16f., 21
 - consistency 66
 - consolidation 149, 193
 - contact
 - angle 160f., 172, 174
 - time 107
 - zone 18ff.
 - conveying
 - capacity 226f.
 - efficiency 227, 230, 232
 - elements 223, 227
 - speed 224
 - zone 229
 - coplanar 54
 - copolymer 291
 - cornstarch 208
 - corporate organization 323
 - corporeate size 323
 - Coulter counter 106, 108
 - Coulomb equation 16
 - covariance function 647
 - creaming 381, 620
 - creams 383
 - oil-in-water 383, 385
 - water-in-oil 383, 385
 - critical mycell concentration (cmc) 186, 279, 361
 - critical nuclei size 41
 - forces 6f.
 - interaction energy 6
 - critical process step 329
 - crosslinking 412ff.
 - density 417
 - crushing 148f.
 - crystal
 - class 364
 - engineering 50
 - face 52ff.
 - growth 33, 36, 45ff.
 - habit 55
 - lattice 34, 49, 364
 - morphology 292, 366
 - nucleation 140
 - organic 49
 - shape, *see* habit
 - size 46, 51
 - surface 46f.
 - crystal structure 48, 52, 355, 364, 376
 - bilayer 376
 - cubic
 - hexagonal 377
 - lamellar 376
 - less-ordered 391
 - crystallization 33f., 36ff.
 - industrial 46
 - interfacial 85f.
 - precipitation 52
 - primary 43
 - selective 374
 - technology 139
 - crystallizer 43ff.
 - crystal-size distribution (CSD) 44f., 47, 51f.
 - bimodal 44
 - monomodal 52
 - CSLM (confocal scanning laser microscopy) 620
 - cut-throat competition 2
 - cycle of trade fairs 321
 - cyclic molecules 357
 - cyclic oligomers 51
 - cyclodextrins 51
 - cyclones 140f.
- d**
- Dalton (D) 421
 - databases
 - API TECH Database 268

- CambridgeSoft Chem-Finder 268
- DECHEMA Chemistry Data Series 268
- DETHERM 268
- DIPPR 268
- Electrolytes (IVC-SEP) 268
- GPSA Data Book 268
- IUPAC-NIST SDS 268
- PDB 268
- PPDS 268
- TAPP 268
- The NIST Webbook 268
- Davies values 359
- deaeration 199f., 204
- Debye length 24f.
- decision
 - analysis 297
 - basis 297, 299
 - frame 297
 - logic 297
 - tree 304
- defluidization 167
- deformation
 - elastic 19, 194
 - inelastic 19f.
 - plastic 19, 193f.
 - shear 195
 - viscoelastic 194
 - viscous 365
- degree-of-fill 224, 227, 229, 232f.
- degree of ideality 330
- degree of substitution (DS) 404, 410
- deionization 455
- delights 326
- dendrimers, *see* structured polymers
- dendritic growth 43, 52
- density 369
- derivatization 406
- design
 - analysis 324
 - candidates 261
 - concept 323, 329ff.
 - coupled 330f.
 - decoupled 330ff.
 - development 336
 - embodiment 323f., 334
 - matrix 330
 - microcapsule 289f.
 - microparticles 279
 - parameters 327, 330ff.
 - process 261, 332
 - quality 332
 - route 323
 - Six Sigma 333
 - space 320
 - uncoupled 330ff.
- design axiom
 - independence 330
 - information 330
- design of experiment (DOE) 303, 328, 333, 475 f.
 - project 476
- detergent 148
 - powder, *see* laundry powder
- development 337
 - specification 323
- dextrose, *see* glucose
- dextrose equivalent (DE) 407, 445 ff.
- die
 - assembly 233
 - extrusion zone 230
 - linear extrusion 234
- dielectric constant 25
- dielectric spectroscopy 108
- diffraction spectrometer 106, 108
- diffusion
 - coefficient 290
 - free-volume theory 290
 - layer thickness 532
 - resistance 506, 510
- diffusion-controlled 45
- diffusivity 138, 262
 - effective 514
- dilatation
 - thermal 366f.
- dilution 115
 - infinite 272, 281f.
- diphenylmethane 55f.
- dipole 6f.
- dislocation 47
- dispenser 642f.
- dispensing 639ff.
 - behavior 643
- disperse systems 95ff.
- dispersion 63, 82, 86, 639ff.
 - energy 7
 - impact 112
 - injector 112
 - intensity 112f.
 - lipid 534
 - liposomal 387
 - solid 534
- disruption 68ff.
- dissipation
 - viscous 152
- dissolution 45, 48, 51, 66, 150, 639
 - enthalpy 456
 - time 643
- DLVO theory (Derjaguin, Landau, Verwey and Overbeek) 25f.
- donors 50
- dosage form 247

- drawing out 33
- droplet 97, 150
 - atomized 133
 - coalescence 78f., 81, 85
 - deformation 75
 - density 75
 - desintegration 70
 - diameter 74ff.
 - disruption 74ff.
 - formation 73, 136
 - phase 73, 75
 - pseudo- 150
 - size 73f., 82, 84f., 128, 137
 - transformation 138
 - stability 138
 - velocity 78
 - viscosity 74
- drug
 - active 247ff.
- dryers 459
 - addle 134
 - agitated contact 134
 - convective 134
 - drum 134
 - fluidized-bed 144, 452
 - freeze 126, 140, 603
 - mold freeze 605
 - multistage fluidized spray dryers 604f.
 - reactive spray 144
 - spray 82f., 126, 133ff.
 - tall spray towers 604
 - tumbling 148
- DSC (differential scanning calorimetry) 410
- dyes 52
- dyestuff industry 153
- dynamic measurement methods 29
- e**
- EHMC (ethylhexyl methoxycinnamate), *see*
 - polymeric UV-absorber
- elastic springback 194
- elasticity 366
- electroacoustic 106, 108
- electrolyte 24, 448
- system 271f.
- electromagnetic 6, 108
- electronic laboratory journal (ELJ) 305
- electrophoretic measurements 25, 108
- electrostatic potential 23f.
- elutriation velocity 637
- emulsification 29, 67ff.
 - melt 63f., 82f.
 - membrane 71ff.
 - premix 73
 - ultrasonic 76, 81
- emulsion 63ff.
 - double 380
 - inverted 380
 - micellar 389
 - O/W 380f.
 - storage-stable 382
 - volume 76
 - water-in-water 620ff.
 - W/O 380f.
- encapsulation 387, 395, 416
- energy
 - attachment 54
 - lattice 54
 - transportation 344
- enzymatic
 - conversions 443, 446
 - degradation 51, 432
 - hydrolysis 448
 - methods 612
 - modification steps 426
 - process 445
 - treatment 407
- enzymatic-mediated steps 426
- enzyme 407f.
- EPA (Environmental Protection Agency) 679
- equation of state (EoS) 271, 289
- equilibrium
 - composition 36f.
 - line 40
 - phase 269
 - polymer solution 271
 - state 33, 107, 114
 - temperature 37f., 39
- ESEM (environmental scanning electron microscopy) 620
- esterification 51, 352, 404f., 410ff.
- etherification 404f., 410ff.
- eutectic
 - composition 40
 - point 40
 - solid 41
- evaporation 37, 47, 96, 98
 - – rate 134
- excess free energy, *see* Gibbs free energy
- exothermic crystallization enthalpy 448
- expansion 235
 - coefficient 367f.
- extinction 105f., 108
- extraction 369, 403
- extruder
 - length 220
 - ram 215
 - roller 215
 - single-screw 215f.

- screw 215, 500
- twin-screw 215 ff.
- extrusion 95, 193, 215 ff.
 - cooking 236 ff.
 - computation 240 ff.
 - food 228, 240
 - head system 233
 - hot melt 532
 - melt 247 ff.
 - processing 215, 236
 - simulation 240 ff.
 - wet 251
- f**
- FAO (Food and Agricultural Organisation of the United Nations) 344
- fat 349, 352, 362
 - mimetics 416
 - plastic 365
- fat-crystal
 - network 128
 - size 128
- fatty acid 349 f., 456, 529
 - arachidic acid 351
 - arachidonic acid 351
 - behenic acid 351
 - butyric acid 350
 - capric acid 350
 - caproic acid 350
 - caprylic acid 350
 - erucic acid 351
 - lauric acid 350
 - linoleic acid 351, 353
 - myristic acid 350
 - oleic acid 351 ff.
 - palmitic acid 350
 - stearic acid 351, 353
 - saturated 351 ff.
 - unsaturated 351 f.
- feasibility 336
 - sample 334
- feed
 - material 170, 202, 204
 - properties 202
- feeder
 - gravimetric 217
 - gravity 199
 - horizontal screw 199
 - solid 217
 - systems 201
 - vertical screw 199
- feeding zone 229
- feedstuff provision 344
- FEM (finite element method), *see* extrusion simulation
- fermentation 403, 443
- filter aggregates 473
- filter cake 473
- filtration 49, 95 f., 101, 452
 - activated charcoal 455
 - flow rate 101
- finer trap 43
- Fischer projection 354
- Fischer-Tropsch process 517
- flake 199 ff.
- flame hydrolysis process 465
- flame synthesis 98
- flight clearance 222
- flocculation 65 f., 97, 100, 114, 381
- flow
 - additives 18
 - balanced 243
 - cocurrent 140
 - countercurrent 141
 - density 106
 - elongational 74, 76, 80
 - laminar shear 74, 76
 - mixed-current 142
 - multistage cocurrent 143
 - pressure 19
 - property 51, 58, 147
 - sheet 103
 - stagnant 243
 - turbulent 70, 74 ff.
 - velocity 46
- flowability 17, 98, 101
- fluid
 - flow 45
 - gastric 247
 - Newtonian 234
 - shear 42
 - shear.thickening 234
- fluid-bed 46, 147 f., 209
 - agglomeration 156
 - coater 164
 - granulation 153, 158
 - processor 154 f.
 - spray granulation 134
- fluid catalytic cracking (FCC) 518 f.
- fluidizing bed velocity 166 ff.
- Fluosil process 465
- FMEA (failure-mode-effect analysis) 333
- foam 97, 122
- foaming 361
- food functionality
 - in-body 618
- food product
 - complex 620
 - design 617, 620
 - development 618

- differentiation 617f.
 - distribution design 619
 - functionality 618
 - ingredient 619ff.
 - manufacture 622
 - microstructure 618, 620
 - structure design 617
 - structure-functionality 620
 - trends 619
 - food production 662f.
 - area requirement 662
 - foodstuffs 148
 - force 109
 - adhesive 5, 9ff.
 - attractive 8, 15, 25f., 52
 - binding 147f., 156
 - break-up 148, 156, 172
 - capillary 10, 22, 27, 140, 143, 149f. 160, 173
 - centrifugal 70, 185
 - compaction 18, 20
 - compression 203, 209
 - displacement 206
 - electrostatic 6, 15, 23, 140
 - frictional 150
 - gravitational 52, 58
 - indentation 56
 - interfacial 77, 149
 - pressing 201
 - repulsive 8, 19, 24ff.
 - shear 42, 70, 73
 - steric 140
 - tension 150
 - viscous 150
 - formulation engineering 705ff.
 - food 706
 - industry sectors 705
 - products 705
 - skill areas 705
 - teaching 711
 - fractionation 349, 369f., 447
 - dry 371
 - Lanza 372
 - solvent 372
 - wet 372
 - fragmentation 193f.
 - freeze drying, *see* dryers
 - friability 150, 207
 - fructose 447, 451
 - crystalline 451
 - crystallization 447
 - HFCS (high-fructose corn syrup) 447
 - syrup 447, 451
 - functional carrier 652
 - functional food 417
 - functional group 50, 274, 285, 287
 - for modification 693
 - funicular 150f.
- g**
- galactomannan 620, 622f.
 - galactose moiety 451
 - galenics 318, 337
 - GC (gas chromatography) 612
 - gel 97, 384
 - oleaginous 384, 386
 - thermoreversible 321
 - gelatine
 - applications 438
 - capsules 421
 - case-hardening 431
 - conversion 428
 - dissolution 432
 - drying 431
 - extraction conditions 427, 431
 - future development 441
 - gel formation 433
 - global distribution 440
 - grades 432
 - hydrolysates 432, 438
 - isoelectric focusing 430
 - markets 440
 - melting 434
 - physical properties 432
 - postextraction processing 431
 - process parameters 427
 - production 428f.
 - products 440
 - qualities 432
 - raw materials 428ff.
 - rheological properties 434ff.
 - solubility 432
 - structure 436
 - viscosity 435
 - vitamin formulations 421
 - gelatinization 232, 406ff.
 - enthalpy 410
 - temperature 406ff.
 - gelatinizing zone 229
 - gelation 621
 - genetic
 - forward 408
 - lesions 408
 - reverse 408
 - geometries
 - contact 20
 - plane/plane 14ff.
 - plate-like 53
 - sphere/plane 14ff.
 - sphere/sphere 14ff.

- Gibbs free energy 41 f., 271
 - GIFAP-formulation-code 664
 - glass bed 173 f.
 - glass transition 408
 - glass transition temperature 139, 250, 597
 - glassy state 139
 - global population 662
 - globules 380
 - glucomannan 624
 - konjac 624
 - glucopyranoside 51
 - glucose 443 ff.
 - applications 448
 - isomerase 447
 - properties 448
 - glucose-fructose syrup 447
 - glucose syrup 443 ff.
 - spray-dried 449 f.
 - glyceride 353 ff.
 - glycerine 66
 - glycerol 352 ff.
 - glycosidic bonds 443
 - GMO (genetically modified organism) 559
 - free 556
 - issue 548, 551
 - lable 548
 - plant 548
 - good manufacturing practice (GMP) 178
 - granulation 147 f., 248 f.
 - fluidized-bed 633, 637
 - high-shear 156, 633, 654, 656
 - index 647
 - mechanisms 148 f
 - melt 178
 - plant 644
 - process 647 f.
 - regime 153
 - wet 147 f., 153, 166, 178, 454
 - granule 95, 123 ff.
 - dissolution time 637
 - mesostructure 637
 - properties 655
 - structure 646
 - structure-formation process 637
 - structure parameter 647 f.
 - granulometric properties 184
 - gravel 98
 - GRD (growth rate dispersion) 43, 46
 - Grindometer test 109
 - group-contribution concept 264
 - first-order 264
 - second-order 264
 - third-order 264
 - group-contribution models 269, 271, 273 f., 285
 - group-interaction parameter 273 f., 277, 289
 - growth
 - face 54
 - mechanisms 148, 156, 186
 - rate 34, 44 ff.
 - spiral 47
 - velocity 46
- h**
- habit 52 ff.
 - hardfat 390
 - hardness 207
 - isotropic 57
 - Vickers 56
 - harmonization
 - global 525
 - heat of crystallization 366
 - heat of fusion 366
 - heat-transfer coefficient 164
 - high pressure
 - dispersing 87
 - homogenizers 68 ff.
 - pump 70
 - high-resolution images 108
 - high-shear mixer 147 f., 178 ff.
 - horizontal 179 f.
 - vertical 179
 - homogenization 63
 - cold 391
 - high-pressure 391, 532
 - hot 391
 - host 51, 54
 - hue 57
 - humidity 135, 139
 - relative 135 f., 169 f., 177
 - hydration 228 f.
 - catalytic 454
 - hydrocarbons 349, 357
 - hydrogenation 349, 375, 455
 - brush 373
 - fat 372 f.
 - partial 373 f.
 - process 372 f., 455
 - hydrolysis 445 f.
 - hydrophile-lipophile balance value (HLB) 359 f., 379, 382
 - hydrophilic 67, 72, 144, 349, 358
 - group numbers 360
 - hydrophobic 72, 145, 172 f., 349, 358, 361
 - effect 377
 - hydrosopicity 58
 - hydrosilylation 694
 - catalytic 694
 - hydroxypropylmethylcellulose (HPMC) 186 ff.
 - hygroscopicity 139, 450

i

ice cream
 – Maras 624
 image analysis 106, 108
 impeller
 – blade 43
 – diameter 43
 – speed 181 ff.
 impregnation 503
 impurity 36 f., 41 f., 43 ff.
 inclusion
 – crystalline 51
 infestation 667
 infrared 108
 injection-molding technology 250, 252
 inorganic salts 147
 insulator 16 f., 21 f.
 intellectual property 320, 325
 interaction
 – energy 7, 25, 54
 – force 7
 – halogen-halogen 50
 – intermolecular 54, 364
 – intramolecular 364
 – particle-equipment 56
 – particle-particle 56
 – π - π 50
 – potential 7 f.
 interesterification 349, 374 ff.
 – directed 374
 – enzymatic 374
 – random 374
 – selective 374 f.
 interface
 – active compounds 26, 66
 – crystal/liquid 56
 – property 98, 100
 interfacial
 – properties 208
 – tension 172, 185
 interparticle
 – cohesion 186, 188
 – distance 149
 interparticulate void space 181
 interplanar spacing 54
 interstices 656
 iodine-starch reaction 208
 iodine value 356
 ionization energies 15
 isomalt 461
 isomerization 447, 692
 isomers distinction 291
 isotropic system 647

j

jetting 72 f.
 JKR theory (Johnson, Kendal and Roberts) 19
 JIT (just in time) 297
 – delivery 297

k

Kano model 322, 326, 331
 Karl-Fischer titration 445
 Keesom interaction energy 6
 kneading block
 – forward 230
 – reverse 227
 – staggered 226 f

l

lactitol 462
 lactose 443, 451
 – amorphous 452
 – anhydrous 452 f.
 – application 454
 – crystals 452
 – process description 453
 – production 452
 – spray dried 452
 – structural formula 451
 lactose-mono hydrate 452 f.
 Laplace equation 11
 Laplace-Young equation 150 f.
 Laser-Doppler anemometry 108
 lattice
 – plane 52, 364
 lamination 193 f.
 launch 334
 – post 334, 337
 – pre 337
 laundry-powder
 – builders 631 f.
 – components 629, 634, 638, 650
 – compositions 651
 – consumer habits 630
 – consumer-relevant properties 638
 – costs 639, 650
 – fabric-cleaning 631 f.
 – fillers 632
 – formulations 634
 – fragrances 632
 – free-flowing 631
 – granulation 320, 633
 – handling 644
 – ingredients 631 ff.
 – in-use properties 639
 – manufacturing technology 629 f., 634
 – microstructure 658
 – packaging 650

- plant 644
 - powder-water interaction 639
 - processing 633
 - product design 629f., 650
 - product-development process 630, 649ff.
 - product specification 638
 - products 629
 - properties 638ff.
 - quality 639
 - requirements 638f., 650
 - spray drying 630, 633
 - stability 645
 - structure 646ff.
 - technical specifications 650
 - layering 148, 156, 161, 167
 - LC (liquid chromatography) 612f.
 - LC₅₀ 286
 - LCC (liquid-carrying capacity) 647, 652f., 655f.
 - LD₅₀ (lethal dosis) 590
 - Lenard-Jones-Potential 8, 15
 - lecithin 65, 86
 - Lee-Kesler correlation 266
 - lever rule 39
 - life-cycle curve 318
 - aging 318
 - embryonic 318
 - development 318
 - growing 318
 - mature 318
 - limestone 12, 20
 - lipid 349ff.
 - bilayer 387
 - crystallization 362
 - fatty acyls 350
 - formulations 534
 - glycerolipids 350
 - glycerophospholipids 350
 - nonpolar 379
 - polar 379
 - polyketides 350
 - prenol lipids 350
 - saccharolipids 350
 - sphingolipids 350
 - sterol lipids 350
 - systems 534
 - lipophilic 67
 - group numbers 360
 - liposomes 387ff.
 - biomembrane 387
 - liquefaction 445
 - liquid
 - bridges 143, 148ff.
 - film 150
 - flow rate 165ff.
 - inclusions 34, 53
 - order 368
 - phase 33, 37, 39
 - porosimetry 109
 - solution 34
 - liquid-state 368
 - property 368
 - liquid-to-solid ratio (L/S) 647
 - liquidus 39f.
 - Lödige Recycler (CB-type) 636f.
 - low-shear mixing 225
 - lubrication theory 152
 - lump 184
 - lumped parameter model, *see* extrusion simulation
 - lyophilization, *see* freeze drying
 - lyotropic liquid crystals 376f.
- m**
- macromolecule 126
 - macroscopic theory 15
 - macula degeneration 84
 - magarine, *see* soft solids
 - magnetic data 101, 108
 - Maillard reaction 443, 446, 452, 455
 - maltitol 459f.
 - maltodextrins 449ff., 620ff.
 - production 449
 - maltose 445, 459
 - syrup 446
 - management
 - life-cycle 318, 321f.
 - portfolio 321
 - software systems 297
 - mannitol 459
 - application 459
 - products 459
 - market-pull 319
 - market selling price 321f.
 - market trends 324
 - mass spectroscopy 116
 - master plan 324, 336f.
 - material
 - bridge 9f.
 - development 318
 - framework 51
 - organometallic 51
 - photographic 52
 - MCT (middle-chain triglycerides) 370
 - mean diameter 51, 159, 169f.
 - measurement method 105
 - in situ 114
 - inline 114
 - offline 114
 - online 114

- melt 37ff.
 - drug-containing 252f.
 - processing 248ff.
 - melting point 250ff.
 - melting range 363
 - membrane, see emulsification
 - memory 368
 - mercury porosimetry 159, 177
 - metabolism 666, 678
 - metastable phase 36, 48
 - metastable zone 37ff.
 - microchannelling 73f.
 - microcrystalline cellulose (MCC) 182, 184, 186f., 190
 - micremulsion 389ff.
 - micromanipulator 28
 - micronization 452
 - microscopic theory 15
 - microstructure 66, 710
 - microturbulence 71, 74
 - microwaves 108, 129
 - miscibility 262
 - mixing
 - dispersive 228
 - distribute 228
 - models 269
 - screw 241
 - zone 229
 - mixing element
 - kneading blocks 225
 - threaded 225
 - model
 - active ingredient (AI) 289
 - Entropic-FV 271, 286, 289
 - formulation 300
 - GC-Flory 271, 289
 - ingredient 300
 - mechanistic 300
 - neural-network 300
 - NRTL-based 271
 - pesticide 289
 - UNIFAC 269, 273ff.
 - UNIFAC-FV 271, 282, 288f.
 - UNIQUAC-based 271
 - model-based process control 300
 - modification processes 370
 - molecular weight distribution (MW-distribution) 436
 - molecules 6f., 14f., 25, 48ff.
 - amphiphilic 65
 - carotenoid 67f.
 - hydrophobic 51
 - mouthfeel 63, 66, 128
 - MTBE (methyl tertiary-butylether) 346
 - multistage evaporator 445
- n**
- NaCl 160, 165, 168, 208
 - nanocrystal technology 532, 534
 - nanoparticle 86f., 532
 - nanoroughness 20
 - nanostructured lipid carriers (NLC) 391
 - nanotechnology 52, 117
 - needle-like 49, 53
 - nematic state 368
 - nip angle 196f.
 - NMR (nuclear magnetic resonance spectroscopy) 115, 363
 - nonpolar organic solvents 349
 - nontower granulation process 636, 648
 - nozzle
 - pneumatic 138
 - pressure 137f.
 - Noyes-Whitney equation 532
 - nucleation 33, 36f., 44f., 149, 156
 - heterogeneous 42f.
 - homogeneous 41
 - secondary 42f., 57
 - nuclei 41ff.
 - nutritive value 456
- o**
- oil 349, 352
 - oil-absorption capacity 652
 - ointments 383ff.
 - oleaginous 380
 - oral absorption 523, 529
 - physiological aspects 527ff.
 - oral bioavailability 527ff.
 - oral-rehydration salts (ORS) 48
 - order rule 301
 - orifice 215
 - oscillation frequency 7
 - Oswald ripening 65, 366, 675, 677
 - over-the-counter-analgesic (OTC) 571
- p**
- paracetamol granules 208f.
 - paraffin 385f.
 - structures 357
 - particle
 - adhesion 6, 18, 101
 - biological 98
 - colloidal 28f.
 - interactions 5, 140
 - nano 63, 66, 98
 - porosity 147, 175
 - shape 82, 96f., 99
 - size 5, 57, 82, 86ff.
 - spherical 83
 - strength 96, 98

- particle formation time 130
- particle growth rate 175, 177
- particle measurement technology 97
- particle shape factor 173f.
- particle size distribution 98ff.
- partition coefficient 272f., 282, 289
- paste 384
 - clarity 413
 - viscosity 411ff.
- pasteurization 128
- pasting 412
- PBC (periodic chain of strong bonds) 54
- PCR (polymerase chain reaction) 548
- PDSS (Product Design Software System) 298, 302
 - DSS (Decisions Support System) 302, 307f.
 - ELN (Electronic Laboratory Notebook) 302, 304ff.
 - KMS (Knowledge Management System) 302, 306f.
- pellet 255
- pelettization 178
- pendular 150
 - bond 151
 - liquid bridge 152
- performance 334
- peroral
 - bioavailability 532
 - molecular properties 530
- peroral absorption 530, 532
- peroral formulations 532ff.
 - design 532
 - screening 534f.
 - selection 534ff.
- peroxide value 356
- pertinant points 39
- petrolatum 383f.
- pH value 103
- pharmaceutical 390
 - industry 148, 153, 178, 291
- phase
 - binder 647f.
 - coherent 385
 - liquid-crystalline 376, 386f.
 - mesomorphic 376
 - separation 380
 - transition 49, 364
- phase diagram
 - binary 39, 378
 - compound-forming 39
 - eutectic 39ff.
 - peritectic 39
 - solid-liquid 38f., 13
 - ternary 378f.
- phase equilibria 269ff.
- phase inversion temperature (PIT) 69
- phase-split calculation 261
- photocorrelation 108
- photosedimentation 105f.
- phytochemicals 84
- phytosterols (PS) 84ff.
 - ester 86
- pigmentation 686
- pigments 52, 98ff.
- pilot-plant 336
- pitch
 - element 223f.
 - length 222
- Pitzer's acentric factor 266
- plan-do-check-act (PDCA) 328f.
- plant
 - breeding 662
 - nutrition 662
 - protection 62
- plastification 231f., 250f.
- ploughshare (KM-type) 636f.
- ploughshare mixer 179
- polar 51, 108
- polyethylene oxides 66
- polymer 1, 71, 147, 250
 - foams 648
 - HPC (hydroxypropyl-cellulose) 252
 - HPMC (hydroxypropyl-methylcellulose) 252
 - HPMCP (hydroxypropyl-methylcellulose-phthalate) 252
 - hyperbranched 291
 - inorganic 291
 - jumping units 290
 - mucoadhesive 533
 - of choice 249
 - particle 391
 - PEG (polyethylene glycol) 202, 249f.
 - polyacrylate-based 533
 - PVP (polyvinyl-pyrrolidone) 252, 254
 - system 271
- polymeric UV-absorber
 - advantages 689
 - chromophores 689ff.
 - cosmetic applications 697
 - cost/performance ratio 690
 - development 685ff.
 - formulations 688
 - grafting technologies 694f.
 - market trends 688
 - polysilicone-15.685, 687ff.
 - product characteristics 696
 - silicones 690ff.
 - stability 696

- structure 689
- synthesis 693, 696
- polymerization 472
- polymorph precipitates 292
- polymorphic transition 365
- polymorphism 33 ff.
- polyols 455 ff.
 - properties 455 f.
- polypeptide
 - chain 422
 - domain 426
 - translocation 426
- polysiloxan
 - backbone 691
 - chain 691
- pore
 - arrangement 73
 - macro 467
 - meso 467
 - micro 467
 - shape 72
 - size 72
 - volume 12
- pore-radius distribution 101
- porosity 73, 123, 140, 159
- positive locking 9
- postcrystallization 53
- potential
 - attraction 25
 - electrostatic 23 f
 - interfacial 24
- powder
 - coating 100 f.
 - detergent, *see* laundry powder
 - explosivity 100
- power consumption profile 180 f.
- powder-formulation 5 f.
- precipitation 96, 98, 101, 103
- press
 - roller 195 f., 199
 - tablet 204
- pressure
 - capillary 73, 140
 - compression 205
 - impact 185
 - osmotic 444, 446, 450
- process
 - agitated 147, 164
 - batch 445
 - control 105
 - design 104 f., 147, 260 f.
 - efficiency 298
 - environment 104
 - feed-production 544, 560
 - function 95, 101 ff.
 - heat-transfer-limited 239
 - industries 344
 - intensification, *see also* product design 1 ff.
 - measuring technology 109
 - modeling 105
 - neutralization 648
 - precipitation 473
 - power-limited 240
 - product design 264
 - simulation 260 f.
 - stage-gate 298
 - volume-limited 239
- process design software system (PDSS) 297 f.
- processing
 - mineral 148
 - ultrahigh-shear 388
- product
 - analysis 279
 - application 525
 - artisanal 624
 - critical parameters 524
 - degradation 524 f.
 - development 297 f.
 - function 104
 - life cycle 317
 - line extension 321 f.
 - performance 325, 523
 - peroral 523 ff.
 - physical instabilities 526
 - placement 321
 - quality 332 f.
 - secondary properties 523
 - shelf life 523
 - stability 523 ff.
 - temperature (PT) 237
 - zero-fat 620
- product concept 322, 327
 - nice-to-have 321
 - pay-off 321
 - time-to-market 320 f., 323 ff.
- product design 104, 261 f., 321 ff.
 - principles 341
 - process 323 ff.
- product requirements 323 ff.
 - functional 330 f.
 - intrinsic 328
 - primary 326 f.
 - secondary 326 ff.
 - structure 325
 - translate 327
 - weight 325
- production
 - resources 334
 - route 345

- property
 - functional 267 ff.
 - mechanical 365
 - mixture 269
 - prediction 263, 278 ff.
 - property-estimation systems
 - computer-aided 293
 - property function 98, 102
 - property model 259 ff.
 - local 274
 - mixture 264, 268 f.
 - parameter set 260 ff.
 - predictive 263
 - ProPred 275 f., 279 f.
 - propylene production 101, 353
 - prostate cancer 84
 - protein 65 f., 422 f.
 - prototype 334 f.
 - pseudopolymorphs 49
 - PTT (polytrimethyleneterephthalate) 347
 - pumping zone 229
 - pure-component property 264 ff.
 - constraint 284
 - functional 267 f.
 - primary 264 f.
 - secondary 265 f.
 - purification 34, 449, 456
 - pyrogenetic 86
- q**
- quality-function-deployment (QFD) 474 ff.
 - quantum mechanics 7
 - quasistatic 107
- r**
- radial distribution functions 647
 - radiation detection 108
 - rate
 - cooling 37
 - evaporation 37
 - raw materials 95, 102, 341
 - fossil 341 f.
 - reserves 343
 - rearrangement 193, 206, 375
 - recrystallization 413
 - recycle 200, 202
 - refination 403
 - reliability 103
 - recrystallization 10, 144
 - refractometric lecture 445
 - research milestones
 - development 337
 - discovery 337
 - launch 337
 - postlaunch 337
 - research 337
 - reserves-to-production ratio 341
 - residual term 270
 - restitution 152
 - retardation 7, 15
 - retention time 45
 - retrogradation 399, 412 ff.
 - rheology 66, 100, 234, 236
 - riboflavin 2
 - RME (transesterification in methanolesters) 345
 - rotor-stator system 63, 68 ff.
 - ROY (red, orange, yellow) 57
 - RRSB distribution (Rosin Rammler Sperling and Bennett) 51, 162
 - RSM (response surface methodology), *see* extrusion simulation
 - rubbery 139
- s**
- saccharide
 - derivatives 454
 - di- 443, 451
 - mono- 443, 451
 - oligo- 445, 448
 - poly- 445, 619 ff.
 - saccharification 445
 - sahlep 624
 - salting out 37
 - sample
 - drawing 110 f.
 - preparation 112
 - sampling 111
 - sand 160 ff.
 - saponification number 356
 - saturation 36
 - scale-up 102 f., 238, 334
 - scattered light 106
 - screw
 - flight 221
 - plastification design 232
 - sedimentation 29, 106, 381
 - seed
 - crystals 46
 - mass 44
 - size 44
 - state 44
 - surface 44
 - segregation 147, 193
 - selective catalytic reduction (SCR) 492
 - selectivity 506 ff.
 - intrinsic 506 ff.
 - product 507, 509
 - selling point 318

- SEM (scanning electron microscope) 159,
165f., 183, 656
- semicrystalline layer 398
- semicrystalline material 400
- semipermeable film 127
- semisynthetical 390
- semisolids 383f.
- separation columns 447
- sesquicarbonate 655ff.
– structured powder 657
- shape
– factor 170
– needle-like 656
– spherical 63
- shear
– effect 184ff.
– rate 237
– stress 237
- sieving 105f., 108
- sigmoidal curve 318
- silica 171, 463ff.
– aerogels 464
– amorphous 463ff.
– applications 477ff.
– basics used 474
– characterization 466
– compression 473
– electric-arc 464
– fume 465
– fumed 465, 467, 471
– gels 471
– grinding 473
– Hi-Sil 465
– inhalation 471
– mixing techniques 479ff.
– network 473
– oral intake 472
– precipitated 467ff.
– product design 474, 477f.
– product engineering 474
– production process 472f.
– properties 466
– pyrogenic 463, 465
– surface chemistry 466ff.
– technology 466
– toxicology 471
- silicon-based molecules
– organomodified 691
- single crystal 364f.
- sintering 9
- slip point 363
- SMPS (scanning mobility particle sizer) 15
- sodium trimetaphosphate (STMP) 405f.
- sodium tripolyphosphate (STPP) 405f., 410
- soft solids 128
- sol-gel process 98
- solid fat content (SFC) 363
– temperature profile 363f.
- solid dosage application 210
- solid line 35
- solid lipid nanoparticles (SLN) 390f.
- solid-state properties 362
- solidification 34, 39, 139, 148
- solidus 39f., 139
- solubility 51, 103, 262, 369
– complex molecules 273
– curve 35, 38
– diagram 34, 36, 38
– limit 36, 47
- solution 34ff.
– aqueous 87, 160, 163, 167, 173, 187
– binding 160
– boundary layer 45
– crystallisation 45, 56
– dialysis 448f.
– drug-containing 251
– viscosity 171
- solvates 34f., 48
- solvation 33
- solvent replacement 283ff.
- sonochemistry 129
- sorbitol 445, 456ff.
– application 458
– crystals 458
– powder 458f.
– products 458
– solutions 456f.
- sorption layers 17f., 27
- space group 52
- specific density 366
- specific extinction 692
- specific mechanical energy (SME) 215, 219f.,
237ff.
- specific surface area 98ff.
- SPG (Shiratsu Porous Glass) 71
- sphere diameter 17, 21
- spheronizing step 251
- spinning cone column (SCC) 598
- spiral growth model 47
- spray drying, *see* dryer
- spreadability 6, 369
- SSR theory (Schubert, Sommer and Rumpf)
19
- stabilization
– drainage of liquid 66
– dynamic 65f.
– electrostatic barrier 66
– Gibbs-Marangoni effect 65
– static 65f.
- stable system 107

- stagger angle 226
- starch 65, 395 ff.
 - binder 415
 - biodegradable 417
 - bioengineered 402, 408
 - cereal 403, 416
 - chemical modified 404
 - crosslinked 406
 - crystallite 399, 413
 - encapsulating agent 416
 - ester 404 f.
 - ether 404 f., 416
 - fat mimetics 416
 - filling material 416
 - gelatinization 408 f.
 - granule 236, 400 ff.
 - hydrolyzation 406 f.
 - industry 396
 - intermediate material (IM) 399
 - manufacturing technologies 402
 - material 235
 - molecule 237, 404 ff.
 - mutant 402
 - new applications 417
 - origin 400
 - oxidized 406
 - paste 411 ff.
 - process stability 414
 - production system 402
 - products 395 ff.
 - properties 400, 404, 408 ff.
 - rheology 411 f.
 - saccharification 407
 - structure 397
 - syneresis stability 414
 - thickener 415
 - tuber 403
 - usage 415
- stereospecific numbering system 354
- sterilization 414
- Stern layer 24
- Stern potential 23
- Stokes number 152
 - viscous 152
- STPP crystals 655
- strength
 - bridge 150
 - cohesion 148, 152
 - dynamic 152
 - static 150
- stress
 - frequency 107
 - intensity 107
- structural information 265
 - molecular 266
- structurants 652 f.
- structure
 - micro 130
 - multicomponent 121
 - multifunctional 121
 - nano 130
- structure-functionality relationship 617
- structure-property relationship 350 f., 354
- structured chemical products 121 f., 701 ff.
 - formulation engineering 702 ff.
 - product engineering 702 ff.
 - product formulation 701 ff.
- structured chemical product types 705
 - bioproduct processing 709
 - food 707
 - speciality products 709
- structured materials 701 ff.
 - food 706
- structured polymers 291
- sublimation 140, 603
 - tunnel 603
- submerged spray 163
- sucrose 443 f., 448, 456 f.
 - crystals 444
 - hydrolyzed 456
 - raw 444
 - substitute 447
- sugar 443 ff.
 - applications 444, 446
 - compressible 444
 - cores 444
 - crystallization 444
 - extraction 444
 - icing 444
 - products 444
 - spheres 444
 - syrup 444
- sugar alcohols 454 ff.
 - production 455
 - properties 456
- supercooling 37, 41
- supercritical drying 465
 - conditions 465
- supermolecule 50
- supersaturation 36 f., 41 f., 43 f., 45 ff.
- suppository 390
- supramolecular chemistry 70
- supramolecular synthon 50
- surface
 - area 44, 86
 - energy 369
 - integration 45
 - nucleation 47
 - roughness 42, 53, 58, 108
 - structure 96

- tension 11, 27, 140, 150f., 186f., 358, 362, 369
 - topology 108
 - unevenness 9, 17ff.
 - surfactant 65f., 85, 126, 172, 358ff.
 - amphoteric 358
 - anionic 358, 631f.
 - cationic 358, 631
 - concentration 362
 - ionic 358
 - liquid-like 632
 - micelle-forming 281ff.
 - molecules 361
 - nonionic 358, 631f., 650
 - phase 632
 - suspension 52, 82, 88, 95, 97, 101, 127
 - flowable 500
 - sustainable development, *see* product design 1ff.
 - symmetry 34, 52, 355
 - translational 54
 - synthetic amorphous silica (SAS) 463ff.
 - synthetic chemistry 49
 - synthetic nonpareils 444
 - synthetic precipitated silicon dioxide, *see* amorphous silica
- t**
- tablet 103f., 122, 124, 207ff.
 - formulation 210
 - manufacturing 252ff.
 - tableting 203, 204f., 207
 - process 248, 255
 - tailor-made 53, 349, 404
 - tear-off force 28
 - technology-push 319
 - TEM (transmission electron microscopy) 467f.
 - tensile strength 12f., 185, 207ff.
 - test-operate-test-exit (TOTE) 327f.
 - texture 66
 - theory of invented problem solving (TRIZ) 331f.
 - thermodynamic 33f.
 - model 272
 - partition coefficient 289
 - thermoplastic 178, 356
 - excipients 249
 - plastics 248
 - polymers 249
 - thermoplasticity
 - intrinsic 247
 - thermotropic liquid crystals 376
 - thickeners 65f., 415
 - thixotropic 384
 - TIRM (total internal reflection microscope) 29
 - toothed-disc 70
 - toughness 27
 - toxicity 261, 286
 - TRbF (technical regulation for flammable liquids) 675
 - trade-off analysis 301
 - transformation
 - liquid-solid 139
 - trans-isomer 351
 - transition point 35f.
 - transmittance 686
 - transparency 100
 - trial-and-error 327
 - triglycerid 85
 - turbidity measurements 38
 - two-component system 36
- u**
- ultramicrohardness, *see* Vickers hardness
 - ultrasound 38, 63, 71, 108, 113
 - unit cell 55, 364
 - US-EPA (Environmental Protection Agency of USA) 273
 - UV (ultraviolet radiation) 685f.
 - absorption curve 687
 - absorption spectra 687
 - filter 686ff.
 - harmful radiation 686
 - polymeric absorber 685, 687ff.
- v**
- value-based pricing 321
 - value-for-money 326
 - van-der-Waals
 - attraction 8
 - forces 5ff.
 - interaction energy 15, 23
 - pressure 15, 19
 - repulsion 8
 - vesicle 387
 - large unilamellar (LUV) 387, 389
 - multilamellar large (MLV) 387
 - multivesicular (MVV) 387
 - small unilamellar (SUV) 387
 - Vickers hardness 56
 - viscosifiers 450
 - viscosity 27, 63, 65ff.
 - high 368
 - intrinsic 624
 - vitamin A 540, 545, 562
 - vitamin E 556
 - voice of the customer (VoC) 476
 - voids 51

w

wants 326
water-dispersable 247, 249
water-soluble 247, 249, 251
water-swellaable 247, 249, 251
waxes 349
whelying-off 620
wet quenching 156, 164
wettability 10, 147, 156, 172f., 176, 186
wetting 149

- angle 10, 14
- evaporation 163f., 167

white carbon black 463
Wiley melting point 363
winterizing, *see* dry fractionation
workflow 2

x

xylitol 461

y

yield function 196
yield locus

- effective 196
- wall 196

z

zeta potential 103