

Index

- 2.4 GHz 5, 13, 49, 82–4, 115, 116, 121, 127–8, 151, 224, 312, 338
- 3rd Generation Partnership Project (3GPP) 1, 2, 14, 174, 258, 270–2, 341
- 4th Generation (4G) 1–2, 256
- 5 GHz 5, 44, 47–9, 80, 83, 100, 115–16, 151, 156, 180–3, 250–3, 264, 312, 321, 328
- Access Category (AC) 97, 135–40, 233, 302–4
- Acknowledgement (ACK) 30–2, 85–105, 126–44, 166–7, 206, 224, 231
- Acknowledgement policies 138
- Ad-Hoc On-Demand Distance Vector Routing (AODV) 66–75
- Admission Control (AC) 63, 64, 170, 303
- ALOHA 34, 38
 - pure 35–6, 41
 - slotted (S-ALOHA) 34–7, 41, 253, 292
- Antenna 7–10, 58, 119, 134, 147, 155, 164, 174–8, 192–5, 206, 209, 213, 260–6, 278, 311, 340
 - advanced 27, 147, 164, 174
 - omnidirectional 8, 192–5
 - smart 176, 193, 206, 209, 340
- Association of Radio Industries and Businesses (ARIB) 46
- Asynchronous Transfer Mode (ATM) 29, 149, 152, 159, 184
 - Wireless 174
- Attenuation 10–11, 14, 19, 25, 60, 146, 150, 256, 267, 297
- Authentication 80, 108, 110, 149, 169, 207, 270, 277, 283
- Authentication Server (AS) 207
- Automatic Repeat Request (ARQ) 30–3, 64, 166–7, 186–7, 257, 264, 266
- Basic Report 109
- Basic Service Set (BSS) 57–8, 79–80, 199–201, 289, 298–9, 306
- Beacon 90–6, 112–13, 139–40, 206, 215–16, 218–21, 240, 251, 305, 323, 339
- Beacon Period (BP) 136–40
- Beacon Report 112, 339
- Beamforming 25, 174–7, 193–5, 340
- Berg model 16–17
- Best Effort (BE) 97, 142, 173, 302
- Binary Phase Shift Keying (BPSK) 19–20, 129–30, 162–3
 - 1/2 69–73, 80, 84, 161, 163, 181–4, 190, 279
 - 3/4 70, 71, 84
- Bit Error Ratio (BER) 30, 223, 278, 279
- Block Acknowledgment 127, 138, 141, 144

- Bluetooth 53, 83, 120–2, 135, 146, 271, 324, 326, 339
see also IEEE, 802.15
- Broadband Radio Access Networks (BRAN) 151, 154, 270–1, 291, 339–40
- Broadband Wireless Access (BWA) 147
 - Fixed (FBWA) 326, 339
 - Mobile (MBWA) 3, 4
- Broadcast 55–6, 59, 65–7, 74, 89–93, 111, 112, 137–9, 163–4, 172, 203–11, 219, 230–2, 252, 260–1, 275, 297, 323, 330
- Bundesnetzagentur (BNetzA) 45
- Busy tone 62–3, 244, 299, 323
- Capacity 23–4, 59–63, 101, 116, 137, 142, 159–60, 205–6, 255–67, 279, 288, 292, 297, 306, 315, 328, 335–42
- Capital Expenses (CAPEX) 256, 258, 286
- Carrier Sense Multiple Access (CSMA) 37–40
 - with Collision Avoidance (CSMA/CA) 41, 87, 124–6, 135–6, 329, 338
 - with Collision Detection (CSMA/CD) 40–1
- Cellular 3, 6, 13, 22–3, 58, 107, 116, 148, 153, 175, 181, 193, 201, 209, 221, 225, 255–67, 269–83, 335–6, 339–42
- Central Controller Hybrid Coordinator (CCHC) 227, 325
- Channel coding 30–3, 131, 133, 329
- Channel reservation 41, 61–2, 219–20, 303
- Channel Time Allocations (CTA) 123–6
- Circuit switching 29, 148, 271–2, 276
- Clear Channel Assessment (CCA) 85, 109, 111–13
- Clear To Send (CTS) 41, 61–2, 74, 87, 90, 112, 138, 206–7, 231–4, 292–3
- Code Division Multiple Access (CDMA) 23, 25, 83, 174, 281, 327, 339
- Coexistence 6, 47–50, 83, 97, 120–1, 151, 205–7, 225, 227, 235, 237–54, 269, 298, 305, 317, 324–6, 340–1
- Cognitive Access Point (CAP) 314–15
- Cognitive radio 311–36
- Collision 19, 34–35, 62, 87–8, 99–100, 134–5, 161, 168, 205–6, 210–11, 219–20, 240, 256, 293–4, 297, 307
- Collision Avoidance (CA) 41, 87–8, 219–20
- Common control channel 323, 327, 329–30
- Common Spectrum Coordination Channel 224, 237, 326
- Complementary Cumulative Distribution Function (CDF) 75, 141–3, 190, 293–5, 308
- Constant Bit Rate (CBR) 184, 189, 221
- Consumer Electronics (CE) 4, 50, 135, 145, 197, 202, 208
- Contention Access Period (CAP) 124–6
- Contention-based medium access 97–8, 100, 105, 212, 227, 248, 330
- Contention Free Period (CFP) 87, 106, 124, 200, 225, 305
- Contention Period (CP) 94, 225, 305
- Contention Window (CW) 87, 98–9, 136, 307
- Controlled Access Phase (CAP) 96, 227, 231
- Cooperation 51, 227, 235, 239, 243–4, 269–88, 291, 324, 341–2
- Coordination Function (CF)
 - Distributed (DCF) 38, 41, 79, 84, 205, 211, 234, 250, 299, 304–5, 309
 - Hybrid (HCF) 41, 95, 105
 - Mesh (MCF) 205
 - Mesh Distributed (MDCF) 289, 299–305
 - Point (PCF) 41, 79, 94–5, 228, 232, 305, 340
- Coordinator
 - Hybrid (HC) 95, 205, 214, 227–8, 238, 250
 - Base Station (BSHC) 228–33, 250, 325
 - Central Controller (CCHC) 227, 325
 - Piconet (PNC) 123
 - Point (PC) 92, 200, 305
- Cyclic Prefix (CP) 28–9, 188
- Cyclic Redundancy Check (CRC) 30, 108, 165–6, 233
- Data Link Control (DLC) 78, 154
- Defense Advanced Research Project Agency (DARPA) 2, 311, 317, 330–4
- Digital Enhanced Cordless Telecommunication (DECT) 43–7, 292
- Direct Link (DiL, DL) 54, 107, 295, 339
- Direct Link Protocol (DLP) 97, 107
- Distributed Reservation Protocol (DRP) 135–6, 238

- Division Duplex
 - Frequency (FDD) 23, 155, 160, 267, 292, 328
 - Half-Duplex Frequency (HFDD) 160
 - Time (TDD) 6, 22–3, 147, 154–61, 182, 267, 281, 291–2, 297–9, 304, 327
- Division Multiplex
 - Code (CDM) 25
 - Frequency (FDM) 23–4, 292
 - Multiband-Orthogonal (MB-OFDM) 119, 129–33, 145
 - Orthogonal (OFDM) 6, 21, 25–8, 38, 80–1, 115, 131, 145, 164, 173, 182, 195, 227, 251, 264, 291, 293, 319, 328, 330, 339
 - Space (SDM) 25
 - Time (TDM) 24, 250, 291
- Downlink (DL) 22, 54, 102, 154, 157, 205, 210, 215–16, 222, 228, 252–3, 290–2
- Dual-slope model 15
- Dynamic Frequency Selection (DFS) 48–9, 107, 117, 151, 174, 217, 250, 314, 325
- Dynamic Spectrum Allocation 327
- Early Route Rearrangement (ERRA) 68, 72–3
- Early Route Update (ERU) 68, 73–4
- Echo Channel 299
- Electronic Communications Committee (ECC) 45–8, 150
- Encryption 46, 95, 149, 165, 168–9, 173, 273
- Enhanced Distributed Channel Access (EDCA) 95–105, 126, 135–6, 145, 199, 204–7, 212, 218–19, 230–4, 299, 304–9, 334
- Equivalent Isotropic Radiated Power (EIRP) 9, 48, 176, 181, 256, 325
- Ethernet 4, 41, 53, 77, 80, 149, 158–9, 173, 184, 189, 294–5
- European Conference of Post and Telecommunications Administration (CEPT) 45, 150, 174
- European Telecommunications Standards Institute (ETSI) 148–49, 270–2, 291–2, 339–40
- Exposed device/station 62–3
- Extended Service Set (ESS) 53–4, 80, 202–3, 289, 298–9, 306–8
- Fading 11–12, 150, 155, 274, 282
- Fair Elimination Phase (FEP) 300–3
- Fairness 63–4, 172, 254, 264, 302, 325, 331, 334, 341
- Fast Fourier Transformation (FFT) 27–8, 155
- Federal Communications Commission (FCC) 44, 49–50, 133, 151, 313, 318–20
- Fixed User Terminal (FUT) 199
- Forward Error Correction (FEC) 20, 30, 33, 130–1, 157
- Frame Check Sequence (FCS) 30, 87, 108, 233
- Frame Control Header 161–3, 165, 168, 178, 182, 190, 216, 230–3, 252
- Frame error rate 207
- Frame Report 113
- Free-space propagation 8–9, 14, 220
- Frequency hopping 48, 82–3, 121
- Game theory 238–40, 328–31, 340
- Global System for Mobile Communications (GSM) 3, 23, 45, 106, 201, 279, 284, 292–3, 296
- Handover (HO) 3, 93, 107, 127, 275–86, 291, 341–2
 - Horizontal (HHO) 284–5
 - seamless 93, 270, 280–1
 - Vertical (VHO) 284–6, 342
- Hata–Okumura Model 14
- HCF Controlled Channel Access (HCCA) 95, 103–5, 205, 224, 231–5, 340
- Hidden device 61–2
 - see also* Hidden station
- Hidden station 41, 61, 86, 90, 93, 113, 138, 141, 232, 293, 298–9, 316, 339
- Hidden station report 113, 339
- Hierarchical Beacon with Fixed Slot Allocation (HBFSA) 215–16, 221–4
- High Performance Local Area Network Type 2 (H/2) 214, 217, 227, 264, 270, 291, 295–6, 325, 338–9
- Hybrid Automatic Repeat Request (H-ARQ) 33

- IEEE 4, 77, 119, 147, 197, 237, 337
- 802.0 4
 - 802.1 4
 - 802.2 5
 - 802.3 4, 41, 53, 77, 149, 158
 - 802.4 5, 41
 - 802.5 5, 41, 77
 - 802.6 5
 - 802.7 5
 - 802.8 5
 - 802.9 5
 - 802.10 5
 - 802.11 5–6, 19, 41, 50, 53, 61, 76, 77–117, 148–51, 197–235, 238–50, 272–3, 289–92, 314, 319, 325, 330, 338–9
 - a 13, 20, 26, 77, 80–4, 115, 250–4, 264, 271, 279, 291, 312, 320–1, 342
 - b 77, 115–16, 299, 312, 326
 - c 116
 - d 116
 - e 34, 41, 95, 116, 126, 136, 218–19, 238–50, 291–3, 321, 325, 334, 338, 340
 - f 116
 - g 82–3, 116, 279, 289, 300, 312
 - h 107–9, 117
 - i 117, 207, 273
 - k 110–11, 117, 314, 321, 332, 339
 - n 3, 82–3, 174, 338
 - s 201–7, 212
 - u 272
 - y 49, 328
 - 802.12 5
 - 802.14 5
 - 802.15 4–6, 53–4, 119–46, 197–235, 339
 - .1 53, 120, 123, 134
 - .1a 121
 - .2 120
 - .3 6, 53–4, 119, 121, 198, 209, 293
 - .3a 121, 129, 135, 145
 - .3b 119, 121
 - .3c 121, 134
 - .4 120–1, 134, 209
 - .4a 121
 - .4b 121
 - .5 121, 208–9
 - 802.16 4, 6, 20–3, 53, 58, 119, 134, 147–95, 197–235, 237, 249–53, 258, 274, 291–3, 326, 339–41
 - .2 152
 - a 151–4, 317
 - c 151–2
 - d 151–2
 - e 3, 153, 154, 199, 317
 - f 153, 158
 - g 153, 158
 - h 153
 - i 153, 158
 - j 3, 153, 159, 211–12, 258
 - unlicensed 250–3
 - 802.17 4
 - 802.18 4
 - 802.19 4, 237, 326
 - 802.20 3, 4
 - 802.21 3, 4, 107, 225, 273–4, 341
 - 802.22 4, 151, 323, 330
- Independent Basic Service Set (IBSS) 79–80, 92, 107, 109
- Indoor 13, 48, 52, 209, 254–5, 258, 326, 335, 343
- Industrial, Scientific and Medical (ISM) 48, 82, 84, 121, 134, 332
- Information Society Technology (IST) 1, 3, 189, 193, 227, 287, 311
- Infrared (IR) 82, 115
- Interference 11–19, 26, 35, 43, 46–9, 60–4, 93, 101, 107, 108, 114, 117, 127–8, 133–4, 150–2, 176, 180, 189, 192–5, 206, 218, 224–5, 231–2, 249–53, 264, 291–7, 316–30, 338
- cell 177–8, 194–5, 261, 263, 278
 - channel 152, 175
 - harmful 62, 250, 263, 322, 326, 330
 - Inter-Channel (ICI) 26, 189
 - Inter-Symbol (ISI) 25, 187
 - mutual 25, 58, 83, 151, 205–6, 243, 254, 264, 340
 - self- 22, 58
- Interference Temperature Concept 47, 319–20, 326
- Interference vector 217–18, 220
- Interframe Space (IFS) 85, 293
- Arbitration (AIFS) 98, 136
 - Backoff (BIFS) 125

- Distributed Coordination Function (DIFS)
 - 84–9, 98–9, 205, 233, 251–3
- Extended (EIFS) 85–6, 232–3
- Minimum (MIFS) 138, 141
- Point Coordination Function (PIFS) 84,
 - 94, 103, 228, 232
- Retransmission (RIFS) 127
- Short (SIFS) 85, 98, 126, 138
- International Telecommunication Union (ITU)
 - 1, 3, 44, 274, 284, 340
- Internet 1, 3, 29, 54–9, 64, 148, 158,
 - 197–208, 270, 274, 298, 306, 315–17,
 - 341
- Internet Protocol (IP) 54–6, 59, 115, 135,
 - 149, 158, 169, 184, 270
 - address 66–7, 159, 270, 284
 - datagram 29, 274
 - layer 56, 59, 74, 274, 284, 338
 - Mobile (MIP) 274, 283
 - network 54–5, 282
 - routing 55, 74, 283
 - Voice over (VoIP) 4, 142, 172, 202, 212,
 - 250, 277, 301, 307–8, 340
- Internet Research Task Force (IRTF) 274,
 - 286
- Interworking 2–4, 224–5, 227–8, 229, 250,
 - 255, 272–3, 341
- Inverse Fast Fourier Transform (IFFT) 20,
 - 26–7, 131–2, 155
- Limited Relative Error (LRE) 141
- Line-of-Sight (LOS) 12, 148, 213, 220, 261
- Link Adaptation (LA) 64, 68–70, 107, 257,
 - 264, 283, 285
- Listen-Before-Talk (LBT) 38, 50, 85, 269,
 - 314, 328
- Location Configuration Information (LCI)
 - 114, 115
- Logical Link Control (LLC) 5, 78
- MAC Layer Management Entity (MLME)
 - 79, 93
- MAC Protocol Data Unit (MPDU) 80–1, 87,
 - 89, 138, 299–304
- MAC Service Data Unit (MSDU) 80–105,
 - 138, 338–9
- Management Information Base (MIB) 114,
 - 153, 158
- Manhattan Scenario 263, 265
- Media Independent Handoff 4, 107, 273,
 - 286, 341
- Medium Access Control (MAC) 5, 6,
 - 24, 33–41, 56, 59, 78, 84–93, 119, 121,
 - 122, 124, 147, 149, 157–73, 178, 225,
 - 229, 256, 272, 289–98, 334,
 - 337
- Mesh 5–6, 53–75, 80, 119–21, 146–9, 153,
 - 159, 166, 173–4, 197–235, 256, 258,
 - 289–309, 338
- Mesh Access Point (MAP) 201–5
- Mesh Deterministic Access (MDA) 205
- Mesh Point (MP) 199, 200, 204, 289
- Mesh Quality-of-Service Access Point (MQAP) 205
- Millimeter Wave (mmW) 121, 133–4
- Ministry of Information Industry (MII) 46
- Ministry of Internal Affairs and Communications (MIC) 46
- Mobile Ad-hoc Networks (MANET) 59,
 - 64–5, 342
- Mobile Multi-hop Relaying (MMR) 3, 153,
 - 198, 211, 258, 297, 339
- Mobility 3, 62, 145, 153, 199–201, 256,
 - 275–86, 341
- Mobility Management (MM) 2, 276, 341
- Modulation and Coding Scheme (MCS) 20,
 - 65, 69, 95, 157, 180, 190, 233, 257, 266,
 - 306
- Multi-cellular 263
- Multi-hop 6, 37, 55–63, 146, 153, 198, 207,
 - 212–35, 255–67, 289, 296–309,
 - 338–40
 - 802.11e 207, 218–19
 - cellular 6, 255–67
 - heterogeneous 6, 198, 224–35
 - homogeneous 198, 212–24
- Multi Stage Game (MSG) 240, 245–50
- Multiple Access
 - Code Division (CDMA) 23, 25, 83, 174,
 - 281, 327, 339
 - Frequency Division (FDMA) 23,
 - 174, 292
 - Opportunity Driven (ODMA) 258
 - Orthogonal Frequency Division (OFDMA)
 - 25–6, 145, 147, 154–5, 173, 211, 327,
 - 339

- Multiple Access (*Continued*)
- Space Division (SDMA) 23, 25, 27, 164, 174–9, 192–5
 - Time Division (TDMA) 23–4, 33, 124, 126, 135, 174, 179, 212–15, 289, 295–6, 308
- Multiple Input Multiple Output (MIMO) 119, 209, 257
- Nash Equilibrium (NE) 244–5, 327
- National Telecommunications and Information Administration (NTIA) 46
- Network Allocation Vector (NAV) 85, 94, 96, 111, 206, 220
- Network Layer (L3) 70, 274, 283–4
- Next Generation (NG) 1–4, 65, 135–40, 145–6, 201, 255, 269, 274, 311, 337
- Noise Histogram Report 112
- One-slope model 14
- Operational Expenses (OPEX) 209, 256, 258, 286
- Outdoor 16, 46, 181, 202, 255, 258
- Overlapping QBSS/WLAN 104, 140, 239, 269
- Packet error ratio 31–3, 126, 128, 138, 264, 279
- Pareto efficiency 244
- Pathloss 9–10, 108, 180, 189, 192, 257, 341
- Pathloss coefficient 10, 14, 19, 257
- Payload Header Suppression (PHS) 149, 158–9, 173–4
- Personal computer 135, 277
- PHY Layer Management Entity (PLME) 79
- PHY mode 20, 26, 58, 61–3, 68–73, 84, 101, 116, 128, 131, 143, 155, 161–4, 169, 180–2, 190–1, 218, 223, 232–4, 252, 293, 300
- Physical Layer Convergence Protocol (PLCP) 79–81, 132–3, 233
- Physical Medium Dependent (PMD) 79
- Piconet 123–30
- Piconet Controller (PNC) 53–4, 123–30, 199, 209
- Piconet Controller+ (PNC+) 200–1
- Point-to-Multipoint (PMT, PMP) 148, 210, 259, 293, 330, 339
- Point-to-Point Protocol (PPP) 149, 158
- Policy-defined Medium Access Control 334
- Polling 41, 87, 94–5, 101–2, 172–3, 191, 219, 221, 229, 231, 234, 338
- Post-backoff 88–9
- Power Control, *see* Transmit Power Control (TPC)
- Preamble 164, 168, 172, 178, 182, 190, 216, 230–3, 252, 300
- Privacy 80, 117, 173
- Propagation model 220, 267
- Protocol Data Unit 138
- Puncturing 130–1, 157
- Quadrature Amplitude Modulation (QAM) 19, 157
- 16- 19–21, 71, 128, 306
 - 64- 19–20, 71, 128, 174, 183–4, 190–1, 223
 - 256- 19
- Quality-of-Service (QoS) 4–5, 34, 41, 44, 50, 63–4, 77, 79, 83–4, 94–107, 114, 116, 121–4, 148, 197–235, 241–3, 258, 270–1, 289–92, 312, 338
- Quaternary Phase Shift Keying (QPSK) 19–20, 26, 28, 116, 128, 131, 133
- 1/2 20, 71, 84, 131
 - 1/3 131
 - 3/4 69, 71, 84, 131
 - 5/8 131
- Differential (DQPSK) 83, 116
- Radio propagation 5, 11, 15, 60, 150, 256, 266, 274, 340
- Ready to Switch (RTX) 205
- Reasoning 316, 331–3
- Receive/transmit Transition Gap (RTG) 160, 169, 174, 182, 231, 233, 251
- Redundancy 20, 30, 108, 165, 197, 201, 212
- Reflection 9–11
- Relay 6, 53–4, 148, 153–4, 159, 198–200, 210–12, 216, 224, 228, 233–4, 255–67, 314–17, 339–41
- Relay Enhanced Cell (REC) 258, 264
- Relay Node
- Fixed (FRN) 200
 - Mobile (MRN) 200

- Request To Send (RTS) 41, 61–2, 74, 87, 138, 205, 231–4, 292
- Routing 5, 56–9, 65–75, 197, 199, 207–12, 235, 255, 282–3, 305, 338
- Scheduling 92, 103, 111, 159, 172–3, 179, 182, 191–2, 210–11, 228, 263, 295
 - centralized 210–11
 - decentralized 202
 - SDMA 179
 - TDMA 179
 - uplink 171, 174, 191
- Security 5, 56, 110, 117, 122, 127, 149, 158, 173, 204, 207, 209, 212, 271–4, 280, 283, 318
- Sensor network 121, 208
- Service Access Point (SAP) 79, 158, 174, 176
- Shadow(-ed) 12–13, 25, 63, 150, 209, 261–7
- Signal to Interference plus Noise Ratio (SINR) 18, 28, 58–61, 68, 84, 170–1, 189, 194–5, 212
- Signal to Interference Ratio (SIR) 17–18
- Single Stage Game (SSG) 240–3
- Software Defined Radio (SDR) 311–12
- Spectrum
 - licensed 43–4, 47–50, 152, 160, 318, 338–40
 - mask 13
 - open 44, 51–2, 237, 317, 330
 - unlicensed 44, 47–50, 77, 155, 237, 320, 322, 335, 337, 343
- Spectrum access
 - flexible 317–24, 335, 343
 - opportunistic 319
- Spectrum Etiquette 44, 237, 322, 324, 326, 329, 331
- Spectrum Load Smoothing (SLS) 330–1
- Spectrum Navigation 332
- Spectrum pooling 330
- Spectrum sharing 6, 47, 50–1, 117, 153, 235, 237–50, 311–36, 342–3
 - dynamic 51
 - horizontal 250, 321–3, 326–9, 334
 - inter-operator 328
 - overlay 319, 321, 330, 342
 - underlay 47, 319, 325
 - vertical 49, 313, 315, 320, 321–3, 328–31, 334
- Spectrum sharing game 328
- Spread Spectrum 50, 319
 - Direct Sequence (DSSS) 48, 83, 115–16, 121, 129
 - Frequency Hopping Spread Spectrum (FHSS) 48, 82
 - High Rate Direct Sequence Spread Spectrum (HR/DSSS) 83
- Station
 - 802.11 (STA) 54, 61, 80, 108–14, 199, 212, 229, 233
 - Mobile (MS) 34, 49, 153, 199, 212, 256, 258, 292–6
 - non Quality-of-Service Station (nQSTA) 205–6
 - Quality-of-Service Supporting (QSTA) 199, 205, 219–22, 229, 233–4
 - Relay Station
 - Fixed (FRS) 200, 211–12, 256
 - Mobile (MRS) 200–1, 212
 - Nomadic (NRS) 200, 211
 - Subscriber (SS) 22, 80, 148, 173, 192, 211, 258
- Station Management Entity (SME) 79, 93, 148
- Superframe 94, 95, 105, 124–6, 136–41, 219, 227–8, 240, 251, 305
- Synchronization 24, 26, 28, 36, 91–3, 110, 124, 128, 132–3, 161–9, 178, 205, 210, 219, 283, 299, 301
- Target Beacon Transmission Time (TBTT) 91–6, 220–1, 230, 232
- TDMA in the long 293–7
- TDMA in the short 292–7
- Topology 56, 58–9, 65, 145, 205, 208–9, 256
 - grid 306, 308
 - mesh 55
 - neighborhood 153
 - network 122, 123, 256
 - piconet 123
 - scatternet 123
 - star 53
 - string 59

- Transmission Control Protocol (TCP) 64, 115, 184, 274
- Transmission Opportunity (TXOP) 63, 95–105, 138, 141, 205, 220–40, 248
- Transmission Opportunity Limit (TXOPlimit) 96–104, 117, 138, 218–21, 230–2
- Transmit Power Control (TPC) 107, 117, 127, 192, 250, 285, 314, 316, 325, 328–9, 353
- Transmit/receive Transition Gap (TTG) 160, 169, 174, 233, 251
- Trigger 71–3, 152, 172, 243, 249, 274–87, 341
- Ultra-Wide Band (UWB) 45, 119–45, 325–6, 339
- Universal Mobile Telecommunication System (UMTS) 3, 23, 43–5, 107, 174, 201, 270–1, 275–9, 281–6, 312, 328
- Universal Modeling Language (UML) 239–40
- Unlicensed National Information Infrastructure (U-NII) 44, 48–9, 174, 250, 325, 328
- Uplink (UL) 22–7, 34, 154, 157–93, 200–1, 215–16, 228–34, 253, 276, 290–2
- User Datagram Protocol (UDP) 184, 274
- Value Orientation 330
- Walfish–Ikegami model 15
- Web Ontology Language (OWL) 334
- Wireless Broadband (WiBro) 2, 154
- Wireless Fidelity (Wi-Fi) 3, 46, 53, 83, 250, 324, 329
- Wireless Local Area Network (WLAN) 3, 4, 19, 46, 53–65, 93, 107, 119, 121, 122, 148, 198–207, 224–5, 238, 240, 256, 270–85, 291–8, 319, 338, 341
- Wireless Medium (WM) 17–29, 54–68, 79–81, 95–6, 141, 199–200, 205–6, 209, 218, 225, 232, 238, 338
- Wireless Metropolitan Area Network (WMAN) 4, 119, 147, 198–212, 291, 293, 338, 339
- Wireless Personal Area Network (WPAN) 4, 53, 55, 119–46, 198–209, 316, 339
- Wireless Regional Area Network (WRAN) 4
- Wireless World Initiative New Radio (WINNER) 1, 192, 227, 311, 332
- Worldwide interoperability for microwave access (WiMAX) 3, 53, 119, 148–55, 173–5, 250, 325
- Zigbee 121, 208

