
Index

- A-BPSK 169
 Abbreviations 339–334
 Absorption 28
 AC 242, 243, 267, 279
 ACARS 2, 128–130, 132, 162, 210
 Accidental (interference) 309
 ACR 282, 283
 Access schemes 65–71
 ADS 4, 139, 202
 ADS-B see ADS
 AEEC 128
 AFTN 187, 193
 Air conditioning 243, 244
 Air interface(JTIDs/MIDs) 149
 Alignment 248
 Allocation 123, 158, 171
 Allotment 124, 158, 171, 179
 Amplitude 14
 Amplitude Modulation (AM) 39, 41
 AM(OR)S 106, 145, 161–163, 165, 167, 168
 AM(R)S 43, 106, 121, 145, 147, 161–163, 165, 167, 168, 182, 212
 AMS 167
 AMS(R)S 167, 169–171
 AMSS 167
 AM-ASK 129
 AM-MSK 51
 Analogue 39, 40
 ANLE 208, 211
 ANSP 192, 227
 Antenna 10, 80, 81, 245–253, 294–300
 Antenna coupler 300
 Antenna layout (aircraft) 301–302
 AOC 120, 121, 127, 131, 138
 Application 212
 A-QPSK 169
 ARINC 129–131, 162, 273–275, 277, 278, 429, 629, 659
 ARINC GLOBALINK 163
 ASK 50–58
 ATC 106, 108, 117, 120, 121, 123, 124, 127, 128, 132, 139, 140, 193, 248, 226
 ATM (Asynchronous transfer mode) 191
 ATN 187, 193
 ATIS 124, 127
 Availability 99, 113, 116, 160
 Aviation VHF link control 132
 Avionics 147, 259–304
 Azimuth 81
 Back plane 283, 284
 Backward compatibility 110, 212
 Band splitting 106
 Bandwidth normalization 77
 Base station 121
 Bathtub curve 99
 BER 57, 58, 118, 131, 137
 Bipolar 52
 BFSK 53, 54
 BITE 277, 291
 Blade (antenna) 300
 Bluetooth 215
 Boltzmann's constant 92
 Break even point 222
 Burn in 99

- Burn out 99
- BVHF 215
- CAA 269
- Cables 303
- Cable leaks 309
- Call set up delay 170
- Call arrival rate (y) 64
- Capacity 113, 212
- Capital costs 221
- Capture effect 49
- Cashflow 224
- Category 265, 267
- Cavity filters 236, 237
- C band 96
- CDMA 67–71, 75, 92, 151, 201, 210, 214, 216, 217
- Cell (radio) 120
- Centrifugal 36
- Centripetal 36
- Certification 303
- Channelization 140, 147, 183
- Channel spacing 106
- Circuit breakers 281
- CLIMAX 50, 108, 118, 119, 120, 246, 286
- Coaxial 238, 303
- Coded OFDM 65, 66
- COFDM 183
- Coherent detector 43
- Commercial aviation 270
- Comm 2 tables 124, 322
- Companding 44
- Compression (see companding)
- Congestion 307
- Constants 335
- Constellation diagram 57
- Convergence 6, 208
- Conversions 337
- Convolutional coding 72, see also FEC, CRC
- Cooling 283
- Co-site 133, 247, 301
- Costas loop 48
- Coverage 113
- CNS 6
- CPDLC 130
- CRC 62, 72
- CSMA 131, 132
- Critical Frequency 35
- DAMA 67
- Databus 273
- D-ATIS 128
- Datalink 2, 126–142, 215, 217, 218, 225
- Data packing 153
- DC 242–244, 267, 279
- DCL 128
- Decibel 14
- DECT 215
- Demodulation 158
- Demodulator 46, 65, 94
- DFSK 41, 54
- Differential 52
- Digital 40
- Dipole 82
- Direction finding 313
- Disaster recovery 100
- Discount cash flow DCF 225
- Dish antenna (see parabolic antenna)
- Distributed avionics 273
- Diversity 74–77
- DME 147, 156, 202
- Doppler effect 37, 38
- Down converter 46
- DPSK 41, 55, 56, 206
- D8PSK 56, 57, 130, 136
- DSB-AM 41, 42, 105, 158, 217, 218, 235
- DTMF 159
- Ducts/Ducting (see refraction)
- DWDM 191
- E (electric field vector) 11
- Earth station 241
- Eclisian (distance) 59
- Economics 221–227
- Electrical disturbance 309
- Electric field strength (E) 17
- EIRP 174
- Elevation 81
- Effective aperture 16
- EMC 93, 268, 307, 309, 310, 317
- Encryption 127, 138, 151
- Environment 229, 247, 259, 265, 267
- EPLRS 146
- Equalization 71
- Equipment 229
- Equipment racks 257
- Equipment room 254
- Erlang 64
- ETDMA 201, 213
- ETSI 240
- Equations 325–332
- EUROCAE 129, 304

INDEX

347

- Expanding (see companding)
- Explosive atmospheres 265
- Extended coverage 117
- Eye diagram 32
- E1 190
- E&M 188

- FAA 7
- Fading 30, 32, 71, 74, 75
- Fast fading (see selective fading)
- FDD 70, 213, 215
- FDDI 278, 279
- FDM 63, 190, 191, 194
- FDMA 66, 147, 150, 151
- FEC 62, 72, 131, 138–139
- Fibre optic 199
- Figure of merit (see G/T)
- Fluid susceptibility 266
- FM 181
- FMS 281
- Folded dipole 82
- Free space path loss (fspl) 15
- Frequency coupling 117
- Frequency diversity 75, 76
- Frequency hopping 150
- Frequency management 307, 322–324
- Frequency modulation (FM) 39, 41, 49
- Frequency shift keying (FSK) 39, 41, 53, 55
- Fresnel 26
- FSK 181
- Fungus growth 266
- Future communications systems 201–218
- F/B ratio 84

- Gain 80–87, 247
- Gas absorption 29
- Geo-stationary orbit satellite (GSS) 36
- GES 170
- GFSK 60, 139
- Global signalling channel (GSC) 139
- Gravitational 36
- GNSS 147
- Great Circle Distance 24
- Ground wave 29
- Ground installations 229–239
- GPS 50, 210
- Grade of service 171
- Gravity 265
- GSM 13
- GSS 165

- G703 190, 191
- G/T 93, 172

- H (magnetic field vector) 11
- Half duplex 44
- Handover mechanism 133
- Hardening (VHF) 124
- Harmonics 88–92
- HAVEQUICK 146
- Header 153
- HEO 168, also see GSS
- HF 157, 158, 160, 162, 163, 165, 238, 241, 289
- HF ACARS 164
- HF datalink 162, 293
- High earth orbit (HEO) 36
- Highest possible frequency 35
- High performance 254
- Hilbert (modulator) 46
- Horizontal expansion 110
- Humidity 229, 230, 264
- HVAC 244
- Hysteresis 49

- IATA 6, 226
- ICAO 6, 14, 131, 134, 168, 211, 226,
- IF 46, 245
- IF combining 75, 76
- IFF (identification friend or foe) 147
- Immunity 268
- Impedance 247
- Inadvertent (interference) 309
- Index PIN code 284
- Indoor 230
- Inflation 224
- Infrastructure 229
- Inmarsat 163
- Inmarsat M 166
- Inmarsat Swift broadband 203, 213
- Interference 92, 307, 308
- Interference to Noise I/N 311
- Interleaving 72
- Intermodulation 88–92, 124, 125–126, 246, 309
- Internal rate of return 223
- Internet protocol (IP, IPv4, IPv6) 156, 182, 191
- Inter-symbol interference 32
- Investment cost 221
- Ionosphere 32
- Ionosphere sounding 35
- ISO 8202 132, 134
- Isotropic 15, 81

- ITU 6, 10, 121, 123, 124, 146, 159, 162, 177, 182
 ITU-R (see ITU)
- JAA 165, 269, 303
 Jamming 310
 Jam (resistant) 147
 Jitter 152
 JTIDS 145, 147
- k-factor 22
 Knife edge (diffraction) 26
 Ku band 36
- LAN 201, 208, 210, 214
 Latency 37
 L Band 36
 Lightning 231
 Link budget 87, 88, 93
 Link 4A 11, 16, 147, 150
 Link 2000+ 131
 LNA 181
 Log periodic antenna 84, 253
 LOS (line of sight) 17, 30, 75, 115, 171
 Low earth orbit (LEO) 36, 167, 168
 LRU 282
- MAN 208, 210, 214
 Manchester code 207
 Man made noise 92 (also see noise)
 Macro-economics 226, 227
 M-ARY 52, 53, 56, 58
 Mast 246, 254
 Master Minimum Equipment List 304
 Maximum usable frequency 35
 MCU 282, 283
 Microwave 240
 Microwave radio 194–196, 199
 Message start opportunities 201, 202
 MIDS 145, 147
 Mean call holding time (s) 64
 Medium earth orbit (MEO) 36, 168
 Military (Aviation) 145, 271
 Mobile satellite 165
 Mobility 208, 212
 Mode S 201, 205–207, 210
 Modulation 38, 41–61, 158, 169
 Modulation index (M) 42, 43
 Modulator 44, 45
 Mounting arrangements 248
 MTBF 100, 235, 268
 MTFD 188
- MTTR 100, 235
 Multipath 30, 72–75
 Multiplexing 62, 199
 MWARA 160, 163, 238
- Natural noise 92 (also see noise)
 Navigation 147
 NET 147, 151
 Net present value NPV 223
 Network time reference(NTR) 152
 Noise 92–98
 NM (Nautical Miles) 10, 23
 Noise figure 95
 Noise temperature 93, 94
 Non coherent detector 43
 Normalization 77, 315
 Notch (antenna) 300
- OCM 128
 OFDM 65, 66, 210
 Omnidirectional 81
 Optimization 248
 Optimum working frequency 35
 OSI 278
 Outdoor 230, 245, 247, 257
 Oxygen absorption 28
- PABX 193
 Parabolic 253
 Parabolic antenna 86
 Passenger communications 175
 Passive receiver diversity 75
 PDH 189, 191
 Phase shift keying (PSK) 39, 41, 53, 55, 58, 162
 PIAC 117, 120
 Pirate 311
 Point to point 240
 Polarity 82
 Polarization 11, 247
 Power 14
 Power dissipation 243
 Power flux density (PFD) 16
 Power supply 279
 Pre-emption 171
 Pressure 261–262
 Pressurization 244
 Priority 171
 Private aviation 269
 Propagation 10–16
 Protocol 162, 169, 278
 PSTN 167, 199

INDEX

349

- PTT 187, 194, 223
 Pulse code modulation 180
 Push to talk 44
 P34 202, 213

 QAM 41, 58, 59
 Quality 113, 121
 Quarter wave vertical antenna 82

 Racking 282
 Radio frequency (RF), 1, 10, 247
 Radio regulations 307, 308
 Rain zone 28
 RAM 281
 Receiver 10
 Refraction 18
 Reliability 99, 113, 211, 268
 Reliability block diagram 102
 Reliability (cost) 226
 Resilience 211
 RF environment 268
 RMS (route mean squared) 45
 Round trip timing(RTT) 153
 RPE 81–87, 247
 RS232 241, 242
 RTCA 129, 262
 Running cost 221

 Safety case 225
 Salt fog 266
 Sand and dust 266
 SARP's 113, 131, 134, 159, 206
 Satellite 92, 163–175, 210, 213, 240, 300
 S Band 4, 178
 SC-Am 41, 48
 SDH 191
 Sector(ATC) 120
 Security 211
 SELCAL 159, 160
 Selective fading 71, 72
 Shannon's law 40, 60, 62
 Shunt 300
 Signal shaping 44
 SINGARS 146
 Simplex 44
 SITA 129–131
 SI Units 10
 Size 265
 Sky noise 92
 Sky wave 33
 Smooth edge (diffraction) 27

 Snell's law 31
 Sniffer 239
 SNR 46
 S(N + I) 165
 Software defined radio 217, 218
 Solar flares 36
 Space diversity 74, 76
 Spectrum 178, 212
 Spectrum management 307, 318–321
 Splitter 239
 Squelch 46
 Squitters 35
 SSB-AM 41, 46, 47, 158, 217, 218, 289–292
 SSR 205, 206
 Standardization 266
 Sun spot 36
 Surveillance 147
 Survivability 147
 Swamping (receiver) 124
 Symbols 33–334
 Synchronization 140, 152

 Terrestrial backhaul 187–196
 TCM 41, 58–60
 TDD 70, 71, 202, 213, 215, 217
 TDM 65, 189, 191
 TDMA 134–137, 139, 147, 151, 201, 213
 Technology 211, 212
 Telecontrol 182
 Telemetry 49, 177–186
 Temperature 229, 261
 Testing (for interference) 313
 Thermal noise 92 (also see noise)
 TMA 115, 216
 Tower 231, 246
 Transmission line 245
 Transmitter 10
 Trajectory 37
 Trunking 62, 63
 Two ray model 31

 UAV 4, 177, 179, 182, 185, 186
 UAT 128, 201–205, 210, 321
 UHF 30, 145, 194, 208, 241
 Unavailability 100
 Up converter 46
 UV exposure 230

 Variables 333–334
 VDL (see datalink)
 VDL 0/A 128, 138, 141, 142

350

INDEX

- VDL1 128, 129, 141, 142
- VDL 2 58, 128–130, 138, 140–142
- VDL 3 58, 128, 129, 134–138, 140–142
- VDL 4 61, 128, 129, 138–142
- Vector 11
- Vertical expansion 110
- VHF 1, 12, 30, 32, 105, 124, 145, 147, 157, 160, 162, 163, 167, 194, 208, 214, 216, 223, 232, 233, 235, 241, 248
- VHF datalink (see datalink)
- Vibration 266
- VOLMET 160
- Voltage controlled oscillator (VCO) 49
- Voting network 117, 118
- VSAT 187, 197, 199, 241, 242
- VSWR 82, 247, 292

- Water absorption 28
- WDN 191
- Wear out 99
- Weight 265
- Weight loading 230

- Whip (antenna) 295
- White noise 92 (also see noise)
- WiMAX (see 802.16)
- Wind loading 230, 246
- Wind speed 230
- WRC process 123, 177, 185, 186, 210, 321
- Wright Brothers 1

- XPD 247
- X25 132, 134

- Yagi antenna 84

- 3G 2, 210
- 4G 210
- 4W E&M see E&M
- 5G 210
- 5/8 λ antenna 83
- 8.33 108, 218
- 802.xx derivatives 201, 207–209, 213
- 802.16 208, 209
- 802.17 209