

Index

Symbols and Numerics

+ (addition) operator, 237
<> (angle brackets), 244
* (asterisk), 47
: (colon), 251
& (concatenation) operator, 237, 432
/ (division) operator, 237
= (equal sign), 615
= (equals) operator, 257, 623
^ (exponentiation) operator, 237
>= (greater than or equal to) operator, 257, 623
> (greater than) operator, 257, 623
() (grouping) operator, 237
\ (integer) operator, 238
<= (less than or equal to) operator, 257, 623
< (less than) operator, 257, 623
* (multiplication) operator, 237
<> (not equal to) operator, 257, 623
- (subtraction) operator, 237
_ (underscore character), 608
3-D bar charts, 451

A

abbreviations, tables, 67
Abs () function, 245
.accdb files
 defined, 21
 extension, not changing, 41
ACCDE files
 ACCDB files versus, 524
 creating, 524
 defined, 524
 as front-end files, 525
 importing tables from, 525
 locking databases as, 523–526

 renaming, 525
 tables, 525
Access 2.0 databases, opening, 21
Access 95 databases, opening, 21
Access 97, databases, opening, 21
Access 2000 databases
 format, 531
 opening, 21
Access 2002
 databases, opening, 21
 format, 531
Access 2003
 databases, opening, 21
 format, 531
Access Options dialog box
 accessing, 441, 486
 Application Options section, 546
 Customize panel, 26
 customizing, 548
 displaying, 132, 544
 Exclusive mode, 538
 Filter lookup options, 548
 illustrated, 545
 Name AutoCorrect Options section, 547
 Navigation section, 547
 Ribbon and Toolbar Options
 section, 547
 Shared mode, 538
 Trust Center option, 486
 Trust Center Settings button, 486
Access Web, 37
Access window
 PivotTable View button, 301
 Zoom control, 436
action queries. *See also* queries
 append, 269, 280–282
 backups before, 270
 creating, 269–273
 default, 271

- action queries (*continued*)
 - defined, 12, 205, 269
 - delete, 269, 282–285
 - make-table, 270, 277–280
 - recognizing, 271
 - results, checking, 272
 - Run button in, 270–272
 - running, 271–272
 - running from VBA, 674–676
 - select queries versus, 269
 - types of, 269–270
 - update, 270, 273–277
 - View button in, 270
 - warning, 675
- actions, macro. *See also* macros
 - arguments, 476–479
 - commonly used, 476–477
 - conditional, 495
 - defined, 474
 - entering, 475
 - list, 475
 - on multiple conditions, 495
- activation, Access, 690–691
- ActiveX Data Objects. *See* ADO
- Add Procedure dialog box, 598–599
- Add-in Manager, 522
- add-ins
 - builder, 523
 - creating, 522–523
 - defined, 521
 - loading, 522
 - menu, 523
 - Office versus Access, 523
 - removing, 522
 - types, 523
 - wizard, 523
- addition (+) operator, 237
- ADO (ActiveX Data Objects)
 - defined, 665
 - evolution, 666
 - methods, 667
 - properties, 667
- Advanced Filter/Sort feature. *See also* filtering; filters
 - defined, 148
 - displaying, 148
 - queries, 204
 - uses, 148
 - window, 148–149
- After Update event, 651–652
- aggregate columns, 300
- aggregate functions. *See also* functions
 - defined, 392
 - domain, 394
 - list of, 392–393
 - using, 392–393
- aggregating data, 292–301
- Allow Deletions property, 330
- Allow Zero Length property, 176
- And operator, 257, 624
- angle brackets (<>), 244
- antivirus software, 19
- Append dialog box, 281
- append queries. *See also* action queries; queries
 - Append To row, 282
 - creating, 281–282
 - defined, 269, 280
 - moving data with, 280–282
 - rules, 280
 - Run button, 282
 - saving, 282
 - uses, 280
- Apply Filter action, 476
- apps (applications), 577
- APR (annual percentage rate), 246
- area charts, 455–456
- arguments. *See also* actions, macro
 - blank, 478
 - common, 478–479
 - data types, 602
 - default values, 478
 - information, 477
 - passing, to procedures, 600–603

- selecting, 476
- specifying, 477–479
- sub procedure, 610
- arrays
 - declaration syntax, 620
 - defined, 20
 - dimensions, 620
 - looping through, 634–635
 - multidimensional, 621–622
 - one-dimensional, 620
 - subscripts, 620
 - variables, 620–621
- Assets template, 88
- assumptions, this book, 3
- asterisk (*), 47
- Attachment fields
 - contents, 100
 - creating, 120
 - defined, 120
 - template, 120
 - uses, 100
- attachments
 - number of, 120
 - storage, 100, 120
 - viewing, 121
- Attachments dialog box, 120–121
- AutoCorrect
 - entries, deleting, 125
 - list, adding abbreviations to, 125
 - options, 124–125
 - uses, 124
- AutoCorrect Exceptions dialog box, 126
- AutoForms
 - Columnar, 318
 - Datasheet, 319
 - PivotChart, 319
 - PivotTable, 319
 - Tabular, 318
- AutoLookup queries
 - for automatically filling data, 230–231
 - creating, 231
 - defined, 205
 - illustrated example, 231

- AutoNumber fields. *See also* data types;
fields
 - adding, 68
 - contents, 99
 - defined, 57
 - on forms/reports, 101
 - as primary key, 71
 - uses, 99–101
- Avg() function, 392
- Avg operation, 265

B

- Back Color property, 348
- Back Style property, 397
- back-end databases. *See also* splitting
 - databases
 - multiuser, 537
 - permissions, 568
 - security, 568
 - tables list, 534
- background color, 129
- background pictures, 355
- backup programs, 513
- backups
 - ACCDE files as, 525
 - before action queries, 270
 - before delete queries, 283
 - before encrypting, 549–550
 - on CD-R disc, 513
 - creating, 512–516
 - exporting tables to, 515
 - frequency, 15
 - specific objects, 514–515
 - steps, 513
 - on Zip disk, 513
- bar charts. *See also* charts
 - 3-D, 451
 - column, 451
 - cone, 451
 - creating, 450–455
 - cylinder, 451
 - pyramid, 451

bar charts (*continued*)
 Series setting, 454–455
 types, 451
 X-Axis setting, 451–452
 Y-Axis setting, 452–454

Beep action, 476

Between operator, 257

blank pages, avoiding, 441–442

boldface, this book, 2

Boolean values, 72

Border Color property, 349

Border Width property, 349

borders
 chart, 462
 control, 346

Bound Column property, 363

bound controls
 creating, 339–340
 defined, 337

bound subreports. *See also* subreports
 defined, 426
 illustrated, 425
 printing, 425

boxes
 colors, 354
 defined, 339
 drawing, 354
 thickness, 354

breakpoints. *See also* debugging
 clearing, 686
 defined, 685
 setting, 685
 stepping through code with, 686

bubble charts, 457

builder add-ins, 523

Business templates, 40–41

buttons. *See also specific buttons*
 command, 52
 contextual tab display, 24
 create, 24
 database tool, 24
 external data, 24
 finding, 23

 groups, 24
 templates, 51–53
 with three dots (...), 52
 tooltips, 24

ByVal keyword, 659

C

calculated columns, 300

calculated controls. *See also* controls
 creating, 386–387
 defined, 386
 in form footer, 395
 formatting, 397
 illustrated, 397
 to total subform, 394–397

calculated fields. *See also* fields
 creation steps, 235
 with Date functions, 251
 defined, 233–234, 309
 illustrated example, 234
 literal text, 254
 PivotTables, 309–311
 printing, 422
 query example with, 259
 record filtering based on, 267
 sequence, 234
 sorting by, 262

calculated values
 defined, 385
 formatting, 389
 on reports and forms, 386

calculations
 conditional, 423
 date, 390
 expressions, checking, 388
 expressions, troubleshooting, 388
 fields, 75
 in forms and reports, 385–397
 group subtotal, 421–422
 if-then component, 391
 number, 389
 printing, 422

- in queries, 388
- running sum, 423
- text, 390–391
- totaling, 393
- Can Grow property, 428–429
- Can Shrink property, 429
- Caption property, 312, 329, 371
- captions, field, 96
- cascading deletes, 71
- cascading updates, 71
- CCur() function, 247–248
- CDate() function, 252
- cells, selecting, 155
- Character Map, 122
- chart controls. *See also* controls
 - adding to reports, 447
 - defined, 446
 - double-clicking, 459
 - moving, 450
 - multiple, 450
 - selecting, 458
 - storing charts as, 446
- Chart Wizard
 - Available Fields list, 447–448
 - creating charts with, 446–450
 - Preview Chart button, 449
 - questions, answering, 447–450
 - starting, 446–447
 - X-Axis setting, 448–449, 451–452
 - Y-Axis setting, 448–449, 452–454
- charts
 - 3-D, 451
 - 3-D effect, 462
 - area, 455–456
 - axes, 462
 - background color, 461
 - bar, 450–455
 - borders, 462
 - bubble, 457
 - changing, 457–460
 - column, 451
 - cone, 451
 - creating, manually, 458
 - creating, with Chart Wizard, 446–450
 - cylinder, 451
 - data, changing, 463
 - data table, 461
 - doughnut, 456
 - existing, modification steps, 458–460
 - field layout, 449
 - formatting, 461–462
 - gridlines, 461
 - labels, 448
 - legends, 450, 461
 - line, 455–456
 - moving, 458
 - pie, 456–457
 - previewing, 450
 - properties, 459
 - pyramid, 451
 - resizing, 450, 458
 - Series setting, 448
 - storing as controls, 446
 - titles, 450, 461
 - trendline, 462
 - types, 449
 - types, selecting, 448
 - X-Axis setting, 448
 - XY scatter plot, 457
 - Y-Axis setting, 448
- check boxes. *See also* controls
 - creating, 351
 - defined, 339
 - information display, 351
 - list boxes versus, 357–358
 - for Yes/No fields, 351–352
- class modules
 - defined, 571
 - opening, 572–573
- classes, 582
- Close action, 476
- Close button. *See also* command buttons
 - creating, 367–368
 - need for, 367

- Close method, 647–648
- code. *See* VBA code
- Code window. *See also* Visual Basic Editor
 - allowed words drop-down menu, 604–605
 - comments, 606–607
 - converted macro in, 589
 - defined, 579
 - illustrated, 579–580
 - shortcut keys, 605–606
 - tools, 579–580
 - typing in, 604–607
- code-behind form, 571
- codes
 - fields, 75
 - meaning lookup, 67
 - storing, 75
 - tables for, 67
 - validation, 67
- Collecting Data Using E-Mail Options dialog box, 172
- collections
 - AllForms, 662
 - controls, 656
 - defined, 655
 - forms, 656
 - Forms, 662
 - looping through, 661–663
 - properties, 656
 - referring to, 585–586, 657–658
- colon (:), 251
- colors
 - background, 129, 348–349
 - background, charts, 461
 - controls, 348–349
 - datasheet data, 127
 - foreground, 348–349
 - lines/boxes, 354
- column charts, 451
- Column Count property, 363
- Column Headings property, 300–301
- Column Heads property, 363
- column selector, design grid, 217
- Column Width dialog box, 130
- Column Widths property, 363
- Columnar AutoForms, 318
- columnar reports, 411
- columns (datasheet)
 - aggregate, 300
 - deleting, 131
 - freezing, 132
 - hiding, 131
 - inserting, 131
 - rearranging, 130
 - width, changing, 130
- columns. *See* fields
- Combo Box Wizard
 - combo box creation steps, 359–361
 - defined, 359
 - Find box creation, 371–372
 - list of values, 359–360
 - opening, 359
 - record order, 361
- combo boxes. *See also* controls
 - column widths, 361
 - creating, 359
 - creating with Combo Box Wizard, 359–362
 - defined, 339, 343, 357
 - edges, adjusting, 361
 - illustrated, 362
 - list boxes versus, 357–358
 - planning, 358–359
 - properties, changing, 362–363
 - record order, 361
 - resizing, 361
 - selected information, 358–359
 - values, 358
- Command Button Wizard
 - Application buttons, 367
 - button creation, 505–506
 - button options, 370
 - defined, 366–367

- Form Operations button, 367
- Form Operations category, 369
- Miscellaneous buttons, 367
- opening, 369
- Record Navigation buttons, 367
- Record Operations buttons, 367
- Report Operations buttons, 367
- VBA procedures, 490, 504
- command buttons
 - Close, 367–368
 - creating, 366–367
 - customizing, 370–371
 - defined, 339
 - to display related form, 368–369
 - macro, 490
 - main menu form, 504–507
 - moving, 505, 507
 - naming, 505
 - printing current record, 370
 - program forms, 366
 - properties, editing, 370–371
 - resizing, 505, 507
 - running macros, 506–507
 - uses, 370
- comments
 - defined, 606
 - first character, 607
 - macro, 479
 - purpose, 607
 - typing, in Code window, 606–607
- common filters, 142, 145
- compacting databases, 511–512
- comparison operators
 - built-in, 257
 - VBA code, 623
- compile errors. *See also* errors; VBA code
 - box buttons, 609
 - debugging, 678–679
 - defined, 609, 677
 - immediate occurrence, 678
 - location, 678
 - occurrence, 608
 - sample, 609
 - sample message, 678
- concatenation (&) operator, 237, 432
- conditional actions, 495
- conditional calculations, 423
- conditional execution, 493
- conditional expressions
 - comparison operators, 623
 - defined, 624
 - If . . . End If, 624–626
 - logical operators, 624
 - multiple, combining, 624
 - Select Case block, 627–629
 - syntax, 623
- conditional formatting
 - defined, 350
 - options, 351
 - setting up, 350–351
- Conditional Formatting dialog box, 350–351
- cone charts, 451
- Const keyword, 619
- constants
 - defined, 619
 - defining, 619
 - for MsgBox buttons argument, 642
- contacts, Outlook, 164–165
- Contacts template, 88
- contextual tabs, 23–24
- continuation characters, 607
- Control Source property, 342, 363, 386, 388, 396, 614
- controls. *See also* forms; reports; *specific controls*
 - borders, 349
 - bound, 337
 - calculated, 386–387, 394–397
 - changing, 341
 - changing with VBA, 648–655
 - chart, 446
 - collections, 656

controls *(continued)*

- color, 348–349
- copying, 347
- creating, 339–342
- data, viewing with VBA, 654
- defined, 337
- deleting, 347
- enabling/disabling in VBA, 648–649
- events, 488–489
- form, properties, 497–500
- formatting, copying, 350
- groups, moving, 353
- groups, sizing, 353
- lining up, 353–354
- moving, 347
- multiple, selecting, 352
- naming, 342
- properties, 342
- properties, changing in VBA, 648
- properties, setting, 354
- referencing in macros, 490–491
- referencing on subforms, 393–394
- renaming, 347
- resizing, 347
- spacing, 354
- special effects, 349
- for subform total, 394–397
- subreport, 424, 427
- text, formatting, 348–351
- text alignment, 350
- text display, 343–346
- type, changing, 348
- types of, 337, 339
- unbound, 337
- values, changing in VBA, 649–650

conventions, this book, 2–3

conversion functions, 247

converting databases, 516

copying data, 151–155

Count () function, 392

Count operation, 265

Create tab

- AutoReport: Tabular button, 404
- Chart Wizard button, 404
- Design View button, 404
- Field Templates button, 87
- Forms button, 316
- Label Wizard button, 404
- Macro button, 503
- More Forms button, 302, 319
- New Object button, 474, 479
- Query Design button, 205, 270
- Query Wizard button, 270, 286
- Report button, 404
- Report Design button, 447
- Report Wizard button, 404–405
- SharePoint Lists button, 87
- Table button, 86, 89
- Table Design button, 87
- Table Templates button, 86–88

criteria

- Crosstab query, 299
- on different rows, 224
- joining, 223
- lookup fields in, 224–225
- multiple, 223–224
- on same row, 224

criteria expressions

- dates, 221
- elements, 221
- limiting records with, 220–226
- logical, 220
- multiple criteria, 223–224
- operators, 222
- QBE, 220
- text, 221
- times, 221
- values, 221

Crosstab queries. *See also* queries

- aggregate columns, 300
- aggregating data in, 292–301
- column headings field, 297

creating, 291
 creating in Design view, 297–298
 creating with Crosstab Query Wizard,
 293–296
 criteria, 299
 date field, 293
 defined, 12, 205, 292
 fields, 292, 297
 grouping methods, 296
 illustrated, 292, 296, 298–299
 modifying, 299–301
 months in order, 300–301
 multiple fields for row headings,
 299–300
 row headings field, 297
 viewing, 298
 Crosstab Query Wizard
 date and time data grouping, 295
 defined, 292
 field aggregation, 295–296
 field selection, 293–294
 Functions list, 296
 illustrated, 293
 opening, 293
 results, 296
 use steps, 293–296
 Currency fields. *See also* data
 types; fields
 contents, 99
 defined, 57
 display/sort, 73
 formatting, 102–103
 for money, 74
 sorting, 138
 in text boxes, 346
 uses, 99
 CurrentProject object, 658
 cursor types, recordset, 668–669
 CursorType property, 668
 custom functions. *See also* functions
 creating, 636–638
 defined, 636

isOpen(), 658–661
 NumWord(), 636–638
 testing, 638
 custom messages
 displaying, 641–644
 message box, 641–643
 user click response, 643–644
 cutting/pasting data, 152–155
 cylinder charts, 451

D

DAO (Data Access Objects), 665
 data
 accessibility, 157
 aggregating, 292–301
 analyzing, 301–312
 analyzing with PivotCharts, 463–469
 collecting with Outlook, 169–173
 color, changing, 127
 copying, 151–155
 cutting/pasting, 151–155
 displaying in PivotTable, 303–305
 editing, 115–117
 editing with query datasheet, 230
 exporting, 168–169
 filtering, 312
 finding, 139–141
 grouping, 307–309
 identifying, 63
 imported, cleaning up, 166
 importing, 155–157
 maintenance, 157
 moving between tables, 280–282
 moving from Excel to Access, 155
 navigating, 113–114
 from other Access databases, 167–168
 replacing, 141
 separation from programs, 15
 validating as entered, 186–190
 variables, 615
 Data Access Objects (DAO), 665

- data collection. *See also* Outlook
 - defined, 169–170
 - e-mail addresses, 172–173
 - field selection, 171
 - reply processing, 171–172
 - user verification, 170
- data entry
 - AutoCorrect, 124–126
 - cells, moving to, 90
 - to create fields, 91–92
 - keystrokes, 115
 - tables, 54
- data types
 - Attachment, 100, 120–122
 - AutoNumber, 57, 99
 - changing, 47
 - common, 56–57
 - correct, using, 175–176
 - Currency, 57, 73–74, 99
 - Date/Time, 57, 99
 - defined, 56
 - Hyperlink, 57, 100, 117–120
 - input masks, 177
 - Lookup, 100
 - Memo, 56, 72–73, 99
 - Number, 57, 73–74, 99
 - OLE Object, 57, 100
 - pasting and, 154
 - selecting, 98–101
 - Text, 56, 72–74, 99
 - VBA, 602
 - Yes/No, 57, 72, 99
- Database Documenter Wizard, 79
- Database performance Analyzer, 79
- database replication feature, 528
- Database Splitter Wizard, 532–533
- Database to Compact From dialog box, 512
- Database Tools tab
 - Linked Table Manager button, 165
 - Make ACCDE button, 525
 - Object Dependencies button, 517
 - Relationships button, 44, 516
- databases
 - analyzing, 516–520
 - backup frequency, 15
 - blank, 76
 - blank, creating, 514
 - compacting, 511–512
 - concepts, 14–15
 - converting, 516
 - creating, 76–78
 - creating from templates, 39–54
 - defined, 9
 - designing, 55–80
 - documentation, 79, 520–521
 - housekeeping, 511–526
 - information storage, 14–15
 - locking up, 523–526
 - multiuser, 21
 - naming, 514
 - navigating, 22
 - old, converting, 21
 - opening, 18–22
 - passwords, 549–551
 - performance, analyzing, 79, 518–520
 - permissions, 564
 - relational, 58
 - repairing, 511–512
 - sample, 22–23
 - secure, 555–561
 - shared mode, 538
 - signing, 484–486
 - splitting, 530–536
 - spreadsheets versus, 11
 - types of, 9
- data-integrity rules, 176–177
- Datasheet AutoForms, 319
- Datasheet Formatting dialog box, 129
- Datasheet tab
 - Add Existing Fields button, 92
 - appearance, 89
 - defined, 113
 - Lookup Column button, 93
 - New Field button, 90
 - Relationships button, 195

- Datasheet view
 - defined, 84
 - forms in, 322
 - illustrated, 84
 - keystrokes, 115
 - queries in, 211, 234–235
 - saving queries in, 232
 - switching to Design view, 212
 - table creation in, 88–90
 - uses, 85
 - viewing in, 112
 - working with queries in, 229–231
- datasheets
 - blank, 89
 - column width, 130
 - columns, arranging, 130
 - columns, deleting, 131
 - columns, freezing, 132
 - columns, hiding, 131
 - columns, inserting, 131
 - data color, 127
 - defined, 88, 112
 - dynamic, 204
 - fields, formatting, 127
 - filtering, 141–150
 - fonts, formatting, 127
 - formatting, 127–132
 - illustrated, 112
 - macros displaying, 501
 - moving in, 113
 - navigation keystrokes, 113–114
 - Record Number box, 113
 - row height, 130–131
 - rows, sorting, 137–139
 - select query, 206–207
 - subdatasheets, 132–134
 - summary queries, 211
 - totals row, 134–135
 - working with, 229–231
- Date() function, 244–245, 252
- Date functions
 - calculated fields with, 251
 - examples, 252–253
 - using, 252–254
- DateAdd() function, 252–253
- DateDiff() function, 252–254
- dates
 - in criteria expressions, 221
 - delimiter, 163
 - expressions, 390
 - leading zeros, 163
 - literal, 251
 - PivotTable, 306
 - report, 417–418
 - subtracting, 250
 - in text boxes, 346
- Date/Time fields. *See also* data types; fields
 - contents, 99
 - defined, 57
 - filtering options, 146
 - formatting, 105
 - sorting, 139
 - in text boxes, 346
 - uses, 99
 - X-Axis setting, 452
- Day() function, 252
- Debug.Print statement, 684–685
- debugging
 - breakpoints, 685–686
 - cleanup, 686
 - compile errors, 678–679
 - logical errors, 683–686
 - runtime errors, 679–683
- decimal symbol, 163
- decision-making expressions, 256–260
- Default Value property, 176, 379
- defaults, 72
- delete queries. *See also* action queries; queries
 - backup before, 283
 - caution, 283
 - creating, 283, 284–285
 - defined, 269, 282
 - Delete row value, 284
 - deleting records with, 282–285
 - illustrated, 285
 - options, 283–284

- delete queries (*continued*)
 - Run button, 285
 - View button, 284–285
- dependencies, object, 517–518
- design, database
 - cleaning up, 71–72
 - codes, 67
 - data types, 56
 - field organization, 64–66
 - field type selection, 72–75
 - key selection, 67–69
 - links, creating, 69–70
 - links, refining, 70–71
 - primary keys, 57–58
 - process, 63–72
 - relationships, 58–63
 - sample order-entry, 69
 - store information once principle, 59
 - table, analyzing, 77
- design grid
 - column selector, 217
 - defined, 214
 - fields, inserting, 216–217
 - fields, selecting, 216
 - parameter queries, 263
 - rows, 214
- Design tab
 - Add Existing Fields button, 325
 - AutoCalc button, 304
 - Builder button, 213
 - Check Box button, 351
 - Command Button button, 367
 - Conditions button, 494
 - Crosstab button, 297
 - Delete Rows button, 95, 98
 - Drop Zones button, 303
 - Existing Fields button, 50
 - Field List button, 302
 - Formula button, 310
 - Hide Details button, 305
 - Hyperlink button, 345
 - Indexes button, 96
 - Insert Row button, 95, 98
 - Label button, 343
 - Lookup Column button, 95
 - Macro Names button, 503
 - Make Table button, 278
 - Page Numbers button, 416
 - Parameters button, 263
 - Primary Key button, 95, 106
 - Property Sheet button,
 - 96, 213, 326, 415, 427
 - Query Type button, 213
 - Relationships Report button, 200
 - Run button, 213
 - Save button, 213
 - Show Table button, 195, 213
 - Subform/Subreport button, 373
 - Table Names button, 215
 - Text Box button, 386
 - Top Values button, 213
 - Totals button, 213
 - Update Query button, 274
 - View button, 213
- Design view
 - Builder button, 95
 - buttons, 213
 - Crosstab query creation in, 297–298
 - defined, 85, 212
 - editing reports in, 412–413
 - field format, changing, 219–220
 - Field list, 325
 - field properties, displaying, 95
 - fields, hiding, 219
 - forms, creating in, 323–326
 - forms in, 322
 - illustrated, 85
 - joining tables, 227
 - modifying objects in, 46
 - modifying tables in, 46
 - navigation, 215
 - opening, 43
 - panes, sizing, 213
 - queries, creating, 205–207
 - queries, displaying, 212–213
 - queries, saving, 232

- queries in, 48, 211–212
- query design grid, 214, 216–217
- shortcut keys, 215
- switching to Datasheet view, 212
- tables, creating, 93–94
- tables, refining, 94–101
- tables, working with, 214
- Tables pane, 214, 216, 227
- Top Values box, 218–219
- understanding, 212–215
- update query in, 675
- uses, 212
- detail queries. *See also* queries;
 - select queries
 - creating, 208–211
 - defined, 204
 - selecting, 209
- Detail section, 413, 415
- detail tables, 60, 192
- digital certificates
 - creating, 485
 - signing databases with, 486
- Dim keyword, 617–618
- dimensions, array, 620–622
- disk pages, 540
- division (/) operator, 237
- Do . . . Loop. *See also* loops
 - alternative syntax, 630–631
 - defined, 630
 - loop conditions at loop bottom, 632
 - loop conditions at loop top, 631–632
 - syntax, 630
- DoCmd object
 - acceptable words, 644
 - Close method, 647–648
 - closing forms with, 647–648
 - defined, 644
 - flexibility, 647
 - Help window, 584–585
 - information, 584, 645
 - macros and, 646
 - OpenForm method, 645–647
 - opening forms with, 644–647
 - SetWarnings method, 675
 - statement syntax, 644
- documentation
 - database, 79, 520–521
 - printing, 520–521
- Documenter dialog box
 - defined, 108
 - illustrated, 520
 - opening, 520
 - reports, 521
- domain aggregate functions, 394
- doughnut charts, 456–457
- duplicate records. *See also* records
 - finding, 288–290
 - hiding, 290
 - indications, 288
- dynasets, 229, 232

E

- Edit Hyperlink dialog box, 119
- Edit Relationship dialog box,
 - 196, 198, 283
- e-mail addresses
 - data-collection, summary, 173
 - selecting, 172–173
- e-mail replies
 - manual management, 173
 - processing, 171–172
- Enabled property, 498
- End-User License Agreement (EULA), 688
- Enter Parameter Value dialog box, 264
- equal sign (=), 615
- ErrObject, 680
- error handlers
 - creating, 679
 - defined, 679
 - Resume statement, 680
- errors
 - compile, 608–609, 677
 - logical, 677
 - runtime, 677

- event procedures. *See also*
 - VBA procedures
- creating, 599–600
- events, 599
- manually creating, 652
- naming, 600
- event properties
 - of combo-box control, 489
 - selecting, 488
 - types of, 489
- events
 - After Update, 651–652
 - defined, 656
 - displaying, 488
 - form control, 489
 - On Click, 611
- Events template, 88
- Excel data, moving to Access, 155
- explicit variable declaration, 616
- exponentiation (^) operator, 237
- Export - RTF File dialog box, 443
- Export To dialog box, 515
- exporting
 - data, 168–169
 - database structure, 515
 - defined, 168
 - to existing Access database, 169
 - objects, 168–169
 - PivotTables, 307
 - queries, 232
 - reports, 442–443
 - tables to backup database, 515
- Expression Builder
 - Built-In Functions folder, 241
 - composing, 240
 - cursor, 242
 - defined, 240
 - function lookup, 239
 - illustrated, 240
 - opening, 240
 - operator buttons, 241
 - using, 240–244

- expressions
 - 12s in, 245
 - conditional, 623–624
 - in Control Source property, 388
 - creation options, 241
 - criteria, 220–226
 - decision-making, 256–260
 - defined, 309
 - field names, 238
 - functions, 239
 - literal dates/times in, 251
 - manipulating text with, 254–255
 - operator precedence, 236–237
 - operators, 236–238
 - spaces, adding, 254–255
 - troubleshooting, 388
 - writing, 236–239
 - zooming, 236
- External Data tab
 - Access button, 167
 - Manage Replies button, 173
 - Outlook Folder button, 164
 - Saved Exports button, 166

F

- Field list
 - in creating controls, 340
 - defined, 196
 - displaying, 50, 340
 - illustrated, 92
 - moving, 196
- field properties. *See also* properties
 - clicking, 101
 - defined, 95
 - display, 101
 - formatting fields with, 101–105
- Field Size property, 102–103, 105, 176
- field templates
 - creating fields with, 90–91
 - defined, 90
 - double-clicking, 91

- Field Templates pane, 83
- fields. *See also* records
 - abbreviations, 67
 - adding, 48, 95, 98
 - adding from existing table, 92–93
 - all symbol, 47
 - Attachment, 100, 120–122
 - AutoNumber, 57, 68, 99
 - calculated, 233–234
 - calculation, 75
 - captions, 96
 - chart, 449
 - codes, 67, 75
 - copying, 97
 - creating, in Design view, 94
 - creating with data entry, 91–92
 - creating with field templates, 90–91
 - Crosstab query, 292, 297
 - Currency, 57, 73–74, 99, 102–103
 - data types, 56–57
 - Date/Time, 57, 99
 - defaults, 72
 - defined, 10, 55
 - defining, 90–93
 - deleting, 47, 95, 131
 - empty, displaying, 429
 - empty, testing for, 260–262
 - filter menu, 142
 - format, changing, 219–220
 - formatting, 101–105, 127
 - hidden, 154
 - hyperlink, 57, 100, 117–120
 - illustrated, 10
 - indexing, 96, 107–108
 - inserting, 131
 - inserting in design grid, 216–217
 - list of, 50
 - long, 428–429
 - lookup, 95, 100, 181–186
 - Memo, 56, 72–73, 99
 - money, 74
 - moving, 97
 - multiple, filtering criteria on, 145–148
 - multiple, for row headings, 299–300
 - multiple identical, in separate tables, 66
 - names, 74
 - names, changing, 47, 96–97
 - names, creating, 96
 - names in expressions, 238
 - names in recordsets, 669–670
 - null, 248–249
 - Number, 57, 73–74, 99, 102–103
 - OLE Object, 57, 100
 - organizing into tables, 64–66
 - pasting, 154
 - percentages, 74
 - phone number, 74
 - pictures, 75
 - PivotChart, 465–466
 - postcode, 74
 - primary key, 57–58
 - properties sheet, 96
 - redundant, eliminating, 63–64
 - renaming, 90, 131
 - report, adding, 51
 - report, grouping, 407
 - report, space between, 423
 - size, setting, 103–105
 - Text, 56, 72–74, 99
 - type selection, 72
 - updated, 276
 - validation rules, 186
 - Yes/No, 57, 72, 99
- File Name task, 76–77
- files
 - .accdb, 21, 41
 - ACCDE, 523–526
 - LDB, 542
 - MDE, 531
 - RTF, 560
 - workgroup, 552–553
- Filter by Form window, 145–148
- Filter property, 144, 150
- filtering
 - with Advanced Filter Sort, 148–150
 - basics, 142–144

- filtering (*continued*)
 - criteria on multiple fields, 145–148
 - Date/Time fields, 146
 - defined, 141
 - indicator, 143
 - as query warmup, 143
 - by selection, 144–145
- filters
 - applying, 142–143
 - common, 142, 145
 - forms with, 150
 - re-applying, 142
 - removing, 143
 - reports with, 150
 - by selection, 142, 144–145
 - types, 142
- Find and Replace dialog box
 - data replacement, 141
 - data search, 140–141
 - illustrated, 139
 - opening, 139
 - options, 140–141
 - using, 140
- Find box, 371–372
- Find Duplicates Query Wizard
 - defined, 288
 - illustrated, 289
 - opening, 288
 - results, 289
 - use steps, 288–289
- Find Unmatched Query Wizard
 - defined, 285
 - opening, 286
 - use steps, 286–287
- finding
 - duplicates, 288–290
 - unmatched records, 285–288
- FindNext action, 476
- FindRecord action, 476
- First() function, 393
- First operation, 265
- Font dialog box, 236
- Font Name property, 349
- fonts
 - changing, 127
 - label text, 349
- footers, form, 377
- For . . . Next. *See also* loops
 - Counter variable, 633–634
 - defined, 632
 - Immediate window display, 634
 - sample, 633
 - syntax, 632–633
- For Each . . . Next
 - collection name, 663
 - defined, 661
 - example use, 662–663
 - syntax, 661–662
 - with With . . . End With, 664
- Force New Page property, 439, 442
- Fore Color property, 348–349, 497
- foreign keys. *See also* keys
 - defined, 71, 192
 - in one-to-many relationships, 60
- Form view
 - as default, 323
 - defined, 322
 - subforms in, 396
 - switching from, 336
 - switching to, 336, 396
- Form Wizard
 - Available Fields list, 320
 - defined, 317, 319
 - form creation steps, 319–321
 - form name, 321
 - illustrated, 36, 320
 - layout selection, 321
 - opening, 319
 - sample form, 322
 - Selected Fields list, 320
 - style selection, 321
 - subforms, 321
 - Tables/Queries drop-down list, 320
 - using, 319–322

- Format property, 167
- formatting
 - calculated controls, 397
 - calculated numbers in queries, 246–248
 - calculated values, 389
 - charts, 461–462
 - conditional, 350
 - control text, 348–351
 - Currency fields, 102–103
 - datasheets, 127–132
 - Date/Time fields, 105
 - default, changing, 132
 - fields, 101–105, 127
 - Number fields, 102–103
 - numbers, 389
 - PivotTables, 311–312
 - reports, 422–424
 - text box contents, 346
 - Text fields, 105
- forms
 - AutoForms, 319–320
 - AutoNumber fields on, 101
 - background pictures, 355
 - benefits, 315
 - bound to table, 49–50
 - buttons, displaying, 368–369
 - calculated values, 386
 - calculations in, 385–397
 - changing, 48–51
 - Close button, 367–368
 - closing, 331
 - closing with DoCmd, 647–648
 - collections, 656
 - configuring, 326–330
 - controlling with VBA, 641–664
 - controls, 337–448
 - copying, to reports, 424
 - creating in Design view, 323–326
 - creating with AutoForms, 316–322
 - creating with Form Wizard, 319–321
 - creation methods, 317–318
 - creation options, 316–318
 - cursor movement, controlling, 355
 - custom messages, 641–644
 - data, saving, 333
 - data control properties, 379–380
 - in Datasheet view, 322
 - date expressions, 390
 - Default View property, 328
 - defined, 10, 12
 - design tips, 337
 - in Design view, 322
 - editing data with, 332–333
 - elements, 315
 - with filter, 150
 - Find box, 371–372
 - footers, 377
 - formatting, 352–354
 - headers, 377
 - HTML, 170
 - illustrated, 12
 - importing, 331–332
 - keyboard to move in, 332
 - layout, 321
 - layout, changing, 324–326
 - list, 316
 - macros, 487–492
 - macros, displaying, 501
 - main menu, 502–507
 - management, 331
 - methods, 657
 - modifying, 335
 - naming, 321
 - navigation buttons, 329
 - numeric calculations, 389
 - open, determining, 658–661
 - opening, 322
 - opening, in Design view, 335
 - opening, with DoCmd, 644–647
 - permissions, 564
 - predefined, 318–319
 - previewing, 336
 - printing, 333
 - programming, 13

forms (*continued*)

properties, 49, 327, 328–329

properties, setting, 497–500

purpose, 379

read-only, 330

record order, 328

record selectors, 329, 333

record source, 328

reports versus, 316, 401

saving, 330

scroll bars, 329

sizing, 330

storing, 330–332

style, 321

subforms, 315, 372–376

subtotals, 392–397

switchboards, 380–383

tab order, 355

tabbed, 377–379

text expressions, 390

totals, 392–397

unbound, 383, 502

uses, 12

viewing, 322–323

whole, selecting, 326

front-end databases. *See also*

splitting databases

copies on user computers, 535

multiuser, 537

permissions, 568

saving, as MDE file, 531

securing, 568

Function keyword, 618

function procedures. *See also*

VBA procedures

calling, 613–614

components, 603

converting sub procedures to, 612

defined, 576

in pre-written code, 614

testing, 613–614

using, 614

values, returning, 603–604

WithTax(), 604

functions

Abs(), 245

aggregate, 392–393

Avg(), 392

built-in, 239

CCur(), 247–248

CDate(), 252

conversion, 247

Count(), 392

custom, 636–639

Date(), 245, 252

Date, 250–254

DateAdd(), 252–253

DateDiff(), 252–254

Day(), 252

defined, 239

domain aggregate, 394

in expressions, 239

First(), 393

help, 242–243

Hour(), 253

iif(), 256–260

InStr(), 255

Int(), 245

isOpen(), 658–661

Last(), 393

LCase(), 255

Left(), 255

looking up, 239

Max(), 393

Mid(), 255

Min(), 393

MonthName(), 253

MsgBox(), 641–643

nesting, 244, 391

Now(), 252, 418

NumWord(), 636–638

Nz(), 248–249

Pmt(), 245

Right(), 255

Round(), 245
 Sqr(), 239
 Sum(), 392
 syntax, 242
 text, 255
 Time(), 252
 Time, 250–254
 Trim(), 255
 UCase(), 255, 600
 WeekDay(), 244
 WithTax(), 604

G

garbage in, garbage out (GIGO)
 avoiding, 175–190
 defined, 15, 175
 tools, 175–177
 Get External Data dialog box,
 158–159, 164, 533–534
 Getting Started screen, 18, 20
 GoToControl action, 476
 gridlines
 changing, 129
 chart, 461
 defined, 129
 Design view, 325
 Group by operation, 265
 Group dialog box, 452
 group identifiers (GIDs)
 defined, 554
 typing, 557
 group sections
 creating, 418–421
 defined, 418
 properties, 420
 grouping
 macros, 479–481
 objects, 536
 operator (()), 237
 grouping, report
 fields, 407
 record sorting, 408
 subtotals, 421–422

groups
 creating, 537
 defined, 536
 object shortcuts, 536
 objects in, 536–537
 renaming, 537
 groups, user. *See also* user-level security
 Admins, 559, 564–566
 choosing, 553–555
 creating, 557, 561–562
 database storage, 551
 default, 553
 deleting, 562
 dos/don'ts, 554
 information, 554
 ownership, 552
 permissions, 552, 562–567
 Users, 564
 GUI, 577

H

headers, form, 377
 Help window, 36
 hidden fields, 154
 Home tab
 Advanced button, 145, 147–148
 Clear All Sorts button, 138
 Clipboard button, 152
 defined, 112
 Delete button, 34
 Find button, 139
 Paste button, 97
 Sort buttons, 137
 Spelling button, 123
 Toggle Filter button, 143, 148
 Totals button, 135
 View button, 322, 336
 Hour() function, 253
 hyperlinks
 address, 117
 contents, 110
 as controls, 345
 converting labels into, 345

hyperlinks (*continued*)

- defined, 57
- editing, 119–120
- entering, 117–119
- entry parts, 117
- removing, 119–120
- screen tips, 117, 119
- sub-address, 117
- text display, 118
- underlined text, 117
- uses, 100

I

icons

- Navigation Pane objects, 31
- template, 40–41
- this book, 4

If...End If. *See also* conditional expressions; VBA code

- flexibility, 625
- logic, 625
- nesting, 626–627
- syntax, 624–625
- testing/responding to three conditions, 626

if-then macros. *See also* macros

- actions/arguments, 494
- conditional actions, 495
- creating, 494–495

if-then-else macros. *See also* macros

- defined, 496
- example, 496–497
- running, 496

`if()` function

- comparisons, 257
- comparisons, combining, 257–258
- defined, 256
- example, 258–260
- support, 626
- syntax, 256
- uses, 256
- value, 256

images, 339

Immediate window. *See also* Visual

Basic Editor

- defined, 580
- function testing in, 604
- illustrated, 581
- lines, re-executing, 581
- opening, 580
- in running procedures, 609
- testing function procedures from, 613–614
- uses, 581

implicit variable declaration, 616

Import Objects dialog box

- Forms tab, 332
- illustrated, 167, 331
- opening, 167, 331
- Reports tab, 332
- Tables tab, 168

Import Specification dialog box, 162–163

Import Spreadsheet Wizard

- illustrated, 164
- starting, 163
- use steps, 163–164

Import Text Wizard

- Advanced button, 162
- Delimited option, 160
- Fixed Width option, 160
- primary key field options, 161
- starting, 160
- use steps, 160–162

imported tables

- cleaning up, 166
- using, 159

importing

- ACCDE file tables, 525
- forms, 331–332
- queries, 232
- reports, 331–332

importing data

- considerations, 157–158
- defined, 157
- linking versus, 156–157

Outlook contacts, 164–165
 saved imports, 166–167
 spreadsheet data, 160–163
 steps, 158–159
 storage, 157
 text, 160–163

Indexed property, 107, 176

indexes
 defined, 72
 properties, 107–108

Indexes window, 96, 107

InfoPath 2007, 170

inner joins. *See also* joins
 defined, 228
 for finding unmatched records, 287

Input Mask property, 176, 379

Input Mask Wizard
 creating input masks with, 178–179
 in field definition, 98
 illustrated, 178
 opening, 178
 text formatting, 390–391
 using, 178–180

input masks
 calculated values, 390
 characters, 180
 creating manually, 179–180
 creating with Input Mask Wizard,
 178–179
 data types, 177
 for data validation/format, 177–180
 defined, 176, 390
 editing, 179
 functions, 177
 uses, 177
 with validation rules, 177

Insert Hyperlink dialog box, 118–119

Insert Subdatasheet dialog box, 134

installation, Access
 25-character Product Key, 687, 690
 custom, 688
 disc, 687

EULA, 688
 options, 689
 program location, 690
 requirements, 687
 space requirement, 689
 upgrade, 688
 user information, 690

InStr() function, 255

Int() function, 245

integer (\) operator, 238

isOpen() function
 calling functions with, 660
 defined, 658–659
 in macros, 661
 practical uses, 660–661
 return, 659
 using, 658–659

Issues template, 88

italics, this book, 2

J

join lines. *See also* relationships
 defined, 226
 illustrated, 229
 Relationships window, 197–198
 symbols, 226

joins
 creating, 227
 inner, 228
 outer, 228
 properties, 229
 types, 228

junction tables, 62–63, 198

K

key-assignment macros, 482–483

keyboard shortcuts
 Code window, 605–606
 defined, 37
 Design view, 215

keyboard shortcuts (*continued*)

KeyTips, 37

list, 38

for moving in forms, 332

Ribbon, 24

key-key symbols, 3

keys. *See also* primary keys

AutoNumber, 68

foreign, 60, 71, 192

matching, 192

multiple, 68

secret, 74

selecting, 67–69

keystrokes

data entry, 115

datasheet navigation, 113–114

in Datasheet view, 115

editing, 116–117

macros, 13–14

KeyTips, 37

keywords. *See also* statements;

VBA code

ByVal, 659

Const, 619

defined, 592

Dim, 617–618

Function, 618

looking up, 650

Private, 617–619

Public, 617–619

Static, 618–619

Sub, 618, 652, 654

To, 629

L

Label Wizard

defined, 429

illustrated, 430–431

Prototype Label box, 431

running, 430–432

labels. *See also* controls; mailing labels

chart, 448

color, 348–349

control association, 344

converting into hyperlinks, 345

creating, 340, 343–344

defined, 339, 343

editing, 345

error symbol, 344

link, 345

properties, 348–350

selecting, 348

special effects, 349

text, 343

Last() function, 393

Last operation, 265

Layout tab, 416

Layout view, 402

LCase() function, 255

LDB files, 542

Left() function, 255

left outer joins, 228

legends

chart, 450–451

PivotChart, 469

lifetime, variable, 618–619

Like operator, 189

Limit to List property, 363

line charts, 455–456

lines

adding, 354

colors, 354

defined, 339

thickness, 354

Link Child Fields property, 427

Link dialog box, 534

Link Master Fields property, 427

Link Specification dialog box, 162–163

Link Spreadsheet Wizard

starting, 163

use steps, 163–164

Link Tables dialog box, 534

Link Text Wizard

Advanced button, 162

Delimited option, 160

Fixed Width option, 160

primary key field options, 161

- starting, 160
- use steps, 160–162
- Link to File dialog box, 119
- Linked Table Manager, 165–166, 535–536
- linked tables, 159
- linking data
 - accessibility, 157
 - considerations, 157–158
 - defined, 157
 - importing data versus, 156–157
 - steps, 158–159
- links
 - creating, 69–70
 - exploring, 51–53
 - managing, 165–166
 - refining, 70–71
- List Box Wizard, 359
- list boxes. *See also* controls
 - advantages, 358
 - combo boxes versus, 357–358
 - creating with List Box Wizard, 359–362
 - defined, 339, 343, 357
 - illustrated, 362
 - planning, 358–359
 - properties, changing, 362–363
 - selected information, 358–359
 - space, 358
 - values, 358
- List Rows property, 363
- literal dates, 251
- literal text, 254
- literal times, 251
- Locals window, 686
- Locking Information File, 542
- logical errors. *See also* errors; VBA code
 - breakpoints, 685–686
 - with `Debug.Print` statement, 684–685
 - debugging, 683–686
 - defined, 677
 - slowing procedures, 685–686
- logical expressions, 220
- logical operators
 - built-in, 257–258
 - VBA code, 624
- Lookup fields. *See also* data types; fields
 - contents, 100
 - creating, 95
 - creating in Lookup Wizard, 181–185
 - in criteria, 224–225
 - defined, 181
 - drop-down list, 181–185
 - help, 184
 - multiple selections, 185–186
 - multivalued, queries with, 225–226
 - naming, 184
 - in PivotTables, 305
 - uses, 100, 181
 - viewing, 184
 - viewing with VBA, 654
- lookup list
 - appearance, 184
 - displaying, 184–185
 - field display, 182
 - format, 183
 - modifying, 186
 - table data, 182
 - user selection, 185
 - values, 183
 - values, adding, 186
- lookup table, setup, 182–184
- Lookup Wizard
 - Allow Multiple Selections option, 185–186
 - drop-down list, 132
 - table relationship, 92–93
 - using, 181–185
- loops
 - array, 634–635
 - collections, 661–663
 - `Do...Loop`, 630–632
 - `For...Next`, 632–634
 - `For Each...Next`, 661–663
 - string character analysis, 635
 - `While...Wend`, 632

M

- Macro Builder, 52
- macro groups
 - opening, 506
 - saving, 507
- Macro window
 - Action Arguments section, 475, 477
 - Action column, 498
 - Comment column, 479
 - Condition column, 498
 - defined, 474
 - displaying, 474
 - illustrated, 474
- macros
 - actions, 474–479
 - assigning to keys, 482–483
 - attaching to controls, 488
 - attaching to forms, 487–492
 - Build button, 52
 - command buttons, 490
 - comments, 479
 - converting VBA code, 587–589
 - creating, 474–476
 - datasheet display, 501
 - defined, 10, 13, 473–474
 - DoCmd object use, 646
 - editing, 479
 - embedded, viewing, 52
 - form control references, 490–491
 - form display, 501
 - form properties, 497–500
 - if-then, 494–496
 - if-then-else, 496–497
 - isOpen() function in, 661
 - list, 475
 - main menu form, 502–507
 - naming, 479
 - opening databases containing, 483–487
 - permissions, 564
 - reasons for using, 473
 - running, 481–483
 - running during data entry, 500–501
 - running when database opens, 482
 - running with command buttons, 506–507
 - running sub procedures from, 612–613
 - saving, 479
 - security, 486–487
 - storing in groups, 479–481
 - uses, 14
 - viruses and, 484
- mailing labels. *See also* reports
 - creating, 429–434
 - fields, layout, 431
 - fields, printing, 431
 - with Label Wizard, 430–432
 - page setup, changing, 433–434
- main menu form. *See also* macros
 - appearance at database open, 502–504
 - command buttons, 504–507
 - creating, 502–507
 - Open Form button, 504
 - Preview Report button, 504
 - Print Report button, 504
 - Run Macro button, 504
 - Run Query button, 504
- Make Table dialog box, 278–279
- make-table queries. *See also* queries
 - creating tables with, 277–280
 - defined, 270, 277
 - Run button, 280
 - use steps, 278–280
 - View button, 278
- Manage Data Tasks dialog box, 166
- many-to-many relationships. *See also* relationships
 - Access handling of, 62
 - creating, 70, 192
 - defined, 59, 61, 192
 - examples, 61
 - illustrated, 62
 - junction table, 62–63, 198
 - referential integrity, 198–199

- margins, report, 403, 439–440
- master tables, 60, 191
- matching keys, 192
- math, in queries, 233–236
- Max() function, 393
- Max operation, 265
- members, 582
- Memo fields. *See also* data types; fields
 - contents, 99
 - in database design, 72–73
 - defined, 56
 - in reports, 428–429
 - in text boxes, 345–346
 - uses, 99
- menu add-ins, 523
- Message Bar, 19, 22
- message box
 - buttons, user clicking, 643–644
 - Compile Error, 678–679
 - creation syntax, 641
 - displaying, 641–643
 - illustrated, 642
- methods
 - ADO recordset, 667
 - Clear, 680
 - Close, 647–648
 - defined, 582, 656
 - form, 657
 - OpenForm, 645–647
 - Raise, 680
 - SetWarnings, 675
- Microsoft Access 2007
 - activating, 690–691
 - application compatibility, 156
 - defined, 1, 9
 - format, converting to, 21
 - installing, 687–690
 - previous versions, 9
 - registration, 691
 - reinstalling, 691
 - repairing, 691
 - running, 17–22
 - uninstalling, 691
- Microsoft Graph
 - illustrated, 460
 - starting, 459, 462
 - using, 459–460
- Microsoft Office 2007 Professional, 9
- Microsoft Office Security Options dialog box, 271
- Microsoft Support, 37
- Mid() function, 255
- Min() function, 393
- Min operation, 265
- MOD operator, 238
- module-level scope, variable, 617
- money fields, 74
- monospace, this book, 2–3
- MonthName() function, 253
- MSDN Library, 37
- MsgBox action, 476
- MsgBox function
 - argument constants, 642
 - defined, 641
 - Help, 595
 - result, 594–595
 - values passed to variable, 642–643
- multidimensional arrays. *See also* arrays
 - defined, 621
 - population, 622
 - subscripts, 621
 - support, 622
- multiplication (*) operator, 237
- multiuser access
 - database location, 528–530
 - editing with, 537–541
 - exclusive, 538
 - methods, 527–528
 - object groups, 536–537
 - from Windows XP, 529
- multivalued lookup fields, 225–226

N

Name AutoCorrect feature, 97
Name property, 396, 651
naming conventions
 defined, 622
 object variables, 659
 tags, 622
 variables, 622–623
 VBA programming, 623
navigation
 buttons, 329
 datasheet, keystrokes, 113–114
 Design view, 215
Navigation Buttons property, 329
Navigation Options dialog box,
 22, 31–33
Navigation pane
 as database table of contents, 28
 defined, 22
 displaying/hiding, 20, 28
 filtering, 30
 illustrated, 28
 macros list, 475
 menu, 29
 objects, size/details, 31
 objects, sorting, 30
 options, 31–32
 search bar, 32
 using, 28–34
 width, changing, 28
nested `If . . . End If`, 626–627
nesting, functions, 244, 391
Networking For Dummies, 544
New Form dialog box, 150, 317, 323
New Query dialog box, 286, 288
New Report dialog box, 150
Northwind sample database, 22
`Not` operator, 257, 624
`Now()` function, 252, 418
null fields
 defined, 248
 illustrated, 249

Number fields. *See also* data types; fields
 contents, 99
 defined, 57
 display/sort, 73
 field sizes, 104
 formatting, 102–103
 for percentages, 74
 sorting, 138–139
 in text boxes, 346
 uses, 74, 99
number formats
 with comma separators, 103
 defining, 102–103
 list, 102
numbers
 calculated, formatting, 246–248
 calculating, 389
 formatting, 389
 general, 246
`NumWord()` function, 636–638
`Nz()` function, 248–249

O

Object Browser
 components, 582–583
 Help system, 650
 illustrated, 583
 for information lookup, 586
 opening, 582
 Project/Library list, 586
 search tools, 584
Object Dependencies task pane, 517–518
object frames, 339
object groups
 assigning objects to, 33
 creating, 29–30
 custom, creating, 32–33
 default, 29
 display, 32
 options, 30
object libraries
 defined, 582
 selecting, 586

- Object Library, 583–584
- Object Linking and Embedding. *See* OLE
- object model
 - DAO, 665
 - defined, 582
 - recordsets, 665
- Object Properties dialog box, 34
- object-oriented systems, 10
- objects. *See also specific object types*
 - assigning to groups, 33
 - backing up, 514–515
 - copying, 35
 - creating, 34
 - defined, 10
 - deleting, 34
 - dependencies, viewing, 517–518
 - deselecting, 168
 - design, viewing, 43
 - details, 31
 - display options, 30
 - exporting, 168–169
 - filtering, 29
 - finding, 32
 - grouping, 536–537
 - hiding, 33–34
 - icons, 31
 - list, 516–517
 - manipulating programmatically, 582
 - modifying, 46–53
 - multiple, selecting, 168
 - name prefixes, 80
 - names, viewing, 42
 - opening, 22, 42
 - opening, with single click, 32
 - owner, 552, 566–567
 - printing, 35
 - redisplaying, 34
 - renaming, 35
 - selecting, 168
 - shortcuts, creating, 35
 - size, 31
 - sorting, 30
 - template, viewing, 42
 - types, 10
 - using, 46
 - viewing, in database, 43
 - views, changing, 24–25
 - working area, 22
- objects (object model)
 - CurrentProject, 658
 - defined, 582
 - DoCmd, 583–585, 644–648
 - ErrObject, 680
 - events, 656
 - looking up, 650
 - methods, 656
 - properties, 656
 - referring to, 585–586, 657–658
 - understanding, 655–664
 - variables, 658
- Office Clipboard
 - clips, viewing, 152
 - defined, 152
 - illustrated, 153
 - showing automatically, 152
 - task pane, 153
- Office File menu, 27–28, 109
- Office icon, 27
- OKButton_Click() procedure, 628–629
- OLE (Object Linking and Embedding)
 - Object fields
 - contents, 100
 - defined, 57
 - for pictures, 75
 - uses, 100
- On Click event, 611
- On Click property, 371, 491, 506–507
- one-to-many relationships. *See also* relationships
 - creating, 70
 - defined, 59
 - examples, 59–60
 - foreign key, 60
 - illustrated, 59
 - primary key, 60
 - subforms, 372
 - uses, 60

one-to-one relationships. *See also* relationships
creating, 70
defined, 59–60
examples, 60
uses, 60

OpenDataAccessPage action, 476

OpenForm action, 476, 501, 503

OpenForm method

DataMode, 645–646

defined, 645

examples, 646–647

FilterName, 645

FormName, 645

OpenArgs, 646

syntax, 645–646

View, 645

WhereCondition, 645

WindowMode, 646

opening databases

already open, 21–22

pointers, 20

previous Access versions, 21

recently used, 20

steps, 20

warning, 18–19

OpenQuery action, 477, 501

OpenReport action, 477

OpenTable action, 477, 501

operators. *See also specific operators*

comparison, 257

comparison, VBA, 623

in criteria expressions, 222–223

defined, 236

in expressions, 236–238

inserting, 241

logical, 257–258

logical, VBA, 624

order of precedence, 236–237

totals query, 265

option buttons. *See also controls*

creating, 364

defined, 339

in option groups, 366

Option Group Wizard

defined, 365–366

illustrated, 365

opening, 365

using, 365–366

option groups

caption, 366

creating, 364–366

defined, 339, 364

illustrated, 364

option appearance, 366

Or operator, 257, 624

Order By property, 328

organization, this book, 5–6

orientation, report, 403, 439

outer joins. *See also joins*

defined, 228

left, 228

right, 228–229

Outlook

collecting data with, 169–173

contacts, getting into Access, 164–165

tasks, 166–167

OutputTo action, 477

owners

changing, 566–567

defined, 552

p

page breaks

after each record, 439

after each record group, 440

controlling, 439–440

defined, 339

within sections, 440

Page Footer section

adding, 416

defined, 413

printing, 418

Page Header section

adding, 416

defined, 413

- first value, displaying, 418
- printing, 418
- page numbers. *See also* reports
 - adding, 416–417
 - defined, 403
- Page Setup dialog box, 433–434
- Page Setup tab, 433
- page-level locking, 540
- pages
 - adding, 378
 - blank, avoiding, 441–442
 - defined, 540
 - deleting, 378
 - formatting, 438–442
 - multiple, viewing, 437–438
 - putting controls on, 379
 - records versus, 540
 - renaming, 378
 - reordering, 378
- paper size, reports, 403, 439
- parameter queries. *See also* queries
 - conversion steps, 262–263
 - creating, 262–264
 - defined, 205, 262
 - parameter definition, 263–264
 - parameter name, 263
 - saving, 264
 - using, 263
- parameters, reports, 438
- password-protected databases. *See also* security
 - encrypting, 549–550
 - opening, 550–551
 - setting, 549
- passwords
 - removing, 567
 - setting, 561
 - VBA procedure, 567
- Paste As dialog box, 35
- pastings. *See also* copying;
cutting/pasting
 - guidelines, 154–155
 - with Office Clipboard, 152–153
 - with Paste Append command, 154
- Pencil icon, 92
- percentages
 - fields, 74
 - storing, 103
- performance
 - analyzing, 518–519
 - improving, 518–520
 - recommendations, 520
- Performance Analyzer dialog box,
518–519
- permissions
 - back-end database, 568
 - database, 564
 - form, 564
 - front-end database, 568
 - granting, 564–566
 - group, 562–567
 - macro, 564
 - not granting, 568
 - Open/Run, 568
 - query, 564
 - report, 564
 - table, 564
 - types, 563–564
 - user, checking, 552
 - user, granting, 558
- personal identifiers (PIDs)
 - defined, 554
 - editing, 559
 - list, 555
- phone number fields, 74
- picture fields, 75
- Picture property, 355, 371
- PIDs. *See* personal identifiers
- pie charts, 456–457
- PivotCharts
 - category fields, 466
 - changing, 463, 467–468
 - Chart Field list, 465
 - chart type, changing, 468
 - creating, 464–466
 - data analysis with, 463–469
 - data fields, 466
 - data/series fields, switching, 468

PivotCharts *(continued)*

- defined, 445, 463
- drop areas, 465–466
- dynamic aspects, 467
- fields, changing, 468
- fields, dragging, 465
- filter fields, 465
- illustrated, 464
- legends, displaying/hiding, 469
- parts, 467
- properties, changing, 469
- queries in, 211
- saving, 466
- series fields, 466
- values, changing, 469
- view, displaying, 212
- viewing, 466–467

PivotTables

- AutoCalc button, 307–308
- blank, creating, 301–302
- buttons, 306–307
- calculated fields, 309–311
- charting, 311
- Column Fields, 302
- column size, 312
- data, displaying, 302–305
- data, filtering, 312
- data, working with, 307–311
- data change options, 308
- data display steps, 303–305
- dates, 306
- defined, 301, 445
- detail, hiding/showing, 307, 308
- drop areas, 302–303
- Drop Column Fields, 304
- Drop Row Fields, 304
- expanding/collapsing, 307
- exporting, 307
- Field list, 302, 304, 306
- fields, dragging/dropping, 302
- Filter Fields, 303
- formatting, 311–312
- grand totals, 308

- groups, 307–309
- illustrated, 303, 309, 464
- lookup fields, 305
- modifying, 306–307
- mouse driven, 291
- properties, 307
- queries in, 211
- Refresh Pivot button, 306–307
- Row Field, 303
- saving, 306
- sort order, 307
- subtotals, 307
- totals, 308
- Totals or Detail Fields, 302
- view, displaying, 212
- viewing, 306

Pmt () function, 245

postcode fields, 74

prefixes, name, 80

primary keys

- AutoNumber, 68, 71

- changing, 47

- defined, 57, 106

- defining, 95, 106–107

- examples, 106

- multiple, 68

- need for, 58

- in one-to-many relationships, 60

Print dialog box, 438

Print Preview

- reports, 402, 435–436

- tab, 436

Print Table Definition dialog box, 109

printers

- list, 439

- selecting, 438–439

- Windows default, 438

printing

- calculations, 422

- current record button, 370

- documentation, 520–521

- forms, 333

- mailing label fields, 431

- objects, 35
- only data, 442
- Page Header and Footer sections, 418
- preview, 35
- preview options, 336
- Relationships window, 200
- reports, 51, 442
 - from subreports, 428
 - table designs, 108–110
- PrintOut action, 477
- Private keyword, 617–619
- private variables, 617
- product activation, 690–691
- Product key, 687, 690
- product registration, 691
- programming. *See also* VBA (Visual Basic for Applications)
 - languages, 571
 - record-locking, 541
 - terminology, 577
- Project Properties dialog box, 567
- properties
 - ADO recordset, 667
 - Allow Deletions, 330
 - Allow Zero Length, 176
 - Back Color, 348
 - Back Style, 397
 - Border Width, 349
 - Bound Column, 363
 - Can Grow, 428–429
 - Can Shrink, 429
 - Caption, 312, 329, 371
 - changing, in VBA, 648
 - chart, 459
 - collection, 656
 - Column Count, 363
 - Column Headings, 300–301
 - Column Heads, 363
 - Column Widths, 363
 - combo box, 362–363
 - command button, 370–371
 - control, 342
 - Control Source, 342, 363, 386, 388, 396, 614
 - controlling, with VBA, 650–655
 - CursorType, 668
 - Default Value, 176, 379
 - Enabled, 498
 - event, 488–489
 - Field Size, 102–103, 105, 176
 - Filter, 144, 150
 - Font Name, 349
 - Force New Page, 439, 442
 - Fore Color, 348–349, 497
 - form, 49, 327–330
 - Format, 167
 - illustrated, 326
 - Indexed, 107, 176
 - Input Mask, 176, 379
 - Limit to List, 363
 - Link Child Fields, 427
 - Link Master Fields, 427
 - list box, 362–363
 - List Rows, 363
 - Name, 396, 651
 - Navigation Buttons, 329
 - object, 656
 - On Click, 371, 491, 506–507
 - Order By, 328
 - Picture, 355, 371
 - PivotChart, 469
 - Record Selectors, 329
 - report, 327, 415–416
 - report groups, 420
 - Required, 176
 - Row Source, 363, 463
 - Row Source Type, 363
 - RunPermissions, 568
 - Scroll Bars, 329
 - section, 415–416
 - Source Object, 426
 - Special Effects, 397
 - subform control, 375–376
 - subreport control, 427
 - Text Align, 350
 - Text Format, 129
 - Unique Records, 290
 - Unique Values, 290

properties (*continued*)

- Update, 500
- Validation Rule, 176, 186, 188, 379
- Validation Text, 188, 379
- Value, 650
- Visible, 498
- Width, 441
- Properties dialog box, 529
- Property sheets
 - All tab, 327, 600
 - Calculation tab, 310
 - Captions tab, 312
 - Data tab, 327, 417
 - defined, 326
 - displaying, 96, 290, 326, 516
 - Event tab, 573, 599
 - Format tab, 311, 328
 - sort order, 300
 - text box, 341–342
- Public keyword, 617–619
- public variables, 617
- pyramid charts, 451

Qqueries. *See also* tables

- action, 12, 205, 269–273
- action, running from VBA, 674–676
- adding tables to, 215–216
- Advanced Filter/Sort, 204
- append, 269, 280–282
- AutoLookup, 205, 230–231
- closing, 232
- creating, 203, 204
- creating in Design view, 205–207
- creating similar, 232
- creating with Simple Query Wizard, 208–211
- creation tips, 215–217
- criteria, 11
- Crosstab, 12, 205
- data sheets, working with, 229–231
- datasheet creation, 204
- in Datasheet view, 211
- defined, 10, 11, 203
- delete, 269, 282–285
- in Design view, 48, 211
- detail, 204, 208
- editing, 211, 217–220
- exporting, 232
- field format, changing, 219–220
- fields, hiding, 219
- importing, 232
- make-table, 270, 277–280
- math, 233–236
- modifying, 47–48
- with multivalued lookup fields, 225–226
- naming, 207, 232
- opening methods, 211
- parameters, 205, 262–264
- permissions, 564
- in PivotChart view, 211
- in PivotTable view, 211
- saved, 203
- saving, 207, 231–232
- select, 204
- sorting, 218
- SQL statements, 671
- in SQL view, 211
- subdatasheets, 132–133
- summary, 204–205, 208
- tables to which bound, 47–48
- top values, viewing, 218–219
- totals, 204–205
- types, 204–205
- update, 270, 273–277
- uses, 11, 47, 203
- viewing, 211–212
- Query by Example (QBE) grid. *See* design grid
- Query Parameters dialog box, 263
- Quick Access toolbar
 - button order, changing, 27
 - buttons, 25

buttons, adding, 26–27
 customizing, 25–27
 defined, 25
 moving, 27
 Print button, 35
 Quick Info syntax chart, 592–594

R

read-only forms, 330
 record selectors, 92, 329, 333
 Record Selectors property, 329
 Record Source, 50
 record-locking
 all records, 540
 managing, 539–541
 no locks, 539–540
 one record, 541
 programming, 541
 turning on, 539
 records. *See also* fields; tables
 adding, 114
 autonumbering, 68
 blank row, moving to, 114
 current, printing, 370
 current, saving, 370
 defined, 10, 55, 122
 deleting, 121–122
 deleting, with delete query, 282–285
 duplicate, 288–290
 editing, 115
 filtering based on calculated fields, 267
 illustrated, 10
 limiting with criteria expressions,
 220–226
 number, moving to, 113
 order, 327–328
 pages versus, 540
 report, sorting, 421
 source, 327
 summarizing, 394
 unmatched, 285–288
 validation rules, 186
 value, repeating, 114

recordsets
 ADO, 667
 closing, 676
 cursor type, defining, 668–669
 field names in, 669–670
 looping through, 667–668
 object models, 665
 quick and easy, 666
 removing, 676
 SQL and, 670–674
 Reddick VBA Naming Conventions, 80
 redundancy, 63–64
 References dialog box, 666
 referential integrity
 between two tables, 196–197
 Cascade Delete Related Records
 option, 195–196
 Cascade Update Related Fields option,
 194, 196
 defined, 70–71, 191, 193
 enabling, 195–196
 enforcing, 194, 199
 with many-to-many relationships,
 198–199
 types, 194–195
 registration, Access, 691
 reinstallation, 691
 relational databases, 58
 relationships
 creating, 70, 78, 193–198
 defined, 58
 deleting, 198
 editing, 196–198
 many-to-many, 59, 61–63, 70, 192
 one-to-many, 44, 58–60, 70
 one-to-one, 59, 60–61, 70
 in Relationships window, 45
 viewing, 44–45, 516
 Relationships window
 boxes, 44–45
 closing, 45
 defined, 195
 empty, 195
 join lines, 197–198

- Relationships window (*continued*)
 - opening, 195
 - printing, 200
 - relationships, 45
 - tables, adding, 195–196
 - viewing relationships in, 516
- repair, Access, 691
- repairing databases, 511–512
- Report Design screen, 200
- Report Footer section, 413, 416
- Report Header section, 413, 416
- Report Wizard
 - advantage, 404
 - data grouping, 406
 - defined, 401
 - field selection, 405
 - illustrated, 405
 - opening, 404–405
 - report illustration, 410
 - report layout selection, 409
 - report organization, 406–407
 - running, 404–410
 - Summary Options button, 408
 - Tables/Queries drop-down list, 405
- reports
 - AutoNumber fields in, 101
 - background pictures, 355
 - benefits, 264
 - blank pages, avoiding, 441–442
 - bound to table, 51
 - calculated values, 386
 - calculations in, 385–397
 - chart controls, 447
 - closing, 331
 - columnar, 411
 - configuring, 326–330
 - controls, 337–348
 - copying forms to, 424
 - creating from scratch, 323–324
 - creating with Report Wizard, 403–411
 - date, 417–418
 - date expressions, 390
 - defined, 10, 13
 - design, 13
 - design tips, 337
 - in Design view, 402
 - displaying, 409
 - Documenter, 521
 - duplicate values, hiding, 423
 - editing in Design view, 412–413
 - empty fields, displaying, 429
 - exporting, 442–443
 - features, 403
 - fields, adding, 51
 - with filter, 150
 - footers, 403
 - formatting, 352–354
 - formatting tips and tricks, 422–424
 - forms versus, 316, 401
 - grouping, 403
 - grouping fields, 407
 - headers, 403
 - illustrated, 13
 - importing, 331–332
 - layout, 409
 - layout, changing, 324–326
 - in Layout view, 402
 - list of, 402
 - mailing label, 428–434
 - management, 331
 - margins, 403, 439–440
 - Memo fields, 428–429
 - modifying, 51, 335
 - multiple pages, viewing, 437–438
 - naming, 409
 - numeric calculations, 389
 - object-definition, 109
 - opening, in Design view, 335
 - organizing, 406–407
 - orientation, 403, 439
 - page breaks, 439–440
 - page numbers, 403, 416–417
 - pages, formatting, 438–442
 - paper size, 403, 439

- with parameters, previewing, 438
- permissions, 564
- previewing, 336
- Print Preview, 402, 435–436
- printing, 51, 442
- properties, 327, 415–416
- records, printing number of, 422
- records, sorting, 421
- saving, 330
- sections, 403, 413–422
- sending, to other applications, 442–443
- simple, creating, 410–411
- space between fields, 423
- storing, 330–332
- subreports, 424–428
- tabular, 411
- text expressions, 390
- Text fields, 428–429
- time, 417–418
- uses, 401
- viewing, 51, 435–438
- views, 402
- views, adjusting, 436–437
- whole, selecting, 326
- workgroup file, 560
- ReQuery action, 477
- Required property, 176
- Ribbon
 - buttons groups, 23
 - Create tab, 34, 86, 89, 150, 205
 - Database Tools tab, 44, 165, 516
 - Datasheet tab, 89, 90, 113, 195
 - defined, 23
 - Design tab, 50, 95–96, 98, 106, 195, 213
 - in Design view, 413
 - displaying, 24
 - External Data tab, 164, 166
 - Form Layout Tools tab, 388
 - Home tab, 97, 112, 123, 135, 137
 - keyboard shortcuts, 24
 - Layout tab, 416
 - minimizing, 24
 - Page Setup tab, 433
 - Print Preview tab, 436
 - tabs, 23
 - using, 23
- rich text
 - advantage, 128–129
 - defined, 128
 - display, 129
- Right() function, 255
- right outer joins, 228
- Round() function, 245
- Row Height dialog box, 131
- Row Source property, 363, 463
- Row Source Type property, 363
- rows, datasheet
 - height, changing, 130–131
 - sorting, 137–139
 - totals, 134–135
- rows. *See* records
- Run button, 270–271
- RunApp action, 477
- RunCode action, 477
- RunCommand action, 477
- RunMacro action, 477
- running sums, 423
- RunPermissions property, 568
- runtime errors. *See also* errors;
 - VBA code
 - defined, 677
 - eliminating, 683
 - error-handling code, 682
 - fixing, 682–683
 - occurrence, 681
 - trapping, 679–682

S

- Save ACCDE As dialog box, 524
- Save action, 477
- Save As dialog box, 86, 330
- Save Backup As dialog box, 513
- saved imports, 166–167

- saving
 - current record, 370
 - forms, 330
 - macro groups, 507
 - macros, 479
 - PivotCharts, 466
 - PivotTables, 306
 - queries, 207, 231–232
 - reports, 330
 - tables, 85–86, 89
- scope, variable, 617–618
- scroll bars, forms, 329
- Scroll Bars property, 329
- searches
 - broad, 141
 - Find and Replace dialog box, 139–141
 - narrow, 141
- sections. *See also* reports
 - Detail, 413
 - grouping, 418–421
 - illustrated, 414
 - Page Footer, 413, 416–418
 - Page Header, 413, 416–418
 - properties, 415–416
 - for record grouping, 418–421
 - repetition, 414
 - Report Footer, 413, 416–418
 - Report Header, 413, 416–418
 - Section Footer, 413
 - Section Header, 413
- secure databases
 - converting, 565
 - creating, 555–560
 - identifying, 561
 - opening, 560–561
 - passwords, 561
- security
 - back-end database, 568
 - database access, 551–568
 - front-end database, 568
 - mechanisms, 543–544
 - password-protection, 549–551
 - setting, turning down, 486–487
 - user-level, 544, 551–552
 - VBA module, 567
 - Windows, 544
 - workgroup file, 552–553
- Security Alert, 44
- security IDs (SIDs), 554, 562
- security message
 - defined, 18
 - display of, 18–19
 - turning off, 19
- Select Case block
 - Case statements, 627
 - End Select, 628
 - syntax, 627
 - using, 627–629
- Select New Location Of dialog box, 536
- select queries. *See also* queries
 - action queries versus, 269
 - adding tables to, 215–216
 - creating in Design view, 205–207
 - creating with Simple Query Wizard, 208–211
 - creation tips, 215–217
 - datasheet, 206–207
 - defined, 204
 - detail, 204, 208
 - editing, 217–220
 - field names, 206
 - naming, 207
 - saving, 207
 - sorting, 218
 - summary, 204–205, 208
 - use, 205
- SelectedObject action, 477
- SendKeys action, 477
- Series setting. *See also* Chart Wizard;
charts
 - bar charts, 454–455
 - defined, 448
 - field type, 454
 - in pie/doughnut charts, 457

- SetValue action, 477, 499
- SetWarnings method, 675
- shared mode, 538
- shortcuts. *See also* keyboard shortcuts
 - defined, 563
 - object, creating, 34
- Show Table dialog box, 195–196, 205–206, 216
- ShowAllRecords action, 477
- Simple Query Wizard
 - creating queries with, 208–211
 - detail query, 208
 - field selection, 209
 - opening, 208
 - query display, 210–211
 - query editing, 211
 - query naming, 210
 - query type selection, 209
 - summary query, 208
 - Tables/Queries list box, 208
- Simple Report Tool, 410–411
- single facts, storing, 75–76
- sorting
 - by calculated fields, 262
 - datasheet rows, 137–139
 - Date fields, 139
 - by name/company, 260–262
 - Navigation Pane objects, 30
 - Number/Currency fields, 138–139
 - order, 138, 149
 - PivotTables, 307
 - queries, 218
 - report records, 408, 421
- Sorting and Grouping dialog box, 419
- Source Object property, 426
- special characters, entering, 122
- Special Effects property, 397
- spelling, checking, 123–124
- Spelling dialog box, 123–124
- splitting databases. *See also* back-end databases; front-end databases
 - advantages, 530–531
 - with Database Splitter Wizard, 532–533
 - disadvantages, 531
 - by hand, 533–535
- spreadsheets
 - data, importing, 160–163
 - databases versus, 11
 - defined, 11
- SQL
 - defined, 670
 - recordsets and, 670–674
 - view, 211, 675
- SQL statements
 - assigning, to strings, 673
 - breaking up, 673–674
 - broken into multiple lines, 672
 - example, 671
 - pasting, 672
 - stored in String variable, 674
 - syntax, 670
 - writing, 670
- Sqr() function, 239
- standard modules. *See also* VBA modules
 - code, 573
 - creating, 574
 - defined, 572
 - opening, 574
 - procedures, creating, 597–599
 - viewing, 574
- statements. *See also* VBA procedures
 - arguments, passing, 600–603
 - defined, 591
 - execution, 591
 - keywords, 592
 - multiple execution, 630–635
 - Option, 596
 - simplified syntax, 601
 - syntax, 592–596
 - syntax chart, 592
- Static keyword, 618–619
- StDev operation, 265
- strings
 - adding spaces to, 254–255
 - assigning SQL statements to, 673

- strings (*continued*)
 - breaking, 608
 - characters, analyzing, 635
 - defined, 254
- Structured Query Language. *See* SQL;
 - SQL statements
- Sub keyword, 618, 652, 654
- sub procedures. *See also*
 - VBA procedures
 - arguments, 610
 - calling from procedures, 611–612
 - converting to function procedures, 612
 - defined, 576
 - name, 653–654
 - running, 611–613
 - running from macros, 612–613
 - testing, 609–611
- subdatasheets. *See also* datasheets
 - advantages, 132–134
 - automatic creation, 132
 - availability identification, 133
 - display identification, 133
 - illustrated, 133
 - manual selection, 134
 - query, 132–133
- SubForm Wizard
 - opening, 373
 - records relationship, 374
 - subform name, 375
 - Use Existing Tables and Queries
 - option, 373
- subforms. *See also* forms
 - adding, 339
 - column widths, 375
 - control, 373
 - control properties, 375–376
 - control reference on, 393–394
 - creating, 373–375
 - defined, 315
 - in form view, 396
 - illustrated, 372
 - layout, 372
 - naming, 375
 - one-to-many relationship, 372
 - storage, 373
 - totals, on main form, 395–396
 - uses, 372
- subreport control
 - defined, 424
 - moving, 427
 - properties, 427
 - sizing, 427
- subreports. *See also* reports
 - adding, 339
 - bound, 425–426
 - creating, 426–427
 - defined, 424
 - printing information from, 428
 - unbound, 424–425
- subscripts
 - Counter, 634
 - defined, 620
 - multidimensional array, 621
- subtotals
 - calculating in queries, 266–267
 - group, calculating, 421–422
- subtraction (-) operator, 237
- Sum() function, 392
- Sum operation, 265
- Summarize dialog box, 453
- Summary Options dialog box, 209–210
- summary queries. *See also* queries;
 - select queries
 - creating, 208–211
 - defined, 204, 208
 - example, 208
 - fields, 210
 - illustrated, 211
 - options, 208–210
 - selecting, 209
- Switchboard Manager
 - entries, changing, 381–382
 - page listings, 381
 - starting, 381
- switchboards
 - alternative to, 383
 - buttons, editing, 382
 - changes, 380–381

custom, 502
 defined, 380
 in Design view, 381
 entries, changing, 381–382
 illustrated, 380
 opening, 381
 syntax charts
 comma, 616
 defined, 592
 ellipse, 616
 guidelines, 594
 Quick Info, 592–593

T

tab control. *See also* controls
 creating, 378–379
 defined, 377
 illustrated, 379
 sizing, 378
 uses, 378–379

tab order, 355

tabbed forms, 377–378

Table Analyzer Wizard, 77, 162, 164, 166

Table Property Sheet, 133

table templates

 creating tables with, 87–88
 types of, 88

tables. *See also* fields; records

 abbreviation, 67

 ACCDE files, 525

 adding to queries, 215–216

 blank, 86–87

 code, 67

 creating, 78, 86–94

 creating with Datasheet view, 88–90

 creating with Design view, 93–94

 creating with table template, 87–88

 default formatting, changing, 132

 defined, 10, 55

 definitions, 109–110

 design, 11

 design, analyzing, 77

 design, printing, 108–110

 design illustration, 47

 in Design view, 214

 detail, 60, 192

 displaying, 83

 entering data into, 54

 filtered, 150

 illustrated, 10

 imported, 159

 joining in Design view, 227

 junction, 62–63, 198

 key selection, 67–69

 linked, 159

 master, 60, 191

 modifying, 46–47

 multiple related, 226–229

 names, 44, 89

 names, displaying/hiding, 215

 one record, 76

 organizing fields into, 64–66

 permissions, 564

 primary keys, 57–58

 referential integrity between, 196–197

 Relationship window, 195–196

 relationships, 44–45

 relinking, 535–536

 saving, 85–86, 89

 viewing methods, 111–112

 views, 83–85

tabs. *See* Ribbon; *specific tabs*

Tabular AutoForms. *See also* AutoForms

 defined, 318

 illustrated, 319

tabular reports, 411

Tasks template, 88

TechNet Online, 37

templates

 advantages, 39, 54

 Attachment field, 120

 Business, 40, 41

 buttons, 51–53

 Contact Management, 380

 database creation from, 39–54

- templates (*continued*)
 - as databases, 42
 - defined, 39
 - exploring, 42–45
 - field, 90–91
 - finding, 40–42
 - icons, 40, 41
 - objects, viewing, 42
 - table, 87–88
 - as timesavers, 40
 - uses, 99
 - using, 53–54
 - without modifications, 53
- testing code. *See also* VBA code
 - custom functions, 638
 - function procedures, 613–614
 - sub procedures, 609–611
- text
 - in angle brackets (<>), 244
 - control, formatting, 348–351
 - in criteria expression, 221
 - data, importing, 160–163
 - data, linking, 160–163
 - expressions, 390
 - filtering by selection, 145
 - functions, 255
 - label, 343
 - language, 162
 - literal, 236, 254
 - manipulating, with expressions, 254–255
 - rich, 128–129
 - selection tricks, 116
 - validation, 188
 - viewing, 116
- Text Align property, 350
- text boxes. *See also* controls
 - calculations in, 388
 - contents, formatting, 346
 - creating, 340
 - Currency fields, 346
 - Date fields, 346
 - defined, 339, 343
 - length, 346
 - Memo fields, 345–346
 - Number fields, 346
 - Property sheet, 341–342
 - rich text display, 129
 - text, inserting with VBA, 650
 - Text fields, 345–346
 - Yes/No fields, 363
- Text fields. *See also* data types; fields
 - contents, 99
 - default field size, 104
 - defined, 56
 - in design, 72–74
 - formatting, 105
 - for phone numbers, 74
 - in reports, 428–429
 - in text boxes, 345–346
- Text Format property, 129
- text qualifiers, 161
- Time() function, 252
- time
 - in criteria expressions, 221
 - delimiter, 163
 - literal, 251
 - report, 417–418
- Time functions, 252–254
- To keyword, 629
- toggle buttons. *See also* controls
 - creating, 364
 - defined, 339
- tooltips, 24–25
- totals queries. *See also* queries
 - defined, 204, 265
 - illustrated, 266
 - operations, 265
 - results, 267
 - subtotals calculation, 266–267
- totals row
 - clearing, 135
 - creating, 135
 - defined, 134–135
- trendline, chart, 462
- Trim() function, 255
- Troubleshooting Your PC For Dummies*, 513

U

UCase() function, 255, 600
 unbound controls, 337
 unbound forms, 502
 unbound subreports. *See*
 also subreports
 defined, 424
 illustrated, 425
 printing, 425
 underscore (_) character, 608
 Undo button, 114
 uninstalling Access, 691
 Unique Records property, 290
 Unique Values property, 290
 universal naming conventions (UNC)
 path, 158
 unmatched records, finding, 285–288
 Update property, 500
 update queries. *See also* queries
 changing data with, 273–277
 creating, 273–277
 defined, 270
 deleting, 277
 in Design view, 675
 field display, 276
 results, checking, 277
 Run button, 276–277
 running, 276
 saving, 277
 in SQL view, 675
 Update To row, 275
 View button, 274
 User and Group Accounts dialog
 box, 561
 User and Group Permissions dialog
 box, 565
 user-level security. *See also* security
 creating, 555–560
 defined, 544
 functioning of, 551–552
 object selections, 557

 user permissions, 558
 users/groups database, 551
 User-Level Security Wizard
 defined, 555
 group creation, 557
 opening, 555
 user creation, 559
 workgroup file creation, 559
 users
 Admin, 552
 creating, 561–562
 creating, in User-Level Security
 Wizard, 559
 database, 551
 deleting, 562
 dos/don'ts, 554
 information, 554
 modifying objects as, 46
 name, 554
 owners, 552
 permissions, 552, 558

V

Validation Rule property,
 176, 186, 188, 379
 validation rules
 creating, 188–189
 defined, 72, 176
 examples, 187
 fields, 186
 input masks with, 177
 length, 188
 Like operator, 189
 multiple expressions, 190
 records, 186
 testing, 188
 use illustration, 187
 validation text, 188
 Validation Text property, 188, 379
 Value property, 650
 Var operation, 265

- variables. *See also* VBA procedures
 - in arrays, 620–621
 - creating, 615
 - data in, 615
 - defined, 615
 - explicit declaration, 616
 - implicit declarations, 616
 - lifetime, 618–619
 - lifetime, default, 619
 - module-level scope, 617
 - in multidimensional arrays, 621–622
 - multiple, defining, 616
 - naming conventions, 622–623, 659
 - object, 658
 - private, 617
 - public, 617
 - scope, 617–618
 - scope, default, 619
 - tags, 622
- VBA (Visual Basic for Applications)
 - action queries, running from, 674–676
 - control properties, changing, 648
 - custom functions, 636–639
 - for custom messages, 641–644
 - data types, 602
 - defined, 473, 571
 - form control changes with, 648–655
 - form control with, 641–664
 - functioning of, 591–592
 - as programming language, 571
 - property control, 650–655
 - syntax, 592–597
 - uses, 14
- VBA code
 - in class modules, 571
 - comments, 606–607
 - comparison operators, 623
 - compile errors, 608–609
 - constants, 615–623
 - continuation characters, 607
 - custom, writing, 573
 - cutting/pasting, 590
 - debugging, 677–686
 - decisions, 623–629
 - Do . . . Loop, 630–632
 - enabling, 575–576
 - error message box, 609
 - execution, 591–592
 - finding, 571–572
 - For . . . Next, 632–634
 - For Each . . . Next, 661–663
 - If . . . End If statements, 624–626
 - lines, breaking, 607–608
 - literal strings, breaking, 608
 - logical operators, 624
 - macro conversion to, 587–589
 - organization, 575
 - repeated execution, 630–635
 - running, 609–614
 - Select Case block, 627–629
 - smart, writing, 615–639
 - in standard modules, 572–573
 - stepping through, 686
 - testing, 609–614
 - underscore character (), 608
 - variables, 615–623
 - While . . . Wend, 632
 - With . . . End With, 663–664
 - writing, 591–614
- VBA modules
 - Binary option, 597
 - class, 571–573
 - Compare option, 597
 - creating, 574
 - Declaration section, 575
 - defined, 10, 14
 - elements, 575
 - level, 596
 - options, 597
 - securing, 567
 - standard, 573–574
 - Text option, 597

VBA procedures
 categories, 575
 Command Button Wizard for, 490, 507
 constants, 619
 creating, 506, 597–599
 defined, 575
 event, creating, 599–600
 execution, 591–592
 first/last lines, 652
 function, 576, 603
 level, 596
 naming, 598, 600
 passing arguments to, 600–603
 passwords, 567
 to run macros, 507
 running, 609–614
 slowing down, 685–686
 in standard module, 597–599
 statements, 591
 sub, 576
 testing, 609–614
 variables, 615–623
 writing, 597–604, 652
 view buttons (Access window), 25
 views
 Datasheet, 84–85, 211–212, 322
 Design, 43, 46, 48, 85, 211–212, 322
 Form, 322
 Layout, 402
 PivotChart, 84, 211–212, 466–467
 PivotTable, 84, 211–212
 Print Preview, 402
 query, 211–212
 report, 402
 SQL, 211
 table, 83–85
 viruses, 18–19
 Visible property, 498
 Visual Basic Editor. *See also* VBA (Visual Basic for Applications)
 closing, 587
 Code window, 579–580
 components, 578

defined, 576
 Help system, 650
 illustrated, 578
 Immediate window, 580–582
 Object Browser, 582–583
 using, 576–587
 view, 577
 windows, moving, 578
 windows, sizing, 578
 Windows taskbar button, 577
 Visual Basic for Applications. *See* VBA
 Visual Studio, 577

W

Web-based forms, 527
 WeekDay() function, 244
 While...Wend loop. *See also* loops
 defined, 632
 in looping through recordsets, 667–668
 Width property, 441
 Windows shortcuts, 563
Windows XP For Dummies, 528, 544
 With...End With
 defined, 663
 For Each...Next loop with, 664
 syntax, 663
 Visible property, 664
 WithTax() function, 604
 wizards. *See also specific wizards*
 add-ins, 523
 defined, 35
 questions, 36
 using, 35–36
 workgroup file
 creating, 555–556, 559
 default, 552–553
 defined, 551
 lost, 555
 new, 553
 report, 560
 workgroups, starting Access with, 563

X

X-Axis setting. *See also* Chart Wizard;
charts
bar charts, 451–452
Date/Time field, 452
defined, 448
XOR operator, 257, 624
XY scatter plots, 457

Y

Y-Axis setting. *See also* Chart
Wizard; charts
bar charts, 452–453
defined, 448

multiple fields, 453
in pie/doughnut charts, 456
Yes/No fields
advantage, 72
appearance, 363–364
check boxes, 351–352
contents, 99
defined, 57
in design, 57
in text boxes, 363
uses, 99

Z

Zoom control, 436
Zoom dialog box, 116, 236

