

# Index

---

## • Numerics •

- 2D drawings
  - DXF and DWG, BC9–BC13
  - EPIX, BC13–BC14
  - exporting, BC2
  - formats, BC2
  - PDF and EPS, BC3–BC9
- 2D images, exporting
  - about, 349–350
  - raster formats, 354–357
  - raster images, 350–353
  - resolution choices, 357–361
- 2-D Section Slice Only (printer), 341
- 2D to 3D plans, 88–91
- 2D views with sun, 275
- 3D data, BC15–BC23
- 3D modeling programs, 13–15
- 3D objects, 278
- 3D on a 2D Screen, 29–33
- 3D Studio Max, 258, BC1
- 3D Warehouse, 91, 121, 122, 124, 144
- 3DS, BC15, BC16, BC19–BC21

## • A •

- acceptance criteria, 3D Warehouse, 332
- accuracy
  - of calculations, 14
  - of interior models, 82
  - in modeling, 38–42
  - in moving objects, 46
  - of shadows, 69–71, 279–283, 325
- Active Cut (sections), 307
- active section plane properties, 299, 303
- Add Detail tool, 202–203
- Add Layer, 214
- Add New Collection dialog box, 271
- Add Page tool, 377, 378
- Add to Favorites, 124

- adding layers, 215
- adding pages, 382–383
- add-ons
  - components
    - Form Fonts, 409–410
    - Sketchupmodels.com, 410
  - hardware, 413
  - renderers, 412–413
  - Ruby scripts
    - about, 410
    - Ruby Library Depot, 411–412
    - SketchyPhysics, 411–412
    - Smustard.com, 411
- address format (Google Earth), 320
- Adobe Illustrator, 386
- ads as criteria, 3D Warehouse, 332
- aerial views, 77
- algebra, 150
- Align View option (sections), 308
- alignment
  - of components, 128–129
  - in LayOut, 386
- alpha channel, 264
- angles, rise over run ratios, 107
- animation
  - about, 17, 361
  - activating, 294
  - movies, 363–364
  - in presentations, 310–312
  - scenes, 291, 362
  - settings, 364–367
- anti-aliasing, 352, 364
- Apple. *See* Mac
- Applications preferences (LayOut), 374
- Arc tool, 64, 80, 377, 378
- ArchiCAD, BC18
- Architectural Desktop, BC18
- architectural drawings, 304
- architectural scale, 347
- artifacts (pixel garbage), 354

Artlantis R (Web site), 413  
 as-builts, 82  
 aspect ratio (proportions), 390  
 assembly (organizational), 217–219  
 Assorted Styles, 267  
 asymmetry, 133  
 ATI video cards, 413  
 attributes, 150–154  
 audience  
   background, 250  
   image quality for, 359  
 Auto check box, 390  
 AutoCAD, 77, 214, BC1  
 AutoCAD DWG format. *See* DWG format  
 Autodesk Maya, BC15, BC16  
 Autodesk VIZ, BC16  
 Auto-Fold, 48  
 AVI files, 363  
 axes  
   colored, 30, 150  
   Component, 150, 151, 155, 160  
   location properties, 299  
   modeling, 150  
   vertical, 238  
 axis of rotation, 173  
 axis origin, 30, 238, 241

## • B •

Back color, 258  
 background  
   in LayOut, 391  
   setup, 261–262  
 Background section, 254, 261–262  
 Backup (LayOut), 374  
 backup copies, 301  
 banners, 359  
 Bézier curve vector, 393  
 bilateral symmetry, 133  
 bisection, faces, 28–29  
 Bitmap (BMP) format, 357, 386  
 books, 359  
 Boolean operations, 111  
 bottles, 166, 167–169  
 bounded text boxes, 386  
 brochures, 359  
 building footprint, 198–200

building in halves, 134–137, 169  
 building on Google Earth snapshots,  
   323–324  
 building with radial symmetry, 137–139  
 buildings  
   about, 75  
   floors and walls  
     about, 76  
     doors and windows, 91–95  
     simple plans, 82–88  
     2D, 77–82  
     2D to 3D, 88–91  
   roofs  
     about, 101–103  
     assembly, 110–113  
     flat with parapets, 104  
     gabled, 106–108  
     hip, 109–110  
     pitched with eaves, 104–106  
     stairs, 95–101  
 bulge (how much an arc sticks out), 80

## • C •

CAD cleanup scripts (Ruby script), 411  
 calculation precision, 14  
 callout styles, 373  
 Camera  
   about, 19  
   location properties, 298, 299  
   tools, 34, 36  
   wide-angle lens, 290  
 cans and can'ts of SketchUp, 15–17  
 Cast Shadows check box, 279  
 Ceiling function, 162  
 center of rotation, 173  
 chamfers, 166  
 Cheetah3D, 413  
 children. *See* subcomponents  
 Chin, Justin (€ber-SketchUpper), 183  
 Circle tool, 79  
 clay, paper compared with, 14  
 cleanup of models, 192–193, 270  
 clipping masks, 392–393  
 Collapse All, 212  
 collapsible components, 155  
 Collate check box (printer), 338, 344

- Collections List button, 122–123
  - collision detection, 288
  - color
    - on faces, 54–56, 223, 257–258
    - in LayOut, 380, 395
    - modeling settings for, 266
    - photo-matching, 237–238
    - TIFF format choice, 356–357
  - Color by Layer check box, 215, 266
  - Color drop-down list, 257
  - colored axes, 30, 150
  - Colors dialog box, 373
  - columns, 304
  - Combine Textures, 231
  - Competition Winners styles, 267
  - completion stage, 250
  - Component Attributes dialog box, 151–153, 160–161, 162–163
  - Component Options dialog box, 146–147, 154, 157, 158
  - components
    - about, 115
    - add-ons, 409–410
    - alignment options, 128–129
    - axes, 150, 151, 155, 160
    - Components dialog box
      - about, 120–126
      - doors and windows, 91
      - forms in, 168
      - for tracking, 118
    - creating, 126–130
    - doors and windows, 91, 130–131
    - Dynamic Components
      - about, 16, 92, 142–144
      - advantages of, 127
      - building your own, 149–164
      - in Components Window, 123
      - nesting, 150
      - scaling, 183
      - for stairs, 96
      - using, 144–149
    - grouping, 116–117
    - immobility, 407
    - modeling
      - advantages of, 132–133
      - with repeated elements, 140–142
      - symmetric, 133–139
      - nesting, 126, 150, 151
      - organization, 218
      - resizing, 180–181
      - size of, 126
      - strengths, 117–120
  - Components dialog box
    - about, 120–126
    - doors and windows, 91
    - forms in, 168
    - for tracking, 118
  - Components Window, 123
  - compression (image files), 354, 355, 364
  - computer monitors, 358
  - computer performance factors
    - components, 121, 127
    - From Contours tool, 192
  - crashes/lost work, 209, 405–406
  - file cropping, 231
  - furniture, 219
  - in Google Earth, 321
  - organization, 209
  - oversized files, 171, 406
  - polygon count (faces), 186
  - right-sizing, 294
  - Shaded with Textures, 261
  - translucent materials, 261
- constraints, attributes, 153
  - construction geometry, 52
  - context menus, 18
  - context-sensitivity, 21, 39
  - context-specific instructions, 20
  - contour lines (topographical maps), 190
  - contrast, with shadows, 278
  - Control (scaling around the center), 183
  - cookie cutter tool, 200
  - Copied Profile method, 99–101
  - copies
    - of components, 161, 162
    - printing, 338, 344
  - Copies & Pages panel:, 344
  - Copies attribute, 159
  - coplanar edges, 26
  - copying
    - with Move tool, 49–51
    - during scaling, 183
    - section planes, 306
  - corner grips (scaling proportionally), 182

- corners, 296, 377
  - cost
    - of Dynamic Components, 144
    - of Google Earth, 318
    - of Sandbox tools, 189
    - of SketchUp, 1, 11, 12, 13
  - crashes (computer), 209, 405–406
  - Create a new collection, 124
  - Create Group from Slice option (sections), 308
  - creating styles, 268, 269–272
  - cropping
    - for computer performance, 231
    - in LayOut, 376, 392
    - in photograph selection, 243
  - crossing selection, 44
  - cursor appearance changes, 149
  - curved lines, 393
  - curved surfaces
    - challenges, 90
    - textures on, 225, 235–237
  - curves-based modelers, 15
  - Customize dialog box, 377
  - cut away profiles, 166
  - cut-through views, 303
- D •
- dados, 166
  - DAE (Collada), BC15, BC16–BC18
  - date
    - setting, 274
    - in shadow studies, 279, 282–283
  - DCs. *See* Dynamic Components (DCs)
  - Default Styles collection, 251, 252
  - defaults
    - for circles, 326
    - color, 44, 258, 261
    - components, 121
    - field of view, 289
    - grid spacing, 195
    - image sizes, 360
    - inferences, 32
    - line thickness, 255
    - locked layers, 379, 380
    - Measurements box, 40
    - Rotate tool, 173
    - Sang, 144
    - shadow displays, 274
    - tools, 378
  - Delete Layer, 214
  - Depth Cue check box, 255–256
  - depth of stair treads, 96
  - depth perception, 29, 273, 275–279
  - detail levels, 202–203, 257
  - dialog boxes, 18, 21. *See also specific dialog boxes*
  - difference (roof geometry), 110
  - digital presentation, 358
  - digital projector resolutions, 366
  - digital slide shows (LayOut), 376, 400
  - dimensioning, 388
  - Display check boxes (shadows), 274
  - Display Secondary Selection Pane
    - button, 122
  - Display Shaded Using All Same, 261
  - distance between scenes, 296
  - distortion, 225–227, 290
  - Divide edges, 96
  - docking dialog boxes, 21
  - Document Exchange Format. *See* DXF format
  - Document Setup dialog box
    - in LayOut, 375
    - for Mac, 343–344
  - documents, blank, 381–382
  - doors
    - adding, 91–95
    - creating, 130–131
    - drawing, 64–65
  - dormers, 101, 102
  - Draft quality (printer), 340
  - drafting tools, 78–82
  - Drape tool, 200–202
  - Draw, 19
  - drawing axes, 30
  - drawing from scratch, 394–397
  - drawings, resolution choices, 359
  - driving directions (Google Earth), 320
  - Drop (Ruby script), 411
  - Dummies (Web site), 415
  - duplication as criterion, 3D Warehouse, 332
  - duration of animation, 164

- DVD viewing, 367
  - DWG format, BC2, BC9–BC13, BC15, BC 23
  - DWG/DXF Hidden Line Options dialog box, BC10
  - DXF format, BC2, BC9–BC13, BC15, BC 23
  - Dynamic Components (DCs)
    - about, 16, 92, 142–144
    - advantages of, 127
    - building your own, 149–164
    - in Components Window, 123
    - nesting, 150
    - scaling, 183
    - for stairs, 96
    - using, 144–149
    - Web site, 164
- E •**
- easing (speed) of animation, 164
  - eaves, 102, 104–106
  - edge grips (distorted scaling), 182
  - Edge section, 254, 255–257
  - edges
    - about, 24–25
    - Divide, 96
    - drawing, 37–38
    - in faces, 26
    - hiding, 137, 180
    - layer problems, 408
    - in photograph selection, 243
    - relationship with faces, 27–29
    - segments remaining, 91
    - settings, 255–257
    - sketchy, 252, 267, 345
    - unsightly, 168, 180
    - unsmoothing, 180
  - Edit, 19
  - Edit pane, 125
  - Edit Texture Image, 231
  - editing
    - attributes, 153
    - clipping masks, 393
    - components, 92, 121, 132
    - with From Contours tool, 190, 192
    - curved lines, 393
    - with Smoove tool, 196
    - textures, 225–233
    - tiled surfaces, 225
    - watermarks, 265
  - editing styles
    - about, 253–254
    - background setup, 261–262
    - creating, 269–272
    - edge settings, 255–257
    - face changes, 257–261
    - model settings, 266
    - saving changes, 268
    - style mixing, 267
    - updating, 269
    - watermarks, 262–265
  - efficiency of components, 132–133
  - elevators, cut-through views, 304
  - e-mail, 358, 365
  - embedding. *See* nesting
  - emergency escapes, 85
  - Enable Scene Transitions check box, 295
  - Encapsulated Postscript files. *See* EPS format
  - encouraging inferences, 33
  - engineering scale, 347
  - Entity Info dialog box, 21
  - EPIX, BC2, BC13–BC14
  - EPS format, 386, BC2, BC3–BC9
  - equidistant parts, 160
  - Eraser tool
    - accuracy of use, 408
    - with From Contours tool, 192
    - on edges, 79
    - Intersect with Model tool, 110
    - in LayOut, 377, 378
    - for smoothing edges, 180
    - using, 38
  - erasing
    - edges, 38
    - guide lines, 52, 54
    - pitfalls, 27, 37
  - Esc button, 46
  - ESRI ArcGIS, BC18
  - existence criteria, 3D Warehouse, 332
  - Expand, 124
  - Expand All, 212
  - Explode groups, 117
  - exploding components, 132
  - Export Epx Options dialog box, BC14

- Export Options dialog box, 352–353, 358, BC16, BC17
- exporting
  - animations
    - about, 361
    - movies, 363–364
    - scenes, 362
    - settings, 364–367
  - to Google Earth, 324, 328
  - image files, 398–399
  - with LayOut, 398–399
  - to 3D Warehouse, 330, 331–334
  - 2D drawings, BC2
  - 2D images
    - about, 349–350
    - raster formats, 354–357
    - raster images, 350–353
    - resolution choices, 357–361
  - exporting to other software
    - about, BC1
    - 3D data formats, BC15–BC23
    - 2D drawings
      - DXF and DWG, BC9–BC13
      - EPIX, BC13–BC14
      - exporting, BC2
      - formats, BC2
      - PDF and EPS, BC3–BC9
  - extension lines, BC8, BC12
  - extensions (Sandbox tools), 189
  - exterior models, 76, 82, 91, 290
  - exterior walls, offsetting, 85–86
  - extras as criteria, 3D Warehouse, 332
  - extruded forms, 166, 169–176
  - eye-height of an adult, 286
- **F** ●
- Face section, 254, 257–258
- faces
  - about, 26–27
  - changes, 257–261
  - definition, 14
  - flashing, 407
  - with Follow Me tool, 166
  - layer problems, 408
  - with photos, 222–225, 227–230, 233–237
  - relationship with edges, 27–29
  - texture editing, 225–233
- fascia, 102
- FBX, BC16–BC18
- Fencing library, 56
- field of view, 289–290, 295, 298, 407
- File, 19
- files
  - as components, 121, 127
  - criteria, 3D Warehouse, 332
  - cropping, 231
  - image file sizes, 354, 355, 356
  - oversized, 171
  - resizing, 192
  - right-sizing, 294, 325–326
  - size recommendations, 358
  - vector file size, BC5–BC6
- fillets, 166
- fills, 373
- Fit to Page (printer), 339
- Fit View to Page, 343
- Fixed Pins, 228
- Flash files, 363
- flashing faces, 407
- flat roof, 102
- flat roofs with parapets, 104
- Flip Edge tool, 192–193, 198
- floating as criterion, 3D Warehouse, 332
- Floor functions, 162
- floor plans, 77, 86
- floors
  - about, 76
  - doors and windows, 91–95
  - simple plans, 82–88
  - 2D, 77–82
  - 2D to 3D, 88–91
- flying around (Google Earth), 318–320
- fog
  - about, 259
  - in LayOut, 390
  - properties, 299
- Folders (LayOut), 374
- folds, 48
- Follow Me tool
  - about, 165–166
  - gutters and handrails, 169–176
  - with scaling, 186–189
  - spheres and bottles, 167–169
  - stairway building, 101
  - subtracting from a model, 176–180
  - using, 166–167
- Form Fonts (Web site), 409–410

Form Z, 14  
 fractions of components, 162  
 free edges, 95  
 From Contours tool, 190–193, 196, 203–207  
 From Edges check box, 275, 279  
 From Scratch tool, 193–196  
 Front color, 258  
 Fukai, Dennis, 417

## • G •

gabled roofs, 102, 106–108  
 General panel (LayOut), 375  
 General preferences (LayOut), 374  
 geolocation, 325, 331  
 geometry  
   changes, 110  
   definition, 24  
   with Follow Me tool, 169  
   hidden, 137  
   interconnected, 216  
   organization, 209, 214  
   resizing, 182, 326  
   scaling, 183  
 georeferencing (finding geographic location), 279–282  
 Georeferencing check box, 281  
 Getting Started toolbar, 20, 59  
 GIF format, 264, 356, 386  
 GIMP, 264  
 Google Authorized Training Centers, 417  
 Google Earth  
   about, 315–316  
   approximating, 261  
   models for, 320–330  
   with shadow studies, 280  
   ten-minute tour, 317–320  
   3D picture, 316–317  
   3D Warehouse, 330–334  
   Web site, 318  
 Google SketchUp. *See* SketchUp  
 gradients as vectors (printing), 341, 344  
 graphic card quality, 413  
 Graphics Interchange Format. *See* GIF format  
 grayed-out cells, 153  
 Grid panel (LayOut), 375  
 grid spacing, 195, 394  
 grips (scaling), 182–183, 232

Ground feature, 262  
 grouping, 116–117, 169–170, 218  
 groups, 149, 150, 190  
 guide lines, 52–54, 232  
 guide points, 53  
 gutters, 166, 170–173

## • H •

Halo (empty space), 257  
 handrails, 169–176  
 hardware, 413  
 Help center, 58  
 Help menu, 20, 371  
 hidden features  
   edges, 25, 137, 139  
   guide lines, 52, 54  
   layers, 384  
 hidden geometry properties, 299  
 Hidden Line Face style, BC5  
 Hidden Line mode, 260  
 Hidden Line Options (Windows only), BC9  
 high accuracy HLR (printer), 341  
 hip roofs, 102, 109–110  
 horizon line, 238  
 horizontal slices (sections), 303, 304  
 Hybrid (vector lines with raster faces), 391

## • I •

icons used in this book, 383  
 IDX Renditioner (Web site), 412  
 Illustrator, 386, BC1  
 image insertion (LayOut), 386–387  
 image quality, 354, 355  
 importing  
   floor plans, 77  
   from Google Earth, 321–322  
 In Model button/collection, 252, 271, 272  
 indoor scenes with sun, 275–279  
 inference engine, 31  
 inference system, 393, 394  
 inferences, 31–33, 47  
 inkjet printers, 359  
 inserted model views, 387–391  
 inside out faces, 258  
 inside views. *See* interior models  
 “inside-outside” model, 76  
 instances (multiple copies), 118

Instructor dialog box, 21, 374  
 Interact tool, 147–149, 156  
 interconnected geometry, 216  
 interior models  
   about, 82–85  
   door/window openings, 91  
   invisible, 407  
   openings, 91  
   showing, 309  
 interior scenes with sun, 275–279  
 interior view, 76  
 interior walls, 86–88  
 Internet connection speed, 318  
 Intersect with Model tool, 101, 110–113, 259  
 intersection (roof geometry), 110  
 Inventor, 14  
 isometric (3D) view, 60  
 iteration, 217

## • J •

Join tool, 377, 378  
 Joint Photographic Experts Group. *See*  
   JPEG files  
 Joint Push Pull (curved surfaces), 412  
 JPEG files  
   about, 354–355  
   compression, 353  
   as e-mail attachments, 71  
   exporting, 350, 398  
   inserting, 386  
   limitations, 352, 356  
   movies, 363  
   as watermarks, 264

## • K •

Kerkythea, 413  
 keyboard, 19  
 keyboard shortcuts (LayOut), 375, 394  
 Keynote, 366, 400  
 KMZ files (Google Earth), 328, 329, BC16

## • L •

Label tool, 377, 378  
 landing, 96  
 landmarks (Google Earth), 320  
 laser printers, 359

lathed forms, 166, 167–169  
 latitude, 279, 282–283, 325  
 Layer Options flyout menu, 215  
 layers  
   in LayOut, 376, 379, 380, 383–385  
   organization, 213–217  
   with Outliner, 217–219  
   problems with, 408  
 Layers dialog box, 214–215, 373  
 LayOut  
   about, 369–370  
   exporting, 398–399  
   full-screen view, 400  
   insertion  
     images, 387  
     model views, 387–391  
     text, 387–391  
   launching  
     about, 378–379  
     documents, new, 381–382  
     moving around, 383  
     pages, adding, 382–383  
     templates, 379–381  
   layers, 383–386  
   polishing  
     about, 391  
     cropping, 392–393  
     drawing from scratch, 394–397  
   printing, 335, 397–398  
   scaled views of models, 346  
   user interface  
     dialog boxes, 372–374  
     menu bar, 370–372  
     preferences, 374–376  
     tools, 376–378  
 LayOut dialog boxes, 371, 372–374  
 LCD monitors, 358  
 lens distortion, 243  
 letter axes, 150  
 Level of Detail controller, 257  
 limitations  
   From Contours tool, 192  
   exporting from SketchUp free  
     version, 349  
   image transparency, 352  
   for on-screen use, 358  
   perspective, 346  
   Push/Pull tool, 90

raster format, BC6  
 SketchUp, 77, 360  
 vector images, BC9  
 line drawings, 359  
 line quality (Mac only), BC8  
 line thickness, 255, 256, 266, 391, BC11  
 Line tool  
   about, 79  
   in LayOut, 376, 378, 393  
   in roof modeling, 111  
 line weights. *See* line thickness  
 linear array, 141  
 linear guide lines, 53  
 linear inferences, 31–32  
 load times  
   animations, 364  
   exporting, 353  
   file format differences, 356  
   workarounds, 406  
 Local collections, 122  
 locked layers, 384  
 locking components, 132  
 locking inferences, 32–33  
 logo file format choices, 356  
 longitude, 325  
 Look Around tool, 288  
 lossy compression, 354, 355

## • M •

Mac  
   copying, 49  
   floating dialog boxes, 372  
   folds, 48  
   Materials dialog box, 54, 55  
   Preferences dialog box, 21  
   printing from, 341–345  
   Sample tool, 56  
   Section Plane tool, 304  
   style mixing, 267  
   styles storage, 271  
   tools, 20  
 magazines, 359  
 Make Unique Texture, 231  
 Map Windows Fonts to PDF Base  
   Fonts, BC9  
 mapping photos, 222  
 Match Photo dialog box, 237, 238  
 Matched photo scene tab, 238  
 Materials dialog box, 54, 66, 223, 279  
 Maxwell, 413  
 Maya, BC15, BC16  
 measurement systems, 375  
 Measurements box  
   about, 20, 38–41  
   angles, 107  
   human heights, 286–287  
   in LayOut, 394  
   precision movements, 47  
 menu bar, 18, 19–20, 370–371  
 metric scale, 347  
 Microsoft. *See* Windows; *specific programs*  
 MicroStation, BC18  
 Model Collection button, 122, 124  
 Model collection of styles, 269  
 Model Info dialog box, 21, 280, 281, 296  
 Model library, 121  
 Model styles library, 292  
 model views, 387–391  
 modeling  
   advantages of, 132–133  
   axes, 59  
   component re-use, 118  
   on Google Earth snapshots, 323–328  
   with inferences, 32–33  
   with Move tool, 47–48  
   by photo-matching, 242–246  
   with projected textures, 233–235  
   with repeated elements, 140–142  
   settings, 266  
   simple plans, 59–65, 82–88  
   sites, 203–207  
   solids, 14  
   surfaces, 14  
   with symmetry, 133–139  
   on top of photo textures, 233–237  
   viewing requirements, 251  
 modeling mind-set  
   about, 23–24  
   edges and faces, 24–29  
   selecting with Google  
     about, 43–45  
     color and texture, 54–56  
     guides, 52–54  
     moving and copying, 45–51  
   3D on a 2D Screen, 29–33  
   warmup, 33–42  
 Modeling section, 254, 266

- modeling window
  - about, 17
  - clearing, 59
  - proportions for movies, 362
  - scene tab, 297
  - tabs, 293
- models, importing (LayOut), 376
- modifier keys, 20, 49
- moldings, 166
- mouse, 19, 34, 36
- Move pins, 226
- Move tool, 45–50
- movies, exporting, 363–364
- moving
  - Google Earth, 319
  - with LayOut, 383
  - texture, 225–227

## • N •

- Name (Layers), 215
- naming
  - components, 117
  - groups, 116
- navigation tools
  - about, 34–36
  - Google Earth, 318–320
  - pitfalls, 67
- nesting
  - active section planes, 307
  - components, 126, 150, 151, 211
  - re-ordering, 213
- Next Page tool, 377, 378
- nongeolocated models, 331
- nonphotorealistic rendering (NPR)
  - about, 17, 252–253
  - detail levels with, 257
  - Style Builder for, 254
  - style choices, 255
  - switching between, 267
- nosing (stairs), 141
- NVIDIA video cards, 413

## • O •

- OBJ, BC15, BC16–BC18
- Object Snap, 377, 393
- objects in sun, 275

- Official SketchUp Training Resources (Web site), 416
- offset printers, 359
- Offset tool, 81
- offsets around stamped forms, 198
- offsetting walls, 85–86
- On Faces check box, 274
- on foot presentation approaches, 286–290
- On Ground check box, 274
- OnClick, 156, 164
- Online collections, 122
- Online Help, 58
- Online Help Center (Google), 416
- online sources for components, 91
- on-screen viewing (computer or projector), 358, 366
- opacity, 55, 261, 279
- Open a local collection, 124
- openings, cutting, 90, 91, 92, 94, 118
- Orbit tool, 34–35, 67, 85
- orbiting
  - as Eraser tool check, 408
  - Intersect with Model tool, 110
  - problems with, 171
  - repetition, 66
- organic forms/modeling, 184–189, 411
- organization
  - about, 209–210
  - assembly, 217–219
  - Layers, 213–217, 383–385
  - Outliner, 210–213
- orientation checks, 261
- orthographic sections, 310
- Outliner
  - for component listings, 127
  - for group listings, 116
  - with Layers, 217–219
  - organization, 210–213
- Outliner dialog box, 211–212
- Outliner List window, 212
- Outliner Options flyout menu, 212

## • P •

- Page Size (printer), 340
- pages
  - adding, 382–383
  - in LayOut, 380
- Pages dialog box, 373, 383

- Pages Required, 343
- paint application, 65–68
- Paint Bucket tool, 56, 66
- pamphlets, 359
- Pan tool, 36, 67, 85
- panning
  - Google Earth, 319
  - Intersect with Model tool, 110
  - in LayOut, 383
- paper, clay compared with, 14
- paper drawings, 83
- Paper panel (LayOut), 375
- parallel guide lines, 53
- parallel projection, 78
- Parallel Projection (printing), 346, BC8
- parapets, 102, 104
- parent components, 155, 159
- parts, resizing, 180–181
- path, 166, 167
- PDF files, 386, 398, BC2, BC3–BC9
- PDF/EPS Options dialog box, BC5
- perspective
  - about, 29
  - in modeling, 60
  - in photograph selection, 243
  - printing limitations, 346
  - of sections, 309
  - switching from, BC8
- perspective bars, 238, 240–241
- photographs
  - about, 221
  - face painting
    - modeling of photo textures, 233–237
    - photo additions, 222–225
    - texture editing, 225–233
  - file format choices, 356
  - instead of geometry, 326
  - requirements for, 243
  - resolution choices, 359
- photo-matching
  - color, 237–238
  - modeling by, 242–246
  - setup, 239–242
- photo-matching interface elements, 238
- photorealism, 17, 253, 412–413
- Photoshop
  - alpha channel images with, 264
  - for SketchUp editing, 246
  - Style Builder with, 254
  - pin colors in Texture Tweaker, 226
- pipes, 166
- Piranesi, BC2, BC13
- pitched roof, 102, 104–106
- itches (roof slopes), 101, 102
- pitfalls. *See also* troubleshooting
  - clicking and dragging, 38, 45
  - curved surface textures, 225, 237
  - faces, 27–28
  - with Follow Me tool, 169–170
  - inside out faces, 258
  - “inside-outside” model, 76
  - Layers, 213, 216
  - losing changes, 301
  - navigation tools, 67
  - Orbit tool, 85
  - pitched roofs with eaves, 105
  - PNG format/software compatibility, 355
  - projected textures, 233
  - right-angle surfaces, 237
  - Rotate tool, 173
  - sketchy edges, 341
  - style excesses, 250
  - updating scenes, 297
- pixels
  - about, 355, 356
  - garbage from, 354
  - resolution considerations, 357–361
  - with Use View Size check box, 352
- placemarks, 320
- planes in models, 303
- planimetric views, 303
- plug-ins, 20, BC18. *See also* add-ons
- PNG format
  - exporting, 350, 398
  - inserting, 386
  - movies, 363
  - transparency with, 352
  - as watermarks, 264
- point inferences, 31
- polishing appearances, 137, 139
- polygon count (faces), 186
- Polygon tool, 377, 378
- polygonal modelers, 15
- Portable Document Format. *See* PDF files
- Portable Network Graphics. *See* PNG format
- Position Camera tool, 286–287
- position criteria, 3D Warehouse, 332

- Position Texture tool, 222, 225
  - PowerPoint
    - eliminating, 400
    - export settings, 366
    - image size recommendations, 358
    - LayOut previewing, 371
  - pre-existing terrain conditions, 194
  - Preferences, 371
  - Preferences dialog box, 21, 374–375, 394
  - pre-made dynamic components, 96
  - presentation approaches
    - about, 285
    - on foot, 286–290
    - scenes
      - about, 290–291
      - creating, 291–294
      - modifying, 296–302
      - moving among, 294–296
    - sections
      - about, 302
      - animations, 310–312
      - cutting, 303–310
  - presentation boards, 359
  - presentation documents. *See* LayOut
  - Presentation preferences (LayOut), 374
  - PresentationBundle (Ruby script), 411
  - Previous Page tool, 377, 378
  - Print dialog box (Mac), 344–345
  - Print Quality (printer), 340, 344
  - Print Scale, 343
  - Print Setup dialog box, 337
  - Print Size (printer), 338, 343
  - printing
    - with LayOut, 397–398
    - from a Mac, 341–345
    - resolution recommendations, 359–361
    - to scale, 335, 343, 345–348
    - from a Windows computer, 335–341
  - printing dialog boxes
    - Mac, 343–345
    - Windows (operating system), 337–341
  - Profile Lines (Windows only), BC7, BC11
  - profiles, drawing, 170–176
  - Profiles check box, 255, 256
  - projected textures, 233–235
  - properties
    - printer settings, 337
    - of scenes, 298–302
  - proportions, adjusting, 230–233
  - Protractor tool, 104–106, 107
  - Purge (Layers), 215
  - Purge Unused, 124, 270
  - Push/Pull tool
    - extruding into 3D, 88
    - with Follow Me tool, 176
    - Follow Me tool compared with, 166
    - limitations, 90
    - with scaling, 184–185
- *Q* •
- QuickTime MOVs, 363
- *R* •
- radial symmetry, 133, 137–139
  - rake, 102
  - raster formats
    - about, 355–356
    - exporting, 350–353, 398
    - in LayOut, 386, 390–391
    - limitations, BC6
    - printing, 341, 344
    - resolution choices, 357–361
    - types of, 354–357
  - realism, 275–279
  - rectangle choices, 60–61
  - Rectangle tool, 60, 63, 377, 378
  - reference point, 262
  - References panel (LayOut), 375
  - referencing attributes, 153
  - rejection criteria, 3D Warehouse, 332
  - relationships and rules, 151
  - relocating in layers, 215–216
  - removing scenes, 297–298
  - renaming scenes, 297–298
  - renaming styles, 269
  - renderers, 412–413
  - reordering scenes, 297–298
  - repeated elements, 132, 140–142
  - repetition on tiled surfaces, 225
  - resizing, 42
  - resolution. *See also* pixels
    - about, 357–361
    - in LayOut, 375
    - with Use View Size check box, 352
  - resources
    - about, 415

- free items, 415–416
  - purchases, 417
  - reusing LayOut files, 374
  - Reverse option (sections), 307
  - right-angle surfaces, 237
  - rise over run ratios, 107
  - rise/riser, 96
  - roofs
    - about, 101–103
    - assembly, 110–113
    - flat with parapets, 104
    - gabled, 106–108
    - hip, 109–110
    - pitched with eaves, 104–106
    - sloping, 61–63
  - Roskes, Bonnie, 417
  - Rotate pins, 226
  - Rotate tool, 173
  - rotating
    - in Google Earth, 319
    - models, 278
    - section planes, 306
    - texture, 225–227
  - Round function, 162
  - rounding off edges, 175
  - RTF files, 391
  - rubber-banding lines, 38
  - Ruby Library Depot (Web site), 411–412
  - Ruby scripts
    - about, 3, 410–412
    - with From Contours tool, 192
    - with Follow Me tool, 170
  - rules and relationships, 151
  - run, 96
  - running start
    - about, 57
    - paint, 65–68
    - quick model, 59–65
    - setup, 57–59
    - shadows, 69–71
    - style, 68–69
    - work sharing, 71
- S •
- Sample tool, 56
  - Sandbox
    - site modeling, 203–207
    - tools, 189–203
  - Sang, 78, 144
  - Save as a local collection, 124
  - saving
    - backup copies, 301
    - KMZ files, 329–330
    - properties, 299
    - scenes, 290, 300
    - styles, 268
  - scalability
    - PDF files, BC7
    - of vector images, 350
    - vectors, BC6
  - scale
    - of DWG/DXF files, BC11
    - printing to, 335, 343, 345–348
    - showing/preserving, 390
    - types of, 347
  - Scale (printer), 340
  - scale line/vertical axis, 238
  - Scale tool
    - about, 180–181
    - attributes, 156
    - Dynamic Components, 144–146
    - modeling with, 180–183
    - organic forms, 184–189
  - Scales (LayOut), 375
  - scaling
    - criteria, 3D Warehouse, 332
    - drawings, BC8
    - models with photos, 230–233
    - photographs, 241
    - texture, 225–227
  - Scene Delay area, 295
  - scenes
    - about, 290–291
    - creating, 291–294, 388
    - exporting, 362
    - modifying, 296–302
    - moving among, 294–296
    - problems with, 171
  - Scenes and Styles dialog box, 292
  - Scenes dialog box, 293, 297, 299
  - School DVD, 417
  - School Podcasts (Web site), 416
  - Scrapbooks dialog box, 374
  - Search filter box, 212
  - section cut lines (Windows only), BC8
  - Section Cuts check box, 266
  - section lines, BC12

- Section Plane tool, 304, BC12
- Section Planes check box, 266
- sections
  - about, 302
  - animations, 310–312
  - cutting, 303–310
    - as workaround, 407
- Sections toolbar, 304
- Select and replace, 125
- Select pane, 122–124
- Select tool, 43, 376, 378, 393
- selecting with Google
  - about, 43–45
  - guides, 52–54
  - moving and copying, 45–51
- selecting with Move tool, 49
- selecting with Outliner, 213
- settings
  - animations, 364–367
  - in Model Info dialog box, 21
  - PDF files, BC6–BC9
  - scene views, 292
  - for shadows, 273–275, 276
- setup
  - initial, 57–59
  - photo-matching, 239–242
- Shaded mode, 260
- Shaded with Textures, 261
- Shadow Settings check box, 301
- Shadow Settings dialog box, 273–275
- shadow settings properties, 299
- shadows
  - about, 69–71
  - accuracy, 279–283
  - depth and realism, 275–279
  - in LayOut, 390
  - settings, 273–275
- Shape Style dialog box, 373, 395
- shapes, increasing complexity of, 394–395
- Shapes library, 168
- sharing
  - among files, 271–272, 373, 376
  - components, 120
  - layers, 383
- shearing texture, 225–227
- shed roof, 102
- Shift (scaling proportionally), 183
- Shortcuts (LayOut), 375
- Shortcuts panel, 21, 394
- shortening shadows, 278
- Show Extensions check box, BC12
- side grips (distorted scaling), 182
- simple plans
  - doghouse, 59–65
  - 2D builds, 82–88
- Simplify Contours (Ruby script), 192
- site modeling, 203–207
- size change automation, 158
- sizing accuracy, 325
- SketchUcation (Web site), 416
- SketchUp. *See also* LayOut
  - about, 11–13
  - cans and can'ts, 15–17
  - DWG/DXF import limitations, BC10
  - file format options, 349
  - with Google Earth, 316, 320–321, 325
  - Help Group, 416
  - image quality problems, 354
  - limitations, 77, 360
  - models, 387
  - origins of, 1
  - Professional
    - differences, 58, 144
    - for Dynamic Components, 149
    - LayOut for printing, 335
    - perks, BC1–BC23
    - Sandbox tools, 189
  - ten-minute tour, 17–21
  - 3D modeling programs compared, 13–15
  - with 3D Warehouse, 316
  - unsupported formats, 352, 356
  - Web site, 144
- SketchUp 7
  - nonphotorealistic rendering, 254, 255
  - Style Builder, 254
  - texture editing changes, 246
- SketchUp Help Group (Web site), 416
- SketchUp Model dialog box, 373, 388–391
- SketchUp panel (printer), 344
- SketchUp Pro training, 417
- Sketchupmodels (Web site), 410
- Sketchy Edges styles, 252, 267, 345
- SketchyPhysics, 411–412
- SKP files, 412

- Sky feature, 262
  - smart replication, 158–162
  - smart scaling, 144–146, 154–158
  - smoothing edges, 168, 180
  - Smooove tool, 193, 196–198
  - Smustard (Web site), 411
  - snap settings, 371, 394–397
  - snapshots from Google Earth, 322–328
  - soffit, 102
  - Soften Edges dialog box, 180
  - software license, 58
  - solids, modeling, 14
  - SolidWorks, 14
  - Sort by Name, 212
  - space requirements, raster images, 356
  - SpaceNavigator from 3Dconnexion, 413
  - spacing section planes, 306
  - specific destinations (Google Earth), 320
  - spheres, 166, 167–169
  - spindles, 166
  - Split tool, 377, 378
  - spreadsheets for Dynamic Components, 150, 151
  - stacking order, 371
  - stairs
    - component options for, 146
    - cut-through views, 304
    - modeling, 95–101
    - steps, 140–142
  - Stamp tool, 198–200
  - Standard quality (printer), 340
  - Standard views (printing), 346
  - Start Presentation tool, 377, 378
  - Startup preferences (LayOut), 375
  - Statistics pane, 125–126
  - status bar, 18, 20–21
  - status indicator icons, 21
  - sticky geometry, 116
  - Stretch Texture mode, 225, 227–230
  - stringer (stairs), 141
  - strokes, 373
  - Style Builder, 3, 254
  - style properties, 299
  - Style tool, 377, 378
  - styles
    - about, 249
    - application of, 250–253
    - choices, 68–69
    - editing
      - about, 253–254
      - background setup, 261–262
      - creating, 269–272
      - edge settings, 255–257
      - face changes, 257–261
      - model settings, 266
      - saving changes, 268
      - style mixing, 267
      - updating, 269
      - watermarks, 262–265
    - in LayOut, 373, 391
    - mixing, 267
    - scenes compared, 292
    - updating, 390
  - Styles Collections drop-down list, 251–252
  - Styles dialog box, 254, 266, BC12
  - SU Podium (Web site), 412
  - SU Wiki (Web site), 416
  - subcomponents, 151, 155, 159
  - Subdivide and Smooth (Ruby script), 411
  - Subdivided Rectangles method, 96–99
  - subject matter as printing quality choice, 359
  - subtracting from a model, 175, 176–180
  - sun effects
    - on built objects, 273
    - turning on, 274
  - surfaces, modeling, 14
  - symmetry, modeling, 119, 133–139
- T ●
- Tabbed Scene Print Range (printer), 338
  - taboo subjects, 331
  - Tagged Image Files. *See* TIFF format
  - tail (short edge), 175
  - Tal, Daniel (SketchUpper extraordinaire), 203–207
  - Tape Measure tool
    - about, 82
    - for guide lines, 52–53
    - resizing with, 42
    - toggling, 54
  - templates (LayOut), 376, 379–381

- ten-minute tour
  - of Google Earth, 317–320
  - of SketchUp, 17–21
- terrain
  - criteria, 3D Warehouse, 332
  - Google Earth, 319, 325
  - modeling, 189, 193–196
  - Smooove tool on, 196
- text boxes, 386
- text editing (LayOut), 380
- text files, inserting, 391
- Text Style dialog box, 373
- Text tool, 377, 378
- texture
  - criteria, 3D Warehouse, 332
  - editing, 225–233
  - on faces, 54–56, 223
  - right-sizing, 326
- Texture Tweaker, 222, 225
- thickness
  - edges, 25, 95
  - faces, 27
- 3D data, BC15–BC23
- 3D modeling programs, 13–15
- 3D objects, 278
- 3D on a 2D Screen, 29–33
- 3D Studio Max, 258, BC1
- 3D Warehouse, 91, 121, 122, 124, 144
- 3DS, BC15, BC16, BC19–BC21
- TIFF format
  - about, 264
  - color support, 356–357
  - exporting, 350
  - inserting, 386
  - movies, 363
  - transparency with, 352
  - as watermarks, 354
- Tiled Sheet Print Range (printer), 340
- tiles (image textures), 224
- tilting in Google Earth, 319
- time
  - setting, 274
  - in shadow studies, 279, 282–283
- timing of scene transitions, 295–296
- toolbars, 18, 34, 36
- tools
  - LayOut, 371, 376–378
  - SketchUp, 19, 20
- Tools on Surface (non-flat surfaces), 412
- transitions in animations, 294–295, 366
- translucency, 55
- Translucent library, 200
- transparency
  - as computer performance factor, 261
  - image backgrounds, 352
  - with shadows, 279
  - in textures, 56
  - of watermarks, 264, 265
- traps and workarounds
  - component immobility, 407
  - crashes/lost work, 405–406
  - edges, 408
  - eraser problems, 408
  - faces, 403–405, 407, 408
  - inside views, 407
  - layers, 408
  - speed issues, 406
- tread, 96
- troubleshooting. *See also* pitfalls
  - component immobility, 407
  - crashes/lost work, 405–406
  - diagnosis with axis color, 257
  - edges, 408
  - eraser problems, 408
  - Esc button, 46
  - faces, 28, 403–405, 407, 408
  - inside views, 407
  - layers, 408
  - speed issues, 406
  - stray edges, 259
- TV viewing, 367
- tweaking, 186
- 2D drawings
  - DXF and DWG, BC9–BC13
  - EPIX, BC13–BC14
  - exporting, BC2
  - formats, BC2
  - PDF and EPS, BC3–BC9
- 2D images, exporting
  - about, 349–350
  - raster formats, 354–357

- raster images, 350–353
  - resolution choices, 357–361
- 2-D Section Slice Only (printer), 341
- 2D to 3D plans, 88–91
- 2D views with sun, 275
- TXT files, 391

## • U •

- unbounded text boxes, 386
- Undo function, 166, 300
- Unglue option, 407
- ungrouping, 117, 132
- union (roof geometry), 110
- uniqueness, 132
- Units panel (LayOut), 375
- unlocking, 132
- unshared layers, 383
- unsmoothing edges, 180
- updating
  - automatic, 117, 146, 268
  - Google Earth, 316
  - LayOut files, 375, 376, 390
  - scenes, 292, 297, 300–301
  - in SketchUp, 370
  - styles, 268–269
- Use Model Extents (printer), 340
- Use View Size check box, 352
- uses for shadows, 283

## • V •

- valley, 102
- vanishing point grips, 238
- vector file formats. *See* EPS format; PDF files
- vectors
  - about, 350, BC5–BC6
  - format, 391
  - limitations, BC9
  - printing, 341, 344–345
  - with SketchUp, 349, 360
- VectorWorks, 77, BC18
- vertical axis, 238
- vertical slices (sections), 303, 304

- video card quality, 413
- video compression, 364
- View, 19
- View in Google 3D Warehouse, 124
- View Options button, 123
- viewing requirements, 251
- viewpoint, 289–290, 295, 298, 308–310
- visibility
  - hide/unhide, 212, 214
  - of layers, 215, 299
  - of modeling elements, 266
  - of sections, 303, 308
- visual spam as criterion, 3D Warehouse, 332
- VRML, BC15, BC 21–BC22
- Vue, 413

## • W •

- Walk tool, 286, 287–288
- walking off high surfaces, 288
- walk-through suggestions, 295–296
- walls
  - about, 76
  - doors and windows, 91–95
  - simple plans, 82–88
  - 2D, 77–82
  - 2D to 3D, 88–91
- warmup, 33–42
- Watermark section, 254, 262–265
- watermarks, editing, 262–265
- Web sites
  - Artlantis R, 413
  - Dummies books, 415
  - Dynamic Components, 164
  - Form Fonts, 409–410
  - Google Earth, 318
  - Google SketchUp Help Group, 416
  - IDX Renditioner, 412
  - image file format choices, 354
  - image size recommendations, 358
  - Official SketchUp Training Resources, 416
  - Ruby Library Depot, 411–412
  - School Podcasts, 416
  - SketchUcation, 416
  - SketchUp, 144

Web sites (*continued*)


- Sketchupmodels.com, 410
- Smustard.com, 411
- SU Podium, 412
- SU Wiki, 416
- 3D Warehouse, 121
- YouTube, 366, 411, 415
- Welcome to SketchUp dialog box, 58
- Weld (Ruby script), 170, 411
- wide field of view, 289
- Width and Height, 343, 352
- Window, 19
- Windowizer (Ruby script), 411
- windows
  - adding, 91–95
  - creating, 130–131
  - selecting, 44
- Windows (operating system)
  - copying, 49
  - Materials dialog box, 54
  - printing from, 335–341
  - Sections toolbar, 304
  - style mixing, 267
  - styles storage, 271
  - tools, 20
- Windows Bitmap (BMP) format, 357
- Windows Print dialog box, 337–341
- Wireframe mode, 259, 408
- work sharing, 71

## workarounds

- component immobility, 407
- crashes/lost work, 405–406
- diagnosis with axis color, 257
- edges, 408
- eraser problems, 408
- Esc button, 46
- faces, 28, 403–405, 407, 408
- inside views, 407
- layers, 408
- speed issues, 406
- stray edges, 259



- X-Ray (transparency), 261
- XSI, BC15, BC16–BC18



- YouTube (Web site), 366, 411, 415



- Z-fighting, 332, 407
- Zoom Extents tool, 36, 67
- Zoom tool, 35–36, 67, 85
- zooming, 110, 319, 383