

Index

• Numerics •

- 1/2-integer spin, 121–122
- 3-D free particle wave function, 136–137
- 3-D harmonic oscillators, 149–150
- 3-D isotropic harmonic oscillators, 172–174
- 3-D rectangular coordinates
 - answers to problems on, 151–160
- 3-D spherical coordinates
 - answers to problems on, 175–181
 - general discussion, 161–166

• A •

- adjoints, 18
- allowed energy levels (E), 40–41
- amplitude, probability, 8, 9, 11
- angular frequency of motion, 235
- angular momentum. *See also* spin
 - answers to problems on, 112–120
 - and commutators, 100–101
 - degeneracy, 197–198, 205–206
 - eigenvectors of
 - general discussion, 102–103
 - obtaining, 104–105
 - raising or lowering, 106–107
 - lowering operator (L_-)
 - and angular momentum eigenvalues, 104–105
 - and angular momentum eigenvectors, 102–103
 - using to find ground state, 271–272
 - using with harmonic oscillators, 72–76
 - L_x operator, 98, 99, 101
 - L_y operator, 98, 101
 - L_z operator, 97, 98, 101, 102, 104, 124
 - overview, 97–99
 - treating with matrices, 108–111
- annihilation operator
 - and angular momentum eigenvalues, 104–105
 - and angular momentum eigenvectors, 102–103

- using to find ground state, 271–272
- using with harmonic oscillators
 - directly on eigenvectors, 76
 - finding energy after, 74–75
 - overview, 72–73
- anti-Hermitian operators, 33
- antisymmetric wave functions
 - of multiple free particles, 225
 - overview, 213–214
 - under particle exchange, using minus sign for, 281
 - versus symmetric, 222–223
 - of three free particles, 225
 - of two free particles, 218
- atoms. *See also* electrons
 - Bohr model of
 - as harmonic oscillators, 69, 276
 - hydrogen
 - answers to problems on, 199–206
 - and center-of-mass coordinates, 186–187
 - hydrogen energy levels, 195–198
 - overview, 183
 - Schrödinger equation appears for, 183–185
 - solving dual Schrödinger equation for, 188–189
 - solving radial Schrödinger equation for, 190–194
 - with multiple electrons, 209

• B •

- barrier, potential, 50
- Bessel functions
 - and Schrödinger equation for radial part of wave function, 167–171
 - for small r , 178
 - spherical, 177, 179
- Bohr model of atom, 276
- Bohr radius, 41, 55, 205

- Born approximation
 - to find the differential cross section, 256–257
 - first-order, 255, 263
 - second-order, 255, 263
 - to solve Schrödinger equation to find scattering amplitude, 254–255
 - zeroth-order, 255
- bosons, 122, 213
- bound states. *See also* energy wells
 - answers to problems on, 54–67
 - energy levels for particle trapped in square well, 55
 - when particles stuck in square wells, 216–217
- boundary conditions, 60, 63, 65, 270–271
- box well potential, particles stuck in
 - 3-D version of square well, 141
 - finding energy levels, 144–146
 - normalizing wave function, 146–148
 - overview, 141
- bra-ket notation, 12–13. *See also* bras; kets
- bras
 - corresponding ket, 12
 - finding orthonormal ket to, 29
 - multiplying with ket, 12, 13
 - overview, 12
 - purpose of, 14
 - with six elements, finding identity operator for, 30
 - and spin, 121
 - for state vector of four-sided dice, 28
 - for state vector of pair of dice, 12
 - taking from one side of equation to another, 279
- **C** •
- Cartesian coordinates
 - 3-D free particle wave function, 136–137
 - 3-D harmonic oscillators, 149–150
 - 3-D rectangular coordinates, 151
 - free wave packets, 138–140
 - overview, 133
 - particles stuck in box well potential
 - finding energy levels, 144–146
 - general discussion, 141–143
 - normalizing wave function, 146–148
 - Schrödinger equation in three dimensions, 133–135
 - center-of-mass coordinates, 186–187
 - center-of-mass frames
 - answers to problems on, 259, 265
 - scattering in, 248, 249
 - taking cross sections from lab frames to, 250–252
 - translating between lab frames and, 248–250
 - central potential, spherical coordinates, 163
 - CGS (centimeter-gram-second) units, 199
 - classical physics
 - definition for acceleration, 70
 - energy equation, 71, 85
 - harmonic oscillators, 69, 70
 - restriction of particles from certain regions, 48, 62
 - “wayward” particles, 277
 - column vector, 18
 - commutators
 - and angular momentum, 100–101
 - definition of, 282
 - finding, 74
 - complete reflection, 61
 - complex conjugate
 - of kets, 13
 - of operators, 15, 279
 - of wave functions, 280
 - complex number, 18
 - conditions
 - boundary, 60, 63, 65, 270–271
 - continuity, 62
 - conjugate
 - complex
 - of kets, 13
 - of operators, 15, 279
 - of wave functions, 280
 - Hermitian, 12
 - constraints, 76, 178, 179
 - continuity conditions, 62, 179
 - continuous energy levels, 69

continuous states, 23
 continuous wave function, 179
 coordinates
 Cartesian
 3-D free particle wave function, 136–137
 3-D harmonic oscillators, 149–150
 3-D rectangular coordinates, 151
 free wave packets, 138–140
 overview, 133
 particles stuck in box well potential, 141–149
 Schrödinger equation to three dimensions, 133–135
 center-of-mass, 186–187
 spherical
 3-D, 161–166
 free particles in, 167–169
 overview, 161–162
 sin θ in, 280
 spherical potential wells, 170–171
 creation operator
 and angular momentum eigenvalues, 104–105
 and angular momentum eigenvectors, 102–103
 using with harmonic oscillators
 directly on eigenvectors, 76
 finding energy after, 74–75
 overview, 72–73
 cross section
 differential
 center-of-mass frame, 250
 defined, 246
 finding, 263–265
 lab frame, 250
 relating scattering amplitude to, 253
 relating total cross section to, 247, 258
 for weak, spherically symmetric potentials, 256
 total
 defined, 246
 relating to differential cross section, 247, 258
 cubic potential, 158
 current density (incident flux), 59, 61, 246

• D •

degeneracy
 angular momentum, 197–198, 205–206
 degenerate eigenvalues, 23
 energy, 197
 differential cross section
 center-of-mass frame, 250
 defined, 246
 finding, 263–265
 lab frame, 250
 relating scattering amplitude to, 253
 relating total cross section to, 247, 258
 for weak, spherically symmetric potentials, 256
 Dirac notation, 12–13. *See also* bras; kets
 Dirac, Paul (physicist), 12
 discrete states
 defined, 7
 systems without, 23
 dual nature of light and matter, 276

• E •

eigenfunctions
 of L^2 operator, 164
 symmetric versus antisymmetric, 213–214
 eigenstates
 and angular momentum, 97, 124
 of harmonic oscillator, 87
 of L_z operator, 113
 raising by one level. *See* raising operator (L^+)
 spatial, 77
 for spin, 121–123, 126, 128, 129
 values when apply operators to. *See* eigenvalues
 eigenvalues
 of angular momentum, 104–105, 113–114
 in equation for harmonic oscillators, 85
 finding, 33–36
 overview, 269–270
 eigenvectors
 of angular momentum
 answers to problems on, 113–114
 obtaining, 104–105
 overview, 102–103
 raising or lowering, 106–107
 in equation for harmonic oscillators, 85
 finding, 33–36

Einstein, Albert (physicist), 277
 elastic scattering, 252–253
 electric field, and perturbation theory, 229, 235, 236, 240, 242, 243
 electron volts (eV), 56
 electrons
 kinetic energy of nucleus and, 209
 multiple, 209
 spin of, 277
 energy levels
 continuous, 69
 of four distinguishable particles in square well, 224
 meeting boundary conditions for, 270–271
 for particle trapped in square well, 55–56
 and perturbation theory, 229–234
 of proton undergoing harmonic oscillation, 91
 energy states, quantized, 40
 energy wells
 bound states, 54–67
 determining allowed energy levels, 40–41
 overview, 37
 potential steps
 tunneling (plowing through), 50–53, 62, 277
 when particle doesn't have enough energy, 48–49
 when particle has plenty of energy, 45–47
 potential wells
 spherical, 161, 170–171
 trapping particles in, 275–276
 square wells
 defined, 37
 energy levels of four particles in, 224
 general discussion, 37–39
 particles stuck in, what bound states look like, 216–217
 Schrödinger equation for particle in, 54–55
 symmetric, translating to, 44–45
 wave functions for particles in, 57, 224
 wave function
 general discussion, 37–39
 normalizing, 42–43
 Example icon, explained, 3

exchange operator, 211–212
 excited states, 272–273
 expectation value
 of identity operator for six-sided dice, 31–33
 for physical measurements, 18, 282
 of two four-sided dice, 30–31

● *F* ●

fermions, 112, 122, 213
 first-order Born approximation, 255, 263
 frames
 center-of-mass
 answers to problems on, 259, 265
 scattering in, 248, 249
 taking cross sections from lab frames to, 250–252
 translating between lab frames and, 248–250
 lab
 scattering in, 248
 taking cross sections from, 250–252
 translating between center-of-mass frames and, 248–250
 free particles
 in spherical coordinates, 167–169
 wave functions
 3-D, 136–137
 finding, 275
 free wave packets, 138–140
 functions
 3-D free particle wave, 136–137
 antisymmetric wave
 of multiple free particles, 225
 overview, 213–214
 under particle exchange, using minus sign for, 281
 versus symmetric, 222–223
 of three free particles, 225
 of two free particles, 218
 Bessel
 and Schrödinger equation for radial part of wave function, 167–171
 for small r , 178
 spherical, 177, 179

continuous wave, 179
 eigenfunctions
 of L^2 operator, 164
 symmetric versus antisymmetric,
 213–214
 Green's, 254
 Legendre, 164, 175–176
 Neumann, 167–171, 177–179
 symmetric wave
 versus antisymmetric, 222–223
 general discussion, 213–214
 of multiple free particles, 225
 of three free particles, 225
 functions, tables of, 273

• G •

Gaussian wave packet, 154
 gradient operators, 15
 Green's functions, 254
 ground state, 55, 88–90, 271–272

• H •

half-integer spin, 121–122
 Hamiltonian operator
 and angular momentum, 97
 defined, 15
 finding ground state wave function, 77–78
 for multiple-particle system, 220
 overview, 70–71
 perturbation Hamiltonian, 229, 235,
 237, 238
 of system of many independent
 distinguishable particles, 223–224
 viewed in terms of matrices, 82–84
 harmonic oscillators
 3-D, 149–150
 answers to problems on, 85–94
 finding excited states' wave functions,
 79–81
 overview, 69
 using raising and lowering operators with
 directly on eigenvectors, 76
 finding energy after, 74–75
 Heisenberg Uncertainty Principle, 276

Hermite polynomials, 79, 80, 90–91, 273
 Hermitian adjoint, 33
 Hermitian conjugate, 12
 Hermitian operators, 18, 33
 Hooke's law, 70
 hydrogen atoms
 answers to problems on, 199–206
 and center-of-mass coordinates, 186–187
 how Schrödinger equation appears for,
 183–185
 hydrogen energy levels, 195–198
 overview, 183
 solving dual Schrödinger equation for,
 188–189
 solving radial Schrödinger equation for,
 190–194

• I •

icons, explained, 3
 identity operators
 for bras and ket with six elements, 30
 defined, 15
 for pair of six-sided dice, 31–33
 incident flux, 246
 integer spin, 122
 integrals, not doubling up on, 281
 intrinsic angular momentum. *See* spin
 inverse of operators, 18
 isotropic harmonic oscillators, 3-D, 172–174

• K •

kets
 corresponding bra, 12
 difference from wave functions, 279
 multiplying with bra, 12, 13
 orthonormal, 29
 with six elements, 30
 taking from one side of equation to
 another, 279
 kinetic energy. *See also* elastic scattering
 of electrons and nucleus, 209
 of harmonic oscillators, 85
 of proton, in Schrödinger equation, 184
 term of, in hydrogen atom's Schrödinger
 equation, 199

• **L** •

L^2 operator, 100, 102, 104, 124
 lab frames
 scattering in, 248
 taking cross sections from, 250–252
 translating between center-of-mass frames and, 248–250
 Laguerre polynomials, 172–174, 179, 180, 204
 Laplacian operator
 3-D Schrödinger equation using, 134
 defined, 15
 including $\sin \theta$ in, in spherical coordinates, 280
 in problem on behavior of particle trapped in energy well, 38
 in spherical coordinates, 162–163
 Legendre differential equation, 164
 Legendre functions, 164, 175–176
 Legendre polynomials, 164, 175
 light, dual nature of, 276
 linear momentum operators, 15
 lowering operator (L_-)
 and angular momentum eigenvalues, 104–105
 and angular momentum eigenvectors, 102–103
 using to find ground state, 271–272
 using with harmonic oscillators
 directly on eigenvectors, 76
 finding energy after, 74–75
 overview, 72–73
 L_x operator, 98, 99, 101
 L_y operator, 98, 101
 L_z operator, 97, 98, 101, 102, 104, 124

• **M** •

m quantum number, 128
 matrices
 Hamiltonian operator viewed in terms of, 82–84
 spin in terms of, 126–127
 treating angular momentum with, 108–111
 matter, dual nature of, 276

minus sign, in Schrödinger Equation, 280
 momentum, angular
 answers to problems on, 112–120
 and commutators, 100–101
 degeneracy, 197–198, 205–206
 eigenvectors of
 obtaining, 104–105
 overview, 102–103
 raising or lowering, 106–107
 L_z operator, 97, 98, 101, 102, 104, 124
 overview, 97–100
 treating with matrices, 108–111
 monofont terms in this book, 1
 multi-particle systems
 answers to problems on, 220–225
 exchanging particles, 211–212
 multiple-electron systems, 209–210
 overview, 207–208
 symmetric and antisymmetric, 218–219
 symmetric and antisymmetric wave functions, 213–214
 systems of many distinguishable particles, 215–217
 multiple-electron systems, 209–210
 multistate system, defined, 7

• **N** •

negative sign, in Schrödinger equation, 280
 Neumann functions, 167–171, 177–179
 Newton's Second Law, 70
 normalizing
 state vectors, 8, 28
 wave functions, 42–43, 269
 nucleus, kinetic energy of electrons and, 209
 number operator (N), 73, 83, 86

• **O** •

operators
 applying to its eigenvector, 23–26
 commutators of, 21–22
 complex conjugate of, 279
 defined, 8
 expectation values of, 18–20

- Hamiltonian
 and angular momentum, 97
 defined, 15
 finding ground state wave function, 77–78
 for multiple-particle system, 220
 overview, 70–71
 perturbation Hamiltonian, 229, 235, 237, 238
 of system of many independent distinguishable particles, 223–224
 viewed in terms of matrices, 82–84
 Hermitian, 18, 33
 identity
 for bras and ket with six elements, 30
 defined, 15
 for pair of six-sided dice, 31–33
 inverse of, 18
 L_- (lowering operator)
 and angular momentum eigenvalues, 104–105
 and angular momentum eigenvectors, 102–103
 using to find ground state, 271–272
 using with harmonic oscillators, 72–75
 L_+ (raising operator)
 and angular momentum eigenvalues, 104–105
 and angular momentum eigenvectors, 102–103
 using to find excited states, 272–273
 using with harmonic oscillators, 72–76
 L^2 operator, 100, 102, 104, 124
 Laplacian
 3-D Schrödinger equation using, 134
 defined, 15
 including $\sin \theta$ in, in spherical coordinates, 280
 in problem of how particle trapped in energy well behaves, 38
 in spherical coordinates, 162–163
 linear momentum, 15
 L_x operator, 98, 99, 101
 L_y operator, 98, 101
 L_z operator, 97, 98, 101, 102, 104, 124
 number operator (N), 73, 83, 86
 overview, 14–18
 P_x operator, 98
 P_y operator, 98
 P_z operator, 98
 S_- (spin lowering) operator, 124, 125, 128, 129
 S_+ (spin raising) operator, 124, 125, 127, 128–130
 S^2 (spin squared) operator, 124, 126
 for spin, 124–125
 S_z (spin in the z direction) operator, 124, 125, 127–129
 unitary operators, 18
 unity operators, 15
 orthogonal kets, 15
 orthonormal kets, 15, 16, 17, 29
 oscillators. *See* harmonic oscillators
- *p* ●
- particles
 free, 136–137, 167–169, 275
 multi-particle systems, 207–225
 restriction of from certain regions, 48, 62
 stuck in box well potential, 141, 144–148
 tunneling, 50–53, 62, 277
 pendulums, 69
 perturbation Hamiltonians, 229, 235, 237, 238, 281
 perturbation theory
 answers to problems on, 237–243
 application of, 235–236
 and electric field, 229, 235, 236, 240, 242, 243
 and energy levels and wave function, 229–234
 overview, 229
 photoelectric effect, 277
 plane waves, 46
 potential barrier, 50–53. *See also* tunneling
 potential energy, 85, 199

potential steps. *See also* potential barrier
 defined, 45
 example of, 45
 when particle doesn't have enough energy, 48–49
 when particle has plenty of energy, 45–47

potential wells
 box well potential, particles stuck in
 3-D version of square well, 141
 finding energy levels, 144–146
 normalizing wave function, 146–148
 overview, 141
 spherical, 161, 170–171
 trapping particles in, 275–276

principal quantum number, 163, 197

probability, 8, 9, 10, 11

probability amplitude, 8, 9, 11, 27–28, 38

probability density, 49, 62

P_x operator, 98

P_y operator, 98

P_z operator, 98

• Q •

quantization condition, 195

quantized energy states, 40

quantum, defined, 7

quantum harmonic oscillator, 276

quantum tunneling, 62, 277

• R •

raising operator (L_+)
 and angular momentum eigenvalues, 104–105
 and angular momentum eigenvectors, 102–103
 using to find excited states, 272–273
 using with harmonic oscillators
 directly on eigenvectors, 76
 finding energy after, 74–75
 overview, 72–73

rectangular coordinates, 3-D, 151

reduced mass, 186

Remember icon, explained, 3

row vector, 18

• S •

S_- (spin lowering) operator, 124, 125, 128, 129

S_+ (spin raising) operator, 124, 125, 127–130

S^2 (spin squared) operator, 124, 126

scalars, 100

scattering theory
 answers to problems on, 258–265
 Born approximation, 256–257
 calculations in center-of-mass frame, 248–252
 elastic scattering, 252–253
 experiments with, 245–247
 getting scattering amplitude of particles, 253–255
 overview, 245, 277

Schrödinger equation
 and 3-D free particle, 136–137
 for box well potential, 142–143, 155
 breaking into two parts, 274
 to find scattering amplitude, 253–254
 for four independent particles in square well, 216
 and free wave packets, 138–139
 for hydrogen atoms, 183–185
 for incident and scattered particle system, 252
 including minus sign in, 280
 for isotropic harmonic oscillator, 172–173
 for particle trapped in square well, 38–39, 54–55

perturbed, solving for first-order correction, 231–232

perturbed, solving for second-order correction, 233–234

for potential barrier, 50

for radial part of wave function, 167

for regions $x < 0$ and $x > 0$, 46

in spherical coordinates, 162

in spherical coordinates with spherical potential, 166, 175–176

for three-dimensional harmonic oscillator, 149

using two for hydrogen, 274

writing in one dimension, 39

second-order Born approximation, 255, 263

- $\sin \theta$, in spherical coordinates, 280
 solved quantum physics problems,
 famous
 Bohr model of atom, 276
 dual nature of light and matter, 276
 free-particle wave functions, 275
 photoelectric effect, 277
 quantum harmonic oscillator, 276
 scattering theory, 277
 spin of electrons, 277
 trapping particles in potential well,
 275–276
 tunneling, 277
 uncertainty principle, 276
 spherical Bessel functions, 167–171,
 177–179
 spherical coordinates
 3-D
 answers to problems on, 175–181
 general discussion, 161–166
 isotropic harmonic oscillators,
 172–174
 free particles in, 167–169
 overview, 161–162
 $\sin \theta$ in, 280
 spherical potential wells, 170–171
 spherical harmonics, 163, 202
 spherical Neumann functions, 167–171,
 177–179
 spherical potential wells, 170–171
 spherical well, 161
 spin
 answers to problems, 128–130
 eigenstates for, 121–123
 of electrons, discovery, 277
 integer or half-integer, 122
 operators for, 124–125
 overview, 121
 in terms of matrices, 126–127
 springs, 69
 square root of the probability, 8, 9
 square wells
 defined, 37
 energy levels for particle trapped in,
 55–56
 energy levels of four distinguishable
 particles in, 224
 general discussion, 37–39
 Schrödinger equation for particle trapped
 in, 54–55
 symmetric, translating to, 44–45
 symmetric, wave functions for
 particle in, 57
 wave functions for particles in, 224
 state vectors. *See also* operators
 answers to problems on, 27–36
 bra-ket notation, 12–14
 describing states of system, 7–11
 normalizing, 8, 28
 overview, 7
 states
 bound
 answers to problems on, 54–67
 when particles stuck in square wells,
 55, 216–217
 continuous, 23
 Stern-Gerlach experiment, 277
 symmetric multi-particle systems,
 218–219
 symmetric wave functions
 versus antisymmetric, 222–223
 general discussion, 213–214
 of multiple free particles, 225
 of three free particles, 225
 S_z (spin in the z direction) operator, 124,
 125, 127–129
- *T* ●
- tables of functions, 273
 Tip icon, explained, 3
 tetrahedrons, 11, 27
 total angular momentum quantum
 number, 163
 total cross section
 defined, 246
 relating to differential cross section,
 247, 258
 total energy
 for multiple-particle system, 220–221
 of perturbed system, 240
 tunneling (plowing through barrier), 50–53,
 62, 277

• U •

uncertainty principle, 276
 unitary operators, 18
 unity operators, 15

• V •

vectors. *See also* eigenvectors
 column, 18
 row, 18
 state. *See also* operators
 answers to problems on, 27–36
 bra-ket notation, 12–14
 describing states of system, 7–11
 normalizing, 8, 28
 overview, 7

• W •

wave functions
 of 3-D free particle, 136–137, 153
 antisymmetric
 of multiple free particles, 225
 overview, 213–214
 under particle exchange, using minus sign for, 281
 versus symmetric, 222–223
 of three free particles, 225
 of two free particles, 218
 complex conjugate of, 280
 continuous, 179
 difference from kets, 279

for distinguishable particles in square well, 224
 figuring hydrogen energy levels using, 195–196
 and figuring out energy levels, 40
 for four-particle system, 224
 free-particle, 275
 of incident particle, 253
 for isotropic harmonic oscillators, 172–173, 179
 meeting boundary conditions for, 270
 for N particles, 211
 normalizing, 42–43
 for one-dimensional system with particle in square well, 224
 overview, 37–39
 for particle in symmetric square well, 57
 and perturbation theory
 overview, 229
 solving perturbed Schrödinger equation for first-order correction, 231–232
 solving perturbed Schrödinger equation for second-order correction, 233–234
 in spherical coordinates, 163–164, 166, 176
 symmetric, 213–214, 222, 225
 wave-particle duality, 276

• Z •

z-axis, and spin, 121
 zeroth-order Born approximation, 255

