

Index

COPYRIGHTED MATERIAL

Index

SYMBOLS AND NUMERICS

- °C/W value, heat sink fan power, 102–103
- ! (exclamation points, yellow), 285
- 1Click DVD Copy optical disc burning tool, 146
- 2:1 stereo extension, 191, 199
- 2.5 inch drives, 133–134
- 3Com networking equipment, 225, 285
- 3M Post-It Flags, 4
- 5:1 stereo extension
 - described, 192
 - speakers, choosing, 198, 199
 - wiring, 197
- 6:1 stereo extension, 192, 199
- 7:1 stereo extension
 - connection, making, 194
 - described, 192
 - motherboard support, 249
 - speakers, choosing, 198, 199
 - wiring, 197
- 100 Base-TX Ethernet, 218
- 478-pin CPU package, 89–90
- 479-pin CPU package, 90
- 710 Base-T Ethernet, 218
- 754-pin CPU package, 91
- 802.11 Ethernet
 - cabling, 218
 - wireless networking, 219
- 939-pin CPU package, 91

A

- AAC (Advanced Audio Coding)
 - format described, 172
 - playback, 176
- ABS, 352
- The Absolute Sound* magazine Web site, 390
- Accelerated Graphics Port (AGP), 60, 76
- acoustics, hard disk drive
 - noise source, 130–133
 - 2.5 inch drives, 133–134
- adapters
 - Asus CT-479 CPU, 97
 - DVD audio, 179
- Addict PC online store, 361
- Addicted to Digital Media Web site, 380
- Advanced Audio Coding (AAC)
 - format described, 172
 - playback, 176
- Advanced Micro Devices. *See* AMD processors
- Advanced Technology Attachment (ATA) interface
 - standard
 - hard disk drive, 126, 134
 - motherboard support, 77–78
- Advanced Television Systems Committee (ATSC), 202
- AGP (Accelerated Graphics Port), 60, 76
- Ahanix D5 case
 - cabling, 317
 - drawbacks, 315
 - empty, illustrated, 318
 - PSU and case fans, 316
- Alienware, 352
- Alpha Novatech heat sink fans, 103
- AMD processors
 - HSF, 98
 - installing, 269
 - Intel versus
 - CPU, 84–85, 92
 - dual-core processors, 93
 - 754-pin package, 91
 - sockets and related CPU family, 71
- amplifiers, 177
- amplitude, digital audio, 171
- Analog Devices
 - motherboard audio chips, 281
 - sound cards, 180
- analog tuners, 21, 161
- AnandTech Web site, 355
- Antec P180 case
 - choosing, 297
 - cost, 299, 306, 307
 - drive bays, number of, 300
 - empty, illustrated, 302
 - fans, 301, 310
- AnyDVD optical disc burning tool, 146
- AOpen
 - CPU cooler with motherboard, 316
 - optical drive, 147
 - utility, 326
 - XC Cube EA65-II MCE, 56–57

- appearance
 - case, 38, 48–49
 - remote, 228
- Arctic Cooling heat sink fans, 103
- Artist Direct digital music download, 368
- As Open Database Web site, 366
- aspect ratio, TV, 203
- assembly
 - builder's notebook or diary, 263
 - cables and connectors, 267, 268, 272–273
 - case, unpacking, 262
 - cleaning up and closing up, 276–277
 - CPU and cooler, 269
 - drives
 - installing, 270–271
 - placement and position, 265–266
 - expansion cards
 - installing, 271–272
 - requirements, 266
 - hardware settings, tweaking, 277
 - memory, 270
 - motherboard
 - PSU and, 268
 - unpacking, 262, 264–265
 - preparations, 261–262
 - RAM, 265
 - static, reducing, 267
 - testing and burn-in
 - basic core component, 274–275
 - burn-in test, 276
 - initial build test, 275–276
 - ventilation, 266–267, 273
- ASUS
 - CT-479 adapter, 97
 - P5AD2-E Deluxe motherboard, 64–67, 300
 - PC Probe utility, 308
- ATA (Advanced Technology Attachment) interface
 - standard
 - hard disk drive, 126, 134
 - motherboard support, 77–78
- Athlon 64 processor
 - benefits, 246, 247
 - Chaintech VNF4 Ultra motherboard, 62–63
 - cost, 70, 97, 250
 - FSB, 60, 75
 - HDTV, 164
 - memory, 109, 110
 - Northbridge controller, substitution for, 60
 - parameters, key, 92–94
 - reviews, 96
 - sockets, 71, 85, 91
 - vendors, 72–74
- Athlon 64 sample system
 - build list with costs, 255–256, 340–341
 - cables, 339–340
 - case (Silverstone LaScala LC14 HTPC)
 - advantages, 331
 - building, ease of, 333
 - disadvantages, 42
 - drive bays, 334–335
 - drives, installing, 338–339
 - features and functions summary, 40–41
 - clean-up and close-up, 344–345
 - components, selecting
 - cooler, 334
 - graphics card, 334
 - graphics handling, 251
 - hard disk, 334
 - motherboard, 333–334
 - pros and cons, 247
 - PSU, 334
 - cooler, 253
 - CPU, 269
 - described, 331
 - drivers, 280
 - drives, 338–339
 - dual-core alternative, 343
 - expansion cards, 266, 337–338
 - fan, 273
 - graphics card, 266
 - initial build-out, 336–337
 - MCE and attachments, 342
 - memory
 - controller, 60
 - DIMM installation, 265
 - motherboard, enabling, 284
 - pre-build preparation, 334–335
 - processor, 247
 - testing and burn-in, 284, 342–343
 - vendors, 345–346
- ATI Technologies Inc.
 - graphics cards
 - company description, 157
 - motherboard ports, 76
 - graphics processors, 281
 - HDTV tuner cards, 164, 165
 - motherboard chipsets, 75, 281
 - TV tuner card, 163
 - XPRESS chipsets, 281
- ATSC (Advanced Television Systems Committee), 202

- ATX motherboard form factor, 68
 - audio
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Athlon 64 sample system, 342
 - Chaintech VNF4 motherboard, 63
 - hardware information and resource sites, 389–390
 - high-end, 387
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - importance, 169
 - information and resource sites, 388–389
 - levels, measuring, 52
 - motherboard
 - built-in controller, 80
 - ports, 79
 - sources
 - audio, digital, 173–175
 - planning HTPC build, 249–250
 - audio block, 79
 - audio, digital
 - AV gear
 - benefits of connecting, 193–194
 - making connection, 194–195
 - output, 189
 - components, necessary, 173
 - decoding multichannel sound, 189
 - described, 171–172
 - DRM-protected files, 177
 - formats, 172–173
 - motherboard, built-in, 11
 - multichannel
 - decoding, 195
 - systems, need for, 22
 - PC outputs, 189, 191–193
 - playback, 175–176
 - receivers and amplifiers, 177
 - sound card
 - audio interface cards, 182
 - best options, 186–188
 - choosing, 178–180
 - functions, 178
 - hardware, installing, 182–184
 - software, installing, 184–186
 - types, 180–182
 - sources, 173–175
 - speakers
 - best options, 190, 199–200
 - cross-over, 191
 - described, 189
 - needs, matching, 198
 - placement, 190, 196–197
 - sub-ranges, 190–191
 - wiring, 197–198
 - Audio Engineering Society Web site, 388
 - Audio Forums Web site, 388
 - audio interface cards, 182
 - audio waveform, 171
 - Audio World Web site, 388
 - AudioForums.com music information site, 370
 - Audioholics Web site, 388
 - Audiolib MP3 Recorder radio recording tool, 375
 - AudioStreamer radio recording tool, 375
 - AudioTrak sound cards, 188
 - authors' e-mail addresses, 353
 - AV (audiovisual) gear, connecting old, 193–194
 - A/V capture requirements, 161
 - AVC cooler, 334
 - AVerMedia
 - HDTV tuner cards, 164, 165
 - TV tuner card, 163
 - AVguide magazine Web site, 386
 - AVguide.com Web site, 390
 - AVIcodec tool, 167
 - AVS Forums Web site, 360
- ## B
- bandwidth
 - bus speeds and, 155
 - described, 216
 - Internet connection speeds and, 217
 - media needs, differing, 216–217
 - tests, 222
 - Bandwidth Meter test, 222
 - banks, memory, 110
 - barebones systems
 - AOpen XC Cube EA65-II MCE, 56–57
 - other vendors, listed, 57
 - Shuttle SB83G5, 55–56
 - basic core component testing and burn-in, 274–275
 - Basic Input/Output System. *See* BIOS
 - Basic TV Technology: Digital and Analog* (Hartwig), 379
 - bass elements, 190
 - battery, CMOS
 - illustrated, 7
 - self-test, 14
 - beeps, POST, 14–15
 - Belkin networking equipment, 225
 - BenQ DW1640 DVD, 144, 145, 147

- BFG Tech.com graphics cards, 158
 - BIOS (Basic Input/Output System)
 - checking, 276
 - memory
 - settings, finding, 119
 - tweaking, 115, 123–124
 - motherboard
 - described, 81–82
 - installing MCE, 281–282
 - overclocking CPU, 104
 - POST, 14
 - bit depth
 - described, 171–172
 - handling, 178
 - bleeding, leading, middle, and trailing edges of
 - technology, 70
 - Blockbuster online DVD rental site, 365
 - Bluetooth wireless
 - keyboards and mice, recommended, 238
 - network protocol, 237
 - Boing Boing Web site, 382
 - book's companion Web site, 363
 - boot load process, 15–16
 - Bose speakers, 199
 - Bott, Ed (Web site author), 355
 - Broadband Reports test, 222
 - BTX motherboard form factor, 68, 69
 - budget, HTPC build
 - adding up, 253–256
 - setting, 243, 245–246
 - Buechler, John (*Microsoft Windows Movie Maker 2: Do Amazing Things*), 385
 - builder's notebook or diary, 263
 - built-in motherboard functions, 61, 80–81
 - burn-in test, 276
 - bus
 - clock rate, 75
 - FSB
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63
 - described, 60, 75
 - tweaking, 277
 - motherboard, 76–77
 - speeds, bandwidth and, 155
 - Buy.com digital music download, 368
- C**
- cable modem Internet connection speed, 217
 - cables
 - airflow problems, 273, 276
 - assembly, 267, 268, 272–273
 - ATA drive, 78
 - Athlon 64 sample system
 - installing, 339–340
 - tidying up, 344
 - disconnecting, 5
 - Ethernet distance limitations, 220
 - fan, 266
 - floppy drive, 78
 - Hush Technologies Media Center Edition 2005 PC,
 - 26, 27
 - labeling, 4, 6
 - location, 8
 - motherboard, 61, 81
 - PATA drive, 78
 - Pentium 4 sample system
 - cleaning up, 309–310
 - installing, 305–306
 - Pentium M sample system
 - cleaning up, 326–327
 - installing, 322–323, 325
 - PSU to motherboard and CPU, routing, 264–265
 - SATA problems, 129
 - speakers, 197–198
- cache, 10
- Cafedvd online DVD rental site, 365
 - Capturing TV Web site, 379
 - cards
 - graphics
 - Athlon 64 sample system, 337–338
 - cooling, 266
 - costs, 160, 250
 - described, 152–153
 - devices, handling different, 156–157
 - HP m7070n, 25, 27
 - HTPC considerations, 157–158
 - Hush Technologies Media Center Edition 2005
 - PC, 25, 27
 - illustrated, 7
 - installing, 304
 - manufacturers, 157
 - motherboard support, 60, 76
 - Pentium M sample system, 316
 - recommended, 158–160
 - television set, driving, 20
 - two biggest companies making, 157
 - HDTV
 - described, 160–161
 - HDTV, 163–165
 - installing, 304, 320
 - MCE 2005 TV card requirement, 161–162
 - more expensive, 307, 325

- PC versus TV signals, 162
- regular TV tuner cards and signals, 162–163
- sound
 - audio interface, 182
 - best options, 186–188
 - choosing, 178–180
 - digital audio files, playing, 175
 - functions, 178
 - hardware, installing, 182–184
 - importance, 169
 - installing, 182–184, 271
 - multichannel sound, decoding, 195
 - Pentium M sample system, 316
 - software, installing, 184–186
 - types, 180–182
- TV
 - described, 160–161
 - HDTV, 163–165
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - installing, 271, 304, 320
 - MCE 2005 TV card requirement, 161–162
 - more expensive, 307, 325
 - PC versus TV signals, 162
 - regular TV tuner cards and signals, 162–163
- CAS latency, 114
- case
 - abandoning when faced problems, 263
 - Ahanix D5 (Pentium M sample system)
 - cabling, 317
 - drawbacks, 315
 - empty, illustrated, 318
 - PSU and case fans, 316
 - Antec P180 (Pentium 4 sample system)
 - choosing, 297
 - cost, 299, 306, 307
 - drive bays, number of, 300
 - empty, illustrated, 302
 - fans, 301, 310
 - appearance, 38, 48–49
 - assembly
 - tight quarters, working in, 259
 - unpacking, 262
 - controls, location of, 8
 - costs, average, 40
 - form factor, 37, 46
 - horizontal, benefits of using, 20, 21, 32
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - materials and construction, 38, 48
 - motherboard
 - buying based on, 57–58
 - form factor, dictating, 82
 - noise control, 38, 47–48
 - Origen x15e HTPC Case, 42–45
 - PC components, 8–9
 - reviews, 265
 - Silverstone LaScala LC14 HTPC (Athlon 64 sample system)
 - advantages, 331
 - building, ease of, 333
 - disadvantages, 42
 - drive bays, 334–335
 - drives, installing, 338–339
 - features and functions summary, 40–41
 - speaker, illustrated, 7
 - ventilation, 38, 46–47
- case-modding, 272, 273
- Caslis, Russ (*Going Mod: 9 Cool Case Mod Projects*), 273
- cathode ray tube (CRT)
 - non-interlaced or progressive scan, 202
 - pros and cons, 205, 206, 210
- CD
 - digital audio format, 174
 - drive, 140
 - DVD player reading, 141
 - IDE burner illustrated, 7
 - playback, 176
 - SCSI player illustrated, 7
- CD-R recordable blank, 140
- CD-RW drive, 145
- CD-RW recordable blank, 140
- central processing unit. *See* CPU; CPU cooler
- Chaintech VNF4 Ultra
 - motherboard, 62–64
 - sound cards, 187
- channels, memory, 111
- character mode, MCE installation, 282, 284
- checklist and budget counter, planning HTPC build, 256–257
- Chin, Mike (author), 297, 353
- chipset
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63
 - motherboard, 60, 71–75
- CinemaNow video-on-demand site, 364

- CleanFilms online DVD rental site, 365
- cleaning up and closing up
 - assembly, 276–277
 - Athlon 64 sample system, 344–345
 - Pentium 4 sample system, 309–310
 - Pentium M sample system, 326–328
- clock, changing rated speed
 - CPU, 104–105
 - matched memory modules, 111
 - performance issues, compensating for, 96
 - real-signal processing, problems with, 115
- C-Media motherboard audio chips, 281
- CMOS (complementary metal-oxide semiconductor)
 - battery
 - illustrated, 7
 - self-test, 14
- CNET Music Center music information site, 370
- codecs (coder/decoders), 172
- components
 - Athlon 64 sample system
 - final build with costs, 340–341
 - motherboard, 333–334
 - audio, digital, 173
 - Pentium 4 sample system, 299–300, 306–307
 - Pentium M sample system, 315–317, 323–325
 - planning HTPC build, 246–247
- compressed air, 5
- Computer Geeks Web site, 360
- computer parts outlets, online, 360–361
- connecting existing AV gear
 - benefits, 193–194
 - digital audio, 189
 - making, 194–195
- Connecting to Your Home Video Camera Web site, 384
- connections
 - digital audio, 173
 - power supply, 39, 51
- connectors
 - assembly, 272–273
 - internal, ASUS P5AD2-E Deluxe motherboard, 67
 - location, 8
- contention, Ethernet, 220
- controllers
 - fan, 267
 - FireWire, 80
 - motherboard built-in, 80
 - storage, 281
- conventional TV
 - capabilities and TV-out interface
 - analog versus digital signals, 21
 - graphics, 157
 - need for, 20
 - connection, planning build, 252
 - enabling, 287–290
 - graphics subsystem requirements, 153
 - HDTV support, 377
 - information and resources
 - conventional, 378–379
 - HDTV, 380–381
 - regulatory issues and info, 381–382
 - lists, MCE handling, 30
 - recording, memory use by, 116
 - video-out interface, 153
- conventional TV card
 - described, 160–161
 - HDTV, 163–165
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - installing, 271, 304, 320
 - MCE 2005 TV card requirement, 161–162
 - more expensive, 307, 325
 - PC versus TV signals, 162
 - regular TV tuner cards and signals, 162–163
- cooler, CPU
 - assembly, 269
 - Athlon 64 sample system, 337
 - costs, 253
 - Pentium M sample system, 316
 - plates, 268
 - unpacking, 262
 - vent, 9
- cooling
 - Athlon 64 sample system, 334
 - backplates, 268
 - CPU thermal limits, 94
 - described, 9–10
 - HDD, 130
 - heat output, handling, 297
 - HTPC build, planning, 253
 - illustrated, 7
 - mounting hardware, 269
 - PC components, 13
 - Pentium components, 299, 300
 - power supply, 39, 50–51
 - quietness, 20
 - testing, 274–275
- copy protection
 - online music stores, 177
 - TV signals, 161
- Corsair RAM vendor, 123
- cost
 - Antec P180 case, 299, 306, 307
 - ASUS P5AD2-E Deluxe motherboard, 65

- Athlon 64 processor, 70, 97, 250
 - Athlon 64 sample system build list, 255–256, 340–341
 - bleeding, leading, middle, and trailing edges, 70
 - case, average, 40
 - CPU cooler, 253
 - DVD burners, 144
 - external storage devices, 216
 - FireWire controllers, 80
 - function versus, 22
 - graphics card, 160, 250
 - hard drive, 248
 - HD displays, 205
 - heat sink fan, 101
 - HP and Hush systems, compared, 28
 - Internet connection speed by method, 217
 - LCD flat panel, 205
 - matched memory modules, 111
 - motherboard, 62
 - optical drive, 248
 - Pentium 4 sample system, 70, 253, 254, 256, 306–307
 - Pentium M sample system, 255, 256, 313, 323–325, 324
 - plasma flat panel display, 205
 - RAM, 246
 - ready-made Media Center PCs, 243, 245
 - remotes, 251
 - sound, 249
 - speakers, 198
 - TV connection, 252
 - TV tuner card vendors, 163
 - video display, 205–209
 - video screen, 205
 - wireless keyboards and mice, 251
 - CPU (central processing unit)
 - ASUS P5AD2-E Deluxe motherboard, 65, 66
 - Athlon 64 sample system, 335
 - caches, 10
 - Chaintech VNF4 motherboard, 63
 - choosing, 246
 - connecting, 264
 - °C/W value, 102–103
 - dual-core processors, 93
 - 478-pin package, 89–90
 - 479-pin package, 90
 - graphics support, reducing need for, 156
 - heat sinks, 84, 98–101
 - high-end single-core processors, 93–94
 - HP m7070n, 24, 27
 - Hush Technologies Media Center Edition 2005 PC, 25, 27
 - illustrated, 7
 - Intel versus AMD, 84–85
 - LGA 775, 86–89
 - midrange CPUs, 94
 - motherboard
 - form factor, dictating, 82
 - sockets, 59, 69, 71
 - 939-pin package, 91
 - overclocking, 104–105
 - parameters listed by model, 92–93
 - PC components, 9–10
 - Pentium 4 sample system, cabling, 305–306
 - Pentium M differences, 325
 - powerful computing, low thermals, 94–97
 - registers, 10
 - 754-pin package, 91
 - sockets, 84, 85
 - TDP, 84
 - testing, 274–275
 - thermal limits, 94
 - undervolting, 105
 - CPU (central processing unit) cooler
 - assembly, 269
 - Athlon 64 sample system, 337
 - costs, 253
 - Pentium M sample system, 316
 - plates, 268
 - unpacking, 262
 - vent, 9
 - CPU-Z detection program, 119–120
 - Creating Digital Audio Resources Web site, 388
 - Creative Labs
 - Sound Blaster Audigy cards, 181, 184, 187, 281
 - speakers, 199
 - cross-over, speaker, 191
 - CRT (cathode ray tube)
 - non-interlaced or progressive scan, 202
 - pros and cons, 205, 206, 210
 - Crucial RAM vendor, 123
 - °C/W value, heat sink fan power, 102–103
 - CyberLink
 - DVD decoder, 285
 - optical disc burning tool, 146
 - CyberPower, 352
 - cycle time, memory speed, 115
- ## D
- D53 Internet connection speed, 217
 - Daewoo HDTV display, 210
 - data format, digital audio, 172

- DDR and DDR2 memory modules
 - channeling, 111
 - described, 109
 - size, 110
 - timing values, fractional, 115
- dead pixel problem, 207
- decoders, DVD
 - graphics
 - obtaining, 167
 - status, checking, 166–167
 - installing, 285
- decoding
 - graphics interface support, 154–155
 - multichannel digital audio, 189
- Dell, 352
- Dell HDTV display, 210
- depth, optical drive, 147
- design elements, 21–22
- Desktop Video Handbook Web site, 386
- Device Manager, 285
- digital audio
 - AV gear
 - benefits of connecting, 193–194
 - making connection, 194–195
 - output, 189
 - components, necessary, 173
 - decoding multichannel sound, 189
 - described, 171–172
 - DRM-protected files, 177
 - formats, 172–173
 - motherboard, built-in, 11
 - multichannel
 - decoding, 195
 - systems, need for, 22
 - PC outputs, 189, 191–193
 - playback, 175–176
 - receivers and amplifiers, 177
 - sound card
 - audio interface cards, 182
 - best options, 186–188
 - choosing, 178–180
 - functions, 178
 - hardware, installing, 182–184
 - software, installing, 184–186
 - types, 180–182
 - sources, 173–175
 - speakers
 - best options, 190, 199–200
 - cross-over, 191
 - described, 189
 - needs, matching, 198
 - placement, 190, 196–197
 - sub-ranges, 190–191
 - wiring, 197–198
- The Digital Bits Web site, 366
- digital coaxial, 194
- Digital Connection online store, 361
- Digital Light Processing (DLP) rear projection TV (RPTV), 207–208
- Digital Micromirror Device (DMD) chip, 207
- digital music information and resources
 - book's companion Web site, 367
 - download and access sites, 367–369
 - subscription services, 369–370
 - Web sites, 370–371
- Digital Music information site, 370
- Digital Music Overview information site, 370
- Digital Rights Management (DRM), 177
- digital signal requirements, 161
- Digital Sound Processing (DSP)
 - Creative Labs product, 181
 - described, 178
- Digital Television: DTV and the Consumer* (Ledoux), 379
- digital theater systems (DTS) sound specification, 192
- Digital TV (DTV) standard, 202
- digital video input (DVI), 157
- Digit-Life Web site, 379
- dimensions
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
- DIMMs (dual inline memory modules)
 - Athlon 64 sample system, 336
 - core component check, 274
 - deployment, planning, 265
 - installing, 270, 303, 319
 - memory banks, 110
 - packaging issues, 113–114
 - Pentium M sample system, 319
 - sizes, 112
 - speed and performance, 113
- diNovo wireless keyboard and mouse, 238, 239
- DirectX 9
 - graphics, 155–156
 - hardware acceleration, 153
- DirectX API (Application Programming Interface), 155–156
- DirectX Video Acceleration (DXVA), 156
- disk drive
 - acoustics and vibration
 - noise source, 130–133
 - 2.5 inch drives, 133–134

- assembly, 270–271
 - choosing
 - Athlon 64 sample system, 334
 - Pentium M sample system, 317
 - planning HTPC build, 247–248
 - comparison chart, 126–127
 - external storage
 - external SATA, 136–138
 - NAS, 135–136
 - USB 2.0 and IEEE 1394, 134–135
 - history, 125–126
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 25, 27
 - illustrated, 7
 - installing
 - Athlon 64 sample system, 338–339
 - drive cage, removing, 270
 - Pentium 4 sample system, 304–305, 305
 - Pentium M sample system, 321–322
 - performance
 - importance, 128
 - SATA versus PATA, 129
 - placement and position, 265–266
 - preparing, 261
 - ranking in storage hierarchy, 11
 - role, 125
 - setup, installing MCE, 283
 - thermal issues, 130
- disk, ranking in storage hierarchy, 10
- display
- commonly used, 12
 - cost, 205
 - HDTV, 202–203
 - LCD flat panel, 208
 - needs, assessing, 201
 - plasma flat panel, 209
 - rear projection CRT, 206
 - rear projection micro-display, 207–208
 - recommendations, 210–211
 - size, 22, 203–204
 - standard CRT, 206
 - vendors, 210
- DisplayMate's Best Video Hardware Guide Web site, 386
- D-Link networking equipment, 225
- DLP (Digital Light Processing) RPTV (rear projection TV), 207–208
- DMD (Digital Micromirror Device) chip, 207
- “do-it-all” computer system situation, 297
- Dolby Digital sound
- decoding, 291–292
 - disabling to use SPDIF, 184
 - forwarding to external receiver, 185
 - handling, 179
 - specifications, 192
- dongles, 157
- Doom9 Web site, 171
- download and access sites, digital music, 367–369
- DRAM (dynamic RAM), 109
- drive bay locations, 8
- drive cages or rails, removing, 264
- DriverGuide Web site, 214
- drivers
- MCE, gathering, 279–281
 - network interface, 214
- Drivers Headquarters Web site, 214, 342
- drives
- assembly, 270–271
 - installing
 - Athlon 64 sample system, 338–339
 - Pentium 4 sample system, 304–305
 - Pentium M sample system, 321–322
 - placement and position, 265–266
 - preparing, 261
- DRM (Digital Rights Management), 177
- DSL connection speed, 217
- DSP (Digital Sound Processing)
- Creative Labs product, 181
 - described, 178
- DTS (digital theater systems) sound specification, 192
- DTV (Digital TV) standard, 202
- dual inline memory modules. *See* DIMMs
- dual-core processors, 93
- dual-layer DVD burning, 143–144
- DV doctor Web site, 386
- DVD
- digital audio formats, 174, 176
 - rental sites, 365–366
 - viewing distance, television, 203–204
- DVD and movie information and resources
- book's companion Web site, 363
 - DVD rental, 365–366
 - movie databases, 366
 - VOD, 364–365
- DVD Avenue online DVD rental site, 365
- DVD decoders
- graphics
 - obtaining, 167
 - status, checking, 166–167
 - installing, 285

DVD drives

- described, 141–142
- drawer openings in case, 266, 271
- DVD-Audio and Super Audio CD, 142–143
- formats, competition among, 143–144
- installing, 270–271
- need for, 139
- Pentium M sample system, 317
- SATA versus IDE interface, 323
- DVD-Audio and Super Audio CD, 142–143
- DVD-Audio playback, 176
- DVD-RW versus DVD+RW, 143–144
- DVI (digital video input), 157
- DVICO HDTV tuner cards, 164
- DXVA (DirectX Video Acceleration), 156
- dynamic RAM (DRAM), 109

E

- Easy Hi-Q Recorder radio recording tool, 375
- Easy Media Creator optical disc burning tool, 146
- easyMusic.com download site, 368
- eBay online auction site, 360
- ECC (error correction codes), 110
- edge
 - bleeding, leading, middle, and trailing, 70
 - CPU, 85
- EDTV (Enhanced Definition standard), 202
- Educypedia Web site, 388
- 802.11 Ethernet
 - cabling, 218
 - wireless networking, 219
- electrical efficiency, power supply, 39, 53–54
- electrical output, power supply total, 38
- electromagnetic interference (EMI), 194
- electronic cross-over, 191
- Electronic Frontier Foundation Web site, 382
- Electronic House* magazine Web site, 390
- Electronic Program Guide (EPG), 215
- EMI (electromagnetic interference), 194
- E-MU sound cards, 187
- eMusic subscription service, 369
- end user license agreement (EULA), 284
- EndPCNoise online store, 361
- Engadget Web site, 380
- engineering trade-offs, 22
- Enhanced Definition standard (EDTV), 202
- Enjoy the Music Web site, 390
- entertainment center, fitting system into, 20, 21, 32–33
- EPG (Electronic Program Guide), 215
- error correction codes (ECC), 110

Ethernet

- connection, choosing, 249
- speeds, 218
- EULA (end user license agreement), 284
- eVGA graphics cards, 158, 320, 321
- exclamation points (!), yellow, 285
- expansion cards
 - assembly requirements, 266
 - installing
 - Athlon 64 sample system, 337–338
 - generally, 271–272
 - Pentium 4 sample system, 304
 - Pentium M sample system, 320–321
- expansion slots
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63
 - motherboard, 61, 80
- External PC TV Tuners Web site, 379
- external ports, Chaintech VNF4 motherboard, 63–64
- external SATA, 136–138
- external storage, HDD (hard disk drives)
 - external SATA, 136–138
 - NAS, 135–136
 - USB 2.0 and IEEE 1394, 134–135
- ExtremeTech Web site, 171, 355, 358

F

- FairStars Recorder radio recording tool, 375
- fans
 - adding, 273
 - Antec P180 case, 301, 302
 - Athlon 64 sample system, 333, 347
 - choosing, 98–99
 - inspecting, 266–267
 - Pentium M sample system, 327
- FCC (Federal Communications Commission), 381
- FC-LGA4 (Flip-Chip Land Grid Array), 71, 85, 86–89
- file format, digital audio, 172
- files, storage and processing needs, 20
- Firefly remote (SnapStream)
 - illustrated, 230
 - mouse emulation buttons, 230–231
 - resources for buying, 231
 - review, 232
 - software, 234–235
- FireWire
 - controllers, cost of, 80
 - external audio box, 181, 183
 - motherboard
 - built-in controller, 80
 - ports, 79

- 5:1 stereo extension
 - described, 192
 - speakers, choosing, 198, 199
 - wiring, 197
 - flat panel, LCD
 - cost, 205
 - rear projection, 207
 - recommendations, 211
 - technology, 208
 - Flip-Chip Land Grid Array (FC-LGA4), 71, 85, 86–89
 - floppy disk drive
 - device drivers, installing, 280, 281
 - illustrated, 7
 - interface, 7
 - motherboard built-in controller, 80
 - need for, 77
 - ranking in storage hierarchy, 11
 - FM Radio
 - audio playback, 176
 - tuner requirements, 161
 - form factor
 - ASUS P5AD2-E Deluxe motherboard, 66
 - case, 37, 46
 - Chaintech VNF4 motherboard, 63
 - hard disk drives, 126
 - motherboard, 59, 68–69
 - formats
 - audio, digital, 172–173, 175
 - DVD drives, competition among, 143–144
 - 478-pin CPU package, 89–90
 - 479-pin CPU package, 90
 - frame buffer memory, 154
 - frequency, digital audio, 171
 - front access ports
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - front speaker array, 196
 - Fry's Outpost online store, 361
 - FSB (front-side bus)
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63
 - described, 60, 75
 - tweaking, 277
- G**
- Gateway, 352
 - GeCube Gigabyte graphics cards, 159
 - Gigabit Ethernet, 218
 - Gigabyte graphics cards, 159
 - Going Mod: 9 Cool Case Mod Projects* (Caslis), 273
 - GPU (Global Processing Unit), 157
 - graphics
 - built-in ports, insufficiency of, 80
 - DirectX 9 hardware acceleration, 155–156
 - DVD decoders
 - obtaining, 167
 - status, checking, 166–167
 - frame buffer memory, 154
 - handling, planning HTPC build, 250–251
 - interface support, 154–155
 - modes, 156
 - motherboard
 - built-in, 11
 - controller, 81
 - ports, 79
 - requirements, 151
 - subsystem requirements, 153–154
 - TV and HDTV cards
 - described, 160–161
 - HDTV, 163–165
 - MCE 2005 TV card requirement, 161–162
 - PC versus TV signals, 162
 - regular TV tuner cards and signals, 162–163
 - TV capabilities and TV-out interface, 157
 - graphics card
 - Athlon 64 sample system, 337–338
 - cooling, 266
 - costs, 160, 250
 - described, 152–153
 - devices, handling different, 156–157
 - HP m7070n, 25, 27
 - HTPC considerations, 157–158
 - Hush Technologies Media Center Edition 2005 PC, 25, 27
 - illustrated, 7
 - installing, 304
 - manufacturers, 157
 - motherboard support, 60, 76
 - Pentium M sample system, 316
 - recommended, 158–160
 - television set, driving, 20
 - two biggest companies making, 157
 - graphics frame buffer memory, 153
 - graphics interface support, 153
 - graphics mode, MCE installation, 284
 - graphics mode, MCE installation, 284
 - The Green Button Web site, 360
 - GSpot Codec Information Appliance, 167, 175
 - guide listings, TV, 289
 - Gyration wireless keyboards and mice, 237, 238

H

- hard disk/hard disk drive. *See* HDD
- hardware. *See also individual components listed by name*
 - information and resources
 - audio, 389–390
 - book's companion Web site, 357
 - component supplier Web sites, 361
 - computer parts outlets, online, 360–361
 - individuals maintaining HTPC sites, 359–360
 - PC info, general, 358
 - video, 385–386
 - settings, tweaking during assembly, 277
- Hare, Chris (keeper of Processor Electrical Specifications Web site), 84
- Harmony devices, 252
- Hartwig, Robert L. (*Basic TV Technology: Digital and Analog*), 379
- Hauppauge
 - listing as unknown Multimedia Video Controller, 285
 - TV tuner card
 - advantages, 163
 - choosing, 300
 - illustrated, 165
 - installing, 320
- HD Library Web site, 380
- HD Nut Web site, 380
- HDD (hard disk drive)
 - acoustics and vibration
 - noise source, 130–133
 - 2.5 inch drives, 133–134
 - choosing
 - Athlon 64 sample system, 334
 - Pentium M sample system, 317
 - planning HTPC build, 247–248
 - comparison chart, 126–127
 - external storage
 - external SATA, 136–138
 - NAS, 135–136
 - USB 2.0 and IEEE 1394, 134–135
 - history, 125–126
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 25, 27
 - illustrated, 7
 - installing
 - drive cage, removing, 270
 - Pentium 4 sample system, 305
 - performance
 - importance, 128
 - SATA versus PATA, 129
 - ranking in storage hierarchy, 11
 - role, 125
 - setup, installing MCE, 283
 - thermal issues, 130
- HDTV Advocate Web site, 382
- HDTV and Digital TV Basics Web site, 380
- HDTV (high-definition TV)
 - described, 202
 - information and resources, 380–381
 - interfaces, 252
 - receiving, 163–164
 - recommended choices, 165
 - regulatory issues, 193
 - support, 377
 - tuners
 - card, installing, 271
 - described, 164
 - video screen, 203
 - viewing distance, television, 203–204
- HDTV (high-definition TV) card
 - described, 160–161
 - HDTV, 163–165
 - installing, 304, 320
 - MCE 2005 TV card requirement, 161–162
 - more expensive, 307, 325
 - PC versus TV signals, 162
 - regular TV tuner cards and signals, 162–163
- HDTV Introduction Web site, 380
- HDTV Magazine* Web site, 380
- The HDTV Tuner Web site, 381
- heat, removing
 - Athlon 64 sample system, 334
 - backplates, 268
 - CPU thermal limits, 94
 - described, 9–10
 - HDD, 130
 - heat output, handling, 297
 - HTPC build, planning, 253
 - illustrated, 7
 - mounting hardware, 269
 - PC components, 13
 - Pentium components, 299, 300
 - power supply, 39, 50–51
 - quietness, 20
 - testing, 274–275
- heat sinks
 - CPU, 84, 98–101
 - mounting problems, 88–89
- height, optical drive, 147
- Hewlett Packard. *See* HP

- Hidef Magazine* Web site, 381
 - high-definition TV. *See* HDTV; HDTV card
 - high-end single-core processors, 93–94
 - high-frequency elements, 191
 - Hitachi HDTV display, 210
 - HiTec Digital Audio sound cards, 188
 - Hollywood Movies Web site, 366
 - home entertainment gear, integrating
 - benefits of connecting, 193–194
 - making connection, 194–195
 - MCE, 291–293
 - planning HTPC build, 251–252
 - Home theater discussion Web site, 360
 - Home Theater* magazine Web site, 390
 - Home Theater Personal Computer. *See* HTPC
 - Home Theater Spot Web site, 381
 - How HDTV Works Web site, 381
 - Howard Computers, 352
 - HP (Hewlett Packard)
 - described, 353
 - HDTV display, 210
 - Media Center m7070n Photosmart PC
 - components, listed, 24–25
 - Hush PCs side-by-side, 27–28
 - illustrated, 23
 - HTPC Forums Web site, 360
 - HTPC (Home Theater Personal Computer). *See also*
 - individual systems listed by name*
 - conventional PC versus, 20–21
 - design elements, 21–22
 - engineering trade-offs, 22
 - entertainment center, fitting into, 32–33
 - MCE, 28–32
 - HTPC News Web site, 359
 - Hush Technologies
 - described, 353
 - Media Center Edition 2005 PC
 - components, listed, 25–26
 - HP Media Center m7070n Photosmart PC, 27–28
 - illustrated, 24
 - special order, 378–379
 - HWiNFO32 memory tool, 122–123
 - Hydrogen Audio Web sites, 171, 371
- I**
- IBM processor, 85
 - iBUYPOWER, 353
 - IDE (Integrated Development Environment)
 - cables, tidying up, 326–327
 - hard drives, power draw of, 130
 - interface, illustrated, 7
 - motherboard built-in controller, 80
 - IEEE 1394 drives, 134–135
 - individuals maintaining HTPC sites, 359–360
 - information
 - audio, 388–389
 - digital music
 - book's companion Web site, 367
 - download and access sites, 367–369
 - subscription services, 369–370
 - Web sites, 370–371
 - DVD and movie
 - book's companion Web site, 363
 - DVD rental, 365–366
 - movie databases, 366
 - VOD, 364–365
 - hardware
 - book's companion Web site, 357
 - component supplier Web sites, 361
 - computer parts outlets, online, 360–361
 - individuals maintaining HTPC sites, 359–360
 - PC info, general, 358
 - TV
 - conventional, 378–379
 - HDTV, 380–381
 - regulatory issues and info, 381–382
 - video, 384–385
 - infrared (IR)
 - blasters, 232, 235–236
 - signals, 228
 - initial build-out
 - Athlon 64 sample system, 336–337
 - Pentium 4 sample system, 302–303
 - Pentium M sample system, 318–319
 - testing, 275–276
 - innards, PC, 7–8
 - input devices. *See* home entertainment gear, integrating
 - installing
 - Athlon 64 sample system
 - cables, 339–340
 - drives, 338–339
 - expansion cards, 337–338
 - MCE and attachments, 342
 - MCE
 - BIOS, preparing, 281–282
 - character mode, 282, 284
 - drivers, gathering, 279–281
 - graphics mode, 284
 - hard drive setup, 283
 - media, loading, 282
 - motherboard core hardware, enabling, 284–285

Continued

- installing,
 - MCE (*continued*)
 - peripherals, checking, 285
 - SATA or RAID drivers, 282–283
 - Pentium 4 sample system
 - cables, 305–306
 - components and costs, 306–307
 - drives, 304–305
 - expansion cards, 304
 - MCE and attachments, 308
 - Pentium M sample system
 - cables, 322–323
 - drives, 321–322
 - expansion cards, 320–321
 - MCE and attachments, 325
 - sound card
 - hardware, 182–184
 - software, 184–186
- Integrated Development Environment. *See* IDE
- Intel
 - AMD processors versus
 - CPU, 84–85, 92
 - dual-core processors, 93
 - chipset offerings, 72, 74, 280
 - HSF, 98
 - sound cards, 180–181
- interface
 - graphics support, 154–155
 - MCE, 28–29
 - networking, 214–215
 - PC networking, 213
- interface cards, 8
- interlacing, 202
- Internet
 - access
 - memory use, 116
 - needs, 20, 214
 - connection speeds listed, 217
 - digital audio formats, 174
 - link speeds, 216–218, 221–222
 - networking, 214
 - radio
 - directory Web sites, 374
 - listening to, 175, 176
 - playing, 373
 - recording, 374
 - Windows and, 213, 215
- Internet Archive digital music download site, 368
- Internet Video Magazine* Web site, 386
- InterVideo
 - DVD decoder, 285
 - optical disc burning tool, 146
- I/O controller, 60
- IR (infrared)
 - blasters, 232, 235–236
 - signals, 228
- J**
- JBL speakers, 199
- JBOD (Just a Bunch of Disks) RAID controller, 78
- JVC HDTV display, 210
- K**
- keyboard
 - MCE controls, 31
 - motherboard port, 79
 - PC components, 12
 - wireless, 20
- Kingston RAM vendor, 123
- Klipsch speakers, 199
- L**
- LAN (Local Area Network)
 - card, illustrated, 7
 - speeds, 218–219
- Launchcast Internet radio station directory, 374
- layout, remote, 228
- LCD (liquid crystal display) flat panel
 - cost, 205
 - rear projection, 207
 - recommendations, 211
 - technology, 208
- LCoS (Liquid Crystal on Silicon) RPTV (rear projection TV), 208
- Leadtek graphics cards, 159
- Learning WMM Web site, 384
- LED (light-emitting diode), power indicator, 274
- Ledoux, Connie (*Digital Television: DTV and the Consumer*), 379
- left surround and right surround, 196
- legacy audio inputs, 193
- LGA 775 sockets and related CPU family, 71, 85, 86–89
- light-emitting diode (LED), power indicator, 274
- LikeTelevision video-on-demand site, 364
- Linksys networking equipment, 225
- liquid crystal display (LCD) flat panel
 - cost, 205
 - rear projection, 207

- recommendations, 211
 - technology, 208
 - Liquid Crystal on Silicon (LCoS) rear projection TV (RPTV), 208
 - littleman Web site, 366
 - Live 365 Internet radio station directory, 374
 - Local Area Network (LAN)
 - card, illustrated, 7
 - speeds, 218–219
 - Logitech
 - Harmony 680 remote, 234
 - remote, 231, 232
 - speakers, 198, 199
 - wireless keyboards and mice, 237, 238
 - lossy codecs, 172–173
- ## M
- matched memory modules, 111, 265
 - materials and construction, case, 38, 48
 - M-Audio sound cards, 187
 - MBR (Master Boot Record), 15–16
 - MCE (Microsoft Windows XP Media Center Edition 2005)
 - book's use of, 21
 - buying separately, 253
 - described, 28–32
 - Development Web site, 355
 - digital audio support, 175
 - evolution, 351–352
 - floppy disk drive, need for, 77
 - HDTV regulatory issues, 193
 - home entertainment gear, integrating, 291–293
 - installing
 - Athlon 64 sample system, 342
 - BIOS, preparing, 281–282
 - character mode, 282, 284
 - drivers, gathering, 279–281
 - graphics mode, 284
 - hard drive setup, 283
 - media, loading, 282
 - motherboard core hardware, enabling, 284–285
 - Pentium 4 sample system, 308
 - Pentium M sample system, 325
 - peripherals, checking, 285
 - SATA or RAID drivers, 282–283
 - memory use, 116
 - Microsoft resources, 353–354
 - My Music, My Videos, or My Pictures, 287
 - PC manufacturers, 352–353
 - radio, enabling, 290–291
 - remote, 233–234
 - starting for first time, 286
 - third-party resources, 354–355
 - TV
 - card requirement, 161–162
 - enabling, 287–290
 - Web site, 355
 - MCE Usenet Group Web site, 381
 - media devices
 - HTPC versus conventional PC, 20–21
 - listed, 19
 - media, loading, 282
 - memory
 - AMD processor, 75
 - assembly, 270
 - ASUS P5AD2-E Deluxe motherboard, 66
 - banks, 110
 - Chaintech VNF4 motherboard, 63
 - channels, 111
 - CMOS, 14
 - consumption, 21, 108
 - controller command rate, 115
 - DDR and DDR2 modules, 109
 - DRAM, 109
 - HP m7070n, 24, 27
 - Hush Technologies Media Center Edition 2005 PC, 25, 27
 - matched modules, 111
 - modules
 - Athlon 64 sample system, 336
 - core component check, 274
 - deployment, planning, 265
 - installing, 270, 303, 319
 - memory banks, 110
 - packaging issues, 113–114
 - Pentium M sample system, 319
 - sizes, 112
 - speed and performance, 113
 - organization and structure, 108
 - Pentium 4 sample system, choosing, 300
 - RAM needs, assessing, 107
 - slots, planning, 265
 - timing, 108, 114–115
 - tools
 - accessing, 118
 - BIOS tweaking, 123–124
 - CPU-Z detection program, 119–120
 - HWiNFO32, 122–123
 - PC Wizard 2005, 120–121
 - TV recording space, allocating, 288

Continued

- memory (*continued*)
 - usage, 115–118
 - values, retrieving from, 108–109
- Memory Controller Hub, 60
- Micro-ATX motherboard form factor, 68
- Micro-FCBGA, 91. *See* 939-pin package
- Micro-FCBGA package, 90. *See* 479-pin package
- Microsoft
 - remote
 - illustrated, 230
 - resources for buying, 231, 232
 - resources, 353–354
 - Tech-Ed conference, 365
 - wireless keyboards and mice, 237, 239
 - Microsoft Windows Media Audio (WMA)
 - described, 172
 - playback, 176
 - Microsoft Windows Movie Maker, 383
 - Microsoft Windows Movie Maker 2: Do Amazing Things* (Buechler), 385
 - Microsoft Windows Movie Maker 2: Visual Quickstart Guide* (Ozer), 385
 - Microsoft Windows Task Manager
 - memory use, checking, 116–118
 - Networking tab, 223
 - Microsoft Windows Update, 215, 286
 - Microsoft Windows XP Media Center Edition 2005.
 - See* MCE
 - Microsoft Windows XP Video Decoder Checkup Utility, 166
- midrange CPUs, 94
- midrange elements, 191
- mini-ITX motherboard form factor, 68–69
- Miscellaneous movie info Web site, 366
- mode, graphics, 156
- modules, memory
 - Athlon 64 sample system, 336
 - core component check, 274
 - deployment, planning, 265
 - installing, 270, 303, 319
 - memory banks, 110
 - packaging issues, 113–114
 - Pentium M sample system, 319
 - sizes, 112
 - speed and performance, 113
- monitoring system
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63
- monitors
 - commonly used, 12
 - dual, graphics cards handling, 156
 - LCD flat panel, 208
 - non-interlaced or progressive scan, 202
- motherboard
 - assembly, 268
 - ASUS P5AD2-E Deluxe, 64–67
 - Athlon 64 sample system
 - choosing, 333
 - problems, 342
 - BIOS
 - described, 81–82
 - preparing for MCE, 281–282
 - bleeding, leading, middle, and trailing edges, 70
 - built-in functions, 61, 80–81
 - cables and accessories, 61, 81
 - case, buying based on, 57–58, 82
 - Chaintech VNF4 Ultra, 62–64
 - checking, 274
 - chipsets, 60, 71–75
 - CPU sockets, 59, 69, 71
 - enabling, 284–285
 - expansion sockets and buses, 61, 76–77
 - form factor, 59, 68–69
 - FSB, 60, 75
 - graphics card support, 60, 76
 - location, 8
 - network connection, 214, 249
 - overclocking, 104
 - PC components, 11–12
 - Pentium 4 sample system
 - choosing, 300
 - initial build-out, 302–303
 - saving money or spending more, 307
 - Pentium M sample system
 - choosing, 315
 - initial build-out, 318–319
 - peripheral (storage) support, 61
 - ports, 61, 79–80
 - preparing to build, 261
 - SATA controller, 129
 - sound support
 - chipsets, 181
 - home theater audio, adequacy for, 180
 - sources, assessing, 249
 - trying first, 186
 - storage support, 77–79
 - testing, 274–275
 - tweaking, 277
 - unpacking, 262, 264–265
- mouse
 - MCE controls, 31
 - motherboard port, 79

- PC components, 12
 - wireless, 20
 - movie databases, 366
 - movie information and resources
 - book's companion Web site, 363
 - DVD rental, 365–366
 - movie databases, 366
 - VOD, 364–365
 - Movie Maker 2 with DVD Burning, 145
 - MovieFix video-on-demand site, 364
 - movies
 - audio tracks, 175
 - hard drives handling playback, 128
 - hardware information and resources, 385–386
 - information, tools, and resources, 384–385
 - Windows Movie Maker, 383
 - MPEG2 digital standard
 - decoders, 166
 - TV capture card, 162
 - MP3 (MPEG layer-III) audio format
 - described, 172
 - playback, 176
 - MP3.com digital music download, 368
 - MP3Machine music information site, 371
 - MSN Music digital music download, 368
 - multichannel sound
 - decoding, 195
 - need for, 22
 - playback schemes, 192
 - speakers, 191
 - music
 - hard drives handling playback, 128
 - lists, MCE handling, 30–31
 - Musicmatch Music Store download site, 368
 - My MP3 Recorder radio recording tool, 375
 - My Music, My Videos, or My Pictures, 287
 - My Radio Internet radio station directory, 374
- N**
- Napster To Go subscription service, 369
 - NAS (Network Attached Storage), 135–136
 - National Television System Committee (NTSC)
 - DVD movies, 141
 - scan lines, 154
 - viewing distance, television, 203–204
 - needs
 - speakers, matching, 198
 - video screen, assessing, 201
 - NetCell external SATA storage device, 137
 - Netflix online DVD rental site, 365
 - NETGEAR networking equipment, 225
 - Network Attached Storage (NAS), 135–136
 - networking
 - ASUS P5AD2-E Deluxe motherboard, 66
 - best practices, 220–221, 224–225
 - Chaintech VNF4 motherboard, 63
 - connection, planning HTPC build, 249
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - Internet
 - access needs, 214
 - connection, 215–216
 - link speeds, 216–218, 221–222
 - Windows and, 213, 215
 - LAN speeds, 218–219
 - memory use, 116
 - motherboard, built-in, 12, 81
 - PC interfaces, 213, 214–215
 - tools, 222–224
 - wired, 214, 220
 - wireless, 214, 219–220
 - Newegg online store, 361
 - News.com Web site, 382
 - 939-pin CPU package, 91
 - Niveus Media, 353
 - noise
 - case, 38, 47–48
 - DVD burners, 144
 - fans, 98, 99, 273
 - HDD, 130–133
 - heat sinks and fans, 98, 99
 - HP and Hush systems, compared, 26, 28
 - optical drives, 147
 - power supply, 39, 49–50, 51
 - quiet, need for, 20, 21, 33
 - Northbridge
 - ASUS P5AD-E Deluxe, 64–65
 - Athlon 64 processor, 60
 - FSB, 75
 - illustrated, 7
 - NoVibesIII HDD vibration reduction device, 132
 - NTLDR program (Windows boot-up), 16
 - NTSC (National Television System Committee)
 - DVD movies, 141
 - scan lines, 154
 - viewing distance, television, 203–204
 - Nullsoft SHOUTcast Internet radio station directory, 374

nVidia

- chipset
 - offerings, 72–73, 74, 280
 - setup program, 284
 - tuning and monitoring, 343
- DVD decoder, 285, 293
- graphics cards
 - choosing, 300
 - company description, 157
 - motherboard port, 76, 160

O

- OCZ Technology RAM vendor, 123
- Ogg Vorbis audio format playback, 176
- 100 Base-TX Ethernet, 218
- 1Click DVD Copy optical disc burning tool, 146
- online databases, 215
- online music stores, 177
- OpD2d radio recording tool, 375
- opening PC, steps to take before, 4–7
- operating system boot-up, 16
- Opsound digital music download site, 368
- optical drive
 - CD, 140
 - DVD drives
 - described, 141–142
 - DVD-Audio and Super Audio CD, 142–143
 - formats, competition among, 143–144
 - need for, 139
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - installing, 266, 270–271, 305
 - performance, 149–150
 - planning HTPC build, 248
 - qualities, ideal, 146–148
 - ranking in storage hierarchy, 10, 11
 - software, 145–146
 - types, choosing, 144–145
- organization, memory, 108
- Origen x15e HTPC Case, 42–45
- output devices, 12
- overclocking
 - CPU, 104–105
 - matched memory modules, 111
 - performance issues, compensating for, 96
 - real-signal processing, problems with, 115
- Ozer, Jan (*Microsoft Windows Movie Maker 2: Visual Quickstart Guide*), 385

P

- PAL
 - color model, 156
 - DVD movies, 141
- Panasonic HDTV display, 210
- parallel port, 79
- partition table, 15
- partitioning, hard disk
 - recording TV, 287–288
 - setting up, 283
- PATA (Parallel ATA)
 - SATA versus, 129
 - USB versus, 134
- PC
 - audio outputs, 189, 191–193
 - components
 - boot load process, 15–16
 - case, 8–9
 - cooling and ventilation, 13
 - CPU, 9–10
 - innards, 7–8
 - listed, 3–4
 - motherboard, 11–12
 - networking interfaces, 213
 - operating system boot-up, 16
 - output devices, 12
 - POST, 14–15
 - power supply, 9
 - steps before opening, 4–7
 - storage hierarchy, 10–11
 - turning on, 13–14
 - user input devices, 12
 - hardware info, general, 358
 - manufacturers, MCE, 352–353
 - networking interfaces, 214–215
- PC AV Tech Web site, 389
- PC Guide Web site, 358
- PC Magazine* Web site, 358
- PC Perspective Web site, 358
- PC Pitstop test, 222
- PC Recording Web site, 389
- PC versus TV signals, 162
- PC Wizard 2005
 - built systems, testing, 308, 326
 - memory tools, 120–121
- pcalchemy, The HTPC Store, 361
- PCI (Peripheral Component Interconnect)
 - graphics card speed, 60
 - slots, 76
 - sound card, 181, 183

- PCI-E (PCI Express) X16
 - cards, 60–61, 76
 - installing, 271
 - slot, 77
 - support, 76
- PCM (pulse code modulation) audio
 - format described, 171, 172
 - sound card handling, 178
- PCSTaTS Web site, 358
- Pentium 4 processor
 - in ASUS P5AD2-E Deluxe system, 64, 66
 - in barebones system, 55
 - cooling, 57
 - cost, 70, 253
 - in HP m7070n system, 24
 - in Hush MCE 2005 PC, 25
 - installing, 269
 - memory, 110
 - parameters, key, 92, 94
 - pros and cons, 247
 - reviews, 96
 - sockets
 - LGA 775, 85, 86, 89
 - listed with edge, 71
 - vendors, 74
- Pentium 4 sample system
 - case (Antec P180)
 - choosing, 297
 - cost, 299, 306, 307
 - drive bays, number of, 300
 - empty, illustrated, 302
 - fans, 301, 310
 - clean-up and close-up, 309–310
 - components
 - cost, 253, 254, 256
 - reasons for choosing, 299–300
 - “do-it-all” situation, 297
 - fan, 273
 - heat output, handling, 297
 - initial build-out, 302–303
 - installing
 - cables, 305–306
 - CPU, 269
 - drives, 304–305
 - expansion cards, 266, 304
 - MCE and attachments, 308
 - mounting socket, 269
 - pre-build preparation, 301–302
 - testing and burn-in, 308–309
 - vendors listed, 311
- Pentium M processor
 - bare dies, 88
 - cost, 96–97
 - HDTV, 164
 - installing, 269
 - memory, 110
 - parameters, key, 92
 - pros and cons, 247
 - sockets, 71, 85, 90
 - wattage, 94–95
- Pentium M sample system
 - case (Ahanix D5)
 - cabling, 317
 - drawbacks, 315
 - empty, illustrated, 318
 - PSU and case fans, 316
 - clean-up and close-up, 326–328
 - components and costs
 - build list, 255, 256, 324
 - CPU cooler, 316
 - graphics card, 316
 - HDD, 317
 - motherboard, 315–316
 - pros and cons, 247
 - PSU and fans, 316
 - saving more, 246, 324
 - spending more, 325
 - cooler, 253
 - graphics cards, 250, 251
 - initial build-out, 318–319
 - installing
 - cables, 322–323
 - CPU, 269
 - drives, 321–322
 - expansion cards, 266, 320–321
 - MCE and attachments, 325
 - mounting socket, 269
 - pre-build preparation, 317–318
 - sound card, 266
 - testing and burn-in, 326
 - troubleshooting, 321
 - vendors, 328–329
- The Perfect Vision* magazine Web site, 390
- performance
 - HDD
 - role of, 125, 128
 - SATA versus PATA, 129
 - matched memory modules, tweaking, 111
 - optical drives, 149–150

- Peripheral Component Interconnect (PCI)
 - graphics card speed, 60
 - slots, 76
 - sound card, 181, 183
- peripherals
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - MCE, checking, 285
 - motherboard support, 61
- Philips. *See also* SPDIF
 - CD, origins of, 140
 - HDTV display, 210
 - SACD standard, 143
- pitch, digital audio, 171
- placement, speaker, 190, 196–197
- planning HTPC build
 - budget
 - adding up, 253–257
 - setting, 243, 245–246
 - coolers, 253
 - core components, choosing, 246–247
 - graphics handling, 250–251
 - hard disk or disks, choosing, 247–248
 - MCE, buying separately, 253
 - network connection, 249
 - optical drive, choosing, 248
 - remote control and input devices, 251–252
 - sound sources, 249–250
 - TV connection, 252
 - vendors, 257–258
- plasma flat panel display
 - cost, 205
 - recommendations, 211
 - video screen, 209
- playback
 - audio, digital, 175–176
 - streaming, 216
- PNY RAM vendor, 123
- ports, motherboard, 61, 79–80
- POST (power-on self-test) routine
 - basic core component check, 274
 - initial build test, 275–276
 - PC components, 14–15
- power supply unit. *See* PSU
- power, turning on, 13–14
- power users, 281
- Powercolor graphics cards, 159
- PowerColor Theater TV tuner card, 163
- PowerDVD optical disc burning tool, 146
- pre-amp multichannel sound format, decoding, 195
- pre-build preparation
 - Athlon 64 sample system, 334–335
 - Pentium 4 sample system, 301–302
 - Pentium M sample system, 317–318
- price guides
 - Antec P180 case, 299, 306, 307
 - ASUS P5AD2-E Deluxe motherboard, 65
 - Athlon 64 processor, 70, 97, 250
 - Athlon 64 sample system build list, 255–256, 340–341
 - bleeding, leading, middle, and trailing edges, 70
 - case, average, 40
 - CPU cooler, 253
 - DVD burners, 144
 - external storage devices, 216
 - FireWire controllers, 80
 - function versus, 22
 - graphics card, 160, 250
 - hard drive, 248
 - HD displays, 205
 - heat sink fan, 101
 - HP and Hush systems, compared, 28
 - Internet connection speed by method, 217
 - LCD flat panel, 205
 - matched memory modules, 111
 - motherboard, 62
 - optical drive, 248
 - Pentium 4 sample system, 70, 253, 254, 256, 306–307
 - Pentium M sample system, 255, 256, 313, 323–325, 324
 - plasma flat panel display, 205
 - RAM, 246
 - ready-made Media Center PCs, 243, 245
 - remotes, 251
 - sound, 249
 - speakers, 198
 - TV connection, 252
 - TV tuner card vendors, 163
 - video display, 205–209
 - video screen, 205
 - wireless keyboards and mice, 251
- Primer on PC Audio Web site, 389
- printer, 12
- Prison Soup Records digital music download site, 368
- progressive scan, 202
- Promise storage controller, 281
- protection, copy
 - online music stores, 177
 - TV signals, 161

- PSU (power supply unit)
 - assembly, 268
 - choosing
 - Athlon 64 sample system, 334
 - Pentium 4 sample system, 299–300
 - Pentium M sample system, 316
 - connections, 51, 264–265
 - cooling approach, 39, 50–51
 - core component check, 274–275
 - electrical efficiency, 39, 53–54
 - electrical output, total, 38
 - heat sink, 101
 - illustrated, 7
 - noise, 39, 49–50, 51
 - PC components, 9
 - power connections, 39
 - prepare to build, 261
 - routing
 - Athlon 64 sample system, 339
 - Pentium 4 sample system, 302
 - testing, 274–275
 - turning off, 4
 - wattage needs, 55
 - Public Knowledge Web site, 382
 - pulse code modulation (PCM) audio
 - format described, 171, 172
 - sound card handling, 178
 - Purevolume digital music download site, 368
 - PX-716A/SW, 144
- Q**
- quiet, need for, 20, 21, 33
- R**
- radio
 - digital audio formats, 174–175
 - enabling in MCE, 290–291
 - Internet, 373–374
 - limitations, 373
 - Windows radio capture, 374–376
 - Radio Free World Internet radio station directory, 374
 - radio frequency interference (RFI), 194
 - radio frequency (RF) remote, 229
 - Radio Locator Internet radio station directory, 374
 - Radio Tower Internet radio station directory, 374
 - RAID (Redundant Array of Inexpensive Disks)
 - driver floppy disk, creating, 280
 - MCE, installing, 282–283
 - motherboard support, 78, 80
 - third party driver, installing, 282–283
 - rainbow effect problem, 208
 - RAM (random access memory)
 - assembly, 265
 - costs, 246
 - illustrated, 7
 - needs, assessing, 107
 - Pentium 4 sample system initial build-out, 303
 - ranking in storage hierarchy, 10
 - types available, 109–110
 - vendors, 123
 - RAS (Remote Access Server) precharge, 114
 - Rasp New Movie Database Web site, 366
 - RCA HDTV display, 210
 - read-only memory (ROM) CD drives, 140
 - Realtek
 - driver package, installing, 284
 - motherboard audio chips, 281
 - SPDIF mode, enabling, 292
 - rear access ports
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - rear projection CRT, 206, 210
 - rear projection micro-display, 207–208, 210–211
 - receivers
 - audio, digital, 177
 - multichannel sound format, decoding, 195
 - SPDIF forwarding multichannel audio, 185
 - Redundant Array of Inexpensive Disks. *See* RAID
 - registers, CPU, 10
 - regular TV tuner cards and signals, 162–163
 - regulatory issues, TV, 381–382
 - Remote Access Server (RAS) precharge, 114
 - remote control
 - appearance, 228
 - finding and buying, 231–233
 - functions, 227–228, 229–231
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - IR blasters, 235–236
 - layout, 228
 - Logitech Harmony 680, 234
 - MCE, 31, 32, 233–234
 - money-saving tip, 324
 - planning HTPC build, 251–252
 - signals, 228–229
 - size and weight, 228
 - SnapStream Firefly
 - illustrated, 230
 - mouse emulation buttons, 230–231

Continued

- remote control
 - SnapStream Firefly (*continued*)
 - resources for buying, 231
 - review, 232
 - software, 234–235
 - wireless keyboards and mice, 237–239
 - Replay Radio recording tool, 375
 - resources
 - audio, 388–389
 - digital music
 - book's companion Web site, 367
 - download and access sites, 367–369
 - subscription services, 369–370
 - Web sites, 370–371
 - DVD and movie
 - book's companion Web site, 363
 - DVD rental, 365–366
 - movie databases, 366
 - VOD, 364–365
 - hardware
 - book's companion Web site, 357
 - component supplier Web sites, 361
 - computer parts outlets, online, 360–361
 - individuals maintaining HTPC sites, 359–360
 - PC info, general, 358
 - TV
 - conventional, 378–379
 - HDTV, 380–381
 - regulatory issues and info, 381–382
 - video, 384–385
 - REwind Video Web site, 386
 - RF (radio frequency) remote, 229
 - RFI (radio frequency interference), 194
 - Rhapsody subscription service, 369
 - Ricavision, 353
 - RipCast radio recording tool, 375
 - RJ-45 motherboard ports, 79
 - ROM (read-only memory) CD drives, 140
 - Ruel.Net Web site, 379
- ## S
- SACD (Super Audio CD)
 - described, 143
 - playback, 176
 - Salloway, Mark (Web site author), 355
 - sampling frequency, 171
 - sampling rate
 - described, 171–172
 - sound card handling, 178
 - SPDIF interface, 184
 - Samsung
 - HDTV display, 210
 - RAM, 123
 - Sapphire Theatrix TV tuner card, 163
 - SATA (Serial ATA)
 - ASUS P5AD2-E Deluxe motherboard, 66
 - BIOS availability, 77
 - Chaintech VNF4 motherboard, 63
 - choosing
 - Athlon 64 sample system, 334, 342
 - Pentium 4 sample system, 300
 - installing MCE, 282–283
 - motherboard
 - connectors, number of, 79
 - described, 79, 81
 - ports, multiple, 333
 - optical drives, 147, 323
 - performance, PATA versus, 129
 - tidying up, 344
 - satellite radio playback, 176
 - scalable link interface (SLI), 250
 - screens
 - commonly used, 12
 - cost, 205
 - HDTV, 202–203
 - LCD flat panel, 208
 - needs, assessing, 201
 - plasma flat panel, 209
 - rear projection CRT, 206
 - rear projection micro-display, 207–208
 - recommendations, 210–211
 - size, 22, 203–204
 - standard CRT, 206
 - vendors, 210
 - screws, holding, 5
 - SCSI (small computer systems interface)
 - controller illustrated, 7
 - hard disk drives, 126
 - third party driver, installing, 282–283
 - Scythe heat sink, 100–101, 103
 - SDTV (Standard Definition Television), 154
 - Seagate
 - Disk Drive Acoustics paper, 130–131
 - external SATA storage device, 137
 - search engines, recommended, 361
 - Seasonic Power Angel, 308, 326
 - Secrets of Home Theater and High Fidelity Web site, 359
 - Serial ATA. *See* SATA
 - serial port, 79
 - 754-pin CPU package, 91

- 710 Base-T Ethernet, 218
- 7:1 stereo extension
 - connection, making, 194
 - described, 192
 - motherboard support, 249
 - speakers, choosing, 198, 199
 - wiring, 197
- Sharp HDTV display, 210
- Shuttle SB83G5, 55–56
- Silent PC Review Web site, 359
- Silicon Image storage controller, 281
- Silverstone LaScala LC14 HTPC case
 - advantages, 331
 - building, ease of, 333
 - disadvantages, 42
 - drive bays, 334–335
 - drives, installing, 338–339
 - features and functions summary, 40–41
- SiS chipset offerings, 73–74, 75
- 6:1 stereo extension, 192, 199
- size
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - remote control, 228
 - video screen, 22, 203–204
- SLI (scalable link interface), 250
- small computer systems interface (SCSI)
 - controller illustrated, 7
 - hard disk drives, 126
 - third party driver, installing, 282–283
- SnapStream Firefly remote
 - illustrated, 230
 - mouse emulation buttons, 230–231
 - resources for buying, 231
 - review, 232
 - software, 234–235
- sockets
 - A, 71
 - CPU, 84
 - 478, 71, 85
 - 479, 85
 - motherboard, 76–77
 - 939, 71, 85
 - 754, 71, 85
 - 370, 71
- SoftLookup Web site, 214
- software
 - digital audio, 173
 - digital media, 21
 - DVD decoder status, checking, 166–167
 - hard drive, importance of, 125
 - network interfaces, 214
 - optical drives, 145–146
 - sound card, installing, 184–186
- Sony
 - CD, origins of, 140
 - HDTV display, 210
 - Media Center PCs, 353
 - SACD standard, 143
- Sony/Philips Digital Interface. *See* SPDIF
- sound
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Athlon 64 sample system, 342
 - Chaintech VNF4 motherboard, 63
 - hardware information and resource sites, 389–390
 - high-end, 387
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - importance, 169
 - information and resource sites, 388–389
 - levels, measuring, 52
 - motherboard
 - built-in controller, 80
 - ports, 79
 - sources
 - audio, digital, 173–175
 - planning HTPC build, 249–250
- Sound and Vision* magazine Web site, 386, 390
- sound card
 - audio interface, 182
 - best options, 186–188
 - choosing, 178–180
 - digital audio files, playing, 175
 - functions, 178
 - hardware, installing, 182–184
 - importance, 169
 - installing, 182–184, 271
 - multichannel sound, decoding, 195
 - Pentium M sample system, 316
 - software, installing, 184–186
 - types, 180–182
- sound, digital
 - AV gear
 - benefits of connecting, 193–194
 - making connection, 194–195
 - output, 189
 - components, necessary, 173
 - decoding multichannel sound, 189

Continued

- sound, digital (*continued*)
 - described, 171–172
 - DRM-protected files, 177
 - formats, 172–173
 - motherboard, built-in, 11
 - multichannel
 - decoding, 195
 - systems, need for, 22
 - PC outputs, 189, 191–193
 - playback, 175–176
 - receivers and amplifiers, 177
 - sound card
 - audio interface cards, 182
 - best options, 186–188
 - choosing, 178–180
 - functions, 178
 - hardware, installing, 182–184
 - software, installing, 184–186
 - types, 180–182
 - sources, 173–175
 - speakers
 - best options, 190, 199–200
 - cross-over, 191
 - described, 189
 - needs, matching, 198
 - placement, 190, 196–197
 - sub-ranges, 190–191
 - wiring, 197–198
- Sound on Sound Web site, 389
- SoundClick digital music download site, 368
- Southbridge, 60
- SPDIF (Sony/Philips Digital Interface)
 - connections, 194
 - interface, 179
 - mode, 292–293
 - output, enabling, 185
 - software, installing, 184
 - sound card, 178, 180
- speakers
 - best options, 190, 199–200
 - case, illustrated, 7
 - cross-over, 191
 - described, 173, 189
 - multichannel sound format, decoding, 195
 - needs, matching, 198
 - PC, configuring, 185–186
 - Pentium 4 sample system, installing, 308
 - placement, 190, 196–197
 - receivers and amplifiers, 177
 - sub-ranges, 190–191
 - tracks, playing on different sets, 181
 - wiring, 197–198
- speed, memory, 113
- speeds and feeds
 - Internet link, 216–218
 - LAN, 218–219
 - networking, 213, 215–216
- standard CRT video screen, 206
- Standard Definition Television (SDTV), 154
- starting MCE for first time, 286
- static, reducing, 267
- status, DVD decoder, 166–167
- stereo PC sound outputs, 191
- Stereophile* magazine Web site, 390
- storage. *See also* HDD; optical drive
 - component hierarchy, 10–11
 - network-based, 216
 - space, files and, 20
 - support built into motherboard, 77–79, 80
- streaming playback, 216
- StreamZap PC remote, 231
- stress testing, 104
- structure, memory, 108
- sub-ranges, speaker, 190–191
- subscription services, digital music, 369–370
- subsystem graphics requirements, 153–154
- subwoofer, 190
- subwoofer placement, 196, 197
- Super Audio CD (SACD)
 - described, 143
 - playback, 176
- Surround Associates Web site, 389
- surround sound
 - speakers, arranging, 197
 - specifications, 192
 - wiring, 197
- S-Video ports
 - media attachments, 325, 342
 - TV sets, 203
 - video cards, 157
- Swiftech heat sink fans, 103
- switches, power, 13
- Syntax HDTV display, 210
- SysOpt.com Web site, 358
- system monitoring
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63
- Systemax, 353

T

- T1/DS1 Internet connection speed, 217
- T2/DS2 Internet connection speed, 217
- T3 Internet connection speed, 217
- tape drives, ranking in storage hierarchy, 10
- TDP (Thermal Design Power), 84
- telephone modem connection speed, 217
- testing
 - Athlon 64 sample system, 342–343
 - basic core component, 274–275
 - burn-in test, 276
 - initial build test, 275–276
 - Pentium 4 sample system, 308–309
 - Pentium M sample system, 326
- Testmy test, 222
- Thermal Design Power (TDP), 84
- thermal issues
 - Athlon 64 sample system, 334
 - backplates, 268
 - CPU thermal limits, 94
 - described, 9–10
 - HDD, 130
 - heat output, handling, 297
 - HTPC build, planning, 253
 - illustrated, 7
 - mounting hardware, 269
 - PC components, 13
 - Pentium components, 299, 300
 - power supply, 39, 50–51
 - quietness, 20
 - testing, 274–275
- thermal paste, 269
- Thermalright heat sink fans, 103
- third-party resources, MCE, 354–355
- 3Com networking equipment, 225, 285
- 3M Post-It Flags, 4
- Thurrot, Paul (Web site author), 355
- THX sound specifications, 192
- ties, cable, 272
- timing, memory, 108, 114–115
- Tittel, Ed (author), 353
- tools
 - memory
 - accessing, 118
 - BIOS tweaking, 123–124
 - CPU-Z detection program, 119–120
 - HWiNFO32, 122–123
 - PC Wizard 2005, 120–121
 - networking, 222–224
- Toshiba
 - HDTV display, 210
 - Media Center PCs, 353
- transmitter, IR. *See* IR blaster
- troubleshooting
 - asking for help, 275
 - isolating culprits, 321
- tuners
 - driver requirements, 161
 - installing, 271
 - listening to radio, 290–291
 - requirements, 161, 162
- TV
 - capabilities and TV-out interface
 - analog versus digital signals, 21
 - graphics, 157
 - need for, 20
 - connection, planning build, 252
 - enabling, 287–290
 - graphics subsystem requirements, 153
 - HDTV support, 377
 - information and resources
 - conventional, 378–379
 - HDTV, 380–381
 - regulatory issues and info, 381–382
 - lists, MCE handling, 30
 - recording, memory use by, 116
 - video-out interface, 153
- TV card
 - described, 160–161
 - HDTV, 163–165
 - HP m7070n, 25, 27
 - Hush Technologies Media Center Edition 2005 PC, 26, 27
 - installing, 271, 304, 320
 - MCE 2005 TV card requirement, 161–162
 - more expensive, 307, 325
 - PC versus TV signals, 162
 - regular TV tuner cards and signals, 162–163
- TV-Cards Web site, 379
- tweeter, 191
- TwinMOS RAM vendor, 123
- 2.5 inch drives, 133–134
- 2:1 stereo extension, 191, 199

U

- Uberlabel.com digital music download site, 369
- Ultimate AV Web site, 381
- UltraDMA IDE
 - ASUS P5AD2-E Deluxe motherboard, 66
 - Chaintech VNF4 motherboard, 63

- undervolting, 105
- Unitedstreaming video-on-demand site, 364
- updating Windows, 286
- usage, memory, 115–118
- USB (Universal Serial Bus)
 - external audio box, 181, 183
 - HDD, 134–135
 - motherboard
 - built-in controller, 80, 81
 - ports, 79
 - user input devices, 12
 - Using WMM Web site, 384
- V**
- Vacuum Fluorescent Display (VFD)
 - Ahanix D5 case (Pentium M sample system), 317
 - cabling, 267
 - instructions, finding, 262
- values, retrieving from memory, 108–109
- Vbox HDTV tuner card, 164
- vendors
 - Athlon 64 sample system, 340–341, 345–346
 - audio cable, 198
 - barebones systems, 57
 - CPU, 85
 - graphics cards, 158–159
 - hard disk drive, 138
 - HDTV
 - display, 210
 - tuner cards, 164
 - Media Center PC manufacturers, 352–353
 - motherboards with HTPC-capable offerings, 82
 - networking, 225
 - online, finding, 254
 - optical drives, 149–150
 - Pentium 4 sample system, 306–307, 311
 - Pentium M sample system, 324, 328–329
 - planning HTPC build, 257–258
 - RAM, 123
 - sound card, 187–188
 - speakers, 198–199
 - TV tuner card, 163
 - video screen, 210
 - wireless keyboards and mice, 237
- ventilation
 - assembly, 266–267, 273
 - with Athlon 64 sample system, 334
 - backplates, 268
 - cables, arranging, 310
 - case, 38, 46–47
 - CPU thermal limits, 94
 - described, 9–10
 - HDD, 130
 - heat output, handling, 297
 - HTPC build, planning, 253
 - illustrated, 7
 - mounting hardware, 269
 - needs, 9
 - PC components, 13
 - with Pentium components, 299, 300
 - power supply, 39, 50–51
 - quietness, 20
 - testing, 274–275
- vertical blank interval requirements, 161
- VFD (Vacuum Fluorescent Display)
 - Ahanix D5 case (Pentium M sample system), 317
 - cabling, 267
 - instructions, finding, 262
- VIA
 - chipset offerings, 74–75, 280
 - processors, 85
 - sound processor, 182
- vibration, HDD, 133–134
- video
 - audio tracks, 175
 - hard drives handling playback, 128
 - hardware information and resources, 385–386
 - information, tools, and resources, 384–385
 - Windows Movie Maker, 383
- video screen
 - cost, 205
 - HDTV, 202–203
 - LCD flat panel, 208
 - needs, assessing, 201
 - plasma flat panel, 209
 - rear projection CRT, 206
 - rear projection micro-display, 207–208
 - recommendations, 210–211
 - size, 203–204
 - standard CRT, 206
 - vendors, 210
- VideoHelp Web site, 385
- Videomaker Magazine Web site, 386
- viewing distance, television, 203–204
- ViewSonic, 353
- visual readout device, 262, 267
- VOD (video-on-demand) resources, 364–365
- Vod.com video-on-demand site, 364
- volume, digital audio, 171
- Voodoo, 353

W

- wattage, PSU requirements, 55
- Web sites
 - audio, 388–389
 - databases, 215
 - digital music
 - book's companion Web site, 367
 - download and access sites, 367–369
 - stores, 177
 - subscription services, 369–370
 - Web sites, 370–371
 - DVD and movie
 - book's companion Web site, 363
 - DVD rental, 365–366
 - movie databases, 366
 - VOD, 364–365
 - hardware
 - book's companion Web site, 357
 - component supplier Web sites, 361
 - computer parts outlets, online, 360–361
 - individuals maintaining HTPC sites, 359–360
 - PC info, general, 358
 - TV
 - conventional, 378–379
 - HDTV, 380–381
 - regulatory issues and info, 381–382
 - video, 384–385
- The Weed Files digital music download site, 369
- weight, of remote control, 228
- widescreen
 - aspect ratio, 203
 - described, 204
 - HD costs, 205
- Windows Media Audio (WMA)
 - described, 172
 - playback, 176
- Windows Media Player, 116
- Windows (Microsoft)
 - Internet, 213, 215
 - radio capture, 374–376
- Windows Movie Maker (Microsoft), 383
- Windows Movie Makers Web site, 385
- Windows Task Manager (Microsoft)
 - memory use, checking, 116–118
 - Networking tab, 223
- Windows Update (Microsoft), 215, 286
- Windows XP Media Center Edition 2005 (Microsoft).
 - See* MCE
- Windows XP Video Decoder Checkup Utility
 - (Microsoft), 166
- WinDVD optical disc burning tool, 146
- Winfiles Web site, 214
- Wired magazine Web site, 382
- wired networking, 214, 220
- wireless
 - Ethernet bridges, 249
 - networking, 214, 219–220
- wireless keyboards and mice
 - cost, 251
 - remote, 237–239
- wiring
 - airflow problems, 273, 276
 - assembly, 267, 268, 272–273
 - ATA drive, 78
 - Athlon 64 sample system
 - installing, 339–340
 - tidying up, 344
 - disconnecting, 5
 - Ethernet distance limitations, 220
 - fan, 266
 - floppy drive, 78
 - Hush Technologies Media Center Edition 2005 PC,
 - 26, 27
 - labeling, 4, 6
 - location, 8
 - motherboard, 61, 81
 - PATA drive, 78
 - Pentium 4 sample system
 - cleaning up, 309–310
 - installing, 305–306
 - Pentium M sample system
 - cleaning up, 326–327
 - installing, 322–323, 325
 - PSU to motherboard and CPU, routing, 264–265
 - SATA problems, 129
 - speakers, 197–198
- WMA (Windows Media Audio)
 - described, 172
 - playback, 176
- WMM for Beginners Web site, 384
- WMM Manual Web site, 385
- WMM Release Notes Web site, 384
- WMM 2 Review Web site, 385
- WOList:Audio Web site, 390
- woofer, 190

Y

Yahoo! Music Unlimited subscription service, 369
yellow exclamation points (!), 285
Your Movie Database Web site, 366
YUV video color modeling, 156

Z

Zalman heat sink fans, 100, 103
Zenith HDTV display, 210

