

INDEX

- Absorption, 53, 243, 252, 331, 340, 347.
 See also Herbicide(s), absorption
- Abutilon theophrasti*, 113, 120, 159, 219, 239
- A. circinatum*, 4
- Acer macrophyllum*, 121
- Acroptilon repens*, 300
- Adaptation(s), 5–7, 59, 64–65, 88, 94–95, 119,
 145–148, 244–245, 256, 266, 363–366
 and human activities, 122–126
 and selection, 113–114
 also *see* safesites
- Addition series, 207–210, 221, 224, 255
- Additive experiment(s), 201–202. *See also*
 Competition, methods to study
- Adsorption. *See* Herbicide(s), adsorption
- Aeschynomene virginica*, 243, 301
- Afterripening, 157, 167, 172
- Agamospermy, 103–104, 109, 114–115,
 117–118, 363
- Aggressivity, 219
- Agrestals, 4–6, 7–8, 19, 21, 90
- Agroecosystem(s):
 deterioration in, 379–381
 early, 20–21
 modern, 8–9, 36, 43–44, 69–70, 87,
 124–125, 127, 143, 158, 183, 295, 301
 weed management in. *See* Weed management,
 and agroecosystems
- Agropyron*, 28
 A. repens, 19, 23, 120, 236, 239, 241
 A. spicatum, 28
- Agrostemma githago*, 149, 239, 252
- Agrostis canina* ssp. *canina*, 19
 A. stolonifera, 19, 236
 A. tenuis, 19, 153, 160, 236
- Ailanthus*, 121
- Aircraft application, 334, 337
- Albinism, 327–328, 346
- Alchemilla arvensis*, 23
- Alien. *See* Exotic
- Aliphatic acid, 327–328
- Allelopathy, 185, 187, 188, 237–243, 256,
 301–302, 306, 356, 369, 373
 allelochemicals, 5, 37, 189, 238, 241–242,
 256, 301–302
 effects on seed, 157, 242
 exudates, 241–242, 252
 leachates, 241–242
 methods of study, 242–243
- Allium vineale*, 239
- Allogamy, 114, 115
- Alnus rubra*, 24, 121, 152, 221, 223, 254, 289

- Amaranthus*, 8, 108
A. albus, 147
A. dubius, 239
A. hybridus, 8
A. retroflexus, 163, 220, 239, 283
A. spinosus, 8, 239
- Ambrosia*, 24
A. artemisiifolia, 120, 239
A. cumanensis, 239
A. psilostachya, 239, 252
A. trifida, 239
- Amensalism, 185, 187–188, 204, 237–238, 256, 301
- Amsinckia*, 23
- Anabena*, 254
- Animal dispersal. *See* Dispersal, animal
- Annonaceae, 171
- Annual bluegrass, 156, 236
- Annuals, 13–14, 18–19, 28, 53, 65, 103, 106, 116–117, 120, 137, 166, 168, 251, 287
- Anthriscus caucalis*, 59
- Apiaceae, 171–172, 242
- Apomixis, 5, 115, 116
- Arceuthobium*, 244–245
- Arctostaphylos patula*, 24, 121, 127
- Arenaria uniflora*, 115
- Artemisia*, 97–98, 363
A. absinthium, 239
A. tridentata, 26, 27, 28, 29, 98, 189, 363, 372, 380
A. vulgaris, 239
- Asclepiadaceae, 172
- Asteraceae, 12, 106, 108, 115, 146–147, 168, 242
- Atrazine, 320, 325, 376–377, 383
- Autogamy, 5, 103–104, 114–115, 117
- Autopolyploidy, 116
- Avena barbata*, 112
A. fatua, 8, 23, 31, 58, 110, 112, 122–123, 143, 154, 177, 180–181, 219, 233, 239, 247, 266
- Azolla*–*Anabena*, 254
- Baker's rule, 103, 117
- Beneficial insects, 267–268
- Benefin, 320, 332
- Beta* sp., 122
- Betula*, 121
- Biennials, 14, 19, 32, 65
- Biodiversity, 48–49, 75, 86, 90–93, 183, 197, 268, 278, 375, 378, 382
- impacts of invasive plants, 3, 9, 30, 80, 268, 278
- impacts of weeds, 80, 224, 250, 278
- Biological control. *See* Weed control, biological
- Birch, 24, 152
- Brassica* spp., 12, 63, 109, 147, 252, 291
B. campestris, 22, 63, 233
B. napus, 109, 294
B. nigra, 239
- Brassicaceae, 63, 168
- Breeding systems, 104–105, 114–117, 126, 363–364
- Bromoxynil, 328
- Bromus erectus*, 19
B. japonicus, 239
B. mollis, 153
B. sterilis, 19
B. tectorum, 26–31, 55–56, 84–85, 98, 107, 196–198, 239, 363–364
and fire, 28–29
- Buds, 60, 66, 290, 327
- Bulb(s), 14, 117, 131
- Bunchgrass, 27–29, 72, 98, 159, 249, 372
- Bur chervil, 59
- Cakile maritima*, 89
- Camelina alyssum*, 239
- Camelina sativa*, 123, 239
C. sativa var. *linicola*, 123
C. sativa var. *sativa*, 123
- Canellaceae, 171
- Capsella bursa-pastoris*, 112, 156, 196, 198
- Carbamate, 320, 327–328, 338, 340
- Carbohydrate starvation, 177, 284, 287
- Cardaria draba*, 289
- Carriers. *See* Herbicide(s), carriers
- Carrying capacity, 54–55, 62, 64–65, 87, 140
- Ceanothus*, 24, 121
- Celastrus* spp., 159
- Cell division, 133, 326–327
- Centaurea* spp., 98, 238
C. diffusa, 239, 297
C. maculosa, 239, 297, 302
C. nigra, 19
C. repens, 239, 289, 300
C. solstitialis, 117, 143, 146, 159
- Cephalosporium diospyri*, 243
- Cereals, 6, 122, 149, 291, 292, 330
- Chaining, 279, 289, 306
- Chaparral, 280, 289

- Chenopodiaceae, 168
Chenopodium album, 8, 16, 19, 155–156, 220, 163, 164, 169, 236, 239
C. rubrum, 160
 Chloroacetamide, 327
 Chlorophyll, 244, 246, 327–328
 Chlorosis, 327–328, 346
Chondrostereum purpureum, 243
Chrysothamnus viscidiflorus, 28
Cirsium arvense, 22, 26, 120, 143, 146, 239
C. discolor, 239
C. vulgare, 19
 Classification of weeds. *See* Weed(s), classification
 Clearcut logging, 26, 280, 370, 376
 Climate, 14, 24, 29, 36–37, 48, 59, 64, 71, 111, 112, 113, 222, 229, 231, 270, 273, 289, 373
 Climax, 49–50, 53, 214
 Clone(s), 68, 117, 133. *See also* Reproduction, vegetative
 Cohort, 67–68, 165, 182
 Coleoptile, 172
 herbicide effects on, 327
Colletotrichum gloeosporoides, 243
 Colonization, 17, 59, 93–94. *See also* Invasion, colonization phase
 Colonizer(s), 4–6, 7–9, 14, 16, 52, 122, 144
 Commensalism, 185, 188, 237, 251–252, 256
 Community, 39–54, 120, 144, 213–217, 229, 248, 251, 273–274, 278, 305, 356–364, 383
 assembly, 52
 attributes, 47–50
 definition, 6
 invasability, 84–87, 89–101
 microbial, 254
 stability, 48–50
 structure, 47–49
 succession, 9, 26
 Competition, 68, 185–256, 292–294
 apparent, 187, 188, 249–250, 256
 asymmetrical, 222
 exploitation, 187, 188
 importance of, 68, 199, 216–217, 219, 221–223, 255
 intensity of, 217, 218, 221–222, 255
 intraspecific vs. interspecific, 221–222
 for light, 231
 mechanisms of, 222, 230–237
 role of plant traits, 231–237
 theories, 230–231
 methods to study, 201–216
 additive, 201–202, 207, 218
 addition series and additive series, 207–209, 221, 224, 255
 case studies, 214–216
 descriptive studies, 213–214
 diallel, 202, 206–207, 255
 gradient studies, 216
 intensity indices, 218–222
 in natural and managed ecosystems, 212–216
 neighborhood, 201, 209–212, 222, 255
 Nelder, 205–206
 replacement series, 203–205
 retrospective studies, 214
 substitutive, 202–207, 217
 systematic, 201, 207–209, 210, 218, 255
 vs. other types of interference, 237
 thresholds, 224–230
 for weed control, 292–294
 Competitive exclusion principle, 56, 189, 361
 Competitive production principle, 189
 Competitive ruderals, 20, 65, 119–120
 Competitors, 17–20, 49, 65, 119, 121
 stress-tolerant, 49, 231, 361
 Complexity, 38, 39, 41, 44, 50, 95, 97, 100, 137, 213, 216, 224, 229, 238, 256, 357
 Compositae. *See* Asteraceae
 Conifers, 11, 24–25, 146, 289, 381
 Conservation tillage. *See* Tillage, conservation
 Containment, 60, 71, 73, 76, 261, 278, 291.
See also Weed control
 Continuum theory, 40
 Controlled burn, 280–281
 Convolvulaceae, 244
Convolvulus, 13
C. arvensis, 8, 236
Conyza canadensis, 196–198
 Corm, 14, 117
 Cost-benefit analysis, 73–76, 269. *See also* Risk assessment
 Cover crops. *See* Crop(s), cover
 Critical period, 227, 228, 354. *See also* Thresholds
 Crop(s):
 competition, 180, 200, 216, 225, 290, 292, 303, 356

- Crop(s): (*Continued*)
 cover, 223–224, 241, 248, 287, 290,
 293–294, 301, 306, 355, 373
 herbicide resistant. *See* Herbicide(s),
 resistance, in crops
 in intercropping. *See* Intercropping
 mimics, 8, 103, 113, 122, 123
 response to weed control, 261–262
 rotation, 80, 290, 291, 292, 303, 306, 342,
 355, 360, 369
 smother, 290, 292–293, 301, 306
 trap, 246
 Cultivation. *See* Tillage
 Cultivators, 282
Cuscuta spp., 22, 149, 244–247, 291
 C. campestris, 246, 247
 Cybernetics, 379
Cynara cardunculus, 144, 147
Cynodon dactylon, 8, 147, 239
Cyperus esculentus, 8, 239
 C. rotundus, 8, 80, 239
Cytisus scoparius, 26

 2,4-D, 267, 303, 326
Datura ferox, 178
 Death, 13–14, 24, 32, 150, 164, 173, 176–179,
 195, 246, 248, 284, 312, 328
 Decomposers, 42, 52, 358
 Decomposition, 241, 253, 302, 342
 chemical, 343, 344
 herbicide, 335–338, 342, 344, 346
 microbial, 241, 344
 photochemical, 343
 Degeneriaceae, 171
Delphinium, 23
 Demography, 67–68, 81, 85, 129–182
 models of. *See* Model(s), demographic
 vital rates, 130
 Density, 41, 58, 105, 114, 141, 144, 157, 176,
 253, 255, 271, 293, 306, 344, 356, 369
 density-dependent mortality, 193, 194, 195
 effects on growth, 55, 192
 effects on mortality, 162, 171, 176–181,
 195–198
 effects on population growth, 60–64, 87–88,
 130–134
 effects on reproduction, 176–181, 196–198
 effects on size, 193–196, 199–200
 effects on yield, 200–224
 thresholds, 224–225, 249, 262–266

 Developing countries, 279, 356
 Diallel experiments. *See* Competition, methods
 to study
 Dicamba, 325, 327, 343
 Diclofop-methyl, 111
 Dicots, 11, 12, 172
 Difference equations. *See* Model(s), difference
 equations, 134, 138
 Diffusability, 87–88, 101
Digitaria sanguinalis, 8, 122, 147, 239
 Dinitroaniline, 320, 327
Diodia virginiana, 243
 Dipole, 319
Dipsacus sylvestris, 145–146
 Diquat, 325, 328
 Directed sprays, 332
 Disk, 215, 216, 265
 Dispersal, 5, 17, 85, 94–95, 142–149, 166,
 178–179, 244, 274, 285, 358, 362, 373
 agents of, 94, 146–149
 animal, 94–95, 147
 distance estimates, 144–146
 by humans, 94, 148–149
 through space, 142
 by tillage, 285
 through time, 366
 in water, 147
 wind, 146–147, 346
 Dispersing agent. *See* Herbicide(s), dispersing
 agent, 342
 Disturbance, 9, 24–27, 58, 68, 71–72, 81,
 95–99, 126, 214, 248–249, 368–369, 379,
 380, 381
 and cultivation, 6, 20, 53, 98, 143–144,
 176–177, 261, 265, 281–284
 and ecosystem disfunction, 379–380
 and evolution, 17, 20, 65, 108, 119, 140
 and habitats, 15, 30, 90–93, 101, 214, 371
 and land use, 46, 81, 96
 and propagule pressure, 95
 and reproduction, 115, 119–122
 and risk, 273–275, 277–278
 and safesites, 88–89, 143
 and seed banks, 152, 156–157, 159–164,
 168, 172
 and stress, 49, 96, 98–99, 143–144,
 176–177, 261, 265, 281–284
 and succession, 49–50, 52–53, 97–98, 360,
 365, 369, 373
 and thresholds, 228–275, 381

- Diversity. *See* Species, diversity
- Domesticates, 122
- Dominants, 48, 92, 195, 214
- Dormancy, 63, 94–95, 104, 110–111, 142, 159, 162, 164, 176, 178, 365
 conditional, 167–168
 descriptions of, 166–171
 and management, 171
 physical, 166, 168–170, 182
 physiological, 167–168, 170, 283, 293
 seed banks, 157, 159–60, 164
 underdeveloped embryo, 166, 171, 182
- Dredging, 293
- Drift, 73, 104, 118, 126, 334, 337, 338, 346, 372
 genetic. *See* Genetics, drift
 methods to reduce, 337
 use of buffer zones, 338
- Drosophila*, 144
- DSMA, 328
- Early detection, 69, 76, 229, 271
 and rapid response, 229–230
- Echinochloa crus-galli*, 8, 112–113, 123–126, 149, 163, 220, 239, 289, 291, 293
E. crus-galli var. *crus-galli*, 123, 125–126
E. crus-galli var. *oryzicola*, 123, 125
E. crus-galli var. *phyllopogon*, 149
- Echium plantagineum*, 31, 107, 117, 125
- Ecological agriculture, 45, 353, 354, 383
- Ecological law of thermodynamics, 41–42
- Ecosystem(s), 8, 23, 26, 29, 76, 96, 178, 181, 250, 254, 349, 355, 360, 375
 agricultural. *See* Agroecosystem(s)
 community structure, 46–48, 276
 and evolution, 101–103, 107
 and human systems, 77, 80, 355–360
 management in. *See* Weed management, agroecosystems and natural systems
 natural, 30, 43, 48, 70, 83–101, 107, 143, 149–150, 159, 178, 180, 187–188, 213, 216–218, 224, 226, 228–230, 238, 243, 250, 256, 272, 349, 374
 novel, 53, 99–101, 366–374, 381–383
 reproduction, 107, 115, 363
 riparian, 30, 89, 91, 97, 230, 300, 338, 341, 372, 381
 and scale, 39–48
 and succession, 49–53
- Ecotype, 112, 122, 123, 126, 177, 266, 287
- EDRR. *See* Early detection, and rapid response
- Education, 41, 43, 79, 80, 249, 268, 352, 369, 381
- Eichhornia crassipes*, 8
E. paniculata, 95
- Emergence, 135, 162–164, 171–174, 178–180, 200, 222, 227, 228, 233, 283–285, 292–293, 304–305, 323, 326, 330
- Emulsifiable concentrate, 322
- Emulsifier, 321, 322, 332, 346
- Endothall, 325, 328
- Environment, 35–36, 59, 62–65, 71, 73–75, 77–78, 81, 84, 86–88, 91, 98–101, 103–106, 110–115, 117, 119–121, 123, 127, 129–131, 139, 141, 142, 150, 157, 163–170, 176, 177, 178, 180–189, 192, 193, 196, 204, 206, 209, 213, 214, 216, 217, 222, 224, 227, 230–231, 233, 238, 241, 243, 250–253, 255, 259–265, 267–268, 270–274, 279, 282, 284–285, 291, 298, 307–309, 311, 314–318, 323, 328–330, 332, 335–339, 341–343, 345–347, 351–353, 356, 358–359, 362–365, 368–369, 371, 373–376, 379–383
 conditions of, 5, 21, 29, 37, 87, 88, 93–95, 103, 110, 111, 113, 114, 126, 157, 161, 163, 164, 166, 167, 170, 172, 182, 204, 228, 234, 262, 292, 359, 363
 gradients, 46, 47, 112–113, 206, 209, 216
 macroenvironment, 36
 microenvironment, 36, 41, 47, 51, 91, 92, 119, 121, 142, 241, 292, 329, 371
 resources of, 20, 37, 52, 54, 92, 188, 230, 355
- Environmental Protection Agency (EPA), 22, 298, 308, 376
- Enzyme inactivation, 308
- Ephemerals, 137, 152, 163
- Epidemics of weeds and invasive plants, 178–182
- Epilobium angustifolium*, 19, 110, 152
- Epinasty, 327
- Epiphytes, 251
- Eradication, 69, 70, 259, 269, 369
- Eriogonum longifolium*, 23, 236, 293
- Euphorbia esula*, 31, 60–61, 131, 139, 239, 297
- Evolution, 62–65, 103–127, 156–157, 159, 255, 351–354, 357, 363, 365, 366, 379, 383
 convergent, 48
 influence of humans on, 43–44, 119–126

- Evolution (*Continued*)
 strategy, 17–20, 65–67, 119–121
 of weeds and invasive plants, 8, 33, 43, 44,
 63–65, 103–128, 130, 291
- Evolutionary genetics, 104–111. *See also*
 Genetics
- Exotic, 5, 7–9, 10–11, 14–17, 23–26, 28–30,
 70–73, 76, 83–84, 89–101, 107–109, 118,
 140–141, 159–160, 171–172, 229, 230,
 237, 238, 248–250, 254–255, 270, 272,
 274–277, 290, 299, 351
- Externalities, 74
- Extirpation, 140
- Fabaceae, 108, 154, 172
- Facilitation, 51, 187–190, 204, 224, 250–255,
 373
 model. *See* Model(s), facilitation
- Facilitative production principle, 189, 250
- Factorial design, 207–208
- FDCA. *See* Federal Laws, Food, Drug, and
 Cosmetic Act
- Fecundity, 113, 132, 137, 139, 140, 145, 248
- Federal Laws, 308
 Federal Insecticide, Fungicide and
 Rodenticide Act, 308
 Federal Noxious Weed Act, 291
 Federal Seed Act, 291
 Food, Drug, and Cosmetic Act, 308
- Feedback, 27, 39, 41, 43, 44, 45, 345, 351, 353,
 379, 380, 381
- Fertilizer, 282, 322, 379–380
- Festuca*, 19, 28, 153–154, 236
- FIFRA. *See* Federal Laws, Federal Insecticide,
 Fungicide and Rodenticide Act
- Fire, 28–29, 37, 121, 159, 280–281, 363–364,
 367, 380–381. *See also* Weed control
- Fisher–Skellam equation, 87
- Fitness, 10, 59, 63, 105–107, 110, 115, 117,
 222, 363
- Flail, 287
- Flaming, 281
- Flax, 123, 239
- Flooding, 36, 279, 306, 360
- Food chain, 42, 308, 311, 314, 315, 358–359
- Food, Drug, and Cosmetic Act. *See* Federal
 Laws, Food, Drug, and Cosmetic Act
- Forest(s):
 managed, 24–25, 200, 355, 368, 369–371,
 383
 plantations, 16, 21, 53, 217, 218, 226, 265,
 279, 305, 307, 338, 355, 369
 regeneration, 25–26, 121, 266
- Forestry, 25, 264, 273, 288, 335, 350–351, 353,
 360, 367, 376, 379, 382, 383
- Formulation. *See* Herbicide(s), formulation
- Founder effects, 107, 111, 117, 118. *See also*
 Breeding systems and Genetics
- Fragmentation, 50, 86, 90, 93, 119, 133,
 140, 360
- Fruit fly, 144
- Galium*, 19, 214
G. saxatile, 214
G. sylvestre, 214
- Gause's competitive exclusion principle. *See*
 Competitive exclusion principle
- Gene flow. *See* Genetics, gene flow
- General purpose genotype, 10, 59, 126
- General Systems Theory, 38
- Genet(s), 14, 184
- Genetics, 62–63, 67–68, 104–118, 122–123,
 126–127, 130, 133–134, 137, 144, 166,
 207, 292, 302, 329, 346, 360, 363–365,
 373, 377–378, 382. *See also* Evolutionary
 genetics
 drift, 104, 118, 126
 epigenetics, 110–111
 gene flow, 94, 104, 105, 109, 114–116, 118,
 122, 127, 140, 142
 variation, 62, 104, 105, 107, 109, 111,
 113–115, 117, 118, 127, 363, 364
 epigenetic, 111, 114
 epistatic, 109–110, 114
 heritable, 62, 63, 103, 104–111, 363
 of weeds and invasive plants, 62–67,
 104–111
- Genotype, 5, 59, 62–63, 94, 104–107,
 109–119, 177, 306, 363–364
- Geotropism, 346
- Germination, 13, 37, 68, 88, 94–95, 110–113,
 129, 131, 150, 159–160, 162, 165–180,
 184, 189, 228, 242, 244–246, 250,
 281–286, 290, 293, 294
 light requirement for, 110, 168, 172–176,
 282–284, 293
- Gleditsia triacanthos*, 146
- Glomus* spp., 254
- Glufosinate, 325, 329, 377
- Glyphosate, 325, 328, 329, 377

- Gramineae. *See* Poaceae
- Granules, 322, 346
- Grass(es), 12–13, 26–28, 97–98, 120,
151–153, 159–162, 238, 252, 256, 330,
363
- Grassland, 28–30, 72–73, 84–86, 91, 94,
96, 97–98, 111, 120, 144, 157, 162, 216,
230, 256, 280, 290, 360, 363–364,
372, 380
- Grazing, 20, 23, 28–29, 65, 96–98, 100,
119–120, 133, 188, 248–249, 294, 301,
363, 371–373, 380
- Great Basin, 26–29, 84, 249
- Growth:
analysis, 234–237
population, 59–60
of weeds and invasive plants, 234–237, 304
modular, 133–134
- Guild, 39, 56, 379
- Habitat, 14–15, 20, 30–33, 36–37, 46, 52,
59, 71, 83, 84, 86–98, 103–104, 112–113,
120–121, 122, 140, 150, 159–160,
169, 172, 176–177, 216, 232–234,
248, 250, 259, 267–268, 269, 272,
273, 275, 359, 360, 362, 364, 365, 372,
379, 381
invasibility. *See* Invasibility
management, 248. *See also* Weed
management
- Half-life, 163, 165, 315, 316, 342, 343
- Hand pulling, 279. *See also* Weed control
- Hard seed. *See* Hardseededness
- Hardseededness, 159, 162, 170, 176
- Harvesting, 21–22, 24–25, 148, 178, 182, 266,
287, 294–295, 360, 370, 371
- Haustorium, 246–247
- Hazard, 74, 165, 178, 300, 308–309, 311, 314,
316–317, 322
- Herbicide(s), 303–307, 307–347
absorption, 331, 340, 346
active ingredient, 315, 316, 318, 321–323,
334, 346
additives, 322, 338, 346
adsorption, 315, 331, 335–342, 344, 346
application, 322
aerial, 334, 335, 338
method of, 333–335
aquatic, 325, 326
biological magnification, 311, 314–316, 346
classification, 304–305, 322–327
contact, 324, 325, 328, 330
decomposition, 302, 335, 336, 337, 338,
342–346
degradation, 308, 327, 332, 335, 340, 342,
343, 344, 346, 368
desorption, 339, 341
development, 308
displacement of, 336, 338, 341, 346
dose. *See* Herbicide(s), rate
effects on plants, 322, 332
fate of, 335–346
foliage-applied, 324, 330
formulations, 319, 321, 322, 323, 332, 338
inactivation, 331, 332
injury due to, 326, 328, 329, 330, 332, 335,
337, 338, 340, 345
labels, 309, 338, 340
laws governing, 308, 309, 345
leaching, 320, 333, 334, 340, 341, 342, 346
list of, 323, 325, 326
mechanism of action, 324, 327
metabolism, 314, 326, 331
mode of action, 302, 325, 327
persistence, 315, 340
problems with, 303
properties of, 311, 318–322, 345, 346
rate, 322
residues, 337, 342
resistance, 109, 111–114, 267, 306, 328, 365
in crops, 329–330, 377–378
restrictions on, 309–311
tolerance, 308, 323, 327, 328, 332, 342,
372
safety, 311
selectivity, 305, 308, 322–324, 327,
328–335, 337, 341
in soil, 323, 338, 340, 342
soil-applied, 323–325, 333, 338
structure, 318–319, 342, 346
symptoms, 327–328, 331
timing and use of, 304
toxicity, 309–314
acute, 311–312
chronic, 312–314
transformations of, 314, 332
transport of, 303, 321, 332
uptake of, 320, 340, 341
volatility, 318, 319, 320, 321, 334, 338, 346
voluntary selection criteria, 315–317

- Herbicide(s) (*Continued*)
 water solubility of, 318–319, 321, 322, 341–342
- Herbivory, 19, 40, 44, 111, 133, 185, 188, 222, 237–238, 243–244, 248–249, 278, 369, 373
- Heterosis, 106, 107, 109, 363
- Hierarchy theory, 38
- Hilaria jamesii*, 254
- Hoeing, 227, 279, 306
- HRC. *See* Herbicide(s), resistance, in crops
- Human institutions, 80, 375
- Humus, 340
- Hybridization, 59, 63, 105–109, 115, 122, 364
- Hypericum perforatum*, 23, 113, 147, 299
- Impatiens*, 160, 246, 247
- Imperata cylindrica*, 8, 240
- Inbreeding, 94, 109, 115, 116, 117, 363
- Income, 54, 377
- Infestations, 31, 178, 179, 182, 274, 275, 370
- Inheritance, 105, 110, 111, 115, 329, 346
 epigenetic, 105, 110, 111, 115
- Inhibition model. *See* Model(s), inhibition
- Insects, 8, 20, 22, 44, 246, 249–250, 267, 268, 295, 352, 353, 359–360
- Integrated Pest Management, 44, 45, 224, 249, 268, 245, 351–366. *See also* Weed management
 approaches for, 353–366
 levels of, 354–355
 modern, 351–352
- Integrated Weed Management, 354–366. *See also* Integrated Pest Management
 and community dynamics, 358–360
 future directions, 357–366
 and population dynamics, 357–358
 principles, 355–357
 and succession, 360–363
- Interactions, 10, 35–37, 39–40, 42, 44, 47, 50, 80–81, 90, 99, 109, 113, 122, 130, 133, 140, 157, 177, 180, 183–256, 262, 295, 338, 357–358, 379. *See also* Interference
 negative, 188, 214, 237, 244, 256, 295
 positive, 185, 187, 189, 201, 237, 253, 256
- Intercropping, 186, 190, 218, 223, 251, 253, 256, 294, 355
 and weed suppression, 223–224
- Interference, 6, 184–256, 301–302, 356, 372, 373. *See also* Interactions
 critical period, 45–46
 effect and response, 185, 186, 187
 methods to study. *See* Competition, methods to study
 negative, 185, 187, 237–250, 301
 positive, 250–257
- Introduction, 3–4, 9, 10, 16–17, 30, 53, 56–60, 77, 83–84, 88, 90, 93–94, 97–98, 140–141, 224, 269–270, 351. *See also* Invasion, introduction phase
 and genetics, 105–117
 and thresholds, 224, 229, 364, 367
- Introgression, 59, 106, 107, 109, 114
- Invasion:
 colonization phase, 17, 59, 93–94
 detection, 70, 76, 271
 documenting, 271–275
 impacts, 49, 70, 352
 introduction phase, 17, 56–57, 58, 93
 lag phase, 59
 local, 87–89
 management. *See* Weed management in natural ecosystems
 naturalization phase, 17, 60, 62, 95, 357
 predicting, 71
 process, 17, 36, 44, 56–62, 76, 83–84, 85, 88, 93, 94, 95, 357
 in production systems, 20–29, 53, 96
 resistance, 91–92
 risk assessment for, 69–70, 272–277, 305
 role of disturbance, 58
 screening for, 272–273
- Invasive plants:
 definitions, 3–4, 9–10, 16–17
 evolution of. *See* Evolution of weeds and invasive plants
 expansion rates, 139, 145–146
 impacts, 9, 229, 277, 351
 in production systems, 20–29
 traits, 9–10, 36
 in wildlands, 30–33
- Invasibility, 37, 83–102, 129, 270, 273, 278, 380, 381
 community, 84, 87, 101, 278
 and community structure, 90–93
 and disturbance, 95–99
 and diversity, 91–93
 and evolutionary history, 89–90
 factors in, 89–99
 habitat, 86

- and invasiveness, 99–101
- and propagule pressure, 93–95
- risk assessment for, 273–275
- role of plant size, 92–93
- Invasiveness, 10, 71, 84, 99–101, 106–107, 129, 236, 237, 238, 270
- IPM. *See* Integrated Pest Management
- Ipomoea hederacea*, 115
- Irrigation, 147, 290, 292, 332, 340, 341, 342, 379
 - to incorporate herbicides, 340, 341, 342
- IWM. *See* Integrated Weed Management

- Juglans nigra*, 241–242
- Juglone, 241–242

- Keystone species, 40, 367
- K selection. *See* Selection, r and K

- Labor, 21, 75, 80, 149, 160, 199, 308, 369, 379
- Lactoridaceae, 171
- LAI. *See* Leaf Area Index
- Lamium amplexicaule*, 122
- Land equivalent ratio, 221
- Landscape, 8, 24, 46–47, 69, 83, 91, 99, 248, 271, 277, 289, 357, 359, 361, 362, 382
- Land use, 21, 26–28, 30, 36–37, 70, 89, 90, 93, 96–99, 101, 140, 165, 166, 260, 335, 350–353, 362, 373
 - cycles of for production, 350–353
- Lantana camara*, 31–32
- LAR. *See* Leaf Area Ratio
- Latin binomial, 12
- Law of constant final yield, 192, 255
- Lay-by, 305
- Leaching. *See* Herbicide(s), leaching
- Leaf Area Index, 41, 120, 233
- Leaf Area Ratio, 10, 234, 235
- Leptochloa*, 240, 289
- LER. *See* Land Equivalent Ratio
- Leslie model. *See* Model(s), Leslie
- Life cycles, 8, 123, 149, 227, 352, 356, 362
- Life history, 13–14, 35, 48, 49, 53, 60, 63, 65–67, 69, 92, 105, 113, 115, 119, 163, 236, 373
- Life tables, 131, 139, 180, 182
- Light, 15–16, 47, 90, 98, 110, 113–114, 157, 160, 168, 172–176, 187–188, 196, 231, 233, 236, 237, 282–283, 284, 285, 289, 293, 343
 - competition for, 231
 - quality, 113, 172
 - requirement for germination, 168, 172, 176, 282, 284
- Linaria* spp., 98
- Lithocarpus densiflora*, 121
- Litter, 19, 241, 242, 362, 373
- Living mulch. *See* Crop(s), cover
- Logging, 25–26, 46, 53, 76, 96, 121, 171, 280, 371, 380–381
- Logistic equation, 54, 55, 64
- Lolium*, 19, 153, 160, 267
 - L. multiflorum*, 104, 111, 120, 154, 209, 240, 293
 - L. rigidum*, 267
- Loranthaceae, 244
- Loranthus*, 244
- Lotka–Volterra equation, 542
- Lotus corniculatus*, 19
- Lythrum salicaria*, 31, 297

- Macroenvironment. *See* Environment, macroenvironment
- Magnoliaceae, 171, 242
- Matricaria matricarioides*, 19, 155, 236
- Matrix model. *See* Model(s), matrix
- Mechanism of action. *See* Herbicide(s), mechanism of action
- Meristems, 133, 281, 327, 330
- Mesocotyl, 172
- Metabolites, 232, 254
- Metapopulation(s), 57, 129, 139–140
 - dynamics, 141–142
 - risk of extinction, 140–141
- Microenvironment. *See* Environment, microenvironment
- Millet, 12, 221, 222, 293
- Mimics. *See* Crop(s), mimics
- Mineral nutrition, 67, 244
- Minimum tillage. *See* Tillage, minimum
- Mistletoe, 244, 245, 346
- Mitosis, 111, 327
- Model(s):
 - age specific, 137
 - APSIM, 70
 - demographic, 179–181, 346
 - difference equations, 134, 138
 - facilitation, 51
 - HERB, 70
 - inhibition, 52

- Model(s): (*Continued*)
 INTERCOM, 70
 invasion, 71, 75–76
 Leslie, 138, 139
 matrix, 138, 139
 population dynamics, 60, 134–139,
 179–181
 SELOMA, 70
 of succession, 49–53
 tolerance, 51
 threshold, 70–71
 weed management, 180–181
- Mode of action. *See* Herbicide(s), mode of
 action
- Monocots, 11, 12, 13, 172
- Morrenia odorata*, 243, 301
- Mortality, 17, 64, 85, 88, 130, 132–140, 142,
 164, 174, 180, 191, 193, 195–198, 238,
 241, 246, 248, 282, 290, 351, 369–370
 risk of death, 176–178
- Mower, 287, 288
- Mowing, 29, 65, 127, 279, 286–288, 355
- MSMA, 325, 326, 328
- Mulches, 248, 279, 289–290, 294, 301,
 306, 371
- Mutualism, 10, 185, 237, 251, 252, 253,
 255, 256
- Mycoherbicide(s), 301, 306
- Mycorrhizae, 90, 252, 253, 254
- Naptalam, 325, 328
- NAR. *See* Net Assimilation Rate
- Nassella trichotoma*, 73, 74
- Natality, 130, 181
- Natural enemies, 10, 114, 187, 188, 268,
 274, 295, 298, 300, 306, 351, 358,
 372, 373
- Naturalization, 17, 60, 62, 95, 357. *See also*
 Invasion, naturalization phase
- Naturalized species, 4–5, 6, 7, 14–16
- Necrosis, 327, 328, 346
- Neighbors, 184–185, 190, 192, 194, 200, 206,
 209, 211–213, 217, 230, 233, 237, 238
- Neighborhood experiments. *See* Competition,
 methods to study
- Nelder designs. *See* Competition, methods to
 study
- Nematodes, 22, 268, 269, 294, 358, 359, 360
- Neotyphodium* spp., 111
- Net Assimilation Rate, 234, 235
- Niche, 36, 49, 54–56, 62, 71, 86, 89, 91–93,
 187, 214, 270, 355, 363, 365
- Night tillage. *See* Tillage, night
- Nitrile, 327
- Nitrogen fixation, 10, 48, 254, 257
- Nitrophiles, 176
- Nostoc*, 254
- No-tillage. *See* Tillage, no-tillage
- Novel ecosystems. *See* Ecosystem(s), novel
- Noxious weeds, 16, 73, 83, 291
- Nurse plants, 252
- Nutrient(s), 36, 37, 42, 53, 65, 98, 119,
 186–188, 196, 216, 233, 238, 251–253,
 255, 344, 365, 379–380
- Old-fields, 96, 98, 144, 380
- Opuntia stricta*, 36, 297
- Orobanchaceae, 244
- Orobanche* spp., 244–246
O. ramosa, 301
- Outbreeding depression, 106, 107
- Outcrossing, 103, 106, 109, 114, 115, 117, 363.
See also Breeding systems
- Panicum miliaceum*, 221–222
- Papaver*, 156, 157
- Pappus, 146
- Paraquat, 324, 325, 328
- Parasitic weeds. *See* Weed(s), parasitic
- Parasitism, 127, 185, 188, 237, 243, 244,
 246, 256
- Parthenocissus* spp., 159
- Pathogens, 22, 44, 94, 114, 171, 250, 281, 294,
 295, 299, 301, 345, 351, 359
- Pellets, 322, 346
- Perennials, 14, 19, 53, 65, 104, 106, 109,
 116, 117, 120, 159, 163, 166, 168, 282,
 289, 362
- Peromyscus*, 163
- Persistence. *See* Herbicide(s), persistence
- Persistent seed, 10, 36, 67, 95, 159, 160,
 162, 165
- Pest management. *See* Integrated Pest
 Management
- pH, 18, 37, 238, 241, 315, 329, 340, 341, 344
- Phenology, 41, 48, 66, 105, 126, 149,
 363, 365
- Phenotypic variation, 63, 105, 114, 363
- Phenoxys, 267, 326, 328
- Phloem, 246, 324

- Phoradendron*, 244
 Photosensitization, 23
 Photosynthesis, 15–16, 67, 112, 188, 236, 282,
 289, 324, 326, 327
 C₄ pathway, 16, 236
 Calvin–Benson cycle, 15
 Phototropism, 328
 Physiognomy, 40, 41, 48, 86
 Phytochrome, 174–176, 282
 and daylength, 16
Phytophthora palmivora, 243
 Phytotoxins, 24, 188, 243
 from microorganisms, 243
 Picloram, 60, 61, 325, 327
 Pinaceae, 115
Pinus spp., 237
 P. ponderosa, 40, 215, 216, 226
 Pioneer, 24, 49, 53, 150, 152, 156, 157, 165,
 172, 352
 Plant development, 132, 328
Plantago, 236, 240
 P. lanceolata, 14, 19, 155, 196–198,
 236, 256
 P. major, 196–198
 Plasticity, 103, 105, 113–114, 120, 150, 165,
 193, 196, 197, 287
 Plow, 22, 95, 97, 98, 241, 265
Poa, 19, 28, 156, 194, 236, 240
 P. annua, 19, 156, 194, 236
 Poaceae, 12, 28, 106, 108, 147, 168, 172, 194
 Poisonous weeds, 16, 24
 Polycropping, 253, 256
Polygonum spp., 159
 P. pensylvanicum, 120, 240
 Polymorphism, 107, 111, 113, 157, 168, 169,
 172, 176
 Polyploidy, 63, 105, 109, 116
 Population(s)
 exponential growth, 44, 59–60, 130,
 178, 345
 growth, 54, 55, 56, 57, 59, 60, 62, 64, 87,
 130, 132, 139, 140, 141, 145, 222, 270,
 300, 345
 satellite, 60–62, 85, 86, 93, 101, 140, 271
 source, 60–62, 71, 127, 140
 Population dynamics
 birth, 57, 68, 130–134, 137, 139, 141
 death, 57, 68, 95, 129–134, 138–141
 emigration, 57, 68, 130, 131, 133–134, 139,
 142, 181
 immigration, 57, 68, 104, 130, 131, 133–134,
 139, 140–142
 models of. *See* Model(s), population dynamics
Populus, 24, 121
Portulaca oleracea, 8, 219, 240
 Postemergence, 180, 304, 305, 323
Potentilla recta, 14, 98, 144, 275, 277–278
 3/2 Power law, 195, 196. *See also*
 Self-thinning
 Precautionary principle, 79–80, 330, 378
 Predation, 54, 94, 114, 150, 157, 178, 185–188,
 237, 243–248, 284–285, 359
 of seed, 162–163, 165, 182, 246–248
 Preemergence, 227, 304, 323, 330
 Pre-harvest, 305
 Preplant, 227, 304, 323
 Prescribed fire, 278, 280, 281
 Press perturbation, 53
 Prevention, 69, 70, 75–76, 184, 230, 259, 260,
 269, 272, 281, 291, 352, 355
 Primary consumers, 42
 Primary succession, 49, 51
 Primary tillage. *See* Tillage, primary
 Primulaceae, 115
 Producers, 8, 42, 267, 317, 352, 358, 377
 Propagule pressure, 93–95. *See also* Invasibility,
 and propagule pressure
 Proportion of species or population, 131, 132,
 139, 189, 199–210, 218, 221, 223–224,
 231, 265
 Protooperation, 185, 237, 251, 252, 253, 256
 Proximity factors, 202, 207
 Pruning, 184
Prunus serotina, 243
Pseudotsuga douglasii, 25, 162–163, 211, 221,
 223, 380, 381
Pteridium aquilinum, 23
 “The public”, 79, 376
Purshia tridentata, 254
 Quarantines, 260, 290, 291, 306, 381
 Race, 122, 123, 125, 273
 Ramet(s), 14, 68, 117, 134, 135, 137, 171, 177,
 178, 184
 Rangeland(s), 26–29, 35, 53, 56, 65, 120, 200,
 238, 248, 287, 294, 300, 372
 Ranunculaceae, 171
Ranunculus bulbosus, 156
 R. repens, 19, 136, 137, 155, 156, 236

- Raphanus* sp., 122
- Reciprocal yield law, 192, 196, 199, 207, 262
- Recruitment, 60, 68, 85, 88, 94, 137, 162,
165–166, 171–180, 293, 365. *See also*
Germination
- Red:far red ratio, 114
- Reduced tillage. *See* Tillage, reduced
- Reforestation, 25, 121, 243, 264
- Relative Growth Rate, 10, 67, 231, 234, 235,
236, 256
of weeds, 234
- Relative yield, 204, 218, 219, 220
Relative yield total, 219
- Replacement series, 202, 203, 204, 205, 207,
209, 219, 220, 237, 255. *See also*
Competition, methods to study
- Reproduction, 13, 17, 44, 53, 62–65, 68, 94,
103–104, 120, 123, 134–138, 178–179,
196–198, 290, 298, 314, 361, 363
asexual. *See* Reproduction, vegetative
sexual, 114, 115, 117, 118, 134, 135
vegetative, 5, 53, 68, 104, 117–118, 134,
137, 363
occurrence of, 68, 117, 134, 137
risk of death, 177–178
- Resistance, 21, 49–50, 91–92, 105, 109, 111,
113, 114, 126, 267, 306, 328, 365, 375
herbicide. *See* Herbicide(s), resistance
- Resources, 37–38, 51–52, 54, 56, 58, 62–67,
75–76, 86, 91–92, 119–121, 140–141,
176, 184–190, 213, 219, 228, 230, 231,
233, 253, 262, 355–356, 361–362, 379
allocation of, 17, 63–65, 114, 119
limitation of, 130, 234
- Resource-based theory, 231
- Resource ratio hypothesis, 373
- Respiration, 41, 188
- Restoration, 70, 72, 75, 140, 178, 184, 197,
229–230, 252, 264, 266, 278, 290, 293,
307, 351, 368, 371, 372, 374
- R:FR ratio. *See* Red:far red ratio
- RGR. *See* Relative Growth Rate
- Rhizobium*, 254
- Rhizomes, 14, 23, 117, 131, 178, 241, 282, 285
- Rhododendron catawbiense*, 106
R. ponticum, 106
R. radicans, 24
- Rice, 12, 110, 113, 123, 124, 125, 126, 148,
149, 243, 254, 255, 289, 291
- Ridge tillage. *See* Tillage, ridge
- Ring cleavage, 34
- Riparian ecosystems. *See* Ecosystem(s), riparian
- Risk, 24, 62, 77, 78, 81, 97, 112, 118, 140, 162,
181, 191, 229, 230, 255, 265, 269, 275,
276, 277, 309, 353, 357, 358, 372, 374,
375, 376, 378, 381
assessment, 69–76, 271, 272, 273, 274,
278, 372
of death, 176–179. *See also* Mortality
economic, 74, 75
endogenous, 75–76
environmental, 95, 311, 376
from weeds and invasive plants, 69–70
- Risk-benefit analysis, 78, 81, 375
- Rolling cultivator, 265, 266, 282
- Rolling Pampas, 97, 98, 980
- Root(s), 14–15, 117, 133, 177, 231, 233, 234,
241–242, 246, 252–256, 285, 323,
327, 333
hairs, 253
moisture extraction by, 172
- r selection. *See* Selection, r and K
- Rubiaceae, 108, 115
- Rubus*, 15, 121
- Ruderals, 17–20, 65, 119, 120, 121, 163, 361,
362
- Rule of tens, 58
- Rumex acetosella*, 19
R. crispus, 143, 147, 155, 240
- RY. *See* Relative yield
- RYT. *See* Relative yield total
- Saccharum spontaneum*, 240
- Safe sites, 88–89, 93, 101, 141, 176–177, 182
- Sagittaria*, 147
- Salsola iberica*, 146, 147, 240
- Scale, 9, 30, 38–45, 91–92, 140, 222, 231,
247–248, 357, 381, 382
in ecological systems, 39–42
in human production systems, 43–45
- Scrophulariaceae, 108, 244
- Secale cereale*, 122
- Secondary consumers, 42
- Secondary succession, 24, 46, 49, 52, 53, 95,
97, 228, 284
- Secondary tillage. *See* Tillage, secondary
- Sedges, 12, 13
- Seed(s), 10, 19, 66–67, 152, 158, 165,
167–168, 170, 179, 197
cleaning of, 21, 149

- decay of, 161, 242
 dispersal, 5, 17, 85, 94–95, 142–149. *See also* Dispersal
 dormancy, 88, 95, 110–111, 159, 166–174, 365. *See also* Dormancy
 fate in soil, 162–164
 germination, 37, 88, 94, 113, 129, 171–172, 176, 242, 282, 294, 302, 330
 laws, 149, 290, 291
 light requirement. *See* Germination, light requirement for
 longevity, 152–157
 predation of, 162–163, 165, 246–248
 senescence, 163–164, 182
 viability, 162
 Seed bank, 10, 36, 67, 88, 95, 104, 134–137, 145, 149–168, 171, 177, 179–181, 197, 222, 242, 246–247, 260, 281–282, 355, 359, 381
 in agricultural soils, 157, 159–162
 density and composition of, 157
 entry into, 150
 fate of seed, 162–164
 longevity, 152
 in natural ecosystem soils, 159
 predation. *See* Predation
 and propagule pressure, 95
 recruitment from, 162
 and weed occurrence, 165–166
 Seed bed preparation, 281
 Seedling recruitment, 85, 88, 165, 171, 179, 293
 Selection, 6, 12, 52, 62–65, 90, 103–105, 107, 112–113, 115, 117–119, 122–123, 126–127, 172, 259, 267, 269, 285, 287, 292, 302–303, 352, 355–356, 363, 365–367, 372
 C, R, and S, 17–20, 49, 65–67
 r and K, 49, 64–65
 Selective herbicide(s). *See* Herbicide(s), selective
 Selectivity. *See* Herbicide(s), selectivity
 Self-pollination, 114, 115, 364. *See also* Autogamy and Breeding systems
 versus outcrossing, 115–116
 Self-thinning, 195, 197
Senecio jacobaea, 19, 26, 159, 249, 297, 299
 S. sylvaticus, 196–197
 S. viscosus, 197
 S. vulgaris, 19, 156, 194, 236
 Seral stage, 49, 50, 53, 121, 214, 371
 Sesquiterpene lactones, 242
Setaria spp., 106, 291, 365–366
 S. faberi, 159, 240
 S. viridis, 106, 219, 240
 Sexual reproduction. *See* Reproduction, sexual
 Shredding, 279, 286
 Shrub(s), 14, 18, 20, 24–26, 28–29, 32, 53, 59, 65, 97, 104, 121, 152, 159, 177, 189, 211, 215–216, 236, 251, 254, 280, 288, 289, 372, 380
 Sickle, 287, 288
Silene alba, 115
 S. angelica, 197
 S. gallica, 197
Sisymbrium altissimum, 147
 Size classes, 138, 194, 196
 Smother crops. *See* Crop(s), smother
 Social principles, 77–81, 350
 conflict and resolution, 79
 precautionary principle, 79–80
 Soil:
 biological phase, 339
 characteristics of, 339
 colloids, 336, 339, 340, 341, 344, 346
 enrichment, 59
 fertility, 243, 253, 292, 353, 361, 379
 microorganisms, 36, 238, 255, 308, 344
 effect of herbicides on, 344
 type, 36, 214, 339
 water, 326, 341
 Soil-block washing technique, 231
 Solanaceae, 267, 329
Solanum spp., 12, 13, 16, 22, 23, 220, 240, 267, 283, 289, 329
 S. elaeagnifolium, 289
 S. nigrum, 283
 S. nodiflorum, 220
 Solarization, 279, 289–290, 355
Solidago, 112, 152, 240
 S. altissima, 112
 S. gigantea, 112
 Somatic polymorphism, 168, 169
Sorghum halepense, 8, 23, 62, 94, 120, 165, 178, 240, 289, 360
 Space, 37–38, 40, 41, 44, 46, 51, 52, 60, 91, 114, 142, 182, 188, 189–191, 205–206, 294, 303, 360
 capture, 191, 194, 355

- Spacing, 47, 184, 195, 206, 211, 292, 293, 354, 355
- Spartina anglica*, 109
- Spatial arrangement, 41, 189, 200–203, 209, 210, 253, 255
- Species composition, 41, 48, 49, 50, 126, 156–157, 188, 214, 217, 222, 228, 238, 371, 372
- shifts in, 126, 183, 204, 356, 361
- effects of weed control on, 21, 265, 266, 267, 306
- Species diversity, 41, 48–49, 56, 91, 199, 229, 268, 365, 361, 378. *See also* Biodiversity
- Spergula arvensis*, 156, 194
- Stellaria media*, 19, 156, 194, 236, 240, 283
- Stipa* spp., 28, 108, 254
- S. hymenoides*, 254
- Stolons, 14, 117, 131, 137, 282
- Stress, 17, 20, 49–50, 65–68, 84, 90, 96, 112, 191–193, 195, 230–231, 292, 314, 356, 361, 369, 370, 372–73, 381, 383
- and disturbance, 98–99
- Stress-tolerant competitors, 17–20, 49, 65, 119, 121
- Striga asiatica*, 242, 244–246, 291
- Substitutive experiments. *See* Competition, methods to study
- Succession, 49–56
- effects of fragmentation, 360–361
- mechanisms of, 50–52
- models of. *See* Models, succession
- primary, 49, 51
- in production systems, 52–54
- secondary, 24, 46, 49, 52, 53, 95, 97, 228, 384
- stages of, 19, 20, 52, 65, 214, 229, 233
- Survival, 57, 62–65, 85, 88, 93, 95, 109–110, 131–133, 142, 146, 157, 163, 164, 166, 169, 172, 176–179, 193, 195, 197, 201, 210, 215–216, 226–227, 232, 245, 268, 323, 356, 370
- Symbiosis, 10, 204, 219, 253
- Systematic experiments. *See* Competition, methods to study
- 2,4,5-T, 79, 375–376, 383
- Taeniatherum asperum*, 147
- T. caput-medusae*, 98
- Taraxacum officinale*, 14, 109, 122, 143, 146, 236
- Temperature, 15, 20, 36–37, 65, 86, 98, 104, 110, 112, 126, 157, 167, 172, 174, 216, 251, 282, 289–290, 315, 332, 334, 337–338, 342, 344
- Terbacil, 320, 325
- Terminology, 10–11, 17, 49, 93, 166, 187, 231
- Themeda triandra*, 159
- Thiocarbamate, 327, 328, 338, 340
- Thresholds, 45, 217, 224–230, 256, 261, 296, 345
- action, 224, 225, 229, 256, 345
- of competition, 224–230. *See also* Competition, thresholds
- critical period, 227–228, 354
- damage, 224–226
- density/biomass, 225
- ecological, 228–230
- economic, 45, 217, 225, 229–230, 261, 296
- models using. *See* Model(s), thresholds
- in natural ecosystems, 228–230
- period, 224, 225, 227
- Tillage, 21, 281–286, 293, 303, 382
- alternatives to, 285
- conservation, 285
- effects on seed, 66–67
- equipment used for, 284
- night, 282
- no-tillage, 21, 284, 285, 293, 303, 382
- perennial weed suppression from, 281, 284
- primary, 284, 285
- problems with, 284–285
- reduced, 21, 285
- ridge, 285–286
- secondary, 284–285
- seedling suppression from, 282
- Tolerance model. *See* Model(s), tolerance
- Toxicity. *See* Herbicide(s), toxicity
- Tragopogon pratensis*, 143, 146
- Transient seed, 159, 161
- Transition matrices, 138
- Translocation, 324, 331
- Transport, 94–95. *See also* Dispersal
- Transportation, 23–24, 94, 290, 353
- of herbicides. *See* Herbicides, transport of
- Trap crops, 246
- Triazines, 320, 376
- Triclopyr, 325, 327
- Trifluralin, 326, 332
- Trifolium repens*, 19, 154, 170, 236, 294
- Trophic levels, 8, 42, 358–360

- Tubers, 14, 117
Tussilago farfara, 19, 120
- ULR. *See* Unit Leaf Rate
 Unit Leaf Rate, 234, 235
 Uracil, 328
 Urea, 328
- Value systems, 77, 78, 81, 374, 375, 377, 379, 381, 383
- Vascular plants, 36, 58, 83, 97, 131, 133, 134, 251
- Vegetative reproduction. *See* Reproduction, vegetative
- Ventenata dubia*, 98
Veratrum californicum, 23
Verbascum, 152, 156
 V. densiflorum, 156
 V. thapsus, 156
Veronica, 19, 283
 Very-low fluence, 175
Viscum, 244
 VLF. *See* Very-low fluence
 Volatility. *See* Herbicide(s), volatility
- Water:
 as herbicide carrier, 322
 quality of, 73, 75, 78, 308, 376, 377, 383
 as a resource, 216
 seed dispersal in. *See* Dispersal, in water in soil, 326, 341, 342
- Water dispersible liquids, 322
 Water soluble liquid, 322
 Water soluble powder, 322
- Waxes, 327, 328
- Weed(s):
 abundance of, 6, 70, 242, 265, 356
 anthropomorphic perspective, 1–5, 10–11
 aquatic, 14, 15, 23, 289, 301
 and biodiversity, 8–9
 biology of, 260, 352
 breeding systems, 114, 115, 117
 classification of, 11–20
 definitions of, 6–8
 distribution, 178–181, 361–362
 as ecological good, 8–9
 epidemic nature of, 178–179
 evolution of. *See* Evolution of weeds and invasive plants
 in forests, 24–26
 ideal characteristics of, 5
 interactions with other organisms, 183, 225, 250
 invasive. *See* Invasive plants
 laws about, 31, 260, 290, 291, 306
 noxious, 16, 73, 83, 291
 parasitic, 243–246, 256
 poisonous, 16
 as product of humans, 53, 358
 in production systems, 20–29, 368
 in rangelands, 26–29
 in regional and global context, 30–32
 relative growth rate of, 10, 67, 231, 234, 235, 236, 256
 weed shifts. *See* Species composition, shifts in as specialists, 5, 6, 10, 19
 as strategists, 119
 in wildlands, 30
- Weed control:
 biological, 44, 76, 90, 244, 295–302, 306, 352, 354, 358–360, 372
 methods for implementing, 299–300
 procedures for developing, 296–298
 chemical, 26, 113, 292, 302–305, 329, 354.
 See also Herbicide(s)
 crop response to, 261–262
 cultural, 44, 80, 260, 266, 279, 290–295, 306, 342
 districts, 291
 economics of, 260–265
 effects on density, 265
 effects on other organisms, 267–269
 effects on species composition, 265–267
 physical methods of, 279–290, 306
 profitability, 35, 70, 261, 262, 264
 reasons for, 21–24
 tools for, 21, 279–306
 value of, 73, 225, 262–265
 weed response to, 261
- Weed management, 69–77, 259–305.
 See also Integrated Pest Management
 in agriculture, 369
 in agroecosystems, 260–269, 276–277, 305
 ecological, 353–357, 369–372, 382
 in forests, 369–372
 future challenges, 381–382
 and evolutionary patterns, 363–366
 in natural ecosystems, 269–279
 approaches, 76–77, 269–270
 framework for, 71, 277–279, 357, 372–374

- Weed management (*Continued*)
 novel, 368–374
 prioritizing, 71–73, 269
 risk assessment and, 69–71, 272, 275–277
 risk of action and inaction, 275–277
 integrated (IWM). *See* Integrated Weed Management
 market-driven considerations, 73–77
 methods and tools for, 70, 353–366
 models. *See* Model(s), weed management
 in modern society, 80–81
 in rangeland, 372–374
 as selective force, 364–366
 principles, 69–77, 355–357
 risk assessment and, 69–70, 275–277
 risk of action and inaction, 275–277
 socioeconomic influences, 381
 systems approaches, 349–383
 value systems, 374–382
- Weed science, 79, 376
 evolution of, 352–353
- Weed Science Society of America, 6, 38, 57, 206, 208, 210, 322, 343, 364, 373
- Weeding, 23, 43, 113, 184, 225, 227, 303
- Wettable powder, 322
- Wetting agent, 322
- Wild plants, 3, 88, 122, 337
- Wilderness. *See* Ecosystem(s), natural
- Wildlands. *See* Ecosystem(s), natural
- Wind dispersal. *See* Dispersal, wind
- Winteraceae, 171
- Woody plants, 14, 98, 362
- WSSA. *See* Weed Science Society of America
- WUE. *See* Water Use Efficiency
- Xanthium*, 16, 117, 143, 169, 240, 297
 X. pennsylvanicum, 240
 X. strumarium, 117, 297
- Xylem, 246