

Subject Index

a

accuracy 84, 91
 acid 92
 adhesive 111
 – joint 102
 age-hardening 106 ff
 allowance machining 120
 alloy, copper-aluminum 18
 – casting 25
 alloy, copper-aluminum-silicon-cobalt 157
 alloy, copper-beryllium 156, 159, 161 ff,
 164, 166 ff
 alloy, copper-chrome-iron-titanium 157,
 162
 alloy, copper-chromium, casting 20
 alloy, copper-cobalt-beryllium 157, 161
 alloy, copper-iron 157, 161
 alloy, copper-manganese 166 ff
 – casting 25
 alloy, copper-nickel 18, 158, 160 ff, 166
 – casting 25, 164
 alloy, copper-nickel-aluminum-magne-
 sium 157
 alloy, copper-nickel-beryllium 157, 161
 alloy, copper-nickel-silicon 157, 161
 alloy, copper-nickel-silicon-magnesium 157
 alloy, copper-nickel-tin 18 ff, 157, 160, 162
 alloy, copper-nickel-zinc 18 ff, 159 ff
 alloy, copper-silicon 159 ff
 alloy, copper-tin 15
 – casting 22
 alloy, copper-tin-lead, casting 25
 alloy, copper-tungsten 163
 alloy, copper-zinc 15 ff
 – casting 22
 alloy, copper-zinc-aluminum-cobalt 157,
 162
 alloy, copper-zinc-lead 15 ff, 161 ff
 alloy, copper-zinc-silicon 15 ff, 161
 alloy, copper-zinc-tin 157, 161

alloy, copper-zinc-tin-iron 157, 162
 alloy, copper-zinc-tin-iron-nickel 157, 161
 alloy, copper-zirconium 157
 aluminum bronze 18, 161, 163
 ammonia 77
 ammonia test 133
 annealing 102
 – time 103
 – soft 103 ff
 – solution 103, 106 ff
 anode 4
 – sacrificial 129 ff
 application 123
 – automotive 124
 – bearings 124
 – electric 124
 – electronic 124
 – examples 123
 – limits 120
 – sliding 124
 argon arc welding 98
 availability 1

b

bar 156, 160, 167
 battery terminal 22
 bearing 113, 120, 153, 164
 – applications 124
 – plain 22, 24 ff, 49 ff, 52, 137 ff
 – self-lubricating 28, 33
 – sintered 33, 138, 140, 164
 – toggle 25 ff, 141
 behavior of copper materials 75 ff
 – cyclic load 75 ff
 – dynamic load 75
 – fatigue 75 ff
 – low temperature 74
 bend 80
 bend radius 80 ff
 – spring strip 62 ff

- bendability 80ff
- bevel gear 25, 141
- blank, round 34
- blanking 90
- blasting 108
- blister copper 3
- boiling point 55ff
- bolt 14
- bonding 102
 - pretreatment 111
- borax 97
- borderline corrosion 128
- brake lining tube 67
- brake pipe 19
- brass 15, 158
 - cast 22
 - free cutting 85ff
- brazability 94
- brazing 94ff, 117, 153, 167
 - pretreatment 110
- bronze 15, 163
- bronze, aluminum 18, 161, 163
 - casting 25
- bronze, casting 22
- bronze, phosphor 15, 156, 159ff, 166
- bronze, tin 15, 103
- bronze, tin-lead, casting 25
- brushing 108, 111
- burnishing 109
- burr 92, 110
- bus bar 161, 167
- bushing 17ff, 49ff, 52, 118, 139
 - conrod 141
 - rocker arm 25
 - turned 139
 - wrapped 25, 139ff
- butt welding 99

- c**
- cable 37
- casting 45ff, 117, 119, 153, 163, 167
 - centrifugal 45, 49, 51ff
 - chemical composition 52
 - chill 45
 - classification 51ff
 - composite 50
 - continuous 45, 49, 51ff
 - Croning 47
 - cylinder 52
 - designation 51ff
 - die 48, 51, 58
 - – gravity 48
 - – low-pressure 48
 - – pressure 45, 48, 51, 58
 - dimension 50
 - exact 47
 - investment 46
 - lost-wax 46
 - material number 52
 - mold
 - – ceramic 47, 51
 - – gypsum 47
 - – hand 51
 - – lost 46, 51
 - – machine 51
 - – permanent 47, 51
 - – shell 47, 51
 - pattern, lost 51
 - pattern, permanent 51
 - precision 46, 51
 - rod 52
 - roughness 121
 - sand 45ff, 51
 - shape 50
 - Shaw form 47
 - tolerance 121
 - tube 52
- cathode 4
- cavitation 18, 130
- chatter mark 88
- chemical composition 40
- chip breaker 86
- chip formation 85
- cladding 101
 - roll- 115
- cleaning 108
- coating 94, 164, 167
 - chromium 113
 - decorative 108
 - electro- 113
 - electroless 114
 - electrolytic 112
 - gas-proof 113
 - gold 113
 - hot-dip 114
 - lead 114
 - metallic 112
 - nickel 113ff
 - nickel-chromium 113
 - non-metallic 112
 - pretreatment 111ff
 - protective 108
 - PVD, CVD 112
 - repair 114
 - silver 113
 - thermal spray 114

- tin 113ff
 - cold extrusion pressure welding 101
 - cold forming 30
 - cold working 30, 55, 103
 - collector ring 12
 - colophony 95
 - coloring 112
 - commutator plate 91
 - composites 27
 - mechanical properties 70
 - composition 80
 - chemical 40, 52, 74
 - compression strength 60, 139
 - condition, material, designation 41ff
 - conductivity 117, 135
 - electrical 12, 13, 21, 22, 55ff, 103, 136
 - – spring wire 68ff
 - heat 56ff, 98, 136, 138ff
 - thermal 56ff, 136, 138
 - conductor path 109
 - connector 16ff, 34, 74, 80, 118, 133, 151, 157
 - conrod bushing 141
 - CONSTANTAN 37
 - contact corrosion 108, 129
 - contact member 12, 14, 84
 - contact rail 101
 - contamination 55ff
 - conversion layer 127ff
 - copper 3ff
 - age-hardenable 56ff, 67
 - blister 3
 - casting 20
 - cathode 9
 - classification 11
 - concentrate 6
 - low alloyed 13ff
 - matte 4
 - properties 55ff
 - refinery 151, 156, 165
 - secondary 5, 7
 - tough-pitch 4
 - copper, wrought 11ff, 29
 - composition 40
 - designation 39ff
 - dimensions 33ff
 - material number 39ff
 - numbering system 39ff
 - shapes 33ff
 - cord 31
 - welding 100
 - corrosion 95
 - fatigue 130
 - protection 112ff, 119, 132
 - resistance 15, 18, 127ff, 132
 - risk 127
 - borderline 128
 - contact 108, 113, 129
 - copper alloys 130
 - galvanic 113
 - gas 132
 - inter-crystalline 129
 - pitting 128, 131ff
 - selective 129
 - standstill 129
 - uniform 128
 - cost 118ff
 - countersinking 90
 - crack formation 111
 - creep 72ff, 120
 - limit, 0.2% 72
 - resistance 13
 - yield limit 73
 - Croning 47
 - CUPAL 27
 - CuproBraz® 94, 100, 143
 - cutting 90
 - edge geometry 88
 - force 85ff
 - speed 88
 - autogenous 93
 - plasma 93
 - thermal 93
 - thread 91ff
 - wire 93
 - CVD (Chemical Vapor Deposition) 112
 - cylinder 52
- d**
- decoration 109
 - deep drawing 80
 - defect, volume, solidifying 56
 - deformation degree 79, 103
 - deformation resistance 30
 - degreasing 108
 - density 55ff, 136
 - deposition welding 101, 114
 - deposition, chemical 114
 - deposition, electroless 114
 - design for material 117
 - design for recycling 119
 - designation 39ff, 52ff
 - dezincification 129, 131ff, 151
 - diamond 87
 - diamond (polycrystalline diamond, PCD) 91
 - die casting 48

- diffusion welding 101
- dimension 33 ff, 50
- dismantling 119
- dispersion-hardened copper 27, 28
- DPH (diamond penetrator hardness) 59 ff
 - spring strip 62 ff
- drawing 84
 - roughness 121
- drawn products, properties 67
- drilling 89
 - fine 91
- ductility 119
- dust explosion 115

- e**
- electrical conductivity 55 ff
 - spring wire 68 ff
- electrical engineering, products 152, 162, 167
- electrical resistance, specific 56
- electrochemical series 127 ff
- electrocoating 113
- electrode material, spot welding 100
- electrolyte 127
- electromotive series 127 ff
- electron beam welding 98, 100
- elongation 41, 59, 63 ff
- embossing 84
- embrittlement 74
 - hydrogen 98, 132, 151
- emergency running property 138, 141
- emission, atmospheric 9
- enamelling 112
- energy consumption 5
- engraving 90
- environment, protection 8
- eroding 93
- erosion 18, 129
 - resistance 132
- etching 92
- evaporation heat 56
- evaporation, zinc 98
- exhaust, vapor 99
- expansion, thermal 55 ff, 136, 139
- explosive plating 101
- extruded products, properties 61
- extruded profile 16, 162
- extrusion, impact 84
- extrusion, molding 84

- f**
- fastener 37
- fatigue 72, 75 ff, 105, 155
 - strength 111, 134 ff
 - corrosion 130
- fettling, electrochemical 92
- filler metal 94 ff, 115, 153, 167
- finishing, fine 90
- finned tube 67
- flash gap 84
- flash welding 100
- flow curve 79
- flow stress 84
- flux 94 ff, 99, 115, 153, 164
 - residue 95
- foil 34, 92
- forging 32, 38, 118, 152, 162
 - temperature 84
 - drop 38
 - open die 38, 84
- forgings, properties, mechanical 69
- formability 79, 84, 118 ff
- forming 29 f
 - cold 30
 - hot 29
 - non-cutting 79
 - powder metallurgical 33
 - sheet and strip 80
 - solid 84
 - thread 92
- fracture elongation see elongation
- friction welding 101
- fuel filter 102
- fuel pipe 67
- fuel pump 102
- furnace 103
- fusion heat 56

- g**
- galling 113, 138
- gas installation 68
- gear 25 ff
 - bevel 25 ff, 141
 - helical 25 ff
 - steering 22
 - worm 22, 24 ff, 141
- glass bead 111
- Glidcop 27, 28
 - mechanical properties 70
- grain growth 103
- grain size 41, 74, 103, 151, 155
- graining 112
- grease 108 ff
- grinding 90 ff, 111 ff
 - dust 115
- guide 17

h

hardenability 106
 hardening, age- 106 ff
 hardening, precipitation 59, 106 ff
 hardening, work 29 ff, 58
 hardness 41, 59 ff, 106, 138 ff
 HAZELETT 31
 HB (Brinell hardness) 59 ff
 health care 115
 heat 56 ff
 – conductivity 56 ff, 98, 138 ff
 – dissipation 98
 – evaporation 56
 – exchanger 36, 143, 158
 – fusion 56
 – impact 96
 – pipe 36
 – specific 56
 – treatment 55, 59, 74, 101 ff
 HECNUM 37
 high-frequency welding 100
 high-speed (cutting) steel (HSS) 87
 homogenization 103, 106 ff
 hot forming 29
 hot rolling 30
 hot working 55
 hydrogen disease 98, 132
 hydrogen embrittlement 98, 132, 151

i

I. A. C. S. (international annealed copper standard) 56
 ignition point, copper 93
 impact extrusion 84
 impulse current welding 100
 impurity 4
 ingot 45
 inhibitor 129, 131, 133
 insert 48

j

joining 94
 joint, adhesive 102

l

lace 37
 land wear 88
 laser beam welding 100
 lattice constant 56
 layer, conversion 127 ff
 layer, passivating 127
 layer, protective 132
 layer, sliding 141

lead frame 14, 34, 133, 136 ff
 liquidus temperature 95
 load, cyclic 75 ff
 load, dynamic 75
 load-bearing capacity 140
 local element 127 ff
 lubricant 88, 140
 lubrication 141
 – hydrodynamic 138
 machinability 13, 85 ff, 119
 machined volume 86
 machining 85, 110
 – allowance 120
 – chemical 92
 – dry 87
 – electrical discharge 93
 – micro- 91
 MAC-value (maximum allowable concentration) 115 ff
 material condition, designation 41 ff
 material number 39 ff, 52
 melting point 55 ff
 melting range 57 ff
 mercury nitrate test 133
 metal price 118
 microplasma welding 101
 microstructure 45, 48 ff, 55, 59, 76, 80, 85, 103
 middle stress 76
 MIG (metal inert gas) welding 98
 – pulsed arc 100
 milling 89
 – finish 91
 – high speed 91
 nickel silver 18, 159 ff, 166
 nitric acid 128
 notch 77
 – toughness 74
 numbering system 11, 39 ff

o

oil 108 ff
 over-aging 107
 overlay 50
 oxidation 72 ff
 oxide 95, 99, 108 ff
 oxygen 98

p

paint 112
 passivating layer 127
 patina 132
 permanent mold casting 47

- permeability 135
 - phosphor bronze 15, 156, 159 ff, 166
 - phosphorus 96
 - pickling 109
 - pipe, brake 19
 - pipe, fuel 67
 - pipe, heat 36
 - piston boss 141
 - piston pin 25
 - pitting corrosion 128, 131 ff
 - plain bearing 22, 24 ff, 49 ff, 52, 137 ff
 - plasma cutting 93
 - plate 34, 52, 151, 156, 165
 - plating 101
 - electro- 113
 - PM (powder metallurgical) material 28, 43
 - Poisson's ratio 56
 - polishing 111 ff
 - chemical 92, 110
 - electrochemical 92, 110
 - potential 127 ff
 - powder metallurgy 38
 - material (PM) 28, 43
 - precipitation 106
 - hardening 59, 106 ff
 - pressing 84
 - closed die 84
 - hot 84
 - pressure die casting 45, 48
 - pressure tightness 48
 - pretreatment 108
 - printed circuit board (PCB) 34, 92
 - processing, mechanical 79
 - profile 52, 152, 162
 - production 31
 - drawn 38
 - extruded 16, 38
 - proof strength, 0.2% 139
 - proof stress, 0.2% 41, 59, 63 ff
 - property 55 ff
 - cutting 85
 - drawn products 67
 - elastic 59
 - emergency running 141
 - extruded products 61
 - magnetic 135
 - mechanical 45, 58 ff, 138
 - – castings 70 ff
 - – composites 70
 - – forgings 69
 - – Glidcop 70
 - physical 55 ff, 138 ff
 - rods 67
 - rolled products 60
 - self-lubricating 140
 - sintered materials 72
 - strength, room temperature 58 ff
 - technological 58 ff
 - tube 67
 - usage 127
 - wire 68
 - protection, corrosion 114
 - protection, wear 114
 - protective layer 132
 - PVD (physical vapor deposition) 112
- q**
- quenching 106
- r**
- radiator 16, 94, 100, 143
 - reaming 90
 - recrystallization 79, 103
 - temperature 29 ff
 - recycling 6
 - design for 119
 - relaxation 18, 74, 134 ff
 - relay spring 18, 100
 - reliability 142
 - repair 113
 - coating 114
 - repairability 143
 - residual stress 77, 104 ff
 - residue, flux 95, 97
 - resistance 99
 - corrosion 15, 18, 119, 132
 - creep 13, 72 ff
 - deformation 30
 - electric 18, 55 ff
 - erosion 132
 - oxidation 73
 - tarnishing 35
 - tempering 13, 72
 - wear 18, 113 ff
 - welding 99
 - resources 1
 - respirator 99
 - ring, synchronizer 17, 25 ff, 32, 84
 - rinsing 111
 - rocker arm bushing 25
 - rod 36, 152, 160, 167
 - production 31
 - hexagon 36
 - hollow 36
 - octagon 36
 - precision 36, 120

- properties 67
 - rectangular 36, 52
 - round 36, 52
 - sliding 49, 139
 - square 36, 52
 - roll-bonding 101
 - roll-cladding 115
 - rolling 84
 - cold 84
 - direction 80 ff
 - hot 30, 84
 - profile 84
 - thread 84
 - rope, welding 100
 - roughness 121
 - running-in liner 113
- S**
- sacrificial anode 129 ff
 - safety measures 115
 - sanding 111
 - sawing 90
 - scale layer 108 ff, 132
 - scaling 73, 120
 - SCC (stress corrosion cracking) 129, 131 ff, 135
 - scraping 108
 - screw tap 92
 - seam welding, resistance 99
 - seawater 130 ff
 - secondary copper 5, 7
 - segregation 103
 - semiconductor 136 ff, 152
 - semi-finished product 29, 33
 - service life, tool 88 ff, 91
 - shape 33 ff, 50, 160
 - special 38
 - Shaw form 47
 - shear modulus 56
 - spring wire 68 ff
 - shearing 90
 - sheet 34, 151, 156, 165
 - production 30
 - forming 80
 - shift fork 22 ff, 25 ff
 - shot blasting 111
 - shot peening 111
 - sintered bearing 138, 140, 164
 - sintered carbide (SC) 87 ff
 - sintered material 28, 43
 - strength 72
 - sintering 33
 - sliding 124
 - applications 124
 - element 17, 20, 25, 140
 - layer 113 ff, 141
 - material 139 ff
 - rod 49, 139
 - SMD (surface mounted devices) 137
 - Smith diagram 77
 - softening 72
 - solderability 94, 96, 110
 - soldering 94 ff, 153, 164, 167
 - pretreatment 110
 - strength 96
 - vacuum 97
 - solid solution 106
 - solidification 49
 - range 48, 58, 103
 - solution annealing 103, 106 ff
 - SOUTHWIRE 31
 - spot welding 99
 - spraying, thermal 114
 - spring 14, 16, 19, 34, 36
 - spring bending limit 41, 60, 133 ff
 - spring strip 62 ff, 68 ff, 103, 133 ff
 - spring, conductive 17 ff, 80
 - spring, relay 18
 - spring, tube 17
 - stability, dimensional 105
 - stamping, hot 84
 - standard, addresses 149
 - standard, basic 150, 154, 165
 - standard, testing 150, 154, 165
 - steering gear 22
 - strain rate 84
 - strength 106, 117, 119
 - 0.2% proof 139
 - adhesive 111
 - compression 60, 139
 - creep 72 ff
 - fatigue 111, 134 ff
 - high temperature 72 ff
 - mechanical 45
 - rolled products 60
 - room temperature 58
 - soldering 96
 - tensile 41, 59 ff, 63 ff, 139
 - – spring wire 68 ff
 - weld seam 98
 - yield, 0.2% compression 60
 - stress corrosion cracking (SCC) 67 ff, 104, 129, 131 ff, 135
 - stress relaxation 18
 - stress, 0.2% proof 41, 59, 63 ff
 - stress, relieving 42

- thermal 104
- stress, residual 77, 104ff
- stress-strain curve 59
- stretch-forming 80
- strip 34, 52, 151, 165
 - production 30
 - contour-milled 35, 83
 - electronics 133
 - forming 80
 - spring 62ff, 103, 133ff
 - tinned, hot-dip 35
 - tin-plated, electrolytically 35
- surface design 112
- surface mounted device (SMD) 137
- surface quality 84ff, 91
- surface treatment 108
 - mechanical 112
- susceptibility, magnetic, specific 56
- switch 18ff
- switching segment 25ff
- synchronizer ring 17, 25ff, 32, 84
 - mechanical properties 70

t

- tarnish 96, 109ff, 132, 136
- tarnishing resistance 35
- temperature
 - boiling 55ff
 - elevated 74, 139
 - forging 84
 - ignition, copper 93
 - limit 120
 - liquidus 95
 - low 74
 - melting 55ff
 - recrystallization 29ff
 - softening 72
 - working 94, 96
- tempering 106, 134
 - resistance 13, 72
- tensile strength 41, 59ff, 63ff, 139
 - spring wire 68ff
- test bar 45
- testing, standard 150, 154, 165
- thread cutting 91ff
- thread forming 92
- thread production 90
- thread rolling 84
- TIG pulsed arc welding 100
- TIG-welding (tungsten inert gas) 98
- tin bronze 15, 103
- titanium 101
- toggle bearing 25ff, 141

- tolerance 33
- tool wear 85
- tough-pitch copper 4
- treatment, heat 59, 74, 102ff
- treatment, non-cutting 79
- treatment, surface 108
 - mechanical 112
- tube 17, 52, 151, 157, 166
 - brake lining 67
 - circular 35
 - seamless 35
 - finned 36, 67
 - production 32
 - properties 67
 - rectangular 35
 - square 35
 - thin walled 100
- tungsten plasma welding 101
- turning 88
 - fine 91
 - polished 90

u

- ultrasound welding 100
- upsetting 84
- usage properties 127

v

- vacuum soldering 97
- viscosity 56
- volume defect, solidifying 56
- warping 105

w

- wear 138
 - protection 114
 - resistance 18, 113ff
- weight, specific 55
- weld seam strength 98
- weldability 98ff
- welding 117, 153, 167
 - filler 115
 - arc 98
 - argon arc 98
 - butt 99
 - cold extrusion pressure 101
 - cold pressure 101
 - deposition 101, 114
 - diffusion 101
 - electron beam 98, 100
 - flash 100
 - friction 101
 - high-frequency 100

- impulse current 100
- laser beam 100
- microplasma 101
- MIG 98
- MIG pulsed arc 100
- pretreatment 110
- recent processes 100
- resistance 99
- resistance seam 99
- shielding gas 98
- spot 99
- spot, electrode material 100
- TIG 98
- TIG pulsed arc 100
- tungsten plasma 101
- ultrasound 100
- whisker 113
- wire 14, 17, 36 ff, 152, 159, 166
 - cutting 93
 - hexagon 37
 - polygonal 37
 - production 31

- profiled 37 ff
- properties 68
- rectangular 37
- round 37
- spring 68 ff
- square 37
- Wöhler curve 75 ff, 134
- work hardening 29 ff, 58
- working temperature 94, 96
- worm gear 22, 24 ff, 141
- wrapped bushing 25
- wrought copper 11 ff, 29

y

- yield strength, 0.2% compression 60
- yielding, discontinuous 59
- Young's modulus 56 ff, 133 ff, 139
 - alloy influence 59
 - spring strip 62 ff

z

- zinc evaporation 98

