

# Index

- Abe, Kenji, 378  
 ABPM (Agent Behavior Planning Module), 96  
 Accompaniment status, 259  
 Action  
   body, *see* Body actions  
   human, *see* Human action  
   homeward, *see* Homeward action  
   outward, *see* Outward action  
   representation  
     symbol-based, *see* Symbol-based action  
     representation  
   symbolized, *see* Symbolized action  
   symbolization, 286  
 Action-to-action mapping, 327  
 Active communicator, *see also* Sender, 357  
 Adaptation  
   mutual, *see* Mutual adaptation  
 Addressee, 309  
 Adibi, Jafar, 371  
 Affect, 53  
 Affective Computing, 24–44, 50  
 Affective feeling, 24  
 Affective interaction, 26  
 Affective markers, 42  
 Affective states, 26  
 Affordance, 367  
 Agents  
   artificial, *see* Artificial agents  
   Embodied Conversational, *see* ECAs  
   pedagogical, *see* Pedagogical agents  
   presentation, *see* Presentation agents  
   virtual humanoid, *see* Virtual humanoid agents  
 AIML (Artificial Intelligence Mark-up Language), 36  
 Aizuchi, 312  
 ALICE, 44  
 Ambient sound collage, 252  
 Ambient Sound Shower, 258–9, 265, 266  
 Ambiguity, 22, 33–7  
 Anaphor, 22, 32–7  
 Anaphora resolution, 22, 33–7  
 Animacy, 399  
 Annotation, 40–2, 241  
 Antecedent, 33–6  
 Anthropomorphic interface, 52  
 Antonyms, 33  
 AP (Attention Prosody), 390–8, 401  
 APLM (Affective Presentation Markup Language), 41, 77–8  
 Appearance generation, 280  
 Appraisal, 51, 53, 55  
   conscious, *see* Conscious appraisal  
   non-conscious, *see* Non-conscious appraisal  
   theory, 21, 43  
 Argyle, M., 104  
 Arousal, 51  
 Arrangement styles, 195  
 Artifacts  
   conversational, *see* Conversational artifacts  
   autonomous, *see* Autonomous artifacts  
   one and only, *see* One and only artifact  
 Artificial agents, 384  
 Atmosphere  
   communication, *see* Communication atmosphere  
 Attention  
   joint, *see* Joint attention  
   prosody, *see* AP  
   social, *see* Social attention  
 Attentional behaviors, 85

- Audio Aura, 266
- Audio features, 358, 359
- Auto customizing, 384, 398, 401
- Automatic abstraction, 202
- Automatic slide generation, 209
- Automatic text presentation, 201
- Automatic video shooting system, 302
- Autonomous artifacts, 383
- Autonomous robotics, 384
- Avatar, 269
  - generation, 277
- Avatar-based communication, 272
- Avatar-based interaction, 270
- Aware emotions, 61
- AwareHome, 265
- Awareness likelihoods, 54, 58–61
- Barnes, Susan B., 372
- Basic emotions, 51, 58
- Bayesian network, 42–3
- BDI (Belief-Desire-Intention), 53
- BEAT, 78, 153
- Beat gestures, 105
- Beenen, Gerard, 379
- Behavior
  - generation engine, 77–8
  - model, 271, 278
- Behavior-based AI, 326
- Belief-Desire-Intention, *see* BDI
- Believability, 51–2
- Believable-agent motive, 52
- Biometrical data, 65
- Body
  - actions, 270
  - movements, 333, 335–6
  - stance, 114
- Boredom, 57
- Breathing, 334
- Brown, Penelope, 69–70, 73–4
- Bust shot, 220
- Camera
  - module, 219–222
  - contents capturing, 220–2
  - environmental, 222
  - switching, 223
- Camerawork, 218, 228–9
- Canned joke, 29, 31
- Capture, 16
- CASA (Computers Are Social Actors)
  - paradigm, 22, 37, 44, 52
- Case frame, 203
  - alignment, 209
- CAST, 98
- Chatbot, 35–6, 44
- Clark, Herbert, 103, 308
- Classroom
  - situation, 289, 293
  - virtual, *see* Virtual classroom
- Clause unit, 312
- Climate of a meeting, 353
- C-MAP, 265
- Coding scheme, 73–4
- Coexistence, 253 (Fig.), 254
- Cognitive analysis, 382
- Cognitive architecture, 54
- Cognitive emotion theories, 51
- Cognitive empathy, 337
- Cognitive environment
  - mutual, *see* Mutual cognitive environment
- Cognitive map, 195
- Cognitive Science, 53
- Cognitively plausible emotions, 61
- Coherence relations, 205
- Collaborative communication, 371
- Collagen, 105, 120, 126
- Combinational optimization problem, 238
- Common ground, 88
- Common-special/unique, 398
- Communication, 290
  - accommodation theory, 344
  - atmosphere, 15, 353, 354, 357, 364, 365
    - communicative, *see* Communicative atmosphere
    - dimensions of, 354
    - emotional, *see* Emotional atmosphere
    - environmental, *see* Environmental atmosphere
  - avatar-based, *see* Avatar-based communication
  - collaborative, *see* Collaborative communication
  - computer-mediated, *see* Computer-mediated communication
  - efficiency, 354, 357, 359, 366
  - emotion, *see* Emotion communication
  - experiment, 390–1
  - follower-based, *see* Follower-based communication

- intentional, *see* Intentional communication
- leader-follower-led, *see* Leader-follower-led communication
- leader-led, *see* Leader-led communication
- nonverbal, *see* Nonverbal communication
- ostensive-inferential, *see* Ostensive-inferential communication
- patterns, 377
- robots, 88
- speech, *see* Speech communication
- video-mediated, *see* Video-Mediated Communication
- verbal, *see* Verbal communication
- Communicative atmosphere, 354
- Communicative dimension, 356
  - estimate, 364
- Communicative interactivity, 357–9
- Community
  - design, 380
  - management, 380
  - monitoring, 380
- Competitive face-to-face interaction scenario, 64
- Composite layer, 255
- Computational humor, 22, 32–7
- Computational model building, 16
- Computer-mediated communication, 290
- ConceptNet, 35–7
- Condon, William S., 331
- Congruence, *see also* Embodied synchrony, 331
- Connotative meaning, 51, 59
- Conscious appraisal, 59–61
- Constraints, 223–7
  - satisfaction, 223
- Constructive approach, 382
- Content
  - accumulation, 16
  - acquisition, 16
  - adaptation, 233
  - cards, 189
  - conversation, *see* Conversation content
  - conversational, *see* Conversational contents
  - production, 13
  - speech harmonic, *see* Speech harmonic content
- Context, 120–1
  - dialogue, *see* Dialogue context
- Contextual features, 101–121, 123–4, 130
- Contextual predictor, 121–6
- Contextual recognition, 121 (Fig.)
- Contour map representation, 192
- Control-engineering motive, 52
- Controlled experiments, 17
- Convergence, *see also* Embodied synchrony, 331
- Conversation, 253 (Fig.), 254
  - analysis, 8, 14, 326
  - casual, 308
  - as content, 4
  - content, 251–267
    - acquisition, 260
  - engineering approach to, 3
  - face-to-face, *see* Face-to-face conversation
  - as interaction, 4
  - knowledge-oriented, 187
  - management of, 308
  - measurement, 8
  - as a medium, 185
  - modeling, 8, 14
  - multiparty, *see* Multiparty conversation
  - natural human, *see* Natural human conversation
  - quanta, 4, 185, 196, 252
  - quantization, 5, 185
  - scene, 252, 257
  - status, 259
  - theory of, 325
  - three-party, *see* Three-party conversation
- Conversational artifacts, 8, 9, 14, 399
- Conversational content, 8, 12
  - management of, 198
- Conversational environment design, 8, 13
- Conversational Informatics, 8
  - methodologies for, 16
- Conversational knowledge process, 201
- Conversational robots, 9, 105–8
- Cook, M., 104
- Cooperativeness, 338
- Coordination, 372
- Coordinators, 372
- Coping, 51, 61
  - situation-focused, *see* Situation-focused coping
- Corpora, 40–3
- Corpus
  - analysis, 75–7
  - annotation, 71, 73–4
  - building and analyzing, 16
  - collection, 71–2
  - multimodal, *see* Multimodal corpus
  - of Spontaneous Japanese, 312
- Criticism, 69, 71–2, 79

- CSCW (Computer-Supported Collaborative Work), 187
- CSP (Cross-power Spectrum Phase analysis) method, 296
- Cultural and ethnic factors, 339
- DAMSL (Dialog Act Markup in Several Layers), 41
- Deviance, 327  
reason for the, 327
- Dialogue  
act, 31, 40–3  
context, 117, 119  
control, 70  
data, 307  
goal-directed, *see* Goal-directed dialogue  
history, 120  
manager, 120, 122  
spoken, 107
- Dictionary, 208
- Dimensional emotion theories, 51
- Disappearing computing, 289
- Discourse structure analysis, 205
- Disorder, 338
- DM (Dialogue Manager), 92
- Dominance, 52, 57, 59–64
- Dominance/Power, 51
- Double nominative sentences, 203
- Duchenne smile, 38
- Duncan, Starkey, 314
- Dynamic situations, 290, 293
- EasyLiving, 265
- ECAs (Embodied Conversational Agents), 3,  
21–47, 50, 53, 69, 77–8, 81, 117–18,  
120, 125, 148, 156, 163, 171, 181  
architecture for, 120
- Editing model, 223–6
- Eigen-space method, 275
- Electromyography, 64
- ELIZA, 9, 50
- EM algorithm, 392
- Embodied synchrony, 331  
function of, 344–7  
influence of, 340–2  
influences on, 337–340  
measurement and quantification of,  
335–6  
model and theory of, 342–4
- Embodied Conversational Agents, *see* ECAs
- Emotion, 21–2, 26, 37–43, 49–55, 333, 337, 341,  
343  
aware, *see* Aware emotions  
basic, *see* Basic emotions  
communication  
model of, 343  
dynamics, 54  
mood-congruent, *see* Mood-congruent  
emotions  
primary, *see* Primary emotions  
recognition, 52  
secondary, *see* Secondary emotions  
simulation module, 54  
space  
PAD, *see* PAD emotion space  
theories  
cognitive, *see* Cognitive emotion theories  
dimensional, *see* Dimensional emotion  
theories
- Emotion-focused, 51
- Emotional atmosphere, 355
- Emotional dimension, 357
- Emotional empathy, 337
- Emotional expression, 396, 398
- Emotional states, 53–5, 357  
estimation, 357
- Empathic agent behavior, 64
- Empathic feedback, 64
- Empathy, 337, 341  
cognitive, *see* Cognitive empathy
- Engagement, 103, 109, 114
- Enjoyment smile, 38
- Entrainment, *see also* Embodied synchrony,  
334  
to the subject, 3
- Environment  
analytic view of the, 328
- Environmental atmosphere, 354
- Environmental media, 14, 290, 291, 303
- Error recovery mechanism, 273
- Evaluation, 17  
function, 223–6
- Events, 224–5  
social, *see* Social events
- Evidence of understanding, 88
- Exchange members  
change of, 320
- Expectation, 327
- Experimental-theoretical motive, 52
- Expert systems, 49

- Eye-gaze, 87, 312
  - behavior,
    - hearer's, 315
- Face
  - detection, 105, 221
  - direction, 273–4
  - negative, 69
  - positive, 69
  - talking, *see* Talking face
  - threatening act, *see* FTA
  - tracking, 105, 108
- Face-to-face conversation, 360
- Facial behavior, 333, 336
- Facial expressions, 26–7, 30–1, 37–41, 58
- Facial gestures, 163, 170, 180
- Faculty development, 302
- Feature
  - detection, 273
  - extraction, 358
- Feedback
  - non-verbal, *see* Nonverbal feedback
  - visual, *see* Visual feedback
- Figure model, 271, 280
- Film studies, 218
- Fisheye lens camera, 295
- Focusing, 16
- Follower-based communication, 377
- Follower-chain pattern, 379
- Follower-coordinator pattern, 379
- Followers, 372
- FrameNet, 35
- Frames, 33–4
- FREQT, 378
- Freud, Sigmund, 32
- Friendship, 23, 37
- Frustration, 22–3
- FTA (Face Threatening Act), 69–70, 79–80
- Galvanic Skin Response, *see* GSR
- Gaming scenario, 61
- Gardening interface, 193
- Gaze, 104–5, 118–9, 121, 253 (Fig.), 254
  - eye, *see* Eye-gaze
  - mutual, *see* Mutual gaze
- Gaze-shift
  - mid-turn, 320
- Gaze-shifting behavior, 317
- Gender, 337–8
- General Problem Solver, *see* GPS
- General-specific/peculiar, 398
- Gesticon, 78
- Gestionary, 133, 135
- Gesture, 70, 81–3, 103, 107, 109, 113, 117–18, 121, 333, 335–6
  - beat, *see* Beat gestures
  - coding of, 73
  - for direction giving, 133, 134
  - distribution, 75–6
  - facial, *see* Facial gestures
  - filtering, 78
  - iconic, *see* Iconic gesture
  - planning, 151
  - recognition, 121–2, 126
- Giles, Howard, 331
- Goal-directed dialogue, 24, 40–1
- Goffman, Erving, 309
- GPS (General Problem Solver), 49
- GRETA agent system, 25, 77–8, 81
- Graphical interface
  - zooming, *see* Zooming graphical interface
- Gricean
  - maxims, 70
  - principles, 29, 31, 43
- GrM (Grounding Module), 92
- Ground
  - common, *see* Common ground
- Grounding, 88
  - module, *see* GrM
  - nonverbal, *see* Nonverbal grounding
- GSR (Galvanic Skin Response), 64
- HA (Humorous Act), 21–44
- HAI (Human-Agent Interaction), 384
- Hand movements, 312
- Hanson, Jeffrey R., 371
- Hanson, Mirja P., 372
- HCI (Human-Computer Interaction), 52–3, 162,
- Head
  - movements, 163, 174, 181
  - nods, 87, 312
  - shakes, 110, 124–6, 128
- Head-pose tracker, 93
- Hearer
  - next-speaking, *see* Next-speaking hearer
  - non-next-speaking, *see* Non-next-speaking hearer
  - unit, 315
- Hearers' statuses, 316
- Hedonic valence, 59

- Hess, Ursula, 343  
 Highlight scenes, 240  
 HIPS project, 265  
 Hobbes, Thomas, 32  
 Homeward action, 279  
 Hough-like method, 297  
 HRI (Human-Robot Interaction), 53, 103–5  
 Human  
   action  
     presentation, 271  
     symbolization, 271  
   activity, 297  
   model, 276  
 Human motion  
   sensing, 271  
     vision-based, *see* Vision-based human motion sensing  
   synthesis, 273  
 Human-Agent Interaction, *see* HAI  
 Human-animal relation, 382  
 Human-Computer Interaction, *see* HCI  
 Human-computer interface, 384  
 Human-human  
   interaction, 1, 162  
   relation, 382  
 Humanoid agents  
   virtual, *see* Virtual humanoid agents  
 Humanoid robots, 105, 118  
   physical, *see* Physical humanoid robots  
 Human-pet relation, 382  
 Human-Robot Interaction, *see* HRI  
 Humor, 21–4, 26–44  
   computational, *see* Computational humor  
   support, 22–3, 31  
 Humorous Act, *see* HA  
  
 ICC (Interaction Control Component), 96  
 Iconic gesture, 134, 136  
 IDF (Image Description Features), 134, 137, 138  
 IDM (Influence Diffusion Model), 15, 373  
 Image  
   analysis  
     features, 272  
     multi-view, *see* Multi-view image analysis  
     Description Features, *see* IDF  
 Imitation, *see also* Embodied synchrony, 331  
 Immersive distributed learning, 283  
 Importance of actions, 279  
 Incongruity, 43  
   resolution, 22, 32–3, 37  
  
 Influence, 373  
   Diffusion Model, *see* IDM  
 Information media, 290  
 Integrated generation  
   of natural language and iconic gesture, 149  
 Intelligent room, 265  
 Intentional communication, 357  
 Interaction, 103–5  
   affective, *see* Affective interaction  
   dual model of, 328  
   human-agent, *see* HAI  
   human-computer, *see* HCI  
   human-human, *see* Human-human interaction  
   human-robot, *see* HRI  
   management of, 325  
   nonverbal, *see* Nonverbal interaction  
   verbal, *see* Verbal interaction  
   responsive, *see* Responsive interaction  
 Interaction scenarios, 61  
   competitive, 61  
   competitive face-to-face, *see* Competitive face-to-face interaction scenario  
   cooperative, 61  
 Interactive media, 398  
 Interactivity  
   communicative, *see* Communicative interactivity  
   interactivity  
  
 Interest  
   in particular exhibits, 259  
 Interface  
   anthropomorphic, *see* Anthropomorphic interface  
   gardening, *see* Gardening interface  
   human-computer, *see* Human-computer interface  
   multifunctional, *see* Multifunctional interface  
   speech, *see* Speech interface  
   zooming graphical, *see* Zooming graphical interface  
 Inverse kinematics, 276  
   vision-based, *see* Vision-based inverse kinematics  
 Invisible computing, 289  
 IPOC (Immersive Public Opinion Channel), 96  
 IR tracker, 252  
  
 Jefferson, Gail, 312, 314, 327  
 Joint attention, 86, 253 (Fig.), 254  
 Joke, 24, 27–9, 31–2, 34–6, 39, 42  
   canned, *see* Canned joke

- Kant, Immanuel, 32  
 Karatani, 398  
 Katz, Elihu, 371  
 Kendon, Adam, 1, 315, 331  
 Keyframes, 233, 238  
 Kidsroom, 265  
 Knapsack problem, 238  
 Knowledge  
   card, 205  
   circulation, 215  
   conversion  
     tacit-explicit, *see* Tacit-explicit knowledge  
     conversion  
   landscape, 187–8  
   media  
     robots as, *see* Robots as knowledge media  
   representation, 185  
 Koestler, Arthur, 32  
 Krackhardt, David, 371  
  
 Laughter, 23–4, 38, 40, 43  
 Lazarsfeld, Paul, 371  
 Leader-chain pattern, 378  
 Leader-follower-led communication, 377  
 Leader-follower-repetition pattern, 379  
 Leader-led communication, 376  
 Leaders, 372  
 Leadership, 372  
 Learning system, 382–4, 400  
 Lecture  
   archiving system, 290–1, 302  
   Browser project, 292  
   video, 299  
 LED tag, 252  
 Levinson, Stephen C., 69–70, 73–4  
 Listener robots, 11  
 Literary style, 209  
 Local minimum problem, 400  
 Location  
   of the lecturer, 294  
 LPS (Local Positioning System), 258  
  
 MACK (Media Lab Autonomous Conversational Kiosk), 88  
 Markup Language  
   Artificial Intelligence, *see* AIML  
   Affective Presentation, *see* APML  
 Mass-spring model, 56  
 Maven-leader pattern, 379  
 Mavens, 372  
  
 Max, 54  
 McCallum, Andrew, 372  
 McCarthy, John, 378  
 McNeill, David, 1, 73, 75  
 Meaning-acquisition, 383–4, 390–3, 396–401  
 Measurement, 16  
 Media  
   conversion, 16  
   equation, 7, 69  
 Meetings  
   natural, *see* Natural meetings  
 Meltzoff, Andrew N., 331  
 Mental processes, 325–8  
 Metadata, 234  
 Meta-representations, 328  
 Mimicry, *see also* Embodied synchrony, 331  
 Minsky, Marvin, 32  
 Mirroring, *see also* Embodied synchrony, 331  
 Mode  
   referential, *see* Referential mode  
   responsive, *see* Responsive mode  
 Mood, 53–5  
 Mood-congruent emotions, 53  
 Morphological analysis, 203  
 Morphology  
   coding, 139  
   of gesture, 137, 139  
 Motion  
   capture system  
     vision-based, *see* Vision-based motion  
     capture system  
   fusion, 280  
   generation, 280  
   model, 271, 278, 280  
   sensing  
     vision-based human, *see* Vision-based  
     human motion sensing  
   synthesis  
     human, *see* Human motion synthesis  
 Motive  
   believable-agent, *see* Believable-agent motive  
   control-engineering, *see* Control-engineering  
   motive  
   experimental-theoretical, *see*  
   Experimental-theoretical motive  
 Movements  
   body, *see* Body movements  
   hand, *see* Hand movements  
   head, *see* Head movements  
 MPEG-4, 168, 172, 180

- MPEG-7, 234  
 Multifunctional interface, 399  
 Multi-modal integrator, 121–2, 127  
 Multimodal microplanning, 150  
 Multimodal corpus, 14, 308  
 Multiparty conversation, 307  
 Multiple-viewpoint video, 255–7  
 Multi-view image analysis, 273  
 Mundane intelligence, 381–4, 399, 401  
 Museum guide, 265  
 Mutual adaptation, 16, 381–401  
 Mutual cognitive environment, 328  
 Mutual gaze, 87  
 Mutual information, 359, 363
- Nass, Clifford, 7  
 Natural human conversation, 307  
 Natural Language Processing (NLP), 202  
 Natural meetings, 308  
 Negative reinforcement, 390  
 Negative rewards, 391, 397–8  
 Network-based human interaction systems, 269  
 Next-speaker, 314  
 Next speakership, 315
  - expectation of, 323
  - snatch of an expected, 325
 Next-speaking hearer, 316  
 NITE, 41  
 NLGG, 149  
 Nodding, 104–5, 109–113, 118–9, 124–7, 129  
 Nods
  - head, *see* Head nods
 Nominalized predicates, 207  
 Nonaka, Ikujiro, 2, 371  
 Non-conscious appraisal, 59–61  
 Non-conscious reactive processes, 59  
 Non-language information, 382  
 Non-negative matrix factorization method, 359  
 Non-next-speaking hearer, 316  
 Non-polite style, 209  
 Nonverbal behavior, 307, 331, 333
  - annotation of, 312
 Nonverbal communication, 161–2, 182, 358  
 Nonverbal communicative behavior, 70–1, 77  
 Nonverbal feedback, *see also* Visual feedback, 119  
 Nonverbal grounding, 88–96  
 Nonverbal information, 270  
 Nonverbal interaction, 1  
 Nonverbal interruption, 98
- Nonverbal status, *see* NV status  
 NV status (Nonverbal status)
  - dyad's, 89
 Observation, 16  
 OCC (Ortony-Clore-Collins) model, 43  
 One and only artifacts, 384, 398, 401  
 Ordered sub-tree, 377  
 Ostensive-inferential communication, 326  
 Outward action, 279
- PAD emotion space, 55  
 Panoramic content presentation, 187, 189  
 Paralanguage information, 382–3, 400  
 Paraphrasing, 206  
 Participant's activities, 270  
 Participation structure
  - change of, 323
 Passive communicator, *see also* Receiver, 357  
 Pattern
  - communication, *see* Communication patterns
  - leader-chain, *see* Leader-chain pattern
  - follower-chain, *see* Follower-chain pattern
  - leader-follower-repetition, *see*
    - Leader-follower-repetition pattern
  - maven-leader, *see* Maven-leader pattern
  - follower-coordinator, *see*
    - Follower-coordinator pattern
 Paulos, Alan, 32  
 Pedagogical agents, 88  
 Perceive-reason-act triad, 55  
 Performance, 342  
 Personality, 26–7, 42, 52, 54, 56  
 Personalization, 233  
 Personalizing function, 384, 398, 401  
 Person-to-person communication, 366  
 Pet robots, 382–3, 399–401  
 Phonemic information, 383, 392  
 Physical humanoid robots, 50, 65  
 Picture composition, 217, 219, 220–2  
 Pitch curve, 388  
 Pleasure/Valence, 51  
 Politeness strategies
  - coding of, 73–4
  - and common ground, 71
  - distribution, 75–7
  - emotional, 71
  - multimodal, 70, 75–7, 81–3
  - negative, 69–70, 82
  - perception, 79, 81–2

- positive, 69–70, 82
  - in tutoring system, 70–1
  - verbal, 69–70, 79–80
- Position sensor, 296
- Positive reinforcement, 390
- Positive rewards, 392, 397
- Poster
  - presentation scenes, 260
  - touch, 260–5
- Posture, 275
- Practices
  - knowledge about, 328
  - rules as, 327
- Predicate-argument structures, 203
- Preference, 233, 236
- Presentation
  - agents, 87, 193
  - contents
    - simulation of, 196
  - human action, *see* Human action presentation
- Presenter robots, 11
- Primary emotions, 51, 59, 357
- Primitive layer, 255
- Privacy, 269
- Problem-focused, 51
- Profile, 234, 236
- Prosodic feature, 385, 397
- Prosodic information, 383, 398
- Prosody, 117, 121
- Prototype building, 16
  
- Quantitative analysis, 16
- Quantization
  - conversation, *see* Conversation quantum
  - spiral, 186, 193
- Quantum
  - conversation, *see* Conversation quantum
  
- Rapport, 338–9, 341
- Rational behavior, 53, 55
- RawData layer, 255
- REA, 53, 148
- Reactive behaviors, 55
- Real-time human proxy, 14
- Receiver, 357, 360, 362
- Reeves, Byron, 7
- Referential mode, 328
- Reinforcement
  - negative, *see* Negative reinforcement
  - positive, *see* Positive reinforcement
  
- Relation
  - human-animal, *see* Human-animal relation
  - human-human, *see* Human-human relation
  - human-pet, *see* Human-pet relation
- Relationship maintenance, 340–2
- Relevance
  - expectations of, 326
  - maximization of, 326
  - theory, 326
- Requantization, 188
- Responsive interaction, 326
- Responsive mode, 327
- Rewards
  - negative, *see* Negative rewards
  - positive, *see* Positive rewards
- Robotics
  - autonomous, *see* Autonomous robotics
- Robots
  - architecture for, 105–6
  - communication, *see* Communication robots
  - conversational, *see* Conversational robots
  - humanoid, *see* Humanoid robots
  - as knowledge media, 11
  - listener, *see* Listener robots
  - pet, *see* Pet robots
  - physical humanoid, *see* Physical humanoid robots
  - presenter, *see* Presenter robots
  - sociable, *see* Sociable robots
  - virtual humanoid, *see* Virtual humanoid robots
- Rogers, Everett M., 371
- Room
  - ubiquitous sensor, *see* Ubiquitous sensor room
  - smart, *see* Smart room
  - intelligent, *see* Intelligent room
- Route directions, 135
- Rules
  - violation of the, 327
  
- Sacks, Harvey, 312, 314, 327
- Scenario
  - gaming, *see* Gaming scenario
  - interaction, *see* Interaction scenarios
  - smalltalk, *see* Smalltalk scenario
- Scene, 236
  - conversation, *see* Conversation scene
  - highlight, *see* Highlight scenes
  - poster presentation, *see* Poster presentation scenes
  - video, 256

- Schegloff, Emanuel A., 312, 314, 327
- Schisming, 309
- Schopenhauer, Arthur, 32
- Scientifically motivated approach, 307
- Scripts, 33–4
- Secondary emotions, 51, 59
- Secondary motion, 271
- Segmentation layer, 255
- Semantic structure, 236
- SEMMEL (Strategy Extraction for MultiModal Eca controL) corpus, 72
- Sender, 357, 360, 362
- Sense ambiguity, 203
- Sensing, 16
  - human motion, *see* Human motion sensing
- Sensor
  - ubiquitous, *see* Ubiquitous sensor
  - wearable, *see* Wearable sensor
  - position, *see* Position sensor
- Shared reference, 85
- Shetty, Jitesh, 371
- Shot, 218, 220, 236
  - bust, *see* Bust shot
  - close-up, 220
  - over-the-shoulder, 220
- Side-participant, 309
- Signal-to-Interference Ratio, *see* SIR
- Simulated spiral springs, 56
- SIR (Signal-to-Interference Ratio), 355
  - segmental auditory, 355
  - audiovisual, 356
- Situation-focused coping, 62
- SKG (Sustainable Knowledge Globe), 186, 193, 196
- Skip-Bo, 64
- Slides, 299
- Smalltalk scenario, 61
- Smart room, 265
- SmartKom, 41
- Smile, 22–4, 26–7, 38–40
  - Duchenne, *see* Duchenne smile
  - enjoyment, *see* Enjoyment smile
- Sociable robots, 52
- Social actors
  - Computers Are, *see* CASA paradigm
- Social attention, 257
- Social dialogue, 54
- Social events, 253
- Social interaction, 69
- Social learning, 382, 384
- Social network, 375
- Social partners, 65
- Social presence, 347
- Social skills, 337
- Social variables, 70–1
- Spatial consistency, 286
- Spatial expansion, 234
- Spatial relations, 269
  - inconsistency of, 269
- Spatial relationships, 284
- Spatio-temporal memory model, 187, 188
- Spatiotemporal video collage, 252, 257
- Speaker
  - next-, *see* Next-speaker
  - situations, 293
- Speculation, 16
- Speech communication, 383
- Speech harmonic content, 357
- Speech interface, 383, 397–8, 400–1
- Speech synthesis, 212
- Sperber, Dan, 326
- Spoken language, 206
- Sports video summaries, 234
- State transition graphs, 279
- Statistical learning, 399–400
- Statistical model, 173, 176, 180
- Statuses
  - hearers', *see* Hearers' statuses
- Stay, 253 (Fig.), 254
- Stereo vision method, 294
- Steyvers, Mark, 372
- Stories
  - heuristic production of, 2
- Story representation, 192
- Stress, 396–7
- Summaries
  - sports video, *see* Sports video summaries
- Summarization, 233
  - video, *see* Video summarization
- Summary
  - video, 256
  - slides, 209
  - story, 194
- Support Vector Machine, *see* SVM
- Surface realization, 152
- SVM (Support Vector Machine), 122–4
- Symbol-based action representation, 272
- Symbolization
  - action, *see* Action symbolization
  - human action, *see* Human action symbolization

- Symbolized action, 270
- Synchronization, 311
  - of body action and speech utterance, 284
- Synchrony, *see also* Embodied synchrony, 15, 331
- Syntactic analysis, 203
- Tacit-explicit knowledge conversion, 2
- Tag, 235
  - LED, *see* LED tag
  - transcription, *see* Transcription tag
- Takeuchi, Hiroataka, 371
- Talking face, 27
- TCU (Turn-Constructional Unit), 312, 314
- Teaching material recording system, 302
- Text retrieval, 212
- Text To Speech, *see* TTS
- Thesaurus, 203
- Three-party conversation, 308
- Time compression, 234
- Topic, 210
- Touch
  - poster, *see* Poster touch
- Tracker
  - head-pose, *see* Head-pose tracker
  - IR, *see* IR tracker
- Transcription tag, 312
- Transition probability, 279
- Tree structure, 192
- Trust, 23, 37
- TTS (Text To Speech), 172, 180
- Turing test, 50
- Turn
  - non-taking of, 317
  - taking, 109–10, 118, 314, 327
  - system, 309
- Turn-allocation, 327
- Turn-Constructional Unit, *see* TCU
- Turn-transfer rules, 314
- Tyler, Joshua R., 371
- Ubiquitous sensor, 252
  - room, 13, 253
- UM (Understanding Module), 92
- Underspecified, 136
- Understanding
  - evidence of, *see* Evidence of understanding
- Universal cognitive tendency, 326
- Valence
  - pleasure/, *see* Pleasure/Valence
  - hedonic, *see* Hedonic valence
- Valenced emotional impulses, 59
- Verbal behavior
  - annotation of, 312
- Verbal command, 383, 391, 397–9, 401
- Verbal communication, 289
- Verbal interaction, 1
- VerbNet, 35–6
- Video
  - annotation tool, 312
  - digest, 238
  - features, 358, 359
  - lecture, *see* Lecture video
  - multiple-viewpoint, *see* Multiple-viewpoint video
  - poster, 238
  - scene, *see* Scene video
  - segment, 236
  - shooting system
    - automatic, *see* Automatic video shooting system
  - skimming, 233
  - summaries
    - sports, *see* Sports video summaries
  - summarization, 233, 237
  - summary, 252, 255–7, 265
- Video-Mediated Communication (VMC), 87
- Viewpoints , 192, 194
- Virtual characters, 65
- Virtual classroom, 283
- Virtual environments
  - for human interaction, 269
- Virtual human, *see also* ECAs, 54
- Virtual humanoid agents, 53
- Virtual reality, 54
- Virtual space
  - 3D, 269
- Virtualized human, *see also* ECAs, 286
- Vision recognition, 105, 107
- Vision-based human motion sensing, 272, 274
- Vision-based inverse kinematics, 273, 275
- Vision-based motion capture system, 270, 271
- Vision-based recognition, 117, 122, 126–7
- Visual analysis module, 119–120
- Visual cures, 273
- Visual feedback, 117–131
- Vocal behavior, 333–4, 336
- Voice fundamental frequency, 357
- Walker, Marilyn, 70, 73–4
- Wallace, Patricia M., 376

- 
- Wearable sensor, 252
  - Wearable systems, 265
  - Web Lecture Archive Project, 292
  - Wilson, Deirdre, 326
  - Wizard of Oz, 40
  - Written language, 206
  - Word sense disambiguation, 208
  - WordNet, 35–7
  - Writing on whiteboard, 299
  - Written language
    - paraphrasing, 206
  - Wu, Fang, 371
  - Zero anaphora, 205
  - Zoomable globe, 189
  - Zooming graphical interface, 189