

Subject Index

- Accumulation analysis, 221
- Adjacent-categories logit model, 88–96
- adjacent-categories logits, 45
 - Bayesian fitting, 333
 - cumulative logit model comparison, 95
 - linear-by-linear model connection, 150
 - paired preferences, 253–258
 - R function, 353
 - random effects, 303
 - random intercept, 283
 - references, 115
 - row effects, 90, 155
 - SAS, 346
 - stereotype model connection, 105–107, 110, 111, 114, 115
 - uniform association, 90
- AIC, 69, 75
- Alpha *see* Stochastic superiority, 13
- Association models, 145–183
- Bayesian fitting, 335
 - correlation models similarity, 173–176
 - infinite estimates, 151
 - multiway table, 160–167
 - R function, 354
 - SAS, 347
 - Stata program, 355
- Autocorrelated errors, 279, 293
- Baseline-category logit model, 91–92
- adjacent-categories logit connection, 91, 283
 - baseline-category logits, 45
 - random intercept, 283
 - stereotype model connection, 103–115
- Bayes' factor, 318
- Bayesian confidence interval, 318
- Bayesian inference, 315–344
- BUGS, 358
- R functions, 355
- references, 343
 - SAS, 349
 - vs. frequentist inference, 341–342
- Beta distribution, 319
- Between-cluster effects, 264, 311
- Bradley–Terry model, 252
- BUGS, 358
- Canonical correlation model, 172
- Category choice, 37–40
- effect of number, 37, 82, 191
 - invariance with cumulative link model, 56
- Cauchit link function, 119, 330
- Classifying observations, 66, 86
- Cluster-specific models, 233
- Clustered data, 262–274, 280–312
- between-cluster effects, 285, 311
 - within-cluster effects, 285, 311
- CMH tests, 164–167, 205, 247
- SAS, 348
- Cochran–Armitage trend test, 85, 205
- Coefficient of concordance, 252
- Column effects association model, 155
- as stereotype model, 160
- Complementary log-log link function, 119, 126
- random intercept model, 312
- Composite likelihood, 279, 293
- Composite link function, 47
- Compound model, 86, 87
- Concordance index, 65
- Concordant and discordant pairs, 22–23, 184–192, 219
- testing independence, 196, 223
 - Wilcoxon test, 200
- Conditional association, 35–40
- models, 161–163

- Conditional association (*Continued*)
 - summary measures, 36
- Conditional independence, 35
 - generalized CMH tests, 164–167, 348
 - testing with concordant and discordant pairs, 198
 - testing with ordinal models, 82–84, 163–166
- Conditional inference, 85, 212
- Conditional models, 233
- Conditional symmetry model, 238–240, 260
 - stochastic ordering, 258
- Contingency coefficient, 193
- Continuation odds ratios, 24
- Continuation-ratio logit model, 96–103
 - Bayesian fitting, 334–335
 - continuation-ratio logits, 45
 - R functions, 354
 - random effects, 300–302
 - references, 116
 - SAS, 347
 - Stata program, 355
- Correlation, 192–194
 - intraclass, 283
 - linear-by-linear model, 150, 151
 - predictive power in ordinal model, 65
 - rank, 192
 - testing independence, 197
 - working, 268–269
- Correlation models, 171–176
 - association models similarity, 173–176
- Correspondence analysis, 181
- Count data, 291
- Credible interval, 318
- Cumulative link model, 118–122
 - Bayesian fitting, 328–333
 - negative effect parameterization, 55
 - R functions, 353
 - random effects, 284
 - references, 140
 - ROC curves, 133
 - SAS, 346
 - SPSS, 356
 - Stata program, 354
- Cumulative log-log link, 125–130
- Cumulative logit model, 46–87
 - adjacent-categories comparison, 95
 - Bayesian fitting, 328–333
 - cumulative logits, 44
 - cumulative probit comparison, 123
 - fitting and inference, 58–67
 - goodness-of-fit tests, 67–74
 - infinite estimates, 64–65
 - invariance to response categories, 56
 - marginal for multiway table, 241–243
 - marginal for square table, 231–235, 258
 - marginal regression model, 263, 272
 - model checking, 67–75
 - multiple random effects, 294–306
 - negative effect parameterization, 49
 - nonparametric methods, 80
 - nonproportional odds, 75–80, 86
 - paired preferences, 253–254
 - partial proportional odds, 77–79
 - R functions, 353
 - random intercept, 282–293
 - references, 85
 - row effects, 51, 68
 - SAS, 346
 - SPSS, 356
 - Stata program, 354
 - subject-specific for multiway table, 241–242
 - subject-specific for square table, 233–235
 - transitional model, 276
 - uniform association, 50
 - zero-inflated count data, 292
- Cumulative odds ratio, 19–25, 42
 - inequality-constrained, 208–210
 - positive regression dependence, 43
 - uniform association, 50
- Cumulative probabilities, 9
- Cumulative probit model, 122–125
 - Bayesian fitting, 328–331
 - cumulative logit comparison, 123
 - multivariate, 220, 340
 - parameter interpretation, 123
 - R functions, 353
 - random effects, 284, 293
 - random effects model implies marginal model, 308
 - references, 141
 - SAS, 346
 - SPSS, 356
 - Stata program, 355
- Cumulative sum diagram, 42
- Cutpoints, 54
- Delta *see* Stochastic superiority, 14
- Delta method, 194, 224
- Dependence ratio, 278
- Deviance, 67, 146
- Diagonals-parameter symmetry model, 238, 240, 259
- Dirichlet distribution, 319
- Dirichlet mixture model, 259, 329, 340
- Discordant and concordant pairs, 184–192
- Discrete choice model, 117
- Dispersion effects, 130–132, 134–137
 - marginal, 278
 - random effects, 303

- references, 141
 - software, 347, 355
- Efficiency robustness, 220
- Empirical Bayes estimation, 322–324
- Entropy, 173
- Exact inference
 - confidence interval for odds ratio, 33–35
 - ordinal tests, 211–214, 222
 - SAS, 348
 - StatXact and LogXact, 357
- Extreme value distribution, 125
- Factor analysis, 312
- Fisher scoring algorithm, 59
- Flattening constant, 320
- Floor effect, regression with ordinal data, 5
- Friedman test, 259
- Gamma (Goodman and Kruskal), 186–188
 - category choice, 191
 - conditional association, 219
 - Fisher transform, 217
 - standard error, 216
- Gauss–Hermite quadrature, 286
- GEE *see* Generalized estimating equations, 268
- General Social Survey, 11
- Generalized estimating equations, 268–274
 - R functions, 354
 - references, 278
 - SAS, 349
 - SPSS, 357
- Generalized linear mixed model, 282
- Generalized loglinear model, 179, 264
 - R function, 355
- Gibbs sampling, 317
- Global odds ratio, 19–31, 38–40, 176–179
 - inequality-constrained, 208–210
 - model, 176–179, 267
 - positive quadrant dependence, 43
 - uniform association, 177, 267, 273
- GoldMineR, 358
- Heterogeneous linear-by-linear association
 - model, 161, 164, 183
- Hierarchical Bayesian estimation, 324–327, 339
- Hierarchical model, 303–306
 - Bayesian inference, 324–327, 339
- Highest posterior density confidence region, 318
- Homogeneous association model, 160
- Homogeneous linear-by-linear association model, 161, 163, 166, 167, 183
- Homogeneous row effects model, 164, 166
- Hosmer–Lemeshow test, 68
- Hurdle model, 291
- Independence loglinear model, 146
- Independent multinomial sampling, 195
- Indistinguishability of categories, 107, 112, 113
- Information matrix, 59
 - cumulative link model, 120
 - observed and expected, 59–60
- Interval variable, 2
- Intraclass correlation, 283
- Isotonic regression, 221
- Item response model, 181, 242
- Jeffreys prior, 319
- Jonckheere–Terpstra test, 197
- Kappa (Cohen’s), 250
- Kendall’s tau, 189, 223
- Kendall’s tau-b, 188–191, 219
 - category choice, 191
 - standard error, 217
- Kruskal–Wallis test, 81, 83, 201–203
- Kullback–Leibler distance, 173
- Latent class model, 312
- Latent Gold, 358
- Latent variable, 4, 5, 11, 53, 97
 - agreement model, 252
 - Bayesian modeling, 330, 340
 - cumulative link model, 119
 - latent class model., 312
 - motivation for proportional odds, 53–55
 - parameter interpretation, 55, 121
 - proportional odds, 97
 - RC model, 170
 - stereotype model, 107
- LEM, 358
- Likelihood-ratio confidence interval *see* Profile
 - likelihood confidence interval, 30
- Likelihood-ratio test, 29–31, 146, 211
- Likert scale, 2
- LIMDEP, 358
- Linear probability model, 140
- Linear trend test, 152, 223
- Linear-by-linear association model, 147–154, 180
 - Bayesian fitting, 337–339
 - heterogeneous association, 161, 164
 - homogeneous association, 161, 163, 166, 167, 183
 - quasi, 240, 249
 - smoothing, 323, 339
- Link functions
 - cumulative link model, 118–119
 - generalized, 129–130, 343
 - types of logits, 44–46

- Local odds ratio, 19–22, 148
 and cumulative odd ratio, 42
 and stochastic orderings, 42
 conditional, 35, 37
 inequality-constrained, 208–211
 positive likelihood-ratio dependence, 43
 small-sample confidence interval, 33–35
 triangular tables, 259
 uniform association, 90
- Log-log link functions, 126
- Logistic-normal distribution, 325–327
- Logits for ordinal response, 44
 adjacent-categories logits *see*
 Adjacent-categories logit model, 44
 continuation-ratio logits *see* Continuation-ratio
 logit model, 44
 cumulative logits *see* Cumulative logit model,
 44
- Loglinear model, 145–167, 180, 324
- LogXact, 357
- Machine learning, 86, 343
- Mann–Whitney test, 200
- Mantel correlation test, 164, 166
- Marginal effects
 compared to subject-specific effects, 235,
 307–310
- Marginal homogeneity
 generalized CMH tests, 247
 multiway tables, 241–247
 square tables, 226–230
- Marginal likelihood function, 285
- Marginal models, 231–235, 262–274, 280
 compared to random effects models, 310–312
 ML fitting, 264–267
 references, 277–278
- Markov chain, 276, 293
- Markov chain Monte Carlo, 317, 327
- Matched pairs data, 225–261
- McNemar’s test, 226
- Mean response model, 137–140, 172, 223
 comparing marginal means, 227, 231,
 246–247
 R function, 353
 references, 142
- Measures of association
 SAS, 348
 SPSS, 356
 standard errors, 194, 216–218
 standard errors, independent multinomial
 sampling, 195
 Stata program, 355
- Mid *P*-value, 214
- Midrank, 11, 42, 80, 200, 202
- Missing data, 273, 312
- Monte Carlo methods, 214, 287, 317, 327
- mph.fit (R function), 351
- Multilevel model, 303–306
 references, 313
- Multinomial parameters, 58
 Bayesian inference, 319–327
 comparing groups, 199–205, 220, 335
 order-restricted, 221
- Multiple correlation, 65
- Multivariate response data
 Bayesian inference, 339
 marginal models, 263–274
 random effects models, 282–313
- Newton–Raphson algorithm, 60
- Nominal variable, 1
 bivariate response with ordinal, 278
- Nonparametric methods, 80–81, 86, 184–192,
 194–205, 214–216
- Normal scores, 11
- Odds ratio, 18
- Order-restricted inference, 206–211
 association models, 157–160, 171
 comparing binomials, 206
 likelihood-ratio tests, 211
 marginal distributions, 258
 odds ratios, 208–211
 references, 221
- Ordered logit model, 53
- Ordered probit model, 122
- Ordered stereotype model, 106
 order-restricted association model, 160
- Ordinal agreement model, 249–250
- Ordinal data, 1–358
 analysis using ordinary regression, 4–8
 surveys of ways to analyze, 8
- Ordinal odds ratios, 14–26, 37, 42, 208–211,
 218, 222
 concordance/discordance, 217
 confidence intervals, 27
 cumulative odds ratio *see* Cumulative odds
 ratio, 19
 global odds ratio *see* Global odds ratio,
 19
 local odds ratio *see* Local odds ratio, 19
 testing homogeneity, 299
- Ordinal quasi-symmetry model, 236–238,
 259
 and bivariate normal, 236, 260
 matched pairs, 260
 matched sets, 243–246, 259
 stochastic ordering, 258
- Ordinal Rasch model, 245
- Ordinal variable, 1
- Orthogonal polynomials, 181, 183

- Paired preference models, 252–258, 260
SAS, 349
- Palindromic invariance, 84
- Parallel log odds model, 90–91
- Partial proportional odds model, 77–79, 97
- Pearson goodness-of-fit statistic, 67, 146
- Pearsonian distance, 173, 175
- Penalized quasi-likelihood, 287
- Polychoric correlation, 193–194, 220
R function, 354
SAS, 348
- Population-averaged tables, 232–233
- Positive likelihood-ratio dependence, 43
- Positive quadrant dependence, 43
- Positive regression dependence, 43
- Power
comparing groups, 81, 86, 313
establishing an association, 198
- Predictive power, 65
- Prior distribution
conjugate, 319
cumulative probabilities, 328
Dirichlet, 319
improper, 327
logistic-normal, 325–327
multivariate normal, 328
- Probit link function, 55, 119, 328, 340
- Probit model *see* Cumulative probit model, 55
- Profile likelihood confidence interval, 30
in R, 61, 354
in SAS, 61
- Proportional hazards model, 116, 128
references, 141
- Proportional odds assumption, 53, 97, 118
checking, 70–73, 75–77, 79, 278
- Proportional odds model
adjacent-categories logits, 89
continuation-ratio logits, 97
cumulative logits, 53
proportional odds property, 53–55
- Quadrature points, 286
- Quasi-likelihood, 268
- Quasi-linear-by-linear association model, 240, 249
- Quasi-uniform association, 239–240
- Quasi-independence model, 240, 248
triangular table, 259
- Quasi-symmetry model, 236, 244
- R (software), 350–355
- R + C model, 182
- R-squared, 65
- Random effects models, 281–314
compared to marginal models, 310–312
nonparametric., 313
predicting random effects, 287
R function, 355
references., 312
SAS, 349
Stata program, 356
- Rank tests, 80–81, 199–204, 214–216
marginal homogeneity, 229–230
marginal models, 278
- Rank transform method, 215
- Rank-based summaries, 10–18, 42, 80–81, 227–230
- Rasch model, 242, 245
- Rater agreement, 247–252
modeling, 249, 340, 343
references, 259
weighted kappa, 250–251, 343
- RC model, 116, 167–176
as stereotype model, 170
Bayesian inference, 338
homogeneous association, 182
references, 181
- RC(M) model, 174, 338
- Receiver operating characteristic, 133
- Regression model
multinomial mean response, 137–140
OLS with ordinal data, 4–8
- Residuals, 73–74
Pearson, 73
standardized, 73
- Retrospective studies, 115, 344
- Rho-c (Stuart), 222
- Ridit scores, 10, 15–17, 41, 42, 80, 215
comparing several groups, 201
comparing two groups, 223
for marginal distributions, 228–229
matched pairs, 192
standard error of mean, 224
- ROC curves, 132–137, 141
- Row effects
adjacent-categories logit model, 90
association model, 154–160, 180
cumulative link model, 142
cumulative logit model, 51, 68
cumulative probit model, 125

- Row effects (*Continued*)
 - homogeneous, 164, 166
 - paired preferences 254
- Sample size
 - comparing groups, 81, 86
 - establishing an association, 198
 - longitudinal study, 313
- SAS, 345–350
 - expected and observed information, 60
- Score test, 30–31
 - generalized CMH test, 165–166
- Score test-based confidence interval, 30, 354
- Scores
 - choice of, 221
 - controversy in using with ordinal data, 8
 - types of, 9–12
- Sensitivity, 188
- Sequential logit model *see* Continuation-ratio logit model, 97
- Small-sample inference
 - confidence interval for local odds ratio, 33
 - ordinal tests, 211–214
- Smoothing
 - contingency tables, 321–324, 342
 - histogram, 325
- Software, 345–358
- Somers' d , 189–191
 - standard error, 218
- SPSS, 356–357
- Square tables, 225–261
 - SAS, 349
- Stata, 355–356
- StatXact, 357
- Stereotype model, 103–115
 - column effects model special case, 160
 - R function, 353
 - RC model special case, 170
 - references, 116
- Stochastic ordering, 24–25
 - Bayesian comparison of two groups, 335–337
 - correlation model, 175
 - cumulative link models, 55, 130
 - cumulative logit model, 48
 - marginal distributions, 228
 - models for square tables, 258
 - ordered stereotype model, 106
 - references, 221
- Stochastic superiority, 13–17, 41
 - Bayesian analysis, 337
 - confidence intervals, 32, 354
 - Mann–Whitney test, 200
 - marginal distributions, 228–230
 - multiple comparison, 203–204
 - nontransitivity, 42
- R functions, 354
- rank transform methods, 215
- ROC curves, 41, 136
- Somers' d , 190
- standard error, 218
- Subject-specific effects, 233
 - compared to marginal effects, 235, 307–310
- Subject-specific models, 233–235, 241, 281–314
- Subject-specific tables, 232–233
- SUDAAN, 358
- SuperMix, 358
- Survival data, 103, 116, 128
- Symmetry model, 236, 261
- t -distribution approximation of logistic, 330
- Tau *see* Kendall's tau, 184
- Tau-b *see* Kendall's tau-b, 184
- Tau-c (Stuart), 222
- Tetrachoric correlation, 193, 219
- Thresholds, 54
- Time series, 276, 279, 293
- Transitional model, 274–277
 - references, 278
- Trend test, 205, 220
- Triangular tables, 259
- Uniform association
 - cumulative odds ratios, 42, 50
 - global odds ratios, 177, 267, 273
 - local odds ratios, 42, 90
- Variance component, 283
 - testing, 287, 295
- VGAM (R library), 353
- Wald confidence interval, 29
- Wald test, 29
- Weighted kappa, 250–251, 343
 - and correlation, 261
- Weighted least squares, 41
 - cumulative logit model, 58
 - global odds ratio model, 182
 - marginal models, 278
 - mean response model, 138
 - SAS, 345
- Wilcoxon test, 80–81, 199–201, 223, 337
 - clustered data, 220
- Within-cluster effects, 264, 285, 311
- Zero-inflated count data, 291–293