
Index

- AASHTO, 89, 307, 312, 449
abrasion, 305, 307
abutment. *See* bridge foundations
AC308, 446, 447. *See also* ICC-ES
acceptance criteria. *See* ICC-ES
acidity, soil, 296, 310. *See also* pH
active wedge, 159, 369
active zone, 245, 250
adhesion along shaft, 102, 107, 119, 124, 153, 154,
185, 238, 250
aircraft hanger, 394
alkaline soil, 310
Alexander Mitchell, 6
alignment, 50, 54, 192
American Drilled Shaft Contractors Association, 197
Analysis Group, 339, 371
anchors, 30, 50, 159, 170, 196, 282, 369, 410.
See also pullout capacity
inclined, 163, 221, 369
proprietary, 433
angle bracket, 395
angle of internal friction, 99, 100, 107, 121, 161, 181,
261, 384
from SPT, 100
ASCE7, 263, 312, 333
Atterberg Limits, 86, 89
augering, 40, 186, 187

barrier protection. *See* passivity
basement walls, 239, 282, 330, 390
battered piles, 4, 165, 279, 340
bearing capacity, 96, 103, 250, 252, 443, 447
based on torque. *See* capacity-to-torque ratio
coarse-grain soil, 112, 114, 115, 122, 154
factors, 107
fine-grain soil, 110, 122, 154
from load tests, 205, 443
undrained, 109
uplift, 154, 170, 178, 250. *See also* pullout capacity
weathered rock, 117, 122, 154
bearing, concrete, 348
bearing plate, 346, 371
bedrock, 57, 77, 84, 89, 93, 96, 117, 122, 156,
181, 235
penetration, 94, 238, 253, 395
benefits, 3
blow count. *See* Standard Penetration Test
boardwalks, 352, 354
bolt holes. *See* couplings
bond length, 30
boulders, 84, 96
braced excavations, 410. *See also* excavation shoring and
excavation safety
braced walls, 374
brackets, 48, 299, 346, 354, 394, 395, 437, 447.
See also angle bracket, plate bracket, slab support
bracket
bridge foundations, 2, 4, 10, 51, 292, 349,
354, 358
Brinch-Hansen method, 260, 278
Broms' method, 259, 278
buckling, 103, 132, 142, 169, 192, 265,
417, 441
building codes, 441. *See also* International Building
Code, ASCE7, and AASHTO
Building Officials and Code Administrators
International, 444
buoyant unit weight, 163, 367
buoyant force, 333
buttress, 367

- calibration, 39, 64, 66, 67
- Canadian Building Code, 5
- capacity-to-torque ratio. *See* torque
- carbon footprint, 32
- cathodic protection. *See* sacrificial anodes
- caving soils, 3, 238, 278
- Chin-Konder method, 210
- clamping force, 387
- clay. *See* fine-grain soil
- claystone, 78, 91, 235, 253, 395
- coarse-grain soil, 57, 77, 80, 84, 86, 87, 94, 100, 112, 122, 155, 163, 181, 218, 235, 260, 266, 268
- cobble, 84, 96
- cohesion, 99, 100, 109, 261, 411
- collapsible soils, 75, 94, 250
- commercial foundations, 2, 26, 77, 338, 440
 - cost, 420
- components, 2
- composite piles, 439
- Cone Penetration Test, 83, 99, 190
 - correlation to SPT test, 83
 - correlation to undrained strength, 100
 - helical pile capacity. *See* Laboratoire Central des Pontes et Chaussées
- consolidation, 147
- corrosion, 4, 170, 295, 440
 - design life, 307
 - galvanic, 299
 - in air, 320
 - in concrete, 322
 - in contaminated soil, 323
 - in water, 320
 - various forms, 299
 - potential pile corrosion situation, 308
- cost. *See* economics
- counterforts, 244, 246, 367, 390
- couplings, 2, 40, 49, 53, 56
 - grouting, 429
 - proprietary, 439
 - rigidity, 142, 147, 257, 270, 440
 - strength, 168, 443
- creep, 172
- crowd, 40, 49
- current density, 316
- cyclic loading, 170, 201
- cylindrical shear method, 103, 119, 151, 174

- Davisson offset method, 206
- DeBeer method, 208
- Decourt method, 211
- dead load, 241, 250, 332
- decks, 25
- Deep Foundation Institute, 5, 197, 442
- definition, 5, 443
- deflection, pile head, 27, 127, 147, 180, 211, 433, 440
 - finite element method, 130
 - load test limits, 205
 - under shear walls, 340

- depth of wetting. *See* active zone
- deviations. *See* plumbness and alignment
- dewatering wells, 387
- dial indicator, 60
- dilatancy, 86
- direct design method, 404
- direct shear test, 96
- disturbance, 4, 102, 170
 - effect on lateral capacity. *See* lateral capacity/soil disturbance effect
 - in expansive soils, 238, 248
- down drag, 103, 147
- DP-1 indicator, 64
- drains. *See* foundation drains
- drilled shafts, 34, 238, 255, 267, 420, 443
- drill spoil, 3, 4
- drive tool, 38
- drive pin, 38, 56
- driven piles, 34, 267, 391, 420, 443
- driving voltage, 316
- dual cutting edge helix, 43, 44, 45, 433, 436
- dunnage, 199

- earth retention, 363. *See also* retaining walls, excavation shoring, soil nails, anchors, and slope stability
- earthquakes. *See* seismic load resistance
- eccentricity, 147, 192, 401
- economics, 419
- effective shaft length, 125, 132
 - for adhesion, 125
 - in buckling, 132, 192
- elastic shortening, 206
- electro galvanizing, 303
- electronic torque indicator, 60, 67
- electroplating, 303
- embedment depth. *See* minimum depth
- energy ratio. *See* Standard Penetration Test
- energy model, 179
- epoxy coating. *See* powder coating
- evaluation reports, 74, 170, 444. *See also* ICC-ES
- excavation safety, 56, 329, 417
- excavation shoring, 29, 363, 410
 - methods, 374
- expansive potential, 255
- expansive soils, 42, 75, 94, 235, 325
 - uplift on helical piles, 250
 - foundation repair, 394
 - grouting, 431
- exploration with helical pile. *See* subsurface exploration

- factor of safety, 215, 252, 384
- fence post, 23, 439, 440
- FHWA, 197, 208
- fill, 75, 77, 94, 147, 222, 325
 - landfill, 308
- filter criteria, 387
- financing, 421

- fine-grain soil, 57, 77, 80, 84, 86, 87, 94, 99, 110, 122, 155, 163, 181, 217, 235, 258, 266, 267
 flagpole base, 257
 flood loads, 333
 floor slabs, 239, 393, 398, 404
 fluid soil, 80, 147
 foundations, 325. *See also* bridge foundations, utility foundations, residential foundations, commercial foundations, sign foundations, economics concreteless, 360 loads, 332, 394 on expansive soils, 238 repair of. *See* underpinning rotational bracing, 401
 foundation drains, 244, 387
 freeze, pile, 188
 frozen soils, 96, 325
 Fuller-Hoy method, 208
 future developments, 440

 galvanic series. *See* corrosion/galvanic
 galvanizing, 4, 295, 301, 308
 garages, 245, 338
 gear motor. *See* hydraulic torque motor
 gear motor multiplier, 71
 general conditions, 421
 general notes, 325, 328, 357
 geotechnical report. *See* subsurface exploration
 global stability, 373
 Gold-Nail, 383
 grade beam, 339, 398, 402
 gradation, 84, 89
 ground water, 3, 4, 78, 84, 147, 163, 238, 333 effect on corrosion, 296 effect on lateral earth pressure, 367 inter-helix pore pressure, 188, 196
 group efficiency, 165 for lateral capacity, 268
 grout penetration, 52
 grouting of helical piles, 4, 15, 149, 429, 440

 hand signals, 53
 Hansen 90 percent method, 208
 Hansen 80 percent method, 209
 heave, soil. *See* expansive soils
 helical bearing plate, 2, 447 conforming, 187, 448 lateral capacity, 269 pitch, 2, 185, 449 punching shear, 168, 443 proprietary shapes, 433. *See also* dual cutting edge helix and sea shell cut sizing, 215, 217, 220, 250, 252, 254 spacing, 103, 151 thickness, 184, 444, 449
 HeliCAP, 222, 433
 highway signs. *See* sign foundations
 highway traffic noise barriers. *See* sound walls

 horizontal modulus, 101, 262
 hot-dip galvanized steel. *See* galvanizing
 hydraulic pressure, 55, 63, 68
 hydraulic torque motor, 37, 50, 67, 71

 ICC-ES, 74, 187, 263, 299, 305, 306, 307, 328, 400, 449. *See also* evaluation reports
 igneous rock, 90, 94, 235
 individual bearing method, 103, 105, 151, 175
 inspection, 48, 71, 190, 329, 444
 installation, 4, 53, 37, 40, 49, 332
 interim stability, 411
 International Accreditation Service, 447
 International Building Code, 5, 214, 263, 285, 293, 312, 328, 333, 351, 360, 417, 441, 442, 447
 International Conference of Building Officials, 444
 iron sulfide, 322
 ISO 9001, 170, 329

 King method, 307, 310, 312

 Laboratoire Central des Ponts et Chaussées, 103, 126
 legacy reports, 444
 lagging, 30, 363, 379
 landslides, 75
 lateral bracing, 360, 401, 410, 441
 lateral capacity, 4, 20, 96, 238, 257, 339, 440 effect of couplings. *See* couplings/rigidity effect of helical bearing plates. *See* helical bearing plates/lateral capacity flexible pile analysis, 261 load testing. *See* load testing minimum length, 260, 265 proprietary systems, 436 restraining systems, 277 rigid pile analysis, 258 sloping ground surface, 261 soil disturbance effect, 257, 265, 276 structural capacity, 447. *See also* structural capacity/flexure
 lateral earth pressure, 333, 363 active, 363, 383 at-rest, 119, 363, 383 from line loads, 366 from point loads, 366 from uniform surcharge, 366 interhelix, 120 passive, 260, 361, 363 Peck's apparent earth pressure, 365, 377
 lateral stability. *See* lateral bracing
 lightpoles, 2, 257, 261
 load combinations, 333
 load testing, 191, 216, 443, 447 *see also* post-tensioning, proof testing, performance testing axial compression, 191 axial loading procedures, 201 axial tension, 196 axial test results. *See* Appendix C

- bracket connections, 395
 - interpretation, 205
 - lateral free head, 270
 - lateral fixed head, 273
 - lateral results, 274
- L-Pile, 142, 261, 274, 339, 401
- lighthouse, 8, 10
- Liquid Limit. *See* Atterberg Limits
- liquifiable soils, 75
- machine foundations, 28
- magnetic resonance imaging equipment, 410
- mechanical plating, 303
- membrane structures, 2, 197
- metallizing, 303
- metamorphic rock, 90, 94, 235
- mezanines, 28
- micropiles, 238, 255, 267, 443
- mine waste, 308
- minimum depth, 40, 158, 325, 444
 - expansive soils, 241, 252
 - lateral capacity. *See* lateral capacity/minimum depth
 - retaining walls, 159, 371
- minimum length. *See* minimum depth
- modulus of elasticity, 91, 130, 132, 206
- nature walks, 26
- noise, 3, 4
- NYC Building Code, 89, 449
- obstructions, 42, 45, 52
- occupancy categories, 286
- opportunity cost, 421
- organic soils, 88
 - corrosion in, 308, 322
- OSHA, 56, 59, 329, 417
- overconsolidated soil, 236
- paint, 303, 305, 320
- parking garage, 338
- passivity, 297, 305
- patents, 6, 13, 23, 429, 440, Appendix B
- payment, 425
 - methods, 426
- Peck's apparent earth pressure. *See* lateral earth pressure
- pedestrian bridges. *See* bridge foundations
- performance tests, 196, 374
- pH, 308, 316, 320. *See also* acidity
- Pilebuck, 375
- pile cap design, 341, 354, 360
- pile groups, 345. *See also* spacing and group efficiency
- pilot hole, 42, 44, 52, 91. *See also* pre-drilling
- pilot point, 2, 40, 91, 118
- pipelines, 2, 15, 23, 440
- pitch, 388. *See also* helical bearing plates
- plasticity, 235. *See also* Atterberg Limits
- Plastic Limit. *See* Atterberg Limits
- plate cap. *See* bearing plate
- plate bracket, 395
- plumbness, 48, 49, 193
- Poisson Ratio, 91, 130
- post-tensioning, 48, 387
- Pourbaix diagram, 297, 305
- powder coating, 295, 300, 306, 307
- pre-drilling, 248, 255, 277. *See also* pilot hole
- privacy fence, 439
- product testing, 447
- proof tests, 196, 374
- proprietary systems, 429
- PT-Tracker, 66, 68
- pullout capacity, 96, 151, 250, 252
- punching shear, 342, 371
- p-y method. *See* lateral capacity/flexible pile analysis
- p-y modulus. *See* horizontal modulus
- P-y Wall, 377
- quality control, 446. *See also* inspection, ISO 9001, evaluation reports, and ICC-ES
- radius of gyration, 135
- railroad, 374
- rakers, 377
- Ramjack Foundation Solutions, 220
- reaction arm, 39, 56
- rebound, 206
- refusal, 42, 52, 27, 91, 188, 238, 253
- reliability, 215, 231
- repair, foundations. *See* underpinning
- repair, retaining walls. *See* retaining walls
- residential foundations, 2, 23, 25, 77, 239, 284, 325, 440
 - additions, 25, 356
 - cost, 420
- resistivity, soil, 297, 308, 317
- retaining walls, 2, 23, 77, 159, 363
 - drains, 387
 - repair, 389
 - types, 367
- reticulated pile walls, 367
- Rock Quality Designation, 93
- rotation rate, 38, 40, 188
- rust, 296. *See also* corrosion
- sacrificial anodes, 295, 299, 308, 315, 440
- sacrificial thickness, 307. *See also* corrosion
- safety, 53
- sand. *See* coarse-grain soil
- scour, 4
- scratches, 305
- seashell cut, 45
- sedimentary rock, 90, 94
- seismic load resistance, 257, 282, 285, 332, 340, 440
 - dampening, 293
 - seismic design category, 285, 328
 - site coefficient, 286
- seive analysis. *See* gradation

- sensitive soils, 102, 188
- settlement. *See* deflection/pile head
- shaft, helical pile, 2, 447. *See also* buckling
- shaft twist, 67
- shear pin indicator, 59
- shear strength of soil, 96, 99, 100, 119
 - from CPT, 126
 - residual, 102
 - undrained, 100
- shear strength of concrete, 342, 403
- shear walls, 338
- sheetpile, 30, 363, 374
- shotcrete, 30, 374, 386, 410
- shrinkage, soil, 235
- Shrinkage Limit. *See* Atterberg Limits
- sign foundations, 257, 261, 440
- silt. *See* fine-grain soil
- site suitability, 94
- soil borings. *See* subsurface exploration
- solar panels, 440
- soldier pile, 30, 268, 363, 374, 379, 388
- suction, soil, 236, 245
- surface drainage, 236, 239, 329, 386, 394
- slab jacking, 410
- slab support bracket, 404
- slope stability, 58, 282, 373
- Slope/W, 373
- S-Nail, 383
- soil classification, 84. *See also* visual classification of soil, Unified Classification System, NYC Building Code, AASHTO
- Soil Conservation Service, 89
- soil nails, 30, 381
- soil report. *See* subsurface exploration
- sound walls, 2, 23, 257, 261, 439
- spacing of piles, 165, 241, 268
 - under floor slabs, 404
- spotter, 53
- stall, 67
- Standard Penetration Test, 77, 80, 94, 99, 161, 190, 225, 328
 - correction factor, 82
 - effect of ground water, 163
 - expansive soils, 238, 254
 - helical pile capacity, 154
 - statistics, 225
- structural capacity of piles, 168, 443, 447.
 - See also* buckling, couplings, shaft, and helical bearing plate
 - code allowable stresses, 443
 - flexure, 263, 269
 - effect of corrosion, 307
- subsurface exploration, 75, 89, 94, 444
 - with helical pile, 46, 173, 190
- sulfates, 308
- sustainability, 31
- swell pressure, 235, 245, 250
- termination, 40
- terminology, 5, Glossary of Terms
- Three-Sigma Rule, 228
- thrust blocks, 377
- tie-back. *See* anchor
- timber lagging. *See* lagging
- tolerance, 48, 49, 50, 329
- torsional resistance,
 - pile shaft, 170, 444, 447
 - concrete, 401
- torque, 4, 40, 84, 93, 103, 186, 241, 252, 253, 325
 - capacity to torque ratio, 173, 191, 216, 254, 395, 443, 448
 - field adjustments, 229
 - indicator, 39, 59, 72. *See also* shear pin indicator, TruTorque indicator, DP-1 indicator, dial indicator, hydraulic pressure, electronic indicator
 - measurement. *See* torque indicator and inspection
 - non-dimensional, 187
 - precautions, 187
- T-pipe, 395
- TruTorque indicator, 64
- unconfined compressive strength, 78, 91, 99
- underground construction, 410
- underpinning, 2, 15, 23, 25, 50, 393
 - repair of foundations, 235, 393
 - floor slabs, 393, 404
 - proprietary systems, 435
 - rotational bracing, 401
- Unified Classification System, 78, 87
- unsupported length of shaft, 441. *See also* buckling
- utility foundations, 2, 23, 25, 77, 440
- utility, underground, 49, 55, 378
- vibrations, 3, 4, 27
- visual classification of soil, 86
- void form, 239, 394
- waler design, 374
- weather, adverse, 28
- weep holes, 387
- welding, 49
- Wenner four-pin method, 298
- wetlands, 35
- wind turbines, 440
- zinc coatings, 300, 307. *See also* zinc paint, mechanical plating, metallizing, electroplating, electrogalvanizing, galvanizing
- zinc paint, 303
- zone of seasonal moisture fluctuation, 248