

Index

SYMBOLS & NUMERICS

& (ampersand), 173
* (asterisk) wildcard, 49
\ (backslash), 379
^ (caret symbol), 56
: (colon), 242, 264
{ } (curly brackets), 49
- (dash character), 153
/ (forward slash), 264
> (greater than sign), 51
(hash character), 379
< (less than sign), 51
| (pipe), 51, 68, 103
+ (plus symbol), 316
(pound sign), 56, 108
? (question mark) wildcard, 49, 264
[] (square brackets), 49
5 status, RPM verification output, 281
64-bit platforms, 537
192.168.0.254 option, route command, 353

A

A class, IP addresses, 141
A protocol version, DRBD, 549
Abiword word processor, 184
Abort installation option, YaST application, 10
accelerators, 8
ACCEPT target, 485
access
 authorization, 384
 DMA (Direct Memory Access), 563
 group access, 385–386
 security control, 384
 user access, 384–385
Access files, 308
account entry, PAM, 514
ACLs (access control lists), 315–316, 408
acls command, 523
ACPI (Advanced Configuration and Power Interface), 563
Acronis Disk Director partitioning utility, 326
acoread command, 254
active connections, FTP, 475
Add option, route command, 353
Address Resolution Protocol (ARP), 357–358
addresses
 Address record, 454
 Base address entry, ifconfig command, 351
 DNS (domain name system), 30

fixed-address parameters, 446
IP
 broadcast addresses, 142
 classes, 141
 DHCP server configuration, 444
 dotted decimal numbers, 141
 forward zones, 458
 host allocation, 143
 host components, 141
 IP forwarding, 484
 multicast operations, 142
 network addresses, 142
 network components, 141
 non-routable, 143–144
 public, 143
 special, 142–143
 subnetting, 145–146
 unicast operations, 142
 loopback, 143
 NAT (Network Address Translation)
 discussed, 144
 DNAT (Destination NAT), 491
 SNAT (Source NAT), 488–490
 network address configuration, 356
 routing tables, 146–147
AddType directive, 389
administrative interface, SLOX, 594–595
administrative tasks
 permissions, 59–61
 user and group concepts, 57–58
 user preferences, 62
administrator configuration, LDAP, 505–506
ADSL (asymmetric digital subscriber line), 31, 33, 481
Advanced Bash-Scripting Guide (Mendel Cooper), 126
Advanced Configuration and Power Interface (ACPI), 563
Advanced Linux Sound Architecture (ALSA), 42
Advanced Research Projects Agency Network (ARPANET), 136
afile command, 295
ALERT log level, 151
aliases
 alias_maps parameter, 399
 shells, 336–337
 user management, 597
ALSA (Advanced Linux Sound Architecture), 42
always-on server, 402
ampersand (&), 173
anonymous FTP servers, 472, 474–475

- antiword program, 252–253, 303
- Apache
 - Apache Week Web site, 390
 - apache2 command, 104
 - ASF (Apache Software Foundation), 377
 - configuring
 - global directives, 380–381
 - main server options, 381–382
 - syntax directions, 379
 - virtual hosts, 383
 - Planet Apache Web site, 390
 - Web site, 131
- API (application programming interface), 593
- Appearances and Themes option, KDE Control Center, 180
- Application layer
 - DoD model, 140
 - OSI model, 138–139
- application programming interface (API), 593
- applications
 - Evolution, 184, 411
 - Gnucash, 184
 - kaddressbook, 182
 - kaffeine, 305
 - KDE, 181–182
 - kghostview, 304
 - konsole, 181
 - kooka, 182, 205
 - korganizer, 182
 - kspread, 181
 - k3b, 182
 - kword, 181
 - kwrite, 181
 - logtail, 160
 - .mov, 305
 - mplayer, 305
 - noatun, 305
 - PuTTY, 176
 - recall, 181
 - remote use, 174
 - scribus, 182
 - SUSEconfig, 35
 - VBA (Visual Basic for Applications), 308
 - .wmv, 305
 - xine, 305
- YaST
 - Abort installation option, 10
 - AutoYaSt, autoinstallation, 221–225
 - Blackbox window manager, 21
 - boot floppies, 196
 - Boot installed system option, 10
 - boot loader configuration, 205–207
 - boot loader selection, 22–24
 - default gateway configuration, 31
 - DHCP configuration, 213
 - filesystem creation, 14–18
 - graphics card configuration, 39–40
 - group configurations, 216–217
 - in GUI mode, 190
 - hardware configuration, 37–39
 - hardware modules, 191
 - installation complete options, 42–43
 - installation confirmation, 24–25
 - installation options, 9–11
 - installation source configurations, 194–195
 - miscellaneous modules, 193
 - modem configuration, 32–33
 - modules, KDE Control Center, 181
 - network card configuration, 27–29
 - network devices modules, 192
 - network services modules, 192–193, 472
 - Online Update control, 418
 - operating system partitions, resizing
 - existing, 13–14
 - overview, 190
 - package manager, 20–21
 - partitioning schemes, 11–12
 - primary and extended partitions, 14
 - proxy configurations, 197
 - release notes, 36
 - Repair installed system option, 10
 - rescue floppies, 196
 - Runlevel Editor configuration, 211–212
 - runlevels, changing default, 24
 - Samba client configuration, 415–418
 - scanner configuration, 204–205
 - SCPM (SUSE Configuration and Profile Manager), 208–211
 - security modules, 193
 - Shared Resources option, 433
 - software modules, 191
 - software selection options, 19–22
 - sound card configurations, 40–42
 - starting, 190
 - system modules, 192
 - in text mode, 190
 - Update an existing system option, 10
 - user configuration, 34–35, 213–215
 - user modules, 193
 - Webmin tool and, 334
 - YOU (YaST Online Update) module, 218–220
- apropos command, 119, 435

- architecture
 - ALSA (Advanced Linux Sound Architecture), 42
 - Blade architecture, Enterprise network, 538
 - PPC (PowerPC) architecture, 97
 - SLOX (SUSE OpenExchange Server), 592–594
 - archives, files
 - ark command, 314
 - cpio command, 312
 - discussed, 67–68
 - pax command, 313–314
 - tar command, 310–312
 - zip command, 312
 - ark command, 314
 - ARP (Address Resolution Protocol), 357–358
 - ARPANET (Advanced Research Projects Agency Network), 136
 - Ascher, David (*Learning Python*), 347
 - ASF (Apache Software Foundation), 377
 - ash command, 46
 - associations, files, KDE Control Center, 180
 - asterisk (*) wildcard, 49
 - asymmetric digital subscriber line (ADSL), 31, 33, 481
 - attributes, files, 314–315
 - a2ps command, 250
 - auth entry, PAM, 514
 - authentication
 - authentication logging, 151
 - defined, 384–385
 - PAM (Pluggable Authentication Modules), 163, 418
 - Samba server configuration, 430–432
 - SASL (Simple Authentication and Security Layer), 506
 - Squid server, 522–524
 - AuthName directive, 385
 - authoritative servers, 444
 - authorization, access, 384
 - AuthType directive, 385
 - AuthUserFile directive, 385
 - autoinstallation module, AutoYaST feature, 223–225
 - automation
 - automatic process execution, 157
 - automatic repair systems, 318
 - automatic setup, sound card configuration, 42
 - automatically mounting filesystems, 87, 91–92
 - AutoYaST feature
 - autoinstallation module, 223–225
 - chroot scripts, 226
 - operation modes, 221–222
 - post-install scripts, 226
 - pre-install scripts, 226
 - principles, 221
 - .avi file extension, 305
 - awk command, 243–245
- ## B
- B class, IP addresses, 141
 - B protocol version, DRBD, 549
 - backslash (\), 379
 - backups, 67–68
 - Base address entry, ifconfig command, 351
 - basedn command, 505, 592–593
 - bash command, 46, 49
 - Bash Guide for Beginners* (Machtelt Garrels), 126
 - basic input-output system (BIOS), 97
 - basic installation, Standard Server, 567
 - Bcast entry, ifconfig command, 350
 - Beazley, David (*Python Essential Reference*), 347
 - Beekmans, Gerard (*Linux From Scratch*), 127
 - Beginning Perl* (Simon Cozens and Peter Wainwright), 347
 - benchmarks, filesystems, 85–87
 - Berkeley Software Distribution (BSD), 46
 - /bin directory, 17
 - binary files, 233
 - binary kernel packages, 552–553
 - binary representation, subnetting, 145
 - binary RPMs, 275–277
 - binary tree (b-tree), 79
 - BIOS (basic input-output system), 97
 - Blackbox window manager (YaST application), 21
 - blacklists, squidGuard filter, 527
 - Blade architecture, Enterprise network, 538
 - blank lines, replacing, 232–233
 - block devices, 70
 - Bluetooth networks, 371–373
 - booting
 - BIOS (basic input-output system), 97
 - boot floppies, 196
 - Boot from Hard Disk option, 6
 - Boot installed system option, YaST application, 10
 - boot loaders
 - configuration, 205–207
 - selecting, 22–24
 - dual booting
 - discussed, 13
 - Windows installation, 109
 - Windows, Linux installation on, 109–110
 - Windows, manually partitioning, 110–112
 - Windows, sharing data on, 112–113
 - GRUB (Grand Unified Boot Loader), 22–23, 107–108
 - Installation option, 6
 - Installation-ACPI Disabled option, 6

Continued

booting (*continued*)

- Installation-Safe Settings option, 6
 - ISOLINUX boot loader, 98
 - LILO (Linux Loader), 22–23, 105–106
 - Manual installation option, 7
 - Memory Test option, 7
 - multi-boot systems, 13
 - PPC (PowerPC architecture), 97
 - PXE (Preboot Execution Environment), 177
 - reboot command, 116
 - Rescue System option, 7
 - runlevels
 - boot problems, fixing, 113–114
 - customizing, 104
 - descriptions, 100
 - directories, 102
 - switching manually, 101–103
 - system checks, 103–104
 - SUSE Linux installation, 6–8
 - SUSE system boot loader, 99
 - system repair, 317–318
 - troubleshooting, 113–116
- Bourne Again shell, 46
- broadcast addresses, 142
- BROADCAST entry, `ifconfig` command, 350
- browsers
- Epiphany, 184
 - Firefox, 48
 - identification, 180
- Brueck, Dave (*Python 2.1 Bible*), 347
- BSD (Berkeley Software Distribution), 46
- b-tree (binary tree), 79
- BUILD directory, RPM source, 282
- `%build` macro, RPMs, 286–287
- build process, kernels, 559–560
- burning ISO images to CDs, 329–330
- Burtch, Ken (*Linux Shell Scripting with Bash*), 344
- `bzImage` command, 560
- `bzip2` compression, 309

C

- C class, IP addresses, 141
- C protocol version, DRBD, 549
- caching
- discussed, 451
 - NSCD (Name Service Cache Daemon), 515
 - Squid server
 - Cache Manager menu, 526
 - installing, 519–521
 - log analysis, 524
 - overview, 519
 - `rsquid start` command, 520
 - squidGuard filter, 527
 - as transparent proxy, 525–526
 - user authentication, 522–524
- calendar options
- emacs editor, 273
 - SLOX (SUSE OpenExchange Server), 609–610
- `canonical_maps` parameter, 396
- caret symbol (^), 56
- case statement, 342
- `cat` command, 55, 231–232
- `cd` command, 54
- `cdrecord` command, 68, 330
- CDs
- burning ISO images to, 329–330
 - mounting, 91
 - as SUSE Linux installation method, 3
- `cd/tmp` command, 54
- Centrino chipsets, wireless networks, 369–371
- `cfile` command, 295
- CGI (Common Gateway Interface), 378, 386–388
- character devices, 70
- `chattr` command, 314–315
- `chkconfig` command, 103–104
- `chmod` command, 298
- `chown` command, 61, 298
- Christiansen, Tom (*Programming Perl*), 347
- `chroot` scripts, 226
- CIDR (Classless Interdomain Routing), 146
- CIFS (Common Internet File Services), 413
- classes, IP addresses, 141
- `%clean` macro, RPMs, 287
- client modules, NFS, 463
- clipboard application, KDE, 173
- clustering, HP, 631
- `cmp` command, 251
- `cn` element, person object, 510
- CNAME record, DNS, 454
- codecs (compressor-decompressors), 305
- Collisions entry, `ifconfig` command, 351
- colon (:), 242, 264
- color depth, framebuffer graphics, 171
- `.com` file extension, 450
- `command_directory` parameter, 395
- command-line options
- command-line clients, mail, 410–411
 - command-line interface, shell, 46
 - command-line utilities, Samba, 435–436
- commands
- `acls`, 523
 - `acoread`, 254
 - `afile`, 295
 - `apache2`, 104

- apropos, 119, 435
- ark, 314
- ash, 46
- a2ps, 250
- awk, 243–245
- basedn, 505, 592–593
- bash, 46, 49
- bzImage, 560
- cat, 55, 231–232
- cd, 54
- cdrecord, 68, 330
- cd/tmp, 54
- cfile, 295
- chattr, 314–315
- chkconfig, 103–104
- chmod, 298
- chown, 61, 298
- cmp, 251
- command completion, 47
- command history, 47
- command interpreters, 45–46
- cp, 53
- cpio, 68, 312
- cron, 104
- crontab, 119
- csh, 46
- csplit, 240–241
- cut, 242
- cyrad, 408
- cyrus, 594
- d, 261
- dd, 328
- detex, 253–254
- dhcpcd, 448
- dhcpcing, 448
- diff, 250–252
- drbdsetup, 550
- dvips, 253, 304
- dvi2tty, 253
- EHLO**, 398
- emacs text editor, 269
- enscript, 49, 250
- esac, 342
- exit, 112
- expand, 234
- export, 48–49
- exportfs, 467–468
- fbset, 104
- fdisk, 69, 71–74
- file, 301–302
- find, 56, 298–299
- fmt, 249
- fold, 249
- fsck, 89
- fstab, 91–92, 546
- fuser, 92–93
- get, 372, 474
- ghex2, 303
- gpdf, 304
- grep, 56, 236–238
- grepmail, 239
- groff, 249–250
- groupadd, 58
- groupmod, 58
- gs, 303
- hciconfig, 371
- head, 55, 234
- HELO**, 398
- help options, 52
- html2text, 254
- ifconfig, 349–352
- inetd, 405
- info, 52, 58, 122
- init, 101–103
- init5, 318
- init3, 318
- interim, 444
- ip link, 355
- ipchains, 481
- ipfwadm, 481
- iproute, 355–357
- iptables, 481–482, 485
- ipx configure, 358–359
- iwconfig, 370
- iwlist, 370
- join, 243
- kbd, 104
- khxeddit, 303
- klipper, 173
- kmail, 118, 182, 411
- ksh, 46
- lan, 521
- ldapadd, 509
- ldapsearch, 511–512
- less, 55
- lilo, 23
- ln, 54–55
- ln afile bfile, 55
- ln -s afile linkfile, 55
- ln -s docs/linux/suse/useful, 55
- locate, 56, 299
- lpr, 51
- ls, 51–53, 293–294

Continued

commands (*continued*)

- ls a*, 53
- ls -l *.doc, 53
- ls -la, 53
- lsdf, 92–93
- l2ping, 372
- mail, 343, 410–411
- mailq, 395, 403
- make, 561
- make cloneconfig, 555
- make gconfig, 557
- make oldconfig, 555
- man, 52, 58, 118
- mc, 65, 298, 301
- mkdir, 54
- mkdir -p this/that/theother, 54
- mkdir photo, 54
- mke2fs, 81
- mkfs, 81, 327
- mkinitrd, 554
- more, 55
- mount, 63, 87–88
- mutt, 411
- mv, 53, 295
- nash, 46
- ncpmount, 359
- netfilter, 485–486
- network, 104
- newaliases, 395
- newgrp, 216
- nl, 235
- nmbd, 433
- noapic, 563
- nscd, 104
- nslookup, 453
- obexftp, 3, 72
- online_update, 220
- paggers**, 55
- passwd, 407
- paste, 242–243
- patch, 250–252
- pax, 68, 313–314
- ping, 367–368
- postfix, 104
- pr, 249
- print, 111–112
- printenv, 47–48
- psgml, 306
- psnup, 250
- ps2ascii, 253, 304
- ps2pdf, 253, 304
- psutils, 304
- pure-ftpd, 479
- put, 478
- r, 59
- random, 104
- rc, 62
- rcdncpd start, 445
- rcnamed, 452
- rcpostfix, 212
- reboot, 116
- redirecting IO**, 51
- reload, 521
- reset, 233
- resmgr, 104
- resquid start, 520
- rm, 53–54, 296
- rm afile, 54
- rm -i a*, 54
- rm -rf, 54
- rootdn, 505
- rootpw, 505
- route, 353–357
- rpcinfo, 469
- rpm, 128, 276
- rsize, 463
- rsync, 365–366
- sarg, 524
- scp, 67, 364
- sed, 246–247
- sendmail, 395
- sftp, 67
- sgrep, 239–240
- sh, 46
- showmount, 468
- showopts, 562
- slappasswd, 505
- slist, 359
- smbd, 433
- smbpasswd, 433–434
- sort, 236, 279
- splash, 104
- splash_early, 104
- splash_late, 104
- split, 240
- ssh, 66–67, 336
- sshd, 104
- startx, 170, 172
- stderr, 51
- stdin, 51
- stdout, 51
- strings, 254, 303
- submount, 63
- sudo, 421
- suffix, 505
- syslog, 104

- tac, 55, 233
- tail, 55, 234
- tar, 68, 297, 310–312
- tcsh, 46
- telinit, 101–103
- touch, 61
- tr, 247–248
- traceroute, 299, 368–369
- tune2fs, 84
- umask, 61–62
- uname, 552
- uniq, 235
- useradd, 58
- visudo, 421
- vsftpd, 472, 474–475
- w, 59
- wc, 245
- weirdx, 177
- wget, 367
- winbindd, 434–435
- wsize, 463
- x, 59
- xconfig, 557
- xdvi, 304
- xftree, 187
- xpdf, 254, 304
- xterm, 62, 185
- zcat, 233
- zen, 368
- zgrep, 238, 309
- zip, 297, 312
- zless, 309
- zsh, 46
- comma-separated values (CSV), 306
- commercial tool, partitioning, 326
- Common Gateway Interface (CGI), 378, 386–388
- Common Internet File Services (CIFS), 413
- Common Unix Printing System (CUPS), 199
- comparing files, 250–252
- compilation, RPMs, 288–290
- Compress logrotate directive, 158
- compressed files, 309
- compressor-decompressors (codecs), 305
- concatenation, 55, 231–232
- conceptual view, LDAP, 502
- configurations
 - ACPI (Advanced Configuration and Power Interface), 563
 - Apache
 - global directives, 380–381
 - main server options, 381–382
 - syntax directions, 379
 - virtual hosts, 383
 - boot loader, 205–207
 - Cyrus-specific configuration options, 602–603
 - default gateway, 31
 - DHCP (Dynamic Host Configuration Protocol), 213, 444–445
 - dial-up server, 403
 - firewalls
 - filtering rules, 485
 - FORWARD chain, 484
 - INPUT chain, 484
 - kernel filtering code, 483–484
 - kernel space, 483
 - OUTPUT chain, 484
 - graphics cards, 39–40
 - groups, 216–217
 - hardware, SUSE Linux installation, 36–40
 - installation sources, 194–195
 - IP networks
 - addresses, 356
 - ifconfig command, 349–351
 - network cards, 355–356
 - routes, 352–356
 - virtual interfaces, 352
 - kernels, 554–558
 - language settings, 8
 - LDAP administrator, 505–506
 - modems, 32–33
 - monitors, 36–39
 - network access, 27–31
 - network cards, 27–29, 355–356
 - passwords, 26–27
 - Postfix mail server, 393–394
 - printers
 - CUPS (Common Unix Printing System), 199
 - direct printing, 201
 - discussed, 198
 - hardware options, 199
 - IPP (Internet Printing Protocol), 201
 - local filtering, 202
 - manual configuration, 199
 - multiple queuing, 202
 - PCL (Printer Control Language), 205
 - PPD (PostScript Printer Description), 205
 - print jobs, 202
 - printer model selection, 203
 - printer names, 202
 - printer type selection, 200
 - testing, 203–204
 - proxy, 197
 - Runlevel Editor, 211–212
 - Samba client, 415–418

Continued

- configurations (*continued*)
 - Samba server
 - authentication sources, 430–432
 - configuration screen, 427
 - discussed, 426
 - password files, 431
 - server definition fields, activating, 428
 - workgroup options, 429
 - scanners, 204–205
 - SLOX (SUSE OpenExchange Server), 591–592
 - sound cards, 40–42
 - user, SUSE Linux installation, 34–35
 - user preferences, 62–63
 - X Windows system
 - copying and pasting, 172–173
 - desktop sharing, 176–177
 - diskless terminals, 177
 - framebuffer graphics, 170–172
 - hardware information, 168
 - remote use, 174–177
 - resolutions, switching, 172
 - sax2 utility, 168–170
 - troubleshooting, 172
 - user preferences, 173
 - xf86config utility, 166
 - confirmation, SUSE Linux installation, 24–25
 - connection versus connectionless protocols, 138
 - connections
 - active connections, 475
 - ESTABLISHED connection type, firewall rules, 487
 - IPX network printers, 201
 - IrDA printers, 200
 - LPD printers, 200
 - NEW connection type, firewall rules, 487
 - over networks, 66–67
 - parallel printers, 200
 - passive connections, FTP, 475
 - RELATED connection type, firewall rules, 487
 - serial printers, 200
 - SMB printers, 201
 - SUSE Linux installation connections, 31
 - uploads, FTP, 477–478
 - USB printers, 200
 - consistency checks, filesystems, 78
 - contact creation, SLOX, 614–615
 - content_filter parameter, 397
 - Control Center (KDE), 180–181
 - Converse, Tim (*PHP5 and MySQL Bible*), 389
 - Cooper, Mendel (*Advanced Bash-Scripting Guide*), 126
 - copying
 - files, 53
 - text, 263
 - with X Windows system, 172–173
 - .co.uk file extension, 450
 - Cozens, Simon (*Beginning Perl*), 347
 - cp command, 53
 - cpio command, 68, 312
 - create 644 root root logrotate directive, 159
 - CRIT log level, 151
 - cron command, 104
 - crontab command, 119
 - cs command, 46
 - csplit command, 240–241
 - CSV (comma-separated values), 306
 - CUPS (Common Unix Printing System), 199
 - curly brackets ({}), 49
 - Custom Linux: A Porting Guide—Porting LinuxPPC to a Custom SBC* (Shie Erlich), 127
 - customization
 - repair options, 319–320
 - runlevels, 104
 - cut command, 242
 - Cygwin Web site, 177
 - cyrad command, 408
 - Cyrus utility
 - cyrus command, 594
 - Cyrus IMAPD server, 407–410
 - Cyrus-specific configuration options, 602–603
- ## D
- D class, IP addresses, 141
 - d command, 261
 - D status, RPM verification output, 281
 - daemons
 - daemon_directory parameter, 395
 - NSCD (Name Service Cache Daemon), 515
 - syslog, 151–153
 - DARPA (Defense Advanced Research Projects Agency), 136
 - dash character (-), 153
 - data blocks, extents, 79
 - Data link layer, OSI model, 137, 139
 - data partitions, 18–19
 - databases, PostgreSQL, 593
 - Dateex logrotate directive, 158
 - Dawson, Terry (*Linux Network Administrator's Guide*), 126–127
 - dc (domain component), 505
 - dd command, 328
 - Debian Web site, 132
 - DEBUG log level, 151
 - debugger_command parameter, 395
 - debug_peer_level parameter, 395
 - declarations
 - DOCTYPE, 305
 - forwarders, 452

- default gateway configuration
 - DHCP server configuration, 444
 - discussed, 31
- Default option, route command, 353
- default routes, 352–353
- Defense Advanced Research Projects Agency (DARPA), 136
- defer_transports parameter, 397
- deleting
 - files/directories, 53–54
 - partitions, 325
 - text, 260–263
- demilitarized zone (DMZ), 540
- Department of Defense (DoD) model, 140
- dependencies, software packages, 63
- Description element, person object, 510
- description information, RPM header information, 285
- desktops
 - default GNOME, 183
 - desktop environments, 166
 - free desktop project, 182
 - KDE, 178–179
 - multiple, 181
 - shared, X Windows system configuration, 176–177
- Destination NAT (DNAT), 491
- detex command, 253–254
- /dev directory, 17
- device independent (DVI) files, 253, 304
- DHCP (Dynamic Host Configuration Protocol)
 - configuring, 213
 - host specification, 446–447
 - lease times, 447
 - network access, 27
 - overview, 443
 - requests, 443
 - server configuration, 444–445
 - when to use, 448
 - wireless networks and, 371
- DHCPD_INTERFACE parameter, 445
- dhcpcd command, 448
- dhcpcing commands, 448
- dial-up server configuration, 403
- diff command, 250–252
- dig program, 452–453
- Direct Memory Access (DMA), 563
- direct printing, 201
- directives
 - AddType, 389
 - Apache configuration, 380
 - AuthName, 385
 - AuthType, 385
 - AuthUserFile, 385
 - Compress logrotate, 158
 - create 644 root root logrotate, 159
 - Dateex logrotate, 158
 - global, Apache configuration, 380–381
 - LoadModule, 389
 - maxage 365 logrotate, 158
 - MaxClients, 380
 - MaxSpareServers, 380
 - MinSpareServers, 380
 - missingok logrotate, 159
 - notifyempty logrotate, 158
 - Options, 387
 - Postrotate logrotate, 159
 - Require, 385
 - rotate num logrotate, 158
 - ScriptAlias, 386
 - Size logrotate, 158
 - StartServers, 380
- directories
 - /bin, 17
 - changing, 54
 - deleting, 53–54
 - /dev, 17
 - dosutils, 67, 177
 - /etc, 17
 - /lib, 17
 - links to, 54–55
 - making, 54
 - RPM source, 282
 - runlevels, 102
 - /sbin, 17
- disable_dns_lookups parameter, 397
- disaster recovery (DR), 547–550
- Disk Director (Acronis) partitioning utility, 326
- disk images
 - ISO images
 - burning to CDs, 329–330
 - creating, 329
 - loopback device, 330–331
 - partitions, 328
- diskless terminals, X Windows system
 - configuration, 177
- DISPLAY environment variable, 166, 173
- distribution RPMs, 282
- DLLs (dynamic link libraries), 305
- DMA (Direct Memory Access), 563
- DMZ (demilitarized zone), 540
- DNAT (Destination NAT), 491
- DNS (Domain Name System)
 - addresses, 30
 - caching, 451
 - help options, 118

- DNS (Domain Name System) (*continued*)
 - Mail Exchanger record, 456–457
 - network access, 27
 - record types, 454
 - reverse zones, 458–460
 - root DNS servers, 449
 - searches, 450–451
 - SOA (Start of Authority), 455–456
 - TLDs (top-level domains), 450
 - zone files, 454–455
 - .doc file extension, 306
 - DOCTYPE declaration, 305
 - document creation, SLOX, 611–613
 - Document Type Definition (DTD), 306
 - documentation
 - help options
 - FAQs, 52, 125–126, 129
 - hardware support, 130–131
 - Help Center program, 123–124
 - HOWTOs documents, 126
 - info pages, 122–123
 - mailing lists, 129
 - man pages, 117–121
 - manuals, 117–118
 - package books, 127–128
 - project resources, 125–127
 - software, 131–132
 - SUSE Linux Administration Guide*, 117–118
 - SUSE Linux User Guide*, 117–118
 - SUSE Portal Web site, 128
 - Web searches, 132–133
 - wireless support, 131
 - RFCs (Request for Comments), 136
 - DoD (Department of Defense) model, 140
 - domain component (dc), 505
 - Domain Name System. *See* DNS
 - dos2unix program, 248
 - dosutils directory, 67, 177
 - dotted decimal numbers, IP addresses, 141
 - DR (disaster recovery), 547–550
 - drbdsetup command, 550
 - DRDB service, disaster recovery, 547–550
 - DROP target, 485
 - DTD (Document Type Definition), 306
 - dual booting
 - discussed, 13
 - Windows, Linux installation on, 109–110
 - Windows, manually partitioning, 110–112
 - Windows, sharing data on, 112–113
 - Windows installation, 109
 - DVDs
 - mounting, 91
 - resource options, 626
 - SUSE Linux installation method, 3–4
 - troubleshooting, 626
 - DVI (device independent) files, 253, 304
 - dvips command, 253, 304
 - dvirtty command, 253
 - Dynamic Host Configuration Protocol. *See* DHCP
 - dynamic link libraries (DLLs), 305
- ## E
- E class, IP addresses, 141
 - ECN (Enhanced Congestion Notification), 489
 - Edit Configuration Files tool, Standard Server, 579
 - Edit Global Configuration tool, Standard Server, 579
 - editing
 - partitions, 325
 - SCPM default profile, 210
 - text, 57
 - users, 213
 - editors
 - deleting text, 260–263
 - discussed, 255
 - emacs text editor
 - calendar options, 273
 - commands, 269
 - discussed, 57
 - help options, 273
 - navigation options, 269
 - searching text, 270
 - special commands, 271
 - spelling corrections, 270
 - starting, 267–268
 - undo commands, 270
 - graphical user environments, 256
 - runlevel
 - configuring, 211–212
 - expert mode editing, 212
 - simple mode editing, 212
 - vi text editor
 - advantages, 256
 - command prompt, 257
 - discussed, 57
 - file saving, 264
 - inserting text, 264
 - vim text editor
 - command mode, 258
 - command prompt, 257
 - copying and pasting, 263
 - discussed, 256
 - exiting, 265
 - initialization files, 265
 - searching and replacing text, 264
 - word completion, 270
 - EHLO command, 398

- emacs text editor
 - calendar options, 273
 - command completion and history, 269–270
 - discussed, 57
 - help options, 273
 - navigation options, 269
 - searching text, 270
 - special commands, 271
 - spelling corrections, 270
 - starting, 267–268
 - undo commands, 270
 - word completion, 270
- e-mail. *See also* mail
 - e-mail client, SLOX, 608–609
 - kmail command, 118, 182
- embedded systems, Enterprise network, 533–534
- EMERG log level, 151
- encapsulation, 139
- encryption, 505
- Enhanced Congestion Notification (ECN), 489
- enscript command, 49, 250
- Enterprise network
 - Blade architecture, 538
 - DR (disaster recovery), 547–550
 - embedded systems, 533–534
 - file and print services, 542
 - HP (Hewlett-Packard) vendors, 536
 - HP (High Performance) clustering, 631
 - infrastructure, 533
 - ISVs (Independent Software Vendors), 533
 - IT infrastructure, 539–540
 - organization example, 532
 - QA (Quality Assurance), 631
 - SAN (storage area network)
 - accessing, 544–545
 - LUN (logical unit number), 545
 - NAS (Network Attached Storage), 543
 - shared storage, 545–546
 - 64-bit platforms, 537
 - staff requirements, fulfilling, 534–535
 - TCO (Total Cost of Ownership), 531
 - user accounts, 542
- environment variables
 - DISPLAY, 166, 173
 - HOME, 48
 - PATH, 48–49
 - PS1, 48
 - setting, 48
 - viewing, 47
- Epiphany browser, 184
- .eps file extension, 303
- Erllich, Shie (*Custom Linux: A Porting Guide—Porting LinuxPPC to a Custom SBC*), 127
- ERR log level, 151
- errors, stderr command, 51
- esac command, 342
- ESTABLISHED connection type, firewall rules, 487
- /etc directory, 17
- event logging, 157
- EVMS User Guide* (Christine Lorenz, Joy Goodreau, Kylie Smith), 127
- Evolution application, 184, 411
- Excel files, 308
- execution
 - files, 59
 - processes, 157
- existence checks
 - files, 341–342
 - RPMS, 290–291
- exit command, 112
- exiting vim text editor, 265
- expand command, 234
- expert mode editing, Runlevel Editor, 212
- Expert Tool options, system repair, 320–321
- expire times, SOA, 456
- Explore2fs utility, 113
- export command, 48–49
- exportfs command, 467–468
- exports file, NFS, 465–466
- expressions, regular expressions
 - extended, 238
 - file searches, 56
 - pattern matching, 49
- extended partitions, 13, 70, 75
- extended regular expressions, 238
- Extensible Markup Language (XML)
 - discussed, 255
 - tags, 306
- extensions. *See* file extensions
- extents, data blocks, 79
- EXT3 filesystems
 - advantages/disadvantages, 78
 - creating, 82–83
 - journal mode, 78
 - mount options, 89
 - ordered mode, 78
 - upgrading EXT2 to, 83–84
 - writeback mode, 78
- EXT2 filesystems
 - creating, 81–82
 - EXT2 IFS utility, 113
 - Ext2fsnt utility, 113
 - mount options, 89
 - overview, 78

F

- FAQs (frequently asked questions), 52, 125–126, 129
- Fast Online Update for SUSE (fou4s), 220
- fbset command, 104
- fdisk command, 69, 71–74
- fetchmail program, 406–407
- fields, text files
 - awk command, 243–245
 - cut command, 242
 - join command, 243
 - paste command, 242–243
- file and print services, Enterprise network, 542
- file extensions
 - .avi, 305
 - .com, 450
 - .co.uk, 450
 - .doc, 306
 - .eps, 303
 - .gov, 450
 - .mdb, 308
 - .mil, 450
 - .mp3, 305
 - .net, 450
 - .ogg, 305
 - .org, 450
 - .ppt, 306
 - .rft, 307–308
 - .txt, 339
 - .wav, 305
 - .xls, 306
- file managers
 - Konqueror, 45, 67, 179, 297, 299
 - Nautilus, 184, 297
 - text-based, 296
- File Transfer Protocol. *See* FTP
- files
 - Access, 308
 - ACLs (access control lists), 315–316
 - archives
 - ark command, 314
 - cpio command, 312
 - discussed, 67–68
 - pax command, 313–314
 - tar command, 310–312
 - zip command, 312
 - associations, KDE Control Center, 180
 - attributes, 314–315
 - backups, 67–68
 - binary, 233
 - comparing, 250–252
 - compressing, 309
 - concatenating, 55
 - copying, 53
 - CSV (comma-separated values), 306
 - deleting, 53–54
 - DVI (device independent), 253, 304
 - Excel, 308
 - execution, 59
 - existence checks, 341–342
 - exports, NFS, 465–466
 - extracting from software packages, 65
 - file command, 301–302
 - formatted text files, viewing and printing, 249–250
 - hidden, 293–294
 - initialization, 265
 - ISO, 68
 - lines in, numbering, 232
 - links to, 54–55
 - listing, 52–53, 293–295
 - moving, 53, 295
 - ownership and permissions, 59–62
 - reading, 59
 - renaming, 53
 - restoring, 67–68
 - reverse order, 55
 - in RPM, listing, 277–278
 - samba.conf, 436–438
 - saving, 264
 - searching
 - find command, 298–299
 - locate command, 299
 - mc command, 301
 - overview, 56
 - using GNOME, 300
 - using Konqueror, 299
 - statistics, retrieving, 245
 - /var/log, 149–150
 - viewing, 55–56
 - writing to, 59
 - zone files, 454–455
- %files macro, RPMs, 287–288
- filesystems
 - accessing, 77
 - benchmarks, 85–87
 - b-tree (binary tree), 79
 - consistency checks, 78
 - creating
 - on partitions, 326–327
 - SUSE Linux installation, 14–18
 - EXT3
 - advantages/disadvantages, 78
 - creating, 82–83
 - journal mode, 78
 - mount options, 89

- ordered mode, 78
 - upgrading EXT2 to, 83–84
 - writeback mode, 78
- EXT2
- creating, 81–82
 - EXT2 IFS utility, 113
 - Ext2fsnt utility, 113
 - mount options, 89
 - overview, 78
 - upgrading to EXT3, 83–84
- GFS (Global Filesystem), 546
- JFS (Journaling Filesystem), 79–80
- metadata, 78
- mounting
- automatically, 87, 91–92
 - discussed, 18
 - hard mounts, 462
 - manually, 87
 - mount options, 88–91
 - mount points, 63
 - NFS filesystems, 461–463
 - showmount command, 468
 - soft mounts, 462
 - submounting, 63
- NFS (Network File System)
- client modules, 463
 - discussed, 177, 365
 - exportfs command, 467–468
 - filesystems, mounting, 461–463
 - group privileges, 466
 - HOWTO document, 470
 - installation sources, setting up, 194–195
 - root users, 466
 - servers, 464
 - showmount command, 468
 - user IDs, matching up, 469
- NTFS (New Technology File System), 80
- ReiserFS
- creating, 84–85
 - mount options, 90
 - overview, 79
- root partitions, 17–18
- superblocks, 89
- swap partitions, 15–16
- types, 77
- unmounting
- discussed, 18
 - umount command, 92–93
- VFAT (Virtual File Allocation Table), 80
- VFS (virtual filesystem) layer, 77
- XFS, 80
- filters
- firewalls, 483–485
 - logging, 155
 - squidGuard, 527
- finances, Gnucash application, 184
- find command, 56, 298–299
- Firefox browser, 48
- firewalls
- configuring
 - filtering rules, 485
 - FORWARD chain, 484
 - INPUT chain, 484
 - kernel filtering code, 483–484
 - kernel space, 483
 - OUTPUT chain, 484
 - dropped packets, logging, 493
 - loopback, 493
 - NAT (Network Address Translation), 488–491
 - overview, 481
 - port scanning, 483
 - reasons for, 482–483
 - rules
 - adding, 486–487
 - default policies, 486–487
 - ESTABLISHED connection type, 487
 - NEW connection type, 487
 - order of, 488
 - RELATED connection type, 487
 - stateful, 486
 - SuSEfirewall2 script, 493–497
 - traffic, redirecting, 491–492
- 5 status, RPM verification output, 281
- fixed-address parameters, 446
- floppy disks, 196
- fmt command, 249
- fold command, 249
- folders, shared, 604–605
- for loop, 338
- FORWARD chain, firewalls, 484
- forward slash (/), 264
- forward zones, IP addresses, 458
- forwarders declaration, 452
- fou4s (Fast Online Update for SUSE), 220
- FQDN (fully qualified domain name), 404, 460
- framebuffer graphics, X Windows system
- configuration, 170–172
- free desktop project, 182
- FreeBSD open source operating system, 166
- frequently asked questions (FAQs), 52, 125–126, 129
- FreshMeat Web site, 131
- fsck command, 89
- FSDEXT2 utility, 113
- fstab command, 91–92, 546

FTP (File Transfer Protocol)
 active connections, 475
 anonymous FTP servers, 472, 474–475
 discussed, 136, 365
 passive connections, 475
 pure-ftp command, 479
 resources, 479
 TFTP (Trivial FTP), 221
 uploads, 477–478
 vsftpd command, 472, 474–475
 fully qualified domain name (FQDN), 404, 460
 fuser command, 92–93
 FVWM window manager, 187

G

G status, RPM verification output, 281
 Garrels, Machtelt
 Bash Guide for Beginners, 126
 Introduction to Linux: A Hands on Guide, 126
 General Packet Radio Service (GPRS), 372
 General Public License (GPL), 167
 Gentoo Web site, 132
 get command, 372, 474
 GFS (Global Filesystem), 546
 ghex2 command, 303
 Ghosh, Subhasish (*Windows+BSD+Linux Installation Guide*), 126
 ghostscript scripts, 303
 GIMP graphics format, 305
 global directives, Apache configuration, 380–381
 Global Filesystem (GFS), 546
 GNOME project
 Abiword word processor, 184
 default GNOME desktop, 183
 Epiphany browser, 184
 Evolution mail client, 184
 files, searching, 300
 free desktop project, 182
 Gnucash finance application, 184
 Gnumeric spreadsheet program, 184
 Nautilus file manager, 184
 Web site, 131
 X Windows system, 167–168
 Ximiam Desktop 2 distribution, 183
 gnome-vfs package, 438
 Gnucash finance application, 184
 Gnumeric spreadsheet program, 184
 Godoy, Jorge (*LDP Author Guide*), 127
 Goodreau, Joy (*EVMS User Guide*), 127
 .gov file extension, 450
 gpdf command, 304
 GPL (General Public License), 167
 GPRS (General Packet Radio Service), 372

Grand Unified Boot Loader (GRUB), 22–23, 107–108
 grandfather process, init command, 101
 graphical mail clients, 411, 579
 graphical tools, KFileReplace, 297
 graphical user environments, text editors, 256
 graphical user interface (GUI), 190, 263
 graphics
 framebuffer graphics, X Windows system
 configuration, 170–172
 hardware support, 131
 graphics cards, 39–40
 greater than sign (>), 51
 Greenfield, Larry (*Linux Users' Guide*), 127
 grep command, 56, 236–238
 grepmail command, 239
 groff command, 249–250
 groupadd command, 58
 groupmod command, 58
 groups
 configuring, 216–217
 group access, 385–386
 group information, RPM header information,
 284–285
 passwords, 57–58
 privileges, NFS, 466
 Groups/Folders section, SLOX, 595
 GRUB (Grand Unified Boot Loader), 22–23, 107–108
 gs command, 303
 GUI (graphical user interface), 190, 263
*Guide to Managing Media and Public Relations in the
 Linux Community* (Sheldon Rose), 127
 gunzip compression, 309
 Gupta, Rashi (*Making Use of Python*), 347
 Gw option, route command, 353
 gzip compression, 309

H

hacking, logcheck process, 159
 hard mounts, 462
 hardware
 hardware modules, YaST application, 191
 hardware support, help options, 130–131
 monitor configuration, 36–39
 printer configuration, 199
 X Windows system configuration, 168
 hash character (#), 379
 hciiconfig command, 371
 head command, 55, 234
 header information, RPMs, 283–285
 HELO command, 398
 help options
 commands, 52
 emacs text editor, 273

- FAQs (frequently asked questions), 52, 125–126, 129
 - hardware support, 130–131
 - Help Center program, 123–124
 - HOWTOs documents, 126
 - info pages, 122–123
 - mailing lists, 129
 - man pages
 - index of, 120–122
 - overview, 118
 - searching for, 119
 - sections, 119–120
 - manuals, 117–118
 - package books, 127–128
 - project resources, 125–127
 - software, 131–132
 - SUSE Linux Administration Guide*, 117–118
 - SUSE Linux User Guide*, 117–118
 - SUSE Portal Web site, 128
 - Web searches, 132–133
 - wireless support, 131
 - Hewlett-Packard (HP) vendor, 536
 - hexadecimal notation, 303
 - hidden files, 293–294
 - hierarchy, LDAP, 503–504
 - High Performance (HP) clustering, 631
 - Hoffman, Paul (*Perl For Dummies*), 347
 - Hogbin, Emma Jane (*LDP Author Guide*), 127
 - HOME environment variable, 48
 - Horton, David (*Pocket Linux Guide*), 127
 - hostmaster, SOA, 455
 - hosts
 - host allocation, IP addresses, 143
 - host components, IP addresses, 141
 - host name set up, SUSE Linux installation, 29–30
 - routes, 354–355
 - smarthosts, 397
 - specification, DHCP, 446–447
 - virtual hosting, 383
 - HOWTOs documents, 126, 470
 - HP (Hewlett-Packard) vendor, 536
 - HP (High Performance) clustering, 631
 - HTML (Hypertext Markup Language), 305
 - html2text command, 254
 - htpasswd2 utility, 384
 - HTTP (Hypertext Transfer Protocol), 138, 361
 - Hummingbird Communications Exceed Web site, 177
 - Hwaddr entry, ifconfig command, 350
 - Hypertext Markup Language (HTML), 305
 - Hypertext Preprocessor (PHP), 388–390
 - Hypertext Transfer Protocol (HTTP), 138, 361
- I**
- IBM Web site, 132
 - IceWM window manager, 186
 - ICMP (Internet Control Message Protocol), 367–368
 - IDE (integrated development environment), 266
 - identification, browsers, 180
 - ifconfig command
 - discussed, 349
 - interface configuration, 351–352
 - output entries, 350–351
 - images, disk images
 - ISO images, burning to CDs, 329–330
 - ISO images, creating, 329
 - loopback device, 330–331
 - partitions, 328
 - IMAP (Internet Message Access Protocol), 404
 - imap utility, 514
 - immutable attributes, 314–315
 - incremental searches, 270
 - Independent Software Vendors (ISVs), 533
 - index, of man pages, 120–122
 - inet addr entry, ifconfig command, 350
 - inetd command, 405
 - inet_interfaces parameter, 397
 - Inet6 addr entry, ifconfig command, 350
 - info command, 52, 58, 122
 - INFO log level, 151
 - info pages, as help option, 122–123
 - init command, 101–103
 - init5 command, 318
 - initialization files, 265
 - init3 command, 318
 - inode data structure, JFS, 79
 - input
 - BIOS (basic input-output system), 97
 - NetBIOS (Network Basic Input/Output System), 414
 - redirecting IO, 51
 - stdin command, 51
 - synchronous IO, 153
 - INPUT chain, firewalls, 484
 - inserting text, 264
 - installations
 - Samba packages, 439–441
 - SLOX (SUSE OpenExchange Server), 582–584
 - sources, configuring, 194–195
 - Squid server, 519–521
 - Standard Server
 - basic installation, 567
 - networking setup, 569–570
 - overview, 566
 - root password, 568
 - standard installation, 567

installations (*continued*)

- SUSE Linux
 - ADSL (asymmetric digital subscriber line)
 - connections, 33
 - boot loader selection, 22–24
 - boot option selection, 6–8
 - confirmation, 24–25
 - connections, testing, 31
 - data partitions, 18–19
 - default gateway configuration, 31
 - DNS addresses, 30
 - filesystem creation, 14–18
 - graphics card configuration, 39–40
 - hardware configuration, 36–40
 - host name set up, 29–30
 - installation complete options, 42–43
 - instruction manuals, 4
 - ISDN (Integrated Services Digital Network)
 - connections, 33
 - keyboard layout settings, 10
 - language settings, 8, 11
 - method selection, 3–4
 - mode selection, 10
 - modem configuration, 32–33
 - monitor configuration, 36–39
 - network access configuration, 27–31
 - online updates, testing, 31
 - operating system partitions, resizing
 - existing, 13–14
 - partitioning schemes, 11–12
 - password configuration, 26–27
 - primary and extended partitions, 13
 - release notes, 36
 - root partitions, 17–18
 - runlevel settings, 11, 24
 - software selection, 19–22
 - sound card configuration, 40–42
 - superuser setup, 27
 - SUSEconfig application, 35
 - swap partitions, 15–16
 - system selection, 10
 - time zone selection, 11
 - user configuration, 34–35
 - welcome screen, 5
- Webmin tool, 332–333
- Windows, dual booting, 109
- instruction manuals, SUSE Linux installation, 4
- integrated development environment (IDE), 266
- Integrated Services Digital Network (ISDN), 33
- integration, LDAP, 515–516
- interm command, 444
- International Organization for Standardization. *See* ISO

Internet

- CIFS (Common Internet File Services), 413
 - history of, 136
- Internet Control Message Protocol (ICMP), 367–368
- Internet Message Access Protocol (IMAP), 404
- Internet Printing Protocol (IPP), 201
- Internet service providers (ISPs), 143, 407
- Interrupt entry, `ifconfig` command, 351
- Introduction to Linux: A Hands on Guide*
 - (Machtelt Garrels), 126
- IP addresses
 - broadcast addresses, 142
 - classes, 141
 - DHCP server configuration, 444
 - dotted decimal numbers, 141
 - forward zones, 458
 - host allocation, 143
 - host components, 141
 - IP forwarding, 484
 - multicast operations, 142
 - network addresses, 142
 - network components, 141
 - non-routable, 143–144
 - public, 143
 - special, 142–143
 - subnetting, 145–146
 - unicast operations, 142
- `ip link` command, 355
- IP networks, configuring
 - addresses, 356
 - `ifconfig` command, 349–351
 - network cards, 355–356
 - routes, 352–356
 - virtual interfaces, 352
- `ipchains` command, 481
- `ipfwadm` command, 481
- IPP (Internet Printing Protocol), 201
- `iproute` command, 355–357
- `iptables` command, 481–482, 485
- IPX network printer connections, 201
- `ipx_configure` command, 358–359
- IRC Web site, 132
- IrDA printer connections, 200
- ISDN (Integrated Services Digital Network), 33
- iSLOX connector, 616
- ISO (International Organization of Standardization)
 - creating, 329
 - files, 68
 - OSI (Open Systems Interconnect) model, 137–140
- ISOLINUX boot loader, 98
- ISPs (Internet service providers), 143, 407
- ISVs (Independent Software Vendors), 533

IT infrastructure, Enterprise networks, 539–540
 iwconfig command, 370
 iwlist command, 370

J

JFS (Journaling Filesystem)
 inode data structure, 79
 overview, 79–80
 join command, 243
 journal mode, EXT3 filesystems, 78
 Journaling Filesystem. *See* JFS

K

K Desktop Environment. *See* KDE
 kaddressbook application, 182
 kaffeine application, 305
 kbd command, 104
 KDE (K Desktop Environment)
 applications, 181–182
 clipboard application, 173
 Control Center, 180–181
 default desktop, 178–179
 discussed, 45
 features, 178–179
 one-click interface, 183
 Web site, 131
 X Windows system, 167–168
 kdebases3-samba package, 438
 kernels
 binary packages, 552–553
 build process, 559–560
 configuration, 554–558
 kernel filtering code, firewalls, 483–484
 logging, 151
 modules, loading, 562
 parameters, 562–563
 upgrading, 554
 vanilla, 552
 version numbers, 552
 keyboard layout settings, SUSE Linux installation, 10
 KFileReplace graphical tool, 297
 kfrb program, 176–177
 kghostview application, 304
 khelpcenter program, 123–124
 khededit command, 303
 kinternet program, 33
 Kirch, Olaf (*Linux Network Administrator's Guide, Second Edition*), 126–127
 klipper command, 173
 kmail command, 118, 182, 411
 Knuth, Donald (TeX formatting system), 253–254
 Komarinski, Mark F. (*LDP Author Guide*), 127

Konqueror file manager, 45, 67, 179, 297, 299
 konsole application, 181
 kooka application, 182, 205
 korganizer application, 182
 ksh command, 46
 kspread application, 181
 k3b application, 182
 kword application, 181
 kwrite application, 181

L

L status, RPM verification output, 281
 lan command, 521
 languages
 language options
 Language section, SLOX, 595
 Standard Server, 580
 scripts
 Perl version, 346
 Python version, 345
 resources, 346–347
 Squid web proxy, 344–345
 selecting, SUSE Linux installation, 8, 11
 layers
 DoD model, 140
 OSI model, 137–140
 LDAP (Lightweight Directory Access Protocol)
 administrator configuration, 505–506
 conceptual view, 502
 defined, 501
 help options, 118
 hierarchy, 503–504
 integration, 515–516
 ldapsearch command, 511–512
 LDIF (LDAP Data Interchange Format), 506–507
 objectClass entry, 508
 objects, 502–503
 OLTP (online transaction processing), 517
 OpenLDAP Web site, 131
 person object, 509
 server configuration, testing, 505–506
 Standard Server tool options, 579
 user account details, 34
 user data, 509–513
 ldapadd command, 509
 ldapsearch command, 511–512
 LDIF (LDAP Data Interchange Format), 506–507
LDP Author Guide (Mark F. Komarinski,
 Jorge Godoy, David C. Merrill and
 Emma Jane Hogbin), 127
 LDP (Linux Documentation Project), 125
Learning Perl (Randal L. Schwartz and
 Tom Phoenix), 347

- Learning Python* (Mark Lutz and David Ascher), 347
- Learning the bash Shell* (Cameron Newham and Bill Rosenblatt), 344
- lease times, DHCP, 447
- less command, 55
- less than sign (<), 51
- /lib directory, 17
- licensing
 - GPL (General Public License), 167
 - RPM header information, 284
 - SLOX (SUSE OpenExchange Server), 581–582
- LIDS (Linux Intrusion Detection System), 533
- Lightweight Directory Access Protocol. *See* LDAP
- lilo command, 23
- LILO (Linux Loader), 22–23, 105–106
- limit strings, 343
- lines
 - extracting from files
 - csplit command, 240–241
 - grep command, 236–238
 - grepmail command, 239
 - sgrep command, 239–240
 - split command, 240
 - zgrep command, 238
 - reading from files
 - binary files, 233
 - blank lines and tabs, replacing, 232–233
 - concatenation, 231–232
 - numbering lines in files, 232
- links
 - to directories or files, 54–55
 - Link encap entry, ifconfig command, 350
 - Link layer, DoD model, 140
 - symbolic, 54–55
- Linux distribution
 - installation, on Windows system, dual booting, 109–110
 - Linux Documentation Project (LDP), 125
 - Linux From Scratch* (Gerard Beekmans), 127
 - Linux Installation and Getting Started* (Matt Welsh), 127
 - Linux Intrusion Detection System (LIDS), 533
 - Linux Kernel Module Programming Guide* (Peter Jay Salzman and Ori Pomerantz), 127
 - Linux Loader (LILO), 22–23, 105–106
 - Linux Network Administrator's Guide, Second Edition* (Olaf Kirch and Terry Dawson), 126–127
 - Linux Shell Scripting with Bash* (Ken Burtch), 344
 - Linux System Administrator's Guide* (Lars Wirzenius, Joanna Oja, Stephen Stafford), 126–127
 - Linux Terminal Server Project (LTSP), 177
 - Linux Users' Guide* (Larry Greenfield), 127
 - The Linux Gazette*, 45
- listing files, 52–53, 293–295
- listings
 - ARP (Address Resolution Protocol), 358
 - dig program, 452–453
 - disaster recovery, 548
 - extended partitions, 74
 - filesystems
 - EXT3, 83
 - EXT2, 82, 84
 - mounting, 88
 - ReiserFS, 85
 - firewall rules, 486
 - GRUB (Grand Unified Boot Loader), 107
 - host groups, 447
 - kernels
 - build process, 559
 - configuration, 554
 - LDAP servers, testing, 505–506
 - LDIF (LDAP Data Interchange Format), 507
 - LILO (Linux Loader), 105
 - logging
 - filters, 155
 - local specification, 153
 - log destination, 156
 - log source, 154–155
 - logcheck process, 160–161
 - logrotate entries, 158
 - /var/log file, 150
 - logical partitions, 75
 - name services, DHCP server configuration, 445
 - Netware servers, 359
 - partition tables, updating, 76
 - Perl CGI scripts, 387
 - ping command, 368
 - Postfix configuration, 393–394
 - public keys, 363
 - reverse zones, 459
 - RPM packages
 - compilation, 288–290
 - existence checks, 290–291
 - %files macro, 287
 - header information, 284
 - installing, 276–277
 - queries, 277–278
 - removing, 280
 - Telnet protocol, 360–361
 - traceroute command, 369
 - uploads, FTP connections, 477–478
 - virtual hosting, 383
 - wget command, 367
 - wireless network searches, 370
 - zone files, 455
- ln afile bfile command, 55

- ln command, 54–55
 - ln -s afile linkfile command, 55
 - ln -s docs/linux/suse/useful command, 55
 - loading kernel modules, 562
 - LoadModule directive, 389
 - local filtering, printer configuration, 202
 - local specification, logging, 153
 - locate command, 56, 299
 - locking, shared storage, 545–546
 - Log Out section, SLOX, 595
 - logging
 - ALERT log level, 151
 - authentication, 151
 - CRIT log level, 151
 - DEBUG log level, 151
 - EMERG log level, 151
 - ERR log level, 151
 - event, 157
 - filters, 155
 - INFO log level, 151
 - kernel, 151
 - local specification, 153
 - log destination, 156
 - log source, 154–155
 - logcheck process, 159–161
 - logrotate entries, 157–159
 - logtail application, 160
 - mail.info log facility, 153
 - managing, 157–159
 - NOTICE log level, 151
 - reading log files, 162–163
 - reasons for, 149
 - Squid log analysis, 524
 - syslog daemon, 151–153
 - syslog-ng method, 153–154
 - /var/log file, 149–150
 - webalizer outputs, 161–162
 - Logical Partition (LPAR), 536
 - logical partitions, 71, 75
 - logical unit number (LUN), 545
 - Logical Volume Management (LVM), 118
 - logins
 - login manager, KDE Control Center, 181
 - login screen
 - Standard Server, 572
 - Webmin tool, 333
 - remote graphical, 175
 - xdm login manager, 166
 - loopback
 - firewalls, 493
 - loopback addresses, 143
 - loopback devices, disk images, 330–331
 - loops, 338, 368
 - Lorenz, Christine (*EVMS User Guide*), 127
 - LPAR (Logical Partition), 536
 - LPD printer connections, 200
 - lpr command, 51
 - ls a* command, 53
 - ls command, 51–53, 293–294
 - ls -l *.doc command, 53
 - ls -la command, 53
 - lsdf command, 92–93
 - LTSP (Linux Terminal Server Project), 177
 - l2ping command, 372
 - LUN (logical unit number), 545
 - Lutz, Mark
 - Learning Python*, 347
 - Programming Python*, 347
 - LVM (Logical Volume Management), 118
- ## M
- M status, RPM verification output, 281
 - macros, 286–287
 - mail. *See also* e-mail
 - command-line clients, 410–411
 - Cyrus IMAPD server, 407–410
 - fetchmail program, 406–407
 - graphical clients, 411
 - mail command, 343, 410–411
 - mailbox_command parameter, 397
 - mailbox_size_limit parameter, 399
 - mailbox_transport parameter, 398
 - mail.info log facility, 153
 - mailing, from scripts, 343
 - mailing lists, as help options, 129
 - mail_owner parameter, 395
 - mailq command, 395, 403
 - mailq_path parameter, 395
 - mail_spool_directory parameter, 396
 - Mail Delivery Agent (MDA), 391
 - Mail Exchanger record, DNS, 456–457
 - Mail Server section, SLOX, 595
 - mail servers
 - dial-up server configuration, 403
 - discussed, 391
 - open relay, 393
 - Postfix
 - always-on server, 402
 - configuration, 393–394
 - postfix command, 104
 - relay policy, 399–401
 - security features, 392
 - subsystems, SLOX, 601–602
 - virtual domains, 402
 - Web site, 131
 - Standard Server settings, 575–576
 - UCE (unsolicited commercial mail), 393

- Mail Transfer Agent (MTA), 150–151, 391
- Mail User Agent (MUA), 391
- make cloneconfig command, 555
- make command, 561
- make gconfig command, 557
- make oldconfig command, 555
- Making Use of Python* (Rashi Gupta), 347
- man command, 52, 58, 118
- man pages
 - index of, 120–122
 - manpage_directory parameter, 395
 - overview, 118
 - searching for, 119
 - sections, 119–120
- manual processes
 - manual installation method, 4, 7
 - manual printer configuration, 199
 - manually mounting filesystems, 87
 - manually switching runlevels, 101–103
- manuals, as help option, 117–118
- Mask entry, ifconfig command, 350
- masquerade_classes parameter, 397
- masquerade_domains parameter, 397
- masquerade_exceptions parameter, 397
- Mastering UNIX Shell Scripting* (Randal K. Michael), 344
- maxage 365 logrotate directive, 158
- MaxClients directive, 380
- maximum transmission unit (MTU), 355
- MaxSpareServers directive, 380
- Mbps (megabytes per second), 548
- mc command, 65, 298, 301
- MDA (Mail Delivery Agent), 391
- .mdb file extensions, 308
- Memory Test option, booting, 7
- Merlino, Joe (*Perl Weekend Crash Course*), 347
- Merrill, David C. (*LDP Author Guide*), 127
- message_size_limit parameter, 399
- metadata, 78
- Metric entry, ifconfig command, 351
- Michael, Randal K. (*Mastering UNIX Shell Scripting*), 344
- midi processing unit (MPU), 42
- .mil file extension, 450
- minimum system requirements, 625
- MinSpareServers directive, 380
- miscellaneous modules, YaST application, 193
- missingok logrotate directive, 159
- mkdir command, 54
- mkdir -p this/that/theother command, 54
- mkdir photo command, 54
- mke2fs command, 81
- mkfs command, 81, 327
- mkinitrd command, 554
- mode selection, SUSE Linux installation, 10
- modems
 - configuring, 32–33
 - soft, 32
 - win-modems
 - discussed, 32
 - hardware support, 130–131
- mod_status module, 382
- modules, kernels, 562
- monitors
 - configuring, 36–39
 - Monitor section, SLOX, 595
- more command, 55
- Morgan, Clark (*PHP5 and MySQL Bible*), 389
- Motif Window Manager (MWM), 185–186
- mount command, 63, 87–88
- mounting filesystems
 - automatically, 87, 91–92
 - discussed, 18
 - hard mounts, 462
 - manually, 87
 - mount options, 88–91
 - mount points, 63
 - NFS filesystems, 461–463
 - showmount command, 468
 - soft mounts, 462
 - surmounting, 63
- .mov application, 305
- moving
 - around text, 258–259
 - files, 53, 295
- MPEG (Moving Picture Experts Group), 138
- mp1player multimedia application, 305
- MPMs (Multi-Processing Modules), 381
- .mp3 file extension, 305
- MPU (midi processing unit), 42
- MTA (Mail Transfer Agent), 150–151, 391
- MTU (maximum transmission unit), 355
- MTU entry, ifconfig command, 351
- MUA (Mail User Agent), 391
- multi-boot systems, 13
- MULTICAST entry, ifconfig command, 351
- multicast operations, IP addresses, 142
- multimedia and sound formats, 305
- Multi-Processing Modules (MPMs), 381
- mutt command, 411
- mv command, 53, 295
- MVS (Multiple Virtual System), 536
- MWM (Motif Window Manager), 185–186
- MX record, DNS, 454
- mydestination parameter, 397
- myhostname parameter, 397
- MySQL Web site, 131

N

- name services
 - DHCP server configuration, 445
 - Name Service Cache Daemon (NSCD), 515
 - name switch service (NSS), 506
- naming
 - files, 53
 - passwords, 27
- NAS (Network Attached Storage), 543
- nash command, 46
- NAT (Network Address Translation)
 - discussed, 144
 - DNAT (Destination NAT), 491
 - SNAT (Source NAT), 488–490
- Nautilus file manager, 184, 297
- navigation options, `emacs` text editor, 269
- `ncpmount` command, 359
- NCSA (National Center for Supercomputing Applications), 377
- `.net` file extension, 450
- NetBEUI (NetBIOS Extended User Interface), 414
- NetBIOS (Network Basic Input/Output System), 414
- NetBSD open source operating system, 166
- NetBT (NetBIOS over TCP/IP), 414
- `netfilter` command, 485–486
- Netline servlets, 593
- Netware file servers, 358–359
- Network Address Translation. *See* NAT
- Network Attached Storage (NAS), 543
- Network Basic Input/Output System (NetBIOS), 414
- network cards, configuring, 27–29, 355–356
- Network File System. *See* NFS
- Network Information System. *See* NIS
- Network layer
 - DoD model, 140
 - OSI model, 137, 139
- network mask, 141
- Network News Transfer Protocol (NNTP), 151
- Network Services section, SLOX, 595
- Network Time Protocol (NTP)
 - primary time servers, 197
 - synchronization, 198
- networks
 - access configuration, SUSE Linux installation, 27–31
 - addresses, IP, 142
 - ARPANET (Advanced Research Projects Agency Network), 136
 - Bluetooth, 371–373
 - components, IP addresses, 141
 - connecting over, 66–67
 - devices modules, YaST application, 192
 - Enterprise
 - Blade architecture, 538
 - DR (disaster recovery), 547–550
 - embedded systems, 533–534
 - file and print services, 542
 - HP (Hewlett-Packard) vendors, 536
 - HP (High Performance) clustering, 631
 - IT infrastructure, 533, 539–540
 - organization example, 532
 - QA (Quality Assurance), 631
 - SAN (storage area network), 543–546
 - 64-bit platforms, 537
 - staff requirements, fulfilling, 534–535
 - TCO (Total Cost of Ownership), 531
 - user accounts, 542
 - Internet connections, 136
 - IP network configuration
 - addresses, 356
 - `ifconfig` command, 349–351
 - network cards, 355–356
 - routes, 352–356
 - virtual interfaces, 352
 - `network` command, 104
 - network services
 - Standard Server, 577–579
 - YaST application, 192–193, 472
 - networking setup, Standard Server installation, 569–570
 - SAN (storage area network)
 - accessing, 544–545
 - LUN (logical unit number), 545
 - NAS (Network Attached Storage), 543
 - shared storage, 545–546
 - Telnet protocol, 359–362
 - troubleshooting, 367–369
 - VPN (virtual private network), 577
 - WAN (wide area network), 548
 - wireless, 369–371
- NEW connection type, firewall rules, 487
- New installation option, YaST application, 9
- New Technology File System (NTFS), 80
- `newaliases` command, 395
- `newaliases_path` parameter, 395
- `newgrp` command, 216
- Newham, Cameron (*Learning the bash Shell*), 344
- NFS (Network File System)
 - client modules, 463
 - discussed, 177, 365
 - `exportfs` command, 467–468
 - filesystems, mounting, 461–463
 - group privileges, 466

Continued

NFS (Network File System) (*continued*)
 HOWTO document, 470
 installation sources, setting up, 194–195
 root users, 466
 servers, 464
 showmount command, 468
 user IDs, matching up, 469

NFTS (New Technology File System), 80

NIS (Network Information System)
 help options, 118
 user account details, 34

n1 command, 235

nmbd command, 433

NNTP (Network News Transfer Protocol), 151

noapic command, 563

noatun application, 305

non-routable IP addresses, 143–144

normal setup, sound card configuration, 42

note creation, SLOX, 613

NOTICE log level, 151

notifyempty logrotate directive, 158

NOTRAILERS entry, ifconfig command, 351

NS record, DNS, 454

nscd command, 104

NSCD (Name Service Cache Daemon), 515

nslookup command, 453

NSS (name switch service), 506

NTP (Network Time Protocol)
 primary time servers, 197
 synchronization, 198

numbering lines in files, 232

numerical permissions, 60

O

OASIS (Organization for the Advancement of Structured Information Standards), 308

obexftp command, 372

objectClass entry, LDAP, 508

objects, LDAP, 502–503

OCFS (Oracle Cluster File System), 560

octet, defined, 141

.ogg file extension, 305

Oja, Joanna (*Linux System Administrator's Guide*), 126–127

one-click interface, KDE, 183

192.168.0.254 option, route command, 353

online transaction processing (OLTP), 517

online updates
 Online Update control (YaST application), 418
 online_update command, 220
 testing, SUSE Linux installation, 31

open relay, mail servers, 393

Open Systems Interconnect (OSI) model, 137–140

OpenBSD open source operating system, 166

OpenLDAP Web site, 131

OpenOffice Web site, 131

operating systems
 FreeBSD, 166
 NetBSD, 166
 OpenBSD, 166
 partitions, resizing existing, 13–14

option routers parameter, 444

optional entry, PAM, 515

Options directive, 387

Oracle Cluster File System (OCFS), 560

ordered mode, EXT3 filesystems, 78

.org file extension, 450

organization example, Enterprise network, 532

Organization for the Advancement of Structured Information Standards (OASIS), 308

Orwant, Jon (*Programming Perl*), 347

OSI (Open Systems Interconnect) model, 137–140

oSLOX connector, 616

ou (Organizational Unit), 508

output
 BIOS (basic input-output systems), 97
 ifconfig command, 350–351
 NetBIOS (Network Basic Input/Output System), 414
 OUTPUT chain, firewalls, 484
 redirecting IO, 51
 stdout command, 51
 synchronous IO, 153

ownership
 files, 59–62
 RPM packages, 278

P

package books, as help option, 127–128

packages
 binary kernel, 552–553
 RPMs (Red Hat Package Managers)
 binary, 275–277
 BUILD directory, 282
 %build macro, 286–287
 %clean macro, 287
 compiling, 288–290
 distribution, 282
 existence checks, 290–291
 files in, listing, 277–278
 %files macro, 287–288
 header information, 283–285
 installed packages, removing, 279–280
 installing, 276–277
 ownership, 278
 %prep section, 286
 queries, 277–279

- RPMS directory, 282
- SOURCES directory, 282
- SPECS directory, 282
- SRPMS directory, 282
- verification, 280–281
- Samba
 - installing, 439–441
 - list of, 438–439
- YaST applications, 20–21
- paggers, commands, 55
- PAM (Pluggable Authentication Modules), 163, 418, 514–515
- Paragon Mount Everything utility, 113
- parallel printer connections, 200
- parameters
 - alias_maps, 399
 - canonical_maps, 396
 - command_directory, 395
 - content_filter, 397
 - daemon_directory, 395
 - debugger_command, 395
 - defer_transports, 397
 - DHCPD_INTERFACE, 445
 - DHCP_INTERFACE, 445
 - disable_dns_lookups, 397
 - fixed-address, 446
 - inet_interfaces, 397
 - kernels, 562–563
 - mailbox_command, 397
 - mailbox_size_limit, 399
 - mailbox_transport, 398
 - mail_owner, 395
 - mailq_path, 395
 - mail_spool_directory, 396
 - manpage_directory, 395
 - masquerade_classes, 397
 - masquerade_domains, 397
 - masquerade_exceptions, 397
 - message_size_limit, 399
 - mydestination, 397
 - myhostname, 397
 - newaliases_path, 395
 - option routers, 444
 - positional, 340
 - program_directory, 397
 - queue_directory, 395
 - readme_directory, 396
 - relayhost, 397
 - relocated_maps, 396
 - sample_directory, 395
 - sender_canonical_maps, 396
 - sendmail_path, 395
 - setgid_group, 395
 - smtpd_helo_required, 398
 - smtpd_helo_restrictions, 398
 - smtpd_sender_restrictions, 398
 - smtpd_use_tls, 399
 - smtp_sasl_auth_enable, 399
 - smtp_use_tls, 399
 - strict_rfc821_envelopes, 398
 - transport_maps, 396
 - unknown_local_recipient_reject_code, 395
 - virtual_maps, 396
- Park, Joyce (*PHP5 and MySQL Bible*), 389
- parted utility, 110–111, 326
- partimage program, 326–327
- partitions
 - Acronis Disk Director partitioning utility, 326
 - block devices, 70
 - character devices, 70
 - commercial tools, 326
 - conceptual view of, 71
 - creating, 71–75
 - data, 18–19
 - deleting, 325
 - discussed, 69
 - disk images, 628
 - editing, 325
 - extended, 13, 70, 74
 - filesystem creation, 326–327
 - logical, 71, 75
 - LPAR (Logical Partition) technology, 536
 - operating system partitions, resizing existing, 13–14
 - parted command, 326
 - partimage program, 326–327
 - partition tables, updating, 76
 - PartitionMagic utility, 326
 - primary, 13, 70
 - resizing, 70, 322, 325
 - root, 17–18
 - SUSE Linux installation, 11–12
 - swap, 15–16
 - type of, changing, 76–77
 - viewing, 321
 - warnings, 322
- passive connections, FTP, 475
- passphrases, 364
- passwords
 - configuring
 - Samba server, 431
 - SUSE Linux installation, 26–27
 - file management, Samba, 433–434
 - groups, 57–58
 - naming considerations, 27
 - passwd command, 407

Continued

- passwords (*continued*)
 - password entry, PAM, 514
 - root passwords
 - setup, 26–27
 - Standard Server installation, 568
 - user configuration, 214–215
 - UserPassword element, person object, 510
 - users, 57–58
- pasting
 - paste command, 242–243
 - text, 263
 - within X Windows system, 172–173
- patch command, 250–252
- PATH environment variable, 48–49
- pattern matching, wildcards, 49–50
- pax command, 68, 313–314
- PCL (Printer Control Language), 205
- PDC (Primary Domain Controller), 428
- Perl scripting language
 - discussed, 346
 - Perl For Dummies* (Paul Hoffman), 347
 - Perl Weekend Crash Course* (Joe Merlino), 347
 - scripts, CGI, 387–388
- permissions
 - changing, 61
 - execution, 59
 - FTP uploads, 477–478
 - numerical, 60
 - read, 59
 - write, 59
- person object, LDAP user data, 509
- personal information manager (PIM), 616
- Phoenix, Tom (*Learning Perl*), 347
- PHP (PHP: Hypertext Preprocessor), 388–390
- PHP5 and MySQL Bible* (Tim Converse, Joyce Park, and Clark Morgan), 389
- Physical layer, OSI Model, 137, 139
- PIM (personal information manager), 616
- ping command, 367–368
- pipe (`|`), 51, 68, 103
- Planet Apache Web site, 390
- Pluggable Authentication Modules (PAM), 163, 418, 514–515
- plus symbol (`+`), 316
- Pocket Linux Guide* (David Horton), 127
- pointers
 - Pointer record, DNS, 454
 - reverse zones, 458
- Point-to-Point Tunneling Protocol (PPTP), 334
- policies, firewall rules, 486–487
- Pomerantz, Ori (*Linux Kernel Module Programming Guide*), 127
- POP3 (Post Office Protocol), 404–405
- pornographic sites, squidGuard filter, 527
- port scanning, 483
- Portal screen, SLOX, 606
- position parameters, 340
- Post Office Protocol (POP3), 404–405
- Postfix mail server
 - always-on server, 402
 - configuration, 393–394
 - postfix command, 104
 - relay policy, 399–401
 - security features, 392
 - subsystems, SLOX, 601–602
 - virtual domains, 402
 - Web site, 131
- PostgreSQL database, 593
- post-install scripts, AutoYaST feature, 226
- Postrotate logrotate directive, 159
- POSTROUTING chain, SNAT, 488–489
- PostScript page description language, 303–304
- pound sign (`#`), 56, 108
- PPC (PowerPC) architecture, 97
- PPD (PostScript Printer Description), 205
- .ppt file extension, 306
- PPTP (Point-to-Point Tunneling Protocol), 334
- pr command, 249
- Preboot Execution Environment (PXE), 177
- preferences
 - SUSE Linux configuration, 62–63
 - user, 62–63
 - X Windows system configuration, 173
- pre-install scripts, AutoYaST feature, 226
- %prep section, RPMs, 286
- PREROUTING chain, DNAT, 491
- Presentation layer, OSI model, 138–139
- Primary Domain Controller (PDC), 428
- primary partitions, 13, 70
- primary time servers, NTP, 197
- print command, 111–112
- print services, Enterprise network, 542
- printenv command, 47–48
- Printer Control Language (PCL), 205
- printers
 - access, Samba configuration, 421–425
 - configuring
 - CUPS (Common Unix Printing System), 199
 - direct printing, 201
 - discussed, 198
 - hardware options, 199
 - IPP (Internet Printing Protocol), 201
 - local filtering, 202
 - manually, 199

- multiple queuing, 202
- PCL (Printer Control Language), 205
- PPD (PostScript Printer Description), 205
- print jobs, 202
- printer model selection, 203
- printer names, 202
- printer type selection, 200
- testing, 203–204
- IPX network connections, 201
- IrDA connections, 200
- LPD network connections, 200
- parallel connections, 200
- serial connections, 200
- SMB connections, 201
- Standard Server network services, 579
- USB connection, 200
- printing
 - hardware support, 130
 - text files, 249–250
- private keys, 363
- processes, executing automatically, 157
- profiles, SCPM, 209
- program_directory parameter, 397
- Programming Perl* (Larry Wall, Tom Christiansen, and Jon Orwant), 347
- Programming Python* (Mark Lutz), 347
- programs
 - antiword, 252–253, 303
 - dig, 452–453
 - dos2unix, 248
 - fetchmail, 406–407
 - kfrb, 176–177
 - khelppcenter, 123–124
 - kinternet, 33
 - partimage, 326–327
 - rawrite, 196
 - rawritein, 196
 - unix2dos, 248
- project resources, help options, 125–127
- protocols
 - A protocol version, DRBD, 549
 - ARP (Address Resolution Protocol), 357–358
 - B protocol version, DRBD, 549
 - C protocol version, DRBD, 549
 - connection versus connectionless, 138
 - DHCP (Dynamic Host Configuration Protocol)
 - configuring, 213
 - host specification, 446–447
 - lease times, 447
 - network access, 27
 - overview, 443
 - requests, 443
 - server configuration, 444–445
 - when to use, 448
 - wireless networks and, 371
 - DRDB versions, 549
 - FTP (File Transfer Protocol)
 - active connections, 475
 - anonymous FTP servers, 472, 474–475
 - discussed, 136, 365
 - passive connections, 475
 - pure-ftpd command, 479
 - resources, 479
 - TFTP (Trivial FTP), 221
 - uploads, 477–478
 - vsftpd command, 472, 474–475
 - HTTP (Hypertext Transfer Protocol), 138, 361
 - ICMP (Internet Control Message Protocol), 367–368
 - IMAP (Internet Message Access Protocol), 404
 - IPP (Internet Printing Protocol), 201
 - LDAP (Lightweight Directory Access Protocol)
 - administrator configuration, 505–506
 - conceptual view, 502
 - defined, 501
 - help options, 118
 - hierarchy, 503–504
 - integration, 515–516
 - ldapsearch command, 511–512
 - LDIF (LDAP Data Interchange Format), 506–507
 - objectClass entry, 508
 - objects, 502–503
 - OLTP (online transaction processing), 517
 - OpenLDAP Web site, 131
 - person object, 509
 - server configuration, testing, 505–506
 - user account details, 34
 - user data, 509–513
 - NNTP (Network News Transfer Protocol), 151
 - NTP (Network Time Protocol), 197–198
 - POP3 (Post Office Protocol), 404–405
 - PPTP (Point-to-Point Tunneling Protocol), 334
 - RIP (Routing Information Protocol), 355
 - SMTP (Simple Mail Transfer Protocol), 136, 361
 - TCP/IP (Transmission Control Protocol/Internet Protocol)
 - discussed, 136
 - DoD (Department of Defense) model, 140
 - IP addresses, 141–145
 - ISO (International Organization of Standardization), 137–140
 - Telnet
 - discussed, 359
 - as testing tool, 361–362
 - virtual terminal services, 360
 - UDP (User Datagram Protocol), 137
 - UUCP (Unix-to-Unix Copy Protocol), 151

proxy configurations, 197
 pSeries platforms, IBM, 535–536
 psqml command, 306
 psnup command, 250
 PS1 environment variable, 48
 ps2ascii command, 253, 304
 ps2pdf command, 253, 304
 psutils command, 304
 public IP addresses, 143
 public keys, 363
 pure-ftpd command, 479
 put command, 478
 PuTTY application, 176
 PXE (Preboot Execution Environment), 177
Python 2.1 Bible (Dave Brueck and Stephen Tanner), 347
Python Essential Reference (David Beazley), 347
 Python scripting language, 345, 347

Q

QA (Quality Assurance), 631
 QLA (Qlogic Adaptor) cards, 544
 Qpopper server, 404–406
 queries, RPM packages, 277–279
 question mark (?) wildcard, 49, 264
 queues
 print jobs, 202
 queue_directory parameter, 395

R

r command, 59
 RAID (Redundant Array of Inexpensive Disks), 118
 random command, 104
 rawrite program, 196
 rawritein program, 196
 RBL (Real-time Black Hole), 404
 rc command, 62
 rcdhcpd start command, 445
 rcnamed command, 452
 rcpostfix command, 212
 rcsquid start command, 520
 reading files
 discussed, 59
 lines from files
 binary files, 233
 concatenation, 231–232
 log files, 162–163
 readme_directory parameter, 396
 Real-time Black Hole (RBL), 404
 reboot command, 116
 record types, DNS, 454
 Red Hat Package Managers. *See* RPMs
 Red Hat Web site, 132

redirecting
 redirecting IO, 51
 traffic, firewalls, 491–492
 redoing text operations, 262
 Redundant Array of Inexpensive Disks (RAID), 118
 refresh rates, SOA, 456
 regular expressions
 extended, 238
 file searches, 56
 pattern matching, 49
 ReiserFS filesystem
 creating, 84–85
 mount options, 90
 overview, 79
 REJECT target, 485
 rekall application, 181
 RELATED connection type, firewall rules, 487
 relay policy, Postfix mail server, 399–401
 relayhost parameter, 397
 release notes, 36
 release numbers, RPM header information, 284
 reload command, 521
 relocated_maps parameter, 396
 remote use, X Windows system configuration, 174–177
 renaming files, 53
 repair systems
 automatic repair, 318
 booting options, 317–318
 customized repair options, 319–320
 Experts Tool options, 320–321
 Repair installed system option, YaST application, 10
 Rescue System, booting into, 318
 System Repair mode, 318–321
 verification, 321
 replacing text, 246–248, 264, 270
 Request for Comments (RFCs), 136
 requests, DHCP, 443
 Require directive, 385
 required entry, PAM, 515
 requisite entry, PAM, 515
 rescue systems
 rescue floppies, 196
 Rescue System, 7, 115–116, 318
 reset command, 233
 resizing partitions, 70, 322, 325
 resmgr command, 104
 resolutions, switching, X Windows system
 configuration, 172
 resources
 DVD material, 626
 FTP (File Transfer Protocol), 479
 Resources section, SLOX, 595

- scripting languages, 346–347
 - shell scripts, 344
 - restoring files, 67–68
 - retry rates, SOA, 456
 - reverse order, files, 55
 - reverse zones, DNS, 458–460
 - RFCs (Request for Comments), 136
 - .rft file extensions, 307–308
 - RIP (Routing Information Protocol), 355
 - rm afile command, 54
 - rm command, 53–54, 296
 - rm -i a* command, 54
 - rm -rf command, 54
 - root DNS servers, 449
 - root passwords
 - setup, 26–27
 - Standard Server installation, 568
 - root users, NFS, 466
 - rootdn command, 505
 - rootpw command, 505
 - Rose, Sheldon (*Guide to Managing Media and Public Relations in the Linux Community*), 127
 - Rosenblatt, Bill (*Learning the bash Shell*), 344
 - rotate num logrotate directive, 158
 - routes
 - Add option, 353
 - CIDR (Classless Interdomain Routing), 146
 - command-line options, 353
 - default, 352–353
 - host, 354–355
 - IP network configuration, 352–356
 - iproute command, 355–357
 - POSTROUTING chain, 488–489
 - PREROUTING chain, 491
 - RIP (Routing Information Protocol), 355
 - route command, 353–357
 - routing loops, 368
 - routing tables, addresses, 146–147
 - static, 354
 - Routing Information Protocol (RIP), 355
 - rpcinfo command, 469
 - rpm command, 128, 276
 - RPMS (Red Hat Package Managers)
 - binary, 275–277
 - BUILD directory, 282
 - %build macro, 286–287
 - %clean macro, 287
 - compiling, 288–290
 - discussed, 63
 - distribution, 282
 - existence checks, 290–291
 - files in, listing, 277–278
 - %files macro, 287–288
 - header information, 283–285
 - installed packages, removing, 279–280
 - installing, 276–277
 - ownership, 278
 - %prep section, 286
 - queries, 277–279
 - RPMS directory, 282
 - SOURCES directory, 282
 - SPECS directory, 282
 - SRPMS directory, 282
 - third-party packages, 64
 - verification, 280–281
 - rsize command, 463
 - rsync command, 365–366
 - rules, firewalls
 - adding, 486–487
 - default policies, 486–487
 - ESTABLISHED connection type, 487
 - NEW connection type, 487
 - order of, 488
 - RELATED connection type, 487
 - runlevels
 - boot problems, fixing, 113–114
 - customizing, 104
 - descriptions, 100
 - directories, 102
 - Runlevel Editor
 - configuring, 211–212
 - expert mode editing, 212
 - simple mode editing, 212
 - settings, SUSE Linux installation, 11, 24
 - switching manually, 101–103
 - system checks, 103–104
 - RUNNING entry, ifconfig command, 351
 - RX bytes entry, ifconfig command, 351
 - RX entry, ifconfig command, 351
- ## S
- S status, RPM verification output, 281
 - Salzman, Peter Jay (*Linux Kernel Module Programming Guide*), 127
 - Samba distribution
 - command-line utilities, 435–436
 - packages
 - installing, 439–441
 - list of, 438
 - password file management, 433–434
 - Samba client
 - configuring, 415–418
 - setting up, 414–415

Continued

- Samba distribution (*continued*)
 - Samba Web site, 131
 - samba-client package, 439
 - samba-doc package, 439
 - samba-pdb package, 439
 - samba-python package, 439
 - samba-vscan package, 439
 - samba-winbind package, 439
 - samba.conf file, 436–438
 - server configuration
 - authentication sources, 430–432
 - configuration screen, 427
 - discussed, 426
 - password files, 431
 - server definition fields, activating, 428
 - workgroup options, 429
 - winbindd command, 434–435
 - Windows printer access, 421–425
- sample_directory parameter, 395
- SAN (storage area network)
 - accessing, 544–545
 - LUN (logical unit number), 545
 - NAS (Network Attached Storage), 543
 - shared storage, 545–546
- sarg command, 524
- SASL (Simple Authentication and Security Layer), 506
- saving files, 264
- Sax2 tool
 - graphics card configuration, 39–40
 - monitor configuration, 37–38
 - sax2 utility, 166, 168–170
- /sbin directory, 17
- scanners
 - configuring, 204–205
 - hardware support, 130
 - port scanning, 483
- Schwartz, Randal L. (*Learning Perl*), 347
- Scope command, ifconfig command, 350
- scp command, 67, 364
- SCPM (SUSE Configuration and Profile Manager)
 - default profile, editing, 210
 - new system profile additions, 211
 - profiles, 209
 - starting, 208
 - Work profile, 210
- scribus application, 182
- ScriptAlias directive, 386
- scripts
 - chroot, 226
 - ghostscripts, 303
 - languages, 344–347
 - Perl CGI, 387–388
 - post-install, AutoYast feature, 226
 - pre-install, AutoYaST feature, 226
 - shell scripts
 - case statement, 342
 - file tests, 341–342
 - limitations, 343
 - mailing from, 343
 - positional parameters, 340
 - resources, 344
 - variables, 337–341
 - SuSEfirewall2, 493–497
- searching
 - DNS searches, 450–451
 - files
 - discussed, 56
 - find command, 298–299
 - locate command, 299
 - mc command, 301
 - using GNOME, 300
 - using Konqueror file manager, 299
 - incremental searches, 270
 - man pages, 119
 - text, 264, 270
 - Web searches, help options, 132
- sections, man pages, 119–120
- Secure Sockets Layer (SSL), 398
- security
 - access control, 384
 - authentication
 - authentication logging, 151
 - defined, 384–385
 - PAM (Pluggable Authentication Modules), 163, 418
 - Samba server configuration, 430–432
 - SASL (Simple Authentication and Security Layer), 506
 - Squid server, 522–524
 - authorization, 384
 - backups, 67–68
 - firewalls
 - configuring, 483–485
 - dropped packets, logging, 493
 - loopback, 493
 - NAT (Network Address Translation), 488–491
 - overview, 481
 - port scanning, 483
 - reasons for, 482–483
 - rules, 486–488
 - stateful, 486
 - SuSEfirewall2 script, 493–497
 - traffic, redirecting, 491–492
 - LIDS (Linux Intrusion Detection System), 533

- Postfix mail server, 392
- private keys, 363
- public keys, 363
- SASL (Simple Authentication and Security Layer), 506
- security modules, YaST application, 193
- security patches, 218–219
- Security section, SLOX, 595
- Standard Server, 577
- Webmin tool settings, 333
- sed command, 246–247
- SeeAlso element, person object, 510
- sender_canonical_maps parameter, 396
- sendmail command, 395
- sendmail virtual domains, 402
- sendmail_path parameter, 395
- serial numbers, SOA, 456
- serial printer connections, 200
- Server Message Block (SMB), 201, 413
- server packages, Samba, 438
- servers
 - always-on, 402
 - anonymous FTP, 472, 474–475
 - authoritative, 444
 - Cryus IMAPD, 407–410
 - LDAP, testing, 505–506
 - mail servers
 - dial-up server configuration, 403
 - discussed, 391
 - open relay, 393
 - Postfix, 392–394, 399–401
 - settings, 575–576
 - Standard Server settings, 575–576
 - UCE (unsolicited commercial mail), 393
 - Netware, 358–359
 - NFS (Network File System), 464
 - Qpopper, 404–406
 - root DNS, 449
 - SLES (SUSE Linux Enterprise Server), 218
 - SLOX (SUSE OpenExchange Server)
 - administrative interface, 594–595
 - architecture, 592–594
 - calendar options, 609–610
 - configuring, 591–592
 - contact creation, 614–615
 - Cyrus-specific configuration options, 602–603
 - discussed, 129, 552
 - document creation, 611–613
 - e-mail client, 608–609
 - Groups/Folders section, 595
 - installing, 582–584
 - iSLOX connector, 616
 - Language section, 595
 - licensing, 581–582
 - Log Out section, 595
 - Mail Server section, 595
 - Monitor section, 595
 - Netline servlets, 593
 - Network Services section, 595
 - note creation, 613
 - oSLOX connector, 616
 - Portal screen, 606
 - Postfix subsystems, 601–602
 - Resources section, 595
 - Security section, 595
 - shared folder creation, 604–605
 - system resource checks, 606
 - task creation, 610–611
 - Tools section, 595
 - user creation, 596–598
 - user management, 603–604
 - User section, 595
 - virtual domain creation, 598–599
 - when to use, 623
- Squid
 - Cache Manager menu, 526
 - installing, 519–521
 - log analysis, 524
 - overview, 519
 - rcsquid start command, 520
 - squidGuard filter, 527
 - as transparent proxy, 525–526
 - user authentication, 522–524
- Standard Server
 - Edit Configuration Files tool, 579
 - Edit Global Configuration tool, 579
 - graphical mail tools, 579
 - installation, 566–570
 - language options, 580
 - LDAP browser tool, 579
 - login screen, 572
 - network services, 577–579
 - overview, 565
 - security settings, 577
 - structure of, 566
 - system statistics tools, 579
 - User Management options, 573–575
 - Web administration screen, 572–573
 - Webmin tool, 335–336
- session entry, PAM, 514
- Session layer, OSI model, 138–139
- setgid_group parameter, 395
- sftp command, 67
- sgrep command, 239–240

- sh command, 46
- shared resources
 - desktops, X Windows system configuration, 176–177
 - shared folders, 604–605
 - shared mailboxes, 408–409
 - Shared Resources option (YaST application), 433
 - shared storage, SAN, 545–546
 - Windows systems data, 112–113
- shells
 - advanced features, 47–51
 - aliases, 336–337
 - Bourne Again, 46
 - command completion, 47
 - command history, 47
 - command interpreters, 45–46
 - command-line interface, 46
 - environment variables, 47–49
 - shell scripts
 - case statement, 342
 - discussed, 46
 - file tests, 341–342
 - limitations, 343
 - mailing from, 343
 - positional parameters, 340
 - resources, 344
 - variables, 337–341
 - wildcards and pattern matching, 49–50
- showmount command, 468
- showopts command, 562
- Simple Authentication and Security Layer (SASL), 506
- Simple Mail Transfer Protocol (SMTP), 136, 361
- simple mode editing, Runlevel Editor, 212
- sites. *See* Web sites
- 64-bit platforms, 537
- Size logrotate directive, 158
- slappasswd command, 505
- SLES (SUSE Linux Enterprise Server), 218, 552
- slist command, 359
- SLOX (SUSE OpenExchange Server)
 - administrative interface, 594–595
 - architecture, 592–594
 - calendar options, 609–610
 - configuring, 591–592
 - contact creation, 614–615
 - Cyrus-specific configuration options, 602–603
 - discussed, 129, 552
 - document creation, 611–613
 - e-mail client, 608–609
 - Groups/Folders section, 595
 - installing, 582–584
 - iSLOX connector, 616
 - Language section, 595
 - licensing, 581–582
 - Log Out section, 595
 - Mail Server section, 595
 - Monitor section, 595
 - Netline servlets, 593
 - Network Services section, 595
 - note creation, 613
 - oSLOX connector, 616
 - Portal screen, 606
 - Postfix subsystems, 601–602
 - Resources section, 595
 - Security section, 595
 - shared folder creation, 604–605
 - system resource checks, 606
 - task creation, 610–611
 - Tools section, 595
 - user creation, 596–598
 - user management, 603–604
 - User section, 595
 - virtual domain creation, 598–599
 - WebDAV (Web-based Distributed Authoring and Versioning), 593
 - when to use, 623
- smarthosts, 397
- SMB (Server Message Block), 201, 413
- smbpasswd command, 433–434
- smbtree utility, 419
- smbd command, 433
- Smith, Kylie (*EVMS User Guide*), 127
- SMTP (Simple Mail Transfer Protocol), 136, 361
 - smtpd_helo_required parameter, 398
 - smtpd_helo_restrictions parameter, 398
 - smtpd_sender_restrictions parameter, 398
 - smtpd_use_tls parameter, 399
 - smtp_sasl_auth_enable parameter, 399
 - smtp_use_tls parameter, 399
- sn element, person object, 510
- SNAT (Source NAT), 488–490
- SOA (Start of Authority), 454–456
- soft modems, 32
- soft mounts, 462
- software
 - ISVs (Independent Software Vendors), 533
 - selecting, SUSE Linux installation, 19–22
 - software modules, YaST application, 191
 - software packages
 - dependencies, 63
 - extracting files from, 65
 - RPM (Red Hat Package Manager), 63–66
 - source packages, compiling, 66
 - software support, help options, 131–132

- sort command, 236, 279
- sound and multimedia formats, 305
- sound cards, 40–42
- source information, RPM header information, 282, 285
- Source NAT (SNAT), 488–490
- source RPMs, 66
- SourceForge Web site, 132
- SOURCES directory, RPM source, 282
- spam blockers, 403–404, 602
- SPEC directory, RPM source, 282
- special IP addresses, 142–143
- spelling corrections, emacs text editor, 270
- splash command, 104
- splash_early command, 104
- splash_late command, 104
- split command, 240
- splitting windows, 179
- square brackets ([]), 49
- Squid server
 - Cache Manager menu, 526
 - installing, 519–521
 - log analysis, 524
 - overview, 519
 - rcsquid start command, 520
 - Squid web proxy language, 344–345
 - squidGuard filter, 527
 - as transparent proxy, 525–526
 - user authentication, 522–524
- Squid Web site, 131
- SRPMS directory, RPM source, 282
- ssh command, 66–67, 336
- sshd command, 104
- SSL (Secure Sockets Layer), 398
- staff requirements, fulfilling, Enterprise network, 534–535
- Stafford, Stephen (*Linux System Administrator's Guide*), 126–127
- standard installation, Standard Server, 567
- Standard Server
 - Edit Configuration Files tool, 579
 - Edit Global Configuration tool, 579
 - graphical mail tools, 579
 - installing
 - basic installation, 567
 - discussed, 566
 - networking setup, 569–570
 - root password, 568
 - standard installation, 567
 - language options, 580
 - LDAP browser tool, 579
 - login screen, 572
 - mail server settings, 575–576
 - network services, 577–579
 - overview, 565
 - security settings, 577
 - structure of, 566
 - system statistics tools, 579
 - User Management options, 573–575
 - Web administration system, 572–573
- Start of Authority (SOA), 454–456
- starting
 - emacs text editor, 267–268
 - SCPM, 208
 - YaST application, 190
- StartServers directive, 380
- startx command, 170, 172
- stateful firewalls, 486
- statements
 - case, 342
 - while, 346
- static routes, 354
- statistics from files, retrieving, 245
- stderr command, 51
- stdin command, 51
- stdout command, 51
- storage area network. *See* SAN
- strict_rfc821_envelopes parameter, 398
- strings
 - limit, 343
 - strings command, 254, 303
- submount command, 63
- subnetting, 145–146
- sudo command, 421
- sufficient entry, PAM, 515
- suffix command, 505
- superblocks, filesystems, 89
- superuser setup, SUSE Linux installation, 27
- SUSE Configuration and Profile Manager. *See* SCPM
- SUSE Linux Administration Guide*, 117–118, 628
- SUSE Linux Enterprise Server (SLES), 218, 552
- SUSE Linux installation
 - ADSL (asymmetric digital subscriber line)
 - connections, 33
 - boot loader selection, 22–24
 - boot option selection, 6–8
 - confirmation, 24–25
 - connections, testing, 31
 - data partitions, 18–19
 - default gateway configuration, 31
 - DNS addresses, 30
 - filesystem creation, 14–18
 - graphics card configuration, 39–40
 - hardware configuration, 36–40
 - host name setup, 29–30

- SUSE Linux installation (*continued*)
 - installation complete options, 42–43
 - instruction manuals, 4
 - ISDN (Integrated Services Digital Network)
 - connections, 33
 - keyboard layout settings, 10
 - language settings, 8, 11
 - method selection, 3–4
 - mode selection, 10
 - modem configuration, 32–33
 - monitor configuration, 36–39
 - network access configuration, 27–31
 - online updates, testing, 31
 - operating system partitions, resizing existing, 13–14
 - partitioning schemes, 11–12
 - password configuration, 26–27
 - primary and extended partitions, 13
 - release notes, 36
 - root partitions, 17–18
 - runlevel settings, 11, 24
 - software selection, 19–22
 - sound card configuration, 40–42
 - superuser setup, 27
 - SUSEconfig application, 35
 - swap partitions, 15–16
 - system selection, 10
 - time zone selection, 11
 - user configuration, 34–35
 - welcome screen, 5
 - SUSE Linux User Guide*, 117–118, 628
 - SUSE OpenExchange Server. *See* SLOX
 - SUSE Portal Web site, 128
 - SUSE system boot loader, 99
 - SUSEconfig application, 35
 - SuSEfirewall2 script, 493–497
 - susewatcher system tray applet, 218
 - swap partitions, 15–16
 - swap space, 15
 - switching runlevels, 101–103
 - symbolic links, 54–55
 - synchronization
 - exports file, 465–466
 - NTP, 198
 - rsync command, 365–366
 - synchronous IO, 153
 - syslog command, 104
 - syslog daemon, 151–153
 - syslog-ng logging method, 153–154
 - system boot
 - BIOS (basic input-output system), 97
 - boot floppies, 196
 - Boot from Hard Disk option, 6
 - boot loaders
 - configuration, 205–207
 - selecting, 22–24
 - dual booting
 - discussed, 13
 - Windows, Linux installation on, 109–110
 - Windows, manually partitioning, 110–112
 - Windows, sharing data on, 112–113
 - Windows installation, 109
 - GRUB (Grand Unified Boot Loader), 22–23, 107–108
 - Installation option, 6
 - Installation-ACPI Disabled option, 6
 - Installation-Safe Settings option, 6
 - ISOLINUX boot loader, 98
 - LILO (Linux Loader), 22–23, 105–106
 - Manual installation option, 7
 - Memory Test option, 7
 - multi-boot systems, 13
 - PPC (PowerPC) architecture, 97
 - PXE (Preboot Execution Environment), 177
 - reboot command, 116
 - Rescue System option, 7
 - runlevels
 - boot problems, fixing, 113–114
 - customizing, 104
 - descriptions, 100
 - directories, 102
 - switching manually, 101–103
 - system checks, 103–104
 - SUSE Linux installation, 6–8
 - SUSE system boot loader, 99
 - system repair, 317–318
 - troubleshooting, 113–116
 - system checks, runlevels, 103–104
 - system modules, YaST application, 192
 - system repair
 - automatic repair, 318
 - booting options, 317–318
 - customized repair options, 319–320
 - Expert Tool options, 320–321
 - Rescue System, booting into, 318
 - System Repair mode, 318–321
 - verification, 321
 - system requirements, 625
 - system resource checks, SLOX, 606
 - system selection, SUSE Linux installation, 10
 - system statistics tools, Standard Server, 579
- ## T
- T status, RPM verification output, 281
 - tabs, replacing, 232–233
 - tac command, 55, 233
 - tags, XML, 306
 - tail command, 55, 234

- Tanner, Stephen (*Python 2.1 Bible*), 347
- tar command, 68, 297, 310–312
- tasks
 - administrative
 - permissions, 59–61
 - user and group concepts, 57–58
 - user preferences, 62
 - task creation, SLOX, 610–611
- Taylor, Dave (*Wicked Cool Shell Scripts*), 344
- TCO (Total Cost of Ownership), 531
- TCP/IP (Transmission Control Protocol/Internet Protocol)
 - discussed, 136
 - DoD (Department of Defense) model, 140
 - IP addresses
 - broadcast addresses, 142
 - classes, 141
 - dotted decimal numbers, 141
 - host allocation, 143
 - host components, 141
 - multicast operations, 142
 - network addresses, 142
 - network components, 141
 - non-routable, 143–144
 - public, 143
 - special, 142–143
 - subnetting, 145–146
 - unicast operations, 142
 - ISO (International Organization of Standardization), 137–140
- tcsh command, 46
- PhoneNumber element, person object, 510
- telinit command, 101–103
- Telnet protocol
 - discussed, 359
 - as testing tool, 361–362
 - virtual terminal services, 360
- testing
 - connections, SUSE Linux installation, 31
 - file existence, 341–342
 - LDAP servers, 505–506
 - online updates, SUSE Linux installation, 31
 - printer configuration, 203–204
 - Telnet protocol, 361–362
- TeX formatting system (Donald Knuth), 253–254
- text
 - copying and pasting, 263
 - deleting, 260–263
 - editing, 57
 - inserting, 264
 - manipulation
 - file comparisons, 250–252
 - file statistics, retrieving, 245
 - formatted text files, viewing and printing, 249–250
 - replacing text, 246–248
 - TeX formatting system, 253–254
 - text file fields, 242–245
 - text retrieval, 252–254
 - moving around, 258–259
 - replacing, 264, 270
 - searching, 264, 270
 - text-based file managers, 296
 - undoing and redoing operations, 262
- text editors
 - deleting text, 260–263
 - discussed, 255
 - emacs
 - calendar options, 273
 - command completion and history, 269–270
 - discussed, 57
 - help options, 273
 - navigation options, 269
 - searching text, 270
 - special commands, 271
 - spelling corrections, 270
 - starting, 267–268
 - undo commands, 270
 - graphical user environments, 256
 - vi
 - advantages, 256
 - command prompt, 257
 - discussed, 57
 - file saving, 264
 - inserting text, 264
 - vim
 - command mode, 258
 - command prompt, 257
 - copying and pasting, 263
 - discussed, 256
 - exiting, 265
 - initialization files, 265
 - searching and replacing text, 264
 - word completion, 270
- text mode, YaST application, 190
- TFTP (Trivial FTP), 221
- themes, KDE Control Center, 180
- tightvnc packages, 176
- Time to Live (TTL), 368–369, 451
- time zone selection, SUSE Linux installation, 11
- TLDs (top-level domains), 404, 450
- Tools section, SLOX, 595
- touch command, 61
- tr command, 247–248
- traceroute command, 299, 368–369

traffic, redirecting, firewalls, 491–492
 Transmission Control Protocol/Internet Protocol.
 See TCP/IP
 Transport layer
 DoD model, 140
 OSI model, 137, 139
 transport_maps parameter, 396
 Trivial FTP (TFTP), 221
 troubleshooting
 booting, 113–116
 DVD material, 626
 networks, 367–369
 X Windows system startup, 172
 TTL (Time to Live), 368–369, 451
 tune2fs command, 84
 TX bytes entry, ifconfig command, 351
 TX entry, ifconfig command, 351
 txqueuelength entry, ifconfig command, 351
 .txt file extension, 339

U

U status, RPM verification output, 281
 UCE (unsolicited commercial mail), 393, 403
 UDP (User Datagram Protocol), 137
 UL (UnitedLinux), 566
 umask command, 61–62
 umount command, 92–93
 uname command, 552
 undoing text operations, 262, 270
 unicast operations, IP addresses, 142
 uniq command, 235
 UnitedLinux (UL), 566
 Unix-to-Unix Copy Protocol (UUCP), 151
 unix2dos program, 248
 unknown_local_recipient_reject_code
 parameter, 395
 unmounting filesystems
 discussed, 18
 umount command, 92–93
 unsolicited commercial mail (UCE), 393, 403
 UP entry, ifconfig command, 350
 Update an existing system option, YaST application, 10
 upgrades
 EXT2 to EXT2 filesystems, 83–84
 kernel packages, 554
 uploads, FTP connections, 477–478
 USB printer connections, 200
 User Datagram Protocol (UDP), 137
 useradd command, 58
 UserPassword element, person object, 510
 users
 access, 384–385
 accounts, Enterprise network, 542

aliases, 597
 configuration
 adding users, 214–215
 editing users, 213
 passwords, 214–215
 SUSE Linux installation, 34–35
 creation, SLOX, 596–598
 data, LDAP, 509–513
 modules, YaST application, 193
 passwords, 57–58
 preferences
 SUSE Linux configuration, 62–63
 X Windows system configuration, 173
 user IDs, matching up, 469
 user management
 SLOX, 603–604
 User Management option (Standard Server),
 573–575
 User section, SLOX, 595
 utilities
 htpasswd2, 384
 imap, 514
 parted, 326
 sax2, 166, 168–170
 smbtree, 419
 xf86config, 166
 UUCP (Unix-to-Unix Copy Protocol), 151

V

validity checks, HTML, 305
 vanilla kernels, 552
 variables
 environment variables
 DISPLAY, 166, 173
 HOME, 48
 PATH, 48–49
 PS1, 48
 setting, 48
 viewing, 47
 shell scripts, 337–341
 /var/log file, 149–150
 VBS (Visual Basic for Applications), 308
 vendors
 HP (Hewlett-Packard), 536
 ISVs (Independent Software Vendors), 533
 vendor information, RPM header information, 284
 verification
 RPM packages, 280–281
 system repair, 321
 version numbers
 kernels, 552
 RPM header information, 284

- VESA (Video Electronics Standards Association), 37, 170–172
 - VFAT (Virtual File Allocation Table), 80
 - VFS (virtual filesystem), 77
 - vi text editor
 - advantages, 256
 - command prompt, 257
 - deleting text, 260–263
 - discussed, 57
 - file saving, 264
 - inserting text, 264
 - Video Electronics Standards Association (VESA), 37, 170–172
 - vim text editor
 - command mode, 258
 - command prompt, 257
 - copying and pasting, 263
 - discussed, 256
 - exiting, 265
 - initialization files, 265
 - searching and replacing text, 264
 - violations, logcheck process, 159
 - virtual domains
 - discussed, 402
 - SLOX (SUSE OpenExchange Server), 598–599
 - Virtual File Allocation Table (VFAT), 80
 - virtual filesystem (VFS), 77
 - virtual hosting, 383
 - virtual interfaces, IP network configuration, 352
 - Virtual Machine (VM), 536
 - Virtual Network Computing (VNC), 176
 - virtual private network (VPN), 577
 - virtual terminal services, Telnet protocol, 360
 - virtual_maps parameter, 396
 - viruses, firewalls, 482
 - Visual Basic for Applications (VBA), 308
 - visudo command, 421
 - VM (Virtual Machine), 536
 - VNC (Virtual Network Computing), 176
 - VPN (virtual private network), 577
 - vsftpd command, 472, 474–475
- W**
- w command, 59
 - Wainwright, Peter (*Beginning Perl*), 347
 - Wall, Larry (*Programming Perl*), 347
 - WAN (wide area network), 548
 - warnings, partitions, 322
 - .wav file extension, 305
 - wc command, 245
 - Web administration screen (Standard Server), 572–573
 - Web searches, help options, 132–133
 - Web sites
 - Apache, 131
 - Apache Week, 390
 - Cygwin, 177
 - Debian, 132
 - FreshMeat, 131
 - Gentoo, 132
 - GNOME, 131
 - Hummingbird Communications Exceed, 177
 - IBM, 132
 - IRC, 132
 - KDE, 131
 - MySQL, 131
 - OpenLDAP, 131
 - OpenOffice, 131
 - Planet Apache, 390
 - Postfix, 131
 - Red Hat, 132
 - Samba, 131
 - SourceForge, 132
 - Squid, 131
 - SUSE Portal, 128
 - Webmin, 334
 - webalizer, logchecks, 161–162
 - WebDAV (Web-based Distributed Authoring and Versioning), 593
 - Webmin tool
 - discussed, 331
 - installing, 332–333
 - login screen, 333
 - security settings, 333
 - server screens, 335–336
 - Web site, 334
 - YaST application and, 334
 - webSPACE, 381
 - weirdx command, 177
 - welcome screen, 5
 - Welsh, Matt (*Linux Installation and Getting Started*), 127
 - wget command, 367
 - while statement, 346
 - Wicked Cool Shell Scripts* (Dave Taylor), 344
 - wide area network (WAN), 548
 - wildcards
 - * (asterisk), 49
 - pattern matching, 49–50
 - ? (question mark), 49, 264
 - winbindd command, 434–435
 - Window Maker window manager, 187
 - window managers, X Windows system
 - Blackbox, 186
 - discussed, 166–167

Continued

- window managers, X Windows system (*continued*)
 - FVWM, 187
 - IceWM, 186
 - MWM (Motif Window Manager), 185–186
 - Window Maker, 187
 - XFCE, 187
- Windows Internet Naming Service (WINS), 448
- windows, splitting, 179
- Windows system
 - Linux installation on, dual booting, 109–110
 - sharing data on, 112–113
- Windows+BSD+Linux Installation Guide* (Subhasish Ghosh), 126
- win-modems
 - discussed, 32
 - hardware support, 130–131
- WINS (Windows Internet Naming Service), 448
- wireless networks, 369–371
- wireless support, 131
- Wirzenius, Lars (*Linux System Administrator's Guide*), 126–127
- .wmv application, 305
- word completion options, 270
- word processors, Abiword, 184
- Work profile, SCPM, 210
- workgroup options, Samba server configuration, 429
- writeback mode, EXT3 filesystems, 78
- writing to files, 59
- wsiz command, 463
- WWN (World Wide Name), 545

X

- x command, 59
- X Windows system
 - advantages/disadvantages, 165
 - configuring
 - copying and pasting, 172–173
 - desktop sharing, 176–177
 - diskless terminals, 177
 - framebuffer graphics, 170–172
 - hardware information, 168
 - remote use, 174–177
 - resolutions, switching, 172
 - sax2 utility, 168–170
 - troubleshooting, 172
 - user preferences, 173
 - GNOME project, 167–168
 - KDE project, 167–168
 - window managers
 - Blackbox, 186
 - discussed, 166–167
 - FVWM, 187

- IceWM, 186
- MWM (Motif Window Manager), 185–186
- Window Maker, 187
- XFCE, 187
- xconfig command, 557
- xdm login manager, 166
- xdvi command, 304
- XFCE window manager, 187
- xf86config utility, 166
- XFS filesystem, 80
- xftree command, 187
- Ximian Desktop 2 distribution, 183
- xine application, 305
- .xls file extension, 306
- XML (Extensible Markup Language)
 - discussed, 255
 - tags, 306
- xpdf command, 254, 304
- xterm command, 62, 185

Y

- YaST application
 - Abort installation option, 10
 - AutoYaST, autoinstallation, 221–225
 - Blackbox window manager, 21
 - boot floppies, 196
 - Boot installed system option, 10
 - boot loaders
 - configuration, 205–207
 - selecting, 22–24
 - default gateway configuration, 31
 - DHCP configuration, 213
 - filesystem creation, 14–18
 - graphics card configuration, 39–40
 - group configurations, 216–217
 - in GUI mode, 190
 - hardware configuration, 37–39
 - hardware modules, 191
 - installation
 - installation complete options, 42–43
 - installation confirmation, 24–25
 - installation options, 9–10
 - Installation Settings screen, 10–11
 - installation source configurations, 194–195
 - miscellaneous modules, 193
 - modem configuration, 32–33
 - modules, KDE Control Center, 181
 - network card configuration, 27–29
 - network devices module, 192
 - network services modules, 192–193, 472
 - Online Update control, 418

- operating system partitions, resizing existing, 13–14
 - overview, 190
 - package manager, 20–21
 - partitioning schemes, 11–12
 - primary and extended partitions, 14
 - printer configuration
 - CUPS (Common Unix Printing System), 199
 - direct printing, 201
 - discussed, 198
 - hardware options, 199
 - IPP (Internet Printing Protocol), 201
 - local filtering, 202
 - manually, 199
 - multiple queuing, 202
 - print jobs, 202
 - printer model selection, 203
 - printer names, 202
 - printer type selection, 200
 - testing, 203–204
 - proxy configurations, 197
 - release notes, 36
 - Repair installed system option, 10
 - rescue floppies, 196
 - runlevels
 - changing default, 24
 - Runlevel Editor configuration, 211–212
 - Samba client configuration, 415–418
 - scanner configuration, 204–205
 - SCPM (SUSE Configuration and Profile Manager), 208–211
 - security modules, 193
 - Shared Resources option, 433
 - software modules, 191
 - software selection options, 19–22
 - sound card configurations, 40–42
 - starting, 190
 - system modules, 192
 - in text mode, 190
 - Update an existing system option, 10
 - user configuration, 34–35, 213–215
 - user modules, 193
 - Webmin tool and, 334
 - YOU (YaST Online Update) module, 218–220
 - yast2-samba-client package, 439
 - yast2-samba-server package, 439
- ## Z
- zcat command, 233
 - zen command, 368
 - zgrep command, 238, 309
 - zip command, 297, 312
 - zless command, 309
 - zone files, DNS, 454–455
 - zSeries platforms, IBM, 535–536
 - zsh command, 46

